

Missouri Department of Transportation
Northeast District – Macon Regional Office
General Services Division – Procurement Department
www.modot.org 1-888-ASK-MoDOT

26826 U.S. Highway 63
Macon, MO 63552
(660)-385-8245 – phone
(573)-526-3169 – fax

SINGLE FEASIBLE SOURCE POSTING

The Missouri Department of Transportation has determined there is only one feasible source which can provide the described products or services to the Northeast District.

- Title:** Northeast District Single Feasible Source (SFS) Posting FY17
Procurement File # NE17-SFS-R2
- Description:** Various Products/Services – Refer to the list below for details on each individual posting. Each of the sections listed on the following pages are considered an individual posting, subject to their separate posting date, justification data, and handling.
- If you are a vendor, which can supply listed materials/services in equal competition with the SFS vendor listed, contact the Buyer below. If other feasible sources are later found to exist, the SFS posting for the particular item listed shall be immediately rescinded and normal competitive solicitation processes will then be followed to make future purchases.
- Contract Period:** July 1, 2016 through June 30, 2017 (MoDOT Fiscal Year 17)
- Agency:** Missouri Department of Transportation
- Supplier:** Various Vendors – Refer to the attached listing
- Buyer:** William D. “Bill” Noyes, CPPO, CPPB - Senior Procurement Agent
- Phone Number:** (660)-385-8245
- E-Mail:** william.noyes@modot.mo.gov

If a SFS is estimated to cost less than \$5,000 a SFS notice shall be posted in a Procurement Department public area for 2 business days. If the SFS is estimated to cost over \$5,000 but less than \$25,000, a SFS notice shall be posted on the MoDOT internet site for 2 business days. If the SFS is estimated to cost over \$25,000, a SFS notice shall be advertised by posting notice on the MoDOT internet site for 10 calendar days.



Posted: September 1, 2016	SUPPLIER
<p>Missouri Sealcoat Products is the single feasible source for the Northeast District for their Parking Lot Sealing Contractor Assistance Program as an authorized SealMaster products distributor.</p> <p>After an internet search for other vendors offering such products and services was unsuccessful, MoDOT contacted Alecia Hancock of SealMaster of St Louis (314-739-7325). She stated they were “unable to offer any other contractors to bid the project with the same level of service Missouri Sealcoat provides. Their contract assist program is unique and they are our only distributor that provides this service.”</p>	<p>Missouri Sealcoat Products Attn: Jack & Lisa Jones P.O. Box 95 Holts Summit, MO. 65043 (573)-896-5252 – phone Email: mosealcoatproducts@gmail.com Website: www.mosealcoatproducts.com</p>

Posted: November 7, 2016	SUPPLIER
<p>Battery Outfitters, is the single feasible source for Fullriver DC224-6 Batteries (Deep Cycle – Sealed Maintenance Free – 6V 224AH AGM – BCI Group: GS2) and Fullriver DC 6 Volt DC250 AGM Batteries.</p> <p>This SFS has been determined because the manufacturer will not sell these batteries direct to MoDOT. Multiple past competitive solicitations found no other vendors due to a protected distributor territory established by the manufacturer. This is the standard battery used in our changeable message boards based on past field testing and performance.</p>	<p>Battery Outfitters Attn: David Stone 304A Nebraska Avenue Columbia, MO. 65201 (573)-442-5230 – phone (573)-289-3724 – cellular phone (573)-256-4081 – fax Email: dstone@batteryoutfitters.com</p>

Posted: January 23, 2017	SUPPLIER
<p>Henderson Products is the single feasible source for Henderson Plow Parts.</p> <p>This SFS has been determined because parts for Henderson plows are a a proprietary product sold direct to MoDOT by the manufacturer.</p>	<p>Henderson Products Attn: Dennis Meisgeier 1085 South 3rd Street Manchester, IA. 52057 (563)-928-7236 – phone Email: parts@hendersonproducts.com</p>

Posted: January 30, 2017	SUPPLIER
<p>Brian Holton’s Welding Service is the single feasible source for Weedeater Heads. These are heavy duty equipment specially designed and fabricated for installation and use on tractors/skid steers. These weedeater units are used to trim under guardrail, around delineators and around road signs.</p> <p>This SFS has been determined because these heads are a proprietary design (patent pending), which is fabricated and supplied to MoDOT direct by the vendor who is the manufacturer of these items.</p>	<p>Brian Holton’s Welding Service 447 East Jackson St. Memphis, MO. 63555 (660)-465-8688 – phone</p>

Posted: February 2, 2017	SUPPLIER
<p>Landoll Corporation is the single feasible source for Landoll 835 Gooseneck Trailers.</p> <p>This SFS has been determined because this is a proprietary product sold direct to MoDOT by the manufacturer. Our research has found no other detachable gooseneck trailer that equals the Landoll specifications below:</p>	<p>Landoll Corporation Attn: Doug Landoll 1900 North Street Marysville, KS. 66508 1-800-428-5655 – phone (785)-562-8610 – cellular phone (785)-532-4893 – fax Email: doug.landoll@landoll.com</p>
<p>GOOSENECK: The trailer shall be equipped with a 12 foot detachable gooseneck. The gooseneck shall be the non-ground bearing detachable hydraulic type. The gooseneck will be equipped with a positive over-center locking mechanism to insure a positive lock. The gooseneck will be operable with two hydraulic lift cylinders with a single hydraulic lever to lower, detach and activate the gooseneck carrier arms. The trailer shall have a 7-position ride height adjustment. The fifth wheel height at 48” will provide a ground clearance of 6.5 inches with adjustments on 2 inch increments. The 12 foot gooseneck will have pin setting of 15 inch. This will provide for an 84 inch swing clearance. All pins and bushings will be equipped with grease zerks. The cylinders shall be exposed for convenient repair or replacement and shall be removeable without dropping the trailer.</p>	

Posted: February 2, 2017	SUPPLIER
<p>Jamar Technologies is the single feasible source for GPS-Based Distance Measuring Devices (Jamar RAC-GEO-II-K).</p> <p>This SFS has been determined because this is a proprietary product sold direct to MoDOT by the manufacturer. This is the standard distance measuring device used in our units based on past field testing and performance.</p>	<p>Jamar Technologies, Inc. Attn: Fred Edwards 1500C Industry Road Hatfield, PA. 19440 1-800-776-0940 – phone (215)-361-2267 – fax Email: fred@jamartech.com</p>