EXHIBIT A

OWNER: KLINGEL KATHLEEN E & RUSSELL F
ADDRESS: 3 MEADOWBROOK COUNTRY CLUB ESTATES
SUB DIVISION: MEADOWBROOK COUNTRY CLUB ESTATES
LOT #: 3
CITY: BALLWIN



- WORK AREA

NOTES:
1. CONNECTION WITH MSD INLET MUST BE A MINIMUM OF 3 FT. BELOW GROUND LINE.
2. MSD INLET IS APPROX. 5 FT. DEEP.
3. MSD PERMIT NUMBER IS F63-06
4. MODOT TO PERFORM GRASS RESTORATION AT DISTURBED AREAS.
5. CONTRACTOR SHALL HAVE LICENSED DRAIN LAYER ON STAFF. DRAIN LAYER MUST PICK UP MSD PERMIT NUMBER F63-06 AT MSD OFFICES.
6. 6" PVC MUST BE OF SCHEDULE 40 MATERIAL.
7. PVC MUST BE BORED FROM LOCATION A TO B. NO OPEN CUTTING WILL BE ALLOWED EXCEPT AT THE CONNECTION POINTS.
9. CONTRACTOR IS TO REPAIR SOIL IN AREA OF CONNECTIONS TO NEAR BEFORE CONDITION.
10. CONNECTION WILL EXISTING 4" PVC AND NEW 6" PVC SHALL BE WATER TIGHT AND OF THE CONTRACTORS DESIGN.
11. 6" PVC SHALL BE A MINIMUM OF 18" BELOW GROUND LINE EXCEPT WHERE NOT POSSIBLE.
12. CONTRACTOR SHALL HAVE UTILITIES LOCATED AND AVOID CONFLICT AS NEEDED.

SCALE
0 20 40 60

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE PREPARED	3/11/2010
ROUTE	HH
STATE	MO
DISTRICT	6
SHEET NO.	1
COUNTY	ST. LOUIS
JOB NO.	J6U0808
CONTRACT ID.	
PROJECT NO.	
BRIDGE NO.	

DESCRIPTION | DATE

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

105 WEST CAPITOL
JEFFERSON CITY, MO 65102
1-888-ASK-MODOT (1-888-275-6636)

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.