



**MISSOURI
HIGHWAY and TRANSPORTATION
COMMISSION**

JEFFERSON CITY, MISSOURI

**LISTING OF BID ITEMS FOR
HIGHWAY CONSTRUCTION**

EFFECTIVE October 1, 2018
(ISSUED August 1, 2018)

MISSOURI DEPARTMENT OF TRANSPORTATION

1

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 0011010 | LS | 1.00 | AIRPORT SURFACE PREPARATION | |
| 0012010 | SQYD | 1.00 | AIRPORT PAVEMENT REMOVAL | |
| 0020110 | LS | 1.00 | AIRPORT REMOVAL OF IMPROVEMENTS | |
| 0020220 | ACRE | 0.10 | AIRPORT GRUBBING | |
| 0021010 | ACRE | 0.10 | AIRPORT CLEARING | |
| 0022010 | CUYD | 1.00 | AIRPORT UNCLASSIFIED EXCAVATION | |
| 0022060 | CUYD | 1.00 | AIRPORT CLASS A EXCAVATION | |
| 0022070 | CUYD | 1.00 | AIRPORT CLASS C EXCAVATION | |
| 0022210 | CUYD | 1.00 | AIRPORT COMPACTED EMBANKMENT | |
| 0022220 | CUYD | 1.00 | AIRPORT EMBANKMENT IN PLACE | |
| 0022230 | STA | 0.10 | AIRPORT COMPACTING IN CUT | |
| 0022240 | STA | 0.10 | AIRPORT LINEAR GRADING - CLASS 1 | |
| 0025010 | ACRE | 0.10 | AIRPORT TEMPORARY SEEDING AND MULCHING | |
| 0025020 | LF | 1.00 | AIRPORT TEMPORARY SLOPE DRAINS | |
| 0025025 | LF | 1.00 | AIRPORT TEMPORARY BERMS (TYPE B) | |
| 0025030A | CUYD | 1.00 | AIRPORT SEDIMENT BASINS | |
| 0025040 | TONS | 0.10 | AIRPORT FERTILIZING | |
| 0025050 | EA | 1.00 | AIRPORT DITCH CHECKS | |
| 0025060 | LF | 1.00 | AIRPORT SILT FENCE | |
| 0025070 | CUYD | 1.00 | AIRPORT SEDIMENT REMOVAL | |
| 0031310 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (3 INCHES THICK) | |
| 0031320 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (4 INCHES THICK) | |
| 0031330 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (5 INCHES THICK) | |
| 0031340 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (6 INCHES THICK) | |
| 0031350 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (7 INCHES THICK) | |
| 0031360 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (8 INCHES THICK) | |
| 0031370 | SQYD | 1.00 | AIRPORT TYPE 5 AGGREGATE BASE (9 INCHES THICK) | |
| 0031380 | SQYD | 1.00 | AIRPORT TYPE 1 AGGREGATE BASE FOR ACCESS ROAD (6 IN. THICK) | |
| 0031510 | SQYD | 1.00 | AIRPORT FLY ASH TREATED SUBGRADE (9 IN. THICK) | |
| 0031520 | SQYD | 1.00 | AIRPORT FLY ASH TREATED SUBGRADE (12 IN. THICK) | |
| 0031530 | TONS | 0.10 | AIRPORT FLY ASH | |
| 0031610 | SQYD | 1.00 | AIRPORT LIME TREATED SUBGRADE (9 IN. THICK) | |
| 0031620 | SQYD | 1.00 | AIRPORT LIME TREATED SUBGRADE (12 IN. THICK) | |
| 0031630 | TONS | 0.10 | AIRPORT LIME | |
| 0036010 | TONS | 1.00 | AIRPORT AGGREGATE SURFACING (CRUSHED STONE B) | |
| 0040310 | TONS | 0.10 | AIRPORT ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX) | |
| 0040320 | TONS | 1.00 | AIRPORT MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX) | |
| 0043010 | GAL | 1.00 | AIRPORT EMULSION (COLD IN-PLACE RECYCLING) | |
| 0043020 | SQYD | 1.00 | AIRPORT MIXING AND PLACING (COLD IN-PLACE RECYCLING) | |
| 0047010 | GAL | 1.00 | AIRPORT TACK COAT | |
| 0047030 | GAL | 1.00 | AIRPORT PRIME - LIQUID ASPHALT (RC-70 OR MC-30) | |
| 0050115 | SQYD | 0.10 | AIRPORT CONCRETE PAVEMENT (5 IN. THICK) | |
| 0050125 | SQYD | 0.10 | AIRPORT CONCRETE PAVEMENT (6 IN. THICK) | |
| 0050135 | SQYD | 0.10 | AIRPORT CONCRETE PAVEMENT (7 IN. THICK) | |
| 0050145 | SQYD | 0.10 | AIRPORT CONCRETE PAVEMENT (8 IN. THICK) | |
| 0050155 | SQYD | 0.10 | AIRPORT CONCRETE PAVEMENT (9 IN. THICK) | |
| 0055010 | SQYD | 0.10 | AIRPORT SAW-CUT GROOVING | |
| 0059901 | LS | 1.00 | AIRPORT - MISC. | |
| 0059902 | EA | 1.00 | AIRPORT - MISC. | |
| 0060110 | LS | 1.00 | AIRPORT MOBILIZATION | |
| 0060120 | LS | 1.00 | AIRPORT FIELD LABORATORY | |
| 0060130 | LS | 1.00 | AIRPORT TEMPORARY MARKING, LIGHTING AND BARRICADES | |
| 0060140 | LS | 1.00 | AIRPORT TEMPORARY MARKING AND BARRICADES | |
| 0060155 | SQFT | 1.00 | AIRPORT CONSTRUCTION SIGNS | |
| 0060160 | EA | 1.00 | AIRPORT MOVABLE BARRICADE | |
| 0060170 | EA | 1.00 | AIRPORT WARNING LIGHT, TYPE A | |
| 0060180 | EA | 1.00 | AIRPORT WARNING LIGHT, TYPE B | |
| 0060190 | EA | 1.00 | AIRPORT WARNING LIGHT, TYPE C | |
| 0061050 | LF | 1.00 | AIRPORT 5 STRAND BARBED WIRE FENCE (12 1/2 GAGE) | |
| 0061150 | EA | 1.00 | AIRPORT 16 FT. WIDE, SINGLE SWING FARM FENCE | |
| 0061160 | EA | 1.00 | AIRPORT DRIVEWAY SLIDING GATE, CHAIN-LINK | |
| 0061210 | LF | 1.00 | AIRPORT CHAIN-LINK FENCE (48 INCH, TYPE A) | |
| 0061220 | EA | 1.00 | AIRPORT DRIVEWAY GATE, CHAIN-LINK | |
| 0061230 | EA | 1.00 | AIRPORT WALKING GATE, CHAIN-LINK | |
| 0061240 | LF | 1.00 | AIRPORT WOVEN WIRE FENCE | |
| 0061250 | EA | 1.00 | AIRPORT DRIVE GATE (WOVEN WIRE) | |

MISSOURI DEPARTMENT OF TRANSPORTATION

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|---|-------------------------|
| 0063010 | GAL | 10.00 | AIRPORT BITUMINOUS MATERIAL FOR ACCESS ROAD (SEAL COAT) | |
| 0063020 | TONS | 1.00 | AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 1 (FIRST APPLICATION) | |
| 0063030 | TONS | 1.00 | AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 2 (SECOND APPLICATION) | |
| 0064010 | CUYD | 0.10 | AIRPORT STRUCTURAL PORTLAND CEMENT CONCRETE | |
| 0064020 | LB | 1.00 | AIRPORT STEEL REINFORCING (STRUCTURAL CONCRETE) | |
| 0065010 | SQFT | 1.00 | AIRPORT RUNWAY PAVEMENT MARKING (WHITE) | |
| 0065020 | SQFT | 1.00 | AIRPORT TAXIWAY PAVEMENT MARKING (YELLOW) | |
| 0065030 | SQFT | 1.00 | AIRPORT PAVEMENT MARKING (BLACK) | |
| 0065110 | SQFT | 1.00 | AIRPORT PAVEMENT MARKING REMOVAL | |
| 0066010 | GAL | 1.00 | AIRPORT EMULSIFIED ASPHALT FOR SLURRY SEAL | |
| 0066020 | TONS | 0.10 | AIRPORT AGGREGATE FOR SLURRY SEAL | |
| 0068010 | CUYD | 1.00 | AIRPORT ROCK LINING | |
| 0069010 | EA | 1.00 | AIRCRAFT TIE-DOWN ANCHORS | |
| 0071310 | LF | 1.00 | AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (12 IN.) | |
| 0071320 | LF | 1.00 | AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (18 IN.) | |
| 0071330 | LF | 1.00 | AIRPORT CONVENTIONAL UNDERDRAIN (4 IN.) | |
| 0071340 | LF | 1.00 | AIRPORT PIPE-AGGREGATE PAVEMENT UNDERDRAIN | |
| 0071410 | EA | 1.00 | AIRPORT SPLASH PAD | |
| 0072039 | EA | 1.00 | AIRPORT DROP INLETS | |
| 0074012 | LF | 1.00 | AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074015 | LF | 1.00 | AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074018 | LF | 1.00 | AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074021 | LF | 1.00 | AIRPORT 21 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074024 | LF | 1.00 | AIRPORT 24 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074030 | LF | 1.00 | AIRPORT 30 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074036 | LF | 1.00 | AIRPORT 36 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074042 | LF | 1.00 | AIRPORT 42 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074048 | LF | 1.00 | AIRPORT 48 IN. CORRUGATED METALLIC-COATED STEEL PIPE | |
| 0074112 | EA | 1.00 | AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074115 | EA | 1.00 | AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074118 | EA | 1.00 | AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECT | |
| 0074121 | EA | 1.00 | AIRPORT 21 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074124 | EA | 1.00 | AIRPORT 24 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074130 | EA | 1.00 | AIRPORT 30 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074136 | EA | 1.00 | AIRPORT 36 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074142 | EA | 1.00 | AIRPORT 42 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0074148 | EA | 1.00 | AIRPORT 48 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION | |
| 0075012 | LF | 1.00 | AIRPORT 12 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075015 | LF | 1.00 | AIRPORT 15 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075018 | LF | 1.00 | AIRPORT 18 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075019 | LF | 1.00 | AIRPORT 18 IN. CLASS IV REINFORCED CONCRETE PIPE | |
| 0075021 | LF | 1.00 | AIRPORT 21 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075024 | LF | 1.00 | AIRPORT 24 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075025 | LF | 1.00 | AIRPORT 24 IN. CLASS IV REINFORCED CONCRETE PIPE | |
| 0075027 | LF | 1.00 | AIRPORT 27 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075030 | LF | 1.00 | AIRPORT 30 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075033 | LF | 1.00 | AIRPORT 33 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075036 | LF | 1.00 | AIRPORT 36 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075037 | LF | 1.00 | AIRPORT 36 IN. CLASS IV REINFORCED CONCRETE PIPE | |
| 0075042 | LF | 1.00 | AIRPORT 42 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075048 | LF | 1.00 | AIRPORT 48 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075060 | LF | 1.00 | AIRPORT 60 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075072 | LF | 1.00 | AIRPORT 72 IN. CLASS III REINFORCED CONCRETE PIPE | |
| 0075112 | EA | 1.00 | AIRPORT 12 IN. RCP FLARED END SECTION | |
| 0075115 | EA | 1.00 | AIRPORT 15 IN. RCP FLARED END SECTION | |
| 0075118 | EA | 1.00 | AIRPORT 18 IN. RCP FLARED END SECTION | |
| 0075121 | EA | 1.00 | AIRPORT 21 IN. RCP FLARED END SECTION | |
| 0075124 | EA | 1.00 | AIRPORT 24 IN. RCP FLARED END SECTION | |

MISSOURI DEPARTMENT OF TRANSPORTATION

3

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|-------|------|---|-------------------------|
| 0075127 | EA | 1.00 | AIRPORT 27 IN. RCP FLARED END SECTION | |
| 0075130 | EA | 1.00 | AIRPORT 30 IN. RCP FLARED END SECTION | |
| 0075133 | EA | 1.00 | AIRPORT 33 IN. RCP FLARED END SECTION | |
| 0075136 | EA | 1.00 | AIRPORT 36 IN. RCP FLARED END SECTION | |
| 0075142 | EA | 1.00 | AIRPORT 42 IN. RCP FLARED END SECTION | |
| 0075148 | EA | 1.00 | AIRPORT 48 IN. RCP FLARED END SECTION | |
| 0081010 | ACRE | 0.10 | AIRPORT SEEDING | |
| 0083010 | SQYD | 1.00 | AIRPORT SODDING | |
| 0084010 | CUYD | 1.00 | AIRPORT TOPSOILING (OBTAINED ON SITE) | |
| 0084020 | CUYD | 1.00 | AIRPORT TOPSOILING (FURNISHED) | |
| 0086011 | ACRE | 0.10 | AIRPORT MULCHING | |
| 0086012 | ACRE | 0.10 | AIRPORT TYPE 2 OR TYPE 3 MULCH | |
| 0091010 | EA | 1.00 | AIRPORT ROTATING BEACON (IN PLACE) | |
| 0091110 | EA | 1.00 | AIRPORT HAZARD BEACON (IN PLACE) | |
| 0091210 | EA | 1.00 | AIRPORT BEACON TOWER (IN PLACE) | |
| 0091310 | EA | 1.00 | AIRPORT WIND CONE 12 FT (IN PLACE) | |
| 0091320 | EA | 1.00 | AIRPORT WIND CONE 8 FT (IN PLACE) | |
| 0091330 | EA | 1.00 | AIRPORT WIND CONE (RELOCATE) | |
| 0091340 | EA | 1.00 | AIRPORT SEGMENTED CIRCLE | |
| 0091410 | EA | 1.00 | AIRPORT OBSTRUCTION LIGHT (IN PLACE) | |
| 0091510 | EA | 1.00 | AIRPORT PAPI, 2-BOX SYSTEM | |
| 0091520 | EA | 1.00 | AIRPORT PAPI, 4-BOX SYSTEM | |
| 0091530 | EA | 1.00 | AIRPORT PAPI (RELOCATE) | |
| 0091610 | EA | 1.00 | AIRPORT APRON LIGHT (IN PLACE) | |
| 0092010 | LF | 1.00 | AIRPORT CABLE TRENCH | |
| 0092011 | LF | 1.00 | AIRPORT TYPE 1 CABLE TRENCH | |
| 0092012 | LF | 1.00 | AIRPORT TYPE 2 CABLE TRENCH | |
| 0092060 | LF | 1.00 | AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 5KV) | |
| 0092068 | LF | 1.00 | AIRPORT UNDERGROUND CABLE (1/C,#10 AWG, 600V) | |
| 0092069 | LF | 1.00 | AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 600V) | |
| 0092070 | LF | 1.00 | AIRPORT UNDERGROUND CABLE (1/C,#6 AWG, 600V) | |
| 0092071 | LF | 1.00 | AIRPORT UNDERGROUND CABLE (1/C,#4 AWG, 600V) | |
| 0092079 | LF | 1.00 | AIRPORT #10 AWG BARE COPPER GROUND | |
| 0092080 | LF | 1.00 | AIRPORT #8 AWG BARE COPPER GROUND | |
| 0092081 | LF | 1.00 | AIRPORT #6 AWG BARE COPPER GROUND | |
| 0092082 | LF | 1.00 | AIRPORT #4 AWG BARE COPPER GROUND | |
| 0092110 | LF | 1.00 | AIRPORT SINGLE-WAY ELECTRICAL DUCT | |
| 0092120 | LF | 1.00 | AIRPORT MULTI-WAY ELECTRICAL DUCT | |
| 0092130 | LF | 1.00 | AIRPORT 2-4 IN. PVC CONCRETE ENCASED ELECTRICAL DUCT | |
| 0092135 | LF | 1.00 | AIRPORT 4-4 IN. PVC CONCRETE ENCASED ELECTRICAL DUCT | |
| 0092140 | LF | 1.00 | AIRPORT PVC ELECTRICAL DUCT (4 IN.) | |
| 0093410 | EA | 1.00 | AIRPORT 4 KW CONSTANT CURRENT REGULATOR | |
| 0093411 | EA | 1.00 | AIRPORT 7.5 KW CONSTANT CURRENT REGULATOR | |
| 0093412 | EA | 1.00 | AIRPORT 10 KW CONSTANT CURRENT REGULATOR | |
| 0093510 | LS | 1.00 | AIRPORT ELECTRICAL VAULT ENCLOSURE, REGULATORS AND CONTROLS | |
| 0094020 | EA | 1.00 | AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY, BASE MOUNTED (BLUE) | |
| 0094040 | EA | 1.00 | AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY, STAKE MOUNTED (BLUE) | |
| 0094120 | EA | 1.00 | AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY, BASE MOUNTED (CLEAR/YELLOW) | |
| 0094150 | EA | 1.00 | AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY, STAKE MOUNTED (CLEAR/YELLOW) | |
| 0094165 | EA | 1.00 | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (YELLOW) | |
| 0094170 | EA | 1.00 | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (YELLOW) | |
| 0094180 | EA | 1.00 | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (CLEAR) | |
| 0094190 | EA | 1.00 | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (CLEAR) | |
| 0094220 | EA | 1.00 | AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY, STAKE MOUNTED (RED/GREEN) | |
| 0094221 | EA | 1.00 | AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY, BASE MOUNTED (RED/GREEN) | |
| 0094235 | EA | 1.00 | AIRPORT L-867 LIGHT BASE | |
| 0094240 | EA | 1.00 | AIRPORT RUNWAY END INDICATOR LIGHT (REIL) SYSTEM | |
| 0094410 | EA | 1.00 | AIRPORT RETROREFLECTIVE MARKERS | |
| 0095013 | EA | 1.00 | AIRPORT RUNWAY OR TAXIWAY SIGN (SIZE 1, STYLE 4) | |
| 1041000 | CUYD | 1.00 | TEMPORARY SURFACING | |
| 1046001 | L S | 1.00 | VALUE ENGINEERING | |
| 1046002 | EA | 1.00 | VALUE ENGINEERING | |
| 1049910 | TONS | 0.10 | MISC. TEMPORARY SURFACING | |
| 1080000 | HOURL | 1.00 | TRAINEE REIMBURSEMENT | |

MISSOURI DEPARTMENT OF TRANSPORTATION

4

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|-------|------|--|-------------------------|
| 1080701 | DAY | 1.00 | CONTRACT TIME ADJUSTMENT | |
| 1080801 | MIN | 1.00 | LIQUIDATED DAMAGES | |
| 1080802 | HOURL | 1.00 | LIQUIDATED DAMAGES | |
| 1080803 | DAY | 1.00 | LIQUIDATED DAMAGES | |
| 1091000 | EA | 1.00 | STEEL RIGHT OF WAY MARKERS | |
| 1091005 | EA | 1.00 | DRAIN MARKERS | |
| 1091030 | EA | 1.00 | 2 IN. ALUMINUM CAP WITH MODOT R/W IMPRINT | |
| 1091031 | EA | 1.00 | 6 FT. WHITE CARSONITE POST WITH MODOT R/W STICKER | |
| 1091032 | EA | 1.00 | 24 IN. SURVEY PIN | |
| 1091033 | EA | 1.00 | 30 IN. SURVEY PIN | |
| 1091034 | EA | 1.00 | LOCATION SURVEY RIGHT OF WAY MARKER | |
| 1091035A | EA | 1.00 | (POINT OF PRESENCE) 96 IN. x 48 IN. SIGN | |
| 1091036 | EA | 1.00 | (DRIVE SMART) SIGN | |
| 1091037 | DRMI | 0.10 | PAVEMENT MARKING MOBILE RETROREFLECTIVITY READING | |
| 1091039 | EA | 1.00 | COMMISSION FURNISHED EMERGENCY REFERENCE MARKER | |
| 1091040 | EA | 1.00 | COMMISSION FURNISHED CHANNEL POST DELINEATOR REFLECTOR | |
| 1091041 | EA | 1.00 | (POINT OF PRESENCE) 36 IN. x 48 IN. SIGN | |
| 1094000 | EA | 1.00 | FORCE ACCOUNT | |
| 1094000A | EA | 0.01 | FORCE ACCOUNT | |
| 1097000 | LS | 1.00 | INTEREST (PROMPT PAYMENT) | |
| 1099901 | LS | 1.00 | MISC. | |
| 1099901A | LS | 1.00 | MISC. | |
| 1099902 | EA | 1.00 | MISC. | |
| 1099903 | LF | 1.00 | MISC. | |
| 1099904 | SQFT | 1.00 | MISC. | |
| 1099911 | LB | 1.00 | MISC. | |
| 1099915 | HOURL | 1.00 | MISC. | |
| 2010000 | ACRE | 0.10 | MOWING | |
| 2013000 | ACRE | 1.00 | CLEARING AND GRUBBING | |
| 2019901 | LS | 1.00 | MISC. | |
| 2019902 | EA | 1.00 | MISC. | |
| 2019918 | CYCL | 1.00 | MISC. | |
| 2019919 | ACRE | 0.10 | MISC. | |
| 2019925 | ACCY | 0.10 | MISC. | |
| 2019926 | ACCY | 0.10 | MISC. | |
| 2019927 | ACRE | 0.10 | MISC. | |
| 2022010 | LS | 1.00 | REMOVAL OF IMPROVEMENTS | |
| 2024013 | SQFT | 1.00 | REMOVAL OF SURFACING ACM (FRIABLE) | |
| 2024017 | LF | 1.00 | REMOVAL OF MISCELLANEOUS ACM (FRIABLE) | |
| 2024018 | LF | 1.00 | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE) | |
| 2024024 | LF | 1.00 | REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE) | |
| 2024027 | SQFT | 1.00 | REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE) | |
| 2024029 | SQFT | 1.00 | REMOVAL OF CEILING TILE ACM (FRIABLE) | |
| 2024038 | SQFT | 1.00 | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE) | |
| 2024040 | SQFT | 1.00 | REMOVAL OF MISCELLANEOUS ACM (FRIABLE) | |
| 2024043 | SQFT | 1.00 | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE) | |
| 2024046 | LF | 1.00 | REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY II NONFRIABLE) | |
| 2024048 | LF | 1.00 | REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NONFRIABLE) | |
| 2024054 | LF | 1.00 | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE) | |
| 2024067 | SQFT | 1.00 | REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE) | |
| 2024070 | SQFT | 1.00 | REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE) | |
| 2024072 | SQFT | 1.00 | REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE) | |
| 2024074 | SQFT | 1.00 | REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE) | |
| 2024076 | SQFT | 1.00 | REMOVAL OF FLOOR TILE ACM ON CONCRETE (FRIABLE) | |
| 2024078 | SQFT | 1.00 | REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE) | |
| 2024091 | SQFT | 1.00 | REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE) | |
| 2024093 | SQFT | 1.00 | REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE) | |
| 2024096 | SQFT | 1.00 | REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE) | |
| 2024098 | SQFT | 1.00 | REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I NON-FRIABLE) | |
| 2026010 | EA | 1.00 | TANK REMOVAL AND DISPOSAL | |
| 2026020 | GAL | 1.00 | HAZARDOUS RESIDUAL MATERIAL DISPOSAL | |
| 2026027 | CUYD | 1.00 | CONTAMINATED SOIL EXCAVATION | |
| 2026029A | TONS | 1.00 | CONTAMINATED SOIL HAULING | |

MISSOURI DEPARTMENT OF TRANSPORTATION

5

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|--|-------------------------|
| 2026030 | TONS | 1.00 | CONTAMINATED SOIL DISPOSAL | |
| 2026040 | CUYD | 1.00 | BACKFILL | |
| 2026050 | GAL | 10.00 | TANK PIT WATER DISPOSAL | |
| 2027000 | EA | 1.00 | DISPOSAL AND PLUGGING OF WELLS | |
| 2027010 | EA | 1.00 | RESIDENTIAL WASTEWATER LAGOON CLOSURE | |
| 2028000 | EA | 1.00 | PLUGGING AND DISPOSAL OF SEPTIC TANKS | |
| 2029901 | LS | 1.00 | MISC. | |
| 2029902 | EA | 1.00 | MISC. | |
| 2029903 | LF | 1.00 | MISC. | |
| 2029904 | SQFT | 1.00 | MISC. | |
| 2029905 | SQYD | 0.10 | MISC. | |
| 2029907 | CUYD | 0.10 | MISC. | |
| 2029910 | TONS | 0.10 | MISC. | |
| 2029912 | GAL | 10.00 | MISC. | |
| 2029950 | LS | 1.00 | DEMOLITION AND REMOVAL OF BUILDINGS | |
| 2031000 | CUYD | 1.00 | CLASS A EXCAVATION | |
| 2032000 | CUYD | 1.00 | CLASS C EXCAVATION | |
| 2035000 | CUYD | 1.00 | UNCLASSIFIED EXCAVATION | |
| 2035500 | CUYD | 1.00 | EMBANKMENT IN PLACE | |
| 2036000 | CUYD | 1.00 | COMPACTING EMBANKMENT | |
| 2037075 | STA | 0.10 | COMPACTING IN CUT | |
| 2039901 | LS | 1.00 | MISC. | |
| 2039902 | EA | 1.00 | MISC. | |
| 2039903 | LF | 1.00 | MISC. | |
| 2039907 | CUYD | 1.00 | MISC. | |
| 2041010 | EA | 1.00 | EMBANKMENT CONTROL STAKE | |
| 2042010 | EA | 1.00 | SETTLEMENT GAUGE | |
| 2043010 | EA | 1.00 | PORE PRESSURE MEASURING DEVICE | |
| 2051010 | SQYD | 1.00 | MODIFIED SUBGRADE | |
| 2061000 | CUYD | 0.50 | CLASS 1 EXCAVATION | |
| 2061003 | CUYD | 0.50 | CLASS 1 EXCAVATION IN ROCK | |
| 2062000 | CUYD | 0.50 | CLASS 2 EXCAVATION | |
| 2062003 | CUYD | 0.50 | CLASS 2 EXCAVATION IN ROCK | |
| 2063000 | CUYD | 1.00 | CLASS 3 EXCAVATION | |
| 2063100 | CUYD | 1.00 | CLASS 3 EXCAVATION IN ROCK | |
| 2063300 | CUYD | 1.00 | CLASS 4 EXCAVATION | |
| 2063400 | CUYD | 1.00 | CLASS 4 EXCAVATION IN ROCK | |
| 2063500 | EA | 1.00 | CULVERT CLEANOUT | |
| 2063600 | LF | 1.00 | SUPPLEMENTARY FOUNDATION TEST HOLES (NX) | |
| 2063610 | LF | 1.00 | SUPPLEMENTARY CORED HOLES | |
| 2064000 | CUYD | 1.00 | POROUS BACKFILL | |
| 2065500 | LS | 1.00 | TEMPORARY SHORING | |
| 2066002 | LS | 1.00 | COFFERDAMS-BENT2 | |
| 2066003 | LS | 1.00 | COFFERDAMS-BENT3 | |
| 2066004 | LS | 1.00 | COFFERDAMS-BENT4 | |
| 2066005 | LS | 1.00 | COFFERDAMS-BENT5 | |
| 2066006 | LS | 1.00 | COFFERDAMS-BENT6 | |
| 2066007 | LS | 1.00 | COFFERDAMS-BENT7 | |
| 2066008 | LS | 1.00 | COFFERDAMS-BENT8 | |
| 2066009 | LS | 1.00 | COFFERDAMS-BENT9 | |
| 2066010 | LS | 1.00 | COFFERDAMS-BENT10 | |
| 2066011 | LS | 1.00 | COFFERDAMS-BENT11 | |
| 2066012 | LS | 1.00 | COFFERDAMS-BENT12 | |
| 2069901 | LS | 1.00 | MISC. | |
| 2069902 | EA | 1.00 | MISC. | |
| 2069903 | LF | 1.00 | MISC. | |
| 2069904 | SQFT | 1.00 | MISC. | |
| 2069905 | SQYD | 0.10 | MISC. | |
| 2069907 | CUYD | 1.00 | MISC. | |
| 2071000 | STA | 0.10 | LINEAR GRADING CLASS 1 | |
| 2072000 | STA | 0.10 | LINEAR GRADING CLASS 2 | |
| 2079901 | LS | 1.00 | MISC. | |
| 2079903 | LF | 1.00 | MISC. | |
| 2079907 | CUYD | 1.00 | MISC. | |
| 2079909 | STA | 0.10 | MISC. | |
| 2081000 | 100F | 1.00 | INTERCEPTION DITCH | |

MISSOURI DEPARTMENT OF TRANSPORTATION

6

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 2099905 | SQYD | 0.10 | MISC. | |
| 2101006A | 100F | 1.00 | SUBGRADE COMPACTION (6-INCH DEPTH) | |
| 2109903 | LF | 1.00 | MISC. | |
| 2111000A | 100F | 1.00 | SUBGRADE SCARIFYING | |
| 2119905 | SQYD | 0.10 | MISC. | |
| 2121000A | 100F | 1.00 | SUBGRADING AND SHOULDERING CLASS 1 | |
| 2122000A | 100F | 1.00 | SUBGRADING AND SHOULDERING CLASS 2 | |
| 2129900 | 100F | 1.00 | MISC. | |
| 2129903 | LF | 1.00 | MISC. | |
| 2129909 | STA | 0.10 | MISC. | |
| 2142000 | CUYD | 1.00 | FURNISHING ROCK FILL | |
| 2143000 | CUYD | 1.00 | PLACING ROCK FILL | |
| 2149907 | CUYD | 1.00 | MISC. | |
| 2149910 | TONS | 0.10 | MISC. | |
| 2151000A | 100F | 1.00 | SHAPING SLOPES, CLASS I | |
| 2152000A | 100F | 1.00 | SHAPING SLOPES, CLASS II | |
| 2153000 | 100F | 1.00 | SHAPING SLOPES, CLASS III | |
| 2159903 | LF | 1.00 | MISC. | |
| 2159920 | MILE | 0.10 | MISC. | |
| 2160500 | LS | 1.00 | REMOVAL OF BRIDGES | |
| 2160501 | LS | 1.00 | MATCH MARKING AND STORING SUPERSTRUCTURE | |
| 2161000 | SQYD | 1.00 | SCARIFICATION OF BRIDGE DECKS | |
| 2161500 | SQFT | 1.00 | REMOVAL OF SEAL COAT | |
| 2161501 | SQFT | 1.00 | REMOVAL OF ASPHALT WEARING SURFACE | |
| 2161502 | SQFT | 1.00 | REMOVAL OF CONCRETE WEARING SURFACE | |
| 2161503 | SQFT | 1.00 | REMOVAL OF EXISTING DECK REPAIR | |
| 2162000 | LF | 1.00 | REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS | |
| 2162500 | SQFT | 1.00 | REMOVAL OF EXISTING BRIDGE DECKS | |
| 2163000 | SQFT | 1.00 | PARTIAL REMOVAL OF EXISTING BRIDGE DECKS | |
| 2163500 | LS | 1.00 | PARTIAL REMOVAL OF CULVERT CONCRETE | |
| 2163501 | LS | 1.00 | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE | |
| 2163502 | LS | 1.00 | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE | |
| 2164000 | LF | 1.00 | CURB REMOVAL | |
| 2164500 | LF | 1.00 | REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE | |
| 2165000 | LF | 1.00 | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT | |
| 2165500 | LS | 1.00 | REMOVAL OF CATHODIC PROTECTION SYSTEM | |
| 2169901 | LS | 1.00 | MISC. | |
| 2169902 | EA | 1.00 | MISC. | |
| 2169903 | LF | 1.00 | MISC. | |
| 2169904 | SQFT | 1.00 | MISC. | |
| 2169905 | SQYD | 0.10 | MISC. | |
| 2171000 | CUYD | 1.00 | HYDRAULIC EMBANKMENT | |
| 3021311 | SQYD | 1.00 | STABILIZED PERMEABLE BASE (4IN. THICK) | |
| 3030600 | SQYD | 1.00 | FURNISHING ROCK BASE MATERIAL | |
| 3030610A | SQYD | 1.00 | PLACING ROCK BASE | |
| 3039905 | SQYD | 0.10 | MISC. | |
| 3040133 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (3 IN. THICK) | |
| 3040143 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK) | |
| 3040153 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (5 IN. THICK) | |
| 3040163 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK) | |
| 3040173 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (7 IN. THICK) | |
| 3040183 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (8 IN. THICK) | |
| 3040193 | SQYD | 1.00 | TYPE 1 AGGREGATE FOR BASE (9 IN. THICK) | |
| 3040504 | SQYD | 1.00 | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK) | |
| 3040506 | SQYD | 1.00 | TYPE 5 AGGREGATE FOR BASE (6 IN. THICK) | |
| 3040510 | SQYD | 1.00 | TYPE 7 AGGREGATE FOR BASE (4 IN. THICK) | |
| 3049901 | LS | 0.10 | MISC. | |
| 3049905 | SQYD | 0.10 | MISC. | |
| 3049907 | CUYD | 1.00 | MISC. | |
| 3049909 | STA | 0.10 | MISC. | |
| 3049910 | TONS | 0.10 | MISC. | |
| 3101002 | TONS | 1.00 | GRAVEL (A) | |
| 3101003 | SQYD | 1.00 | GRAVEL (A) | |
| 3102002 | TONS | 1.00 | CRUSHED STONE (B) | |
| 3102003 | SQYD | 1.00 | CRUSHED STONE (B) | |
| 3103002 | TONS | 1.00 | CHAT (C) | |

MISSOURI DEPARTMENT OF TRANSPORTATION

7

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED |
|----------|------|------|--|--------------|
| 3103003 | SQYD | 1.00 | CHAT (C) | 08/01/2018 |
| 3105002 | TONS | 1.00 | GRAVEL (A) OR CRUSHED STONE (B) | |
| 3105003 | SQYD | 1.00 | GRAVEL (A) OR CRUSHED STONE (B) | |
| 3106002 | TONS | 1.00 | GRAVEL (A) OR CHAT (C) | |
| 3106003 | SQYD | 1.00 | GRAVEL (A) OR CHAT (C) | |
| 3107002 | TONS | 1.00 | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C) | |
| 3107003 | SQYD | 1.00 | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C) | |
| 3108001 | CUYD | 1.00 | SALVAGED SURFACING | |
| 3109905 | SQYD | 0.10 | MISC. | |
| 3109907 | CUYD | 1.00 | MISC. | |
| 3109910 | TONS | 0.10 | MISC. | |
| 4010101 | SQYD | 0.10 | 8 INCHES, BITUMINOUS PAVEMENT | |
| 4010102 | SQYD | 0.10 | 9 INCHES, BITUMINOUS PAVEMENT | |
| 4010103 | SQYD | 0.10 | 10 INCHES, BITUMINOUS PAVEMENT | |
| 4010104 | SQYD | 0.10 | 11 INCHES, BITUMINOUS PAVEMENT | |
| 4010105 | SQYD | 0.10 | 5 3/4 INCHES, BITUMINOUS PAVEMENT | |
| 4010106 | SQYD | 0.10 | 6 INCHES, BITUMINOUS PAVEMENT | |
| 4010107 | SQYD | 0.10 | 7 INCHES, BITUMINOUS PAVEMENT | |
| 4010150 | SQYD | 0.10 | TYPE A2 SHOULDER | |
| 4010151 | SQYD | 0.10 | TYPE A3 SHOULDER | |
| 4010500 | EA | 1.00 | SAMPLE OF COMPACTED PLANT MIX BITUMINOUS BASE | |
| 4011207 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1) | |
| 4011208 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2) | |
| 4011209 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) | |
| 4011211 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2) | |
| 4011213 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3) | |
| 4011214 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-3) | |
| 4013000 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) | |
| 4013010 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING) | |
| 4019901 | LS | 1.00 | MISC. | |
| 4019904 | SQFT | 1.00 | MISC. | |
| 4019905 | SQYD | 0.10 | MISC. | |
| 4019910 | TONS | 0.10 | MISC. | |
| 4020500 | EA | 1.00 | SAMPLE OF COMPACTED BITUMINOUS PAVEMENT | |
| 4020520 | TONS | 0.10 | BITUMINOUS PAVEMENT MIXTURE PG64-22 (SURFACE LEVELING) | |
| 4029905 | SQYD | 0.10 | MISC. | |
| 4029910 | TONS | 0.10 | MISC. | |
| 4030001 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX) | |
| 4030002 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095B MIX) | |
| 4030003 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX) | |
| 4030004 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095B MIX) | |
| 4030005 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX) | |
| 4030006 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX) | |
| 4030007 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095BSM MIX) | |
| 4030008 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSMR MIX) | |
| 4030009 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX) | |
| 4030010 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095CLP MIX) | |
| 4030011 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095CLP MIX) | |
| 4030015 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP048F MIX) | |
| 4030016 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX) | |
| 4030017 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP048F MIX) | |
| 4030018 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP048FLP MIX) | |
| 4030019 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048FLP MIX) | |
| 4030020 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP048FLP MIX) | |
| 4030101 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX) | |
| 4030103 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX) | |
| 4030107 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125CLP MIX) | |
| 4030109 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX) | |
| 4030114 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX) | |
| 4030116 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX) | |
| 4030124 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BLP MIX) | |
| 4030130 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125BSM MIX) | |
| 4030132 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX) | |
| 4030136 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSMR MIX) | |
| 4030206 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190C MIX) | |
| 4030208 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX) | |

MISSOURI DEPARTMENT OF TRANSPORTATION

8

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED |
|----------|------|-------|---|--------------|
| 4030214 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190B MIX) | 08/01/2018 |
| 4030217 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX) | |
| 4030301 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250E MIX) | |
| 4030306 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX) | |
| 4030308 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX) | |
| 4030314 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250B MIX) | |
| 4030317 | TONS | 0.10 | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX) | |
| 4030401 | SQYD | 0.10 | 8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030402 | SQYD | 0.10 | 9 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030403 | SQYD | 0.10 | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030404 | SQYD | 0.10 | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030409 | SQYD | 0.10 | 12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030410 | SQYD | 0.10 | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030411 | SQYD | 0.10 | 14 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030412 | SQYD | 0.10 | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030413 | SQYD | 0.10 | 16 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030414 | SQYD | 0.10 | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030415 | SQYD | 0.10 | 19 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C | |
| 4030418 | SQYD | 0.10 | 8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030419 | SQYD | 0.10 | 9 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030420 | SQYD | 0.10 | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030421 | SQYD | 0.10 | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030422 | SQYD | 0.10 | 12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM | |
| 4030423 | SQYD | 0.10 | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM | |
| 4030424 | SQYD | 0.10 | 14 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM | |
| 4030425 | SQYD | 0.10 | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030426 | SQYD | 0.10 | 16 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030427 | SQYD | 0.10 | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP | |
| 4030428 | SQYD | 0.10 | 19 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM | |
| 4030431 | SQYD | 0.10 | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B | |
| 4030433 | SQYD | 0.10 | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B | |
| 4030434 | SQYD | 0.10 | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B | |
| 4030435 | SQYD | 0.10 | 18 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B | |
| 4030436 | SQYD | 0.10 | 20 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B | |
| 4030441 | SQYD | 0.10 | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM | |
| 4030442 | SQYD | 0.10 | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM | |
| 4030443 | SQYD | 0.10 | 18 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM | |
| 4030444 | SQYD | 0.10 | 20 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM | |
| 4030500 | EA | 1.00 | SAMPLE OF COMPACTED ASPHALTIC CONCRETE | |
| 4031050 | SQYD | 1.00 | ALTERNATE ASPHALTIC CONCRETE WEARING SURFACE (BRIDGE) | |
| 4039902 | EA | 1.00 | MISC. | |
| 4039903 | LF | 1.00 | MISC. | |
| 4039904 | SQFT | 1.00 | MISC. | |
| 4039905 | SQYD | 0.10 | MISC. | |
| 4039910 | TONS | 0.10 | MISC. | |
| 4039911 | LB | 0.10 | MISC. | |
| 4051003 | GAL | 10.00 | LIQUID ASPHALT MC 250 | |
| 4051011 | GAL | 10.00 | EMULSIFIED ASPHALT, HOT IN-PLACE RECYCLING | |
| 4051012 | GAL | 10.00 | EMULSIFIED ASPHALT, COLD IN-PLACE RECYCLING | |
| 4051013 | GAL | 10.00 | EMULSIFIED ASPHALT, FULL DEPTH RECLAMATION | |
| 4053000 | MILE | 0.01 | PROCESSING RECLAIMED ASPHALT | |
| 4055001 | SQYD | 1.00 | 1 INCH, HOT IN-PLACE RECYCLING | |
| 4055002 | SQYD | 1.00 | 2 INCHES, HOT IN-PLACE RECYCLING | |
| 4055005 | SQYD | 1.00 | COLD IN-PLACE RECYCLING | |
| 4055010 | SQYD | 1.00 | FULL DEPTH RECLAMATION | |
| 4059903 | LF | 1.00 | MISC. | |
| 4059905 | SQYD | 0.10 | MISC. | |
| 4059910 | TONS | 0.10 | MISC. | |
| 4059912 | GAL | 10.00 | MISC. | |
| 4059920 | MILE | 0.01 | MISC. | |
| 4071005 | GAL | 1.00 | TACK COAT | |
| 4071006 | GAL | 1.00 | TACK COAT - POLYMER MODIFIED | |
| 4079905 | SY | 1.00 | MISC. | |
| 4079912 | GAL | 1.00 | MISC. | |
| 4081010 | GAL | 1.00 | PRIME-LIQUID ASPHALT RC 70 OR MC 30 | |
| 4081011 | GAL | 1.00 | PRIME-LIQUID ASPHALT RC 70 | |

MISSOURI DEPARTMENT OF TRANSPORTATION

9

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 4081012 | GAL | 1.00 | PRIME-LIQUID ASPHALT RC 250 | |
| 4081013 | GAL | 1.00 | PRIME-LIQUID ASPHALT RC 800 | |
| 4081014 | GAL | 1.00 | PRIME-LIQUID ASPHALT RC 3000 | |
| 4081015 | GAL | 1.00 | PRIME-LIQUID ASPHALT MC 30 | |
| 4081016 | GAL | 1.00 | PRIME-LIQUID ASPHALT MC 70 | |
| 4081017 | GAL | 1.00 | PRIME-LIQUID ASPHALT MC 250 | |
| 4081018 | GAL | 1.00 | PRIME-LIQUID ASPHALT MC 800 | |
| 4081019 | GAL | 1.00 | PRIME-LIQUID ASPHALT MC 3000 | |
| 4081021 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT RS-1 | |
| 4081022 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT RS-2 | |
| 4081023 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT MS-1 | |
| 4081024 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT MS-2 | |
| 4081025 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT MS-2H | |
| 4081026 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT SS-1 | |
| 4081027 | GAL | 1.00 | PRIME-EMULSIFIED ASPHALT SS-1H | |
| 4082000 | CUYD | 1.00 | SANDING PRIMER | |
| 4089912 | GAL | 1.00 | MISC. | |
| 4091048 | GAL | 1.00 | EMULSIFIED ASPHALT, SEAL COAT | |
| 4094001 | SQYD | 1.00 | SEAL COAT AGGREGATE, GRADE A1 | |
| 4094002 | SQYD | 1.00 | SEAL COAT AGGREGATE, GRADE A2 | |
| 4094011 | SQYD | 1.00 | SEAL COAT AGGREGATE, GRADE B1 | |
| 4094012 | SQYD | 1.00 | SEAL COAT AGGREGATE, GRADE B2 | |
| 4094021 | SQYD | 1.00 | SEAL COAT AGGREGATE, GRADE C | |
| 4099905 | SQYD | 0.10 | MISC. | |
| 4099910 | TONS | 0.10 | MISC. | |
| 4099912 | GAL | 1.00 | MISC. | |
| 4131000 | SQYD | 1.00 | MICROSURFACING, TYPE II | |
| 4131100 | SQYD | 1.00 | MICROSURFACING, TYPE III | |
| 4131200 | SQYD | 1.00 | MICROSURFACING, TYPE IIIIR | |
| 4132000 | SQYD | 1.00 | SCRUB SEAL | |
| 4133000 | SQYD | 1.00 | ULTRATHIN BONDED WEARING SURFACE, TYPE A | |
| 4133100 | SQYD | 1.00 | ULTRATHIN BONDED WEARING SURFACE, TYPE B | |
| 4133200 | SQYD | 1.00 | ULTRATHIN BONDED WEARING SURFACE, TYPE C | |
| 4134000 | GAL | 1.00 | BITUMINOUS FOG SEAL | |
| 4135000 | LF | 1.00 | BITUMINOUS PAVEMENT CRACK SEALING | |
| 4136000 | LF | 1.00 | PCCP JOINT/CRACK SEALING | |
| 4137000 | LF | 1.00 | BITUMINOUS PAVEMENT CRACK FILLING | |
| 4138000 | LF | 1.00 | PCCP CRACK FILLING | |
| 4139903 | LF | 1.00 | MISC. | |
| 4139905 | SQYD | 1.00 | MISC. | |
| 4139910 | TONS | 0.10 | MISC. | |
| 4139911 | LB | 0.10 | MISC. | |
| 4139912 | GAL | 1.00 | MISC. | |
| 5021106 | SQYD | 0.10 | CONCRETE PAVEMENT (6 IN. NON-REINF) | |
| 5021107 | SQYD | 0.10 | CONCRETE PAVEMENT (7 IN. NON-REINF) | |
| 5021108 | SQYD | 0.10 | CONCRETE PAVEMENT (8 IN. NON-REINF) | |
| 5021109 | SQYD | 0.10 | CONCRETE PAVEMENT (9 IN. NON-REINF) | |
| 5021110 | SQYD | 0.10 | CONCRETE PAVEMENT (10 IN. NON-REINF) | |
| 5021111 | SQYD | 0.10 | CONCRETE PAVEMENT (11 INCH NON-REINFORCED) | |
| 5021112 | SQYD | 0.10 | CONCRETE PAVEMENT (12 INCH NON-REINFORCED) | |
| 5021113 | SQYD | 0.10 | CONCRETE PAVEMENT (13 INCH NON-REINFORCED) | |
| 5021114 | SQYD | 0.10 | CONCRETE PAVEMENT (14 INCH NON-REINFORCED) | |
| 5021305 | SQYD | 0.10 | CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021306 | SQYD | 0.10 | CONCRETE PAVEMENT (6 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021307 | SQYD | 0.10 | CONCRETE PAVEMENT (7 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021308 | SQYD | 0.10 | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021309 | SQYD | 0.10 | CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021310 | SQYD | 0.10 | CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021311 | SQYD | 0.10 | CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021312 | SQYD | 0.10 | CONCRETE PAVEMENT (12 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021313 | SQYD | 0.10 | CONCRETE PAVEMENT (13 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021314 | SQYD | 0.10 | CONCRETE PAVEMENT (14 IN. NON-REINFORCED 15 FT. JOINTS) | |
| 5021330 | SQYD | 0.10 | CONCRETE PAVEMENT (6 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021331 | SQYD | 0.10 | CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021332 | SQYD | 0.10 | CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021333 | SQYD | 0.10 | CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 5021334 | SQYD | 0.10 | CONCRETE PAVEMENT (10 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021335 | SQYD | 0.10 | CONCRETE PAVEMENT (11 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) | |
| 5021340 | SQYD | 0.10 | TYPE A2 SHOULDER | |
| 5021341 | SQYD | 0.10 | TYPE A3 SHOULDER | |
| 5022000 | LF | 1.00 | CONCRETE PAVEMENT NEOPRENE JOINT SEAL | |
| 5024006 | SQYD | 0.10 | CONCRETE BASE (6 IN. NON-REINF) | |
| 5024007 | SQYD | 0.10 | CONCRETE BASE (7 IN. NON-REINF) | |
| 5024008 | SQYD | 0.10 | CONCRETE BASE (8 IN. NON-REINF) | |
| 5024009 | SQYD | 0.10 | CONCRETE BASE (9 IN. NON-REINF) | |
| 5024010 | SQYD | 0.10 | CONCRETE BASE (10 IN. NON-REINF) | |
| 5029902 | EA | 1.00 | MISC. | |
| 5029903 | LF | 1.00 | MISC. | |
| 5029905 | SQYD | 0.10 | MISC. | |
| 5029907 | CUYD | 1.00 | MISC. | |
| 5031010A | SQYD | 1.00 | BRIDGE APPROACH SLAB (MAJOR ROAD) | |
| 5031011A | SQYD | 1.00 | BRIDGE APPROACH SLAB (MINOR ROAD) | |
| 5039904 | SQFT | 1.00 | MISC. | |
| 5039905 | SQYD | 0.10 | MISC. | |
| 5041000 | SQYD | 0.10 | CONCRETE APPROACH PAVEMENT | |
| 5049905 | SQYD | 0.10 | MISC. | |
| 5050001 | SQYD | 1.00 | ALTERNATE CONCRETE WEARING SURFACE | |
| 5051000 | SQYD | 1.00 | LOW SLUMP CONCRETE WEARING SURFACE | |
| 5052000 | SQYD | 1.00 | LATEX MODIFIED CONCRETE WEARING SURFACE | |
| 5052001 | SQYD | 1.00 | LATEX MODIFIED HIGH EARLY STRENGTH CONCRETE WEARING SURFACE | |
| 5053000 | SQYD | 1.00 | SILICA FUME CONCRETE WEARING SURFACE | |
| 5059901 | L S | 1.00 | MISC. | |
| 5059905 | SQYD | 1.00 | MISC. | |
| 5061004A | SQYD | 0.10 | BONDED CONCRETE OVERLAY PLACEMENT (4 IN. NON-REINFORCED) | |
| 5061005A | SQYD | 0.10 | BONDED CONCRETE OVERLAY PLACEMENT (5 IN. NON-REINFORCED) | |
| 5061030A | CUYD | 0.10 | FURNISHING BONDED CONCRETE OVERLAY | |
| 5062030A | CUYD | 0.10 | FURNISHING UNBONDED CONCRETE OVERLAY | |
| 5062031 | SQYD | 0.10 | UNBONDED CONCRETE OVERLAY PLACEMENT, 8 IN. | |
| 5062032 | SQYD | 0.10 | UNBONDED CONCRETE OVERLAY PLACEMENT, 5 IN. | |
| 5062033 | SQYD | 0.10 | UNBONDED CONCRETE OVERLAY INTERLAYER | |
| 5069902 | EA | 0.10 | MISC. | |
| 5069905 | SQYD | 0.10 | MISC. | |
| 6011000A | LS | 1.00 | TYPE 2 FIELD LABORATORIES | |
| 6019901 | LS | 1.00 | MISC. | |
| 6019902 | EA | 1.00 | MISC. | |
| 6021000 | EA | 1.00 | DRAIN MARKER | |
| 6022000 | EA | 1.00 | STEEL RIGHT-OF-WAY MARKER | |
| 6029901 | LS | 1.00 | MISC. | |
| 6029902 | EA | 1.00 | MISC. | |
| 6031010 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 1) | |
| 6031011 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 2) (UNDER 1 IN./25MM DIA) | |
| 6031012 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 2) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031013 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 2) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031014 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 2) (3 IN./75 MM DIA AND ABOVE) | |
| 6031015 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 3) | |
| 6031016 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 4) (UNDER 1 IN./25MM DIA) | |
| 6031017 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 4) (1 IN./50 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031018 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 4) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031019 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 4) (3 IN./75 MM DIA AND ABOVE) | |
| 6031020 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 5) (UNDER 1 IN./25MM DIA) | |
| 6031021 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 5) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031022 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 5) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031023 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 5) (3 IN./75 MM DIA AND ABOVE) | |
| 6031024 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 6) (UNDER 1 IN./25MM DIA) | |
| 6031025 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 6) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |

MISSOURI DEPARTMENT OF TRANSPORTATION

11

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 6031026 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 6) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031027 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 6) (3 IN./75 MM DIA AND ABOVE) | |
| 6031028 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 7) (UNDER 1 IN./25MM DIA) | |
| 6031029 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 7) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031030 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 7) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031031 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 7) (3 IN./75 MM DIA AND ABOVE) | |
| 6031032 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 8) (UNDER 1 IN./25MM DIA) | |
| 6031033 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 8) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031034 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 8) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031035 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 8) (3 IN./75 MM DIA AND ABOVE) | |
| 6031036 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 9) (UNDER 1 IN./25MM DIA) | |
| 6031037 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 9) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) | |
| 6031038 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 9) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) | |
| 6031039 | EA | 1.00 | RELOCATING SERVICE CONNECTIONS (CLASS 9) (3 IN./75 MM DIA AND ABOVE) | |
| 6038000 | CUYD | 1.00 | ROCK EXCAVATION | |
| 6039901 | LS | 1.00 | WATER | |
| 6039902 | EA | 1.00 | WATER | |
| 6039903 | LF | 1.00 | WATER | |
| 6039907 | CUYD | 1.00 | WATER | |
| 6039913 | FT | 1.00 | WATER | |
| 6039921 | LS | 1.00 | SEWER | |
| 6039922 | EA | 1.00 | SEWER | |
| 6039923 | LF | 1.00 | SEWER | |
| 6039924 | CUYD | 1.00 | SEWER | |
| 6039925 | SQYD | 1.00 | SEWER | |
| 6039931 | LS | 1.00 | GAS | |
| 6039932 | EA | 1.00 | GAS | |
| 6039933 | LF | 1.00 | GAS | |
| 6039937 | CUYD | 1.00 | GAS | |
| 6042010 | EA | 1.00 | ADJUSTING MANHOLE | |
| 6042020 | EA | 1.00 | ADJUSTING BASIN OR INLET | |
| 6043010 | LF | 1.00 | ADJUSTING HOUSE SEWER CONNECTIONS | |
| 6043020 | EA | 1.00 | ENCASEMENT FOR HOUSE SEWER CONNECTIONS | |
| 6044011 | EA | 1.00 | PIPE COLLAR, TYPE A | |
| 6044012 | EA | 1.00 | PIPE COLLAR, TYPE B | |
| 6044013 | EA | 1.00 | PIPE COLLAR, TYPE C | |
| 6046012A | LF | 1.00 | 12 IN. SLOTTED DRAIN | |
| 6046015A | LF | 1.00 | 15 IN. SLOTTED DRAIN | |
| 6046018A | LF | 1.00 | 18 IN. SLOTTED DRAIN | |
| 6046024A | LF | 1.00 | 24 IN. SLOTTED DRAIN | |
| 6046030A | LF | 1.00 | 30 IN. SLOTTED DRAIN | |
| 6046036A | LF | 1.00 | 36 IN. SLOTTED DRAIN | |
| 6049901 | LS | 1.00 | MISC. | |
| 6049902 | EA | 1.00 | MISC. | |
| 6049903 | LF | 1.00 | MISC. | |
| 6049904 | SQFT | 1.00 | MISC. | |
| 6049905 | SQYD | 0.10 | MISC. | |
| 6049907 | CUYD | 1.00 | MISC. | |
| 6049913 | FT | 1.00 | MISC. | |
| 6051018A | LF | 1.00 | PIPE AGGREGATE PAVEMENT CROSS DRAIN | |
| 6052010A | LF | 1.00 | STRUCTURAL UNDERDRAIN | |
| 6053020A | LF | 1.00 | FRENCH UNDERDRAIN | |
| 6053030A | LF | 1.00 | PIPE AGGREGATE PAVEMENT EDGE DRAIN | |
| 6054010 | LF | 1.00 | GEOCOMPOSITE PAVEMENT EDGE DRAIN | |
| 6054020 | EA | 1.00 | OUTLET PIPES AND SPLASH PADS | |
| 6057000 | LF | 1.00 | AGGREGATE DRAIN | |
| 6059901 | LS | 1.00 | MISC. | |
| 6059902 | EA | 1.00 | MISC. | |
| 6059903 | LF | 1.00 | MISC. | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 6059905 | SQYD | 0.10 | MISC. | |
| 6059909 | STA | 0.10 | MISC. | |
| 6060110 | EA | 1.00 | BULLNOSE GUARDRAIL SYSTEM | |
| 6061010 | LF | 1.00 | GUARDRAIL TYPE A | |
| 6061011A | LF | 1.00 | GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1.5 IN SPACING | |
| 6061014 | LF | 1.00 | GUARDRAIL TYPE A WITH RUBRAIL | |
| 6061020 | LF | 1.00 | GUARDRAIL TYPE B | |
| 6061040 | LF | 1.00 | GUARDRAIL TYPE D | |
| 6061050 | LF | 1.00 | GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING | |
| 6061051 | LF | 1.00 | GUARDRAIL TYPE E, 7 FT. POST | |
| 6061054 | LF | 1.00 | GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING | |
| 6061060 | LF | 1.00 | MGS GUARDRAIL | |
| 6061061 | LF | 1.00 | MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 IN. SPACING | |
| 6061063 | LF | 1.00 | MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - 1.5 IN. SPACING | |
| 6061065 | LF | 1.00 | MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING | |
| 6061067 | LF | 1.00 | MGS DOUBLE FACED GUARDRAIL | |
| 6061068 | EA | 1.00 | MGS BRIDGE APPROACH TRANSITION SECTION (EXTENDED CURB) | |
| 6061069 | EA | 1.00 | MGS BRIDGE APPROACH TRANSITION SECTION (REGULAR/NO CURB) | |
| 6061070 | EA | 1.00 | MGS VERTICAL CONCRETE BARRIER TRANSITION | |
| 6061074 | EA | 1.00 | MGS HEIGHT AND BLOCK TRANSITION | |
| 6061075 | EA | 1.00 | MGS LONG SPAN GUARDRAIL SECTION | |
| 6061078 | LF | 1.00 | MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL) | |
| 6061079 | LF | 1.00 | MGS EMBEDDED ANCHOR SECTION (WITHOUT RUBRAIL) | |
| 6061080 | EA | 1.00 | MGS END ANCHOR | |
| 6061081 | EA | 1.00 | MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE) | |
| 6062000 | EA | 1.00 | BRIDGE ANCHOR SECTION (BRUSH CURB) | |
| 6062100 | EA | 1.00 | BRIDGE ANCHOR SECTION (CURB TYPE) | |
| 6062200A | EA | 1.00 | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY) | |
| 6062202A | EA | 1.00 | BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY) | |
| 6062204A | EA | 1.00 | BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONSTRUCTION ONLY) | |
| 6062300A | EA | 1.00 | TRANSITION SECTION, 6.5 FT. POSTS | |
| 6062301A | EA | 1.00 | TRANSITION SECTION, 7.5 FT. POSTS | |
| 6062303 | EA | 1.00 | ASYMMETRICAL TRANSITION SECTION, 6.5 FT. POSTS | |
| 6062304 | EA | 1.00 | ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS | |
| 6062400 | EA | 1.00 | BRIDGE ANCHOR SECTION (THRIE BEAM) | |
| 6062500 | EA | 1.00 | THRIE BEAM ANCHOR SECTION (MODIFIED TYPE-C CONCRETE BARRIER) | |
| 6063000A | EA | 1.00 | TERMINAL SECTION - GUARDRAIL (TURNED-DOWN END) | |
| 6063010 | EA | 1.00 | BREAKAWAY CABLE TERMINAL | |
| 6063014 | EA | 1.00 | TYPE A CRASHWORTHY END TERMINAL (MASH) | |
| 6063015 | EA | 1.00 | TYPE A CRASHWORTHY END TERMINAL | |
| 6063016 | EA | 1.00 | TYPE B CRASHWORTHY END TERMINAL | |
| 6063017 | EA | 1.00 | TYPE C CRASHWORTHY END TERMINAL | |
| 6063018 | EA | 1.00 | TYPE D CRASHWORTHY END TERMINAL | |
| 6063019 | EA | 1.00 | TYPE E CRASHWORTHY END TERMINAL | |
| 6064000 | LF | 1.00 | ONE-STRAND CABLE - ACCESS RESTRAINT | |
| 6064100 | LF | 1.00 | MEDIAN GUARD CABLE 3 - STRAND | |
| 6064106 | LF | 1.00 | ROADSIDE GUARD CABLE 3 - STRAND (16 FT. POST SPACING) | |
| 6064108 | LF | 1.00 | ROADSIDE GUARD CABLE 3 - STRAND (4 FT. POST SPACING) | |
| 6064110 | EA | 1.00 | ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND | |
| 6064111 | EA | 1.00 | ANCHOR ASSEMBLY, GUARD CABLE 3 - STRAND TO GUARDRAIL TRANSITION | |
| 6064500 | CUYD | 1.00 | AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE | |
| 6066100 | LF | 1.00 | GUARDRAIL TYPE A (SALVAGED BEAM) | |
| 6066200 | EA | 1.00 | GUARDRAIL BEAM | |
| 6066300 | EA | 1.00 | GUARDRAIL POST | |
| 6066400 | LF | 1.00 | GUARDRAIL, RELOCATED AND MODIFIED | |
| 6066610 | EA | 1.00 | END ANCHOR | |
| 6066620 | EA | 1.00 | GUARDRAIL ANCHOR, EMBEDDED | |
| 6066630 | EA | 1.00 | GUARDRAIL ANCHOR, ROCK FACE | |
| 6066640 | EA | 1.00 | GUARDRAIL DELINEATOR, WHITE | |
| 6066641A | EA | 1.00 | GUARDRAIL DELINEATOR, YELLOW | |
| 6066642 | EA | 1.00 | GUARDRAIL DELINEATOR, WHITE/RED | |
| 6066645 | EA | 1.00 | GUARD CABLE DELINEATOR, WHITE | |
| 6066646A | EA | 1.00 | GUARD CABLE DELINEATOR, YELLOW | |

MISSOURI DEPARTMENT OF TRANSPORTATION

13

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 6066647A | EA | 1.00 | GUARDRAIL DELINEATOR, YELLOW/RED | |
| 6069901 | LS | 1.00 | MISC. | |
| 6069902 | EA | 1.00 | MISC. | |
| 6069903 | LF | 1.00 | MISC. | |
| 6069905 | SQYD | 0.10 | MISC. | |
| 6071011A | LF | 1.00 | CHAIN-LINK FENCE (48 IN.) | |
| 6071012A | LF | 1.00 | CHAIN-LINK FENCE (60 IN.) | |
| 6071013A | LF | 1.00 | CHAIN-LINK FENCE (72 IN.) | |
| 6071030 | EA | 1.00 | WALK GATE (CHAIN-LINK) | |
| 6071040 | EA | 1.00 | DRIVE GATE (CHAIN-LINK) | |
| 6071043A | LF | 1.00 | 3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE | |
| 6071050 | LF | 1.00 | CHAIN-LINK FENCE (RETAINING WALLS) | |
| 6071054 | LF | 1.00 | (42 IN.) PROPERTY FENCE (STRUCTURES) | |
| 6071055 | LF | 1.00 | (60 IN.) PROPERTY FENCE (STRUCTURES) | |
| 6071056 | LF | 1.00 | (72 IN.) PROPERTY FENCE (STRUCTURES) | |
| 6071057 | LF | 1.00 | (84 IN.) PROPERTY FENCE (STRUCTURES) | |
| 6071058 | LF | 1.00 | (96 IN.) PROPERTY FENCE (STRUCTURES) | |
| 6071060 | LF | 1.00 | PEDESTRIAN FENCE (STRUCTURES) | |
| 6071065 | LF | 1.00 | (60 IN.) PEDESTRIAN FENCE (STRUCTURES) | |
| 6071066 | LF | 1.00 | (72 IN.) PEDESTRIAN FENCE (STRUCTURES) | |
| 6071067 | LF | 1.00 | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES) | |
| 6071101 | LF | 1.00 | MODIFIED CONCRETE GUTTER TYPE A | |
| 6071102 | LF | 1.00 | MODIFIED CONCRETE GUTTER TYPE B | |
| 6072010 | LF | 1.00 | WOVEN WIRE FENCE | |
| 6072020 | EA | 1.00 | WALK GATE (WOVEN WIRE) | |
| 6072030 | EA | 1.00 | DRIVE GATE (WOVEN WIRE) | |
| 6079901 | LS | 1.00 | MISC. | |
| 6079902 | EA | 1.00 | MISC. | |
| 6079903 | LF | 1.00 | MISC. | |
| 6081000 | SQYD | 0.10 | CONCRETE MEDIAN | |
| 6081010 | SQYD | 0.10 | CONCRETE CURB RAMP | |
| 6081012 | SQFT | 1.00 | TRUNCATED DOMES | |
| 6082023 | LF | 1.00 | HAND-RAILING FOR STEPS WITHOUT BALUSTERS | |
| 6082024 | LF | 1.00 | HAND-RAILING FOR STEPS WITH BALUSTERS | |
| 6083003 | SQYD | 0.10 | 3 IN. CONCRETE MEDIAN STRIP | |
| 6083004 | SQYD | 0.10 | 4 IN. CONCRETE MEDIAN STRIP | |
| 6083006 | SQYD | 0.10 | 6 IN. CONCRETE MEDIAN STRIP | |
| 6083008 | SQYD | 0.10 | 8 IN. CONCRETE MEDIAN STRIP | |
| 6084023 | LF | 1.00 | SIDEWALK HAND-RAILING WITHOUT BALUSTERS | |
| 6084024 | LF | 1.00 | SIDEWALK HAND-RAILING WITH BALUSTERS | |
| 6085007 | SQYD | 0.10 | PAVED APPROACH, 7 IN. | |
| 6085008 | SQYD | 0.10 | PAVED APPROACH, 8 IN. | |
| 6086004 | SQYD | 0.10 | CONCRETE SIDEWALK, 4 IN. | |
| 6086007 | SQYD | 0.10 | CONCRETE SIDEWALK, 7 IN. | |
| 6086008 | SQYD | 0.10 | CONCRETE SIDEWALK, 8 IN. | |
| 6089901 | LS | 1.00 | MISC. | |
| 6089902 | EA | 1.00 | MISC. | |
| 6089903 | LF | 1.00 | MISC. | |
| 6089905 | SQYD | 0.10 | MISC. | |
| 6091010 | LF | 1.00 | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S | |
| 6091011 | LF | 1.00 | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S | |
| 6091041 | LF | 1.00 | CONCRETE GUTTER TYPE A | |
| 6091042 | LF | 1.00 | CONCRETE GUTTER TYPE B | |
| 6091051 | LF | 1.00 | CURB AND GUTTER TYPE A | |
| 6091052 | LF | 1.00 | CURB AND GUTTER TYPE B | |
| 6091055 | LF | 1.00 | CONCRETE CURB AND GUTTER (4 INCH) | |
| 6091060 | SQYD | 0.10 | PAVED DITCH | |
| 6092011 | LF | 1.00 | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A | |
| 6092012 | LF | 1.00 | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B | |
| 6092013 | LF | 1.00 | INTEGRAL CURB TYPE M | |
| 6092014 | LF | 1.00 | INTEGRAL CURB TYPE N | |
| 6092015 | LF | 1.00 | INTEGRAL CURB TYPE O | |
| 6092021 | LF | 1.00 | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A | |
| 6092022 | LF | 1.00 | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B | |
| 6092031 | LF | 1.00 | CONCRETE CURB LOW PROFILE TYPE E | |
| 6092032 | LF | 1.00 | CONCRETE CURB LOW PROFILE TYPE F | |

MISSOURI DEPARTMENT OF TRANSPORTATION

14

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 6093010 | LF | 1.00 | ASPHALT CURB | |
| 6093015 | LF | 1.00 | ASPHALT CURB (4 INCH) | |
| 6094010 | EA | 1.00 | DRAIN BASIN | |
| 6096000 | SQYD | 1.00 | DITCH LINER | |
| 6096010A | CUYD | 1.00 | FURNISHING TYPE 1 ROCK DITCH LINER | |
| 6096020 | CUYD | 1.00 | FURNISHING TYPE 2 ROCK DITCH LINER | |
| 6096030A | CUYD | 1.00 | FURNISHING TYPE 3 ROCK DITCH LINER | |
| 6096040A | CUYD | 1.00 | FURNISHING TYPE 4 ROCK DITCH LINER | |
| 6096041 | CUYD | 1.00 | PLACING TYPE 1 ROCK DITCH LINER | |
| 6096042 | CUYD | 1.00 | PLACING TYPE 2 ROCK DITCH LINER | |
| 6096043 | CUYD | 1.00 | PLACING TYPE 3 ROCK DITCH LINER | |
| 6096044 | CUYD | 1.00 | PLACING TYPE 4 ROCK DITCH LINER | |
| 6096050 | CUYD | 1.00 | BEDDING MATERIAL FOR ROCK DITCH LINER | |
| 6097000 | CUYD | 1.00 | ROCK LINING | |
| 6099901 | LS | 1.00 | MISC. | |
| 6099902 | EA | 1.00 | MISC. | |
| 6099903 | LF | 1.00 | MISC. | |
| 6099907 | CUYD | 1.00 | MISC. | |
| 6101010 | CUYD | 0.10 | RUBBLE MASONRY-IN MORTAR | |
| 6101020 | CUYD | 0.10 | RUBBLE MASONRY-DRY | |
| 6102010 | CUFT | 1.00 | BRICK MASONRY | |
| 6109903 | LF | 1.00 | MISC. | |
| 6109904 | SQFT | 1.00 | MISC. | |
| 6109905 | SQYD | 0.10 | MISC. | |
| 6113010 | CUYD | 1.00 | FURNISHING TYPE 1 ROCK BLANKET | |
| 6113020 | CUYD | 1.00 | FURNISHING TYPE 2 ROCK BLANKET | |
| 6113030 | CUYD | 1.00 | PLACING TYPE 1 ROCK BLANKET | |
| 6113040 | CUYD | 1.00 | PLACING TYPE 2 ROCK BLANKET | |
| 6115010A | SQYD | 1.00 | LIGHT STONE REVETMENT | |
| 6115030A | SQYD | 1.00 | HEAVY STONE REVETMENT | |
| 6116010A | SQYD | 1.00 | SLOPE PROTECTION | |
| 6117000A | CUYD | 1.00 | GABIONS | |
| 6119905 | SQYD | 0.10 | MISC. | |
| 6119907 | CUYD | 1.00 | MISC. | |
| 6119909 | STA | 0.10 | MISC. | |
| 6119910 | TONS | 0.10 | MISC. | |
| 6122008 | EA | 1.00 | IMPACT ATTENUATOR 40 MPH (SAND BARRELS) | |
| 6122009 | EA | 1.00 | IMPACT ATTENUATOR 45 MPH (SAND BARRELS) | |
| 6122010 | EA | 1.00 | IMPACT ATTENUATOR 50 MPH (SAND BARRELS) | |
| 6122012 | EA | 1.00 | IMPACT ATTENUATOR 55 MPH (SAND BARRELS) | |
| 6122014 | EA | 1.00 | IMPACT ATTENUATOR 60 MPH (SAND BARRELS) | |
| 6122017 | EA | 1.00 | IMPACT ATTENUATOR 65 MPH (SAND BARRELS) | |
| 6122019 | EA | 1.00 | IMPACT ATTENUATOR 70 MPH (SAND BARRELS) | |
| 6122020 | EA | 1.00 | REPLACEMENT SAND BARREL | |
| 6122030 | EA | 1.00 | IMPACT ATTENUATOR (RELOCATION) | |
| 6123000A | EA | 1.00 | TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA) | |
| 6129901 | LS | 1.00 | MISC. | |
| 6129902 | EA | 1.00 | MISC. | |
| 6129903 | LF | 1.00 | MISC. | |
| 6129905 | SQYD | 0.10 | MISC. | |
| 6131010 | SQYD | 0.10 | FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR | |
| 6131012 | SQYD | 1.00 | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR) | |
| 6131013 | SQYD | 1.00 | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR) | |
| 6131014 | LF | 1.00 | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS) | |
| 6131015 | EA | 1.00 | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR | |
| 6131017 | EA | 1.00 | DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR | |
| 6131018 | EA | 1.00 | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS) | |
| 6132018 | CUYD | 0.10 | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR | |
| 6132019 | SQYD | 0.10 | REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR | |

MISSOURI DEPARTMENT OF TRANSPORTATION

15

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 6133018 | TONS | 0.10 | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR | |
| 6133019 | SQYD | 0.10 | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR | |
| 6133020 | TONS | 0.10 | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR | |
| 6133021 | SQYD | 0.10 | REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR | |
| 6134001 | EA | 1.00 | DOWEL BAR RETROFIT | |
| 6134002 | EA | 1.00 | CROSS STITCH TIE BAR | |
| 6139901 | LS | 1.00 | MISC. | |
| 6139902 | EA | 1.00 | MISC. | |
| 6139903 | LF | 1.00 | MISC. | |
| 6139904 | SQFT | 1.00 | MISC. | |
| 6139905 | SQYD | 0.10 | MISC. | |
| 6139907 | CUYD | 0.10 | MISC. | |
| 6139910 | TONS | 0.10 | MISC. | |
| 6139911 | LB | 1.00 | MISC. | |
| 6141021 | EA | 1.00 | GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM) | |
| 6141022 | EA | 1.00 | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM) | |
| 6141023 | EA | 1.00 | GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM) | |
| 6141024 | EA | 1.00 | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM) | |
| 6141025 | EA | 1.00 | GRATE AND BEARING PLATE (3 FT. 1 IN. X 2 FT. 1 IN. OR 940 MM X 635 MM) | |
| 6141026 | EA | 1.00 | GRATE AND BEARING PLATE (3 FT. 1 IN. X 3 FT. 1 IN. OR 940 MM X 940 MM) | |
| 6141027 | EA | 1.00 | GRATE AND BEARING PLATE (5 FT. 1 IN. X 2 FT. 1 IN. OR 1549 MM X 635 MM) | |
| 6141028 | EA | 1.00 | GRATE AND BEARING PLATE (5 FT. 1 IN. X 3 FT. 1 IN. OR 1549 MM X 940 MM) | |
| 6141120 | EA | 1.00 | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM) | |
| 6141121 | EA | 1.00 | CURVED VANE GRATE AND FRAME (4 FT. X 2 FT. OR 1200MM X 600MM) | |
| 6142010 | EA | 1.00 | 12 IN. OR 300MM AUTO FLOODGATE (TYPE 1) | |
| 6142011 | EA | 1.00 | 15 IN. OR 375 MM AUTO FLOODGATE (TYPE 1) | |
| 6142012 | EA | 1.00 | 18 IN. OR 450 MM AUTO FLOODGATE (TYPE 1) | |
| 6142013 | EA | 1.00 | 21 IN. OR 525MM AUTO FLOODGATE (TYPE 1) | |
| 6142014 | EA | 1.00 | 24 IN. OR 600MM AUTO FLOODGATE (TYPE 1) | |
| 6142015 | EA | 1.00 | 27 IN. OR 675 MM AUTO FLOODGATE (TYPE 1) | |
| 6142016 | EA | 1.00 | 30 IN. OR 750 MM AUTO FLOODGATE (TYPE 1) | |
| 6142017 | EA | 1.00 | 36 IN. OR 900 MM AUTO FLOODGATE (TYPE 1) | |
| 6142018 | EA | 1.00 | 42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 1) | |
| 6142019 | EA | 1.00 | 48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 1) | |
| 6142020 | EA | 1.00 | 12 IN. OR 300 MM AUTO FLOODGATE (TYPE 2) | |
| 6142021 | EA | 1.00 | 15 IN. OR 375 MM AUTO FLOODGATE (TYPE 2) | |
| 6142022 | EA | 1.00 | 18 IN. OR 450 MM AUTO FLOODGATE (TYPE 2) | |
| 6142023 | EA | 1.00 | 21 IN. OR 525 MM AUTO FLOODGATE (TYPE 2) | |
| 6142024 | EA | 1.00 | 24 IN. OR 600 MM AUTO FLOODGATE (TYPE 2) | |
| 6142025 | EA | 1.00 | 27 IN. OR 675 MM AUTO FLOODGATE (TYPE 2) | |
| 6142026 | EA | 1.00 | 30 IN. OR 750 MM AUTO FLOODGATE (TYPE 2) | |
| 6142027 | EA | 1.00 | 36 IN. OR 900 MM AUTO FLOODGATE (TYPE 2) | |
| 6142028 | EA | 1.00 | 42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 2) | |
| 6142029 | EA | 1.00 | 48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 2) | |
| 6143010 | EA | 1.00 | MANHOLE FRAME AND COVER, TYPE 1-A | |
| 6143011 | EA | 1.00 | MANHOLE FRAME AND COVER, TYPE 1-B | |
| 6143012 | EA | 1.00 | MANHOLE FRAME AND COVER, TYPE 2 | |
| 6143013 | EA | 1.00 | MANHOLE FRAME AND COVER, TYPE 3 | |
| 6143014 | EA | 1.00 | MANHOLE FRAME AND COVER, TYPE 4 | |
| 6143020 | EA | 1.00 | CURB INLET | |
| 6149902 | EA | 1.00 | MISC. | |
| 6149911 | LB | 0.10 | MISC. | |
| 6151000 | MO | 1.00 | OFFICE FOR ENGINEER | |
| 6151005 | LS | 1.00 | WATER TRANSPORTATION FOR ENGINEER | |
| 6159901 | LS | 1.00 | MISC. | |
| 6159914 | MO | 1.00 | MISC. | |
| 6161005 | SQFT | 1.00 | CONSTRUCTION SIGNS | |
| 6161007 | EA | 1.00 | SPEED LIMIT AND STROBE LIGHT ASSEMBLY | |
| 6161008 | EA | 1.00 | ADVANCED WARNING RAIL SYSTEM | |
| 6161009 | EA | 1.00 | FLAG ASSEMBLY | |

MISSOURI DEPARTMENT OF TRANSPORTATION

16

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|-------|------|--|-------------------------|
| 6161010 | SQFT | 1.00 | RELOCATED SIGNS | |
| 6161012 | EA | 1.00 | BUOYS (BOATS KEEP OUT) | |
| 6161013 | EA | 1.00 | BUOYS (NO WAKE) | |
| 6161014 | EA | 1.00 | SPECIAL SIGN ASSEMBLY (BOATS KEEP OUT) | |
| 6161020 | EA | 1.00 | CHANNELIZER (DRUM-LIKE) | |
| 6161021 | EA | 1.00 | CHANNELIZER (DRUM-LIKE) WITH LIGHT | |
| 6161022 | EA | 1.00 | CHANNELIZER (CONES) | |
| 6161024 | EA | 1.00 | CHANNELIZER (TRIM LINE) WITH LIGHT | |
| 6161025 | EA | 1.00 | CHANNELIZER (TRIM LINE) | |
| 6161026 | EA | 1.00 | CHANNELIZER (VERTICAL PANEL) | |
| 6161027 | EA | 1.00 | CHANNELIZER (VERTICAL PANEL) WITH LIGHT | |
| 6161028 | EA | 1.00 | CHANNELIZER | |
| 6161030 | EA | 1.00 | TYPE III MOVEABLE BARRICADE | |
| 6161031 | EA | 1.00 | TYPE III MOVEABLE BARRICADE WITH LIGHT | |
| 6161033 | EA | 1.00 | DIRECTIONAL INDICATOR BARRICADE | |
| 6161034 | EA | 1.00 | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT | |
| 6161040 | EA | 1.00 | FLASHING ARROW PANEL | |
| 6161047 | EA | 1.00 | TYPE III OBJECT MARKER | |
| 6161051 | EA | 1.00 | WARNING LIGHT, TYPE A | |
| 6161052 | EA | 1.00 | WARNING LIGHT, TYPE B | |
| 6161053 | EA | 1.00 | WARNING LIGHT, TYPE C | |
| 6161055 | EA | 1.00 | SEQUENTIAL FLASHING WARNING LIGHT | |
| 6161070 | EA | 1.00 | TUBULAR MARKER | |
| 6161095 | EA | 1.00 | RADAR SPEED ADVISORY SYSTEM | |
| 6161096 | EA | 1.00 | CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED | |
| 6161098A | EA | 1.00 | CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED | |
| 6161099 | EA | 1.00 | CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED | |
| 6161120 | EA | 1.00 | INSTALLING 'DRIVE SMART' SIGN | |
| 6161133A | EA | 1.00 | INSTALLING 'POINT OF PRESENCE' 96 IN. X 48 IN. SIGN | |
| 6161134 | EA | 1.00 | INSTALLING 'POINT OF PRESENCE' 36 IN. X 48 IN. SIGN | |
| 6162000A | EA | 1.00 | WORK ZONE TRAFFIC SIGNAL SYSTEM | |
| 6162002 | EA | 1.00 | TEMPORARY LONG-TERM RUMBLE STRIPS | |
| 6162004 | EA | 1.00 | TEMPORARY SHORT-TERM RUMBLE STRIPS | |
| 6169901 | LS | 1.00 | MISC. | |
| 6169902 | EA | 1.00 | MISC. | |
| 6169903 | LF | 1.00 | MISC. | |
| 6169904 | SQFT | 0.10 | MISC. | |
| 6169905 | SQYD | 0.10 | MISC. | |
| 6169915 | HOURL | 1.00 | MISC. | |
| 6171000 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE A | |
| 6172000 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE B | |
| 6172001 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED) | |
| 6173000 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE C | |
| 6173001 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE C (RETAINING WALL) | |
| 6173100 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE D | |
| 6173101 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED) | |
| 6173102 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL) | |
| 6173200 | LF | 1.00 | CONCRETE TRAFFIC BARRIER, TYPE E | |
| 6173600D | LF | 1.00 | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED | |
| 6173602B | LF | 1.00 | TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / COMMISSION RETAINED | |
| 6173700B | LF | 1.00 | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAINED | |
| 6173702B | LF | 1.00 | TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / COMMISSION RETAINED | |
| 6173704B | LF | 1.00 | TEMPORARY TRAFFIC BARRIER ANCHORED, COMMISSION FURNISHED / RETAINED | |
| 6173706 | LF | 1.00 | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / RETAINED | |
| 6173707 | LF | 1.00 | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED / COMMISSION RETAINED | |
| 6173708 | LF | 1.00 | TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, COMMISSION FURNISHED / RETAINED | |
| 6174000A | EA | 1.00 | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION | |
| 6174100 | EA | 1.00 | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION CONTRACTOR FURNISHED / COMMISSION RETAINED | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 6175010A | LF | 1.00 | RELOCATING TEMPORARY TRAFFIC BARRIER | |
| 6175011B | LF | 1.00 | RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED | |
| 6175013 | LF | 1.00 | RELOCATING TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION | |
| 6175020A | EA | 1.00 | RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION | |
| 6176000B | LF | 1.00 | TEMPORARY TRAFFIC BARRIER, COMMISSION FURNISHED / RETAINED | |
| 6177000B | EA | 1.00 | TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION, COMMISSION FURNISHED / RETAINED | |
| 6178001 | EA | 1.00 | TRAFFIC BARRIER DELINEATOR, WHITE | |
| 6178002A | EA | 1.00 | TRAFFIC BARRIER DELINEATOR, YELLOW | |
| 6178003A | EA | 1.00 | TRAFFIC BARRIER DELINEATOR, YELLOW/YELLOW | |
| 6178004 | EA | 1.00 | TRAFFIC BARRIER DELINEATOR, WHITE/WHITE | |
| 6179901 | LS | 1.00 | MISC. | |
| 6179902 | EA | 1.00 | MISC. | |
| 6179903 | LF | 1.00 | MISC. | |
| 6179905 | SQYD | 0.10 | MISC. | |
| 6181000 | LS | 1.00 | MOBILIZATION | |
| 6181010 | LS | 1.00 | LS 1.00 RAILROAD ENGINEERING | |
| 6189901 | LS | 1.00 | MISC. | |
| 6189902 | EA | 1.00 | MISC. ADDITIONAL MOBILIZATION FOR SEEDING | |
| 6189916 | DLR | 1.00 | MISC. | |
| 6189918 | CYCL | 1.00 | MISC. | |
| 6191000 | LF | 1.00 | PAVEMENT EDGE TREATMENT | |
| 6199901 | LS | 1.00 | MISC. | |
| 6200001 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 4 IN., WHITE | |
| 6200002 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 4 IN., WHITE | |
| 6200003 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN., WHITE | |
| 6200004 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 4 IN YELLOW | |
| 6200005 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 4 IN YELLOW | |
| 6200006 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 4 IN YELLOW | |
| 6200007 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 6 IN. WHITE | |
| 6200008 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 6 IN. WHITE | |
| 6200009 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 6 IN. WHITE | |
| 6200010 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 12 IN WHITE | |
| 6200011 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 12 IN WHITE | |
| 6200012 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE | |
| 6200013 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 24 IN. WHITE | |
| 6200014 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 24 IN. WHITE | |
| 6200015 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. WHITE | |
| 6200016 | LF | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 24 IN. YELLOW | |
| 6200017 | LF | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 24 IN. YELLOW | |
| 6200018 | LF | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW | |
| 6200019 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, LEFT/RIGHT ARROW | |
| 6200020 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, LEFT/RIGHT ARROW | |
| 6200021 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW | |
| 6200022 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, STRAIGHT ARROW | |
| 6200023 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, STRAIGHT ARROW | |
| 6200024 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT ARROW | |
| 6200025 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, COMBINATION STR/LT/RT | |
| 6200026 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, COMBINATION STR/LT/RT | |
| 6200027 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT | |
| 6200028 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, WORD (ONLY) | |
| 6200029 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, WORD (ONLY) | |
| 6200030 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, WORD (ONLY) | |
| 6200031 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, R/R CROSSING MARKER | |
| 6200032 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, R/R CROSSING MARKER | |
| 6200033 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, R/R CROSSING MARKER | |
| 6200034 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 30 IN WHITE MIDBLOCK | |
| 6200035 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 30 IN WHITE MIDBLOCK | |
| 6200036 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN WHITE MIDBLOCK | |
| 6200037 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, OFF RAMP WRONG WAY ARROW | |
| 6200038 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, OFF RAMP WRONG WAY ARROW | |
| 6200039 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, OFF RAMP WRONG WAY ARROW | |
| 6200040 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES | |
| 6200041 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES | |

MISSOURI DEPARTMENT OF TRANSPORTATION

18

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 6200042 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, 12 IN WHITE, YIELD LINE TRIANGLES | |
| 6200043 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, LT/RT FISH HOOK ARROW | |
| 6200044 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, LT/RT FISH HOOK ARROW | |
| 6200045 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, LT/RT FISH HOOK ARROW | |
| 6200046 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, STRAIGHT FISH HOOK ARROW | |
| 6200047 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, STRAIGHT FISH HOOK ARROW | |
| 6200048 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, STRAIGHT FISH HOOK ARROW | |
| 6200049 | EA | 1.00 | COLD APPLIED TAPE PAVEMENT MARKING, COMBINATION STR/LT/RT FISH HOOK ARROW | |
| 6200050 | EA | 1.00 | PLURAL COMPONENT LIQUID PAVEMENT MARKING, COMBINATION STR/LT/RT FISH HOOK ARROW | |
| 6200051 | EA | 1.00 | PREFORMED THERMOPLASTIC PAVEMENT MARKING, COMBINATION STR/LT/RT FISH HOOK ARROW | |
| 6205301B | LF | 1.00 | TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE | |
| 6205303B | LF | 1.00 | TEMPORARY REMOVABLE MARKING TAPE 4 IN., YELLOW | |
| 6205309 | LF | 1.00 | TEMPORARY REMOVABLE MARKING TAPE, 24 IN., WHITE | |
| 6205320 | LF | 1.00 | TEMPORARY REMOVABLE MARKING TAPE, 12 IN., WHITE | |
| 6205330 | LF | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE, 12 IN., WHITE | |
| 6205401B | LF | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE 4 IN. WHITE | |
| 6205403B | LF | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE 4 IN., YELLOW | |
| 6205425 | LF | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE 24 IN., WHITE | |
| 6205440A | EA | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE LEFT/RIGHT ARROW | |
| 6205442 | EA | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE STRAIGHT ARROW | |
| 6205443A | EA | 1.00 | TEMPORARY NON-REMOVABLE MARKING TAPE COMBINATION STRAIGHT-LEFT/RIGHT ARROW | |
| 6205901A | LF | 1.00 | 4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS | |
| 6205902A | LF | 1.00 | 6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS | |
| 6205903A | LF | 1.00 | 6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS | |
| 6205906A | LF | 1.00 | 12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS | |
| 6206000C | LF | 1.00 | 4 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS | |
| 6206001C | LF | 1.00 | 4 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS | |
| 6206108A | LF | 1.00 | 8 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS | |
| 6206124A | LF | 1.00 | 24 IN. WHITE STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS | |
| 6206125A | LF | 1.00 | 24 IN. YELLOW STANDARD WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS | |
| 6206150A | LF | 1.00 | 4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT | |
| 6206151A | LF | 1.00 | 4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT | |
| 6206176A | LF | 1.00 | 6 IN., WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT | |
| 6206176B | LF | 1.00 | 6 IN., YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT | |
| 6207001 | LF | 1.00 | PAVEMENT MARKING REMOVAL | |
| 6207002 | EA | 1.00 | PAVEMENT MARKING REMOVAL (SYMBOLS) | |
| 6208063 | EA | 1.00 | TEMPORARY PAVEMENT MARKING | |
| 6208064A | EA | 1.00 | TEMPORARY RAISED PAVEMENT MARKER | |
| 6208070 | EA | 1.00 | REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER | |
| 6208075 | EA | 1.00 | REMOVAL AND REPLACEMENT OF SNOWPLOWABLE RAISED PAVEMENT MARKER REFLECTORS | |
| 6208076 | LF | 1.00 | 4 IN TEMPORARY PAVEMENT MARKING PAINT | |
| 6209901 | LS | 1.00 | MISC. | |
| 6209902 | EA | 1.00 | MISC. | |
| 6209903 | LF | 1.00 | MISC. | |
| 6209917 | 100F | 0.10 | MISC. | |
| 6209920 | MILE | 0.01 | MISC. | |
| 6214600A | CUYD | 1.00 | FLOWABLE BACKFILL | |
| 6221001 | SQYD | 1.00 | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS) | |
| 6221003 | SQYD | 1.00 | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK) | |
| 6221011 | SQYD | 1.00 | COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE | |
| 6222010 | SQYD | 1.00 | COLDMILLING BITUMINOUS PAVEMENT FOR DRIVING SURFACE | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|--|-------------------------|
| 6223010 | SQYD | 1.00 | DIAMOND GRINDING (CONCRETE PAVEMENT) | |
| 6223011 | SQYD | 1.00 | CONCRETE PLANING (BITUMINOUS OVERLAY) | |
| 6224010 | SQYD | 1.00 | MODIFIED COLDMILLING (DEPTH TRANSITIONS) | |
| 6229903 | LF | 1.00 | MISC. | |
| 6229905 | SQYD | 0.10 | MISC. | |
| 6229909 | STA | 0.10 | MISC. | |
| 6233000 | SQYD | 1.00 | EPOXY POLYMER CONCRETE OVERLAY | |
| 6234000 | CUFT | 1.00 | POLYMER CONCRETE | |
| 6239905 | SQYD | 1.00 | MISC. | |
| 6240101A | SQYD | 1.00 | SUBSURFACE DRAINAGE GEOTEXTILE | |
| 6240102A | SQYD | 1.00 | TEMPORARY SILT FENCE GEOTEXTILE | |
| 6240103A | SQYD | 1.00 | PERMANENT EROSION CONTROL GEOTEXTILE | |
| 6240104A | SQYD | 1.00 | SEPARATION GEOTEXTILE | |
| 6249905 | SQYD | 0.10 | MISC. | |
| 6249907 | CY | 1.00 | MISC. | |
| 6252001 | LB | 1.00 | UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE | |
| 6252002 | GAL | 1.00 | UNDERSEALING MATERIAL ASPHALT CEMENT | |
| 6252003 | LB | 1.00 | SLAB JACKING MATERIAL HIGH DENSITY POLYURETHANE | |
| 6252004 | TONS | 0.10 | SLAB JACKING MATERIAL CEMENTITIOUS GROUT | |
| 6254000 | EA | 1.00 | DEFLECTION TESTING | |
| 6259901 | LS | 1.00 | MISC. | |
| 6259911 | LB | 1.00 | MISC. | |
| 6259912 | GAL | 10.00 | MISC. | |
| 6261000A | STA | 0.10 | BITUMINOUS SHOULDER RUMBLE STRIP | |
| 6261001 | STA | 0.10 | BITUMINOUS CENTERLINE RUMBLE STRIP | |
| 6262000A | STA | 0.10 | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP | |
| 6262001 | STA | 0.10 | PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP | |
| 6269901 | L S | 1.00 | MISC. | |
| 6269903 | LF | 1.00 | MISC. | |
| 6269905 | SQYD | 1.00 | MISC. | |
| 6269909 | STA | 0.10 | MISC. | |
| 6274000 | LS | 1.00 | CONTRACTOR FURNISHED SURVEYING AND STAKING | |
| 6279901 | LS | 1.00 | MISC. | |
| 7011100 | LF | 0.10 | DRILLED SHAFTS (1 FT. 0 IN. DIA.) | |
| 7011101 | LF | 0.10 | DRILLED SHAFTS (1 FT. 6 IN. DIA.) | |
| 7011102 | LF | 0.10 | DRILLED SHAFTS (2 FT. 0 IN. DIA.) | |
| 7011103 | LF | 0.10 | DRILLED SHAFTS (2 FT. 6 IN. DIA.) | |
| 7011104 | LF | 0.10 | DRILLED SHAFTS (3 FT. 0 IN. DIA.) | |
| 7011105 | LF | 0.10 | DRILLED SHAFTS (3 FT. 6 IN. DIA.) | |
| 7011106 | LF | 0.10 | DRILLED SHAFTS (4 FT. 0 IN. DIA.) | |
| 7011107 | LF | 0.10 | DRILLED SHAFTS (4 FT. 6 IN. DIA.) | |
| 7011108 | LF | 0.10 | DRILLED SHAFTS (5 FT. 0 IN. DIA.) | |
| 7011109 | LF | 0.10 | DRILLED SHAFTS (5 FT. 6 IN. DIA.) | |
| 7011110 | LF | 0.10 | DRILLED SHAFTS (6 FT. 0 IN. DIA.) | |
| 7011111 | LF | 0.10 | DRILLED SHAFTS (6 FT. 6 IN. DIA.) | |
| 7011112 | LF | 0.10 | DRILLED SHAFTS (7 FT. 0 IN. DIA.) | |
| 7011113 | LF | 0.10 | DRILLED SHAFTS (7 FT. 6 IN. DIA.) | |
| 7011114 | LF | 0.10 | DRILLED SHAFTS (8 FT. 0 IN. DIA.) | |
| 7011115 | LF | 0.10 | DRILLED SHAFTS (8 FT. 6 IN. DIA.) | |
| 7011116 | LF | 0.10 | DRILLED SHAFTS (9 FT. 0 IN. DIA.) | |
| 7011117 | LF | 0.10 | DRILLED SHAFTS (9 FT. 6 IN. DIA.) | |
| 7011118 | LF | 0.10 | DRILLED SHAFTS (10 FT. 0 IN. DIA.) | |
| 7011200 | LF | 0.10 | ROCK SOCKETS (1 FT 0 IN. DIA.) | |
| 7011201 | LF | 0.10 | ROCK SOCKETS (1 FT 6 IN. DIA.) | |
| 7011202 | LF | 0.10 | ROCK SOCKETS (2 FT 0 IN. DIA.) | |
| 7011203 | LF | 0.10 | ROCK SOCKETS (2 FT 6IN. DIA.) | |
| 7011204 | LF | 0.10 | ROCK SOCKETS (3 FT 0 IN. DIA.) | |
| 7011205 | LF | 0.10 | ROCK SOCKETS (3 FT 6 IN. DIA.) | |
| 7011206 | LF | 0.10 | ROCK SOCKETS (4 FT 0 IN. DIA.) | |
| 7011207 | LF | 0.10 | ROCK SOCKETS (4 FT 6 IN. DIA.) | |
| 7011208 | LF | 0.10 | ROCK SOCKETS (5 FT 0 IN. DIA.) | |
| 7011209 | LF | 0.10 | ROCK SOCKETS (5 FT 6 IN. DIA.) | |
| 7011210 | LF | 0.10 | ROCK SOCKETS (6 FT 0 IN. DIA.) | |
| 7011211 | LF | 0.10 | ROCK SOCKETS (6 FT 6 IN. DIA.) | |
| 7011212 | LF | 0.10 | ROCK SOCKETS (7 FT 0 IN. DIA.) | |
| 7011213 | LF | 0.10 | ROCK SOCKETS (7 FT. 6 IN. DIA.) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 7011214 | LF | 0.10 | ROCK SOCKETS (8 FT. 0 IN. DIA.) | |
| 7011215 | LF | 0.10 | ROCK SOCKETS (8 FT. 6 IN. DIA.) | |
| 7011216 | LF | 0.10 | ROCK SOCKETS (9 FT. 0 IN. DIA.) | |
| 7011217 | LF | 0.10 | ROCK SOCKETS (9 FT. 6 IN. DIA.) | |
| 7011300 | EA | 1.00 | VIDEO CAMERA INSPECTION | |
| 7011400 | LF | 0.10 | FOUNDATION INSPECTION HOLES | |
| 7011500 | LF | 0.10 | CONCRETE CORING | |
| 7011600 | EA | 1.00 | SONIC LOGGING TESTING | |
| 7011700 | EA | 1.00 | DRILLED SHAFT LOAD TESTS | |
| 7019901 | LS | 1.00 | MISC. | |
| 7019902 | EA | 1.00 | MISC. | |
| 7019903 | LF | 0.10 | MISC. | |
| 7021010 | LF | 1.00 | STRUCTURAL STEEL PILES (10 IN.) | |
| 7021012 | LF | 1.00 | STRUCTURAL STEEL PILES (12 IN.) | |
| 7021014 | LF | 1.00 | STRUCTURAL STEEL PILES (14 IN.) | |
| 7021114 | LF | 1.00 | CAST-IN-PLACE CONCRETE PILES (14 IN) | |
| 7021116 | LF | 1.00 | CAST-IN-PLACE CONCRETE PILES (16 IN) | |
| 7021120 | LF | 1.00 | CAST-IN-PLACE CONCRETE PILES (20 IN) | |
| 7021124 | LF | 1.00 | CAST-IN-PLACE CONCRETE PILES (24 IN) | |
| 7021210 | LF | 1.00 | GALVANIZED STRUCTURAL STEEL PILES (10 IN) | |
| 7021212 | LF | 1.00 | GALVANIZED STRUCTURAL STEEL PILES (12 IN) | |
| 7021214 | LF | 1.00 | GALVANIZED STRUCTURAL STEEL PILES (14 IN) | |
| 7021314 | LF | 1.00 | GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN) | |
| 7021316 | LF | 1.00 | GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN) | |
| 7021320 | LF | 1.00 | GALVANIZED CAST-IN-PLACE CONCRETE PILES (20 IN) | |
| 7021324 | LF | 1.00 | GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN) | |
| 7023000 | LF | 1.00 | TEST PILES | |
| 7024000 | EA | 1.00 | LOADING TESTS | |
| 7025001 | EA | 1.00 | DYNAMIC PILE TESTING | |
| 7025002 | EA | 1.00 | PILE WAVE ANALYSIS | |
| 7025003 | LF | 1.00 | PILOT HOLE | |
| 7025004 | EA | 1.00 | DYNAMIC PILE RESTRIKE TESTING | |
| 7026000 | LF | 1.00 | PRE-BORE FOR PILING | |
| 7027000 | EA | 1.00 | PILE POINT REINFORCEMENT | |
| 7029901 | LS | 1.00 | MISC. | |
| 7029902 | EA | 1.00 | MISC. | |
| 7029903 | LF | 1.00 | MISC. | |
| 7029907 | CUYD | 1.00 | MISC. | |
| 7031004 | SQYD | 1.00 | DIAMOND GRINDING | |
| 7031005 | SQYD | 1.00 | TRANSVERSE DIAMOND GROOVING | |
| 7032002 | CUYD | 0.10 | CLASS B CONCRETE (MISC) | |
| 7032003 | CUYD | 0.10 | CLASS B CONCRETE (SUBSTRUCTURE) | |
| 7032009 | CUYD | 0.10 | CLASS B CONCRETE (RETAINING WALLS) | |
| 7032025 | EA | 1.00 | DEADMAN ANCHORAGE ASSEMBLY | |
| 7033001 | CUYD | 0.10 | SEAL CONCRETE | |
| 7033009 | LS | 1.00 | AESTHETIC CONCRETE STAIN | |
| 7033013 | SY | 1.00 | PENETRATING CONCRETE SEALER | |
| 7034001 | CUYD | 0.10 | CLASS B-1 CONCRETE | |
| 7034002 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE) | |
| 7034003 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUBSTRUCTURE) | |
| 7034004 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL) | |
| 7034005 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE VOIDED SLABS) | |
| 7034006 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER) | |
| 7034007 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER) | |
| 7034008 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE SOLID SLAB) | |
| 7034009 | CUYD | 0.10 | CLASS B-1 CONCRETE (RETAINING WALLS) | |
| 7034010 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER) | |
| 7034020 | CUYD | 0.10 | CLASS B-1 CONCRETE (SUPERSTRUCTURE) | |
| 7034030 | CUYD | 0.10 | CLASS B-1 CONCRETE (BARRIER CURBS) | |
| 7034040 | CUYD | 0.10 | CLASS B-1 CONCRETE (CULVERTS-BRIDGE) | |
| 7034041 | CUYD | 0.10 | CLASS B-1 CONCRETE (CULVERTS) | |
| 7034202 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE) | |
| 7034204 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL) | |
| 7034205 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE VOIDED SLABS) | |
| 7034206 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER) | |
| 7034207 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 7034208 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB) | |
| 7034210 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER) | |
| 7034211 | CUYD | 0.10 | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON BOX GIRDER) | |
| 7034212 | SQYD | 1.00 | SLAB ON STEEL | |
| 7034213 | SQYD | 1.00 | SLAB ON CONCRETE I-GIRDER | |
| 7034214 | CUYD | 0.10 | CLASS B-2 CONCRETE | |
| 7034215 | LF | 1.00 | SAFETY BARRIER CURB | |
| 7034218 | SQYD | 1.00 | SLAB ON CONCRETE BULB-TEE GIRDER | |
| 7034219A | LF | 1.00 | BARRIER CURB (TYPE D) | |
| 7034220 | SQYD | 1.00 | SLAB ON SEMI-DEEP ABUTMENT | |
| 7034221 | SQYD | 1.00 | SLAB ON CONCRETE NU-GIRDER | |
| 7034222 | SQYD | 1.00 | SLAB ON CONCRETE BEAM | |
| 7034226 | SQYD | 1.00 | REINFORCED CONCRETE SLAB OVERLAY | |
| 7034230 | CUYD | 0.10 | CLASS B-2 CONCRETE (POST-TENSIONED OVERLAY) | |
| 7034410 | LF | 1.00 | MEDIAN BARRIER CURB | |
| 7034411 | LF | 1.00 | MEDIAN BARRIER CURB (TYPE C) | |
| 7034412 | LF | 1.00 | MEDIAN BARRIER CURB TRANSITION | |
| 7034413 | LF | 1.00 | MEDIAN BARRIER CURB TRANSITION (TYPE C) | |
| 7034420 | SQFT | 1.00 | RAISED MEDIAN BARRIER | |
| 7034430 | SQFT | 1.00 | SIDEWALK (BRIDGES) | |
| 7034535 | LF | 1.00 | CURB MODIFICATION | |
| 7034600 | LF | 1.00 | CURB BLOCKOUT | |
| 7034610 | LF | 1.00 | CORRAL CURB | |
| 7034620 | SQYD | 1.00 | FORM LINERS | |
| 7034630 | LF | 1.00 | CONCRETE CURB (BRIDGE RAIL) | |
| 7036000A | CUYD | 0.10 | CLASS A -1 CONCRETE | |
| 7039901 | LS | 1.00 | MISC. | |
| 7039902 | EA | 1.00 | MISC. | |
| 7039903 | LF | 1.00 | MISC. | |
| 7039904 | SQFT | 1.00 | MISC. | |
| 7039905 | SQYD | 0.10 | MISC. | |
| 7039907 | CUYD | 0.10 | MISC. | |
| 7040101 | SQFT | 1.00 | SUBSTRUCTURE REPAIR (FORMED) | |
| 7040102 | SQFT | 1.00 | SUBSTRUCTURE REPAIR (UNFORMED) | |
| 7040103 | SQFT | 1.00 | SUPERSTRUCTURE REPAIR (UNFORMED) | |
| 7040104 | SQFT | 1.00 | REPAIRING CONCRETE DECK (HALF-SOLING) | |
| 7040106 | SQFT | 1.00 | FULL DEPTH REPAIR | |
| 7040107 | LF | 1.00 | SLAB EDGE REPAIR (BRIDGES) | |
| 7040108 | SQFT | 1.00 | MODIFIED DECK REPAIR | |
| 7040109 | SQYD | 1.00 | TOTAL SURFACE HYDRO DEMOLITION | |
| 7040110 | LF | 1.00 | EPOXY PRESSURE INJECTING | |
| 7040111 | EA | 1.00 | DECK GIRDER END REPAIR | |
| 7040112 | SQFT | 1.00 | DECK REPAIR WITH VOID TUBE REPLACEMENT | |
| 7040113 | SQFT | 1.00 | CLEAN AND EPOXY SEAL | |
| 7040115 | SQYD | 1.00 | HYDRO SURFACE PROFILING | |
| 7040117 | CUYD | 1.00 | MONOLITHIC DECK REPAIR | |
| 7040118 | CUYD | 1.00 | HIGH EARLY STRENGTH MONOLITHIC DECK REPAIR | |
| 7040161 | EA | 1.00 | DECK GIRDER END REPAIR | |
| 7040163 | SQYD | 1.00 | CONCRETE CRACK FILLER | |
| 7040164 | SF | 1.00 | FIBER REINFORCED POLYMER REINFORCEMENT | |
| 7049901 | LS | 1.00 | MISC. | |
| 7049902 | EA | 1.00 | MISC. | |
| 7049903 | LF | 1.00 | MISC. | |
| 7049904 | SQFT | 1.00 | MISC. | |
| 7049905 | SQYD | 1.00 | MISC. | |
| 7049907 | CUYD | 0.10 | MISC. | |
| 7056000 | LF | 1.00 | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER | |
| 7056001 | LF | 1.00 | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER | |
| 7056002 | LF | 1.00 | TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER | |
| 7056003 | LF | 1.00 | TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER | |
| 7056010 | LF | 1.00 | TYPE 8 (63 IN.), PRESTRESSED CONCRETE BULB TEE | |
| 7056011 | LF | 1.00 | TYPE 7 (72 IN.), PRESTRESSED CONCRETE BULB TEE | |
| 7056020 | LF | 1.00 | NU 29, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056021 | LF | 1.00 | NU 35, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056022 | LF | 1.00 | NU 43, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056023 | LF | 1.00 | NU 53, PRESTRESSED CONCRETE NU-GIRDER | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|---|-------------------------|
| 7056024 | LF | 1.00 | NU 63, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056025 | LF | 1.00 | NU 70, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056026 | LF | 1.00 | NU 78, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056027 | LF | 1.00 | NU 94, PRESTRESSED CONCRETE NU-GIRDER | |
| 7056030 | LF | 1.00 | 11 IN., PRESTRESSED CONCRETE SOLID SLAB BEAM | |
| 7056040A | LF | 1.00 | 15 IN., PRESTRESSED CONCRETE SPREAD VOIDED SLAB BEAM | |
| 7056042A | LF | 1.00 | 18 IN., PRESTRESSED CONCRETE SPREAD VOIDED SLAB BEAM | |
| 7056043A | LF | 1.00 | 21 IN., PRESTRESSED CONCRETE SPREAD VOIDED SLAB BEAM | |
| 7056045 | LF | 1.00 | 15 IN., PRESTRESSED CONCRETE ADJACENT VOIDED SLAB BEAM | |
| 7056047 | LF | 1.00 | 18 IN., PRESTRESSED CONCRETE ADJACENT VOIDED SLAB BEAM | |
| 7056048 | LF | 1.00 | 21 IN., PRESTRESSED CONCRETE ADJACENT VOIDED SLAB BEAM | |
| 7056049 | LF | 1.00 | 21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056050A | LF | 1.00 | 27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056051A | LF | 1.00 | 33 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056052A | LF | 1.00 | 39 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056053A | LF | 1.00 | 42 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056054 | LF | 1.00 | 21 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7056055 | LF | 1.00 | 27 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7056056 | LF | 1.00 | 33 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7056057 | LF | 1.00 | 39 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7056058 | LF | 1.00 | 42 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7056060 | LF | 1.00 | 16 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER | |
| 7056061 | LF | 1.00 | 22 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER | |
| 7056062 | LF | 1.00 | 30 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER | |
| 7056065 | LF | 1.00 | 17 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM | |
| 7056066 | LF | 1.00 | 17 IN., PRESTRESSED CONCRETE ADJACENT BOX BEAM | |
| 7059901 | LS | 1.00 | MISC. | |
| 7059902 | EA | 1.00 | MISC. | |
| 7059903 | LF | 1.00 | MISC. | |
| 7059904 | SQFT | 1.00 | MISC. | |
| 7059905 | SQYD | 1.00 | MISC. | |
| 7061000 | LB | 10.00 | REINFORCING STEEL | |
| 7061020 | LB | 10.00 | REINFORCING STEEL (CULVERTS-BRIDGE) | |
| 7061030 | LB | 10.00 | REINFORCING STEEL (CULVERTS) | |
| 7061040 | LB | 10.00 | REINFORCING STEEL (RETAINING WALL) | |
| 7061060 | LB | 10.00 | REINFORCING STEEL (BRIDGES) | |
| 7061070 | EA | 1.00 | MECHANICAL BAR SPLICE | |
| 7069902 | EA | 1.00 | MISC. | |
| 7069903 | LF | 1.00 | MISC. | |
| 7069911 | LB | 1.00 | MISC. | |
| 7071000 | LS | 1.00 | CONDUIT SYSTEM ON STRUCTURE | |
| 7071030 | LS | 1.00 | CONDUIT SYSTEM ON STRUCTURE (TELEPHONE) | |
| 7071040 | LS | 1.00 | CATHODIC PROTECTION SYSTEM | |
| 7079901 | LS | 1.00 | MISC. | |
| 7079902 | EA | 1.00 | MISC. | |
| 7079903 | LF | 1.00 | MISC. | |
| 7101000 | LB | 10.00 | REINFORCING STEEL (EPOXY COATED) | |
| 7101010 | LB | 10.00 | EPOXY COATED TIE BARS (DRILLED AND INSTALLED) | |
| 7101020 | LB | 10.00 | EPOXY COATED TIE BARS (PLACED AND FASTENED) | |
| 7101030 | EA | 1.00 | DOWEL WITH SUPPORT ASSEMBLY | |
| 7109902 | EA | 1.00 | MISC. | |
| 7109911 | LB | 1.00 | MISC. | |
| 7110100 | LS | 1.00 | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHANE) | |
| 7110200 | LS | 1.00 | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY) | |
| 7110300 | LS | 1.00 | CONCRETE AND MASONRY PROTECTION SYSTEM | |
| 7110400 | LS | 1.00 | SACRIFICIAL GRAFFITI PROTECTION SYSTEM | |
| 7110500 | LS | 1.00 | TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL) | |
| 7111000 | SQYD | 1.00 | WATERPROOFING | |
| 7111001 | SQYD | 1.00 | WATERPROOFING MEMBRANE | |
| 7119901 | LS | 1.00 | MISC. | |
| 7119904 | SQFT | 1.00 | MISC. | |
| 7119905 | SQYD | 1.00 | MISC. | |
| 7120900 | LF | 1.00 | EXPANSION DEVICE (FINGER PLATE) | |
| 7120915 | LF | 1.00 | EXPANSION DEVICE (FLAT PLATE) | |
| 7121000 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (MISC) | |
| 7121010 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (I-BEAM) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|--------|---|-------------------------|
| 7121020 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (PLATE GIRDER) | |
| 7121030 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (TRUSSES) | |
| 7121040 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (CONCRETE) | |
| 7121050 | LB | 10.00 | FABRICATED STRUCTURAL CARBON STEEL (BOX GIRDER) | |
| 7121060 | LS | 1.00 | FABRICATED SIGN SUPPORT BRACKETS | |
| 7121100 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC) | |
| 7121111 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50 | |
| 7121113 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50W | |
| 7121121 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50 | |
| 7121122 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50W | |
| 7121123 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709 GRADE HPS70W | |
| 7121124 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709 GRADE HPS50W | |
| 7121130 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (TRUSSES) | |
| 7121140 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (CONCRETE) | |
| 7121151 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709, GRADE 50 | |
| 7121152 | LB | 10.00 | FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709, GRADE 50W | |
| 7121159 | EA | 1.00 | SHEAR CONNECTORS | |
| 7121160 | SQFT | 1.00 | STEEL GRID FLOOR (HALF CONCRETE FILLED) | |
| 7121161 | SQFT | 1.00 | STEEL GRID FLOOR (CONCRETE FILLED) | |
| 7121250 | LS | 1.00 | STRENGTHENING EXISTING BEAMS | |
| 7121251 | EA | 1.00 | HINGE MODIFICATION | |
| 7121300 | LB | 10.00 | FABRICATED STRUCTURAL STEEL BEARINGS | |
| 7122000 | LB | 10.00 | CARBON STEEL CASTINGS | |
| 7122200 | LB | 10.00 | GRAY IRON CASTINGS | |
| 7122300 | LF | 1.00 | BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL) | |
| 7123000 | EA | 1.00 | STEEL BAR DAM | |
| 7123100 | EA | 1.00 | CLEANING AND COATING EXISTING BEARINGS | |
| 7123110 | EA | 1.00 | BEARING REMOVAL FOR INSPECTION | |
| 7123115 | EA | 1.00 | SURFACE FINISHING BEARING ROCKER | |
| 7123120 | EA | 1.00 | CLEANING, LUBRICATING AND COATING BEARING | |
| 7123130 | EA | 1.00 | REHABILITATE BEARING | |
| 7123140 | LB | 10.00 | NEW BEARING MATERIALS | |
| 7123150 | EA | 1.00 | ANCHOR BOLT REPLACEMENT | |
| 7123200 | EA | 1.00 | REMOVING, COATING AND REINSTALLING LIGHT STANDARDS (BRIDGES) | |
| 7123210 | EA | 1.00 | EARTH QUAKE RESTRAINER ASSEMBLIES | |
| 7123250 | EA | 1.00 | RIVET REMOVAL AND REPLACEMENT | |
| 7123300 | LS | 1.00 | EXISTING DIAPHRAGM CONNECTIONS TO FLANGE | |
| 7123301 | EA | 1.00 | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS | |
| 7123500 | LF | 1.00 | RAILING FOR STEPS | |
| 7123610 | EA | 1.00 | SLAB DRAIN | |
| 7123611 | EA | 1.00 | SLAB DRAIN WITH GRATE | |
| 7123620 | LS | 1.00 | DRAINAGE SYSTEM (ON STRUCTURE) | |
| 7125100 | LS | 1.00 | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL | |
| 7125101 | LS | 1.00 | SURFACE PREPARATION FOR OVERCOATING STRUCTURAL STEEL | |
| 7125102 | LS | 1.00 | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER | |
| 7125103 | LS | 1.00 | CHLORIDE REMEDIATION SURFACE PREPARATION | |
| 7125110 | LS | 1.00 | FIELD APPLICATION OF INORGANIC ZINC PRIMER | |
| 7125111 | LS | 1.00 | INTERMEDIATE FIELD COAT (SYSTEM G) | |
| 7125112 | LS | 1.00 | FINISH FIELD COAT (SYSTEM G) | |
| 7125113 | LS | 1.00 | INTERMEDIATE FIELD COAT (SYSTEM H) | |
| 7125114 | LS | 1.00 | FINISH FIELD COAT (SYSTEM H) | |
| 7125115 | LS | 1.00 | FINISHED FIELD COAT (SYSTEM I) | |
| 7125200 | SQFT | 100.00 | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL | |
| 7125201 | SQFT | 100.00 | SURFACE PREPARATION FOR OVERCOATING STRUCTURAL STEEL | |
| 7125202 | SQFT | 100.00 | CHLORIDE REMEDIATION SURFACE PREPARATION | |
| 7125210 | SQFT | 100.00 | FIELD APPLICATION OF INORGANIC ZINC PRIMER | |
| 7125315A | TONS | 0.10 | INTERMEDIATE FIELD COAT (SYSTEM G) | |
| 7125320A | TONS | 0.10 | FINISH FIELD COAT (SYSTEM G) | |
| 7125335A | TONS | 0.10 | INTERMEDIATE FIELD COAT (SYSTEM H) | |
| 7125340A | TONS | 0.10 | FINISH FIELD COAT (SYSTEM H) | |
| 7125346 | TONS | 0.10 | FINISHED FIELD COAT (SYSTEM I) | |
| 7125365A | SQFT | 100.00 | INTERMEDIATE FIELD COAT (SYSTEM G) | |
| 7125370A | SQFT | 100.00 | FINISH FIELD COAT (SYSTEM G) | |
| 7125385A | SQFT | 100.00 | INTERMEDIATE FIELD COAT (SYSTEM H) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|--------|---|-------------------------|
| 7125390A | SQFT | 100.00 | FINISH FIELD COAT (SYSTEM H) | |
| 7125396 | SQFT | 100.00 | FINISHED FIELD COAT (SYSTEM I) | |
| 7125900 | LS | 1.00 | CALCIUM SULFONATE RUST PENETRATING SEALER | |
| 7125901 | LS | 1.00 | CALCIUM SULFONATE PRIMER | |
| 7125902 | LS | 1.00 | CALCIUM SULFONATE TOPCOAT | |
| 7125920 | SQFT | 100.00 | CALCIUM SULFONATE PRIMER | |
| 7125921 | SQFT | 100.00 | CALCIUM SULFONATE TOPCOAT | |
| 7125930 | TONS | 0.10 | CALCIUM SULFONATE PRIMER | |
| 7125931 | TONS | 0.10 | CALCIUM SULFONATE TOPCOAT | |
| 7125960 | LS | 1.00 | ALUMINUM EPOXY-MASTIC PRIMER | |
| 7125961 | LS | 1.00 | GRAY EPOXY-MASTIC PRIMER | |
| 7126000 | LF | 1.00 | NON-DESTRUCTIVE TESTING | |
| 7129901 | LS | 1.00 | MISC. | |
| 7129902 | EA | 1.00 | MISC. | |
| 7129903 | LF | 1.00 | MISC. | |
| 7129904 | SQFT | 0.10 | MISC. | |
| 7129905 | SQYD | 0.10 | MISC. | |
| 7129910 | TONS | 0.10 | MISC. | |
| 7129911 | LB | 0.10 | MISC. | |
| 7133000 | LF | 1.00 | BRIDGE GUARDRAIL (W-BEAM) | |
| 7134000 | LF | 1.00 | BRIDGE GUARDRAIL (THRIE BEAM) | |
| 7139903A | LF | 1.00 | MISC. | |
| 7151001 | EA | 1.00 | VERTICAL DRAIN AT END BENTS | |
| 7159902 | EA | 1.00 | MISC. | |
| 7161000 | EA | 1.00 | PLAIN NEOPRENE BEARING PAD | |
| 7161001 | LF | 1.00 | PLAIN NEOPRENE BEARING PAD | |
| 7161002 | EA | 1.00 | LAMINATED NEOPRENE BEARING PAD | |
| 7161003 | EA | 1.00 | LAMINATED NEOPRENE BEARING PAD (TAPERED) | |
| 7162000 | EA | 1.00 | LAMINATED NEOPRENE BEARING PAD ASSEMBLY | |
| 7163000 | EA | 1.00 | TYPE N PTFE BEARING | |
| 7164000 | EA | 1.00 | POT BEARING | |
| 7169901 | LS | 1.00 | MISC. | |
| 7169902 | EA | 1.00 | MISC. | |
| 7169903 | LF | 1.00 | MISC. | |
| 7170001 | LF | 1.00 | ALTERNATE EXPANSION JOINT SYSTEM | |
| 7171001 | LF | 1.00 | PREFORMED COMPRESSION SEAL EXPANSION JOINT SYSTEM | |
| 7171002 | LF | 1.00 | PREFORMED COMPRESSION SEAL | |
| 7172001 | LF | 1.00 | STRIP SEAL EXPANSION JOINT SYSTEM | |
| 7172002 | LF | 1.00 | STRIP SEAL | |
| 7172053 | LF | 1.00 | OPEN CELL FOAM JOINT SYSTEM | |
| 7172054 | LF | 1.00 | OPEN CELL FOAM JOINT SEAL | |
| 7173001 | LF | 1.00 | SILICONE EXPANSION JOINT SEALANT SYSTEM | |
| 7173002 | LF | 1.00 | SILICONE EXPANSION JOINT SEALANT | |
| 7174001 | LF | 1.00 | PREFORMED SILICONE OR EPDM EXPANSION JOINT SYSTEM | |
| 7174002 | LF | 1.00 | PREFORMED SILICONE OR EPDM EXPANSION JOINT SEAL | |
| 7179903 | LF | 1.00 | MISC. | |
| 7181010 | LS | 1.00 | FURNISHING SUPERSTRUCTURE | |
| 7181011 | LS | 1.00 | PARTIAL FURNISHING OF SUPERSTRUCTURE | |
| 7181020 | LS | 1.00 | TRANSPORTING AND ERECTING SUPERSTRUCTURE | |
| 7181030 | LS | 1.00 | REMOVING AND STORING SUPERSTRUCTURE | |
| 7189901 | LS | 1.00 | MISC. | |
| 7189902 | EA | 1.00 | MISC. | |
| 7199901 | LS | 1.00 | MISC. | |
| 7201000 | SQFT | 1.00 | MECHANICALLY STABILIZED EARTH WALL SYSTEMS | |
| 7201100 | SQYD | 1.00 | FORM LINERS FOR MSE WALL SYSTEMS | |
| 7201200 | CUYD | 1.00 | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS | |
| 7201300 | EA | 1.00 | PILE SPACERS | |
| 7209901 | LS | 1.00 | MISC. | |
| 7209903 | FT | 1.00 | MISC. | |
| 7209904 | SQFT | 1.00 | MISC. | |
| 7209905 | SQYD | 1.00 | MISC. | |
| 7250312A | LF | 1.00 | 12 IN. PIPE GROUP B | |
| 7250315A | LF | 1.00 | 15 IN. PIPE GROUP B | |
| 7250318A | LF | 1.00 | 18 IN. PIPE GROUP B | |
| 7250321A | LF | 1.00 | 21 IN. PIPE GROUP B | |
| 7250324A | LF | 1.00 | 24 IN. PIPE GROUP B | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 7250330A | LF | 1.00 | 30 IN. PIPE GROUP B | |
| 7250336A | LF | 1.00 | 36 IN. PIPE GROUP B | |
| 7250342A | LF | 1.00 | 42 IN. PIPE GROUP B | |
| 7250348A | LF | 1.00 | 48 IN. PIPE GROUP B | |
| 7250354A | LF | 1.00 | 54 IN. PIPE GROUP B | |
| 7250360A | LF | 1.00 | 60 IN. PIPE GROUP B | |
| 7250366A | LF | 1.00 | 66 IN. PIPE GROUP B | |
| 7250372A | LF | 1.00 | 72 IN. PIPE GROUP B | |
| 7250378A | LF | 1.00 | 78 IN. PIPE GROUP B | |
| 7250384A | LF | 1.00 | 84 IN. PIPE GROUP B | |
| 7250412 | LF | 1.00 | 12 IN. PIPE GROUP C | |
| 7250415 | LF | 1.00 | 15 IN. PIPE GROUP C | |
| 7250418 | LF | 1.00 | 18 IN. PIPE GROUP C | |
| 7250421 | LF | 1.00 | 21 IN. PIPE GROUP C | |
| 7250424 | LF | 1.00 | 24 IN. PIPE GROUP C | |
| 7250430 | LF | 1.00 | 30 IN. PIPE GROUP C | |
| 7250436 | LF | 1.00 | 36 IN. PIPE GROUP C | |
| 7250442 | LF | 1.00 | 42 IN. PIPE GROUP C | |
| 7250448 | LF | 1.00 | 48 IN. PIPE GROUP C | |
| 7250454 | LF | 1.00 | 54 IN. PIPE GROUP C | |
| 7250460 | LF | 1.00 | 60 IN. PIPE GROUP C | |
| 7250466 | LF | 1.00 | 66 IN. PIPE GROUP C | |
| 7250472 | LF | 1.00 | 72 IN. PIPE GROUP C | |
| 7250478 | LF | 1.00 | 78 IN. PIPE GROUP C | |
| 7250484 | LF | 1.00 | 84 IN. PIPE GROUP C | |
| 7252002 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-2 | |
| 7252003 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-3 | |
| 7252004 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-4 | |
| 7252005 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-5 | |
| 7252006 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A | |
| 7252007 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A | |
| 7252008 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-8/B-8A | |
| 7252009 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-9/B-9A | |
| 7252010 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-10/B-10A | |
| 7252011 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-11/B-11A | |
| 7252012 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-12/B-12A | |
| 7252013 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-13/B-13A | |
| 7252014 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-14/B-14A | |
| 7252015 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-15/B-15A | |
| 7252016 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-16/B-16A | |
| 7252017 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-17/B-17A | |
| 7252018 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-18/B-18A | |
| 7252019 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-19/B-19A | |
| 7252020 | LF | 1.00 | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-20/B-20A | |
| 7254015 | EA | 1.00 | 15 IN. CORRUGATED METALLIC-COATED STEEL DROP INLET | |
| 7254018 | EA | 1.00 | 18 IN. CORRUGATED METALLIC-COATED STEEL DROP INLET | |
| 7254024 | EA | 1.00 | 24 IN. CORRUGATED METALLIC-COATED STEEL DROP INLET | |
| 7255018 | EA | 1.00 | 18 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255024 | EA | 1.00 | 24 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255030 | EA | 1.00 | 30 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255036 | EA | 1.00 | 36 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255042 | EA | 1.00 | 42 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255048 | EA | 1.00 | 48 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255054 | EA | 1.00 | 54 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255060 | EA | 1.00 | 60 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255066 | EA | 1.00 | 66 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255072 | EA | 1.00 | 72 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255078 | EA | 1.00 | 78 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255084 | EA | 1.00 | 84 IN. CORRUGATED METALLIC-COATED STEEL CURTAIN WALL | |
| 7255102 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-2 | |
| 7255103 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-3 | |
| 7255104 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-4 | |
| 7255105 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-5 | |
| 7255106 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-6 | |
| 7255107 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-7 | |
| 7255108 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-8 | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 7255109 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-9 | |
| 7255110 | EA | 1.00 | CORRUGATED METALLIC-COATED STEEL CURTAIN WALL, TYPE B-10 | |
| 7259902 | EA | 1.00 | MISC. | |
| 7259903 | LF | 1.00 | MISC. | |
| 7261002 | LF | 1.00 | 102 IN. PIPE GROUP A | |
| 7261008 | LF | 1.00 | 108 IN. PIPE GROUP A | |
| 7261012 | LF | 1.00 | 12 IN. PIPE GROUP A | |
| 7261015 | LF | 1.00 | 15 IN. PIPE GROUP A | |
| 7261018 | LF | 1.00 | 18 IN. PIPE GROUP A | |
| 7261021 | LF | 1.00 | 21 IN. PIPE GROUP A | |
| 7261024 | LF | 1.00 | 24 IN. PIPE GROUP A | |
| 7261030 | LF | 1.00 | 30 IN. PIPE GROUP A | |
| 7261036 | LF | 1.00 | 36 IN. PIPE GROUP A | |
| 7261042 | LF | 1.00 | 42 IN. PIPE GROUP A | |
| 7261048 | LF | 1.00 | 48 IN. PIPE GROUP A | |
| 7261054 | LF | 1.00 | 54 IN. PIPE GROUP A | |
| 7261060 | LF | 1.00 | 60 IN. PIPE GROUP A | |
| 7261066 | LF | 1.00 | 66 IN. PIPE GROUP A | |
| 7261072 | LF | 1.00 | 72 IN. PIPE GROUP A | |
| 7261078 | LF | 1.00 | 78 IN. PIPE GROUP A | |
| 7261084 | LF | 1.00 | 84 IN. PIPE GROUP A | |
| 7261090 | LF | 1.00 | 90 IN. PIPE GROUP A | |
| 7261096 | LF | 1.00 | 96 IN. PIPE GROUP A | |
| 7263004 | LF | 1.00 | 4 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263006 | LF | 1.00 | 6 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263008 | LF | 1.00 | 8 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263010 | LF | 1.00 | 10 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263012 | LF | 1.00 | 12 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263015 | LF | 1.00 | 15 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263018 | LF | 1.00 | 18 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263021 | LF | 1.00 | 21 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263024 | LF | 1.00 | 24 IN. NON-REINFORCED CONCRETE SEWER PIPE (STANDARD STRENGTH) | |
| 7263104 | LF | 1.00 | 4 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263106 | LF | 1.00 | 6 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263108 | LF | 1.00 | 8 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263110 | LF | 1.00 | 10 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263112 | LF | 1.00 | 12 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263115 | LF | 1.00 | 15 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263118 | LF | 1.00 | 18 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263121 | LF | 1.00 | 21 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7263124 | LF | 1.00 | 24 IN. NON-REINFORCED CONCRETE SEWER PIPE (EXTRA STRENGTH) | |
| 7264004 | LF | 1.00 | 4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264006 | LF | 1.00 | 6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264008 | LF | 1.00 | 8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264010 | LF | 1.00 | 10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264012 | LF | 1.00 | 12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264015 | LF | 1.00 | 15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264018 | LF | 1.00 | 18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264021 | LF | 1.00 | 21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264024 | LF | 1.00 | 24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264027 | LF | 1.00 | 27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264030 | LF | 1.00 | 30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264033 | LF | 1.00 | 33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264036 | LF | 1.00 | 36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH) | |
| 7264104 | LF | 1.00 | 4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264106 | LF | 1.00 | 6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264108 | LF | 1.00 | 8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264110 | LF | 1.00 | 10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264112 | LF | 1.00 | 12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264115 | LF | 1.00 | 15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264118 | LF | 1.00 | 18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264121 | LF | 1.00 | 21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264124 | LF | 1.00 | 24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264127 | LF | 1.00 | 27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264130 | LF | 1.00 | 30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7264133 | LF | 1.00 | 33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 7264136 | LF | 1.00 | 36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH) | |
| 7265015 | LF | 1.00 | JACKED 15 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265018 | LF | 1.00 | JACKED 18 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) | |
| 7265024 | LF | 1.00 | JACKED 24 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) | |
| 7265030 | LF | 1.00 | JACKED 30 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) | |
| 7265036 | LF | 1.00 | JACKED 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265042 | LF | 1.00 | JACKED 42 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265215 | LF | 1.00 | JACKED 15 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265218 | LF | 1.00 | JACKED 18 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265224 | LF | 1.00 | JACKED 24 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265230 | LF | 1.00 | JACKED 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265236 | LF | 1.00 | JACKED 36 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265242 | LF | 1.00 | JACKED 42 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265415 | LF | 1.00 | JACKED 15 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265418 | LF | 1.00 | JACKED 18 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265424 | LF | 1.00 | JACKED 24 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265430 | LF | 1.00 | JACKED 30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265436 | LF | 1.00 | JACKED 36 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7265442 | LF | 1.00 | JACKED 42 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) | |
| 7269902 | EA | 1.00 | MISC. | |
| 7269903 | LF | 1.00 | MISC. | |
| 7269913 | FT | 1.00 | MISC. | |
| 7269921 | LS | 1.00 | SEWER | |
| 7269922 | EA | 1.00 | SEWER | |
| 7269923 | LF | 1.00 | SEWER | |
| 7269924 | CUYD | 1.00 | SEWER | |
| 7271002 | LF | 1.00 | 102 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271008 | LF | 1.00 | 108 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271014 | LF | 1.00 | 114 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271020 | LF | 1.00 | 120 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271026 | LF | 1.00 | 126 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271032 | LF | 1.00 | 132 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271038 | LF | 1.00 | 138 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271044 | LF | 1.00 | 144 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271050 | LF | 1.00 | 150 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271056 | LF | 1.00 | 156 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271060 | LF | 1.00 | 60 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271062 | LF | 1.00 | 162 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271066 | LF | 1.00 | 66 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271068 | LF | 1.00 | 168 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271072 | LF | 1.00 | 72 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271074 | LF | 1.00 | 174 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271078 | LF | 1.00 | 78 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271080 | LF | 1.00 | 180 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271084 | LF | 1.00 | 84 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271090 | LF | 1.00 | 90 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7271096 | LF | 1.00 | 96 IN. STRUCTURAL PLATE PIPE CULVERT | |
| 7272001 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-1 | |
| 7272002 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-2 | |
| 7272003 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-3 | |
| 7272004 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-4 | |
| 7272005 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-5 | |
| 7272006 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-6 | |
| 7272007 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-7 | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED |
|----------|------|------|---|--------------|
| 7272008 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-8 | 08/01/2018 |
| 7272009 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-9 | |
| 7272010 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-10 | |
| 7272011 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-11 | |
| 7272012 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-12 | |
| 7272013 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-13 | |
| 7272014 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-14 | |
| 7272015 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-15 | |
| 7272016 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-16 | |
| 7272017 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-17 | |
| 7272018 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-18 | |
| 7272019 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-19 | |
| 7272020 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-20 | |
| 7272021 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-21 | |
| 7272022 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-22 | |
| 7272023 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-23 | |
| 7272024 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-24 | |
| 7272025 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-25 | |
| 7272026 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-26 | |
| 7272027 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-27 | |
| 7272028 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-28 | |
| 7272029 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-29 | |
| 7272030 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-30 | |
| 7272031 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-31 | |
| 7272032 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-32 | |
| 7272033 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-33 | |
| 7272034 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-34 | |
| 7272035 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-35 | |
| 7272036 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-36 | |
| 7272037 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-37 | |
| 7272038 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-38 | |
| 7272039 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-39 | |
| 7272040 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-40 | |
| 7272041 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-41 | |
| 7272042 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-42 | |
| 7272043 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-43 | |
| 7272044 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-44 | |
| 7272045 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-45 | |
| 7272046 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-46 | |
| 7272047 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-47 | |
| 7272048 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-48 | |
| 7272049 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-49 | |
| 7272050 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-50 | |
| 7272051 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-51 | |
| 7272052 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-52 | |
| 7272053 | LF | 1.00 | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-53 | |
| 7279901 | LS | 1.00 | MISC. | |
| 7309901 | LS | 1.00 | MISC. | |
| 7309902 | EA | 1.00 | MISC. | |
| 7309903 | LF | 1.00 | MISC. | |
| 7310048 | FT | 1.00 | PRECAST CONCRETE MANHOLE - 48 IN. | |
| 7310060 | FT | 1.00 | PRECAST CONCRETE MANHOLE - 60 IN. | |
| 7310072 | FT | 1.00 | PRECAST CONCRETE MANHOLE - 72 IN. | |
| 7311022 | FT | 1.00 | PRECAST CONCRETE DROP INLET 2 FT X 2 FT | |
| 7311030 | FT | 1.00 | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN. | |
| 7311032 | FT | 1.00 | PRECAST CONCRETE DROP INLET 3 FT X 2 FT | |
| 7311033 | FT | 1.00 | PRECAST CONCRETE DROP INLET 3 FT X 3 FT | |
| 7311042 | FT | 1.00 | PRECAST CONCRETE DROP INLET 4 FT X 2 FT | |
| 7311052 | FT | 1.00 | PRECAST CONCRETE DROP INLET 5 FT X 2 FT | |
| 7311053 | FT | 1.00 | PRECAST CONCRETE DROP INLET 5 FT X 3 FT | |
| 7319902 | EA | 1.00 | MISC. | |
| 7319903 | LF | 1.00 | MISC. | |
| 7319913 | FT | 1.00 | MISC. | |
| 7320012A | EA | 1.00 | 12 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320015A | EA | 1.00 | 15 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320018A | EA | 1.00 | 18 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED |
|----------|------|------|--|--------------|
| 7320021A | EA | 1.00 | 21 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | 08/01/2018 |
| 7320024A | EA | 1.00 | 24 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320030A | EA | 1.00 | 30 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320036A | EA | 1.00 | 36 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320042A | EA | 1.00 | 42 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320048A | EA | 1.00 | 48 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320054A | EA | 1.00 | 54 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320060A | EA | 1.00 | 60 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320066A | EA | 1.00 | 66 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320072A | EA | 1.00 | 72 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320078A | EA | 1.00 | 78 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320084A | EA | 1.00 | 84 IN. OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION | |
| 7320612A | EA | 1.00 | 12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320615A | EA | 1.00 | 15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320618A | EA | 1.00 | 18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320621A | EA | 1.00 | 21 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320624A | EA | 1.00 | 24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320630A | EA | 1.00 | 30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320636A | EA | 1.00 | 36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320642A | EA | 1.00 | 42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320648A | EA | 1.00 | 48 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320654A | EA | 1.00 | 54 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320660A | EA | 1.00 | 60 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320666A | EA | 1.00 | 66 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320672A | EA | 1.00 | 72 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320678A | EA | 1.00 | 78 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320684A | EA | 1.00 | 84 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION | |
| 7320812A | EA | 1.00 | 12 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320815A | EA | 1.00 | 15 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320818A | EA | 1.00 | 18 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320821A | EA | 1.00 | 21 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320824A | EA | 1.00 | 24 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320830A | EA | 1.00 | 30 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320836A | EA | 1.00 | 36 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320842A | EA | 1.00 | 42 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320848A | EA | 1.00 | 48 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320854A | EA | 1.00 | 54 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320860A | EA | 1.00 | 60 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320866A | EA | 1.00 | 66 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320872A | EA | 1.00 | 72 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320878A | EA | 1.00 | 78 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7320884A | EA | 1.00 | 84 IN. OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION | |
| 7321002 | EA | 1.00 | B2 FLARED END SECTION | |
| 7321003 | EA | 1.00 | B3 FLARED END SECTION | |
| 7321004 | EA | 1.00 | B4 FLARED END SECTION | |
| 7321005 | EA | 1.00 | B5 FLARED END SECTION | |
| 7321006 | EA | 1.00 | B6 FLARED END SECTION | |
| 7321007 | EA | 1.00 | B7 FLARED END SECTION | |
| 7321008 | EA | 1.00 | B8 FLARED END SECTION | |
| 7321009 | EA | 1.00 | B9 FLARED END SECTION | |
| 7321010 | EA | 1.00 | B10 FLARED END SECTION | |
| 7321011 | EA | 1.00 | B11 FLARED END SECTION | |
| 7321012 | EA | 1.00 | B12 FLARED END SECTION | |
| 7321013A | EA | 1.00 | 15 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321014A | EA | 1.00 | 18 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321015A | EA | 1.00 | 21 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321016A | EA | 1.00 | 24 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321017A | EA | 1.00 | 30 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321018A | EA | 1.00 | 36 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321019A | EA | 1.00 | 42 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321020A | EA | 1.00 | 48 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321021A | EA | 1.00 | 54 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7321022A | EA | 1.00 | 60 IN. OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION | |
| 7322012A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 12 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322015A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 15 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322018A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 18 IN. OR ALLOWED SUBSTITUTE PIPE | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 7322021A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 21 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322024A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 24 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322030A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 30 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322036A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 36 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322042A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 42 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322048A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 48 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322054A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 54 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7322060A | EA | 1.00 | BEVELED PIPE END TREATMENT FOR 60 IN. OR ALLOWED SUBSTITUTE PIPE | |
| 7329902 | EA | 1.00 | MISC. | |
| 7339901 | LS | 1.00 | MISC. | |
| 7339903 | LF | 1.00 | MISC. | |
| 7349901 | LS | 1.00 | MISC. | |
| 7349902 | EA | 1.00 | MISC. | |
| 7349903 | LF | 1.00 | MISC. | |
| 7350001 | LF | 1.00 | PIPE LINER FOR EXISTING CULVERT | |
| 7359903 | LF | 1.00 | MISC. | |
| 8031000A | SQYD | 1.00 | TURF TYPE TALL FESCUE SODDING | |
| 8032000A | SQYD | 1.00 | KENTUCKY BLUEGRASS SODDING | |
| 8033000 | SQYD | 1.00 | K-31 TALL FESCUE SODDING | |
| 8034000 | SQYD | 1.00 | BUFFALOGRASS SODDING | |
| 8035000 | SQYD | 1.00 | ZOYSIA SODDING | |
| 8036000 | SQYD | 1.00 | BERMUDA SODDING | |
| 8039905A | SQYD | 1.00 | MISC. | |
| 8041000 | CUYD | 1.00 | TOPSOIL | |
| 8049905A | SQYD | 0.10 | MISC. | |
| 8049907A | CUYD | 1.00 | MISC. | |
| 8051000A | ACRE | 0.10 | SEEDING - COOL SEASON MIXTURES | |
| 8052000A | ACRE | 0.10 | SEEDING - WARM SEASON MIXTURES | |
| 8059901 | LS | 1.00 | MISC. | |
| 8059902 | EA | 1.00 | MISC. | |
| 8059919 | ACRE | 0.10 | MISC. | |
| 8061001 | CUYD | 0.10 | SEDIMENT BASIN EXCAVATION | |
| 8061002 | CUYD | 0.10 | SEDIMENT BASIN ROCK | |
| 8061003 | CUYD | 0.10 | SEDIMENT TRAP EXCAVATION | |
| 8061004 | CUYD | 0.10 | SEDIMENT TRAP ROCK | |
| 8061005 | LF | 1.00 | ROCK DITCH CHECK | |
| 8061006 | LF | 1.00 | ALTERNATE DITCH CHECK | |
| 8061007A | EACH | 1.00 | CURB INLET CHECK | |
| 8061010A | LF | 1.00 | TYPE B BERM | |
| 8061011 | LF | 1.00 | SLOPE DRAINS | |
| 8061016 | CUYD | 1.00 | SEDIMENT REMOVAL | |
| 8061017 | ACRE | 0.10 | TEMPORARY SEEDING AND MULCHING | |
| 8061019 | LF | 1.00 | SILT FENCE | |
| 8061020 | LF | 1.00 | TEMPORARY PIPE | |
| 8061050 | LF | 1.00 | TYPE C BERM | |
| 8064128 | SQYD | 1.00 | TYPE 1 TURF REINFORCEMENT MAT | |
| 8064129 | SQYD | 1.00 | TYPE 2 TURF REINFORCEMENT MAT | |
| 8064130 | SQYD | 1.00 | TYPE 3 TURF REINFORCEMENT MAT | |
| 8064131 | SQYD | 1.00 | TYPE 1A EROSION CONTROL BLANKET | |
| 8064132 | SQYD | 1.00 | TYPE 1B EROSION CONTROL BLANKET | |
| 8064133 | SQYD | 1.00 | TYPE 1C EROSION CONTROL BLANKET | |
| 8064134 | SQYD | 1.00 | TYPE 1D EROSION CONTROL BLANKET | |
| 8064135 | SQYD | 1.00 | TYPE 2A EROSION CONTROL BLANKET | |
| 8064136 | SQYD | 1.00 | TYPE 2B EROSION CONTROL BLANKET | |
| 8064137 | SQYD | 1.00 | TYPE 2C EROSION CONTROL BLANKET | |
| 8064138 | SQYD | 1.00 | TYPE 2D EROSION CONTROL BLANKET | |
| 8064139 | SQYD | 1.00 | TYPE 3A EROSION CONTROL BLANKET | |
| 8064140 | SQYD | 1.00 | TYPE 3B EROSION CONTROL BLANKET | |
| 8064141 | SQYD | 1.00 | TYPE 4 EROSION CONTROL BLANKET | |
| 8065000 | SQFT | 1.00 | GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM | |
| 8069901 | LS | 1.00 | MISC. | |
| 8069902 | EA | 1.00 | MISC. | |
| 8069903 | LF | 1.00 | MISC. | |
| 8069905 | SQYD | 0.10 | MISC. | |
| 8069907 | CUYD | 1.00 | MISC. | |
| 8069928 | WK | 1.00 | MISC. | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--------------------------|-------------------------|
| 8080100 | EA | 1.00 | SILVER MAPLE | |
| 8080101 | EA | 1.00 | NORWAY MAPLE | |
| 8080102 | EA | 1.00 | RED MAPLE | |
| 8080103 | EA | 1.00 | SUGAR MAPLE | |
| 8080104 | EA | 1.00 | WHITE ASH | |
| 8080105 | EA | 1.00 | GREEN ASH | |
| 8080106 | EA | 1.00 | GINKGO | |
| 8080107 | EA | 1.00 | THORNLESS HONEYLOCUST | |
| 8080108 | EA | 1.00 | SWEET GUM | |
| 8080109 | EA | 1.00 | RED OAK | |
| 8080110 | EA | 1.00 | SCARLET OAK | |
| 8080111 | EA | 1.00 | SHINGLE OAK | |
| 8080112 | EA | 1.00 | PIN OAK | |
| 8080113 | EA | 1.00 | CRIMEAN LINDEN | |
| 8080114 | EA | 1.00 | AMERICAN LINDEN | |
| 8080115 | EA | 1.00 | LITTLE-LEAF LINDEN | |
| 8080116 | EA | 1.00 | LONDON PLANE TREE | |
| 8080117 | EA | 1.00 | AMERICAN PLANE TREE | |
| 8080118 | EA | 1.00 | COMMON BALD CYPRESS | |
| 8080119 | EA | 1.00 | BLACK GUM | |
| 8080120 | EA | 1.00 | BLACK LOCUST | |
| 8080121 | EA | 1.00 | TULIP TREE | |
| 8080200 | EA | 1.00 | GOLDEN RAIN TREE | |
| 8080201 | EA | 1.00 | GOLDEN CHAIN | |
| 8080202 | EA | 1.00 | AMUR CORK TREE | |
| 8080203 | EA | 1.00 | RIVER BIRCH | |
| 8080204 | EA | 1.00 | BABYLON WEeping WILLOW | |
| 8080205 | EA | 1.00 | WILLOW SPECIES | |
| 8080206 | EA | 1.00 | AMERICAN HOLLY | |
| 8080300 | EA | 1.00 | HEDGE MAPLE | |
| 8080301 | EA | 1.00 | AMUR MAPLE | |
| 8080302 | EA | 1.00 | TATARIAN MAPLE | |
| 8080303 | EA | 1.00 | REDBUD TREE | |
| 8080304 | EA | 1.00 | FLOWERING DOGWOOD | |
| 8080305 | EA | 1.00 | CORNELIAN CHERRY DOGWOOD | |
| 8080306 | EA | 1.00 | HAWTHORN SPP. | |
| 8080307 | EA | 1.00 | SAUCER MAGNOLIA | |
| 8080308 | EA | 1.00 | STAR MAGNOLIA | |
| 8080309 | EA | 1.00 | JAPANESE CRAB APPLE | |
| 8080310 | EA | 1.00 | WITCHHAZEL | |
| 8080311 | EA | 1.00 | NANNY BERRY | |
| 8080312 | EA | 1.00 | SERVICE BERRY | |
| 8080400 | EA | 1.00 | WHITE PINE | |
| 8080401 | EA | 1.00 | AUSTRIAN PINE | |
| 8080403 | EA | 1.00 | BLACK HILLS SPRUCE | |
| 8080404 | EA | 1.00 | RED CEDAR | |
| 8080405 | EA | 1.00 | KETELEER JUNIPER | |
| 8080406 | EA | 1.00 | RED PINE | |
| 8080500 | EA | 1.00 | GLOSSY ABELIA | |
| 8080501 | EA | 1.00 | MENTOR BARBERRY | |
| 8080502 | EA | 1.00 | JAPANESE QUINCE | |
| 8080503 | EA | 1.00 | GRAY DOGWOOD | |
| 8080504 | EA | 1.00 | RED OSIER DOGWOOD | |
| 8080505 | EA | 1.00 | BURNING BUSH | |
| 8080506 | EA | 1.00 | DWARF BURNING BUSH | |
| 8080507 | EA | 1.00 | SHOWY BORDER FORSYTHIA | |
| 8080508 | EA | 1.00 | WEeping FORSYTHIA | |
| 8080511 | EA | 1.00 | TALLHEDGE BUCKTHORN | |
| 8080512 | EA | 1.00 | ANTHONY WATER SPIREA | |
| 8080513 | EA | 1.00 | CORALBERRY SPECIES | |
| 8080514 | EA | 1.00 | ARROW-WOOD | |
| 8080515 | EA | 1.00 | NEW JUDD VIBURNUM | |
| 8080516 | EA | 1.00 | LINDEN VIBURNUM | |
| 8080517 | EA | 1.00 | WAYFARING TREE | |
| 8080518 | EA | 1.00 | BLACK HAW | |
| 8080519 | EA | 1.00 | SIEBOLD VIBURNUM | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 8080520 | EA | 1.00 | FRAGRANT SUMAC | |
| 8080522 | EA | 1.00 | BUSH CINQUEFOIL | |
| 8080523 | EA | 1.00 | SMOOTH SUMAC | |
| 8080524 | EA | 1.00 | ROSE ACACIA | |
| 8080600 | EA | 1.00 | PFITZER JUNIPER | |
| 8080601 | EA | 1.00 | HETZII JUNIPER | |
| 8080602 | EA | 1.00 | PROCUMBENS JUNIPER | |
| 8080603 | EA | 1.00 | ANDORRA JUNIPER | |
| 8080604 | EA | 1.00 | PYRACANTHA | |
| 8080605 | EA | 1.00 | MUGO PINE | |
| 8080606 | EA | 1.00 | JAPANESE YEW | |
| 8080607 | EA | 1.00 | SPREADING EUONYMUS | |
| 8080608 | EA | 1.00 | JEWEL EUONYMUS | |
| 8080701 | EA | 1.00 | WINTER CREEPER | |
| 8080702 | EA | 1.00 | VIRGINIA CREEPER | |
| 8080703 | EA | 1.00 | BOSTON IVY | |
| 8080704 | EA | 1.00 | ROSES SPECIES | |
| 8089901 | LS | 1.00 | MISC. | |
| 8089902 | EA | 1.00 | MISC. | |
| 8089903 | LF | 1.00 | MISC. | |
| 8089904 | SQFT | 1.00 | MISC. | |
| 8089906 | CUFT | 1.00 | MISC. | |
| 8089907 | CUYD | 1.00 | MISC. | |
| 8089911 | LB | 1.00 | MISC. | |
| 8089912 | GAL | 0.10 | MISC. | |
| 8089919 | ACRE | 0.10 | MISC. | |
| 9011010 | EA | 1.00 | RELOCATED POLE | |
| 9011030 | EA | 1.00 | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT | |
| 9011040 | EA | 1.00 | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE B | |
| 9011060 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1 | |
| 9011062 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2 | |
| 9011064 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3 | |
| 9011066 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 4 | |
| 9011068 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 5 | |
| 9011070 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE B DESIGN 3 | |
| 9011072 | EA | 1.00 | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE MB DESIGN 3 | |
| 9011104 | EA | 1.00 | BRACKET ARM, 4 FT. OR 1.2 M | |
| 9011106 | EA | 1.00 | BRACKET ARM, 6 FT. OR 1.8 M | |
| 9011108 | EA | 1.00 | BRACKET ARM, 8 FT. OR 2.4 M | |
| 9011110 | EA | 1.00 | BRACKET ARM, 10 FT. OR 3.0 M | |
| 9011112 | EA | 1.00 | BRACKET ARM, 12 FT. OR 3.6 M | |
| 9011115 | EA | 1.00 | BRACKET ARM, 15 FT. OR 4.6 M | |
| 9011250 | EA | 1.00 | LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM (UNDERPASS) | |
| 9011311 | EA | 1.00 | LUMINAIRE, LED-A | |
| 9011312 | EA | 1.00 | LUMINAIRE, LED-B | |
| 9011313 | EA | 1.00 | LUMINAIRE, LED-C | |
| 9011330 | EA | 1.00 | LUMINAIRE, 1000 WATT HIGH PRESSURE SODIUM HIGH MAST | |
| 9012230 | EA | 1.00 | BASE MOUNTED CONTROL STATION 240 VOLT - 4 CIRCUIT | |
| 9012231 | EA | 1.00 | BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT | |
| 9012330 | EA | 1.00 | SERVICE POLE, 30 FT. OR 9.0 M, CLASS 4 | |
| 9013002 | LF | 1.00 | CONDUIT, 2 IN. RIGID, IN TRENCH | |
| 9013003 | LF | 1.00 | CONDUIT, 3 IN. RIGID, IN TRENCH | |
| 9013004 | LF | 1.00 | CONDUIT, 4 IN. RIGID, IN TRENCH | |
| 9013005 | LF | 1.00 | CONDUIT, 5 IN. RIGID, IN TRENCH | |
| 9013502 | LF | 1.00 | CONDUIT, 2 IN. RIGID, MEDIAN | |
| 9013503 | LF | 1.00 | CONDUIT, 3 IN. RIGID, MEDIAN | |
| 9014003 | LF | 1.00 | CONDUIT, 3 IN. RIGID, PUSHED | |
| 9014004 | LF | 1.00 | CONDUIT, 4 IN. RIGID, PUSHED | |
| 9014005 | LF | 1.00 | CONDUIT, 5 IN. RIGID, PUSHED | |
| 9014502 | LF | 1.00 | CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE | |
| 9014503 | LF | 1.00 | CONDUIT, 3 IN. RIGID, EXTERNAL ON STRUCTURE | |
| 9014504 | LF | 1.00 | CONDUIT, 4 IN. RIGID, EXTERNAL ON STRUCTURE | |
| 9015010 | LF | 1.00 | TRENCHING TYPE I | |
| 9015020 | LF | 1.00 | TRENCHING TYPE II | |
| 9015030 | LF | 1.00 | TRENCHING TYPE III | |
| 9016110 | EA | 1.00 | PULL BOX, PREFORMED CLASS 1 | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|---|-------------------------|
| 9016111 | EA | 1.00 | PULL BOX, PREFORMED CLASS 2 | |
| 9016112 | EA | 1.00 | PULL BOX, PREFORMED CLASS 3 | |
| 9016120 | EA | 1.00 | PULL BOX, CONCRETE, STANDARD | |
| 9016121 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE, TYPE A | |
| 9016124 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE, TYPE B | |
| 9017000 | LF | 10.00 | CABLE, 0 AWG 1 CONDUCTOR | |
| 9017001 | LF | 10.00 | CABLE, 1 AWG 1 CONDUCTOR | |
| 9017002 | LF | 10.00 | CABLE, 2 AWG 1 CONDUCTOR | |
| 9017003 | LF | 10.00 | CABLE, 3 AWG 1 CONDUCTOR | |
| 9017004 | LF | 10.00 | CABLE, 4 AWG 1 CONDUCTOR | |
| 9017006 | LF | 10.00 | CABLE, 6 AWG 1 CONDUCTOR | |
| 9017008 | LF | 10.00 | CABLE, 8 AWG 1 CONDUCTOR | |
| 9017110 | LF | 10.00 | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET | |
| 9017200 | LF | 10.00 | WIRE, 0 AWG, BARE NEUTRAL | |
| 9017201 | LF | 10.00 | WIRE, 1 AWG, BARE NEUTRAL | |
| 9017202 | LF | 10.00 | WIRE, 2 AWG, BARE NEUTRAL | |
| 9017203 | LF | 10.00 | WIRE, 3 AWG, BARE NEUTRAL | |
| 9017204 | LF | 10.00 | WIRE, 4 AWG, BARE NEUTRAL | |
| 9017206 | LF | 10.00 | WIRE, 6 AWG, BARE NEUTRAL | |
| 9017208 | LF | 10.00 | WIRE, 8 AWG, BARE NEUTRAL | |
| 9017401 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG | |
| 9017402 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG | |
| 9017403 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG | |
| 9017404 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG | |
| 9017405 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG | |
| 9017407 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG | |
| 9017408 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG | |
| 9017411 | LF | 10.00 | CABLE-CONDUIT, 1 1/4 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG | |
| 9018230 | EA | 1.00 | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT) | |
| 9018245 | EA | 1.00 | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT) | |
| 9018610 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY | |
| 9018611 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS | |
| 9018612 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY | |
| 9018613 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS | |
| 9018620 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, LIGHTING ONLY | |
| 9018621 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS | |
| 9018622 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY | |
| 9018623 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS | |
| 9019300 | LS | 1.00 | NAVIGATION LIGHTING SYSTEM | |
| 9019301 | LS | 1.00 | BRIDGE LIGHTING | |
| 9019400 | LS | 1.00 | TEMPORARY LIGHTING | |
| 9019901 | LS | 1.00 | MISC. | |
| 9019902 | EA | 1.00 | MISC. | |
| 9019903 | LF | 1.00 | MISC. | |
| 9020111 | EA | 1.00 | SIGNAL HEAD, TYPE 1T | |
| 9020113 | EA | 1.00 | SIGNAL HEAD, TYPE 3T | |
| 9020114 | EA | 1.00 | SIGNAL HEAD, TYPE 4T | |
| 9020115 | EA | 1.00 | SIGNAL HEAD, TYPE 5T | |
| 9020121 | EA | 1.00 | SIGNAL HEAD, TYPE 11T | |
| 9020123 | EA | 1.00 | SIGNAL HEAD, TYPE 33T | |
| 9020211 | EA | 1.00 | SIGNAL HEAD, TYPE 1S | |
| 9020213 | EA | 1.00 | SIGNAL HEAD, TYPE 3S | |
| 9020214 | EA | 1.00 | SIGNAL HEAD, TYPE 4S | |
| 9020215 | EA | 1.00 | SIGNAL HEAD, TYPE 5S | |
| 9020221 | EA | 1.00 | SIGNAL HEAD, TYPE 11S | |
| 9020223 | EA | 1.00 | SIGNAL HEAD, TYPE 33S | |
| 9020225 | EA | 1.00 | SIGNAL HEAD, TYPE 34S | |
| 9020227 | EA | 1.00 | SIGNAL HEAD, TYPE 35S | |
| 9020229 | EA | 1.00 | SIGNAL HEAD, TYPE 44S | |
| 9020231 | EA | 1.00 | SIGNAL HEAD, TYPE 45S | |
| 9020411 | EA | 1.00 | SIGNAL HEAD, TYPE 1C | |
| 9020413 | EA | 1.00 | SIGNAL HEAD, TYPE 3C | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 9020414 | EA | 1.00 | SIGNAL HEAD, TYPE 4C | |
| 9020415 | EA | 1.00 | SIGNAL HEAD, TYPE 5C | |
| 9020423 | EA | 1.00 | SIGNAL HEAD, TYPE 33C | |
| 9020511 | EA | 1.00 | SIGNAL HEAD, TYPE 1B | |
| 9020513 | EA | 1.00 | SIGNAL HEAD, TYPE 3B | |
| 9020514 | EA | 1.00 | SIGNAL HEAD, TYPE 4B | |
| 9020515 | EA | 1.00 | SIGNAL HEAD, TYPE 5B | |
| 9020521 | EA | 1.00 | SIGNAL HEAD, TYPE 11B | |
| 9020523 | EA | 1.00 | SIGNAL HEAD, TYPE 33B | |
| 9020525 | EA | 1.00 | SIGNAL HEAD, TYPE 34B | |
| 9020527 | EA | 1.00 | SIGNAL HEAD, TYPE 35B | |
| 9020529 | EA | 1.00 | SIGNAL HEAD, TYPE 44B | |
| 9020531 | EA | 1.00 | SIGNAL HEAD, TYPE 45B | |
| 9020811 | EA | 1.00 | SIGNAL HEAD, TYPE 1S, PEDESTRIAN | |
| 9020821 | EA | 1.00 | SIGNAL HEAD, TYPE 11S, PEDESTRIAN | |
| 9020833 | SF | 1.00 | SH-FLAT SHEET - SIGNAL SIGN | |
| 9020834 | EA | 1.00 | SIGNAL SIGN, MOUNTING HARDWARE | |
| 9021111 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1T | |
| 9021113 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3T | |
| 9021114 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4T | |
| 9021115 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5T | |
| 9021123 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33T | |
| 9021211 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1S | |
| 9021213 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3S | |
| 9021214 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4S | |
| 9021215 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5S | |
| 9021223 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33S | |
| 9021411 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1B | |
| 9021413 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B | |
| 9021414 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4B | |
| 9021415 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5B | |
| 9021416 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33B | |
| 9022113 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3T | |
| 9022114 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4T | |
| 9022115 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5T | |
| 9022123 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 33T | |
| 9022213 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3S | |
| 9022214 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4S | |
| 9022215 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5S | |
| 9022223 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 33S | |
| 9022413 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 3B | |
| 9022414 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 4B | |
| 9022415 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 5B | |
| 9022416 | EA | 1.00 | SIGNAL HEAD, OPTICALLY LIMITED AND CONVENTIONAL COMBINATION, TYPE 33B | |
| 9022651 | EA | 1.00 | LUMINAIRE LED-A, 120 VOLT COMPATIBLE | |
| 9022708 | EA | 1.00 | POST, SIGNAL 8 FT. OR 2.4 M | |
| 9022715 | EA | 1.00 | POST, SIGNAL 15 FT. OR 4.6 M | |
| 9023115 | EA | 1.00 | POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM | |
| 9023120 | EA | 1.00 | POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM | |
| 9023125 | EA | 1.00 | POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM | |
| 9023130 | EA | 1.00 | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM | |
| 9023135 | EA | 1.00 | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM | |
| 9023140 | EA | 1.00 | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM | |
| 9023145 | EA | 1.00 | POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM | |
| 9023150 | EA | 1.00 | POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM | |
| 9023155 | EA | 1.00 | POST, TYPE CL, 55 FT. ARM | |
| 9023215 | EA | 1.00 | POST, TYPE C, 15 FT. ARM OR 4.6 M ARM | |
| 9023220 | EA | 1.00 | POST, TYPE C, 20 FT. ARM OR 6.1 M ARM | |
| 9023225 | EA | 1.00 | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM | |
| 9023230 | EA | 1.00 | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM | |
| 9023235 | EA | 1.00 | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM | |
| 9023240 | EA | 1.00 | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM | |
| 9023245 | EA | 1.00 | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 9023250 | EA | 1.00 | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM | |
| 9023255 | EA | 1.00 | POST, TYPE C, 55 FT. ARM | |
| 9023315 | EA | 1.00 | POST, TYPE B, LONGEST ARM 15 FT. OR 4.6 M | |
| 9023320 | EA | 1.00 | POST, TYPE B, LONGEST ARM 20 FT. OR 6.1 M | |
| 9023325 | EA | 1.00 | POST, TYPE B, LONGEST ARM 25 FT. OR 7.6 M | |
| 9023330 | EA | 1.00 | POST, TYPE B, LONGEST ARM 30 FT. OR 9.1 M | |
| 9023335 | EA | 1.00 | POST, TYPE B, LONGEST ARM 35 FT. OR 10.7 M | |
| 9023340 | EA | 1.00 | POST, TYPE B, LONGEST ARM 40 FT. OR 12.2 M | |
| 9023345 | EA | 1.00 | POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M | |
| 9023350 | EA | 1.00 | POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M | |
| 9023355 | EA | 1.00 | POST, TYPE B, LONGEST ARM 55 FT. | |
| 9023415 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 15 FT. OR 4.6 M | |
| 9023420 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 20 FT. OR 6.1 M | |
| 9023425 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 25 FT. OR 7.6 M | |
| 9023430 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 30 FT. OR 9.1 M | |
| 9023435 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 35 FT. OR 10.7 M | |
| 9023440 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M | |
| 9023445 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M | |
| 9023450 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 50 FT. OR 15.2 M | |
| 9023455 | EA | 1.00 | POST, TYPE BL, LONGEST ARM 55 FT. | |
| 9023501 | EA | 1.00 | POST, STEEL SPAN WIRE | |
| 9023502 | EA | 1.00 | POST, STEEL SPAN WIRE, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING | |
| 9023550 | EA | 1.00 | POST, WOOD SPAN WIRE, CLASS II | |
| 9023551 | EA | 1.00 | POST, WOOD SPAN WIRE, CLASS II, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING | |
| 9023552 | EA | 1.00 | POST, WOOD SPAN WIRE, CLASS IV | |
| 9023553 | EA | 1.00 | POST, WOOD SPAN WIRE, CLASS IV, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING | |
| 9023601 | LF | 1.00 | SPAN WIRE ASSEMBLY, SINGLE MESSENGER | |
| 9023602 | LF | 1.00 | SPAN WIRE ASSEMBLY, MESSENGER WITH TETHER | |
| 9024010 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, TYPE S-S CONTROLLER | |
| 9024020 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, TYPE S-M CONTROLLER | |
| 9024030 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, TYPE S-N CONTROLLER | |
| 9024170 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, TYPE 170 | |
| 9024281 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTROLLER | |
| 9024282 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, DOUBLE, 8 PHASE NEMA CONTROLLER | |
| 9024283 | EA | 1.00 | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER | |
| 9024295 | EA | 1.00 | SPLICE CABINET | |
| 9024300 | EA | 1.00 | SYSTEM MASTER | |
| 9024310 | EA | 1.00 | CLOSED LOOP SYSTEM TRAINING | |
| 9024311 | EA | 1.00 | NEMA TS2 TRAINING | |
| 9024320 | EA | 1.00 | CLOSED LOOP SYSTEM SOFTWARE | |
| 9024330 | EA | 1.00 | DIAL-UP MODEM | |
| 9024340 | EA | 1.00 | SPREAD SPECTRUM TELEMETRY RADIO | |
| 9024343 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 3DB GAIN | |
| 9024346 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 6DB GAIN | |
| 9024349 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 9DB GAIN | |
| 9024350 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10DB GAIN | |
| 9024920 | EA | 1.00 | DETECTOR, PUSHBUTTON | |
| 9024944 | EA | 1.00 | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL - RACK MOUNTED) | |
| 9024960 | EA | 1.00 | DETECTOR, INDUCTION PROBE | |
| 9024965 | EA | 1.00 | DETECTOR, MICROWAVE | |
| 9024975 | EA | 1.00 | VIDEO DETECTION SYSTEM | |
| 9025020 | LF | 1.00 | CONDUIT, 1 IN., LOOP DETECTOR WITH TRACER WIRE | |
| 9025200 | LF | 1.00 | CONDUIT, 2 IN., TRENCH WITH TRACER WIRE | |
| 9025300 | LF | 1.00 | CONDUIT, 3 IN., TRENCH WITH TRACER WIRE | |
| 9025400 | LF | 1.00 | CONDUIT, 4 IN., TRENCH WITH TRACER WIRE | |
| 9026200 | LF | 1.00 | CONDUIT, 2 IN., MEDIAN WITH TRACER WIRE | |
| 9026300 | LF | 1.00 | CONDUIT, 3 IN., MEDIAN WITH TRACER WIRE | |
| 9027200 | LF | 1.00 | CONDUIT, 2 IN., PUSHED WITH TRACER WIRE | |
| 9027300 | LF | 1.00 | CONDUIT, 3 IN., PUSHED WITH TRACER WIRE | |
| 9027400 | LF | 1.00 | CONDUIT, 4 IN., PUSHED WITH TRACER WIRE | |
| 9027501 | LF | 1.00 | CONDUIT, 1 1/4 IN., EXTERNAL ON STRUCTURE | |
| 9027502 | LF | 1.00 | CONDUIT, 2 IN., EXTERNAL ON STRUCTURE | |
| 9027503 | LF | 1.00 | CONDUIT, 2 1/2 IN., EXTERNAL ON STRUCTURE | |
| 9027504 | LF | 1.00 | CONDUIT, 3 IN., EXTERNAL ON STRUCTURE | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|--|-------------------------|
| 9027505 | LF | 1.00 | CONDUIT, 3 1/2 IN., EXTERNAL ON STRUCTURE | |
| 9027506 | LF | 1.00 | CONDUIT, 4 IN., EXTERNAL ON STRUCTURE | |
| 9028100 | LF | 10.00 | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET | |
| 9028200A | LF | 10.00 | CABLE, 1/0 AWG 1 CONDUCTOR, POWER | |
| 9028201 | LF | 10.00 | CABLE, 1 AWG 1 CONDUCTOR, POWER | |
| 9028202 | LF | 10.00 | CABLE, 2 AWG 1 CONDUCTOR, POWER | |
| 9028203 | LF | 10.00 | CABLE, 3 AWG 1 CONDUCTOR, POWER | |
| 9028204 | LF | 10.00 | CABLE, 4 AWG 1 CONDUCTOR, POWER | |
| 9028206 | LF | 10.00 | CABLE, 6 AWG 1 CONDUCTOR, POWER | |
| 9028208 | LF | 10.00 | CABLE, 8 AWG 1 CONDUCTOR, POWER | |
| 9028219 | LF | 10.00 | CABLE, 10 AWG 1 CONDUCTOR, POWER | |
| 9028220 | LF | 10.00 | CABLE, 12 AWG 1 CONDUCTOR, POWER | |
| 9028302 | LF | 10.00 | CABLE, 12 AWG 2 CONDUCTOR | |
| 9028308 | LF | 10.00 | CABLE, 16 AWG 2 CONDUCTOR | |
| 9028309 | LF | 10.00 | CABLE, 16 AWG 3 CONDUCTOR | |
| 9028310 | LF | 10.00 | CABLE, 16 AWG 5 CONDUCTOR | |
| 9028311 | LF | 10.00 | CABLE, 16 AWG 7 CONDUCTOR | |
| 9028312 | LF | 10.00 | CABLE, 12 AWG 12 CONDUCTOR | |
| 9028315 | LF | 1.00 | CABLE, 16 AWG 3-PAIR CONDUCTOR, INTERCONNECT | |
| 9028340 | EA | 1.00 | RG-8/U COAXIAL CABLE | |
| 9028350 | LF | 10.00 | FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE | |
| 9028352 | LF | 10.00 | FIBER OPTIC CABLE, 6 - FIBER, MULTIMODE | |
| 9028354 | LF | 10.00 | FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE | |
| 9028400 | LF | 10.00 | WIRE, 6 AWG, SOLID NEUTRAL | |
| 9028500 | LF | 10.00 | CABLE, LOOP DETECTOR, IN DUCT | |
| 9028510 | LF | 10.00 | CABLE, LOOP DETECTOR, LEAD-IN | |
| 9028610 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1 | |
| 9028611 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1 WITH 120V LIGHTING CONTROL CABINET | |
| 9028620 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2 | |
| 9028621 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET | |
| 9028720 | EA | 1.00 | SERVICE POLE, 20 FT. OR 6.0 M | |
| 9028725 | EA | 1.00 | SERVICE POLE, 25 FT. OR 7.5 M | |
| 9028730 | EA | 1.00 | SERVICE POLE, 30 FT. OR 9.0 M | |
| 9028735 | EA | 1.00 | SERVICE POLE, 35 FT. OR 10.5 M | |
| 9028810 | EA | 1.00 | PULL BOX, PREFORMED CLASS 1 | |
| 9028811 | EA | 1.00 | PULL BOX, PREFORMED CLASS 2 | |
| 9028812 | EA | 1.00 | PULL BOX, PREFORMED CLASS 3 | |
| 9028816 | EA | 1.00 | PULL BOX, PREFORMED CLASS 5 | |
| 9028820 | EA | 1.00 | PULL BOX, CONCRETE, STANDARD | |
| 9028821 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE, TYPE A | |
| 9028824 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE TYPE B | |
| 9029100 | CUYD | 0.10 | BASE, CONCRETE | |
| 9029400 | LS | 1.00 | TEMPORARY TRAFFIC SIGNALS | |
| 9029401 | LS | 1.00 | TEMPORARY TRAFFIC SIGNALS AND LIGHTING | |
| 9029404 | LS | 1.00 | TEMPORARY TRAFFIC DETECTION, INDUCTION DETECTOR PROBES | |
| 9029405 | LS | 1.00 | TEMPORARY TRAFFIC DETECTION, INDUCTION LOOP DETECTORS | |
| 9029406 | LS | 1.00 | TEMPORARY TRAFFIC DETECTION, MICROWAVE DETECTORS | |
| 9029407 | LS | 1.00 | TEMPORARY TRAFFIC DETECTION, VIDEO DETECTION SYSTEM | |
| 9029901 | LS | 1.00 | MISC. | |
| 9029902 | EA | 1.00 | MISC. | |
| 9029903 | LF | 1.00 | MISC. | |
| 9029907 | CUYD | 1.00 | MISC. | |
| 9031010 | CUYD | 0.10 | CONCRETE FOOTINGS, EMBEDDED | |
| 9031020 | CUYD | 0.10 | CONCRETE FOOTINGS, BOLT DOWN | |
| 9031026 | CUYD | 0.10 | OPTIONAL OVERHEAD SIGN TRUSS SUBSTRUCTURES | |
| 9031210 | LB | 10.00 | STRUCTURAL STEEL POSTS | |
| 9031220 | LB | 10.00 | PIPE POSTS | |
| 9031241 | EA | 1.00 | BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE) | |
| 9031242 | EA | 1.00 | 36 IN. SURFACE-MOUNT DELINEATOR POST | |
| 9031250A | LF | 1.00 | U-CHANNEL POST, 3 LB | |
| 9031252 | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE | |
| 9031253A | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW | |
| 9031256 | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, WHITE | |
| 9031257A | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, YELLOW | |
| 9031258 | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, WHITE/RED | |
| 9031259A | EA | 1.00 | 7 FT. CHANNEL POST DELINEATOR, YELLOW/RED | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|---|-------------------------|
| 9031260 | LF | 1.00 | WOOD POST, 4 IN. BY 4 IN. | |
| 9031261 | LF | 1.00 | WOOD POST, 4 IN. BY 6 IN. | |
| 9031262 | LF | 1.00 | WOOD POST, 6 IN. BY 6 IN. | |
| 9031270A | LF | 1.00 | 2 IN. PSST POST - 12 GA. | |
| 9031271 | LF | 1.00 | POST ANCHOR FOR 2 IN. PSST - 12 GA. | |
| 9031272 | LF | 1.00 | 2.25 IN. PSST POST - 12 GA. | |
| 9031273 | LF | 1.00 | POST ANCHOR FOR 2 IN. PSST - 7 GA. | |
| 9031278 | LF | 1.00 | OMNIDIRECTIONAL POST ANCHOR FOR 2 IN. PSST - 12 GA. | |
| 9031279 | LF | 1.00 | OMNIDIRECTIONAL POST ANCHOR FOR 2 IN. PSST - 7 GA. | |
| 9031280 | LF | 1.00 | 2.5 IN. PSST POST - 12 GA. | |
| 9031281 | LF | 1.00 | POST ANCHOR FOR 2.5 IN. PSST - 7 GA. | |
| 9031282 | LF | 1.00 | OMNIDIRECTIONAL POST ANCHOR FOR 2.5 IN. PSST - 7 GA. | |
| 9035004A | SQFT | 1.00 | SH-FLAT SHEET | |
| 9035011A | SQFT | 1.00 | ST-STRUCTURAL | |
| 9035069A | SQFT | 1.00 | SHF-FLAT SHEET FLUORESCENT | |
| 9035071A | SQFT | 1.00 | STF-STRUCTURAL FLUORESCENT | |
| 9036030 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-1710-12 | |
| 9036031 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-1710-18 | |
| 9036032 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-1310-12 | |
| 9036033 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-1310-18 | |
| 9036034 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2315-12 | |
| 9036035 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2315-16 | |
| 9036036 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2315-20 | |
| 9036037 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2315-24 | |
| 9036038 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2318-18 | |
| 9036039 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2318-22 | |
| 9036040 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2318-26 | |
| 9036041 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2018-24 | |
| 9036042 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2018-28 | |
| 9036043 | EA | 1.00 | TUBULAR SUPPORT, TYPE C-2018-34 | |
| 9036050 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-2018, 12 FT. OR 3.7 M ARM LENGTH | |
| 9036051 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-2018, 16 FT. OR 4.9 M ARM LENGTH | |
| 9036052 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-2018, 20 FT. OR 6.1 M ARM LENGTH | |
| 9036053 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-2018, 24 FT. OR 7.3 M ARM LENGTH | |
| 9036060 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-23318, 18 FT. OR 5.5 M ARM LENGTH | |
| 9036061 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-23318, 22 FT. OR 6.7 M ARM LENGTH | |
| 9036062 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-23318, 26 FT. OR 7.9 M ARM LENGTH | |
| 9036070 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-20018, 24 FT. OR 7.3 M ARM LENGTH | |
| 9036071 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-20018, 28 FT. OR 8.5 M ARM LENGTH | |
| 9036072 | EA | 1.00 | TUBULAR SUPPORT, TYPE B-20018, 34 FT. OR 10.4 M ARM LENGTH | |
| 9038000 | EA | 1.00 | TEMPORARY GROUND MOUNTED LOGO SIGNS | |
| 9039901 | LS | 1.00 | MISC. | |
| 9039902 | EA | 1.00 | MISC. | |
| 9039903 | LF | 1.00 | MISC. | |
| 9039904 | SQFT | 1.00 | MISC. | |
| 9039905 | SQYD | 0.10 | MISC. | |
| 9039907 | CUYD | 0.10 | MISC. | |
| 9039911 | LB | 0.10 | MISC. | |
| 9101112 | EA | 1.00 | SIGNAL HEAD, 2T, OPTICALLY LIMITED, INSTALLED | |
| 9101218 | EA | 1.00 | SIGNAL HEAD, 22S, OPTICALLY LIMITED, INSTALLED | |
| 9103700 | EA | 1.00 | CCTV CAMERA ASSEMBLY, INSTALLED | |
| 9103710 | EA | 1.00 | CCTV POLE FOUNDATION, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103711 | EA | 1.00 | CCTV POLE FOUNDATION, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103712 | EA | 1.00 | CCTV POLE FOUNDATION, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103713 | EA | 1.00 | CCTV POLE FOUNDATION, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103714 | EA | 1.00 | CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9103715 | EA | 1.00 | CCTV POLE FOUNDATION, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED | |
| 9103716 | EA | 1.00 | CCTV POLE FOUNDATION, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED | |
| 9103717 | EA | 1.00 | CCTV POLE FOUNDATION, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED | |
| 9103718 | EA | 1.00 | CCTV POLE FOUNDATION, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED | |
| 9103740 | EA | 1.00 | CCTV POLE, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103741 | EA | 1.00 | CCTV POLE, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103742 | EA | 1.00 | CCTV POLE, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103743 | EA | 1.00 | CCTV POLE, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103744 | EA | 1.00 | CCTV POLE, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9103745 | EA | 1.00 | CCTV POLE, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 9103746 | EA | 1.00 | CCTV POLE, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED | |
| 9103747 | EA | 1.00 | CCTV POLE, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED | |
| 9103748 | EA | 1.00 | CCTV POLE, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED | |
| 9103760 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 5 FT OR 1.5M MOUNTING HEIGHT, INSTALLED | |
| 9103761 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 10 FT OR 3.0M MOUNTING HEIGHT, INSTALLED | |
| 9103762 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 15 FT OR 4.6M MOUNTING HEIGHT, INSTALLED | |
| 9103763 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103764 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103765 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103766 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103767 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9103768 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED | |
| 9103769 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED | |
| 9103770 | EA | 1.00 | CCTV POLE, BRIDGE MOUNT, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED | |
| 9103780 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 5 FT OR 1.5M MOUNTING HEIGHT, INSTALLED | |
| 9103781 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 10FT OR 3.0M MOUNTING HEIGHT, INSTALLED | |
| 9103782 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 15FT OR 4.6M MOUNTING HEIGHT, INSTALLED | |
| 9103783 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103784 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103785 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103786 | EA | 1.00 | CCTV POLE, TRUSS MOUNT, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103800 | EA | 1.00 | DETECTOR POLE FOUNDATION, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103801 | EA | 1.00 | DETECTOR POLE FOUNDATION, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103802 | EA | 1.00 | DETECTOR POLE FOUNDATION, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103803 | EA | 1.00 | DETECTOR POLE FOUNDATION, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103804 | EA | 1.00 | DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9103821 | EA | 1.00 | DETECTOR POLE, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED | |
| 9103822 | EA | 1.00 | DETECTOR POLE, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED | |
| 9103823 | EA | 1.00 | DETECTOR POLE, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED | |
| 9103824 | EA | 1.00 | DETECTOR POLE, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED | |
| 9103825 | EA | 1.00 | DETECTOR POLE, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9104120 | EA | 1.00 | RAMP METER CONTROLLER ASSEMBLY, INSTALLED | |
| 9104121 | EA | 1.00 | LANE CONTROL SIGNAL ASSEMBLY, INSTALLED | |
| 9104330 | EA | 1.00 | DIAL-UP MODEM | |
| 9104335 | EA | 1.00 | FIBER OPTIC MODEM, DATA, SINGLE MODE, INSTALLED | |
| 9104336 | EA | 1.00 | FIBER OPTIC MODEM, VIDEO, SINGLE MODE, INSTALLED | |
| 9104339 | EA | 1.00 | HIGHWAY ADVISORY RADIO | |
| 9104340 | EA | 1.00 | SPREAD SPECTRUM TELEMETRY RADIO | |
| 9104343 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 3 DB GAIN | |
| 9104346 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 6 DB GAIN | |
| 9104349 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 9 DB GAIN | |
| 9104350 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN | |
| 9104355 | EA | 1.00 | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN | |
| 9104395 | EA | 1.00 | SPLICE CABINET | |
| 9104920 | EA | 1.00 | DETECTOR, PUSH BUTTON, INSTALLED | |
| 9104943 | EA | 1.00 | DETECTOR, VEHICLE INDUCTION LOOP, 1 CHANNEL - SHELF MOUNTED, INSTALLED | |
| 9104944 | EA | 1.00 | DETECTOR, VEHICLE INDUCTION LOOP, 2 CHANNEL - SHELF MOUNTED, INSTALLED | |
| 9104960 | EA | 1.00 | DETECTOR, INDUCTION PROBE, INSTALLED | |
| 9104965 | EA | 1.00 | DETECTOR, MICROWAVE, INSTALLED | |
| 9104969 | EA | 1.00 | DETECTOR, PIEZOELECTRIC, INSTALLED | |
| 9104972 | EA | 1.00 | DETECTOR, TRUCK HEIGHT, INSTALLED | |
| 9104975 | EA | 1.00 | VIDEO DETECTION SYSTEM, INSTALLED | |
| 9104980 | EA | 1.00 | DETECTOR ASSEMBLY, INSTALLED | |
| 9105001 | LF | 1.00 | TRENCHING TYPE I | |
| 9105002 | LF | 1.00 | TRENCHING TYPE II | |
| 9105003 | LF | 1.00 | TRENCHING TYPE III | |
| 9105020 | LF | 1.00 | CONDUIT, 1 IN., LOOP DETECTOR | |
| 9105200 | LF | 1.00 | CONDUIT, 2 IN., RIGID, IN TRENCH | |
| 9105201 | LF | 1.00 | CONDUIT, 3 IN., RIGID, IN TRENCH | |
| 9105202 | LF | 1.00 | CONDUIT, 4 IN., RIGID, IN TRENCH | |
| 9105203 | LF | 1.00 | CONDUIT, 5 IN., RIGID, IN TRENCH | |
| 9105401 | LF | 1.00 | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, IN TRENCH | |
| 9105402 | LF | 1.00 | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, IN TRENCH | |
| 9106201 | LF | 1.00 | CONDUIT, 2 IN., RIGID, MEDIAN | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|-------|--|-------------------------|
| 9106202 | LF | 1.00 | CONDUIT, 3 IN., RIGID, MEDIAN | |
| 9106203 | LF | 1.00 | CONDUIT, 4 IN., RIGID, MEDIAN | |
| 9106204 | LF | 1.00 | CONDUIT, 5 IN., RIGID, MEDIAN | |
| 9106401 | LF | 1.00 | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, MEDIAN | |
| 9106402 | LF | 1.00 | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, MEDIAN | |
| 9107201 | LF | 1.00 | CONDUIT, 3 IN., RIGID, PUSHED | |
| 9107202 | LF | 1.00 | CONDUIT, 4 IN., RIGID, PUSHED | |
| 9107203 | LF | 1.00 | CONDUIT, 5 IN., RIGID, PUSHED | |
| 9107401 | LF | 1.00 | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, PUSHED | |
| 9107402 | LF | 1.00 | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, PUSHED | |
| 9107501 | LF | 1.00 | CONDUIT, 1 1/4 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107502 | LF | 1.00 | CONDUIT, 2 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107503 | LF | 1.00 | CONDUIT, 2 1/2 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107504 | LF | 1.00 | CONDUIT, 3 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107505 | LF | 1.00 | CONDUIT, 3 1/2 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107506 | LF | 1.00 | CONDUIT, 4 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107507 | LF | 1.00 | CONDUIT, 5 IN., RIGID, EXTERNAL ON STRUCTURE | |
| 9107541 | LF | 1.00 | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE | |
| 9107542 | LF | 1.00 | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, EXTERNAL ON STRUCTURE | |
| 9107601 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 2 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107602 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 4 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107603 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 4 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107604 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 6 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107605 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 6 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107606 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 8 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107607 | LF | 10.00 | CABLE-CONDUIT, 1 IN., 8 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9107609 | LF | 10.00 | CABLE-CONDUIT, 1 1/4 IN., 2 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9108100 | LF | 10.00 | CABLE, 10 AWG, 1 CONDUCTOR, POLE AND BRACKET | |
| 9108200 | LF | 10.00 | CABLE, 0 AWG, 1 CONDUCTOR, POWER | |
| 9108201 | LF | 10.00 | CABLE, 1 AWG, 1 CONDUCTOR, POWER | |
| 9108202 | LF | 10.00 | CABLE, 2 AWG, 1 CONDUCTOR, POWER | |
| 9108203 | LF | 10.00 | CABLE, 3 AWG, 1 CONDUCTOR, POWER | |
| 9108204 | LF | 10.00 | CABLE, 4 AWG, 1 CONDUCTOR, POWER | |
| 9108206 | LF | 10.00 | CABLE, 6 AWG, 1 CONDUCTOR, POWER | |
| 9108208 | LF | 10.00 | CABLE, 8 AWG, 1 CONDUCTOR, POWER | |
| 9108250 | LF | 10.00 | CABLE, 22 AWG, 6 PAIR, PHONE | |
| 9108302 | LF | 10.00 | CABLE, 12 AWG, 2 CONDUCTOR | |
| 9108303 | LF | 10.00 | CABLE, 12 AWG, 3 CONDUCTOR | |
| 9108304 | EA | 1.00 | DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED | |
| 9108305 | LF | 10.00 | CABLE, 12 AWG, 5 CONDUCTOR | |
| 9108307 | LF | 10.00 | CABLE, 12 AWG, 7 CONDUCTOR | |
| 9108335 | LF | 1.00 | CABLE, 16 AWG, 3-PAIR CONDUCTOR, INTERCONNECT | |
| 9108340 | LF | 10.00 | CABLE, 12 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL | |
| 9108343 | LF | 10.00 | CABLE, 14 AWG, 2 CONDUCTOR SPEAKER WIRE, SHIELDED | |
| 9108346 | LF | 1.00 | COAXIAL CABLE, RG-6/U | |
| 9108348 | LF | 1.00 | COAXIAL CABLE, RG-8/U | |
| 9108350 | LF | 10.00 | FIBER OPTIC CABLE, 6-STRAND, SINGLE MODE | |
| 9108351 | LF | 10.00 | FIBER OPTIC CABLE, 6-STRAND, MULTIMODE | |
| 9108352 | LF | 10.00 | FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE | |
| 9108353 | LF | 10.00 | FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE | |
| 9108354 | LF | 10.00 | FIBER OPTIC CABLE, 48-STRAND, SINGLE MODE | |
| 9108371 | LF | 10.00 | CABLE, 18 AWG, 6 PAIR, SHIELDED | |
| 9108372 | LF | 10.00 | CABLE, 18 AWG, 8 PAIR, SHIELDED | |
| 9108380 | LF | 1.00 | FIBER OPTIC TERMINATION CABLE, ST, SINGLE MODE | |
| 9108381 | LF | 1.00 | FIBER OPTIC TERMINATION CABLE, ST, MULTIMODE | |
| 9108382 | LF | 1.00 | FIBER OPTIC TERMINATION CABLE, SC, SINGLE MODE | |
| 9108383 | LF | 1.00 | FIBER OPTIC TERMINATION CABLE, SC, MULTIMODE | |
| 9108400 | LF | 10.00 | WIRE, 0 AWG, BARE NEUTRAL | |
| 9108401 | LF | 10.00 | WIRE, 1 AWG, BARE NEUTRAL | |
| 9108402 | LF | 10.00 | WIRE, 2 AWG, BARE NEUTRAL | |
| 9108403 | LF | 10.00 | WIRE, 3 AWG, BARE NEUTRAL | |
| 9108404 | LF | 10.00 | WIRE, 4 AWG, BARE NEUTRAL | |
| 9108406 | LF | 10.00 | WIRE, 6 AWG, BARE NEUTRAL | |
| 9108408 | LF | 10.00 | WIRE, 8 AWG, BARE NEUTRAL | |
| 9108501 | LF | 10.00 | CABLE, LOOP DETECTOR, IN DUCT | |
| 9108510 | LF | 10.00 | CABLE, LOOP DETECTOR, LEAD IN | |

| ITEM NO. | UNIT | TYPE | ITEM DESCRIPTION | LAST UPDATED 08/01/2018 |
|----------|------|------|--|-------------------------|
| 9108610 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, ITS | |
| 9108611 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, ITS | |
| 9108612 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, ITS | |
| 9108621 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, ITS | |
| 9108622 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, ITS | |
| 9108623 | EA | 1.00 | POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, ITS | |
| 9108660 | EA | 1.00 | POWER SUPPLY ASSEMBLY, WEIGH IN MOTION | |
| 9108681 | EA | 1.00 | SERVICE POLE, 20 FT. OR 6.1 M, INSTALLED | |
| 9108682 | EA | 1.00 | SERVICE POLE, 25 FT. OR 7.6 M, INSTALLED | |
| 9108683 | EA | 1.00 | SERVICE POLE, 30 FT. OR 9.1 M, INSTALLED | |
| 9108684 | EA | 1.00 | SERVICE POLE, 35 FT. OR 10.7 M, INSTALLED | |
| 9108810 | EA | 1.00 | PULL BOX, PREFORMED CLASS 1 | |
| 9108811 | EA | 1.00 | PULL BOX, PREFORMED CLASS 2 | |
| 9108812 | EA | 1.00 | PULL BOX, PREFORMED CLASS 3 | |
| 9108816 | EA | 1.00 | PULL BOX, PREFORMED CLASS 5 | |
| 9108820 | EA | 1.00 | PULL BOX, CONCRETE, STANDARD | |
| 9108821 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE, TYPE A | |
| 9108824 | EA | 1.00 | PULL BOX, CONCRETE, DOUBLE, TYPE B | |
| 9109100 | CUYD | 1.00 | BASE, CONCRETE | |
| 9109201 | EA | 1.00 | WEIGH-IN-MOTION SCALE, INSTALLED | |
| 9109202 | EA | 1.00 | STATIC WEIGH SCALE, INSTALLED | |
| 9109210 | EA | 1.00 | CURB-MOUNTED FLOOD LIGHT, INSTALLED | |
| 9109230 | EA | 1.00 | DYNAMIC MESSAGE SIGN ASSEMBLY, INSTALLED | |
| 9109231 | EA | 1.00 | DYNAMIC WEIGHT DISPLAY MESSAGE SIGN, INSTALLED | |
| 9109240 | EA | 1.00 | FIELD CONNECTOR, TYPE FC | |
| 9109241 | EA | 1.00 | FIELD CONNECTOR, TYPE SC | |
| 9109242 | EA | 1.00 | FIELD CONNECTOR, TYPE ST | |
| 9109901 | LS | 1.00 | MISC. | |
| 9109902 | EA | 1.00 | MISC. | |
| 9109903 | LF | 1.00 | MISC. | |
| 9109907 | CUYD | 1.00 | MISC. | |