



**MISSOURI DEPARTMENT OF TRANSPORTATION  
 GENERAL SERVICES DIVISION  
 FLEET SECTION**

**NOTIFICATION OF STATEWIDE CONTRACT**

**CONTRACT TITLE:**                           **3-091110 Oil Distributors**  
  
**CURRENT CONTRACT PERIOD:** **Through November 30, 2011**  
  
**BUYER INFORMATION:**                   **Warren Blanchard**  
    **573-526-2529**  
    **warren.blanchard@modot.mo.gov**

<b>RENEWAL INFORMATION</b>	Bid prices should be firm for purchase until November 30, 2011. Two (2) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	--

**ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR PUBLIC USE ONLY.**  
**PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.**

<b>CONTRACT NUMBER</b>	<b>VENDOR NUMBER</b>	<b>VENDOR INFORMATION</b>	<b>District</b>	<b>COOP PROCUREMENT</b>
3-091110	4405136940 3	G.W. Van Keppel Company - Steve Owens 1801 N. 9 <sup>th</sup> Street Kansas City, KS 66101           913-281-4800		Yes



**3-091110 Oil Distributors  
Multiple Award  
2011 Contract Extension**

---

**Contract Number: 3-091110**

**Vendor: G. W. Van Keppel**

**Item – 1 1000-Gallon Oil Distributor, meeting MoDOT specification E1213**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial**

**PRICE: \$125,329**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$Included
Option 5: Portable LPG burner	\$Included
Option 6: Rain covers on stacks in lieu of dampers	\$Included
Option 7: Additional spray bar sections per foot	\$410
Option 8: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$9,655
Option 9: Additional training modules may be purchased by MoDOT after initial training At a cost of <b>\$125</b> per student with a <b>8</b> minimum class size	
Option 10: Two fuel oil burners	\$375
Option 11: Temperature digital readout in computer	\$340
Option 12: Heavy duty contractors package	\$6,440
Option 13: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 14: Electric heat strips	\$5,300
Option 15: 12’ x 3” rubber fill hose	\$345
Option 16: Handspray hose reel	\$880
Option 17: Aluminum handspray gun w/ swivels	\$215



**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%***

**Delivery will be made 60 days after receipt of order.**



**Contract Number: 3-091110**

**Vendor: G. W. Van Keppel**

**Item – 2 1750-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial**

**PRICE: \$132,866**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$1,015
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$9,655
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%*

**Delivery will be made 60 days after receipt of order.**



Contract Number: 3-091110

Optional Bid

Vendor: G. W. Van Keppel

**Item – 2 1750-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial, with standard folding bar (18') non-sliding**

**PRICE: \$125,763**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$410
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$9,655
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



Option 19: 1' Bar extensions, add \$410 per foot (up to 24' total bar length)

Option 20: Bi-fold wings, add \$3,785

Option 21: Tri-fold wings, add \$7,315

**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount **0%***

**Delivery will be made **60** days after receipt of order.**



Contract Number: 3-091110

Vendor: G. W. Van Keppel

**Item – 3 2800-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial with variable width sprayer**

**PRICE: \$147,529**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$1,015
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%***

**Delivery will be made 60 days after receipt of order.**



Contract Number: 3-091110

Optional Bid

Vendor: G. W. Van Keppel

**Item – 3 2800-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial, with standard folding bar (18') non-sliding**

**PRICE: \$140,428**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$410
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



Option 19: 1' Bar extensions, add \$410 per foot (up to 24' total bar length)

Option 20: Bi-fold wings, add \$3,785

Option 21: Tri-fold wings, add \$7,315

**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount **0%***

**Delivery will be made **60** days after receipt of order.**



Contract Number: 3-091110

Vendor: G. W. Van Keppel

**Item – 4 3000-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial with variable width spraybar**

**PRICE: \$150,163**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$1,015
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



**Notes:**

**Additional options available contact fleet buyer for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%***

**Delivery will be made 60 days after receipt of order.**



Contract Number: 3-091110

Optional Bid

Vendor: G. W. Van Keppel

**Item – 4 3000-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial, with standard folding bar (18') non-sliding**

**PRICE: \$143,060**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$410
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



Option 19: 1' Bar extensions, add \$410 per foot (up to 24' total bar length)

Option 20: Bi-fold wings, add \$3,785

Option 21: Tri-fold wings, add \$7,315

**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%*

**Delivery will be made 60 days after receipt of order.**



Contract Number: 3-091110

Vendor: G. W. Van Keppel

**Item – 5 3500-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial with variable width spraybar**

**PRICE: \$159,512**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$1,015
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%*

**Delivery will be made 60 days after receipt of order.**



Contract Number: 3-091110

Optional Bid

Vendor: G. W. Van Keppel

**Item – 5 3500-Gallon Oil Distributor, meeting MoDOT specification E1210CWB**

**MAKE/MODEL: 2011 International 7400 w/ Etnyre Centennial, with standard folding bar (18') non-sliding**

**PRICE: \$152,408**

**AVAILABLE OPTIONS:**

Option 1: Factory installed 3” PHCo “Lo-Density” 12kW Heating System. With U.L. listed controls mounted to the heater, pre-wired and functionally tested. This heating system will be used only as a system to maintain the heated temperature of the contents.	\$6,330
Option 2: Diagnostic software, cables, and service information necessary for truck cab/chassis maintenance. Software must be compatible with Windows 95/98, NT40, ME, 2000, and XP operating systems. Service and diagnostic manuals must be in electronic (on-line) format.	\$1,815
Option 3: Stainless steel flue liners	\$440
Option 4: LPG burner with auto ignition and out fire protection	\$1,950
Option 5: Portable LPG burner	\$380
Option 6: Rain covers on stacks in lieu of dampers	\$180
Option 7: Front mounted auto valve load line, to comply with description in specification E1210CWB, page 4 under the Option heading.	\$2,825
Option 8: Additional spray bar sections per foot	\$410
Option 9: Automatic transmission, Allison 3500 RDS P 6-Speed. Auxiliary transmission Fuller AT-1202 2-speed with air shift controls Distributor hydraulics to be driven from live PTO off of automatic transmission.	\$8,950
Option 10 Additional training modules may be purchased by MoDOT after initial training At a cost of <u>\$125</u> per student with a <u>8</u> minimum class size	
Option 11: Two fuel oil burners	\$375
Option 12: Temperature digital readout in computer	\$340
Option 13: Heavy duty contractors package	\$6,440
Option 14: Heated pump sump and drop tubes from truck cooling system	\$2,425
Option 15: Electric heat strips	\$5,300
Option 16: 12’ x 3” rubber fill hose	\$345
Option 17: Handspray hose reel	\$880
Option 18: Aluminum handspray gun w/ swivels	\$215



Option 19: 1' Bar extensions, add \$410 per foot (up to 24' total bar length)

Option 20: Bi-fold wings, add \$3,785

Option 21: Tri-fold wings, add \$7,315

**Notes:**

**Additional options available contact fleet buyer for complete list.**

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%*

**Delivery will be made 60 days after receipt of order.**