



August 25, 2008

To: Equipment Dealers/Manufacturers

Dear Sir or Madam:

The Missouri Department of Transportation (MoDOT) is in the process of soliciting competitive bids for Light Duty Automotive Vehicles. Bids should be mailed to General Services-Fleet, P.O. Box 270, Jefferson City, MO 65102 and will be opened on September 19, 2008 at 2:00 p.m. Please note the enclosed Terms and Conditions that contain all “boiler plate” information and special notes.

If you have any questions about this bid, please feel free to contact me at 573-526-7932, or by email at [jerry.dunn@modot.mo.gov](mailto:jerry.dunn@modot.mo.gov).

Thank you.

Jerry Dunn  
General Services Specialist



## **NOTIFICATION**

In accordance with RSMo 414.365, MoDOT must use fuel with at least the biodiesel content of B-20. (<http://www.moga.mo.gov/statutes/C400-499/4140000365.htm>) By submitting a response to this bid, you agree to comply with all the terms of your company's standard equipment warranties, except to the extent the equipment problems are determined to be attributed to MoDOT's use of B-20 fuel.



## **PRICING SHEETS**

Missouri Department of Transportation  
General Services Division  
Jefferson City, Missouri

The purpose of this document is to solicit competitive sealed bids from bidders for the purchase of light duty vehicles for the ten district offices (see page 66) in accordance with the requirements stated herein. **There is no guarantee as to how many units will be ordered.**

Bid prices should be firm for purchase until for the duration of the latest production model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.

Submit descriptive literature and specifications showing exact equipment you propose to furnish. Bid price should include the cost of two (2) Operator's Manuals, two (2) Parts Books, and two (2) Technical Service Manuals.

**A COMPLETE LIST OR CATALOG DESCRIBING ALL AVAILABLE TRAINING MATERIALS RELATED TO THE ITEMS YOU ARE BIDDING MUST BE INCLUDED IN YOUR BID.**

Warranty information beyond the Missouri Department of Transportation's requirement must be submitted with your bid.

The vendor shall demonstrate to the district prior to acceptance by the district, that the equipment delivered complies fully with the enclosed specifications.

**NET DELIVERED FIRM PRICE - the unit(s) shall be delivered complete and ready for use to the delivery destination.**

This is a Multiple Award bid and there will be no 'one' bidder awarded each item within this bid. Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions. Criteria used to determine the Lowest and Best Bid are based on price, location of servicing dealers, past performance of servicing dealers, and past performance of different makes and models of light duty automotive vehicles. This bid will not be awarded solely based on low price per delivery destination. Units must be delivered to the listed delivery destinations but they will have to be serviced at other locations within the district.



New standard equipped **2009 Model Light-Duty Automotive Vehicles**, complete and meeting the attached Missouri Department of Transportation Specifications and options.

The Missouri Department of Transportation desires to establish prices for the purchase of 2009 Light-Duty Automotive Vehicles for delivery to our ten district offices (see page 66). Some orders may include various options listed under each item number.

Questions concerning specifications should be directed to Jerry Dunn at 573-526-7932.

### **1. BID INSTRUCTIONS**

- 1.1 Each dealer should take great care in matching the Item #, the correct specification and options for that Item # as no allowances will be made after the bids are opened.
- 1.2 Bid prices should be firm for the duration of current model year. Three (3) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
- 1.3 Indicate the additional cost or deduction for the options listed under each Item # which should include all required options and special equipment.
- 1.4 The Missouri Department of Transportation will purchase a limited number of vehicles with some of the listed options.
- 1.5 All of the vehicles ordered with any of the listed options must meet the attached specifications with the exception of the options specified on the purchase orders.
- 1.6 You should bid on all of the optional equipment listed under each item.
- 1.7 **All Blank lines must be completed. Please use the following terms: No Bid="NB"**
- 1.8 **Not Available="NA". If option is included in base bid mark blank line "INCLUDE".**

### **2. WARRANTY**

- 2.1 Standard factory warranty shall apply to all vehicles.
- 2.2 Warranty Information beyond the Missouri Department of Transportation requirements must be submitted with your bid.
- 2.3 The warranty shall commence upon delivery and acceptance of the completed vehicle to the requesting district.
- 2.4 The warranty shall not become effective until the unit is placed in service.
- 2.5 Copy of the Standard Factory warranty shall be provided with the bid.

### **3. BID EVALUATION CRITERIA**

- 3.1 This is a **multiple award bid** and there will be **no 'one' bidder** awarded each item within this bid.
- 3.2 Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions.



**4. ADVERTISEMENTS**

There are to be no dealer advertisements on units delivered to the Missouri Department of Transportation.

**5. PAINT**

All vehicles will be ordered in manufacturer white except those for which the “Highway Yellow” option is selected.

**6. ATTACHMENTS**

- 6.1 For bids to be considered, the attachment entitled “**PREFERENCE IN PURCHASING PRODUCTS**” must be on file in this office and must be dated in the current model year.
- 6.2 The attachment “**MISSOURI DOMESTIC PRODUCT PROCUREMENT ACT**” Certificates of compliance must be completed and submitted with your bid for it to be considered responsive.

**7. DELIVERY**

- 7.1 Delivery must be made between the hours of 8:00 AM and 3:00 PM Local Time, Monday through Friday except holidays.
- 7.2 In the event the vendor fails to deliver the vehicle by the stated ARO time the Missouri Department of Transportation reserves the right to secure a similar vehicle from a source of their choice and to charge the original vendor any additional cost incurred for the substitution. The Missouri Department of Transportation reserves the right to exercise this clause on a case-by-case basis and to consider the degree of contractor responsibility in the delay.



**ITEM # 1** - New standard equipped **2009 Model Regular Cab 3/4 Ton Pickup.**

**ACCEPTABLE MAKES AND MODELS:**

- Standard Ford F-250 with 137" Wheelbase, Cab to Axle 56"
- Standard Chevrolet 2500 /GMC 2500 with 133" Wheelbase, Cab to Axle 56"
- Standard Dodge 2500 with 140.5" Wheelbase, Cab to Axle 56"

**All units bid must contain the following options:**

1. Standard, minimum V8 fuel-injected gasoline engine (Size \_\_\_\_\_ Horsepower\_\_\_\_)  
Manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. Transmission, 4 or 5 speed automatic
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Minimum 8,600 lbs. GVWR
7. Heavy-duty (Type III) trailer package to include receiver hitch
8. 8' Bed
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Rubber Flooring
12. Heavy duty all weather removable rubber floor mats
13. Vinyl seats

**DEALER COMPLETE:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 1**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 1A. Four-wheel drive GVWR \_\_\_\_\_  
EACH \$ \_\_\_\_\_**

**Option 1B. Heavy-duty manual transmission in lieu of automatic transmission  
EACH \$ \_\_\_\_\_ Deduct**



**OPTIONAL EQUIPMENT PRICES, ITEM # 1 – Continued**

- Option 1C. Exterior color to be Federal Standard #595B “Highway Yellow”**  
EACH \$ \_\_\_\_\_
- Option 1D. Alternate gasoline engine (state size and horsepower)**  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 1E. Standard diesel engine in lieu of gasoline engine (state size and horsepower)**  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 1F. Alternate diesel engine in lieu of gasoline engine (state size and horsepower)**  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 1G. Extended cab in lieu of regular cab GVWR \_\_\_\_\_**  
EACH \$ \_\_\_\_\_
- Option 1H. Crew cab in lieu of regular cab GVWR \_\_\_\_\_**  
EACH \$ \_\_\_\_\_
- Option 1I. Extended Cab in lieu of regular cab with 6’ bed GVWR \_\_\_\_\_**  
EACH \$ \_\_\_\_\_
- Option 1J. Crew cab in lieu of regular cab with 6’ bed GVWR \_\_\_\_\_**  
EACH \$ \_\_\_\_\_
- Option 1K. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)**  
EACH \$ \_\_\_\_\_
- Option 1L. Power windows and power door locks**  
EACH \$ \_\_\_\_\_
- Option 1M. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**  
EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, ITEM # 1 – Continued**

**Option 1N. Limited Slip Rear Axle Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 1O. Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail.**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 2 - New standard equipped 2009 Model ¾ Ton Regular Cab Chassis-Cab with SRW**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F-250 137" Wheelbase Cab to Axle 56"  
Standard Chevrolet 2500 GMC 2500 with and with 133" Wheelbase Cab to Axle 56"  
Standard Dodge 2500 with 140.5" Wheelbase Cab to Axle 56"

**All units bid must contain the following options:**

1. Standard V8 minimum fuel-injected gasoline engine (Size \_\_\_\_\_ Horsepower \_\_\_\_\_)  
Manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. Transmission, 4 or 5 Speed Automatic
3. Air Conditioning
4. LH & RH Manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Rubber flooring
7. Heavy duty rubber all weather removable floor mats
8. Minimum GVWR 8,600 lb
9. Brakes, 4 wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 2**

**Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.**

**Option 2A. Mounted 8' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 2B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, ITEM # 2 – Continued**

**Option 2C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

<b>Knapeheide 696J</b>	<b>Stahl CHALLENGER II 96VVS - 48.5</b>
<b>Reading Classic II 98A S.W.</b>	<b>RKI -L5680</b>
<b>Omaha 96V</b>	<b>RKI L5780 (for Dodge)</b>

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 2D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft**

**EACH \$ \_\_\_\_\_**

**Option 2E. Four-wheel drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 2F. Heavy-duty manual transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 2G. Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**

**Option 2H. Exterior color to be Federal Standard #595B "Highway Yellow"**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, ITEM # 2 – Continued**

**Option 2I. Alternate gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 2J. Standard diesel engine in lieu of gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 2K. Alternate diesel engine in lieu of gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 2L. Crew cab in lieu of regular cab GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 2M. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

**EACH \$ \_\_\_\_\_**

**Option 2N. Power windows and power door locks**

**EACH \$ \_\_\_\_\_**

**Option 2O. Alternative fuel in lieu of gasoline: acceptable engines are: E-85 Flex Fuel**

**EACH \$ \_\_\_\_\_ Fuel type \_\_\_\_\_ Engine \_\_\_\_\_ Size \_\_\_\_\_**

**Option 2P. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 2Q. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 2R. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, ITEM # 2 – Continued**

**Option 2S. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 3 - New standard equipped 2009 Model ¾ Ton Extended Cab Chassis-Cabs SRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F-250 Super Cab, 158" Wheelbase, Cab to Axle 56"  
Chevrolet 2500HD/GMC Extended Cab, 157.5" Wheelbase, Cab to Axle 56"  
Dodge 2500 Quad Cab 160.5" Wheelbase Cab to Axle 56"

**All units bid must contain the following options:**

1. Standard V8 minimum gasoline engine (Size\_\_\_\_\_ Horsepower\_\_\_\_\_) manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 or 5 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufactures standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Minimum 8,800 GVWR
8. Brakes, 4 wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel
10. Rubber flooring
11. Heavy duty All Weather rubber removable floor mats
12. Back up alarm
13. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 3**

**Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.**

**Option 3A. Mounted 8' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 3B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 3 continued**

**Option 3C. Mounted standard utility tool body.**

**Acceptable makes and models are:**

<b>Knapeheide 696J,</b>	<b>Stahl CHALLENGER II 96VVS.48.5</b>
<b>Reading Classic II 98A S.W.</b>	<b>RKI L5680,</b>
<b>Omaha 96V</b>	<b>RKI L5780 (for Dodge).</b>

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 3D. Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft**

**EACH \$ \_\_\_\_\_**

**Option 3E. Four-Wheel Drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 3F. Heavy-Duty 5 or 6 speed Manual Transmission in lieu of Automatic Transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 3G. Heavy duty, Class V (2-1/2 "square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**

**Option 3H. Exterior color to be Federal Standard #595B "Highway Yellow"**

**EACH \$ \_\_\_\_\_**

**Option 3I. Alternate gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, ITEM #3-continued**

**Option 3J. Standard diesel engine in lieu of standard gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 3K. Alternate diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 3L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

**EACH \$ \_\_\_\_\_**

**Option 3M. Crew cab in lieu of extended cab without bed (state change in model and Wheelbase)**

**EACH \$ \_\_\_\_\_ Wheelbase \_\_\_\_\_ CA 40" GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_ Wheelbase \_\_\_\_\_ CA 56" GVWR \_\_\_\_\_**

**Option 3O. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 3P. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 3Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper.**

**EACH \$ \_\_\_\_\_**

**Option 3R. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

**% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_**

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 4 - New standard equipped 2009 Model 1 Ton Chassis-Cabs with DRW**

**ACCEPTABLE MAKES AND MODELS:**

- Standard Ford F-350 with 141" Wheelbase Cab Axle 60"
- Standard Chevrolet 3500HD/GMC 3500HD 137" Wheelbase Cab Axle 60.4"
- Standard Dodge 3500 143.8" Wheelbase Cab Axle 60"

**All units bid must contain the following options:**

1. Standard, minimum V8 diesel engine with the highest cooling capacity Size \_\_\_\_\_Horsepower\_\_\_\_) manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Minimum GVWR 11,000 lb
7. Brakes, 4-wheel anti-lock braking system (ABS)
8. Speed control and tilt wheel
9. Rubber flooring
10. Heavy duty all weather rubber removable floor mats
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity\_\_\_\_\_ Oil Capacity\_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 4**

**Indicate the additional cost or deduction for the below listed options. Price should include all required options and special equipment.**

**Option 4A. Mounted 9' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 4B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 4 continued**

**Option 4C. Mounted 9' platform dump body meeting Specification E1327**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 4D. Mounted 9' dump body meeting Specification E1335**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 4E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ \_\_\_\_\_**

**Option 4F. Mounted standard utility tool body**

**Acceptable makes and models are:**

**Knapeheide 6108D54J,  
Reading CLASSIC II 108A D.W.  
Omaha 108D54V,**

**Stahl CHALLENGER II 108VVD- 54,  
RKI L60DW94.**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

***Submit descriptive literature and specifications showing exact service body you propose to furnish***

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 4G. Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartment**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 4 continued**

**Option 4H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**

**Option 4I. One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment shall be 27" from floor to top of side body plus excess for flip top compartment**

**EACH \$ \_\_\_\_\_**

**Option 4J. One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"**

**EACH \$ \_\_\_\_\_**

**Option 4K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area**

**EACH \$ \_\_\_\_\_**

**Option 4L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

**EACH \$ \_\_\_\_\_**

**Option 4M. Raise Telescopic Roof to get 36" clearance for the above option**

**EACH \$ \_\_\_\_\_**

**Option 4N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 4 continued**

- Option 4O. Four-wheel drive GVWR \_\_\_\_\_  
EACH \$ \_\_\_\_\_
- Option 4P. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission  
EACH \$ \_\_\_\_\_
- Option 4Q. Heavy - duty, Class V (2-1/2 “square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug  
EACH \$ \_\_\_\_\_
- Option 4R. Exterior color to be Federal Standard #595B “Highway Yellow”  
EACH \$ \_\_\_\_\_
- Option 4S. Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 4T. Standard gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 4U. Alternate gasoline engine in lieu of diesel engine with the highest cooling capacity (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 4V. Single rear wheels (SRW) in lieu of dual rear wheels (DRW) GVWR \_\_\_\_\_  
EACH \$ \_\_\_\_\_
- Option 4W. Snow plow package  
EACH \$ \_\_\_\_\_
- Option 4X. Automatic transmission power take-off provision  
EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item # 4 continued**

**Option 4Y. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side.)**

**EACH \$ \_\_\_\_\_**

**Option 4Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ \_\_\_\_\_**

**Option 4AA. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 4BB. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 4CC. Limited Slip Rear Axle Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 4DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 4EE. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 5 - New standard equipped 2009 Model 1 Ton Chassis-Cab. With DRW**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F-350 with 165" Wheelbase Cab to Axle 84"  
Standard Chevrolet 3500 HD/GMC 3500 HD with 161.5" Wheelbase Cab to Axle 84.9"  
Standard Dodge Ram 3500 with 167.5 Cab to Axle 84"

**All units bid must contain the following options:**

1. Standard minimum V8, diesel engine with the highest cooling capacity (Size \_\_\_\_\_) Horsepower \_\_\_\_\_  
Manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Minimum GVWR 11,000
7. Brakes 4-wheel anti-lock braking system (ABS)
8. Speed control and tilt wheel
9. Rubber flooring
10. Heavy duty all weather removable rubber floor mats
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 5**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 5A. Mounted 11' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 5B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**

**Option 5C. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued**

**Option 5D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ \_\_\_\_\_**

**Option 5E. Mounted standard utility tool body**

**Acceptable makes and models are:**

- |                                   |                                   |
|-----------------------------------|-----------------------------------|
| <b>Knapeheide 6132D54J</b>        | <b>Stahl CHALLENGER 132VVD-54</b> |
| <b>Reading CLASSIC II 132A DW</b> | <b>RKI L84DW94</b>                |
| <b>Omaha 132D54V</b>              |                                   |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**Option 5F. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**

**Option 5G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued**

**Option 5H.** One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal divider with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)

EACH \$ \_\_\_\_\_

**Option 5I.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area

EACH \$ \_\_\_\_\_

**Option 5J.** Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover

EACH \$ \_\_\_\_\_

**Option 5K.** Raise Telescopic Roof to get 36” clearance for the above option

EACH \$ \_\_\_\_\_

**Option 5L.** Crane mount reinforced rigidly while maintaining full compartment space on top Rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or boltholes, we will drill to suit ourselves)

EACH \$ \_\_\_\_\_

**Option 5M.** One - double bottle gas drop well with minimum 55” clearance height (for large Bottle use) and retainers in lieu of the interior 48” full height vertical Compartment

EACH \$ \_\_\_\_\_

**Option 5N.** Four-wheel drive GVWR \_\_\_\_\_

EACH \$ \_\_\_\_\_

**Option 5O.** Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission

EACH \$ \_\_\_\_\_ Deduct



**OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued**

**Option 5P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**

**Option 5Q. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Option 5R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 5S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 5T. Alternate gasoline engine in lieu of diesel engine (state size and horse power)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 5U. Single rear wheels (SWR) in lieu of dual rear wheel (DWR) GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 5V. Snowplow package**

**EACH \$ \_\_\_\_\_**

**Option 5W. Automatic transmission power take off provision**

**EACH \$ \_\_\_\_\_**

**Option 5X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 5 - Continued**

**Option 5Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.**

**EACH \$ \_\_\_\_\_**

**Option 5Z. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 5AA. Optional Rear Axle Ratio**

**EACH \$ \_\_\_\_\_ Axle Ratio \_\_\_\_\_**

**Option 5BB. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 5CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 5DD. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 6 - New standard equipped 2009 Model Crew-Cab 1 Ton Pickups with DRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F350 172" Wheelbase Cab to Axle 56"  
Standard Chevrolet 3500HD/GMC 3500HD with 167.0" Wheelbase & CA 56"  
Standard Dodge Dual Rear Wheel Mega Cab with 160.5" Wheelbase &CA 56.9

**All units bid must contain the following options:**

1. Standard minimum diesel engine with the highest cooling capacity (Size \_\_\_\_\_) Horsepower \_\_\_\_\_  
Manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 or 5 Speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Rubber Flooring
7. Heavy duty all weather removable rubber floor mats
8. Minimum 11,200 GVWR
9. Heavy-duty (Type III) trailer package to include receiver hitch.
10. 8 ' pickup bed
11. Brakes 4-wheel anti-lock braking system (ABS)
12. Speed control and tilt
13. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 6A. Four-wheel drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 6B. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 6C. Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 6 – Continued**

- Option 6D.** Exterior color to be Federal Standard #595B “Highway Yellow”  
EACH \$ \_\_\_\_\_
- Option 6E.** Standard gas engine with the highest cooling capacity in lieu of the diesel engine (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 6F.** Alternate gas engine with the highest cooling capacity in lieu of the diesel engine (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 6G.** Alternate diesel engine with the highest cooling capacity (state size and horsepower)  
EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_
- Option 6H.** Single rear wheel (SRW) in lieu of dual rear wheel (DRW) GVWR \_\_\_\_\_  
EACH \$ \_\_\_\_\_
- Option 6I.** Snow plow package  
EACH \$ \_\_\_\_\_
- Option 6J.** Automatic transmission power take off provision  
EACH \$ \_\_\_\_\_
- Option 6K.** 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)  
EACH \$ \_\_\_\_\_
- Option 6L.** 6’ bed in lieu of 8’ bed GVWR \_\_\_\_\_  
EACH \$ \_\_\_\_\_
- Option 6M.** Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_  
EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item # 6 – Continued**

**Option 6N. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 6O. Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail**

**EACH \$ \_\_\_\_\_**

**Option 6P. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 7 - New standard equipped 2009 Model 1 Ton Crew Cab Chassis-Cabs With DRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F350 with 176" Wheelbase Cab to Axle 60"  
Standard Chevrolet 3500HD/GMC 3500HD and 167" Wheelbase Cab to Axle 55.9"  
Standard Dodge 3500 Dual Rear Wheel with 163.5" Wheelbase & Cab to Axle 60"

**All units bid must contain the following options:**

1. Standard minimum diesel engine with the highest cooling capacity (Size\_\_\_\_) Horsepower\_\_\_\_ manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable rubber floor mats
8. Minimum GVWR 11,400
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 7**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 7A. For Dodge and Chevrolet Dealers**

**Bid only a mounted 8' platform body meeting Specification E1320.**

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**For Ford Dealers**

**Bid only a mounted 9' platform body meeting Specification E1320.**

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

**Option 7B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).**

**EACH \$ \_\_\_\_\_**

**Option 7C. For Dodge and Chevrolet Dealers  
Bid only a mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 696D54J                      RKI L57DW94 (for Dodge)  
Reading CLASSIC II 98A DW        RKI L56DW94 (for Chevy  
Omaha 96D54V,  
Stahl CHALLENGER II 96VVD-54**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**For Ford Dealers  
Bid only a mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 6108D54J                      Stahl CHALLENGER II 108VVD-54  
Reading CLASSIC II 108 A DW        RKI L60DW94 (for Ford)  
Omaha 108D54V**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL) \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

- Option 7D.** Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum endgate cover to protect cargo area from weather and theft  
EACH \$ \_\_\_\_\_
- Option 7E.** Raise Telescopic Roof to get 36” clearance for the above option  
EACH \$ \_\_\_\_\_
- Option 7F.** Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments  
EACH \$ \_\_\_\_\_
- Option 7G.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments  
EACH \$ \_\_\_\_\_
- Option 7H.** One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)  
EACH \$ \_\_\_\_\_
- Option 7I.** One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”  
EACH \$ \_\_\_\_\_
- Option 7J.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area  
EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

**Option 7K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane with no mounting holes or bolt holes, we will drill to suit ourselves)**

**EACH \$ \_\_\_\_\_**

**Option 7L. Four-wheel drive GVWR\_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 7M. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 7N. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**

**Option 7O. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Option 7P. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE\_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 7Q. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE\_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 7R. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE\_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 7S. Single rear wheel (SRW) in lieu of dual rear wheel (DRW) GVWR\_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 7T. Snowplow package**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 7 – Continued**

**Option 7U. Automatic transmission power take off provision**

**EACH \$ \_\_\_\_\_**

**Option 7V. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 7W. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 7X. Limited Slip Rear Axle Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 7Y. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 7Z. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 8 - New standard equipped 2009 Model 1 Ton Pickup with DRW**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F350 Dual Rear Wheel Pickup with 137" Wheelbase  
Standard Chevrolet 3500HD/GMC 3500HD Pickup with 131.5" Wheelbase.  
Standard Dodge Dual Rear Wheel Pickup with 140.5" Wheelbase

**All units bid must contain the following options:**

1. Standard minimum diesel engine with the highest cooling capacity (Size\_\_\_\_) Horsepower\_\_\_\_)  
manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable rubber floor mats
8. Minimum GVWR 11,000 lb
9. Heavy-duty (Type III) trailer package to include receiver hitch
10. 8' bed
11. 4-wheel anti-lock braking system (ABS)
12. Speed control and tilt wheel
13. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 8**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 8A. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 8B. Cloth Seat**

**EACH \$ \_\_\_\_\_**

**Option 8C. Exterior color to be Federal Standard #595B "Highway Yellow"**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 8 – Continued**

**Option 8D. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 8E. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 8F. Alternate gasoline with the highest cooling capacity engine in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 8G. Four-wheel drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 8H. Single rear wheels in lieu of dual rear wheels GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 8I. Standard extended cab with short box, single rear wheels in lieu of standard regular cab with dual rear wheels**

**EACH \$ \_\_\_\_\_**

**Option 8J. Snowplow package**

**EACH \$ \_\_\_\_\_**

**Option 8K. Automatic transmission power take off provision**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 8 – Continued**

**Option 8L. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 8M. Power windows and power door locks**

**EACH \$ \_\_\_\_\_**

**Option 8N. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 8O. Limited Slip Rear Axle Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 8P. Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*.% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 9 - New standard equipped 2009 Model 15,000 LB. GVWR Chassis-Cab With DRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford Super Duty F450 with 141" Wheelbase Cab to Axle 60"  
Standard Chevrolet 4500/GMC 4500 with 135.5" Wheelbase Cab to Axle 60"  
Standard Dodge 4500 with 144.3" Wheelbase, Cab to Axle 60.2"

**All units bid must contain the following options:**

1. Standard minimum V8, diesel engine with the highest cooling capacity (Size \_\_\_\_\_) Horsepower \_\_\_\_\_ manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable floor mats
8. Minimum GVWR 15,000 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 9**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 9A. Mounted 9' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 9B. Mounted 9' platform dump body meeting Specification E1327**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 9C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued**

**Option 9D. Mounted 9' dump body meeting Specification E1335**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 9E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.**

**EACH \$ \_\_\_\_\_**

**Option 9F. Mounted standard utility tool body.**

**Acceptable makes and models are:**

**Knapeheide 6108D54J                      RKI L60DW94.  
Reading CLASSIC II 108A DW      Stahl CHALLENGER II 108VVD-54  
Omaha 108D54V,**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 9G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**

**Option 9H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued**

- Option 9I. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)**
- EACH \$ \_\_\_\_\_
- Option 9J. One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”**
- EACH \$ \_\_\_\_\_
- Option 9K. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area**
- EACH \$ \_\_\_\_\_
- Option 9L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**
- EACH \$ \_\_\_\_\_
- Option 9M. Raise Telescopic Roof to get 36” clearance for the above option**
- EACH \$ \_\_\_\_\_
- Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane ( with no mounting holes or bolt holes, we will drill to suit ourselves)**
- EACH \$ \_\_\_\_\_
- Option 9O. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**
- EACH \$ \_\_\_\_\_ Deduct
- Option 9P. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug**
- EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued**

**Option 9Q. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Option 9R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 9S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 9T. Automatic transmission power take-off provision**

**EACH \$ \_\_\_\_\_**

**Option 9U. Snowplow package**

**EACH \$ \_\_\_\_\_**

**Option 9V. Crew cab in lieu of regular cab GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 9W. Extended cab in lieu of regular cab GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 9X. 2 Full length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 9Y. Four-wheel drive. GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 9 – Continued**

**Option 9Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ \_\_\_\_\_**

**Option 9AA. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 9BB. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 9CC. Limited Slip Rear Axle Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 9DD. Crew Cab Pick-Up (with 8' box in lieu of chassis cab) with standard V8, diesel engine.**

**Size \_\_\_\_\_ Horsepower \_\_\_\_\_ Wheelbase \_\_\_\_\_ CA \_\_\_\_\_ GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 9EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 9FF. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 10 - New standard equipped 2009 Model 15000 LB. GVWR Chassis-Cab With DRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Ford Super Duty F450 with 165" Wheelbase, Cab to Axle 84"  
Standard Chevrolet 4500/GMC 4500 with 152.0" Wheelbase Cab to Axle 84"  
Standard Dodge 4500 with 168.3" Wheelbase, Cab to Axle 84"

**All units bid must contain the following options:**

1. Standard minimum V8 diesel engine with the highest cooling capacity (Size\_\_\_\_) Horsepower\_\_\_\_) manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable floor mats
8. Minimum GVWR 15,000 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 10**

**Indicate the additional cost or deduction for the below listed options, which should include all required options and special equipment.**

**Option 10A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 10B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 10C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10D. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ \_\_\_\_\_**

**Option 10E. Mounted standard utility tool body. Acceptable makes and models are:**

**Knapeheide 6132D54J ,                      Stahl CHALLENGER II 132VVD-54  
Reading CLASSIC II 132A DW      Omaha 132D54V  
RKI L84DW94**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish.*

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**

**Option 10F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**

**Option 10G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)**

**EACH \$ \_\_\_\_\_**

**Option 10I. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area**

**EACH \$ \_\_\_\_\_**

**Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

**EACH \$ \_\_\_\_\_**

**Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)**

**EACH \$ \_\_\_\_\_**

**Option 10L. Raise Telescopic Roof to get 36” clearance for the above option**

**EACH \$ \_\_\_\_\_**

**Option 10M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers**

**EACH \$ \_\_\_\_\_**

**Option 10N. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**

**Option 10O. Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven-wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10P. Exterior color to be Federal Standard #595B “Highway**

**EACH \$ \_\_\_\_\_**

**Option 10Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 10R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 10S. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 10T. Automatic transmission power take-off provision**

**EACH \$ \_\_\_\_\_**

**Option 10U. Snowplow package**

**EACH \$ \_\_\_\_\_**

**Option 10V. Crew cab in lieu of regular cab GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 10W. Extended cab in lieu of regular cab GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 10X. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 10Y. Four wheel drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 10 – Continued**

**Option 10Z. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ \_\_\_\_\_**

**Option 10AA. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 10BB. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 10CC. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 10DD. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 10EE. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 11 - New standard equipped 2009 Model 17,500 LB, GVWR Chassis-Cab With DRW ACCEPTABLE MAKES AND MODELS:**

Standard Ford Super Duty F550 with 141" Wheelbase Cab to Axle 60"  
Chevrolet 4500 Series Model with 128" wheelbase Cab to Axle 60" WB  
Dodge 5500 with 144.0" Wheelbase, Cab to Axle 60.2"

**All units bid must contain the following options:**

1. Standard minimum V8 diesel Engine with the highest cooling capacity (Size\_\_\_\_) Horsepower\_\_\_\_) manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable floor mats
8. Minimum GVWR 17,500 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_

Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_

**OPTIONAL EQUIPMENT PRICES, Item # 11**

Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.

**Option 11A. Mounted 9' platform body meeting Specification E1320**

EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_

**Option 11B. Mounted 9' platform dump body meeting Specification E1327**

EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item #11 – Continued**

**Option 11C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**

**Option 11D. Mounted 9' dump body meeting Specification E1335**

**EACH \$ \_\_\_\_\_**

**Option 11E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ \_\_\_\_\_**

**Option 11F. Mounted standard utility tool body. Acceptable makes and models are:**

**Knapeheide 6108D54J,                      Stahl CHALLENGER II 108VVD- 54  
Reading CLASSIC II 108A DW      Omaha 108D54V  
RKI L60DW94.**

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

*Submit descriptive literature and specifications showing exact service body you propose to furnish*

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**Option 11G. Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item #11 – Continued**

**Option 11H. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**

**Option 11I. One full- length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)**

**EACH \$ \_\_\_\_\_**

**Option 11J. One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**

**Option 11K. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area**

**EACH \$ \_\_\_\_\_**

**Option 11L. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

**EACH \$ \_\_\_\_\_**

**Option 11M Raise Telescopic Roof to get 36” clearance for the above option**

**EACH \$ \_\_\_\_\_**

**Option 11N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane ( with no mounting holes or bolt holes, we will drill to suit ourselves)**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item #11 – Continued**

**Option 11O. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission**

EACH \$ \_\_\_\_\_

**Option 11P. Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug**

EACH \$ \_\_\_\_\_

**Option 11Q. Exterior color to be Federal Standard #595B "Highway Yellow"**

EACH \$ \_\_\_\_\_

**Option 11R. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_

**Option 11S. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_

**Option 11T. Alternate gasoline engine in lieu of diesel engine (state size and horsepower)**

EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_

**Option 11U. Automatic transmission power take-off provision**

EACH \$ \_\_\_\_\_

**Option 11V. Snowplow package**

EACH \$ \_\_\_\_\_

**Option 11W. Crew cab in lieu of regular cab GVWR \_\_\_\_\_**

EACH \$ \_\_\_\_\_

**Option 11X. Extended cab in lieu of regular cab GVWR \_\_\_\_\_**

EACH \$ \_\_\_\_\_



**OPTIONAL EQUIPMENT PRICES, Item #11 – Continued**

**Option 11Y. 2 Factory cab steps. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option11Z. .Four-wheel drive GVWR\_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 11AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ \_\_\_\_\_**

**Option 11BB. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 11CC. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 11DD. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 11EE. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 11FF. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 12 - New standard equipped 2009 Model 17,500 GVWR Chassis-Cabs with DRW.**  
**ACCEPTABLE MAKES AND MODELS:**

Ford Super Duty F550 with 165" Wheelbase Cab to Axle 84"  
Chevrolet 4500 With 152" Wheelbase Cab to Axle 84" WB  
Dodge 5500 with 168.3 Wheelbase, Cab to Axle 84.2"

**All units bid must contain the following options:**

1. Standard, diesel engine with the highest cooling capacity (Size\_\_\_\_) Horsepower\_\_\_\_) manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4-speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirror
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather floor mats
8. Minimum GVWR. 17,500 LB
9. Brakes 4-wheel anti-lock braking system (ABS)
10. Speed control and tilt wheel
11. Back up alarm
12. Vinyl seats

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 12**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 12A. Mounted 12' platform body meeting Specification E1320**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL) \_\_\_\_\_**

**Option 12B. Mounted 11' platform dump body meeting Specification E1327**

**EACH \$ \_\_\_\_\_ MAKE \_\_\_\_\_ MODEL \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued**

**Option 12C. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck**

**EACH \$ \_\_\_\_\_**

**Option 12D. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab)**

**EACH \$ \_\_\_\_\_**

**Option 12E. Mounted standard utility tool body. Acceptable makes and models are:**

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| <b>Knapeheide 6132D54J</b>        | <b>Stahl CHALLENGER II 132 VVD-54</b> |
| <b>Reading CLASSIC II 132A DW</b> | <b>RKI L84DW94</b>                    |
| <b>Omaha 132D54V</b>              |                                       |

**Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

***Submit descriptive literature and specifications showing exact service body you propose to furnish.***

**EACH \$ \_\_\_\_\_ (MAKE) \_\_\_\_\_ (MODEL) \_\_\_\_\_**

**Option 12F. Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments**

**EACH \$ \_\_\_\_\_**

**Option 12G. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued**

**Option 12H. One - full length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment)**

**EACH \$ \_\_\_\_\_**

**Option 12I. Minimum 25” high panel extension cover with minimum 42” locking rear doors Which will provide a minimum 48” interior height for storage and work area**

**EACH \$ \_\_\_\_\_**

**Option 12J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover**

**EACH \$ \_\_\_\_\_**

**Option 12K. Raise Telescopic Roof to get 36” clearance for the above option**

**EACH \$ \_\_\_\_\_**

**Option 12L. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane ( with no mounting holes or bolt holes, we will drill to suit ourselves)**

**EACH \$ \_\_\_\_\_**

**Option 12M. One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment**

**EACH \$ \_\_\_\_\_**

**Option 12N. Heavy-duty manual 5 or 6 speed transmission in lieu of automatic transmission**

**EACH \$ \_\_\_\_\_ Deduct**



**OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued**

**Option 12O. Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV) and a seven - wire RV style trailer plug**

**EACH \$ \_\_\_\_\_**

**Option 12P. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Option 12Q. Alternate diesel engine with the highest cooling capacity (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 12R. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 12S. Alternate gasoline engine with the highest cooling capacity in lieu of diesel engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 12T. Automatic transmission power take-off provision**

**EACH \$ \_\_\_\_\_**

**Option 12U. Snowplow package**

**EACH \$ \_\_\_\_\_**

**Option 12V. 2 Full-length factory cab steps or running boards. (one on drivers side, one on passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 12W. Four wheel drive GVWR \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 12X. 19,000 GVWR Package in lieu of the 17,500 GVWR. (state Wheelbase and Ca)**

**EACH \$ \_\_\_\_\_ Wheelbase \_\_\_\_\_ CA \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 12 – Continued**

**Option 12Y. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground**

**EACH \$ \_\_\_\_\_**

**Option 12Z. Provide hydraulics and controls for dump hoist only**

**EACH \$ \_\_\_\_\_**

**Option 12AA. Optional Rear Axle Ratio    Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 12BB. Limited Slip Rear Axle.    Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 12CC. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper**

**EACH \$ \_\_\_\_\_**

**Option 12DD. Electric Trailer Brake Controller**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**ITEM # 13 - New standard equipped 2009 Model Carryalls.**  
**ACCEPTABLE MAKES AND MODELS:**

Standard Chevrolet C20906 Suburban with 130.0" Wheelbase  
Standard GMC TC20906 Yukon XL with 130.0" Wheelbase  
Standard Ford Expedition EL with 130.0" Wheelbase

**All units bid must contain the following options:**

1. Standard minimum V8 gasoline engine (Size \_\_\_\_\_) Horsepower \_\_\_\_\_  
manufacturer's standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4-speed automatic transmission
3. Front and rear heat/air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer's standard all season, plus full size spare and wheel (Size \_\_\_\_\_)
6. Rubber flooring
7. Heavy duty all weather removable floor mats
8. Front bench seat, middle seat 60/40 split-folding, 3<sup>rd</sup>.row removable fold-flat bench
9. Minimum GVWR 7,600 LB
10. Brakes 4-wheel anti-lock braking system (ABS)
11. Speed control and tilt wheel
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 13**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 13A. Deep tinted windows**

**EACH \$ \_\_\_\_\_**

**Option 13B. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for an 7 pin commercial truck connector.**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 13 – Continued**

**Option 13C. Four-wheel drive.**

**EACH \$ \_\_\_\_\_**

**Option 13D. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Option 13E. Delete 3<sup>rd</sup> row rear bench seat**

**EACH \$ \_\_\_\_\_ (Deduct)**

**Option 13F. Standard diesel engine in lieu of gasoline engine (state size and horsepower)**

**EACH \$ \_\_\_\_\_ SIZE \_\_\_\_\_ HORSEPOWER \_\_\_\_\_**

**Option 13G. 2 Full length factory cab steps or running boards. (one on Drivers Side, one on Passenger side)**

**EACH \$ \_\_\_\_\_**

**Option 13H. Optional Rear Axle Ratio Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Option 13I. Limited Slip Rear Axle. Axle Ratio \_\_\_\_\_**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.**

***% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_***

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**Item #14 – New standard equipped 2009 Model 15 Passenger Van**  
**ACCEPTABLE MAKES AND MODELS:**

Ford F350 Super Duty Extended E series Wagon, Wheelbase 138” Body code S31  
Chevrolet / GMC Model Extended Wheelbase 155” Model G33706

**All units bid must contain the following options:**

1. Standard minimum V8 gas engine (Size\_\_\_\_) Horsepower\_\_\_\_  
manufacturer’s standard rear end axle ratio (Ratio: \_\_\_\_\_)
2. 4-speed automatic transmission
3. Factory installed front and rear heat/air conditioning
4. LH & RH manual trailer-type mirrors
5. Tires:(4) manufacturer’s standard all season, plus full size spare and wheel (Size\_\_\_\_\_)
6. Rubber floor mats
7. Heavy duty all weather removable floor mats
8. Deep tinted windows (privacy glass)
9. 4 wheel anti-lock braking system (ABS)
10. Minimum GVWR 9100 lb
11. Speed control and tilt wheel
12. Vinyl seats

**DEALER COMPLETE IN DETAIL:**

**2009 MAKE \_\_\_\_\_ MODEL \_\_\_\_\_ GVWR \_\_\_\_\_ EACH \$ \_\_\_\_\_**

**Fuel Capacity \_\_\_\_\_ Oil Capacity \_\_\_\_\_**

**OPTIONAL EQUIPMENT PRICES, Item # 14**

**Indicate the additional cost or deduction for the below listed options. Prices should include all required options and special equipment.**

**Option 14A. Power windows and power door locks**

**EACH \$ \_\_\_\_\_**

**Option 14B. Towing Package: Manufacturer’s standard to include heavy duty charging, engine oil and transmission cooling, Class III frame hitch and 4 pin wiring installed plus wiring harness for 7 pin**

**EACH \$ \_\_\_\_\_**



**OPTIONAL EQUIPMENT PRICES, Item # 14 – Continued**

**Option 14C. Sliding side door**

**EACH \$ \_\_\_\_\_**

**Option 14D. Exterior color to be Federal Standard #595B “Highway Yellow”**

**EACH \$ \_\_\_\_\_**

**Please submit a complete parts list with detailed pricing information for each make/model your company would be willing to provide.** Please indicate below the percent (%) discount off Manufacturers Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

*% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount \_\_\_\_\_*

**Delivery will be made approximately \_\_\_\_\_ days after receipt of order.**



**NOTE:** For bids to be considered, the attachment entitled "PREFERENCE IN PURCHASING PRODUCTS" must be either attached to the bid or on file in this office and must be dated in the current model year.

**NOTE:** The attachment entitled "MISSOURI DOMESTIC PRODUCT PROCUREMENT ACT" certificates of compliance must be completed and submitted with your bid for it to be considered responsive.

The undersigned, as bidder, understands that this project involves state funds and the bidder awarded the contract will be required to comply with Executive Order 94-03 of the Governor of the State of Missouri dated January 14, 1994. This order stipulates that there shall be no discriminatory employment practices by the contractor or his subcontractors, if any, based on race, color, religion, creed, national origin, sex, or age. The undersigned contractor or his subcontractors, if any, shall give written notice of their commitments under this clause to any labor union which they have bargaining or other agreements.

**BIDS TO BE MAILED TO:**  
Missouri Department of Transportation  
General Services - Fleet  
1320 Creek Trail Drive  
Jefferson City, Missouri 65109  
**Clearly marked**  
**Bid Request No. 3-080919HD**

FIRM \_\_\_\_\_

STREET \_\_\_\_\_

CITY \_\_\_\_\_

STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TELEPHONE \_\_\_\_\_

SIGNATURE \_\_\_\_\_

PRINT NAME \_\_\_\_\_

E-MAIL \_\_\_\_\_

FEIN # \_\_\_\_\_



**3-080919HD**

**NOTICE \* \* \* \* NOTICE \* \* \* \* NOTICE**

The department is interested in assisting Missouri counties, cities, special road districts, etc. in purchasing equipment that meets the Missouri Department of Transportation's specifications.

Each bidder is asked to indicate below whether they would be willing to offer equipment for sale to these local political entities at the same bid price offered to this department.

It is understood the department will not issue purchase orders, accept delivery nor make payment for equipment ordered by any of these agencies. It is further understood the price is based on the unit meeting the department's specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities, or other political entities.

YES \_\_\_\_\_ NO \_\_\_\_\_

If the price varies throughout the state on department bids, because of different delivery destinations please indicate the price f.o.b. your location that would be offered as described above.

\$ \_\_\_\_\_ (Price)      \_\_\_\_\_ (Location)

Company Name \_\_\_\_\_

Address \_\_\_\_\_

Phone Number \_\_\_\_\_

Signature \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_

(Each vendor should complete the appropriate sections of this form and submit with their bid.)



**PREFERENCE IN PURCHASING PRODUCTS**

DATE: \_\_\_\_\_

The bidders attention is directed to Section 34.076 RsMO 1986 which gives preference to Missouri corporations, firms, and individuals when letting contracts or purchasing products.

Bids/Quotations received will be evaluated on the basis of this legislation.

All vendors submitting a bid/quotation must furnish ALL information requested below.

**FOR CORPORATIONS:**

State in which incorporated: \_\_\_\_\_

**FOR OTHERS:**

State of domicile: \_\_\_\_\_

**FOR ALL VENDORS:**

List address of Missouri offices or places of business:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**THIS SECTION MUST BE COMPLETED AND SIGNED:**

**FIRM NAME:** \_\_\_\_\_

**ADDRESS:** \_\_\_\_\_

**CITY:** \_\_\_\_\_ **STATE:** \_\_\_\_\_ **ZIP:** \_\_\_\_\_

**BY (signature required):** \_\_\_\_\_

**Federal Tax I.D. #:** \_\_\_\_\_ **if no Federal Tax I.D. # - list Social Security #:** \_\_\_\_\_

NOTE: For bid/quotation to be considered, the "Preference in Purchasing Products" form must be on file in the General Services (Procurement) Division and must be dated in the current calendar year.



**MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT**

The bidder’s attention is directed to the Missouri Domestic Products Procurement Act, Sections 34.350 to 34/359, RsMO, which requires all manufactured goods or commodities used or supplied in the performance of this contract or any subcontract to be manufactured or produced in the United States.

Section 34.355, RsMO, requires the vendor or contractor to certify his compliance with Section 34.353 and, if applicable, Section 34.359, RsMO, at the time of bidding **and** prior to payment. Failure to comply with Section 34.353, RsMO, during the performance of the contract **and** to provide certification of compliance prior to payment will result in nonpayment for those goods or commodities.

Section 34.353.2, RsMO, specifies that it does not apply where the total contract is less than Twenty-Five Thousand Dollars (\$25,000.00). If your total bid is Twenty-Five Thousand Dollars (\$25,000.00) or more, you **must** complete this form as directed below.

**Failure to complete and return this document with this bid will cause the State to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis. Please read the certification appearing below on this form.**

- [ ] If all the goods or products specified in the attached bid which the bidder proposes to supply to the State shall be manufactured or produced in the “United States” as defined in Section 34.350, RsMO, check the box at left.
- [ ] If only one item of any particular goods or products specified in the attached bid is manufactured or produced in the “United States” as defined in Section 34.350, RsMO, check the box at left and list the items (or item number) here:  
\_\_\_\_\_
- [ ] If any or all of the goods or products specified in the attached bid which the bidder proposes to supply to the State are **not** manufactured or produced in the “United States” as defined in Section 34.350, RsMO, then: (a) check the box at left; (b) list below, by item (or item number), the country other than the United States where each good or product is manufactured or produced; and (c) check the boxes to the left of the paragraphs below if applicable and list the corresponding items (or item numbers) in the spaces provided.

Item (or item number)	Location Where Item Manufactured or Produced

(attach an additional sheet if necessary)

- [ ] The following specified goods or products cannot be manufactured or produced in the United States in sufficient quantities or in time to meet the contract specifications. Items (or item numbers): \_\_\_\_\_
- [ ] The following specified goods or products must be treated as manufactured or produced in the United States, in accordance with an existing treaty, law, agreement, or regulation of the United States, including a treaty between the United States and any foreign country regarding export-import restrictions or international trade. Items (or item numbers): \_\_\_\_\_



**MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT CONTINUED**

**CERTIFICATION**

**By submitting this document, completed as directed above, with a bid, the bidder certifies under penalty of making false declaration (Section 575.060, RsMO) that the information contained in this document is true, correct and complete, and may be relied upon by the State in determining the bidders qualifications under and in compliance with the Missouri Domestic Products Procurement Act.**

**The bidder's failure to complete and return this document with the bid as directed above will cause the State to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis pursuant to Section 34.353.3(2), RsMO.**



**All prices must include completed delivery to any of the below listed delivery destinations.**

Missouri Department of Transportation  
District 1 Garage  
3602 N. Belt Highway  
St. Joseph, Missouri 64502  
Maint & Traffic Eng, **Koelle Barbour**  
[Koelle.barbour@modot.mo.gov](mailto:Koelle.barbour@modot.mo.gov)  
816-387-2446

Missouri Department of Transportation  
District 6 Garage  
2309 Barrett Station Rd.  
Ballwin, Missouri 63021  
General Services Manager, **Robert Zahner**  
[robert.zahner@modot.mo.gov](mailto:robert.zahner@modot.mo.gov)  
314-301-1422

Missouri Department of Transportation  
District 2 Garage  
902 N. Missouri St.  
Macon, Missouri 63552  
General Services Manager, **Joseph Hinton**  
[joseph.hinton@modot.mo.gov](mailto:joseph.hinton@modot.mo.gov)  
660-385-8240

Missouri Department of Transportation  
District 7 Garage  
3901 East 32<sup>nd</sup> Street  
Joplin, Missouri 64804  
General Services Manager, **John Sinclair**  
[john.sinclair@modot.mo.gov](mailto:john.sinclair@modot.mo.gov)  
417-629-3220

Missouri Department of Transportation  
District 3 Garage  
Highway 61 South  
Hannibal, Missouri 63401  
General Services Manager, **Darrell Barnes**  
[darrell.barnes@modot.mo.gov](mailto:darrell.barnes@modot.mo.gov)  
573-248-2590

Missouri Department of Transportation  
District 8 Garage  
3025 E. Kearney  
Springfield, Missouri 65804  
General Services Manager, **Brad Leonard**  
[bradley.Leonard@modot.mo.gov](mailto:bradley.Leonard@modot.mo.gov)  
417-895-7700

Missouri Department of Transportation  
District 4 Garage  
2050 N.E. Independence.  
Lee Summit Missouri 64064  
General Services Manager, **Cindy Beebe**  
[cynthia.beebe@modot.mo.gov](mailto:cynthia.beebe@modot.mo.gov)  
816-622-0053

Missouri Department of Transportation  
District 9 Garage  
3956 East Main  
Willow Springs, Missouri 65793  
General Services Manager, **Jacky Traw**  
[jacky.traw@modot.mo.gov](mailto:jacky.traw@modot.mo.gov)  
417-469-9041

Missouri Department of Transportation  
District 5 Garage  
1511 Missouri Blvd  
Jefferson City, Missouri 65101  
General Services Manager, **Coleen Welter**  
[coleen.welter@modot.mo.gov](mailto:coleen.welter@modot.mo.gov)  
573-751-3660

Missouri Department of Transportation  
District 10 Garage  
201 N. Main  
Sikeston, Missouri 63801  
General Services Manager, **Ronald Miller**  
[ronald.miller@modot.mo.gov](mailto:ronald.miller@modot.mo.gov)  
573-472-5318

Missouri Department of Transportation  
General Services Complex  
830 MoDOT Drive  
Jefferson City, Missouri 65101  
Mechanic Supervisor, **Kenny Terry**  
[Kenny.terry@modot.mo.gov](mailto:Kenny.terry@modot.mo.gov)  
573-751-8752

Missouri Highways and Transportation Commission  
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

**STANDARD SOLICITATION PROVISIONS**

- a. The Missouri Department of Transportation (MoDOT) reserves the right to reject any or all bids/quotes/proposals, and to accept or reject any items thereon, and to waive technicalities. In case of error in the extension of prices in the bid/quote/proposal, unit prices will govern.
- b. All bids/quotes/proposals must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.
- c. By virtue of statutory authority, a preference will be given to materials, products, supplies, provisions and all other articles produced, manufactured, made or grown, within the State of Missouri.
- d. Time of delivery is a part of the consideration and, if not otherwise stated in the solicitation documents, must be stated in definite terms by the Bidder/Offeror and must be adhered to. If time varies on different items, the Bidder/Offeror shall so state.
- e. If providing bids/quotes/proposals for commodities, the Bidder/Offeror will state brand or make on each item. If bidding or proposing other than the make, model or brand specified, the manufacturer's name, model number or catalog number must be given.
- f. **For bids/proposals of \$25,000 or more**, no bids/proposals by telephone, telegram or telefax will be accepted. If provided, these bids/proposals should be returned in the MoDOT solicitation return envelope.
- g. If a solicitation return envelope is provided by MoDOT, the bid/quote/proposal should be returned in the envelope provided with the Bid/RFQ/RFP Request Number plainly indicated thereon.
- h. The date specified for the returning of bids/quotes/proposals is a firm deadline and all bids/quotes/proposals must be received at the designated office by that time. The Department does not recognize the U.S. Mail, Railway Express Agency, Air Express, or any other organization, as its agent for purposes of accepting proposals. All proposals arriving at the designated office after the deadline specified will be rejected.

**GENERAL TERMS AND CONDITIONS**

**General Performance**

- a. This work is to be performed under the general supervision and direction of the Missouri Department of Transportation (MoDOT) and, if awarded any portion of the work, the Contractor agrees to furnish at his own expense all labor and equipment required to complete the work, it being expressly understood that this solicitation is for completed work based upon the price(s) specified and is not a solicitation for rental of equipment or employment of labor by MoDOT, and MoDOT is to have no direction or control over the employees used by the Contractor in performance of the work.

**Deliveries**

- a. Unless otherwise specified on the solicitation documents or purchase order, suppliers shall give at least 24 hours advance notice of each delivery. Delivery will only be received between the hours of 8:00 a.m. to 3:00 p.m., Monday through Friday. Material arriving after 3:00 p.m. will not be unloaded until the following workday. No material will be received on Saturday, Sunday or state holidays.
- b. If the prices bid herein include the delivery cost of the material, the Contractor agrees to pay all transportation charges on the material as FOB - Destination. Freight costs must be included in the unit price bid and not listed as a separate line item.
- c. Any demurrage is to be paid by the Contractor direct to the railroad or carrier.

**Nondiscrimination**

- a. The Contractor shall comply with the Regulations relative to nondiscrimination in federally-assisted programs of the Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time, (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
- b. All solicitations either by competitive bidding or negotiation made by the Contractor for work to be performed under a subcontract, including procurements of materials or leases of the Contractor's obligations under this contract and the Regulations, will be relative to nondiscrimination on the grounds of race, color, or national origin.
  - 1) **Sanctions for Noncompliance:** In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MoDOT shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
    - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or,
    - ii. cancellation, termination or suspension of the contract, in whole or in part.

**Contract/Purchase Order**

- a. By submitting a bid/quote/proposal, the Bidder/Offeror agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's proposal and/or submitted pricing, and (3) the MHTC's acceptance of the proposal and/or bid by purchase order or post-award contract.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized purchase order and/or notice to proceed.
- d. The contract expresses the complete agreement of the parties and performance shall be governed solely by the specifications and requirements contained therein. Any change, whether by modification and/or supplementation, must be accomplished by a formal contract amendment signed and approved by and between the duly authorized representative of the Contractor and the duly authorized representative of the MHTC, by a modified purchase order prior to the effective date of such modification. The Contractor expressly and explicitly understands and agrees that no other method and/or no other document, including correspondence, acts, and oral communications by or from any person, shall be used or construed as an amendment or modification.

Missouri Highways and Transportation Commission  
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

**Subcontracting**

- a. It is specifically understood that no portion of the material or any interest in the contract, shall be subcontracted, transferred, assigned or otherwise disposed of, except with the written consent of MoDOT. Request for permission to subcontract or otherwise dispose of any part of the work shall be in writing to MoDOT and accompanied by documentation showing that the organization which will perform the work is particularly experienced and equipped for such work.
- b. Consent to subcontract or otherwise dispose of any portion of the work shall not be construed to relieve the Contractor of any responsibility for the production and delivery of the contracted work and the completion of the work within the specified time.
- c. All payments for work performed by a subcontractor shall be made to the Contractor to whom the contract was awarded and the purchase order issued.

**Invoicing and Payment**

- a. MoDOT is exempt from paying Missouri Sales Tax, Missouri Use Tax and Federal Excise Tax. However, the Contractor may themselves be responsible for the payment of taxes on materials they purchase to fulfill the contract. A Federal Excise Tax Exemption Certificate will be furnished to the successful Bidder/Offeree upon request.
- b. Each invoice should be itemized in accordance with items listed on the purchase order and/or contract. The statewide financial management system has been designed to capture certain receipt and payment information. Therefore, each invoice submitted must reference the purchase order number and must be itemized in accordance with items listed on the purchase order. Failure to comply with this requirement may delay processing of invoices for payment.
- c. Unless otherwise provided for in the solicitation documents, payment for all equipment, supplies, and/or services required herein shall be made in arrears. The Missouri Highways and Transportation Commission (MHTC) shall not make any advance deposits.
- d. The MHTC assumes no obligation for equipment, supplies, and/or services shipped or provided in excess of the quantity ordered. Any authorized quantity is subject to the MHTC's rejection and shall be returned at the Contractor's expense.
- e. The MHTC reserves the right to purchase goods and services using the state-purchasing card.

**Applicable Laws and Regulations**

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MoDOT a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.
  - 1) Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MoDOT a copy of their current Transient Employer Certificate from the Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.
- c. The contractor shall only utilize personnel authorized to work in the United States in accordance with applicable federal and state laws and Executive Order 07-13 for work performed in the United States.
- d. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.

**Preferences**

- a. In the evaluation of bids/quotes/proposals, preferences shall be applied in accordance with Chapter 34 RSMo. Contractors should apply the same preferences in selecting subcontractors.
- b. By virtue of statutory authority, RSMo. 34.076 and 34.350 to 34.359, a preference will be given to materials, products, supplies, provisions and all other articles produced, manufactured, made or grown within the State of Missouri. Such preference shall be given when quality is equal or better and delivered price is the same or less.
  - 1) If attached, the document entitled **"PREFERENCE IN PURCHASING PRODUCTS"** should be completed and returned with the solicitation documents.
  - 2) If attached, the document entitled **"MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT"** should be completed and returned with the solicitation documents. **Applies if bid is Twenty-Five Thousand Dollars (\$25,000.00) or more.**
- c. In the event of a tie of low bids, the MHTC reserves the right to establish the method to be used in determining the award

**Remedies and Rights**

- a. No provision in the contract shall be construed, expressly or implied, as a waiver by the MHTC of any existing or future right and/or remedy available by law in the event of any claim by the MHTC of the Contractor's default or breach of contract.
- b. The Contractor agrees and understands that the contract shall constitute an assignment by the Contractor to the MHTC of all rights, title and interest in and to all causes of action that the Contractor may have under the antitrust laws of the United States or State of Missouri for which causes of action have accrued or will accrue as the result of or in relation to the particular equipment, supplies, and/or services purchased or produced by the Contractor in the fulfillment of the contract with the MHTC.
- c. In the event a Contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the Contractor may request MoDOT to enter into such litigation to protect the interests of the MHTC, and, in addition, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

Missouri Highways and Transportation Commission  
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

**Cancellation of Contract**

- a. The MHTC may cancel the contract at any time for a material breach of contractual obligations or for convenience by providing the Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of cancellation sent to the Contractor.
- b. If the MHTC cancels the contract for breach, the MHTC reserves the right to obtain the equipment, supplies, and/or services to be provided pursuant to the contract from other sources and upon such terms and in such manner as the MHTC deems appropriate and charge the Contractor for any additional costs incurred thereby.

**Bankruptcy or Insolvency**

- a. Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntary or involuntary, or upon the appointment of a receiver, trustee, or assigned the benefit or creditors, the Contractor must notify MoDOT immediately. Upon learning of any such actions, the MHTC reserves the right, at its sole discretion, to either cancel the contract or affirm the contract and hold the Contractor responsible for damages.

**Inventions, Patents, and Copyrights**

- a. The Contractor shall defend, protect, and hold harmless the MHTC, its officers, agents, and employees against all suits of law or in equity resulting from patent and copyright infringement concerning the Contractor's performance or products produced under the terms of the contract.

**Inspection and Acceptance**

- a. No equipment, supplies, and/or services received by MoDOT pursuant to a contract shall be deemed accepted until MoDOT has had reasonable opportunity to inspect said equipment, supplies, and/or services.
- b. All equipment, supplies, and/or services which do not comply with the specifications and/or requirements or which are otherwise unacceptable or defective may be rejected. In addition, all equipment, supplies, and/or services which are discovered to be defective or which do not conform to any warranty of the Contractor upon inspection (or at any later time if the defects contained were not reasonably ascertainable upon the initial inspection) may be rejected.
- c. The MHTC reserves the right to return any such rejected shipment at the Contractor's expense for full credit or replacement and to specify a reasonable date by which replacements must be received.
- d. The MHTC's right to reject any unacceptable equipment, supplies, and/or services shall not exclude any other legal, equitable or contractual remedies the MHTC may have.

**Warranty**

- a. The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by MoDOT, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.
- b. Such warranty shall survive delivery and shall not be deemed waived either by reason of the MHTC's acceptance of or payment for said equipment, supplies, and/or services.

**Status of Independent Contractor**

- a. The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

**Indemnification**

- a. The Offeror shall defend, indemnify and hold harmless the Commission, including its members and department employees, from any claim or liability whether based on a claim for damages to real or personal property or to a person for any matter relating to or arising out of the Offeror's performance of its obligations under this Agreement.

**SPECIAL TERMS AND CONDITIONS**

**Required Specifications**

- a. All materials, equipment, and/or services bid upon must comply with the attached MoDOT Specification and any other provisions outlined in the solicitation documents.

**Award**

**This is a Multiple Award bid and there will be no 'one' bidder awarded each item within this bid. Each individual delivery destination will have sole responsibility for the discretion of all purchasing decisions. Criteria used to determine the Lowest and Best Bid are based on price, location of servicing dealers, past performance of servicing dealers, and past performance of different makes and models of light duty automotive vehicles. This bid will not be awarded solely based on low price per delivery destination. Units must be delivered to the listed delivery destinations but they will have to be serviced at other locations within the district. Failure to Execute Contract**

**Delivery – Additional Requirements**

- b. The following days shall be construed as **official holidays** under the terms of the contract:

January 1	New Year's Day
Third Monday in January	Martin Luther King, Jr.'s Birthday
February 12	Lincoln's Birthday
Third Monday in February	Washington's Birthday
May 8	Truman's Birthday
Last Monday in May	Memorial Day
July 4	Independence Day
First Monday in September	Labor Day
Second Monday in October	Columbus Day
November 11	Veteran's Day
Fourth Thursday in November	Thanksgiving Day
December 25	Christmas Day

- c. When any of the above **holidays falls** on a **Sunday**, the holiday will be observed on the following **Monday**; when any of the above **holidays falls** on a **Saturday**, the **holiday** will be observed on the immediately preceding **Friday**.

**Cancellation of Contract**

- a. If the Contractor/supplier fails to carry out the performance of the work with sufficient workmen and equipment to insure the completion of the delivery within the time specified or becomes insolvent or is adjudicated a bankrupt or commits any act of bankruptcy or insolvency or allows any final judgment to stand against him for a period of ten (10) days, the Missouri Department of Transportation may give notice in writing by registered mail to the Contractor/supplier and the surety of such delay, neglect or default.
- b. If, within ten (10) days after such notice the Contractor/supplier does not proceed to remedy to the satisfaction of the Department's representatives the faults specified in said notice, or the surety does not proceed to take over the deliveries, the Department shall have full power and authority, without impairing the obligation of the Contractor/supplier under the contract or the surety under the bond, to take over the completion of the work and arrange for the shipment of any materials necessary to complete the work and the Contractor/supplier and the surety will be responsible for any additional costs incurred by the Department in obtaining the completion of the deliveries.

**Liquidated Damages**

- a. In the event the successful Contractor fails to deliver the material within the time specified, the Department and the public will sustain damages because of such delay in delivery, the exact extent of which would be difficult to ascertain, and in order to liquidate such damage in advance it is agreed that the **sum of one-hundred dollars (\$100.00) per day, per item**, for each assessable calendar day on which the delivery has not been completed, is reasonable and the best estimate which the parties can arrive at as liquidated damages, and it is therefore agreed that said amount will be withheld from payments due the Contractor or otherwise collected from the Contractor as liquidated damages.
- b. **Saturdays, Sundays, holidays and days whereas the Department has suspended work** shall not be assessable days.