



WPD Pup dump trailer Specifications



Matching half round body and pup trailer

WPD-SS-B12 Short frame, bathtub body 12'



3 point cast, rubber bushed connectors for tongue

STANDARD FEATURES-CHASSIS

Extended frame (305" from eye to front axle of pup), 180" long tongue with replaceable rubber bushed 2-3/8" swivel eye
33'7" overall length, 96" wide, 4" x 8" 1/4" wall tube main frame

WABCO anti-lock brakes ABS on both axles (4S2M), with 16-1/2" x 7" brakes with outboard drums

Suspension: Hutch 9700 with (4) 3 leaf heavy duty springs

(2) 5" round 25,000# rated axles

Dual high strength safety cables running the complete length of the tongue and attached to the main trailer frame

Three stage Warren 6385S hydraulic cylinder mounted underneath body NO DOG HOUSE REQUIRED!

DOT tested and certified bumper

Cast (3) point tongue to frame connectors with replaceable adjustable pins and rubber bushings (see photo above)

All hydraulic, air, and electrical lines are run inside tubing for protection with 3 feet allowed for hook up to truck hitch

DOT lights, reflectors, and conspicuity tape

STANDARD FEATURES-BODY

12 foot long, 10/12 cubic yard capacity

Floor: 3/16" with 2" radius corners, 3" channel cross members on 12" centers

5" @ 9#/ft. body long members

Sides: 10 gauge 38" high with vertical posts

Front: Rolled 10 gauge 46" high with 4" formed tube top rail

Tailgate: air operated 46" high (3) panels with 1/1/4" hinges and pins with H.D. latches

PUP BODY and CHASSIS OPTIONS

Watson single point suspension

13' and 14' bodies in lieu of 12' standard

Standard "dump through" tailgate in lieu of high lift on half rounds

Spreader apron 6" maximum

Complete variety of tarps, wheels, tires, and other custom features

Bed liners - note: we keep them in stock!



Pintle hook and rigging Half round with bed liner

Matching dump bodies and pup rigging available as well. Call for information.



Warren Truck & Trailer, LLC - P.O. Box 425 - Talco, TX 75487 - (903) 379-3921 - Fax (903) 379-4400
www.warrentruckandtrailer.com toll free (888) 734-4400



8 – 10 cubic yard Pup Dump Trailer

OVERALL LENGTH: Approximately 33 –34 Feet

CHASSIS LENGTH: Sufficient for length of dump body.

TONGUE: Length as needed; minimum 2 3/8 inch inside diameter tow eye;
5/8 inch HT safety chains; Crank support jack.

*

AXLE SPACING: Must be greater than 50 inches and less than 96 inches.

*

AXLES: 2 each, Dana D22 (referenced as guide to requirements), 5 inch RD ½ inch W 71.5 trac.
A hub odometer, which registers in miles, should be installed on one of the axles.

*

BRAKES: Bendex ABS

ELECTRICAL: 12 V, 7 way harness. With Independent Stop and Turn Lights.

HUB/DRUM: Outboard iron 10 stud. Piloted Hub.

WHEELS: 8 of 8.25 x 22.5, with preferred White finish

TIRES: 8 of 11R22.5 radial.

*

HOIST: 63-97 Warren Telescopic, 6 inch, 3 stage, 97 inch stroke; 1 x 26 inch hoist hose
(Warren referenced as guide only to describe requirements).

MISCELLANEOUS: Electric, air, and hydraulic lines extended to end of tongue; 1 x 48 inch hydraulic
jumper hose with male parker 86-2 push/pull coupler; Federal conspicuity tape.

COLOR: "Highway Yellow" #13432 or Black

BODY LENGTH: Approximately 12 feet

BODY WIDTH: Approximately 96 inches outside dimension and approximately 87 inches inside dimension.

*

BODY SIDE HEIGHT: 36 inches.

BODY BULKHEAD HEIGHT: Approximately 46 inches.

LIGHTS: Meeting US DOT and Missouri requirements with sealed wiring in protective vinyl loom.

TARP: A "window shade" style tarp, such as Aero's Easy Cover or Pulltarp's Supershield system shall
be provided.

FINISH/BODY: "Highway Yellow" #13432 or Black with rust inhibiting primer.

* See Attached Specification Deviation Sheet



Bob Alexander, West Region Sales Manager
14803 NE 10th St., Cheney, KS 67025
Phone: 316-542-0480 - Cell: 316-208-5423

Plant Office, PO Box 1719, Collins, MS 39428
Phone: 800-228-4842

Specification Deviation Sheet
Missouri department of Transportation
Bid Request No. 3-080918

Warren pup trailers use a full length 5/8" hi-tensile cable that ties the chassis and tongue to the towing vehicle in lieu of 5/8" safety chains – 5/8" cable has greater strength than 5/8" chains

Warren's standard axle spacing is 50"

Warren uses Haldex ABS systems

Warren pup trailers use a 63-84 telescopic cylinder, our cylinder is mounted under the body so there is no doghouse in the front of the body and this mounting configuration allows the 84" stroke cylinder to give greater than a 45 degree tip angle

Standard body side height is 38"



Quote

Quote	WTTLLC00001698
Date	9/15/2008
Page	1

Warren Truck and Trailer, LLC
 P.O. BOX 425
 TALCO TX 75487
 warrentruckandtrailer.com

Customer Contact:

WARREN BLANCHARD
 (573) 526-7932 Ext. 0000

Bill To:

MISSOURI DEPT OF TRANSPORTATION
 P.O.B OX 270
 1320 CREEK TRAIL DRIVE
 JERRERSON CITY MISSOURI 65102

Ship To:

MISSOURI DEPT OF TRANSPORTATION
 P.O.B OX 270
 1320 CREEK TRAIL DRIVE
 JERRERSON CITY MISSOURI 65102

For questions please call: (888)734-4400 Fax# (903)379-4400

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date	Master No.
	MIS102		TOW AWAY		0/0/0000	10,002,358
Quantity	Item Number	Description	UOM	Unit Price	Ext. Price	
1	PDT	WARREN PUP TRAILER WPD-ES-S12 EXTENDED Frame PupTrailer Spring Cushion Hinged Tongue Hutch 9700 Spring Suspension 2@ 22,500 Hub Piloted Axles ONE AXLE TO HAVE ODOMETER 8@ 22.5 White Wheels and Tires HALDEX ABS on Both Axles Standard Light package Reflective Tape 8,000# Mini Drop Leg Jack Rear Underride Protection Safety Cables 5/8" 1@ SIDE Rubber Mounted Swivel Drawbar 63-84 WARREN Series Hydraulic Cylinder 48" HYDRAULIC JUMPER HOSE MALE PARKER 86-2 COUPLER Chassis Painted Black or Hwy Yellow #13432	Each	\$26,500.00	\$26,500.00	
1	PD	WARREN STANDARD PUP BODY STANDARD PUP BODY 10/12 YARDS 38" SIDES w/ VERTICAL BRACING 46" 3 PANEL TAILGATE 5" LONG RAILS 3" CROSS MEMBERS 3/16" FLOOR 10GA SIDES, FRONT, AND REAR REFLECTIVE TAPE ON BODY AND CHASSIS AIR LOCK TAILGATE BODY PAINTED Black or Hwy. Yellow # 13432 WOOD BOARDS	Each	\$0.00	\$0.00	



Quote

Quote	WTTLLC00001698
Date	9/15/2008
Page	2

Warren Truck and Trailer, LLC
P.O. BOX 425
TALCO TX 75487
warrentruckandtrailer.com

Customer Contact:

WARREN BLANCHARD
(573) 526-7932 Ext. 0000

Bill To:

MISSOURI DEPT OF TRANSPORTATION
P.O.B OX 270
1320 CREEK TRAIL DRIVE
JERRERSON CITY MISSOURI 65102

Ship To:

MISSOURI DEPT OF TRANSPORTATION
P.O.B OX 270
1320 CREEK TRAIL DRIVE
JERRERSON CITY MISSOURI 65102

For questions please call: (888)734-4400 Fax# (903)379-4400

Purchase Order No.	Customer ID	Salesperson ID	Shipping Method	Payment Terms	Req Ship Date	Master No.
	MIS102		TOW AWAY		0/0/0000	10,002,358
Quantity	Item Number	Description	UOM	Unit Price	Ext. Price	
1	FREIGHT	S-8 SUPPERSHIELD MESH PULL TARP DOES NOT INCLUDE REGISTRATION , INSPECTION, TAXES, OR TITLE FEES.	Each	\$2,010.00	\$2,010.00	

Quotation reviewed and accepted by:
(signed) _____
Please fax back to us for entry as an order
NOTE: Quotation good for 10 days only

Subtotal	\$28,510.00
Misc	\$0.00
Tax	\$0.00
Ship & Handling	\$0.00
Trade In Allowance	\$0.00
Total	\$28,510.00