

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
2013000	CLEARING AND GRUBBING	ACRE	7.95	20	1926.49132	20000	1	159
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	56	24479.13304	201719	750	56
2024043	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	S.F.	28.00	7	90.57143	268	20	196
2031000	CLASS A EXCAVATION	C.Y.	25042.32	44	4.99481	35	2.68	1101862
2035500	EMBANKMENT IN PLACE	C.Y.	5518.50	12	12.19995	17.5	7.8	66222
2036000	COMPACTING EMBANKMENT	C.Y.	16704.70	44	1.33876	43	0.1	735007
2037075	COMPACTING IN CUT	STA.	20.59	20	629.99522	8872	470	411.8
2042010	SETTLEMENT GAUGE	EACH	8.00	6	2220.42	2800	1322.52	48
2061000	CLASS 1 EXCAVATION	C.Y.	97.73	26	68.42097	142	11.5	2541
2061003	CLASS 1 EXCAVATION IN ROCK	C.Y.	38.00	7	122.13857	170.97	90	266
2063000	CLASS 3 EXCAVATION	C.Y.	1021.33	9	13.78585	47.57	5.4	9192
2063300	CLASS 4 EXCAVATION	C.Y.	339.00	4	41.39866	65	19.13	1356
2063500	CULVERT CLEANOUT	EACH	4.00	6	2305.625	5000	1161.3	24
2064000	POROUS BACKFILL	C.Y.	25.00	3	112.61667	227	45	75
2065500	TEMPORARY SHORING	L.S.	1.00	1	5000	5000	5000	1
2071000	LINEAR GRADING CLASS 1	STA.	11.80	3	1860.60333	4000	597.81	35.4
2072000	LINEAR GRADING CLASS 2	STA.	13.50	8	1809.11125	5200	850	108
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	1.00	1	610.63	610.63	610.63	1
2121000A	SUBGRADING AND SHOULDERING CLASS 1	STA.	1.00	1	610.63	610.63	610.63	1
2153000	SHAPING SLOPES, CLASS III	100FT	6.00	1	2096.21	2096.21	2096.21	6
2160500	REMOVAL OF BRIDGES	L.S.	1.00	33	67984.68424	250000	5000	33
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	9287.00	16	9.89	13	7.25	148592
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	1300.00	14	9.87391	67	5.9	18200
3040163	TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	1581.20	20	14.66504	20.3	8.5	31624
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	9272.20	20	7.92144	53.53	5.5	185444
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	2883.00	6	12.26167	15	9.9	17298
3101002	GRAVEL (A)	TON	11.00	7	74.85714	110	37	77
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	956.48	29	27.62136	82	17.59	27738
4010150	TYPE A2 SHOULDER	S.Y.	7314.20	4	31.1125	34	27.23	29256.8
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	77.00	7	257.57143	490	138	539
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	16956.86	8	51.14283	64	46.9	135654.9
4011213	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)	TON	80.00	6	158	226	1	480
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	8947.23	6	48.25866	53.87	45.05	53683.4
4013010	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)	TON	865.66	7	71.66256	255	63.6	6059.6
4020520	BITUMINOUS PAVEMENT MIXTURE PG64-22	TON	12232.27	29	61.98946	74.92	52	354735.7
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	442.00	8	105.625	110	105	3536
4030130	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125BSM MIX)	TON	6738.70	1	88.7	88.7	88.7	6738.7
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	1337.20	3	156.51	166.53	147	4011.6
4030206	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190C MIX)	TON	1013.10	3	123.47	131.41	116	3039.3
4030306	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)	TON	1483.70	8	105.625	110	105	11869.6
4071005	TACK COAT	GAL	7981.03	68	2.23939	15	1.83	542710
4091048	EMULSIFIED ASPHALT, SEAL COAT	GAL	82090.00	4	1.855	2.13	1.58	328360
4094012	SEAL COAT AGGREGATE, GRADE B2	S.Y.	293179.00	4	0.57281	0.68	0.495	1172716
4134000	BITUMINOUS FOG SEAL	GAL	556.40	10	4.49085	170	2	5564
5021106	CONCRETE PAVEMENT (6 IN. NON-REINF)	S.Y.	195.60	3	118.80333	226	65	586.8
5021112	CONCRETE PAVEMENT (12 INCH NON-REINFORCED)	S.Y.	4.40	3	394.69667	1020	75	13.2
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	7251.50	2	39.75	42	37.5	14503
5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	10911.40	2	42	45	39	21822.8

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
5021340	TYPE A2 SHOULDER	S.Y.	7314.20	2	30	32	28	14628.4
5031010A	BRIDGE APPROACH SLAB (MAJOR ROAD)	S.Y.	234.00	16	224.07625	275	192.9	3744
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	122.39	33	188.87531	479	59	4039
5041000	CONCRETE APPROACH PAVEMENT	S.Y.	280.20	8	124.91375	143	94	2241.6
6042010	ADJUSTING MANHOLE	EACH	2.00	3	1250.9	2180	752.7	6
6042020	ADJUSTING BASIN OR INLET	EACH	10.00	3	1522.88333	2180	1120	30
6044011	PIPE COLLAR, TYPE A	EACH	3.00	6	1384.08	1550	1000	18
6061010	GUARDRAIL TYPE A	L.F.	658.46	13	15.33864	17.48	14	8560
6061050	GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING	L.F.	250.00	6	26.98833	28.99	26.03	1500
6061060	MGS GUARDRAIL	L.F.	301.00	13	19.47055	24	17	3913
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	4.00	1	2550	2550	2550	4
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	3.00	12	2666.33722	3000	2100	36
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	1.00	8	1899.3925	2000	1868.38	8
6062204A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS	EACH	3.08	13	1713.487	3000	1400	40
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	6.00	6	465.14667	564.28	436.51	36
6062301A	TRANSITION SECTION, 7.5 FT. POSTS	EACH	1.00	8	366.11375	400	357.22	8
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	4.00	7	293.24857	350	256.37	28
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	3.08	13	1815.675	2500	1340.72	40
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	4.92	13	2019.06469	2264.86	1818.77	64
6066610	END ANCHOR	EACH	4.00	6	802.79	860.18	775.42	24
6071056	(72 IN.) PROPERTY FENCE (STRUCTURES)	L.F.	2418.00	6	20.86333	23	20	14508
6081010	CONCRETE CURB RAMP	S.Y.	47.27	9	208.53883	398	100.65	425.4
6081012	TRUNCATED DOMES	S.F.	96.00	9	40.82803	132	10	864
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	135.50	3	156.22667	326	67.68	406.5
6085007	PAVED APPROACH, 7 IN.	S.Y.	16.40	3	133.48667	258	70.46	49.2
6085008	PAVED APPROACH, 8 IN.	S.Y.	506.00	3	96.02	148	68.06	1518
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	274.08	10	52.61255	150	35	2740.8
6086007	CONCRETE SIDEWALK, 7 IN.	S.Y.	6.30	3	95.73	99.69	90	18.9
6086008	CONCRETE SIDEWALK, 8 IN.	S.Y.	41.50	3	71.44333	94.83	46.5	124.5
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	882.55	11	28.19672	100	19.1	9708
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	405.00	3	56.39333	81.5	37.68	1215
6091051	CURB AND GUTTER TYPE A	L.F.	436.00	3	50.7	84.5	27	1308
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	796.00	5	7.69035	102	2	3980
6092015	INTEGRAL CURB TYPE O	L.F.	111.00	3	45.00667	84.5	17.52	333
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	19.48	27	51.57177	213	30	526
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	349.05	21	41.06427	80	12	7330
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	680.29	7	42.84397	60	37	4762
6096040A	FURNISHING TYPE 4 ROCK DITCH LINER	C.Y.	160.00	7	39.97	50	35	1120
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	19.48	27	63.05445	472.19	15	526
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	349.05	21	32.07526	147.61	15	7330
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	680.29	7	23.96325	45	16.5	4762
6096044	PLACING TYPE 4 ROCK DITCH LINER	C.Y.	652.00	11	21.33182	30	12	7172
6096050	BEDDING MATERIAL FOR ROCK DITCH LINER	C.Y.	155.71	14	62.08367	100	31	2180
6097000	ROCK LINING	C.Y.	87.14	7	82.0683	107.25	50	610
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	1922.73	44	38.60679	67.5	30	84600
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	1922.73	44	16.46478	46	8.66	84600
6117000A	GABIONS	C.Y.	642.00	1	244	244	244	642
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	2.00	8	1652.5	2500	1500	16

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6122014	IMPACT ATTENUATOR (14 SAND BARRELS)	EACH	4.00	1	2550	2550	2550	4
6122017	IMPACT ATTENUATOR (17 SAND BARRELS)	EACH	4.00	6	2539.66667	3638	1650	24
6122020	REPLACEMENT SAND BARREL	EACH	12.00	15	164.56667	300	1	180
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.00	31	445.29032	1500	1	62
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.		200.00	4	268.5	540	210	800
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	182.00	4	5.14286	35	1	728
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	182.00	4	5.77473	60	1	728
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.		753.00	4	6.55976	8	5	3012
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH	EACH	490.00	4	10.7551	19	6	1960
6133020	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH	TON	351.00	2	259.225	435	83.45	702
6133021	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	2124.50	2	41.5	43	40	4249
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	4.33	9	1050.78513	2560	225.43	39
6141121	CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)	EACH	11.00	6	830.09333	1500	225.42	66
6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EACH	1.00	3	1738.13667	4070	344.41	3
6143013	MANHOLE FRAME AND COVER, TYPE 3	EACH	2.00	3	1123.63333	2070	200.9	6
6161005	CONSTRUCTION SIGNS	S.F.	1288.40	96	6.45494	17.5	5	123686
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	14.88	49	62.49344	275	40	729
6161009	FLAG ASSEMBLY	EACH	14.46	89	30.60263	88	10	1287
6161010	RELOCATED SIGNS	S.F.	567.33	9	6.35706	8.8	3.55	5106
6161024	CHANNELIZER (TRIM LINE) WITH LIGHT	EACH	732.00	1	13	13	13	732
6161025	CHANNELIZER (TRIM LINE)	EACH	74.52	56	22.698	82.5	10	4173
6161028	CHANNELIZER	EACH	177.00	8	18.375	19	18	1416
6161030	TYPE III MOVEABLE BARRICADE	EACH	11.91	53	197.02875	423.5	90	631
6161040	FLASHING ARROW PANEL	EACH	5.00	18	1508.46178	7150	400	90
6161047	TYPE III OBJECT MARKER	EACH	11.00	16	151.70455	400	110	176
6161052	WARNING LIGHT, TYPE B	EACH	4.00	1	75	75	75	4
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	46.00	14	148.17547	280.5	100	644
6161070	TUBULAR MARKER	EACH	132.00	8	57.625	65	55	1056
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIL	EACH	3.00	7	4914.28571	6900	4000	21
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR	EACH	2.41	29	3662.16229	7475	1980	70
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR	EACH	4.00	8	5647.5	9400	5000	32
6162010	WORK ZONE LIGHTING	EACH	1.00	2	3750	5000	2500	2
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	714.71	21	28.06697	138	20.56	15009
6181000	MOBILIZATION	L.S.	1.00	91	104672.4767	574780.31	4000	91
6191000	PAVEMENT EDGE TREATMENT	L.F.	1702.00	3	4.51333	5	4.25	5106
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	675.00	3	5.75	6	5.3	2025
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	165.83	6	15.66597	37.8	9	995
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	224.00	8	26.5875	28	26	1792
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	7.10	20	309.25887	423	200	142
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	6249.60	15	0.95629	2	0.75	93744
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	8864.14	14	1.02313	1.25	0.75	124098
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	17867.00	12	0.22019	2	0.15	214404
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	23592.67	21	0.31873	2.5	0.16	495446
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	5101.33	15	0.52627	1	0.16	76520
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	986.00	6	0.84667	1.08	0.65	5916
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	24799.48	33	0.1423	2	0.09	818383
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	61908.26	66	0.1118	15	0.09	4085945
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	803.00	8	0.44542	4.2	0.2	6424

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	166.00	6	2.58333	3.3	2	996
6207001	PAVEMENT MARKING REMOVAL	L.F.	2828.80	20	0.70192	4	0.3	56576
6208064	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	EACH	1786.63	8	0.55914	0.8	0.4	14293
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	96.00	8	2.76875	5	2	768
6214600A	FLOWABLE BACKFILL	C.Y.	25.00	1	200	200	200	25
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y.		5586.05	20	2.11374	27	1.46	111721
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF S.Y.		8781.00	18	3.28915	50	1.3	158058
6221011	COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE	C.Y.	8396.00	1	2.71	2.71	2.71	8396
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	1046.12	42	10.37317	60.23	2.5	43937
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	2218.06	47	2.6347	20	1.15	104249
6240104A	SEPARATION GEOTEXTILE	S.Y.	219.00	3	3.67667	5	2.83	657
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	783.83	7	15.78214	36.48	10.85	5486.8
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	317.00	1	15.71	15.71	15.71	317
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	34	13666	50000	2000	34
7011106	DRILLED SHAFTS (4 FT. 0 IN. DIA.)	L.F.	38.00	6	1048.68333	1460	825	228
7011205	ROCK SOCKETS (3 FT 6 IN. DIA.)	L.F.	36.00	6	646.18333	990	250	216
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	4.00	6	586.66667	1650	200	24
7011400	FOUNDATION INSPECTION HOLES	L.F.	76.00	6	118	200	66	456
7011600	SONIC LOGGING TESTING	EACH	4.00	6	1469.83333	2850	900	24
7021012	STRUCTURAL STEEL PILES (12 IN.)	L.F.	3313.00	6	48.58	60	31	19878
7021212	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	L.F.	386.58	19	84.84157	235	56	7345
7021314	GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN)	L.F.	490.00	7	77.80857	127	54	3430
7021316	GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN)	L.F.	410.00	7	89.27286	141	56.5	2870
7021324	GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN)	L.F.	650.00	6	160.34167	204	76.92	3900
7023000	TEST PILES	L.F.	57.00	6	62.53833	100	31	342
7025001	DYNAMIC PILE TESTING	EACH	1.50	12	2637.77778	4000	1650	18
7025002	PILE WAVE ANALYSIS	EACH	1.00	7	1271.42857	1900	800	7
7025004	DYNAMIC PILE RESTRIKE TESTING	EACH	4.00	7	1487.85857	3400	0.01	28
7026000	PRE-BORE FOR PILING	L.F.	139.38	13	91.20364	250	16.75	1812
7027000	PILE POINT REINFORCEMENT	EACH	21.13	39	179.381	986	90	824
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	94.32	39	784.40492	1323	205	3678.4
7032009	CLASS B CONCRETE (RETAINING WALLS)	C.Y.	108.40	3	776.30333	1260	508.91	325.2
7034212	SLAB ON STEEL	S.Y.	1059.00	16	268.19625	330	222	16944
7034213	SLAB ON CONCRETE I-GIRDER	S.Y.	901.15	13	303.42451	433	165	11715
7034215	SAFETY BARRIER CURB	L.F.	437.56	55	75.06223	280	59	24066
7034218	SLAB ON CONCRETE BULB-TEE GIRDER	S.Y.	950.00	7	304.33571	347.35	249	6650
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	803.00	12	337.85424	378	307	9636
7034222	SLAB ON CONCRETE BEAM	S.Y.	233.00	7	313.57143	380	145	1631
7040108	MODIFIED DECK REPAIR	S.F.	500.00	8	45.07625	75	26	4000
7056000	TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	365.00	7	192.17857	223	165	2555
7056002	TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	1483.00	6	175.22167	200	146	8898
7056010	TYPE 8 (63 IN.), PRESTRESSED CONCRETE BULB TEE	L.F.	979.00	7	218.60714	260.25	188	6853
7056022	NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER	L.F.	629.00	6	243.02	291.12	210	3774
7056025	NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER	L.F.	810.00	6	285.81833	325.91	254	4860
7056050A	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	230.00	7	334.10286	475.72	244	1610
7061060	REINFORCING STEEL (BRIDGES)	LBS	12678.75	32	1.15739	2	0.8	405720
7071000	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	6	22965.60667	25710	15000	6
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	10480.00	3	2.05	2.4	1.75	31440

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	10.11	19	1100.97188	2369	475	192
7123610	SLAB DRAIN	EACH	17.71	42	377.73715	934	225	744
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	8300.00	16	12.6675	24.09	10	132800
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	8300.00	16	3.9125	7	2.05	132800
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	8300.00	16	3.5625	5.7	2.05	132800
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	1900.00	16	5.1	12	2.05	30400
7126000	NON-DESTRUCTIVE TESTING	L.F.	89.00	16	34.27813	50	30	1424
7134000	BRIDGE GUARD RAIL (THRIE BEAM)	L.F.	36.00	2	30.75	31.5	30	72
7151001	VERTICAL DRAIN AT END BENTS	EACH	2.00	55	2547.47945	8369	460	110
7161000	PLAIN NEOPRENE BEARING PAD	EACH	7.13	32	180.18184	435	85	228
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	17.76	25	187.88649	360	110	444
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	16.00	7	627.22	1150	430	112
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	272.00	6	40.93333	53.4	30.9	1632
7250424	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	132.00	6	62.66667	106	39	792
7252006	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A	L.F.	130.00	6	82.05167	100.42	58	780
7252009	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-9/B-9A	L.F.	220.00	6	111.76167	158.08	66.74	1320
7261012	12 IN. PIPE GROUP A	L.F.	21.00	3	137.45333	247	65	63
7261018	18 IN. PIPE GROUP A	L.F.	337.00	9	45.34411	2690	38	3033
7261024	24 IN. PIPE GROUP A	L.F.	46.00	6	58.23667	71.45	48.5	276
7261030	30 IN. PIPE GROUP A	L.F.	378.00	6	63.155	80	44	2268
7261036	36 IN. PIPE GROUP A	L.F.	215.00	6	75.41833	90	50	1290
7261042	42 IN. PIPE GROUP A	L.F.	14.00	6	152.125	295.25	80	84
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	7.00	9	692.21238	1360	416.75	63
7311030	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	L.F.	4.00	3	831.98667	1060	610	12
7311042	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	L.F.	49.00	6	687.98167	1100	441.75	294
7320618A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	7.00	6	445.065	815.63	200	42
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	6	603.685	972.89	399.22	12
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	4.00	6	846.13167	1600	550	24
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	6.00	6	1118.08	1950	750	36
7320642A	42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	6	1544.06167	2300	1200	6
7320824A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	4.00	6	1049.83333	2636	350	24
7321006	B6 FLARED END SECTION	EACH	4.00	6	948.07667	1350	660	24
7321009	B9 FLARED END SECTION	EACH	2.00	6	1876.445	2350	1550	12
7321014A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION	EACH	2.00	6	1116.03667	1600	536.3	12
8032000A	KENTUCKY BLUEGRASS SODDING	S.Y.	205.00	3	10.67333	16.7	7.32	615
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	3.64	50	1931.28708	38500	434.05	181.9
8052000A	SEEDING - WARM SEASON MIXTURES	ACRE	0.90	4	4637.5	6700	3500	3.6
8061001	SEDIMENT BASIN EXCAVATION	C.Y.	440.00	6	19.4	26	11	2640
8061005	ROCK DITCH CHECK	L.F.	260.83	46	14.93571	55	2.4	11998
8061006	ALTERNATE DITCH CHECK	L.F.	2154.00	6	12.48333	15	9	12924
8061007A	CURB INLET CHECK	EACH	11.33	9	124.01922	160	78.83	102
8061010A	TYPE B BERM	L.F.	1058.00	13	3.44576	12	1	13754
8061011	SLOPE DRAINS	L.F.	42.00	7	17.87571	33.48	5	294
8061016	SEDIMENT REMOVAL	C.Y.	55.15	55	40.48224	176.53	5	3033
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	1.32	28	1632.07162	15500	286.5	37
8061019	SILT FENCE	L.F.	3817.33	45	1.52742	8.55	0.7	171780
8061050	TYPE C BERM	L.F.	329.48	33	41.42324	116	4	10873
8064121	TYPE 2 EROSION CONTROL BLANKET	S.Y.	8547.00	2	1.705	2.1	1.31	17094

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8064122	TYPE 3 EROSION CONTROL BLANKET	S.Y.	6595.63	8	2.01482	5.5	1.39	52765
8064124	TYPE 5 EROSION CONTROL BLANKET	S.Y.	214.00	7	2.46857	6.5	1.75	1498
9011060	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1	EACH	10.00	6	1611.43667	1700	1564.54	60
9011115	BRACKET ARM, 15 FT. OR 4.6 M	EACH	10.00	6	690.62	735	668.74	60
9011310	LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM	EACH	10.00	6	711.63333	760	690.6	60
9012230	BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT	EACH	2.00	6	6651.64	7100	6458.28	12
9013002	CONDUIT, 2 IN. RIGID, IN TRENCH	L.F.	10.00	6	17.92667	19	17.32	60
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	345.00	6	18.89167	20	18.25	2070
9014004	CONDUIT, 4 IN. RIGID, PUSHED	L.F.	327.00	6	36.265	38.05	35.18	1962
9016110	PULL BOX, PREFORMED CLASS 1	EACH	12.00	6	1245.77167	1325	1203.21	72
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	130.00	6	3.75	4	3.61	780
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	1200.00	6	1.57167	1.75	1.49	7200
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	4440.00	6	3.425	4	3.2	26640
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	10.00	6	1447.88333	1510	1409.1	60
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	2.00	6	4775.78667	5100	4628.23	12
9020514	SIGNAL HEAD, TYPE 4B	EACH	4.00	3	1562.54667	1676.39	1461.25	12
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	8.00	3	884.01667	948.95	827.1	24
9022650	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	EACH	4.00	3	420.43	451.09	393.2	12
9024283	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER	EACH	1.00	3	23865.97	25618.91	22329	3
9024920	DETECTOR, PUSHBUTTON	EACH	8.00	3	1229.47333	1318.42	1150	24
9024975	VIDEO DETECTION SYSTEM	EACH	1.00	3	19017.23333	20401.7	17800	3
9025200	CONDUIT, 2 IN., TRENCH	L.F.	28.00	3	23.51667	25.05	22	84
9025300	CONDUIT, 3 IN., TRENCH	L.F.	43.00	3	27.38	29.44	25.7	129
9025400	CONDUIT, 4 IN., TRENCH	L.F.	11.00	3	44.98667	47.96	42	33
9027300	CONDUIT, 3 IN., PUSHED	L.F.	243.00	3	34.85667	37.07	32.5	729
9027400	CONDUIT, 4 IN., PUSHED	L.F.	43.00	3	46.45333	49.86	43.5	129
9028100	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	290.00	3	1.53	1.64	1.45	870
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	2280.00	3	1.37333	1.47	1.3	6840
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	1490.00	3	1.57	1.66	1.45	4470
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	1500.00	3	1.79667	1.92	1.7	4500
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	1900.00	3	2.22	2.36	2.1	5700
9028621	POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET	EACH	1.00	3	6866.46667	7371.4	6425	3
9028811	PULL BOX, PREFORMED CLASS 2	EACH	2.00	3	1565.48667	1680.46	1465	6
9028812	PULL BOX, PREFORMED CLASS 3	EACH	3.00	3	2060.39	2211.17	1930	9
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	6.78	17	679.86648	1400	557.13	115.3
9031210	STRUCTURAL STEEL POSTS	LBS	4446.67	9	2.46817	4.06	2.33	40020
9031220	PIPE POSTS	LBS	1885.29	17	2.92375	4.31	2.69	32050
9031240	BREAKAWAY ASSEMBLY	EACH	23.24	17	87.32646	180.85	75.15	395
9031250A	U-CHANNEL POST, 3 LB	L.F.	9.00	6	14.67167	21.5	12.91	54
9031252	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE	EACH	19.00	6	31.38833	36.02	29.56	114
9031256	7 FT. CHANNEL POST DELINEATOR, WHITE	EACH	40.00	6	27.40833	32.17	25.62	240
9031257A	7 FT. CHANNEL POST DELINEATOR, YELLOW	EACH	3.00	6	27.40833	32.17	25.62	18
9031258	7 FT. CHANNEL POST DELINEATOR, WHITE/RED	EACH	30.00	6	31.38833	36.02	29.56	180
9031259A	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED	EACH	7.00	6	31.38833	36.02	29.56	42
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	32.00	3	14.7	15.6	14	96
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	10.00	3	35.46333	37.59	33.5	30
9035004	TYPE SHR2L-1 SIGN	S.F.	269.00	9	18.06565	23.9	16.14	2421
9035011	SIGN, TYPE STR2L-3	S.F.	786.00	6	18.05667	20.94	17.05	4716

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9035017	48 IN. STOP SIGN	EACH	2.00	6	192.69333	289.11	167.35	12
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	102.00	3	49.85	53.45	46.6	306

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
2013000	CLEARING AND GRUBBING	ACRE	1.00	12	3108.33333	7000	1000	12
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	115	7646.91817	52450	6.47	115
2024043	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	S.F.	2.00	4	750	1000	500	8
2031000	CLASS A EXCAVATION	C.Y.	2716.18	79	9.18634	40	2.7	214578
2035500	EMBANKMENT IN PLACE	C.Y.	696.92	25	26.92049	59.12	12.85	17423
2036000	COMPACTING EMBANKMENT	C.Y.	1779.73	49	5.00163	39.57	1	87207
2037075	COMPACTING IN CUT	STA.	11.20	6	653.89777	969	530	67.2
2061000	CLASS 1 EXCAVATION	C.Y.	68.33	45	51.6054	187	12	3075
2063000	CLASS 3 EXCAVATION	C.Y.	41.33	6	35.25	70	15	248
2063500	CULVERT CLEANOUT	EACH	1.00	9	2429.31889	5373.87	800	9
2071000	LINEAR GRADING CLASS 1	STA.	1.37	14	1629.16667	5500	600	19.2
2072000	LINEAR GRADING CLASS 2	STA.	797.05	8	159.0183	4676.15	86	6376.4
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	4.33	30	710.47846	2437.2	100	130
2142000	FURNISHING ROCK FILL	C.Y.	2358.56	55	22.66046	56	12	129721
2143000	PLACING ROCK FILL	C.Y.	2358.56	55	13.76092	67.81	3.95	129721
2153000	SHAPING SLOPES, CLASS III	100FT	5.15	13	1818.92537	3400	4	67
2160500	REMOVAL OF BRIDGES	L.S.	1.00	45	33447.29156	85000	10500	45
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	4505.33	15	7.56474	15	5.2	67580
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	5	8512	15680	2080	5
2164500	REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE	L.F.	106.00	4	380	425	350	424
3040133	TYPE 1 AGGREGATE FOR BASE (3 IN. THICK)	S.Y.	272.00	4	11.125	13.5	7	1088
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	821.16	25	10.4252	47.64	6	20529
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	786.43	23	7.90049	25	5.6	18088
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	4940.00	2	7.855	9.65	6.06	9880
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	45.34	35	40.92939	128	14.95	1587
3105003	GRAVEL (A) OR CRUSHED STONE (B)	S.Y.	237.33	9	7.80829	10	5.5	2136
4010151	TYPE A3 SHOULDER	S.Y.	273.98	8	36.0649	82.1	27.95	2191.8
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	583.50	4	114.75	120	113	2334
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	1210.02	28	60.67491	300.92	45	33880.5
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	3273.01	13	52.70858	172	44.3	42549.1
4030003	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)	TON	21393.60	2	50.235	50.47	50	42787.2
4030016	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)	TON	2832.50	8	61.38752	76.88	52.4	22660
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	13919.75	8	53.39261	56.79	50.4	111358
4030208	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)	TON	31691.80	2	44.31	44.45	44.17	63383.6
4071005	TACK COAT	GAL	4086.50	20	1.85777	14.75	1.5	81730
4134000	BITUMINOUS FOG SEAL	GAL	1228.25	16	3.82831	165	2.65	19652
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	124.82	45	118.20287	300	60	5617
6044013	PIPE COLLAR, TYPE C	EACH	1.00	2	2700	3500	1900	2
6057000	AGGREGATE DRAIN	L.F.	1482.80	10	41.59907	51.5	15	14828
6061010	GUARDRAIL TYPE A	L.F.	723.67	27	17.91868	37	16.5	19539
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	319.00	6	30.33333	31	30	1914
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	175.00	4	24.8625	26.25	24	700
6061060	MGS GUARDRAIL	L.F.	1411.67	15	20.13375	35.29	18	21175
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	325.00	6	23.35705	25.5	22	1950
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	4.60	10	2678.26087	2835	2600	46
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	3.73	11	578.1878	1000	500	41
6061080	MGS END ANCHOR	EACH	1.44	9	1132.15385	1940	900	13
6062000	BRIDGE ANCHOR SECTION (BRUSH CURB)	EACH	12.00	4	1746.25	1800	1700	48

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH		3.00	2	2152.5	2205	2100	6
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH		3.50	6	1900	2100	1800	21
6062204A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS		3.91	35	1903.72263	2200	1700	137
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	4.00	4	437.5	550	400	16
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	4.74	39	456.64865	660	355	185
6062304	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS	EACH	3.50	6	480	500	440	21
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	6.80	15	2071.69608	3700	450	102
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	4.18	45	2357.79383	3363.77	2000	188
6063017	TYPE C CRASHWORTHY END TERMINAL	EACH	1.00	3	16000	16000	16000	3
6066610	END ANCHOR	EACH	3.29	7	978.6413	1023.75	850	23
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	18.00	3	39.62	43.61	35.25	54
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	96.90	10	46.05996	310	34.25	969
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	18.00	3	58.71	100	26.13	54
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	96.90	10	37.7999	671	14	969
6097000	ROCK LINING	C.Y.	18.80	15	71.33227	172.53	32	282
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	428.64	55	33.29199	58.07	20	23575
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	428.64	55	20.64004	36	7	23575
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	2.00	4	2856.25	3900	2400	8
6122020	REPLACEMENT SAND BARREL	EACH	6.00	4	322.5	375	300	24
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	10.00	4	1052.5	1260	750	40
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.00	14	2589.28571	5000	750	28
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.		834.57	14	202.93244	236	157.65	11684
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	350.00	14	4.95661	10	1	4900
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR	S.Y.	338.57	14	6.4138	13	1	4740
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.		1828.57	14	6.25012	7.25	4.5	25600
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEIEACH		942.86	14	4.52955	10	2.75	13200
6131017	DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH		50.00	8	24.295	80	6.25	400
6132018	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y.		2.90	4	3550.2	5900.8	1800	11.6
6132019	REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P S.Y.		34.30	4	336.8	490.35	250	137.2
6161005	CONSTRUCTION SIGNS	S.F.	456.39	115	8.09488	48	3.5	52485
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	9.26	102	68.75242	750	1	945
6161009	FLAG ASSEMBLY	EACH	7.41	102	25.54221	250	1	756
6161010	RELOCATED SIGNS	S.F.	64.00	12	7.41667	22	1	768
6161025	CHANNELIZER (TRIM LINE)	EACH	110.79	48	18.36734	75	8	5318
6161030	TYPE III MOVEABLE BARRICADE	EACH	10.90	71	117.04649	330	30	774
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	2.00	4	238.75	330	165	8
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	36.00	2	38.65	50	27.3	72
6161034	DIRECTIONAL INDICATOR BARRICADE WITH LIGHT	EACH	36.00	4	108.75	165	80	144
6161040	FLASHING ARROW PANEL	EACH	3.43	14	782.60417	1500	200	48
6161047	TYPE III OBJECT MARKER	EACH	7.94	18	134.75524	270	100	143
6161052	WARNING LIGHT, TYPE B	EACH	6.00	4	49.75	64	40	24
6161096	CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED	EACH	2.00	7	81.35714	204	5	14
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAI	EACH	2.21	24	3586.22283	5500	1500	53
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRA	EACH	1.20	10	3920.83333	5775	3000	12
6162000A	WORK ZONE TRAFFIC SIGNAL SYSTEM	EACH	1.00	10	14406	30000	5000	10
6162004	SHORT-TERM RUMBLE STRIPS	EACH	12.00	4	362.5	700	150	48
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	464.00	4	26.6875	44.75	14	1856
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	2320.00	4	11.35	14	8	9280

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6181000	MOBILIZATION	L.S.	1.00	115	59584.53391	315000	2300	115
6191000	PAVEMENT EDGE TREATMENT	L.F.	117.00	5	25.39	100	4	585
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	9.67	6	329.91379	395	300	58
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	4.00	6	257.66667	340	210	24
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT	EACH	3.00	4	540.25	685	410	12
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	2122.00	6	1.49227	4.16	0.55	12732
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	4000.00	10	1.57	3.65	0.45	40000
6205309	PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE	L.F.	70.40	10	7.9679	50	3.3	704
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	260.00	2	1.085	2	0.17	520
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	64130.80	10	0.22989	0.26	0.19	641308
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	48445.20	10	0.23	0.26	0.19	484452
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	2466.50	8	0.465	0.48	0.44	19732
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	20154.63	38	0.15047	4.4	0.09	765876
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	4808.79	52	0.30647	35	0.09	250057
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	145.00	2	7.75	10.5	5	290
6207001	PAVEMENT MARKING REMOVAL	L.F.	2907.17	24	1.23234	6.25	0.25	69772
6208064	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	EACH	49.38	13	5.20106	15	2	642
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	30.00	6	9.575	15.2	2.25	180
6214600A	FLOWABLE BACKFILL	C.Y.	2595.00	2	2.94	3.5	2.38	5190
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC	S.Y.	23537.33	18	1.691	10.73	0.54	423672
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF	S.Y.	33672.47	19	1.12465	20.4	0.54	639777
6223010	DIAMOND GRINDING (CONCRETE PAVEMENT)	S.Y.	218698.00	4	2.7575	4	2.15	874792
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	4458.17	18	3.90527	11.55	2.26	80247
6233000	EPOXY POLYMER CONCRETE OVERLAY	S.Y.	513.00	4	56.7	58.8	56	2052
6240101A	SUBSURFACE DRAINAGE GEOTEXTILE	S.Y.	3062.00	7	2.65714	6.95	1.2	21434
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	953.12	82	2.74195	7	1.05	78156
6252002	UNDERSEALING MATERIAL ASPHALT CEMENT	GAL	33622.80	10	4.37831	4.62	4.15	336228
6254000	DEFLECTION TESTING	EACH	181.40	10	26.15832	33.6	20	1814
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	565.18	15	17.08631	1741.9	8.5	8477.7
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	84	4802.39048	21600	6	84
7011105	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	L.F.	98.80	10	504.8417	843	410	988
7011204	ROCK SOCKETS (3 FT 0 IN. DIA.)	L.F.	64.50	10	388.42326	480	250	645
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	4.00	10	824	1320	100	40
7011400	FOUNDATION INSPECTION HOLES	L.F.	104.50	10	112.18469	139	93	1045
7011600	SONIC LOGGING TESTING	EACH	4.00	10	2450	3100	1200	40
7021210	GALVANIZED STRUCTURAL STEEL PILES (10 IN)	L.F.	524.00	11	62.51904	119	53	5764
7021212	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	L.F.	408.00	5	71.2	80	57	2040
7021314	GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN)	L.F.	552.00	4	79	106	55	2208
7021316	GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN)	L.F.	1064.00	4	107.75	130	84	4256
7025001	DYNAMIC PILE TESTING	EACH	2.70	20	2256.64074	4400	1200	54
7025004	DYNAMIC PILE RESTRIKE TESTING	EACH	2.40	20	1932.47083	3250	500	48
7026000	PRE-BORE FOR PILING	L.F.	51.00	5	81.6	95	55	255
7027000	PILE POINT REINFORCEMENT	EACH	14.96	25	124.8877	170	79.2	374
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	55.34	45	778.14337	1400	520	2490.1
7034001	CLASS B-1 CONCRETE	C.Y.	76.60	4	1095	1600	400	306.4
7034003	CLASS B-1 CONCRETE (SUBSTRUCTURE)	C.Y.	51.20	5	740.6	924	664	256
7034212	SLAB ON STEEL	S.Y.	528.33	15	267.56126	340	185	7925
7034215	SAFETY BARRIER CURB	L.F.	346.41	59	73.7892	126	39	20438

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	584.44	27	303.12248	413	250	15780
7034222	SLAB ON CONCRETE BEAM	S.Y.	393.72	18	315.73501	377	250	7087
7034226	REINFORCED CONCRETE SLAB OVERLAY	S.Y.	461.00	5	271.1	435	180	2305
7034630	CONCRETE CURB (BRIDGE RAIL)	L.F.	313.50	6	45.80049	70.05	23.5	1881
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	36.67	15	142.9	225	72	550
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	68.33	15	124.86341	223	56	1025
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	452.00	16	233.94336	295	200	7232
7056022	NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER	L.F.	1182.00	5	203.4	220	190	5910
7056023	NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER	L.F.	483.50	6	258.43489	330	215	2901
7056049	21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	428.91	11	244.15261	300	225	4718
7056050A	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	389.00	4	246.5	287	210	1556
7056060	16 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER	L.F.	664.00	5	281.1	323	238.5	3320
7061060	REINFORCING STEEL (BRIDGES)	LBS	10643.79	29	1.18385	4	1	308670
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	4120.00	4	2.375	3	1.75	16480
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	5	5066.6	5880	4053	5
7121100	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	LBS	360.00	3	8.41667	12	5.75	1080
7121159	SHEAR CONNECTORS	EACH	1480.00	10	5.86476	9	3.5	14800
7121250	STRENGTHENING EXISTING STRINGERS	L.S.	1.00	5	18920	32000	10600	5
7122300	BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)	L.F.	313.00	6	139.17945	143	138	1878
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	6.00	6	645.2	700	525	36
7123610	SLAB DRAIN	EACH	21.08	65	307.03155	1139	185	1370
7125102	SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER	L.S.	1.00	5	1733.4	3000	600	5
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	19200.00	4	16.985	19.49	12.25	76800
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	19200.00	4	1.52	3	1	76800
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	19200.00	4	1.52	3	1	76800
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	3500.00	4	2.02	5	1	14000
7125960	ALUMINUM EPOXY-MASTIC PRIMER	L.S.	1.00	5	2082.4	3000	1500	5
7126000	NON-DESTRUCTIVE TESTING	L.F.	33.50	10	60.1403	140	19	335
7151001	VERTICAL DRAIN AT END BENTS	EACH	2.00	45	1516.73489	3000	666.87	90
7161000	PLAIN NEOPRENE BEARING PAD	EACH	7.79	47	158.5506	365.36	63.2	366
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	18.81	37	160.8508	375	73.4	696
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	70.00	4	64.22	100	32.55	280
7250348A	48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	14.00	5	157.96	250	103	70
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	78.40	10	36.77934	57	24.5	784
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	63.00	9	51.98483	82.6	38	567
7250424	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	56.00	4	54	64	44	224
7261024	24 IN. PIPE GROUP A	L.F.	48.00	6	67.555	88	28.5	288
7261036	36 IN. PIPE GROUP A	L.F.	25.00	2	125.8	144.6	107	50
7265230	JACKED 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE	L.F.	122.00	2	795.7	900	691.4	244
7320012A	12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.00	4	547.0525	721	250	8
7320048A	48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	5	2204	3590	1650	5
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	6	599.44333	1000	286	6
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	2	5050	6000	4100	2
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	2	1438.39	1700	1176.78	2
7320815A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	4.00	6	309.5	672	150	24
7320818A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	2	634.785	875	394.57	4
7320824A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	4	604.25	1167	300	8
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	1.00	2	3437.5	4250	2625	2

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8061003	SEDIMENT TRAP EXCAVATION	C.Y.	11.33	9	58.61971	173	20	102
8061004	SEDIMENT TRAP ROCK	C.Y.	13.56	9	68.69164	150	45	122
8061005	ROCK DITCH CHECK	L.F.	95.12	59	23.16254	111.82	10	5612
8061006	ALTERNATE DITCH CHECK	L.F.	42.00	6	31.5	56	15	252
8061016	SEDIMENT REMOVAL	C.Y.	14.76	75	36.9001	500	5	1107
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	0.37	27	6134.89713	12850	1000	10.1
8061019	SILT FENCE	L.F.	951.81	57	3.16076	25	2	54253
8061050	TYPE C BERM	L.F.	232.98	60	33.86779	103.23	8.82	13979
8064120	TYPE 1 EROSION CONTROL BLANKET	S.Y.	2149.54	13	2.73584	15	0.53	27944
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	177.00	4	18.5	25	12	708
9016110	PULL BOX, PREFORMED CLASS 1	EACH	2.00	4	1450	2000	1200	8
9017404	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	L.F.	216.67	9	12.25282	25	4	1950
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	1200.00	2	5.525	5.65	5.4	2400
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	0.72	13	1535.6383	4000	750	9.4
9031210	STRUCTURAL STEEL POSTS	LBS	90.00	5	11.576	13.08	10.9	450
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	5.00	2	205	210	200	10
9031250A	U-CHANNEL POST, 3 LB	L.F.	138.00	4	19	20	18	552
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	32.00	6	13.95833	16.5	12	192
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	12.00	5	30.8	38	28.25	60
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	54.86	7	14.1	16.8	12	384
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	6.00	6	47.70833	60	30	36
9031280	2.5 IN. PSST POST - 12 GA.	L.F.	96.00	2	14.35	14.7	14	192
9031281	POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	L.F.	24.00	2	24.6	25.2	24	48
9035004	TYPE SHR2L-1 SIGN	S.F.	35.00	5	25.3	30	23.5	175
9035004A	SH-FLAT SHEET	S.F.	82.00	2	24.6	25.2	24	164
9035069	TYPE SHR4L-1 SIGN	S.F.	36.00	4	29	42	24	144

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
1041000	TEMPORARY SURFACING	C.Y.	368.00	5	60.56	121.75	37	1840
2013000	CLEARING AND GRUBBING	ACRE	3.48	40	9935.60403	50000	1600	139
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	194	80500.41954	1031574.61	388.08	194
2031000	CLASS A EXCAVATION	C.Y.	18377.93	85	11.83712	95.65	4.45	1562124
2032000	CLASS C EXCAVATION	C.Y.	11493.00	5	21.696	32.5	15.4	57465
2035000	UNCLASSIFIED EXCAVATION	C.Y.	2730.91	11	22.3254	202	10	30040
2035500	EMBANKMENT IN PLACE	C.Y.	11825.68	38	11.68428	60	0.1	449376
2036000	COMPACTING EMBANKMENT	C.Y.	9323.92	79	1.9557	89.34	0.1	736590
2037075	COMPACTING IN CUT	STA.	36.49	70	973.21133	7384.9	21	2554
2061000	CLASS 1 EXCAVATION	C.Y.	141.25	32	62.79265	158	1	4520
2061003	CLASS 1 EXCAVATION IN ROCK	C.Y.	56.40	10	99.73761	231	30	564
2063000	CLASS 3 EXCAVATION	C.Y.	1699.10	73	12.93825	208.28	1	124034
2063300	CLASS 4 EXCAVATION	C.Y.	361.00	25	33.4295	102.98	6	9025
2063500	CULVERT CLEANOUT	EACH	5.55	29	1991.81317	13440	775.55	161
2065500	TEMPORARY SHORING	L.S.	1.00	18	38221.385	114000	5000	18
2071000	LINEAR GRADING CLASS 1	STA.	15.68	113	1273.48627	14769.9	40	1772.3
2072000	LINEAR GRADING CLASS 2	STA.	30.28	15	1213.31461	6814.8	230	454.2
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	9.00	5	604.026	815	285.15	45
2121000A	SUBGRADING AND SHOULDERING CLASS 1	STA.	3.00	4	6317.575	22200	865.25	12
2142000	FURNISHING ROCK FILL	C.Y.	7834.30	20	32.07697	55	0.01	156686
2143000	PLACING ROCK FILL	C.Y.	7834.30	20	10.22759	45	3	156686
2153000	SHAPING SLOPES, CLASS III	100FT	16.80	60	2172.93257	12098.69	297.3	1008
2160500	REMOVAL OF BRIDGES	L.S.	1.00	29	146076.819	330000	60000	29
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	6550.56	102	8.79775	17.16	3	668157
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	33	24596.72242	145310	1	33
3030600	FURNISHING ROCK BASE MATERIAL	S.Y.	10.00	12	36.31333	88	14.6	120
3030610A	PLACING ROCK BASE (18 IN. THICK)	S.Y.	10.00	12	43.41583	93.5	15	120
3040133	TYPE 1 AGGREGATE FOR BASE (3 IN. THICK)	S.Y.	95.00	3	105.66	247.98	12	285
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	2896.96	68	7.2371	90	5	196993
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	5020.69	74	8.76433	127.95	4.83	371531
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	11189.23	31	8.79712	35	6.39	346866
3101002	GRAVEL (A)	TON	106.00	2	188	188	188	212
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	52.45	11	43.33995	75	28	577
3105003	GRAVEL (A) OR CRUSHED STONE (B)	S.Y.	1784.00	5	9.38	11.5	7.28	8920
3107003	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	S.Y.	7467.00	2	6.9	6.9	6.9	14934
4010104	11 INCHES, BITUMINOUS PAVEMENT	S.Y.	17432.20	1	34.17	34.17	34.17	17432.2
4010150	TYPE A2 SHOULDER	S.Y.	2647.25	19	36.94988	75.46	30.28	50297.7
4010151	TYPE A3 SHOULDER	S.Y.	672.27	49	36.15389	129.96	15	32941.2
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	54.40	5	207.844	303.56	138	272
4011208	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)	TON	6667.60	2	60.635	63.89	57.38	13335.2
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	810.42	80	78.76508	1200	50	64833.9
4011211	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)	TON	13634.75	4	55.81091	62.89	54.8	54539
4011213	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)	TON	3437.00	2	61.855	71.87	51.84	6874
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	482.03	41	93.39539	1112.24	10	19763.2
4013010	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)	TON	59.30	8	158.765	167	150	474.4
4030001	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)	TON	14020.80	2	60.13	63.68	56.58	28041.6
4030006	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX)	TON	5178.50	2	71.91	81.54	62.28	10357
4030009	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)	TON	44812.00	4	73.61158	102.91	65.52	179248

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	2308.76	10	61.05573	190	50.94	23087.6
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	14096.18	23	53.45612	634.61	44.95	324212.1
4030114	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)	TON	8195.70	4	64.525	76.6	48.98	32782.8
4030116	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)	TON	577.20	7	108.32429	136.4	85.75	4040.4
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	7597.51	21	87.75222	775.52	79.49	159547.8
4030206	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190C MIX)	TON	1056.90	7	82.92429	115.5	71.5	7398.3
4030217	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)	TON	2104.92	9	70.35577	140	59.32	18944.3
4030401	8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	717.30	1	78.93	78.93	78.93	717.3
4030404	11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	17090.10	1	35.19	35.19	35.19	17090.1
4030409	12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	32110.20	1	34.04	34.04	34.04	32110.2
4030422	12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM	S.Y.	898.60	1	193.83	193.83	193.83	898.6
4030423	13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM	S.Y.	6602.20	1	53.59	53.59	53.59	6602.2
4071005	TACK COAT	GAL	8915.88	68	2.05585	27.5	1.5	606280
4071006	TACK COAT - POLYMER MODIFIED	GAL	6222.86	7	2.45761	3	1.95	43560
4133100	ULTRATHIN BONDED WEARING SURFACE, TYPE B	S.Y.	96385.64	11	4.55237	5.75	3.71	1060242
4133200	ULTRATHIN BONDED WEARING SURFACE, TYPE C	S.Y.	181949.00	6	3.86908	4.23	3.61	1091694
4134000	BITUMINOUS FOG SEAL	GAL	2613.00	13	3.43353	72	2.55	33969
5021106	CONCRETE PAVEMENT (6 IN. NON-REINF)	S.Y.	405.25	10	85.05652	125	35.9	4052.5
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	288.10	2	61.65	61.65	61.65	576.2
5021110	CONCRETE PAVEMENT (10 IN. NON-REINF)	S.Y.	209.00	5	197.5	450	100	1045
5021307	CONCRETE PAVEMENT (7 IN. NON-REINFORCED 15 FT. JOINTS)	S.Y.	165.50	4	93.175	108.9	64.05	662
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	5691.23	13	44.94233	123.55	40.21	73986
5021309	CONCRETE PAVEMENT (9 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	4793.00	4	53.9225	60.6	50.5	19172
5021310	CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	159.78	11	89.13803	155.75	59.45	1757.6
5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	14345.96	17	48.15588	800	39.43	243881.4
5021333	CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	23281.53	9	47.3064	55.6	40.5	209533.8
5021340	TYPE A2 SHOULDER	S.Y.	4665.62	5	36.07541	46.75	32.48	23328.1
5021341	TYPE A3 SHOULDER	S.Y.	364.11	18	46.71291	210	22.75	6554
5031010A	BRIDGE APPROACH SLAB (MAJOR ROAD)	S.Y.	244.85	26	279.07494	518.45	195	6366
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	193.69	29	179.20559	275	95.5	5617
5041000	CONCRETE APPROACH PAVEMENT	S.Y.	605.81	13	100.29898	128.9	70	7875.5
6021000	DRAIN MARKER	EACH	2.00	5	309.538	703.28	130	10
6042010	ADJUSTING MANHOLE	EACH	1.44	9	1713.83154	3800	893.25	13
6042020	ADJUSTING BASIN OR INLET	EACH	4.13	8	2833.02727	6400	1219.43	33
6044011	PIPE COLLAR, TYPE A	EACH	1.92	49	1529.17553	6800	459	94
6044012	PIPE COLLAR, TYPE B	EACH	1.28	25	1175.97562	2750	423	32
6046012A	12 IN. SLOTTED DRAIN	L.F.	28.00	6	255.045	322.61	215.03	168
6051018A	PIPE AGGREGATE PAVEMENT CROSS DRAIN	L.F.	117.30	10	47.67796	200	19.2	1173
6053020A	FRENCH UNDERDRAIN	L.F.	456.00	4	21.0875	31.5	1.3	1824
6053030A	PIPE AGGREGATE PAVEMENT EDGE DRAIN	L.F.	3919.00	15	11.47887	97.1	7.75	58785
6054020	OUTLET PIPES AND SPLASH PADS	EACH	4.60	5	1096.5587	3122.75	305	23
6060110	BULLNOSE GUARDRAIL SYSTEM	EACH	1.00	3	7058.03333	8024.3	6414.8	3
6061010	GUARDRAIL TYPE A	L.F.	673.61	18	15.03221	17.04	14.2	12125
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	930.05	41	24.51024	32	20.5	38132
6061040	GUARDRAIL TYPE D	L.F.	30.92	13	23.35821	90	14.24	402
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	400.00	2	21.63	21.63	21.63	800
6061060	MGS GUARDRAIL	L.F.	2388.11	37	18.24255	42	16	88360
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	4900.31	32	20.39772	30	19	156810

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6061063	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING	L.F.	359.18	22	24.85025	54	15.63	7902
6061065	MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING	L.F.	1126.83	12	42.84678	47.75	32	13522
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	14.12	25	2598.30102	2928.41	2400	353
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	11.43	23	2662.06859	5000	2200	263
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	18.82	11	461.34903	555	450	207
6061076	MGS TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	49.00	2	1953.96	2000	1907.92	98
6061079	MGS EMBEDDED ANCHOR SECTION (WITHOUT RUBRAIL)	L.F.	125.00	2	47.9	47.9	47.9	250
6061080	MGS END ANCHOR	EACH	5.45	44	888.15304	2200	791	240
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.00	20	1535.429	1886.3	1400	80
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.00	31	1610.39452	1886.3	1430	124
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	4.00	6	302.93667	325	286.31	24
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	6.00	22	405.28197	550	268.28	132
6062304	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS	EACH	4.18	33	319.26029	400.16	268.28	138
6062400	BRIDGE ANCHOR SECTION (THRIE BEAM)	EACH	2.00	4	2599.01	3189.04	2100	8
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	14.02	60	2134.03489	5000	1900	841
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	4.29	59	2013.63024	2639.59	1650	253
6063017	TYPE C CRASHWORTHY END TERMINAL	EACH	2.43	7	20490.94235	27500	15920.1	17
6064100	MEDIAN GUARD CABLE 3 - STRAND	L.F.	4351.00	8	9.75375	11	8.05	34808
6064110	ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND	EACH	6.00	8	2587.39	2860	2150	48
6066610	END ANCHOR	EACH	7.00	4	783.83	807	769.16	28
6071011A	CHAIN-LINK FENCE (48 IN.)	L.F.	450.00	6	32.72	55	15.2	2700
6071060	PEDESTRIAN FENCE (STRUCTURES)	L.F.	66.20	25	124.88888	150	118.7	1655
6071101	MODIFIED CONCRETE GUTTER TYPE A	L.F.	323.00	2	75.9	75.9	75.9	646
6081000	CONCRETE MEDIAN	S.Y.	757.92	18	33.09537	247	25.5	13642.5
6081010	CONCRETE CURB RAMP	S.Y.	180.80	44	154.24148	540	31.25	7955.1
6081012	TRUNCATED DOMES	S.F.	240.75	61	25.62698	112	2	14686
6083003	3 IN. CONCRETE MEDIAN STRIP	S.Y.	53.12	13	63.37715	292	32	690.5
6083004	4 IN. CONCRETE MEDIAN STRIP	S.Y.	22.50	7	134.90857	278.69	98	157.5
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	1449.67	15	39.1093	246	32	21745.1
6083008	8 IN. CONCRETE MEDIAN STRIP	S.Y.	446.44	14	71.77212	163.8	43.91	6250.2
6085007	PAVED APPROACH, 7 IN.	S.Y.	463.25	26	91.91793	155	38.09	12044.6
6085008	PAVED APPROACH, 8 IN.	S.Y.	747.17	31	69.23331	160	40.9	23162.3
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	1458.69	51	41.72919	157.4	5.73	74393
6086007	CONCRETE SIDEWALK, 7 IN.	S.Y.	16.68	9	102.13068	439	29.75	150.1
6086008	CONCRETE SIDEWALK, 8 IN.	S.Y.	71.00	5	117.2	400	35	355
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	261.18	11	39.7224	77.55	31.45	2873
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	200.10	20	48.86094	650	9	4002
6091041	CONCRETE GUTTER TYPE A	L.F.	201.54	37	53.47407	339	23.75	7457
6091042	CONCRETE GUTTER TYPE B	L.F.	456.00	4	39	46.9	31.55	1824
6091051	CURB AND GUTTER TYPE A	L.F.	414.20	20	33.56504	59.1	24.68	8284
6091052	CURB AND GUTTER TYPE B	L.F.	3307.38	21	18.44233	69.84	11	69455
6091060	PAVED DITCH	S.Y.	1865.43	12	57.13818	81	48.13	22385.2
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	1007.60	10	12.02863	25.08	2	10076
6092012	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B	L.F.	218.00	10	20.33463	44.1	5	2180
6092015	INTEGRAL CURB TYPE O	L.F.	25.00	7	30.62429	54.25	18.7	175
6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	L.F.	62.00	5	141.85	650	9	310
6092022	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B	L.F.	16.00	5	26.25	62	9.5	80
6093010	ASPHALT CURB	L.F.	22.00	14	110.28571	150	50	308

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6094010	DRAIN BASIN	EACH	3.00	6	4804.22667	10086	1138.31	18
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	67.02	62	50.41118	509.75	28	4155
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	171.82	22	54.53817	239	33.5	3780
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	834.77	13	59.33032	77.25	36.25	10852
6096040A	FURNISHING TYPE 4 ROCK DITCH LINER	C.Y.	68.00	5	60.262	77.3	47.95	340
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	67.02	62	46.81906	432.49	14.6	4155
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	171.82	22	31.98142	180	14.6	3780
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	834.77	13	22.91373	51	14.55	10852
6096044	PLACING TYPE 4 ROCK DITCH LINER	C.Y.	68.00	5	42.458	82.5	14.6	340
6096050	BEDDING MATERIAL FOR ROCK DITCH LINER	C.Y.	311.00	13	63.53207	94.75	23.5	4043
6097000	ROCK LINING	C.Y.	82.16	31	95.02269	730.78	56.34	2547
6113010	FURNISHING TYPE 1 ROCK BLANKET	C.Y.	167.08	12	45.79328	80	27.74	2005
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	415.92	77	41.30284	75	15.5	32026
6113030	PLACING TYPE 1 ROCK BLANKET	C.Y.	167.08	12	42.46963	133.75	20.2	2005
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	415.92	77	25.07917	134.56	11	32026
6122008	IMPACT ATTENUATOR (8 SAND BARRELS)	EACH	2.00	7	1794.57143	2000	1650	14
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	2.33	15	1857.54029	3500	1000	35
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	1.00	2	2425	2900	1950	2
6122017	IMPACT ATTENUATOR (17 SAND BARRELS)	EACH	2.31	16	3093.19946	3673.62	300	37
6122019	IMPACT ATTENUATOR (19 SAND BARRELS)	EACH	4.00	8	3761.875	5720	2850	32
6122020	REPLACEMENT SAND BARREL	EACH	6.46	37	270.47523	600	1	239
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	4.50	22	896.45657	1500	350	99
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.21	90	2081.47136	15974.54	100	199
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA'S.Y.		519.09	51	271.0267	1004.45	127.1	26473.8
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	96.31	51	3.20372	125	1	4912
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	82.24	51	5.55168	164	1	4194
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.		2817.37	51	2.79912	18.6	1.45	143686
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH		991.53	47	5.44719	38.15	2.56	46602
6131017	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH EACH		10086.00	6	1.17197	5.65	1.15	60516
6131018	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH		491.14	7	2.95148	6.5	0.01	3438
6132018	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y.		41.85	4	181.21864	183.5	155	167.4
6132019	REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P.S.Y.		164.50	4	356.92386	453.55	343.55	658
6133018	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL	TON	144.25	39	112.9732	1436.01	32	5625.9
6133019	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	647.85	39	84.01154	985.99	31.5	25266.2
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	2.00	15	783.089	1353.31	402.5	30
6141022	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)	EACH	1.00	2	1103	1250	956	2
6141024	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)	EACH	4.54	24	1853.33046	2900	925	109
6141028	GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)	EACH	1.00	5	1625.572	2050	1233.68	5
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	8.25	16	640.33197	1500	250	132
6141121	CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)	EACH	11.31	16	979.63939	1680	400	181
6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EACH	5.00	10	586.2572	1300	190.66	50
6143012	MANHOLE FRAME AND COVER, TYPE 2	EACH	1.23	22	678.11481	1700	270	27
6143013	MANHOLE FRAME AND COVER, TYPE 3	EACH	16.63	35	420.35402	1400	160	582
6143014	MANHOLE FRAME AND COVER, TYPE 4	EACH	3.50	10	586.98543	1330	240	35
6161005	CONSTRUCTION SIGNS	S.F.	1543.02	203	8.28902	25	1.21	313234
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	7.18	120	63.90307	160	10.11	862
6161009	FLAG ASSEMBLY	EACH	18.92	191	29.74635	210	5	3613
6161010	RELOCATED SIGNS	S.F.	293.00	5	13.6	20	12	1465

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6161024	CHANNELIZER (TRIM LINE) WITH LIGHT	EACH	190.00	7	44	80	30	1330
6161025	CHANNELIZER (TRIM LINE)	EACH	222.01	144	22.33413	99	0.11	31970
6161028	CHANNELIZER	EACH	294.50	16	21.04257	93.5	11.51	4712
6161030	TYPE III MOVEABLE BARRICADE	EACH	18.09	93	203.76103	467	75	1682
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	26.74	72	203.80187	600	32	1925
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	66.71	51	55.46516	201	10	3402
6161034	DIRECTIONAL INDICATOR BARRICADE WITH LIGHT	EACH	84.17	12	101.03455	162.07	55	1010
6161040	FLASHING ARROW PANEL	EACH	4.61	130	1091.44977	4321.9	54.72	599
6161052	WARNING LIGHT, TYPE B	EACH	37.00	5	82	150	65	185
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	67.51	53	80.6822	251.25	18	3578
6161070	TUBULAR MARKER	EACH	28.50	12	118.31503	216.09	50	342
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIL	EACH	2.67	88	3236.97643	10300	300	235
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR	EACH	5.13	52	3332.14067	8800	900	267
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR	EACH	7.04	56	4250.65013	20000	500	394
6162010	WORK ZONE LIGHTING	EACH	1.00	20	11639.1855	76600	560.77	20
6171000	CONCRETE TRAFFIC BARRIER, TYPE A	L.F.	82.45	11	210.9337	630	95	907
6172000	CONCRETE TRAFFIC BARRIER, TYPE B	L.F.	245.00	6	168.69333	286	100	1470
6173000	CONCRETE TRAFFIC BARRIER, TYPE C	L.F.	1265.00	5	77.918	84.28	70	6325
6173100	CONCRETE TRAFFIC BARRIER, TYPE D	L.F.	375.50	10	156.24887	395	60	3755
6173102	CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)	L.F.	1766.00	5	89.746	129	63.7	8830
6173200	CONCRETE TRAFFIC BARRIER, TYPE E	L.F.	1185.00	4	86.125	100	69.5	4740
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	1889.37	38	23.87579	130	11.37	71796
6173700B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAIL	L.F.	1339.24	17	33.22443	45	13.23	22767
6174000A	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	2.00	17	1165.80765	4285	15.51	34
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	2634.66	38	10.47261	45	4.45	100117
6175011B	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED	L.F.	3540.00	10	14.89805	32.95	5.56	35400
6175020A	RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	3.00	5	422.19	823.85	287.1	15
6181000	MOBILIZATION	L.S.	1.00	203	236322.2544	3099186.38	2810	203
6191000	PAVEMENT EDGE TREATMENT	L.F.	6386.92	60	2.09656	13.31	0.01	383215
6205101A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., WHITE	L.F.	1496.47	15	3.67391	7	2.5	22447
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	1008.51	49	4.30328	16	2.5	49417
6205118	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN., WHITE	L.F.	2720.00	3	5.76667	6.3	5	8160
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	331.85	86	17.59326	46.43	10	28539
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	237.43	23	14.24467	29	6.5	5461
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	21.34	93	234.08589	600	150	1985
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	8.41	34	236.74937	525	110	286
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT	EACH	2.70	30	478.85506	680	340	81
6205133	TYPE 2 PREFORMED MARKING TAPE (GROOVED) WORD (ONLY)	EACH	3.64	25	422.22681	650	325	91
6205134	TYPE 2 PREFORMED MARKING TAPE (GROOVED) RAILROAD CROSSING MARKER	EACH	2.00	2	1000	1000	1000	4
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR	EACH	26.17	18	183.21966	250	50	471
6205139	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN. WHITE, YIELD LINE TRIAN	EACH	50.54	13	53.1505	150	23	657
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIAN	EACH	86.50	10	31.66562	60	26	865
6205141	TYPE 2 PREFORMED MARKING TAPE (GROOVED), LEFT/RIGHT FISH HOOK ARRC	EACH	1.00	5	610.538	995	500	5
6205142	TYPE 2 PREFORMED MARKING TAPE (GROOVED), STRAIGHT FISH HOOK ARROW	EACH	4.00	5	527.43	995	400	20
6205143	TYPE 2 PREFORMED MARKING TAPE (GROOVED), COMBINATION STRAIGHT-LEF	EACH	10.00	5	896.414	995	850	50
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	8242.21	42	1.24155	2	0.8	346173
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	8363.24	42	1.28776	2	0.8	351256
6205309	PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE	L.F.	89.44	25	9.21151	34.08	5	2236

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205320	PREFORMED REMOVABLE MARKING TAPE, 12 IN., WHITE	L.F.	189.50	12	7.02963	12	3.5	2274
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	26162.27	22	0.18525	5.5	0.12	575570
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEA	L.F.	37664.72	112	0.23159	11	0.13	4218449
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	29140.56	90	0.21802	5.71	0.13	2622650
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	4580.94	50	0.51457	2.3	0.33	229047
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	2906.59	86	0.66426	5.5	0.08	249967
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	3140.29	101	0.40028	7.5	0.08	317169
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	107.58	12	4.78381	15	0.2	1291
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	141.90	30	3.37312	34	1	4257
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	355.94	31	3.77889	26	2	11034
6207001	PAVEMENT MARKING REMOVAL	L.F.	16027.27	67	0.45122	13	0.2	1073827
6207002	PAVEMENT MARKING REMOVAL (SYMBOLS)	EACH	6.22	27	76.49887	250	1.5	168
6214600A	FLOWABLE BACKFILL	C.Y.	76.28	18	121.3693	275	50	1373
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC	S.Y.	121606.47	86	1.35206	25	0.47	10458156
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF	S.Y.	28626.71	7	2.51277	20.1	1.31	200387
6221011	COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE	C.Y.	9.00	5	241.72	350	212	45
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	1202.76	33	8.7516	223.79	4.8	39691
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	861.77	81	3.56984	14.36	0.68	69803
6240104A	SEPARATION GEOTEXTILE	S.Y.	2102.06	17	3.39399	9.66	1.1	35735
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	665.21	56	13.62627	900	6	37251.7
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	496.17	6	12.41312	32.18	6.5	2977
6262000A	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	STA.	13.00	4	56.96	63	44.84	52
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	111	19806.97748	122150	40	111
7011105	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	L.F.	296.87	15	583.16916	1208	379.28	4453
7011106	DRILLED SHAFTS (4 FT. 0 IN. DIA.)	L.F.	69.80	5	832.25	1024	517.25	349
7011204	ROCK SOCKETS (3 FT 0 IN. DIA.)	L.F.	74.00	15	609.49777	1176	365	1110
7011205	ROCK SOCKETS (3 FT 6 IN. DIA.)	L.F.	58.47	6	841.55929	1116	567.25	350.8
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	4.91	11	483.42222	1080.48	100	54
7011400	FOUNDATION INSPECTION HOLES	L.F.	190.68	16	107.1714	130	90	3050.8
7011600	SONIC LOGGING TESTING	EACH	9.94	16	1627.38113	6482.86	275	159
7021210	GALVANIZED STRUCTURAL STEEL PILES (10 IN)	L.F.	1206.00	10	63.26898	84	55	12060
7021212	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	L.F.	444.71	17	76.00339	115.65	53	7560
7025001	DYNAMIC PILE TESTING	EACH	2.00	16	2268.015	2539.12	1450	32
7026000	PRE-BORE FOR PILING	L.F.	304.36	11	72.51828	145	40	3348
7027000	PILE POINT REINFORCEMENT	EACH	16.59	27	109.49054	161.33	85	448
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	100.24	37	850.5882	1574	580	3708.8
7032009	CLASS B CONCRETE (RETAINING WALLS)	C.Y.	6.68	20	2248.20404	2950	1822.08	133.5
7034001	CLASS B-1 CONCRETE	C.Y.	115.30	14	911.96961	6000	210.42	1614.2
7034041	CLASS B-1 CONCRETE (CULVERTS)	C.Y.	174.93	16	600.21066	860	450	2798.9
7034212	SLAB ON STEEL	S.Y.	740.82	102	292.62889	450	125	75564
7034215	SAFETY BARRIER CURB	L.F.	403.77	126	82.288	240	10	50875
7034219A	BARRIER CURB (TYPE D)	L.F.	361.00	10	109.02618	174	79	3610
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	1163.64	11	305.57523	356.8	249	12800
7034222	SLAB ON CONCRETE BEAM	S.Y.	1068.00	6	276.79167	322.66	235	6408
7034226	REINFORCED CONCRETE SLAB OVERLAY	S.Y.	702.92	12	292.39035	610	157.41	8435
7034430	SIDEWALK (BRIDGES)	S.F.	3997.00	5	33.09	90	14.45	19985
7034600	CURB BLOCKOUT	L.F.	944.00	8	88.31875	115	62.5	7552
7034610	CORRAL CURB	L.F.	42.00	5	375.388	690.5	110	210

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7034620	FORM LINERS	S.Y.	82.00	17	125.86211	270.95	35	1394
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	102.73	22	158.72091	225	100	2260
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	73.64	33	170.16584	550	100	2430
7040110	EPOXY PRESSURE INJECTING	L.F.	46.50	10	235.29316	824	53.99	465
7040113	CLEAN AND EPOXY SEAL	S.F.	1013.20	25	6.46494	15	3.83	25330
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	1474.00	5	245.874	270.22	215	7370
7056022	NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER	L.F.	749.00	6	241.26333	306.58	200	4494
7056050A	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	1117.64	11	268.42739	318.74	233	12294
7056051A	33 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	1003.00	5	268.948	307.94	240	5015
7056061	22 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER	L.F.	160.00	7	350.80143	396.61	330	1120
7061000	REINFORCING STEEL	LBS	60.00	5	7.86	14	1.1	300
7061030	REINFORCING STEEL (CULVERTS)	LBS	25786.88	16	1.08745	1.8	0.58	412590
7061040	REINFORCING STEEL (RETAINING WALL)	LBS	1285.00	20	1.98465	2.5	1.4	25700
7061060	REINFORCING STEEL (BRIDGES)	LBS	31729.19	37	1.44126	2.5	0.95	1173980
7061070	MECHANICAL BAR SPLICE	EACH	330.50	10	32.24026	175	19.6	3305
7071000	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	5	5478.44	6750.6	5095	5
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	10132.22	9	1.39035	2.5	1	91190
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	45	11239.33178	71500	2610.34	45
7110300	CONCRETE AND MASONRY PROTECTION SYSTEM	L.S.	1.00	64	6706.95922	61557.06	539.6	64
7110400	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	64	6512.44578	61557.06	539.6	64
7121159	SHEAR CONNECTORS	EACH	2406.92	37	6.34857	12	3.43	89056
7121250	STRENGTHENING EXISTING STRINGERS	L.S.	1.00	21	64584.0881	129562.5	41411.93	21
7123130	REHABILITATE BEARING	EACH	6.00	8	3190.24125	6420	500	48
7123610	SLAB DRAIN	EACH	23.41	115	374.93499	1116	150	2692
7125102	SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER	L.S.	1.00	37	5791.74378	36800	813.88	37
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	10689.19	37	20.77997	53	12.04	395500
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	10689.19	37	3.20724	13	1	395500
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	3889.19	37	2.67628	8	1	143900
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	3889.19	37	2.75133	8	1	143900
7125960	ALUMINUM EPOXY-MASTIC PRIMER	L.S.	1.00	37	4720.96	31500	750	37
7126000	NON-DESTRUCTIVE TESTING	L.F.	46.24	66	55.88328	139	25	3052
7133000	BRIDGE GUARD RAIL (W-BEAM)	L.F.	55.00	4	181.6	188	179.2	220
7151001	VERTICAL DRAIN AT END BENTS	EACH	2.00	62	3352.83242	9300	900	124
7161000	PLAIN NEOPRENE BEARING PAD	EACH	10.55	11	198.55379	480	127	116
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	28.00	33	289.52732	1200	153	924
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	20.75	16	346.40241	540.24	220	332
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	31.78	23	1500.18338	5500	444	731
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	83.13	23	335.53845	500	158	1912
7173002	SILICONE EXPANSION JOINT SEALANT	L.F.	64.00	7	58.88429	194	12.4	448
7201000	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	4792.92	64	63.78943	85.98	52	306747
7201100	FORM LINERS FOR MSE WALL SYSTEMS	S.Y.	526.29	34	7.95564	40	1	17894
7201200	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS	C.Y.	16.72	32	92.30129	210	40	535
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	36.50	10	58.98671	226.65	36	365
7250315A	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	256.31	16	51.97632	87	35.25	4101
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	1553.29	28	47.25814	79	34.27	43492
7250324A	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	437.77	31	61.58474	105	37.43	13571
7250330A	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	104.00	5	70.886	91.84	59.5	520
7250336A	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	19.00	5	99.66	125.22	77.28	95

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7250342A	42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	17.00	7	152.17	400	74.1	119
7250348A	48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	185.36	11	111.30171	188	77.47	2039
7250412	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	10.33	6	141.43548	315	40.25	62
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	207.00	6	45.51167	56.27	37	1242
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	60.00	3	78.33333	88	67	180
7251000	CORRUGATED METAL PIPE PILE SPACERS	EACH	18.00	10	993.915	1600	1	180
7261012	12 IN. PIPE GROUP A	L.F.	58.56	16	57.51818	1200	29.48	937
7261015	15 IN. PIPE GROUP A	L.F.	841.56	16	50.54869	90	33.37	13465
7261018	18 IN. PIPE GROUP A	L.F.	262.67	42	57.33218	202	25.2	11032
7261024	24 IN. PIPE GROUP A	L.F.	219.86	29	69.29869	521.39	44.98	6376
7261030	30 IN. PIPE GROUP A	L.F.	296.00	10	79.46065	116	58.65	2960
7261036	36 IN. PIPE GROUP A	L.F.	277.33	15	92.1356	213	67	4160
7261042	42 IN. PIPE GROUP A	L.F.	505.00	5	103.876	111.16	91	2525
7310048	PRECAST CONCRETE MANHOLE - 48 IN.	L.F.	20.85	26	570.75716	801.15	250	542
7310060	PRECAST CONCRETE MANHOLE - 60 IN.	L.F.	15.75	12	661.3937	1350	480	189
7310072	PRECAST CONCRETE MANHOLE - 72 IN.	L.F.	29.45	11	677.82833	915	343.23	324
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	29.31	16	745.60667	1590	301.4	469
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	3.20	10	1086.15687	3000	445	32
7311033	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	L.F.	3.00	2	1195	1380	1010	6
7311042	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	L.F.	36.13	16	693.91763	1405.5	350	578
7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	L.F.	51.34	35	697.98031	1220	450	1797
7320015A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.00	11	815.26545	2210	250	33
7320018A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.29	28	899.265	1900	337.97	92
7320024A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	26	956.28423	1707.47	393.87	26
7320030A	30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.00	5	1294.926	2130	660	15
7320036A	36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.00	5	1367.1	2270	511.62	10
7320042A	42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	7	1922.54571	2300	1619.75	7
7320048A	48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	11	2059.84727	3834.11	1265	11
7320612A	12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	5	1155.396	1734.4	700	10
7320615A	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.36	11	1084.58885	1834.54	312.07	26
7320618A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.68	19	712.26549	2701	300	51
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	19	1062.00579	1938.72	393.87	19
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	10	1497.759	2286.53	925	20
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3.33	15	1840.1334	3451.62	1250	50
7320642A	42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3.00	5	2046.92	2860	1450	15
7320815A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	4.00	6	621.15667	1189	278.13	24
7320818A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	3	850	1200	600	6
7321013A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION	EACH	2.00	5	1629.938	1795.75	1367.97	10
8031000A	TURF TYPE TALL FESCUE SODDING	S.Y.	1619.00	2	7.14	7.14	7.14	3238
8033000	K-31 TALL FESCUE SODDING	S.Y.	7087.00	5	5.24	6	4.95	35435
8034000	BUFFALOGRASS SODDING	S.Y.	890.00	5	9.47	10.4	7.33	4450
8041000	TOPSOIL	C.Y.	26.00	2	74	108	40	52
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	1.67	149	2726.05876	41260	350	249.5
8052000A	SEEDING - WARM SEASON MIXTURES	ACRE	5.29	14	2060.4058	6870	1095	74.1
8061003	SEDIMENT TRAP EXCAVATION	C.Y.	25.00	5	31.76	50	20	125
8061004	SEDIMENT TRAP ROCK	C.Y.	43.81	31	85.89224	397	32	1358
8061005	ROCK DITCH CHECK	L.F.	223.94	100	20.15057	150	12	22394
8061006	ALTERNATE DITCH CHECK	L.F.	313.80	98	10.16559	52.5	3.25	30752

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8061007A	CURB INLET CHECK	EACH	24.21	52	127.74179	362	40	1259
8061010A	TYPE B BERM	L.F.	711.00	5	3.436	5.93	2	3555
8061011	SLOPE DRAINS	L.F.	20.00	5	25.984	39.81	10.5	100
8061016	SEDIMENT REMOVAL	C.Y.	61.83	169	40.88514	500	5	10450
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	2.13	58	1497.41168	30000	695	123.7
8061019	SILT FENCE	L.F.	2412.32	146	2.03045	11.4	0.7	352199
8061020	TEMPORARY PIPE	L.F.	520.27	11	57.94012	100	26	5723
8061050	TYPE C BERM	L.F.	592.49	35	28.60125	76.5	2.3	20737
8064120	TYPE 1 EROSION CONTROL BLANKET	S.Y.	9978.73	30	1.71183	7	1.33	299362
8064122	TYPE 3 EROSION CONTROL BLANKET	S.Y.	12959.43	28	1.37	4	1.21	362864
8064123	TYPE 4 EROSION CONTROL BLANKET	S.Y.	3178.00	2	2.45	2.5	2.4	6356
8064128	TYPE 1 TURF REINFORCEMENT MAT	S.Y.	2719.00	9	3.27361	6.21	2.76	24471
8064129	TYPE 2 TURF REINFORCEMENT MAT	S.Y.	971.00	5	3.254	3.43	3.17	4855
8064130	TYPE 3 TURF REINFORCEMENT MAT	S.Y.	1939.00	5	3.512	4.54	3.06	9695
8080102	RED MAPLE	EACH	9.25	12	438.66604	501.31	348.75	111
8080404	RED CEDAR	EACH	6.00	5	445.264	500	406.32	30
8080601	HETZII JUNIPER	EACH	8.00	5	445.264	500	406.32	40
9011010	RELOCATED POLE	EACH	11.00	5	1594.3	1930	1365.05	55
9011030	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT	EACH	7.45	22	1412.49963	2060	1009.9	164
9011060	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1	EACH	5.85	13	1613.52053	2344.83	1440.66	76
9011062	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	EACH	11.14	14	1525.90103	2678	1389.18	156
9011064	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3	EACH	19.50	10	1394.058	1530	1307.73	195
9011106	BRACKET ARM, 6 FT. OR 1.8 M	EACH	16.00	16	255.65594	286.48	236.93	256
9011115	BRACKET ARM, 15 FT. OR 4.6 M	EACH	9.50	34	466.43009	764	263.09	323
9011250	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM (UNDERPASS)	EACH	8.00	5	728.014	870	629.86	40
9011300	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM	EACH	6.14	29	346.37483	635	226.09	178
9011310	LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM	EACH	13.52	29	454.58992	588.56	325	392
9011320	LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM	EACH	5.00	6	475.595	500.63	465.48	30
9012230	BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT	EACH	1.53	34	6303.10596	10172	3368	52
9012231	BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT	EACH	1.00	6	6811.4	7169.86	6666.43	6
9013002	CONDUIT, 2 IN. RIGID, IN TRENCH	L.F.	767.46	28	6.90722	27.65	4.9	21489
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	959.35	23	13.27574	20.54	8	22065
9013004	CONDUIT, 4 IN. RIGID, IN TRENCH	L.F.	393.09	22	16.9091	35	7.25	8648
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	484.20	15	21.54821	31.5	14	7263
9014004	CONDUIT, 4 IN. RIGID, PUSHED	L.F.	247.00	12	33.1285	42.03	28	2964
9014502	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE	L.F.	190.00	5	39.768	54.5	30.01	950
9015010	TRENCHING TYPE I	L.F.	4075.41	27	5.50655	12.35	4.1	110036
9015030	TRENCHING TYPE III	L.F.	950.00	3	5.82333	9.45	4	2850
9016110	PULL BOX, PREFORMED CLASS 1	EACH	12.36	45	1039.8595	2190	801.18	556
9016111	PULL BOX, PREFORMED CLASS 2	EACH	7.00	5	1372.976	1460	1302.78	35
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	691.30	23	2.18613	3.65	1.85	15900
9017006	CABLE, 6 AWG 1 CONDUCTOR	L.F.	730.00	6	1.54167	1.62	1.5	4380
9017008	CABLE, 8 AWG 1 CONDUCTOR	L.F.	5622.31	13	1.0618	1.26	0.95	73090
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	1577.35	34	1.04462	5	0.56	53630
9017202	WIRE, 2 AWG, BARE NEUTRAL	L.F.	41.67	12	2.3916	3.99	1.75	500
9017206	WIRE, 6 AWG, BARE NEUTRAL	L.F.	360.00	6	1.25333	1.31	1.22	2160
9017208	WIRE, 8 AWG, BARE NEUTRAL	L.F.	2810.77	13	0.98852	1.15	0.75	36540
9017401	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG	L.F.	180.00	6	9.39	13.1	5.04	1080

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9017402	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG	L.F.	6190.00	5	4.176	4.62	3.7	30950
9017404	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	L.F.	4687.50	16	3.62697	5.38	2.7	75000
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	4076.67	33	3.3175	5.91	2.4	134530
9018230	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	EACH	7.45	22	979.90488	1965	696.88	164
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	14.00	31	1013.3747	1819	870	434
9018610	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	5	3171.296	3400	3061.2	5
9018611	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGN	EACH	1.00	5	5850.076	7640	4654.21	5
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.54	24	4775.22892	6403	3368	37
9018622	POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	6	4042.63333	4255.38	3956.59	6
9020111	SIGNAL HEAD, TYPE 1T	EACH	24.00	4	769.2075	830	720.1	96
9020114	SIGNAL HEAD, TYPE 4T	EACH	2.00	2	2420	2420	2420	4
9020211	SIGNAL HEAD, TYPE 1S	EACH	2.00	5	860	900	850	10
9020213	SIGNAL HEAD, TYPE 3S	EACH	3.85	34	843.20832	1083	742.85	131
9020214	SIGNAL HEAD, TYPE 4S	EACH	3.50	10	1015.61029	1115	919	35
9020513	SIGNAL HEAD, TYPE 3B	EACH	10.18	33	1014.32339	1240	882.28	336
9020514	SIGNAL HEAD, TYPE 4B	EACH	3.34	32	1469.31009	2677.6	1031.66	107
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	11.05	19	606.99962	850	483	210
9021213	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3S	EACH	1.00	5	3734.684	4500	3205.29	5
9021413	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B	EACH	6.00	5	3918.782	4620	3432.72	30
9022650	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	EACH	8.00	5	448.688	462.9	440.84	40
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	8.03	31	895.87044	1221	726.3	249
9022715	POST, SIGNAL 15 FT. OR 4.6 M	EACH	1.55	11	1148.97176	1350	1055.6	17
9023120	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM	EACH	1.00	3	5286	5700	4758	3
9023125	POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM	EACH	1.00	5	6006.964	6528.7	5803.97	5
9023130	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM	EACH	2.00	3	6639.33333	6900	6138	6
9023135	POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM	EACH	1.00	5	6148.11	6691.5	5937.1	5
9023140	POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM	EACH	1.00	3	8783.33333	9100	8550	3
9023145	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM	EACH	2.00	5	8081.434	8847.4	7792.37	10
9023155	POST, TYPE CL, 55 FT. ARM	EACH	1.00	7	10900.07714	11673.4	10135.83	7
9023225	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM	EACH	1.00	5	4922.426	5124.67	4742.98	5
9023230	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM	EACH	2.00	5	5623.088	6120	5246.64	10
9023235	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM	EACH	2.00	5	5584.77	6150	5167.63	10
9023240	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM	EACH	1.00	11	6587.40364	7700	6162.6	11
9023245	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM	EACH	1.36	14	7175.32421	10500	6353.51	19
9023250	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM	EACH	2.00	9	9743.13667	13500	7274.96	18
9023355	POST, TYPE B, LONGEST ARM 55 FT.	EACH	1.00	5	12336.852	13900	11208.29	5
9023440	POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M	EACH	1.00	5	11214.61	12296.7	10808.95	5
9024170	CONTROLLER ASSEMBLY HOUSING, TYPE 170	EACH	2.00	4	15341.61	16900	13421.1	8
9024281	CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC	EACH	1.00	9	14424.83111	15314.61	13360	9
9024283	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER	EACH	3.18	17	15096.49037	20903.27	12060	54
9024920	DETECTOR, PUSHBUTTON	EACH	17.57	14	875.35756	1700	212	246
9025020	CONDUIT, 1 IN., LOOP DETECTOR	L.F.	41.20	5	16.21981	25.62	9	206
9025200	CONDUIT, 2 IN., TRENCH	L.F.	230.03	31	15.20654	33	9.5	7131
9025300	CONDUIT, 3 IN., TRENCH	L.F.	504.32	44	16.64339	86	10	22190
9025400	CONDUIT, 4 IN., TRENCH	L.F.	20.00	5	32	32	32	100
9027200	CONDUIT, 2 IN., PUSHED	L.F.	570.00	5	9.2	10	9	2850
9027300	CONDUIT, 3 IN., PUSHED	L.F.	375.41	29	31.29315	79	18.75	10887
9027400	CONDUIT, 4 IN., PUSHED	L.F.	299.07	14	24.55826	58	17.3	4187

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9028100	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	608.33	12	1.12329	1.26	1	7300
9028202	CABLE, 2 AWG 1 CONDUCTOR, POWER	L.F.	1925.00	10	2.03557	2.21	1.4	19250
9028206	CABLE, 6 AWG 1 CONDUCTOR, POWER	L.F.	328.46	13	1.55681	1.8	1.35	4270
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	333.75	8	1.29674	2.25	0.5	2670
9028302	CABLE, 12 AWG 2 CONDUCTOR	L.F.	923.75	16	1.49863	2.75	0.6	14780
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	2180.83	36	1.1089	1.97	0.01	78510
9028309	CABLE, 16 AWG 3 CONDUCTOR	L.F.	1170.00	5	1.42	1.5	1.4	5850
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	2156.11	36	1.43449	2.76	0.6	77620
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	2695.23	44	1.84959	4.6	0.7	118590
9028340	RG-8/U COAXIAL CABLE	EACH	840.00	7	3.84143	4.25	2.5	5880
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	5950.00	20	5.79023	11.2	3.37	119000
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	221.25	8	1.71056	2.8	0.25	1770
9028620	POWER SUPPLY ASSEMBLY, TYPE 2	EACH	1.00	14	4607.93143	6000	3842.46	14
9028621	POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET	EACH	2.00	5	4940.694	5377.4	4771.82	10
9028810	PULL BOX, PREFORMED CLASS 1	EACH	7.25	12	1134.61517	1365	972	87
9028811	PULL BOX, PREFORMED CLASS 2	EACH	7.63	30	1337.70716	2080	840	229
9028812	PULL BOX, PREFORMED CLASS 3	EACH	2.17	23	1858.3306	2264.4	1390.24	50
9028820	PULL BOX, CONCRETE, STANDARD	EACH	2.00	5	3152	3200	3140	10
9029100	BASE, CONCRETE	C.Y.	16.31	44	1626.75993	2565.3	525	717.5
9029400	TEMPORARY TRAFFIC SIGNALS	EACH	1.00	5	97995.46	108044.78	88737.6	5
9029401	TEMPORARY TRAFFIC SIGNALS AND LIGHTING	L.S.	1.00	5	73469.176	78426.65	67853.7	5
9029407	TEMPORARY TRAFFIC DETECTION, VIDEO DETECTION SYSTEM	L.S.	1.00	5	32902.906	47986.41	13503.5	5
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	3.73	40	988.81189	2200	400	149.2
9031020	CONCRETE FOOTINGS, BOLT DOWN	C.Y.	60.53	15	1257.78706	1583.85	575	907.9
9031210	STRUCTURAL STEEL POSTS	LBS	1031.58	38	2.82525	17.6	2.25	39200
9031220	PIPE POSTS	LBS	2738.08	25	2.77845	3.73	2.61	68452
9031240	BREAKAWAY ASSEMBLY	EACH	32.68	22	76.13886	129.37	71.82	719
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	26.85	13	202.13304	485.63	150	349
9031250A	U-CHANNEL POST, 3 LB	L.F.	42.55	11	17.74393	20.47	13.72	468
9031256	7 FT. CHANNEL POST DELINEATOR, WHITE	EACH	31.73	11	32.12834	48	27.94	349
9031257A	7 FT. CHANNEL POST DELINEATOR, YELLOW	EACH	25.73	11	32.28951	48	27.94	283
9031258	7 FT. CHANNEL POST DELINEATOR, WHITE/RED	EACH	51.00	5	36.442	52	31.91	255
9031259A	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED	EACH	20.00	5	36.442	52	31.91	100
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	281.59	29	8.12961	20	4.75	8166
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	70.31	29	16.77827	114	4.95	2039
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	51.00	7	11.41	16.5	9	357
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	47.77	13	33.69101	85.5	27.5	621
9031280	2.5 IN. PSST POST - 12 GA.	L.F.	448.00	6	9.315	9.79	9.1	2688
9031281	POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	L.F.	96.00	6	36.85	38.79	36.07	576
9035004	TYPE SHR2L-1 SIGN	S.F.	161.94	31	15.83505	163	11.49	5020
9035004A	SH-FLAT SHEET	S.F.	245.29	17	20.7273	120	13.75	4170
9035009	36 IN. OR 900 MM STOP SIGN	EACH	3.00	5	209.738	216.81	205.44	15
9035011	SIGN, TYPE STR2L-3	S.F.	1623.86	7	19.45943	21.57	17.95	11367
9035011A	ST-STRUCTURAL	S.F.	1048.40	10	19.9711	23.3	18.07	10484
9035015	TYPE IV OBJECT MARKER	EACH	4.00	7	197.56571	250	146.48	28
9035065	TYPE SHR2L-3 SIGN	S.F.	29.00	5	17.538	18.13	17.18	145
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	81.59	34	51.48574	107.4	18	2774
9035069	TYPE SHR4L-1 SIGN	S.F.	115.92	24	26.05674	240	13.29	2782

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9035069A	SHF-FLAT SHEET FLUORESCENT	S.F.	171.00	8	19.38	24.38	18.9	1368
9035071	TYPE STR4L-1 SIGN	S.F.	39.00	2	22.13	22.13	22.13	78
9035071A	STF-STRUCTURAL FLUORESCENT	S.F.	898.50	4	21.06673	25.66	20.93	3594
9035073	SIGNAL SIGN, HARDWARE	EACH	6.00	6	235.99833	326.75	212.51	36
9103700	CCTV CAMERA ASSEMBLY, INSTALLED	EACH	1.00	5	3108.704	6400	993.91	5
9103714	CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALL	EACH	1.00	5	5762.86	6649.86	4805.3	5
9105200	CONDUIT, 2 IN., RIGID, IN TRENCH	L.F.	170.08	12	20.64522	28.1	14.48	2041
9107202	CONDUIT, 4 IN., RIGID, PUSHED	L.F.	212.00	5	28.644	31.7	27.32	1060
9108202	CABLE, 2 AWG, 1 CONDUCTOR, POWER	L.F.	3180.00	5	2.102	2.25	2	15900
9108353	FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE	L.F.	3220.00	10	2.07177	3.5	1.6	32200
9108354	FIBER OPTIC CABLE, 48-STRAND, SINGLE MODE	L.F.	1557.00	10	3.96694	6	2.5	15570
9108810	PULL BOX, PREFORMED CLASS 1	EACH	20.00	5	883.804	1000	801.02	100
9108816	PULL BOX, PREFORMED CLASS 5	EACH	4.00	5	2561.506	2781.6	2076.8	20

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
1041000	TEMPORARY SURFACING	C.Y.	78.00	1	59.5	59.5	59.5	78.00
2013000	CLEARING AND GRUBBING	ACRE	1.00	1	9900	9900	9900	1
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	171	24124.80532	165751	338	171
2031000	CLASS A EXCAVATION	C.Y.	734.79	67	21.68777	400	5.55	49231
2035000	UNCLASSIFIED EXCAVATION	C.Y.	1335.69	13	19.18407	330	12	17364
2035500	EMBANKMENT IN PLACE	C.Y.	450.50	28	22.61205	103	7.6	12614
2036000	COMPACTING EMBANKMENT	C.Y.	683.92	51	6.21965	110	2	34880
2037075	COMPACTING IN CUT	STA.	16.24	5	661.98276	1170	400	81.2
2061000	CLASS 1 EXCAVATION	C.Y.	82.73	33	82.00037	301.55	15	2730
2063000	CLASS 3 EXCAVATION	C.Y.	184.70	40	36.68858	133.5	9.5	7388
2063300	CLASS 4 EXCAVATION	C.Y.	518.25	4	25.3836	57	10	2073
2063400	CLASS 4 EXCAVATION IN ROCK	C.Y.	52.50	6	130.17143	285	80	315
2063500	CULVERT CLEANOUT	EACH	1.00	11	1990.02182	4800	1108	11
2065500	TEMPORARY SHORING	L.S.	1.00	3	7547.56667	18142.69	0.01	3
2071000	LINEAR GRADING CLASS 1	STA.	67.98	11	277.07248	1500	104	747.8
2072000	LINEAR GRADING CLASS 2	STA.	232.48	28	186.52535	4800	86	6509.5
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	2.11	9	1219.32632	3600	224.4	19
2122000A	SUBGRADING AND SHOULDERING CLASS 2	STA.	2.11	9	1521.3	3600	161.9	19
2142000	FURNISHING ROCK FILL	C.Y.	297.33	3	18.87948	70	17.25	892
2143000	PLACING ROCK FILL	C.Y.	297.33	3	12.38677	70	10.5	892
2151000A	SHAPING SLOPES, CLASS I	100FT	287.00	6	83.29991	169.55	41.35	1722
2152000A	SHAPING SLOPES, CLASS II	100FT	472.88	8	128.10203	270	50	3783
2153000	SHAPING SLOPES, CLASS III	100FT	16.32	47	1043.9596	6500	18	767
2160500	REMOVAL OF BRIDGES	L.S.	1.00	29	39286.17241	92500	5000	29
2161000	SCARIFICATION OF BRIDGE DECKS	S.Y.	753.00	6	12.86347	19	9	4518
2161502	REMOVAL OF CONCRETE WEARING SURFACE	S.F.	23513.00	6	2.88333	3.25	2.4	141078
2162000	REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS	L.F.	350.00	4	8.8125	15	4	1400
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	8384.60	53	7.28648	13	1.55	444384
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	9	8339.96556	15000	3740	9
2164000	CURB REMOVAL	L.F.	5.00	6	241.5	329	130	30
2164500	REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE	L.F.	78.50	6	245.33333	284	197	471
2165000	REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT	L.F.	47.00	6	142	320	34	282
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	665.72	87	8.93471	84.72	3	57918
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	5565.87	46	4.92981	64	3.75	256030
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	6226.00	13	9.50948	16.6	1.12	80938
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	447.60	25	53.04789	193.31	25.09	11190
3107002	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	TON	122.83	6	34.80395	152	26.35	737
4010150	TYPE A2 SHOULDER	S.Y.	322.00	3	44.87667	51.51	33.32	966
4010151	TYPE A3 SHOULDER	S.Y.	28127.36	8	12.88694	38	10.25	225018.9
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	583.50	4	114.75	120	113	2334
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	8473.23	36	53.75699	387.5	40.2	305036.1
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	5319.47	7	50.56925	165	47.19	37236.3
4013010	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)	TON	12117.10	3	51.67667	53.06	49.52	36351.3
4020520	BITUMINOUS PAVEMENT MIXTURE PG64-22	TON	13678.62	33	54.73335	73	45.26	451394.4
4030016	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)	TON	2661.20	3	63.11667	70.32	57.03	7983.6
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	26386.80	3	53.11	55.15	51.38	79160.4
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	30122.79	15	56.24978	71.91	50.2	451841.8
4030116	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)	TON	142.20	4	177.625	200	155	568.8

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	30481.25	6	82.29077	111.27	78.35	182887.5
4071005	TACK COAT	GAL	20989.12	68	2.02637	274.43	1	1427260
4091048	EMULSIFIED ASPHALT, SEAL COAT	GAL	164032.59	27	1.72567	2.15	1.5	4428880
4094011	SEAL COAT AGGREGATE, GRADE B1	S.Y.	283292.00	12	0.70727	0.94	0.48	3399504
4094012	SEAL COAT AGGREGATE, GRADE B2	S.Y.	712121.20	15	0.54852	0.68	0.48	10681818
4133200	ULTRATHIN BONDED WEARING SURFACE, TYPE C	S.Y.	399155.00	3	4.31	5.3	3.67	1197465
4134000	BITUMINOUS FOG SEAL	GAL	101.36	22	11.86892	29	5	2230
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	143.07	10	98.05347	515	69	1430.7
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	168.00	3	114.66667	144	100	504
5021309	CONCRETE PAVEMENT (9 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	2689.70	4	80.855	92.7	69	10758.8
5021310	CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	89.90	3	192	305	113	269.7
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	129.55	47	119.20152	200	82	6089
5050001	ALTERNATE CONCRETE WEARING SURFACE	S.Y.	2589.50	6	71.5	90	61	15537
5052000	LATEX MODIFIED CONCRETE WEARING SURFACE	S.Y.	753.00	6	119.4335	169.33	87	4518
6042010	ADJUSTING MANHOLE	EACH	3.50	12	710.38286	1500	271.04	42
6044012	PIPE COLLAR, TYPE B	EACH	1.60	5	1279.79	1575	1000	8
6046012A	12 IN. SLOTTED DRAIN	L.F.	240.00	3	155.66667	195	115	720
6054020	OUTLET PIPES AND SPLASH PADS	EACH	1.00	4	1787.5	4200	950	4
6057000	AGGREGATE DRAIN	L.F.	3435.00	4	42.0075	51.5	28.03	13740
6061010	GUARDRAIL TYPE A	L.F.	2556.08	38	16.83078	23.5	14.86	97131
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	3334.25	12	26.38853	38	25.42	40011
6061050	GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING	L.F.	65.00	3	35.19	40	29.57	195
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	850.00	3	26.01	27.43	24.6	2550
6061060	MGS GUARDRAIL	L.F.	1200.82	34	20.27809	43	18	40828
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	2765.92	37	24.21239	55.04	21.7	102339
6061067	MGS DOUBLE FACED GUARDRAIL	L.F.	400.00	3	32.13333	33.75	30.65	1200
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	4.00	7	2677.14286	2940	2600	28
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	5.09	56	2800.25818	4900	2400	285
6061070	MGS VERTICAL CONCRETE BARRIER TRANSITION	EACH	11.00	3	2771.67667	3075	2550	33
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	13.14	7	575.73087	750	525	92
6061075	MGS LONG SPAN GUARDRAIL SECTION	EACH	1.00	3	3118.93	4425	2400	3
6061078	MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)	L.F.	563.00	3	29.83	31.64	27.85	1689
6061080	MGS END ANCHOR	EACH	4.04	27	1048.13908	1800	900	109
6061081	MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)	EACH	4.00	3	2594.3	2662.9	2520	12
6062000	BRIDGE ANCHOR SECTION (BRUSH CURB)	EACH	12.00	4	1746.25	1800	1700	48
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.00	12	1832.2975	2800	1533.67	48
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	3.37	19	1796.83281	2400	1650	64
6062204A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS	EACH	3.50	12	1838.80952	2280	1700	42
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	3.50	12	435.33333	540	400	42
6062301A	TRANSITION SECTION, 7.5 FT. POSTS	EACH	1.00	6	477	660	425	6
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	5.88	33	463.12196	1455	320	194
6062304	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS	EACH	3.31	13	423.08419	600	375	43
6062400	BRIDGE ANCHOR SECTION (THRIE BEAM)	EACH	4.50	6	1739.66963	1800	1700	27
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	12.32	60	2239.19612	4500	1950	739
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	8.22	64	2380.54086	4251.9	1900	526
6063016	TYPE B CRASHWORTHY END TERMINAL	EACH	6.00	3	4621.19	5063.57	4000	18
6064110	ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND	EACH	1.00	3	3247.37	3365	3187.11	3
6066610	END ANCHOR	EACH	9.00	15	945.42911	1260	794.34	135

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6066620	GUARDRAIL ANCHOR, EMBEDDED	EACH	2.00	3	2858.57333	3375.72	2000	6
6066630	GUARDRAIL ANCHOR, ROCK FACE	EACH	3.00	3	1711.28333	1898.85	1435	9
6072010	WOVEN WIRE FENCE	L.F.	87.00	1	20	20	20	87
6081010	CONCRETE CURB RAMP	S.Y.	74.04	24	132.87149	497.92	85.75	1777
6081012	TRUNCATED DOMES	S.F.	132.86	21	30.80667	72	14	2790
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	137.60	2	96.9	113.8	80	275.2
6083008	8 IN. CONCRETE MEDIAN STRIP	S.Y.	99.58	8	109.98282	275.53	7	796.6
6085007	PAVED APPROACH, 7 IN.	S.Y.	38.90	1	61.4	61.4	61.4	38.9
6085008	PAVED APPROACH, 8 IN.	S.Y.	281.53	19	100.13345	272	65	5349
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	293.27	26	61.09906	320	42	7625
6086008	CONCRETE SIDEWALK, 8 IN.	S.Y.	5.80	4	362.5	765	115	23.2
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	71.17	12	33.93886	100	19.5	854
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	43.00	4	41.40698	65	35	172
6091052	CURB AND GUTTER TYPE B	L.F.	214.50	22	50.94225	162.56	36.75	4719
6091060	PAVED DITCH	S.Y.	5.00	3	173.94667	216.84	105	15
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	292.80	30	25.11691	325.13	10.25	8784
6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	L.F.	20.00	3	30.5	31.5	30	60
6092032	CONCRETE CURB LOW PROFILE TYPE F	L.F.	358.00	1	21	21	21	358
6093010	ASPHALT CURB	L.F.	323.00	1	39.95	39.95	39.95	323
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	754.00	17	29.06446	100	20	12818
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	32.00	6	47.83594	105.5	30	192
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	265.13	8	36.15638	46	21.42	2121
6096040A	FURNISHING TYPE 4 ROCK DITCH LINER	C.Y.	1647.64	11	37.75304	46	29	18124
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	754.00	17	22.09159	110	9	12818
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	32.00	6	52.60156	150	30	192
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	320.13	8	27.67652	42	10	2561
6096044	PLACING TYPE 4 ROCK DITCH LINER	C.Y.	1647.64	11	25.5973	42	12.5	18124
6096050	BEDDING MATERIAL FOR ROCK DITCH LINER	C.Y.	78.50	4	58.59955	72.5	41.49	314
6097000	ROCK LINING	C.Y.	40.70	20	88.34076	215	42	814
6113010	FURNISHING TYPE 1 ROCK BLANKET	C.Y.	93.75	8	35.3648	50	22	750
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	524.96	53	35.94824	66	18	27823
6113030	PLACING TYPE 1 ROCK BLANKET	C.Y.	93.75	8	23.5632	33	15.4	750
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	524.96	53	25.38544	99	9	27823
6117000A	GABIONS	C.Y.	15.71	7	455.56327	8000	125	110
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	2.00	5	1815	3375	1350	10
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	2.00	4	2856.25	3900	2400	8
6122019	IMPACT ATTENUATOR (19 SAND BARRELS)	EACH	2.50	6	3473.33333	5700	1500	15
6122020	REPLACEMENT SAND BARREL	EACH	4.33	12	276.34615	440	50	52
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	5.44	9	1002.55102	1260	500	49
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	1.91	119	1608.63634	5865	0.01	227
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA	S.Y.	1698.11	16	223.48369	310.47	148.85	27169.7
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	403.00	16	4.42848	10	1	6448
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	532.64	11	5.82566	13	1	5859
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW	L.F.	4957.13	16	6.00394	10.14	3	79314
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DE	EACH	2250.89	19	5.73143	175	2.88	42767
6131017	DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH	EACH	230.00	8	14.59674	65	4	1840
6131018	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH	EACH	177.50	10	19.16986	46.86	3	1775
6132018	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH	C.Y.	90.11	7	883.32746	5900.8	700	630.8

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6132019	REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P S.Y.		284.93	7	223.69513	490.35	140	1994.5
6133018	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL	TON	43.00	2	478.555	718.88	238.23	86
6133019	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	198.60	2	178.34	189.89	166.79	397.2
6134001	DOWEL BAR RETROFIT	EACH	780.00	5	76.11557	456.91	60	3900
6134002	CROSS STITCH TIE BAR	EACH	611.00	2	45	55	35	1222
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	1.00	9	941.58333	1250	480	9
6141022	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)	EACH	1.00	12	1225.5	1900	875	12
6141024	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)	EACH	1.10	10	1505.65909	1875	1250	11
6141025	GRATE AND BEARING PLATE (3 FT. - 1 IN. X 2 FT. - 1 IN. OR 940 MM X 635 MM)	EACH	2.00	3	1283.66667	1575	975	6
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	2.90	10	977.55172	2200	360	29
6143014	MANHOLE FRAME AND COVER, TYPE 4	EACH	1.00	1	625	625	625	1
6143020	CURB INLET	EACH	1.00	3	2910	3000	2730	3
6161005	CONSTRUCTION SIGNS	S.F.	1067.33	222	7.40341	116.06	2.5	236948
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	4.27	143	73.75423	216	19	610
6161009	FLAG ASSEMBLY	EACH	9.01	219	22.62519	59	8.25	1974
6161010	RELOCATED SIGNS	S.F.	402.48	23	5.47598	20	3.35	9257
6161024	CHANNELIZER (TRIM LINE) WITH LIGHT	EACH	52.67	9	28.58401	37.49	17	474
6161025	CHANNELIZER (TRIM LINE)	EACH	79.34	184	18.78797	58	0.01	14599
6161030	TYPE III MOVEABLE BARRICADE	EACH	8.65	34	136.28313	270	31	294
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	9.33	88	171.73111	500	25.5	821
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	31.20	25	51.10741	100	25	780
6161040	FLASHING ARROW PANEL	EACH	2.31	112	699.77792	2000	0.01	259
6161047	TYPE III OBJECT MARKER	EACH	1.00	3	224.66667	424	100	3
6161052	WARNING LIGHT, TYPE B	EACH	4.78	37	70.32328	140	19	177
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	31.20	25	92.78028	210	26.5	780
6161070	TUBULAR MARKER	EACH	37.50	8	59.22973	105	42	300
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIL	EACH	2.82	51	4138.12778	9500	2000	144
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR	EACH	3.07	55	3485.59201	10000	1000	169
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR	EACH	3.53	32	3890.55363	5775	1500	113
6162000A	WORK ZONE TRAFFIC SIGNAL SYSTEM	EACH	1.00	7	18545.90857	30000	5000	7
6162010	WORK ZONE LIGHTING	EACH	1.00	20	11040.421	52720.87	1656.64	20
6172000	CONCRETE TRAFFIC BARRIER, TYPE B	L.F.	206.00	2	113.625	139	88.25	412
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	644.71	14	25.79603	44.75	14	9026
6173700B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAIL	L.F.	1274.75	8	32.09551	45	21	10198
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	1365.40	10	10.56566	14	8	13654
6175011B	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED	L.F.	1530.75	8	16.97077	23	11	12246
6178001	TRAFFIC BARRIER DELINEATOR, WHITE	EACH	2.00	3	158.33333	275	50	6
6181000	MOBILIZATION	L.S.	1.00	214	76141.83617	412000	2760.89	214
6191000	PAVEMENT EDGE TREATMENT	L.F.	2684.20	10	2.15197	10	0.12	26842
6205101A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., WHITE	L.F.	20062.00	3	2.93	4.69	2	60186
6205103A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., YELLOW	L.F.	11895.00	3	2.93	4.69	2	35685
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	556.27	15	5.91244	22	4.2	8344
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	133.64	61	22.2256	52.65	12	8152
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	251.88	8	19.52933	28.12	15.45	2015
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	19.62	50	252.97085	501.89	165	981
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	4.43	7	216.25806	340	160	31
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT,	EACH	2.83	12	464.94118	685	325	34
6205133	TYPE 2 PREFORMED MARKING TAPE (GROOVED) WORD (ONLY)	EACH	10.63	8	492.31024	866.97	265	85

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205134	TYPE 2 PREFORMED MARKING TAPE (GROOVED) RAILROAD CROSSING MARKER EACH		2.50	8	1491.1135	1785	800	20
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR EACH		8.94	17	222.72007	341.25	100	152
6205139	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN. WHITE, YIELD LINE TRIAN EACH		8.44	9	41.23474	60.23	15	76
6205139A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 16 IN. WHITE, YIELD LINE TRIAN EACH		10.00	5	92.654	240	29.09	50
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIAN EACH		3.00	9	227.77778	250	200	27
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	4797.44	9	1.24614	3	0.55	43177
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	6319.33	9	1.06483	3	0.45	56874
6205309	PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE	L.F.	78.00	8	7.51442	25	3.3	624
6205320	PREFORMED REMOVABLE MARKING TAPE, 12 IN., WHITE	L.F.	12.00	4	14	25	3	48
6205425	PREFORMED SHORT TERM MARKING TAPE 24 IN., WHITE	L.F.	24.00	2	3.75	5	2.5	48
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F.	L.F.	172575.91	32	0.14586	0.25	0.12	5522429
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEA L.F.	L.F.	128415.34	35	0.19721	0.5	0.16	4494537
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F.	L.F.	75266.96	23	0.18913	0.5	0.16	1731140
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/ L.F.	L.F.	5918.40	20	0.57358	1.32	0.25	118368
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	111919.71	115	0.10953	12	0.05	12870767
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	89752.61	123	0.10954	16	0.05	11039571
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	380.31	26	1.33201	20.08	0.2	9888
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	483.42	12	2.91338	10	2.5	5801
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	212.23	22	4.50064	20.08	2	4669
6206150A	4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT	L.F.	1835.00	3	0.3	0.3	0.3	5505
6206151A	4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT	L.F.	4282.00	3	0.3	0.3	0.3	12846
6207001	PAVEMENT MARKING REMOVAL	L.F.	11776.08	26	0.6097	2	0.25	306178
6207002	PAVEMENT MARKING REMOVAL (SYMBOLS)	EACH	9.50	8	75.97763	175	30.62	76
6208063	TEMPORARY PAVEMENT MARKING	EACH	6.00	3	100	100	100	18
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	101.82	11	2.85	22	1.1	1120
6214600A	FLOWABLE BACKFILL	C.Y.	9.30	10	160.72796	650	100	93
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y.	S.Y.	115697.50	50	0.95283	26.1	0.4	5784875
6223010	DIAMOND GRINDING (CONCRETE PAVEMENT)	S.Y.	218698.00	4	2.7575	4	2.15	874792
6223011	CONCRETE PLANING (BITUMINOUS OVERLAY)	S.Y.	29986.00	3	3.55667	5.3	2.58	89958
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	3478.60	65	6.31033	86	0.7	226109
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	1352.77	53	3.27493	22	1.4	71697
6240104A	SEPARATION GEOTEXTILE	S.Y.	388.25	12	3.87308	10.11	1.45	4659
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	1539.87	28	11.91255	32.9	5.5	43116.4
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	928.73	15	11.87665	20	5.5	13930.9
6262000A	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	STA.	218.70	3	34.87	45.1	21	656.1
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	107	6006.90308	46500	200	107
7011105	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	L.F.	32.00	7	925.42857	1530	570	224
7011204	ROCK SOCKETS (3 FT. 0 IN. DIA.)	L.F.	40.00	7	661.57143	1300	334	280
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	4.00	7	596	1500	100	28
7011400	FOUNDATION INSPECTION HOLES	L.F.	80.00	7	155.5	225	98	560
7011600	SONIC LOGGING TESTING	EACH	4.00	7	1736.14286	2800	823	28
7021210	GALVANIZED STRUCTURAL STEEL PILES (10 IN)	L.F.	225.00	14	77.54151	100	55	3150
7026000	PRE-BORE FOR PILING	L.F.	215.00	7	149.80714	205	125	1505
7027000	PILE POINT REINFORCEMENT	EACH	10.92	26	103.0431	175	0.01	284
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	32.59	38	804.32804	2144.73	215	1238.3
7034001	CLASS B-1 CONCRETE	C.Y.	7.25	6	3996.81609	4865	3300	43.5
7034009	CLASS B-1 CONCRETE (RETAINING WALLS)	C.Y.	26.10	4	711.36494	800	585	104.4
7034040	CLASS B-1 CONCRETE (CULVERTS-BRIDGE)	C.Y.	130.30	3	620.33333	731	500	390.9

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7034041	CLASS B-1 CONCRETE (CULVERTS)	C.Y.	96.35	4	861.19772	963	500	385.4
7034212	SLAB ON STEEL	S.Y.	907.84	58	243.71843	360	125	52655
7034214	CLASS B-2 CONCRETE	C.Y.	31.60	3	798.33333	1245	500	94.8
7034215	SAFETY BARRIER CURB	L.F.	481.36	84	71.11724	135	53.5	40434
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	494.54	26	286.44144	414	223	12858
7034600	CURB BLOCKOUT	L.F.	337.00	6	105.15892	140	67.67	2022
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	46.09	32	152.76285	323	45	1475
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	40.68	22	164.37709	339.2	25	895
7040104	REPAIRING CONCRETE DECK (HALF-SOLING)	S.F.	416.67	9	58.258	88.87	45	3750
7040109	TOTAL SURFACE HYDRO DEMOLITION	S.Y.	753.00	6	49.13894	65	42	4518
7040113	CLEAN AND EPOXY SEAL	S.F.	3938.50	12	6.74188	15.45	5	47262
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	347.00	12	222.50528	265	190	4164
7056022	NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER	L.F.	803.50	14	227.32136	275	200	11249
7061000	REINFORCING STEEL	LBS	180.00	3	3.63667	4.2	2.71	540
7061020	REINFORCING STEEL (CULVERTS-BRIDGE)	LBS	21370.00	3	1.23	1.34	1.15	64110
7061030	REINFORCING STEEL (CULVERTS)	LBS	15162.50	4	1.49725	1.78	1	60650
7061040	REINFORCING STEEL (RETAINING WALL)	LBS	967.14	7	1.98966	19	1	6770
7061060	REINFORCING STEEL (BRIDGES)	LBS	11734.00	10	1.38807	2.35	1.05	117340
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	2454.29	21	1.70012	6.09	1	51540
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	41	4655.07439	15875	1120	41
7110300	CONCRETE AND MASONRY PROTECTION SYSTEM	L.S.	1.00	13	1928.15385	3309	500	13
7110400	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	13	1828.92308	3309	305	13
7110700	PENETRATING SEALER	S.Y.	83.50	4	17.10778	27	10	334
7120900	EXPANSION DEVICE (FINGER PLATE)	L.F.	47.00	3	1453.33333	1785	1220	141
7121000	FABRICATED STRUCTURAL CARBON STEEL (MISC)	LBS	780.00	9	16.17222	26	5.54	7020
7121100	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	LBS	1080.00	8	20.65625	47	10.75	8640
7121111	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5	LBS	37890.00	5	2.65	2.85	2.4	189450
7121159	SHEAR CONNECTORS	EACH	2648.91	22	6.06599	24	2.75	58276
7121250	STRENGTHENING EXISTING STRINGERS	L.S.	1.00	13	41933.92308	64000	24300	13
7121251	HINGE MODIFICATION	EACH	2.00	6	16266.66667	22700	11100	12
7123120	CLEANING, LUBRICATING AND COATING BEARING	EACH	12.00	6	1539.16667	2100	645	72
7123500	RAILING FOR STEPS	L.F.	12.00	4	193	345	60	48
7123610	SLAB DRAIN	EACH	44.54	59	312.80402	510	187	2628
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	2200.00	6	30.66667	32	30	13200
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	2200.00	6	4.06667	4.2	4	13200
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	2500.00	6	4.06667	4.2	4	15000
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	2500.00	6	4.06667	4.2	4	15000
7126000	NON-DESTRUCTIVE TESTING	L.F.	37.31	48	143.95084	3350	15	1791
7134000	BRIDGE GUARD RAIL (THRIE BEAM)	L.F.	55.00	6	215.02	231	204.06	330
7151001	VERTICAL DRAIN AT END BENTS	EACH	1.84	55	2133.38772	17960	850	101
7161000	PLAIN NEOPRENE BEARING PAD	EACH	8.00	20	190.9375	450	110	160
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	12.67	12	332.47368	1190	130	152
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	8.00	6	271.125	378.75	164	48
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	11.60	20	1984.43793	3920	625	232
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	72.60	15	396.35267	556	103	1089
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	579.60	5	23.71304	70	20.4	2898
7250315A	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	164.00	6	55.74443	105	34	984
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	108.74	23	76.72984	157.5	28	2501

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7250324A	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	59.00	15	88.48012	210	31	885
7250336A	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	49.00	10	114.64371	202.77	38	490
7250342A	42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	118.00	9	116.71778	180	41	1062
7250412	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	438.50	4	38.96337	52.25	33	1754
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	15.78	9	115.89789	240	50	142
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	96.00	7	51.72321	120	27	672
7250424	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	67.75	4	59.72601	185	36	271
7250430	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	32.00	1	72.5	72.5	72.5	32
7250460	60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU L.F.	L.F.	98.00	1	136	136	136	98
7261015	15 IN. PIPE GROUP A	L.F.	70.00	3	44.66667	52	33	210
7261024	24 IN. PIPE GROUP A	L.F.	25.00	1	111	111	111	25
7261036	36 IN. PIPE GROUP A	L.F.	25.00	1	122	122	122	25
7272043	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-43	L.F.	33.00	3	185.33333	316	80	99
7310060	PRECAST CONCRETE MANHOLE - 60 IN.	L.F.	5.00	1	547	547	547	5
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	9.40	10	834.41489	2700	335	94
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	4.25	12	594.38843	932	335	51
7311033	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	L.F.	4.50	12	674.68704	1840	350	54
7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	L.F.	7.10	10	568.79254	725.61	400	71
7320015A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	3	308.72	433.66	125	3
7320018A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.39	23	395.14545	689	143.24	55
7320024A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	9	497.75667	754	213.81	9
7320036A	36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	9	1030.68444	1477	629.16	9
7320042A	42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.00	9	1641.74444	2200	1100	18
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	4.00	1	345	345	345	4
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	1	744	744	744	1
7320812A	12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	3	801.66667	1450	250	6
7320815A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	1.00	2	935	970	900	2
7320818A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	5.00	4	236.9	330	222	20
7320824A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	3.25	4	323.84615	880	265	13
7320830A	30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	1	345	345	345	2
7321009	B9 FLARED END SECTION	EACH	2.00	3	1441.33333	1974	1000	6
7322015A	BEVELED PIPE END TREATMENT FOR 15 IN. (375 MM) OR ALLOWED SUB	EACH	1.00	3	911.66667	2310	200	3
7322018A	BEVELED PIPE END TREATMENT FOR 18 IN. (450 MM) OR ALLOWED SUB	EACH	4.00	3	1062.66667	2638	200	12
8031000A	TURF TYPE TALL FESCUE SODDING	S.Y.	206.20	15	33.38294	200	4.5	3093
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	2.67	81	3034.66208	48000	386	216.1
8061001	SEDIMENT BASIN EXCAVATION	C.Y.	18.00	1	20	20	20	18
8061002	SEDIMENT BASIN ROCK	C.Y.	5.00	1	55	55	55	5
8061003	SEDIMENT TRAP EXCAVATION	C.Y.	34.39	19	34.25953	115	8.5	653.5
8061004	SEDIMENT TRAP ROCK	C.Y.	30.51	44	56.37138	413	38.5	1342.3
8061005	ROCK DITCH CHECK	L.F.	298.69	106	15.36169	97	6	31661
8061006	ALTERNATE DITCH CHECK	L.F.	190.38	34	13.40751	180	6.5	6473
8061007A	CURB INLET CHECK	EACH	13.45	11	188.43892	262.5	105	148
8061010A	TYPE B BERM	L.F.	422.50	12	3.79742	8.5	1.25	5070
8061011	SLOPE DRAINS	L.F.	46.00	6	26.25	40	15	276
8061016	SEDIMENT REMOVAL	C.Y.	54.68	120	25.90841	545	10	6562
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	0.45	36	4289.77019	33600	353	16.1
8061019	SILT FENCE	L.F.	1422.06	107	2.47096	21	0.7	152160
8061050	TYPE C BERM	L.F.	359.71	35	38.18386	317	1.55	12590

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8064128	TYPE 1 TURF REINFORCEMENT MAT	S.Y.	424.75	12	7.36608	12.5	4.9	5097
8064130	TYPE 3 TURF REINFORCEMENT MAT	S.Y.	198.00	3	6.8	7.5	5.9	594
9011010	RELOCATED POLE	EACH	1.00	2	1500	1500	1500	2
9011030	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT	EACH	6.00	1	1388	1388	1388	6
9011115	BRACKET ARM, 15 FT. OR 4.6 M	EACH	6.00	1	528	528	528	6
9011300	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM	EACH	6.00	1	315	315	315	6
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	133.00	1	12.7	12.7	12.7	133
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	170.00	2	25	25	25	340
9015010	TRENCHING TYPE I	L.F.	899.00	1	2.15	2.15	2.15	899
9016110	PULL BOX, PREFORMED CLASS 1	EACH	5.00	1	684	684	684	5
9016111	PULL BOX, PREFORMED CLASS 2	EACH	2.00	2	1453	1453	1453	4
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	540.00	1	0.45	0.45	0.45	540
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	600.00	3	3.32111	3.7	3.15	1800
9018230	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	EACH	6.00	1	720	720	720	6
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	1.00	2	1000	1000	1000	2
9018610	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	1	3126.05	3126.05	3126.05	1
9020211	SIGNAL HEAD, TYPE 1S	EACH	4.00	2	559	639	479	8
9020213	SIGNAL HEAD, TYPE 3S	EACH	4.00	2	751	754	748	8
9020513	SIGNAL HEAD, TYPE 3B	EACH	13.00	2	894	899	889	26
9020514	SIGNAL HEAD, TYPE 4B	EACH	3.00	2	984.5	993	976	6
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	34.00	2	595	595	595	68
9022650	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	EACH	5.00	2	306	326	286	10
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	27.00	2	600	600	600	54
9022715	POST, SIGNAL 15 FT. OR 4.6 M	EACH	2.00	4	764.5	849	730	8
9023130	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM	EACH	1.00	2	5134.5	5338	4931	2
9023135	POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM	EACH	1.00	2	5319	5622	5016	2
9023140	POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM	EACH	2.00	2	6922.5	7266	6579	4
9023150	POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM	EACH	1.00	2	7762.5	8030	7495	2
9023230	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM	EACH	1.00	2	4314	4590	4038	2
9023235	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM	EACH	1.00	2	4482.5	4768	4197	2
9024281	CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC	EACH	2.00	2	11412	11868	10956	4
9024920	DETECTOR, PUSHBUTTON	EACH	18.00	4	245.77778	248	207	72
9024944	DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)	EACH	7.20	5	558.05556	3410	100	36
9025020	CONDUIT, 1 IN., LOOP DETECTOR	L.F.	250.50	4	5.98782	7.4	4.5	1002
9025200	CONDUIT, 2 IN., TRENCH	L.F.	719.50	4	7.53301	8	7	2878
9025300	CONDUIT, 3 IN., TRENCH	L.F.	410.00	4	8.78189	11.45	8.5	1640
9027200	CONDUIT, 2 IN., PUSHED	L.F.	151.00	2	16.5	17	16	302
9027300	CONDUIT, 3 IN., PUSHED	L.F.	817.00	4	23.39535	25	18	3268
9027504	CONDUIT, 3 IN., EXTERNAL ON STRUCTURE	L.F.	30.00	2	19.475	25	13.95	60
9028100	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	275.00	2	0.75	1	0.5	1100
9028202	CABLE, 2 AWG 1 CONDUCTOR, POWER	L.F.	460.00	4	1.91087	2.1	1.75	1840
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	415.00	4	0.95904	1	0.9	1660
9028302	CABLE, 12 AWG 2 CONDUCTOR	L.F.	860.00	4	1.05058	1.1	0.95	3440
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	6135.00	4	1.12266	1.35	1.05	24540
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	3264.44	9	4.7521	7.85	4	29380
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	3880.00	4	1.62358	1.85	0.85	15520
9028610	POWER SUPPLY ASSEMBLY, TYPE 1	EACH	1.00	2	1692.5	1800	1585	2
9028620	POWER SUPPLY ASSEMBLY, TYPE 2	EACH	2.00	2	4598	5196	4000	4

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9028810	PULL BOX, PREFORMED CLASS 1	EACH	12.00	2	751	824	678	24
9028811	PULL BOX, PREFORMED CLASS 2	EACH	8.00	4	1259.0625	1350	1065	32
9028812	PULL BOX, PREFORMED CLASS 3	EACH	3.50	4	1466.71429	1500	1300	14
9029100	BASE, CONCRETE	C.Y.	25.40	4	1153.26969	1200	1100	101.6
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	1.76	23	1028.06975	7660	200	40.5
9031020	CONCRETE FOOTINGS, BOLT DOWN	C.Y.	1.70	3	1719.12	1900	1500	5.1
9031210	STRUCTURAL STEEL POSTS	LBS	1043.75	8	4.28263	8	4	8350
9031220	PIPE POSTS	LBS	981.43	7	3.86135	4	3.75	6870
9031240	BREAKAWAY ASSEMBLY	EACH	7.00	5	121.45714	150	113	35
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	4.94	16	193.29266	500	135	79
9031252	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE	EACH	29.00	2	36	36	36	58
9031253A	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW	EACH	21.00	2	36	36	36	42
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	226.00	6	8.61248	15.23	5.3	1356
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	63.33	9	23.881	44	15	570
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	353.60	10	10.38914	16	6	3536
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	29.64	14	24.85494	240	21	415
9031280	2.5 IN. PSST POST - 12 GA.	L.F.	114.00	8	13.43421	40	12	912
9031281	POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	L.F.	22.50	8	27.96667	60	24	180
9035004	TYPE SHR2L-1 SIGN	S.F.	272.75	8	15.53208	30	12	2182
9035004A	SH-FLAT SHEET	S.F.	219.00	2	20	20	20	438
9035009	36 IN. OR 900 MM STOP SIGN	EACH	2.00	3	152.33333	160	145	6
9035011	SIGN, TYPE STR2L-3	S.F.	27.00	4	31.5	42	24	108
9035011A	ST-STRUCTURAL	S.F.	181.00	2	24	24	24	362
9035018	TYPE III OBJECT MARKER	EACH	12.00	4	264	500	100	48
9035065	TYPE SHR2L-3 SIGN	S.F.	61.00	3	24.3	27.3	21	183
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	130.50	4	41.03448	54	31	522
9035069	TYPE SHR4L-1 SIGN	S.F.	83.58	12	20.49467	32	15.5	1003
9035069A	SHF-FLAT SHEET FLUORESCENT	S.F.	18.00	2	24	24	24	36

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
2013000	CLEARING AND GRUBBING	ACRE	5.78	18	5821.46779	51250	965	104
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	116	147978.6073	1413821.22	1000	116
2024043	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	S.F.	5.00	7	96.43143	110	50	35
2024046	REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY L.F.	L.F.	316.00	7	15.89286	20	10	2212
2024070	REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)	S.F.	202.00	7	23.01429	30	12	1414
2031000	CLASS A EXCAVATION	C.Y.	19247.86	35	10.67654	75	2.5	673675
2035000	UNCLASSIFIED EXCAVATION	C.Y.	5522.00	2	26	36	16	11044
2035500	EMBANKMENT IN PLACE	C.Y.	12935.63	19	15.37299	64.77	0.01	245777
2036000	COMPACTING EMBANKMENT	C.Y.	26693.61	18	2.90601	23.5	1.5	480485
2037075	COMPACTING IN CUT	STA.	33.18	16	796.81423	2500	100	530.8
2042010	SETTLEMENT GAUGE	EACH	5.00	7	2591.92286	5000	643.46	35
2061000	CLASS 1 EXCAVATION	C.Y.	1406.47	17	123.22033	385	19.5	23910
2061003	CLASS 1 EXCAVATION IN ROCK	C.Y.	28.00	4	309.25	394	250	112
2062000	CLASS 2 EXCAVATION	C.Y.	4911.00	7	69.67857	125	35	34377
2062003	CLASS 2 EXCAVATION IN ROCK	C.Y.	403.00	7	206.89286	500	15	2821
2063000	CLASS 3 EXCAVATION	C.Y.	947.47	30	19.45007	188	1	28424
2063500	CULVERT CLEANOUT	EACH	3.00	6	2333.33333	4000	1000	18
2065500	TEMPORARY SHORING	L.S.	1.00	27	86766.7037	400000	1	27
2066005	COFFERDAMS-BENT5	L.S.	1.00	7	2000780.571	4545464	610000	7
2066006	COFFERDAMS-BENT6	L.S.	1.00	7	2017820.429	4779743	530000	7
2066007	COFFERDAMS-BENT7	L.S.	1.00	7	1984749.143	4783244	460000	7
2066008	COFFERDAMS-BENT8	L.S.	1.00	7	1047658.143	2250000	250000	7
2071000	LINEAR GRADING CLASS 1	STA.	1.77	9	1092.76811	3250	550	15.9
2072000	LINEAR GRADING CLASS 2	STA.	14.45	64	1108.03832	7000	100	924.9
2122000A	SUBGRADING AND SHOULDERING CLASS 2	STA.	41.00	3	980	1425	415	123
2142000	FURNISHING ROCK FILL	C.Y.	2439.14	29	23.90387	150	1	70735
2143000	PLACING ROCK FILL	C.Y.	2439.14	29	12.18538	610	5.5	70735
2153000	SHAPING SLOPES, CLASS III	100FT	102.74	23	759.40204	2000	500	2363
2160500	REMOVAL OF BRIDGES	L.S.	1.00	19	1207903.263	3500000	110000	19
2161000	SCARIFICATION OF BRIDGE DECKS	S.Y.	623.00	24	7.8511	13.4	5.75	14952
2161501	REMOVAL OF ASPHALT WEARING SURFACE	S.F.	7016.99	136	1.89194	4.9	0.38	954310
2161502	REMOVAL OF CONCRETE WEARING SURFACE	S.F.	38284.73	66	1.13292	4.7	0.6	2526792
2163000	PARTIAL REMOVAL OF EXISTING BRIDGE DECKS	S.F.	200.40	30	84.7147	144.9	62	6012
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	8	27526.47125	74000	3200	8
2164500	REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE	L.F.	251.70	92	300.22723	1036.52	130	23156
3030600	FURNISHING ROCK BASE MATERIAL	S.Y.	26689.00	2	5.45	7	3.9	53378
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	1318.64	14	8.23502	25	6.15	18461
3040163	TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	716.00	4	12.7	20	10	2864
3040183	TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)	S.Y.	35.00	2	15	16	14	70
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	1603.48	27	10.65268	39.85	5.07	43294
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	9194.72	32	8.31488	30	4	294231
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	101.00	4	57.705	71.32	49.5	404
3105003	GRAVEL (A) OR CRUSHED STONE (B)	S.Y.	1040.14	7	7.46468	12.7	5.22	7281
4010105	5 3/4 INCHES, BITUMINOUS PAVEMENT	S.Y.	49.90	3	118.33333	125	105	149.7
4010107	7 INCHES, BITUMINOUS PAVEMENT SECTION	S.Y.	166.00	7	73.16	92.6	51.5	1162
4010150	TYPE A2 SHOULDER	S.Y.	2224.34	16	57.49278	180	29.07	35589.5
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	10.80	4	231.25	450	75	43.2
4011208	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)	TON	4922.80	5	55.83	61.5	51.75	24614

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	3546.71	53	56.57313	900	43	187975.6
4011211	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)	TON	3796.36	18	62.35812	93.4	48.3	68334.4
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	757.61	9	106.85661	130	81.43	6818.5
4030003	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)	TON	14257.90	4	77.6	84.35	71.8	57031.6
4030009	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)	TON	23906.60	21	78.49547	226.5	70	502038.7
4030011	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095CLP MIX)	TON	11650.97	7	66.72941	87.08	56.22	81556.8
4030016	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)	TON	3250.70	4	87	95	71.25	13002.8
4030017	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP048F MIX)	TON	17045.30	5	70.888	80.35	54.9	85226.5
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	334.00	2	103	134	72	668
4030109	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)	TON	12117.58	9	66.25788	155	57.75	109058.2
4030116	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)	TON	37807.93	14	58.41535	67.32	52.65	529311
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	31250.06	18	77.72193	160	66.09	562501
4030208	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)	TON	4790.60	6	64.22791	100	55	28743.6
4030217	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)	TON	5020.29	7	73.78522	150	63	35142
4071005	TACK COAT	GAL	22684.50	86	2.77991	29	0.01	1950867
4091048	EMULSIFIED ASPHALT, SEAL COAT	GAL	6188.57	77	2.15321	5.75	1.67	476520
4094001	SEAL COAT AGGREGATE, GRADE A1	S.Y.	52656.00	2	1.305	1.42	1.19	105312
4094002	SEAL COAT AGGREGATE, GRADE A2	S.Y.	172835.67	9	0.60256	1.52	0.41	1555521
4094011	SEAL COAT AGGREGATE, GRADE B1	S.Y.	830.36	66	5.985	7.83	3.25	54804
4131000	MICROSURFACING, TYPE II	S.Y.	36536.00	4	4.0825	5.71	1.92	146144
4131200	MICROSURFACING, TYPE IIIR	S.Y.	1055.00	2	8	9	7	2110
4133000	ULTRATHIN BONDED WEARING SURFACE, TYPE A	S.Y.	80904.00	3	4.18	4.59	3.8	242712
4133100	ULTRATHIN BONDED WEARING SURFACE, TYPE B	S.Y.	200437.00	4	3.78732	4.25	3.68	801748
4133200	ULTRATHIN BONDED WEARING SURFACE, TYPE C	S.Y.	127683.00	2	3.935	4.12	3.75	255366
4136000	PCCP JOINT/CRACK SEALING	L.F.	3009.00	3	1.47	1.65	1.21	9027
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	593.87	9	59.26818	310	40.66	5344.8
5021307	CONCRETE PAVEMENT (7 IN. NON-REINFORCED 15 FT. JOINTS)	S.Y.	1597.00	9	44.04828	63.5	35	14373
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	9213.46	5	44.97377	51	39.5	46067.3
5021309	CONCRETE PAVEMENT (9 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	12442.00	4	46.60151	60	45	49768
5021310	CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	1383.11	13	89.45771	250	33.83	17980.4
5021311	CONCRETE PAVEMENT (11 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	9605.50	4	51.499	75	50	38422
5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	333.00	7	70.51286	90.96	64.5	2331
5021340	TYPE A2 SHOULDER	S.Y.	3027.04	18	37.4166	130	23	54486.8
5021341	TYPE A3 SHOULDER	S.Y.	409.90	3	41.66667	48	37	1229.7
5024010	CONCRETE BASE (10 IN. NON-REINF)	S.Y.	118.60	2	125	130	120	237.2
5031010A	BRIDGE APPROACH SLAB (MAJOR ROAD)	S.Y.	250.39	41	284.97403	424.5	200	10266
5041000	CONCRETE APPROACH PAVEMENT	S.Y.	769.64	20	103.112	175	50	15392.7
5052000	LATEX MODIFIED CONCRETE WEARING SURFACE	S.Y.	4663.71	62	90.10753	200	68.72	289150
5052001	LATEX MODIFIED HIGH EARLY STRENGTH CONCRETE WEARING SURFACE	S.Y.	971.29	14	172.42025	240	124	13598
6042010	ADJUSTING MANHOLE	EACH	6.25	16	586.1307	5000	150	100
6044011	PIPE COLLAR, TYPE A	EACH	5.00	9	1315.28889	2000	1000	45
6044012	PIPE COLLAR, TYPE B	EACH	1.56	9	913.21429	1450	200	14
6046015A	15 IN. SLOTTED DRAIN	L.F.	1054.00	7	90.43571	106.8	80	7378
6051018A	PIPE AGGREGATE PAVEMENT CROSS DRAIN	L.F.	330.00	4	55.9375	97	8.75	1320
6061010	GUARDRAIL TYPE A	L.F.	1806.00	39	17.93252	43.03	15.19	70434
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	735.80	5	29.06333	32	28	3679
6061020	GUARDRAIL TYPE B	L.F.	300.00	2	28	28	28	600
6061050	GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING	L.F.	337.78	9	36.30675	40	29.33	3040

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	57.00	11	29.59254	36	24	627
6061060	MGS GUARDRAIL	L.F.	7130.45	33	20.23894	23	17.57	235305
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	17065.35	20	24.34839	30	19.98	341307
6061063	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING	L.F.	419.06	16	30.29598	32	28.03	6705
6061065	MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING	L.F.	170.63	16	44.07417	49.58	40	2730
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	6.00	5	2676	2780	2650	30
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	22.30	20	2441.48816	2700	2400	446
6061070	MGS VERTICAL CONCRETE BARRIER TRANSITION	EACH	3.11	9	2507.03286	2800	1500	28
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	19.45	20	590.3319	650	481.33	389
6061080	MGS END ANCHOR	EACH	24.52	25	958.9278	1200	925	613
6061081	MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)	EACH	6.00	10	2710.076	2820.38	2600	60
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY / EACH	EACH	6.13	15	2058.96739	2436.83	1600	92
6062204A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS	EACH	5.25	12	1870.46714	3872.3	1650	63
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	7.44	34	473.53296	1290.77	333.63	253
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	1.00	2	475	500	450	2
6062400	BRIDGE ANCHOR SECTION (THRIE BEAM)	EACH	10.00	5	1969	2045	1950	50
6063000A	TERMINAL SECTION - GUARDRAIL (TURNED-DOWN END)	EACH	1.00	7	1101.89	2581.53	783.94	7
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	32.48	33	2197.73694	2551.58	1950	1072
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	6.76	41	2242.19863	4560	1850	277
6063016	TYPE B CRASHWORTHY END TERMINAL	EACH	2.00	2	4950	5100	4800	4
6063018	TYPE D CRASHWORTHY END TERMINAL	EACH	2.00	4	23525	23700	23000	8
6063019	TYPE E CRASHWORTHY END TERMINAL	EACH	1.00	7	32542.15143	36000	31000	7
6064100	MEDIAN GUARD CABLE 3 - STRAND	L.F.	75.00	5	20.736	22.68	20	375
6064110	ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND	EACH	4.00	5	3732.276	4081.38	3600	20
6066200	GUARDRAIL BEAM	EACH	5.00	2	150	200	100	10
6066300	GUARDRAIL POST	EACH	22.86	7	77.74	95	60	160
6066610	END ANCHOR	EACH	3.55	20	1099.04141	1300	809.36	71
6071011A	CHAIN-LINK FENCE (48 IN.)	L.F.	151.00	7	26.76143	43.03	20	1057
6071012A	CHAIN-LINK FENCE (60 IN.)	L.F.	1241.40	5	17.29645	18	14.96	6207
6071013A	CHAIN-LINK FENCE (72 IN.)	L.F.	426.00	7	28.21714	51.63	24	2982
6071030	WALK GATE (CHAIN-LINK)	EACH	1.00	7	790.32571	838.48	746.8	7
6071040	DRIVE GATE (CHAIN-LINK)	EACH	2.00	7	1678.25857	2581.54	1200	14
6071050	CHAIN-LINK FENCE (RETAINING WALLS)	L.F.	653.67	6	22.09536	352	21	3922
6071060	PEDESTRIAN FENCE (STRUCTURES)	L.F.	164.00	6	74.03333	90	66.05	984
6071102	MODIFIED CONCRETE GUTTER TYPE B	L.F.	1009.00	2	43.5	57	30	2018
6081000	CONCRETE MEDIAN	S.Y.	58.53	22	89.70454	1250	65.2	1287.6
6081012	TRUNCATED DOMES	S.F.	72.30	33	33.62584	366	12	2386
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	292.87	22	81.27523	300	55	6443.2
6085007	PAVED APPROACH, 7 IN.	S.Y.	181.57	7	70.19355	170	52	1271
6085008	PAVED APPROACH, 8 IN.	S.Y.	950.80	5	69.98843	116	50	4754
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	597.85	49	53.84746	95	36	29294.7
6086007	CONCRETE SIDEWALK, 7 IN.	S.Y.	336.00	7	59.19429	81.28	42.5	2352
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	207.00	28	39.77986	250	21	5796
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	57.00	2	82.5	85	80	114
6091041	CONCRETE GUTTER TYPE A	L.F.	77.71	7	59.76471	156	28	544
6091042	CONCRETE GUTTER TYPE B	L.F.	747.33	6	41.63145	70.3	26	4484
6091052	CURB AND GUTTER TYPE B	L.F.	105.00	4	43.01	55	32.7	420
6091060	PAVED DITCH	S.Y.	1139.75	11	37.39555	220	27	12537.2

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	1438.69	36	17.15233	92	8	51793
6092012	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B	L.F.	903.14	7	21.17634	30	16	6322
6092013	INTEGRAL CURB TYPE M	L.F.	400.00	3	20.78333	27	11.6	1200
6092015	INTEGRAL CURB TYPE O	L.F.	1600.00	3	21.01667	27	12.3	4800
6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	L.F.	27.00	7	34.89714	50.02	22.77	189
6092031	CONCRETE CURB LOW PROFILE TYPE E	L.F.	274.00	2	18	22	14	548
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	47.50	22	36.6912	100	25	1045
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	328.86	7	37.27114	50	29	2302
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	569.00	2	30	30	30	1138
6096040A	FURNISHING TYPE 4 ROCK DITCH LINER	C.Y.	908.00	2	32	34	30	1816
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	47.50	22	50.62463	135	30	1045
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	328.86	7	45.03765	75	23	2302
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	569.00	2	24.5	32	17	1138
6096044	PLACING TYPE 4 ROCK DITCH LINER	C.Y.	908.00	2	23.5	31	16	1816
6096050	BEDDING MATERIAL FOR ROCK DITCH LINER	C.Y.	536.00	2	43	47	39	1072
6097000	ROCK LINING	C.Y.	4.64	25	138.25414	600	34	116
6113010	FURNISHING TYPE 1 ROCK BLANKET	C.Y.	26.00	9	33.13889	51	17.5	234
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	2197.55	22	23.02541	48.75	1	48346
6113030	PLACING TYPE 1 ROCK BLANKET	C.Y.	26.00	9	35.18444	83.5	10	234
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	2197.55	22	18.06523	200	8.3	48346
6116010A	CONCRETE SLOPE PROTECTION	S.Y.	86.55	11	84.30597	117.59	56	952
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	3.00	7	1969.30429	2907.58	1350	21
6122014	IMPACT ATTENUATOR (14 SAND BARRELS)	EACH	2.00	9	4524.26444	7500	2500	18
6122019	IMPACT ATTENUATOR (19 SAND BARRELS)	EACH	2.00	8	2543.125	5700	1090	16
6122020	REPLACEMENT SAND BARREL	EACH	20.29	24	328.36234	1100	50	487
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	9.75	24	712.76974	1450	1	234
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.30	37	2532.38718	10000	1	85
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PAVEMENT	S.Y.	766.64	46	259.93669	1556	114.5	35265.6
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	505.02	51	6.12214	60	1	25756
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	505.02	51	6.24305	60	1	25756
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUT)	L.F.	2987.69	51	6.5082	15	3.6	152372
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH PAVEMENT	EACH	1656.42	48	8.70389	41	3	79508
6131017	DOWEL BAR (FURNISHING AND INSTALLATION WITH BASKETS) FOR FULL DEPTH PAVEMENT	EACH	567.00	12	10.80108	59.39	2.75	6804
6131018	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH PAVEMENT	EACH	104.50	22	11.89006	41.41	2.35	2299
6132018	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH PAVEMENT	C.Y.	25.50	4	1155.305	2000	195	102
6132019	REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE PAVEMENT	S.Y.	152.70	4	115.245	173.98	30	610.8
6133018	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT	TON	610.07	12	109.01062	225	44	7320.8
6133019	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	2708.83	12	34.5058	215	20	32506
6133020	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPTH PAVEMENT	TON	1461.54	10	75.94821	350	43	14615.4
6133021	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	5591.92	10	32.07251	288	15	55919.2
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	11.00	2	1070	1250	890	22
6141022	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)	EACH	3.00	2	1250	1500	1000	6
6141023	GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM)	EACH	3.00	2	1250	1500	1000	6
6141025	GRATE AND BEARING PLATE (3 FT. - 1 IN. X 2 FT. - 1 IN. OR 940 MM X 635 MM)	EACH	5.00	2	1225	1500	950	10
6141028	GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)	EACH	1.00	5	1865.424	2475	1200	5
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	6.08	13	1014.25861	2500	360	79
6141121	CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)	EACH	12.44	18	1349.41893	2588.83	545	224
6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EACH	19.00	2	540	750	330	38

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6143011	MANHOLE FRAME AND COVER, TYPE 1-B	EACH	2.00	7	440.46714	534	300	14
6143012	MANHOLE FRAME AND COVER, TYPE 2	EACH	4.00	5	501.8	800	298	20
6143014	MANHOLE FRAME AND COVER, TYPE 4	EACH	22.00	2	475	700	250	44
616-99.01	MISC. MISC. TEMPORARY TRAFFIC CONTROL	L.S.	1.00	2	5530	7000	4060	2
6161005	CONSTRUCTION SIGNS	S.F.	1152.68	38	7.43833	18	1	43802
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	9.24	29	70.27373	226.74	1	268
6161009	FLAG ASSEMBLY	EACH	31.28	25	20.03453	37.5	1	782
6161025	CHANNELIZER (TRIM LINE)	EACH	288.41	29	18.71521	43	1	8364
6161030	TYPE III MOVEABLE BARRICADE	EACH	6.43	7	133.88578	180	95	45
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	44.92	26	51.36601	210	1	1168
6161040	FLASHING ARROW PANEL	EACH	3.35	49	881.9903	2384	1	164
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	24.11	9	70.54387	96.37	40	217
6161095	RADAR SPEED ADVISORY SYSTEM	EACH	2.33	15	2696.79429	12400	650	35
6161096	CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED	EACH	2.00	5	1715	3000	475	10
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIN	EACH	4.75	24	3469.1914	8400	1000	114
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR	EACH	1.00	6	3737.39667	5500	3000	6
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR	EACH	4.00	7	10432.36143	19700	5000	28
6162010	WORK ZONE LIGHTING	EACH	1.00	59	20782.88763	139000	1	59
6171000	CONCRETE TRAFFIC BARRIER, TYPE A	L.F.	25.00	5	631.94	1200	212	125
6172000	CONCRETE TRAFFIC BARRIER, TYPE B	L.F.	136.67	6	180.65854	550	130	820
6173000	CONCRETE TRAFFIC BARRIER, TYPE C	L.F.	5379.73	15	89.53522	150	60.25	80696
6173100	CONCRETE TRAFFIC BARRIER, TYPE D	L.F.	892.08	13	106.53637	165.5	45	11597
6173101	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)	L.F.	164.00	6	259.86341	400	153.6	984
6173102	CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)	L.F.	2914.00	2	92.25	110	74.5	5828
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	1607.86	42	26.6334	50	1	67530
6173700B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAI	L.F.	2438.77	26	30.72745	44.56	18	63408
6173706	TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR	L.F.	425.00	3	31.58333	34	30.25	1275
6174000A	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	3.78	9	893.94118	1500	1	34
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	5288.55	33	10.12887	15	1	174522
6175011B	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED	L.F.	4299.06	17	16.29031	25	2	73084
6175020A	RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	4.29	7	391.46667	625	1	30
618-10.00	MOBILIZATION	L.S.	1.00	2	24500	29000	20000	2
6181000	MOBILIZATION	L.S.	1.00	164	639773.4079	8600000	1	164
6191000	PAVEMENT EDGE TREATMENT	L.F.	320.00	2	7.5	9	6	640
6205101A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., WHITE	L.F.	139.00	4	6.8625	15	4	556
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	939.67	30	4.76526	20	3.1	28190
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	479.45	55	17.94143	45	15	26370
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	548.00	8	16.28376	18	10	4384
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	36.81	53	255.44981	450	180	1951
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	10.20	15	232.65771	450	200	153
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT,	EACH	7.06	32	469.5527	900	275	226
6205133	TYPE 2 PREFORMED MARKING TAPE (GROOVED) WORD (ONLY)	EACH	2.33	6	329.14286	398	240	14
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR	EACH	619.60	10	122.65219	199	105	6196
6205139	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN. WHITE, YIELD LINE TRIAN	EACH	15.67	9	28.80319	50	20	141
6205139A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 16 IN. WHITE, YIELD LINE TRIAN	EACH	55.56	16	35.43701	150	24	889
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIAN	EACH	34.67	12	47.99087	300	33.8	416
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	8464.11	9	1.02993	1.2	0.98	76177
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	6073.56	9	1.0459	1.2	0.98	54662

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205401B	PREFORMED SHORT TERM MARKING TAPE 4 IN. WHITE	L.F.	1000.00	5	1.01	1.05	1	5000
6205403B	PREFORMED SHORT TERM MARKING TAPE 4 IN., YELLOW	L.F.	1000.00	5	1.01	1.05	1	5000
6205425	PREFORMED SHORT TERM MARKING TAPE 24 IN., WHITE	L.F.	36.00	7	12.76286	30	5.22	252
6205440A	PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW	EACH	2.25	12	118.53667	450	80	27
6205442	PREFORMED SHORT TERM MARKING TAPE STRAIGHT ARROW	EACH	1.00	7	223.29857	450	60.03	7
6205443A	PREFORMED SHORT TERM MARKING TAPE COMBINATION STRAIGHT- LEFT ARR	EACH	1.00	7	354.92714	900	81.43	7
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	41254.70	30	0.17109	1.25	0.06	1237641
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEA	L.F.	82763.30	82	0.19056	4.2	0.07	6786591
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	65255.43	51	0.21212	3.6	0.15	3328027
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/	L.F.	7037.55	55	0.59058	5	0.32	387065
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	31018.58	40	0.11074	2.99	0.06	1240743
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	36573.94	31	0.1089	2.99	0.06	1133792
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	427.00	4	1.525	3	1	1708
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	272.13	15	7.94796	14.64	5	4082
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	193.91	23	5.79483	12	4.64	4460
6207001	PAVEMENT MARKING REMOVAL	L.F.	31041.23	31	0.39939	6.1	0.25	962278
6207002	PAVEMENT MARKING REMOVAL (SYMBOLS)	EACH	22.86	7	56.2295	65	50	160
6208064	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	EACH	689.00	3	6.06667	14	1.2	2067
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	2005.00	2	1.38	2.75	0.01	4010
6208070	REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER	EACH	353.00	3	11.24667	16.54	0.85	1059
6214600A	FLOWABLE BACKFILL	C.Y.	5.54	13	436.47722	1360	120	72
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC	S.Y.	125565.23	73	2.18526	104	0.79	9166261.5
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF	S.Y.	141277.97	46	2.95233	10.66	0.77	6498786.5
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	13157.54	26	3.44636	13	0.95	342096
6233000	EPOXY POLYMER CONCRETE OVERLAY	S.Y.	1478.66	58	41.91584	68.75	36	85762
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	3482.41	22	2.54015	10	0.8	76613
6252001	UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE	LBS	9000.00	4	4.3975	4.92	4.1	36000
6254000	DEFLECTION TESTING	EACH	6.00	4	1848.345	2643.38	750	24
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	932.81	50	20.24033	110	6	46640.4
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	262.10	3	20.63333	22.25	17.65	786.3
6262000A	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	STA.	22.00	4	395.56818	475	310	88
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	97	38107.83402	821000	1	97
7011102	DRILLED SHAFTS (2 FT. 0 IN. DIA.)	L.F.	76.65	6	259.11676	465	88	459.9
7011104	DRILLED SHAFTS (3 FT. 0 IN. DIA.)	L.F.	220.00	2	199	320	78	440
7011106	DRILLED SHAFTS (4 FT. 0 IN. DIA.)	L.F.	557.78	8	391.50885	600	204.5	4462.2
7011107	DRILLED SHAFTS (4 FT. 6 IN. DIA.)	L.F.	237.60	6	774.59091	1920	274.5	1425.6
7011118	DRILLED SHAFTS (10 FT. 0 IN. DIA.)	L.F.	448.50	7	5297.14286	8500	2555	3139.5
7011201	ROCK SOCKETS (1 FT. 6 IN. DIA.)	L.F.	16.00	6	158	270	50	96
7011204	ROCK SOCKETS (3 FT. 0 IN. DIA.)	L.F.	48.00	2	743	1036	450	96
7011205	ROCK SOCKETS (3 FT. 6 IN. DIA.)	L.F.	124.00	8	522.83871	850	355	992
7011206	ROCK SOCKETS (4 FT. 0 IN. DIA.)	L.F.	160.00	6	514	650	395	960
7011217	ROCK SOCKETS (9 FT. 6 IN. DIA.)	L.F.	265.50	7	5854.85714	8500	4500	1858.5
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	19.82	17	758.35371	1767.68	200	337
7011400	FOUNDATION INSPECTION HOLES	L.F.	489.26	17	144.2094	300	82	8317.5
7011600	SONIC LOGGING TESTING	EACH	19.82	17	3199.2905	15000	600	337
7021010	STRUCTURAL STEEL PILES (10 IN.)	L.F.	791.00	4	52.68078	55	47	3164
7021012	STRUCTURAL STEEL PILES (12 IN.)	L.F.	800.00	4	81.5	103	70	3200
7025001	DYNAMIC PILE TESTING	EACH	5.00	7	4073.52143	9000	2260	35

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7026000	PRE-BORE FOR PILING	L.F.	344.55	11	78.63099	125	48	3790
7027000	PILE POINT REINFORCEMENT	EACH	54.27	15	130.81081	175	85	814
7032002	CLASS B CONCRETE (MISC)	C.Y.	4.00	2	2130	2900	1360	8
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	2058.35	21	798.02659	1350	302	43225.3
7032009	CLASS B CONCRETE (RETAINING WALLS)	C.Y.	5.90	4	4342.25	6020	2239	23.6
7033001	SEAL CONCRETE	C.Y.	1684.20	7	331.57143	600	100	11789.4
7034001	CLASS B-1 CONCRETE	C.Y.	123.98	16	1736.45207	2448.5	700	1983.6
7034003	CLASS B-1 CONCRETE (SUBSTRUCTURE)	C.Y.	227.20	10	845.35789	3500	300	2272
7034212	SLAB ON STEEL	S.Y.	7596.46	13	346.28471	700	224.5	98754
7034214	CLASS B-2 CONCRETE	C.Y.	18.20	88	2257.00379	5800	362	1601.2
7034215	SAFETY BARRIER CURB	L.F.	289.86	14	119.10647	710	77.5	4058
7034219A	BARRIER CURB (TYPE D)	L.F.	417.10	10	108.95313	172	85	4171
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	3092.73	15	366.52194	680	223	46391
7034412	MEDIAN BARRIER CURB TRANSITION	L.F.	23.00	3	542	930	200	69
7034420	RAISED MEDIAN BARRIER	S.F.	1027.00	4	17.125	25	11	4108
7034620	FORM LINERS	S.Y.	166.50	4	108.74024	160	64	666
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	381.27	44	126.74612	242.26	57	16776
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	46.79	38	139.59055	344.14	72	1778
7040103	SUPERSTRUCTURE REPAIR (UNFORMED)	S.F.	118.46	26	122.52153	324.75	85	3080
7040104	REPAIRING CONCRETE DECK (HALF-SOLING)	S.F.	282.81	64	62.5203	210	0.01	18100
7040106	FULL DEPTH REPAIR	S.F.	91.00	20	133.56621	285	95	1820
7040107	SLAB EDGE REPAIR (BRIDGES)	L.F.	41.33	24	183.93558	411.5	130	992
7040108	MODIFIED DECK REPAIR	S.F.	616.67	36	50.96847	113.4	45	22200
7040109	TOTAL SURFACE HYDRO DEMOLITION	S.Y.	3990.63	76	34.64507	109.74	20.05	303288
7040112	DECK REPAIR WITH VOID TUBE REPLACEMENT	S.F.	733.33	6	100.14773	155	75	4400
7040113	CLEAN AND EPOXY SEAL	S.F.	568.10	60	18.15261	300	6	34086
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	1210.50	8	240.3607	295	200	9684
7056026	NU 78, PRESTRESSED CONCRETE NU-GIRDER	L.F.	4695.00	7	396.17	600	285	32865
7061000	REINFORCING STEEL	LBS	150.00	2	6.75	8.5	5	300
7061040	REINFORCING STEEL (RETAINING WALL)	LBS	690.00	4	1.4375	3	0.6	2760
7061060	REINFORCING STEEL (BRIDGES)	LBS	522232.40	25	1.12722	4	0.85	13055810
7061070	MECHANICAL BAR SPLICE	EACH	392.79	19	126.28392	220	30	7463
7071000	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	6	5829	10000	1600	6
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	6486.15	117	1.91849	6.35	0.85	758880
7110100	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHENE)	L.S.	1.00	60	8783.20783	22766	1700	60
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	27	5401.34815	16825	1800	27
7110300	CONCRETE AND MASONRY PROTECTION SYSTEM	L.S.	1.00	11	5484.27273	8960	2000	11
7110400	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	18	6054.83333	12800	2000	18
7110500	TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)	L.S.	1.00	7	58355.71429	107920	36000	7
7110600	AESTHETIC CONCRETE STAIN	L.S.	1.00	12	7504.16667	10700	4905	12
7111001	WATERPROOFING MEMBRANE	S.Y.	170.00	12	102.91667	175	45	2040
7121000	FABRICATED STRUCTURAL CARBON STEEL (MISC)	LBS	780.00	6	16.65	20	12.25	4680
7121060	FABRICATED SIGN SUPPORT BRACKETS	L.S.	1.00	11	5612.47636	8768.03	3739.59	11
7121122	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	LBS	4011251.54	13	2.1035	2.83	1.32	52146270
7121123	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE HP	LBS	5185280.00	7	2.22571	2.83	1.66	36296960
7121159	SHEAR CONNECTORS	EACH	148.00	2	35	48	22	296
7123100	CLEANING AND COATING EXISTING BEARINGS	EACH	18.67	12	1725.48179	2500	1500	224
7123120	CLEANING, LUBRICATING AND COATING BEARING	EACH	7.00	20	3201.38871	4300	1800	140

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7123130	REHABILITATE BEARING	EACH	14.71	56	6589.6662	14700	3800	824
7123210	EARTH QUAKE RESTRAINER ASSEMBLIES	EACH	8.00	7	11344.53286	20000	3000	56
7123250	RIVET REMOVAL AND REPLACEMENT	EACH	20.00	4	322.25	594	150	80
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	131.00	7	1452.57571	3000	950	917
7123610	SLAB DRAIN	EACH	33.00	7	1692.96571	2500	1100	231
7123611	SLAB DRAIN WITH GRATE	EACH	50.00	7	4233.61143	5061.28	1600	350
7123620	DRAINAGE SYSTEM (ON STRUCTURE)	L.S.	1.00	7	62149.68714	80000	42067	7
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	3440.91	44	25.69672	192	15.25	151400
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	3440.91	44	2.38703	30	2	151400
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	1913.64	44	2.68262	30	2	84200
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	1913.64	44	2.68262	30	2	84200
7151001	VERTICAL DRAIN AT END BENTS	EACH	1.67	21	6445.00229	40000	2750	35
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	18.00	6	234.16667	292	172	108
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	30.13	15	533.0492	1123.1	199	452
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	15.04	23	2071.91087	4400	750	346
7163000	TYPE N PTFE BEARING	EACH	6.00	7	3845.12286	9000	2000	42
7171001	PREFORMED COMPRESSION SEAL EXPANSION JOINT SYSTEM	L.F.	923.50	8	285.37263	397	230	7388
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	184.59	92	304.81963	860	195.05	16982
7173002	SILICONE EXPANSION JOINT SEALANT	L.F.	72.67	12	45.7153	83	5	872
7201000	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	3553.00	19	58.30182	85	49	67507
7201100	FORM LINERS FOR MSE WALL SYSTEMS	S.Y.	451.33	6	32.57976	72	1	2708
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	81.00	5	115.7	193	43	405
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	47.00	4	109.2875	200	41	188
7250324A	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	50.00	5	150	240	68	250
7251000	CORRUGATED METAL PIPE PILE SPACERS	EACH	10.82	11	666.84975	2547.68	1	119
7261012	12 IN. PIPE GROUP A	L.F.	766.19	16	74.86052	332.21	35.99	12259
7261015	15 IN. PIPE GROUP A	L.F.	258.75	12	77.17945	105	50	3105
7261018	18 IN. PIPE GROUP A	L.F.	237.00	25	92.25812	560	30.6	5925
7261024	24 IN. PIPE GROUP A	L.F.	397.43	7	108.86686	386	82	2782
7261030	30 IN. PIPE GROUP A	L.F.	889.00	2	100.5	110	91	1778
7261036	36 IN. PIPE GROUP A	L.F.	151.11	9	135.65224	208.26	97.66	1360
7310048	PRECAST CONCRETE MANHOLE - 48 IN.	L.F.	47.25	12	307.35175	582.06	200	567
7310060	PRECAST CONCRETE MANHOLE - 60 IN.	L.F.	206.00	2	295	390	200	412
7310072	PRECAST CONCRETE MANHOLE - 72 IN.	L.F.	48.00	2	380	460	300	96
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	19.33	9	683.35034	1200	350	174
7311030	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	L.F.	15.00	2	450	600	300	30
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	81.00	2	515	700	330	162
7311033	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	L.F.	13.00	2	565	690	440	26
7311042	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	L.F.	34.40	25	597.60037	1250	260	860
7311052	PRECAST CONCRETE DROP INLET 5 FT X 2 FT	L.F.	19.00	2	575	650	500	38
7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	L.F.	12.00	5	697.844	1170	495.22	60
7320012A	12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	5.00	5	717.8	1200	74	25
7320612A	12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.89	9	657.15	1200	275	26
7320615A	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	3	1013.33333	1800	500	3
7320618A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	11	798.22727	2150	162.5	22
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3.00	7	1541.57143	2400	180	21
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	5.00	2	2250	3000	1500	10
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	7	1771.80714	2000	1131.56	14

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8031000A	TURF TYPE TALL FESCUE SODDING	S.Y.	1497.94	16	10.33166	45	5.5	23967
8032000A	KENTUCKY BLUEGRASS SODDING	S.Y.	1304.00	7	10.64	13.98	7	9128
8033000	K-31 TALL FESCUE SODDING	S.Y.	200.00	3	20.16667	22.5	18	600
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	3.03	49	2955.59534	48500	100	148.3
8052000A	SEEDING - WARM SEASON MIXTURES	ACRE	1.04	10	6504.48558	11500	3500	10.4
8061003	SEDIMENT TRAP EXCAVATION	C.Y.	3.00	3	326.66667	870	55	9
8061004	SEDIMENT TRAP ROCK	C.Y.	17.49	7	121.22712	250	26	122.4
8061005	ROCK DITCH CHECK	L.F.	284.54	74	19.81191	225	1	21056
8061006	ALTERNATE DITCH CHECK	L.F.	139.00	12	17.77008	38.25	10	1668
8061007A	CURB INLET CHECK	EACH	12.08	13	139.82803	205	1	157
8061016	SEDIMENT REMOVAL	C.Y.	54.53	79	41.57649	490	0.01	4308
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	0.53	26	3744.52188	15000	1	13.8
8061019	SILT FENCE	L.F.	2693.91	87	2.65474	13	0.1	234370
8061050	TYPE C BERM	L.F.	323.56	18	37.19263	66.65	3	5824
8064120	TYPE 1 EROSION CONTROL BLANKET	S.Y.	865.00	9	4.38222	6	1.81	7785
8064122	TYPE 3 EROSION CONTROL BLANKET	S.Y.	7995.92	13	2.46155	5.5	1.25	103947
9011010	RELOCATED POLE	EACH	6.60	5	838.63333	1100	830	33
9011062	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	EACH	32.00	2	1976	1976	1976	64
9011250	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM (UNDERPASS)	EACH	12.00	2	506	506	506	24
9011300	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM	EACH	3.00	7	260.97286	289	250	21
9011310	LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM	EACH	18.00	2	705	705	705	36
9011320	LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM	EACH	14.00	2	705	705	705	28
9013002	CONDUIT, 2 IN. RIGID, IN TRENCH	L.F.	7384.00	2	6.15	6.15	6.15	14768
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	383.00	2	9.65	9.65	9.65	766
9013004	CONDUIT, 4 IN. RIGID, IN TRENCH	L.F.	63.00	2	9.5	9.5	9.5	126
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	1108.50	8	26.22493	36.3	16.9	8868
9014502	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE	L.F.	324.00	2	16	16	16	648
9015010	TRENCHING TYPE I	L.F.	5988.00	2	3	3	3	11976
9015030	TRENCHING TYPE III	L.F.	664.00	2	9.8	9.8	9.8	1328
9016110	PULL BOX, PREFORMED CLASS 1	EACH	14.50	8	688.5431	930	660	116
9016111	PULL BOX, PREFORMED CLASS 2	EACH	3.00	2	1502.5	1905	1100	6
9016112	PULL BOX, PREFORMED CLASS 3	EACH	1.00	2	1174	1174	1174	2
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	5900.00	2	2	2	2	11800
9017004	CABLE, 4 AWG 1 CONDUCTOR	L.F.	14430.00	2	1.75	1.75	1.75	28860
9017006	CABLE, 6 AWG 1 CONDUCTOR	L.F.	1280.00	2	1.2	1.2	1.2	2560
9017008	CABLE, 8 AWG 1 CONDUCTOR	L.F.	9140.00	2	1	1	1	18280
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	4115.00	4	0.5	0.5	0.5	16460
9017202	WIRE, 2 AWG, BARE NEUTRAL	L.F.	1080.00	2	1.85	1.85	1.85	2160
9017204	WIRE, 4 AWG, BARE NEUTRAL	L.F.	7670.00	2	1.35	1.35	1.35	15340
9017206	WIRE, 6 AWG, BARE NEUTRAL	L.F.	640.00	2	1	1	1	1280
9017208	WIRE, 8 AWG, BARE NEUTRAL	L.F.	4580.00	2	0.65	0.65	0.65	9160
9017404	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	L.F.	2720.00	2	3.05	3.05	3.05	5440
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	5640.00	2	2.3	2.3	2.3	11280
9018230	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	EACH	4.33	6	726.11538	907	707	26
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	20.71	7	969.63931	1403.85	960	145
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	2	5757	5757	5757	2
9018613	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN	EACH	1.00	2	11366	11366	11366	2
9019300	NAVIGATION LIGHTING SYSTEM	L.S.	1.00	7	114097.8886	250000	67800	7

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
902-99.01	MISC. MISC. ITS ASSET MANAGEMENT TOOL	L.S.	1.00	2	4400	8400	400	2
9020113	SIGNAL HEAD, TYPE 3T	EACH	2.00	16	1018.84375	2430	756	32
9020115	SIGNAL HEAD, TYPE 5T	EACH	1.00	4	870.5	924	834	4
9020211	SIGNAL HEAD, TYPE 1S	EACH	24.00	2	445	445	445	48
9020213	SIGNAL HEAD, TYPE 3S	EACH	10.28	32	852.6817	1290.6	317.39	329
9020214	SIGNAL HEAD, TYPE 4S	EACH	3.00	9	1110.18519	1300	849	27
9020215	SIGNAL HEAD, TYPE 5S	EACH	1.00	4	1017.25	1090	982	4
9020413	SIGNAL HEAD, TYPE 3C	EACH	3.00	3	1007	1114	882	9
9020414	SIGNAL HEAD, TYPE 4C	EACH	6.00	3	1198	1345	937	18
9020511	SIGNAL HEAD, TYPE 1B	EACH	2.00	4	776.7	1171.8	510	8
9020513	SIGNAL HEAD, TYPE 3B	EACH	18.78	32	956.2921	1290	582.04	601
9020514	SIGNAL HEAD, TYPE 4B	EACH	8.46	28	1214.84186	1467	587.9	237
9020515	SIGNAL HEAD, TYPE 5B	EACH	2.50	8	1421.5	1625	1265	20
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	7.11	9	447.1425	513	410	64
9021413	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B	EACH	2.00	2	3288	3288	3288	4
9021415	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5B	EACH	3.00	3	5733.33333	6000	5500	9
9022650	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	EACH	4.00	4	445.75	800	285	16
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	9.53	38	913.48583	3537	495	362
9022715	POST, SIGNAL 15 FT. OR 4.6 M	EACH	2.89	18	1142.87308	4515.48	675	52
9023115	POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM	EACH	1.00	4	4500.75	6978	3540	4
9023145	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM	EACH	1.00	4	10789	22234	6722	4
9023215	POST, TYPE C, 15 FT. ARM OR 4.6 M ARM	EACH	2.67	12	3546.625	8478	2950	32
9023220	POST, TYPE C, 20 FT. ARM OR 6.1 M ARM	EACH	4.80	10	4301.10417	8708	3283	48
9023225	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM	EACH	2.20	10	3820.54545	4640	3463	22
9023230	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM	EACH	3.07	15	5608.49348	15625	4114	46
9023235	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM	EACH	1.86	14	5177.61538	16928	4270	26
9023240	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM	EACH	2.60	10	7627.26923	22278	5643	26
9023245	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM	EACH	1.94	17	7956.35818	25075	6000	33
9023250	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM	EACH	3.00	6	11706.55556	27707	6383	18
9023255	POST, TYPE C, 55 FT. ARM	EACH	1.00	6	12629.16667	30613	8767	6
9023325	POST, TYPE B, LONGEST ARM 25 FT. OR 7.6 M	EACH	1.00	4	5010.5	6000	3608	4
9023345	POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M	EACH	1.00	8	11244.25	26976	8101	8
9023350	POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M	EACH	2.00	4	15978.25	34248	9358	8
9023355	POST, TYPE B, LONGEST ARM 55 FT.	EACH	1.00	6	11634	12650	11058	6
9023445	POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M	EACH	2.00	4	11463	12200	10175	8
9024281	CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC	EACH	1.50	8	13879.91667	19718	8971	12
9024283	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER	EACH	1.29	21	12633.93259	17650	9610	27
9024920	DETECTOR, PUSHBUTTON	EACH	11.45	11	234.58921	258	210	126
9024944	DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)	EACH	3.00	7	221.42857	276	200	21
9024975	VIDEO DETECTION SYSTEM	EACH	3.75	16	21936.56667	26900	17722	60
9025020	CONDUIT, 1 IN., LOOP DETECTOR	L.F.	48.00	5	31.97	38.85	10	240
9025200	CONDUIT, 2 IN., TRENCH	L.F.	286.29	21	7.03502	24	6.3	6012
9025300	CONDUIT, 3 IN., TRENCH	L.F.	267.71	42	12.25714	52	6	11244
9025400	CONDUIT, 4 IN., TRENCH	L.F.	51.56	9	10.45474	13.25	9	464
9027200	CONDUIT, 2 IN., PUSHED	L.F.	303.06	16	18.7078	45	10	4849
9027300	CONDUIT, 3 IN., PUSHED	L.F.	1160.55	31	28.49596	83	17.09	35977
9027400	CONDUIT, 4 IN., PUSHED	L.F.	298.11	9	23.52868	26.58	19.14	2683
9028100	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	410.00	7	0.30714	0.45	0.25	2870

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9028202	CABLE, 2 AWG 1 CONDUCTOR, POWER	L.F.	130.00	7	1.44857	1.7	1.35	910
9028204	CABLE, 4 AWG 1 CONDUCTOR, POWER	L.F.	1640.00	4	1.245	1.35	1.1	6560
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	1019.09	22	0.96532	1.25	0.64	22420
9028219	CABLE, 10 AWG 1 CONDUCTOR, POWER	L.F.	170.00	4	0.55	0.8	0.25	680
9028302	CABLE, 12 AWG 2 CONDUCTOR	L.F.	441.82	11	0.83889	1.4	0.7	4860
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	3349.52	42	0.95225	1.45	0.65	140680
9028309	CABLE, 16 AWG 3 CONDUCTOR	L.F.	580.00	3	1.73333	2.15	1.4	1740
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	3143.57	42	1.05123	1.75	0.7	132030
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	8576.56	32	1.71473	6.5	0.85	274450
9028354	FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE	L.F.	50.00	4	6.435	10	3.58	200
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	2497.67	30	5.13389	7.75	1	74930
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	870.00	7	0.45	0.96	0.25	6090
9028810	PULL BOX, PREFORMED CLASS 1	EACH	1.00	15	885.526	1800	661	15
9028811	PULL BOX, PREFORMED CLASS 2	EACH	8.32	31	1158.84388	1625	925	258
9028812	PULL BOX, PREFORMED CLASS 3	EACH	4.52	29	1512.40053	2255	1350	131
9028821	PULL BOX, CONCRETE, DOUBLE, TYPE A	EACH	1.00	7	4065.31	4386	3940	7
9029100	BASE, CONCRETE	C.Y.	28.76	42	1223.43222	2800	950	1208.1
9029400	TEMPORARY TRAFFIC SIGNALS	EACH	1.00	11	26289.10091	56330	7788.24	11
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	14.47	21	992.02881	2000	800	303.9
9031020	CONCRETE FOOTINGS, BOLT DOWN	C.Y.	80.13	6	917.12363	1351	900	480.8
9031210	STRUCTURAL STEEL POSTS	LBS	5443.60	25	2.82364	15	2.65	136090
9031220	PIPE POSTS	LBS	1981.60	25	2.9407	8	2.4	49540
9031240	BREAKAWAY ASSEMBLY	EACH	20.60	15	104.23702	153.32	77.85	309
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	212.20	30	12.95632	23.5	7	6366
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	67.13	30	28.26566	46.4	10	2014
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	66.43	14	14.17826	17.28	10	930
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	11.29	14	36.89241	48.6	25.7	158
9035004	TYPE SHR2L-1 SIGN	S.F.	136.28	36	20.64864	45	15	4906
9035004A	SH-FLAT SHEET	S.F.	220.00	6	20.16667	21	20	1320
9035009	36 IN. OR 900 MM STOP SIGN	EACH	2.46	13	145.945	188.45	100	32
9035011	SIGN, TYPE STR2L-3	S.F.	1048.06	17	18.52777	40	18	17817
9035011A	ST-STRUCTURAL	S.F.	3976.00	6	22.69167	23.65	22.5	23856
9035018	TYPE III OBJECT MARKER	EACH	12.00	4	138.75	180	125	48
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	196.67	36	34.50783	80	19	7080
9035069	TYPE SHR4L-1 SIGN	S.F.	99.21	33	21.18232	41.76	15	3274
9035069A	SHF-FLAT SHEET FLUORESCENT	S.F.	428.00	6	22.18333	23.1	22	2568
9036030	TUBULAR SUPPORT, TYPE C-1710-12	EACH	1.00	7	5935.35143	8124.34	1500	7
9036034	TUBULAR SUPPORT, TYPE C-2315-12	EACH	2.00	4	11424.2625	11800	10500	8
9036041	TUBULAR SUPPORT, TYPE C-2018-24	EACH	2.00	2	14500	14500	14500	4
9036042	TUBULAR SUPPORT, TYPE C-2018-28	EACH	2.00	2	16000	16000	16000	4
9036043	TUBULAR SUPPORT, TYPE C-2018-34	EACH	1.00	2	18000	18000	18000	2
910-99.01	MISC. MISC. INSTALL NETWORK COMMUNICATIONS EQ	L.S.	1.00	6	48957.5	143000	500	6
910-99.02	MISC. MISC. CHANGEABLE MESSAGE SIGN CONTRACTO	EACH	5.50	8	6068.81818	12420	1200	44
9103700	CCTV CAMERA ASSEMBLY, INSTALLED	EACH	30.00	2	1125.5	1495	756	60
9103804	DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED	EACH	1.00	2	1048	1048	1048	2
9105200	CONDUIT, 2 IN., RIGID, IN TRENCH	L.F.	3701.50	4	7.47092	8.5	7.4	14806
9105201	CONDUIT, 3 IN., RIGID, IN TRENCH	L.F.	100.00	2	11.125	11.25	11	200
9105202	CONDUIT, 4 IN., RIGID, IN TRENCH	L.F.	100.00	2	12.375	12.75	12	200

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9107201	CONDUIT, 3 IN., RIGID, PUSHED	L.F.	50.00	2	24	24	24	100
9107202	CONDUIT, 4 IN., RIGID, PUSHED	L.F.	50.00	2	28	30	26	100
9108206	CABLE, 6 AWG, 1 CONDUCTOR, POWER	L.F.	1940.00	2	1.2	1.2	1.2	3880
9108352	FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE	L.F.	3790.00	6	2.0136	3.5	0.5	22740
9108810	PULL BOX, PREFORMED CLASS 1	EACH	3.00	2	660	660	660	6
9108811	PULL BOX, PREFORMED CLASS 2	EACH	1.00	4	1473.5	1598	1410	4
9108816	PULL BOX, PREFORMED CLASS 5	EACH	3.00	4	1694	1900	1569	12

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
1041000	TEMPORARY SURFACING	C.Y.	213.68	19	95.67478	169.11	23.13	4060
2013000	CLEARING AND GRUBBING	ACRE	1.29	28	5541.22694	10000	1810	36
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	166	42024.4894	400000	500	166
2031000	CLASS A EXCAVATION	C.Y.	1990.64	25	9.37041	23.5	2.5	49766
2035000	UNCLASSIFIED EXCAVATION	C.Y.	9951.55	29	12.84262	40	5.45	288595
2035500	EMBANKMENT IN PLACE	C.Y.	8048.67	15	12.18426	60	5.75	120730
2036000	COMPACTING EMBANKMENT	C.Y.	4391.26	54	3.92506	20	0.01	237128
2037075	COMPACTING IN CUT	STA.	56.60	31	677.48282	3350	30.21	1754.7
20610	CLASS 1 EXCAVATION	C.Y.	835.00	16	27.86036	75	6	13360
2061000	CLASS 1 EXCAVATION	C.Y.	105.22	23	65.22467	284	20	2420
2063000	CLASS 3 EXCAVATION	C.Y.	1301.70	46	18.39627	573.64	5.9	59878
2063100	CLASS 3 EXCAVATION IN ROCK	C.Y.	1271.00	5	60.98	95	20	6355
2063500	CULVERT CLEANOUT	EACH	6.00	3	1368.51667	1500	1271.55	18
2064000	POROUS BACKFILL	C.Y.	2800.00	2	63	80	46	5600
2065500	TEMPORARY SHORING	L.S.	1.00	14	28484.03286	60000	0.01	14
2071000	LINEAR GRADING CLASS 1	STA.	142.78	33	151.47778	7029.19	26.95	4711.8
2072000	LINEAR GRADING CLASS 2	STA.	124.41	36	358.75931	3375	117.27	4478.9
2081000	INTERCEPTION DITCH	100FT	1.00	7	2059.27429	5000	455	7
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	5.00	4	1347.5	2900	300	20
2121000A	SUBGRADING AND SHOULDERING CLASS 1	STA.	24.00	5	970.64	1725	500	120
2122000A	SUBGRADING AND SHOULDERING CLASS 2	STA.	1.00	5	2543.744	5500	550	5
21420	FURNISHING ROCK FILL	C.Y.	1255.00	8	23.85875	37.62	16.2	10040
2142000	FURNISHING ROCK FILL	C.Y.	2731.00	7	27.95	40	22	19117
21430	PLACING ROCK FILL	C.Y.	1255.00	8	13.85125	25	6.4	10040
2143000	PLACING ROCK FILL	C.Y.	2731.00	7	11.72714	25	4.5	19117
2151000A	SHAPING SLOPES, CLASS I	100FT	1282.00	3	50.66667	53	49	3846
2152000A	SHAPING SLOPES, CLASS II	100FT	253.36	11	141.67868	249	45	2787
2153000	SHAPING SLOPES, CLASS III	100FT	72.73	40	674.1211	3200	85.1	2909
2160500	REMOVAL OF BRIDGES	L.S.	1.00	30	97097.07767	311335	12000	30
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	19950.76	29	9.42407	20.5	5	578572
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	7	28761.76857	39300	16605.38	7
3030600	FURNISHING ROCK BASE MATERIAL	S.Y.	3890.00	7	8.32143	14	6	27230
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	1544.46	50	9.11563	101	1.6	77223
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	6322.19	48	6.0655	36.68	3.5	303465
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	25455.11	18	7.17305	9	6	458192
3101003	GRAVEL (A)	S.Y.	8.00	6	56.68333	93.6	44	48
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	207.81	62	43.91189	505.5	11.3	12884
4010150	TYPE A2 SHOULDER	S.Y.	19496.08	8	20.24478	25	13.5	155968.6
4010151	TYPE A3 SHOULDER	S.Y.	2126.94	23	23.04181	60	17	48919.7
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	4457.71	90	49.64767	450	35	401193.5
4011211	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)	TON	15816.26	32	48.40778	58.15	35.25	506120.4
40130	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	781.30	8	59.00625	67.05	55	6250.4
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	914.10	9	53.3213	62.5	49	8226.9
4030001	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)	TON	1461.60	3	68.77667	70.7	67	4384.8
4030003	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)	TON	1521.63	9	62.44499	82	56	13694.7
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	4157.65	44	54.75399	104.15	39.31	182936.8
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	12449.39	36	49.44428	76.78	41	448178
4030114	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)	TON	23211.60	6	53.855	66.6	41.21	139269.6

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4030116	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)	TON	34166.10	8	52.82847	56.65	51	273328.8
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	612.20	7	106.36	128.25	94.39	4285.4
4030306	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)	TON	6847.74	14	50.37096	59.15	44.4	95868.4
4030308	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)	TON	2247.20	8	53.29625	61.95	48.85	17977.6
4030317	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX)	TON	958.70	7	73.09143	89.98	62.2	6710.9
4071005	TACK COAT	GAL	12488.88	125	2.37975	50	1.25	1561110
4091048	EMULSIFIED ASPHALT, SEAL COAT	GAL	36560.00	4	1.67125	2.02	1.485	146240
4094001	SEAL COAT AGGREGATE, GRADE A1	S.Y.	104467.00	4	0.87625	1	0.735	417868
4133200	ULTRATHIN BONDED WEARING SURFACE, TYPE C	S.Y.	116405.00	2	3.315	3.56	3.07	232810
4134000	BITUMINOUS FOG SEAL	GAL	10757.06	32	1.84596	15.12	0.01	344226
4136000	PCCP JOINT/CRACK SEALING	L.F.	1500.00	2	7.415	11.12	3.71	3000
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	113.30	8	96.1475	180	58	906.4
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	929.90	7	57.22143	78.2	40	6509.3
5021312	CONCRETE PAVEMENT (12 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	106.60	7	102.57143	225	66	746.2
5031010A	BRIDGE APPROACH SLAB (MAJOR ROAD)	S.Y.	266.80	20	218.67354	251.6	185	5336
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	146.27	30	184.03398	460	79	4388
50410	CONCRETE APPROACH PAVEMENT	S.Y.	249.40	8	103.3375	131.95	95	1995.2
5041000	CONCRETE APPROACH PAVEMENT	S.Y.	351.72	17	100.64835	171	74.7	5979.3
6011000A	TYPE 2 FIELD LABORATORIES	L.S.	1.00	5	26691.514	42000	18000	5
6042010	ADJUSTING MANHOLE	EACH	2.00	3	422.30333	570.65	241.26	6
604202	ADJUSTING BASIN OR INLET	EACH	3.00	8	1463.745	2000	677.9	24
6042020	ADJUSTING BASIN OR INLET	EACH	3.53	15	1745.0883	6160	1084.22	53
6044011	PIPE COLLAR, TYPE A	EACH	7.18	17	1405.75426	2630	233.35	122
6044012	PIPE COLLAR, TYPE B	EACH	1.00	4	1105	1970	250	4
6046012A	12 IN. SLOTTED DRAIN	L.F.	20.00	8	162.44875	225	116.99	160
6061010	GUARDRAIL TYPE A	L.F.	1475.00	5	17.192	17.85	17.02	7375
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	388.00	4	25.13	27	24.06	1552
6061060	MGS GUARDRAIL	L.F.	3676.68	38	19.20817	24.75	18.15	139714
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	9694.22	46	22.49629	31	20.74	445934
6061063	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING	L.F.	267.31	13	24.67252	32.11	18.63	3475
6061065	MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING	L.F.	25.00	3	48.24667	50	46.99	75
6061067	MGS DOUBLE FACED GUARDRAIL	L.F.	513.00	3	33.75667	35.2	32	1539
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	16.18	17	2626.25935	3350	2250	275
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	7.06	64	2771.60159	4000	2311.58	452
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	1.87	15	615.15786	947.34	193	28
6061075	MGS LONG SPAN GUARDRAIL SECTION	EACH	2.00	3	2451.67667	2500	2410.03	6
6061076	MGS TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	6.00	5	2260	2425	2120	30
6061080	MGS END ANCHOR	EACH	12.78	37	974.70011	1440	819.25	473
6061081	MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)	EACH	4.00	3	2593.77667	2680	2531.33	12
6062000	BRIDGE ANCHOR SECTION (BRUSH CURB)	EACH	6.00	3	2565.33333	3286	2100	18
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.00	5	1531.952	1591.8	1515.98	20
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	9.00	4	2456.54	2950.29	1933.87	36
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	5.11	9	365.44	623	239.83	46
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	15.34	95	2218.34415	4600	2050	1457
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	3.43	7	1970.81	2830	1783.88	24
6063016	TYPE B CRASHWORTHY END TERMINAL	EACH	2.00	4	6058.7825	6255	5958.39	8
6063017	TYPE C CRASHWORTHY END TERMINAL	EACH	5.00	7	10151.53571	15400	7000	35
6064500	AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE	C.Y.	75.00	7	93.57143	110	60	525

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6066610	END ANCHOR	EACH	1.63	8	707.94077	1320	546.77	13
6071013A	CHAIN-LINK FENCE (72 IN.)	L.F.	1132.00	3	18.8	19	18.6	3396
6071040	DRIVE GATE (CHAIN-LINK)	EACH	2.00	3	2225	2250	2200	6
6071043A	3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE	L.F.	1291.00	3	2.00667	2.02	2	3873
6071050	CHAIN-LINK FENCE (RETAINING WALLS)	L.F.	234.00	2	45	45	45	468
6071066	(72 IN.) PEDESTRIAN FENCE (STRUCTURES)	L.F.	574.00	8	99.21	133.4	47.5	4592
6071067	(112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)	L.F.	200.50	16	156.74246	565	90	3208
6071101	MODIFIED CONCRETE GUTTER TYPE A	L.F.	64.53	15	100.07528	184.9	31	968
6071102	MODIFIED CONCRETE GUTTER TYPE B	L.F.	268.00	6	47.84167	55	34	1608
6081010	CONCRETE CURB RAMP	S.Y.	205.28	30	95.12324	215	51	6158.5
6081012	TRUNCATED DOMES	S.F.	260.47	30	25.41152	35	13	7814
6083003	3 IN. CONCRETE MEDIAN STRIP	S.Y.	180.85	11	63.7967	90	40	1989.4
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	7.42	5	258.64555	750	75	37.1
6083008	8 IN. CONCRETE MEDIAN STRIP	S.Y.	379.26	15	55.07862	110	45	5688.9
6085008	PAVED APPROACH, 8 IN.	S.Y.	971.26	22	63.68287	87.36	51.5	21367.8
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	998.41	36	51.85208	108.81	38	35942.9
6086008	CONCRETE SIDEWALK, 8 IN.	S.Y.	189.26	25	79.08864	137.64	52	4731.4
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	512.77	26	30.75273	107.01	25	13332
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	22.33	9	104.06701	247.4	33	201
6091041	CONCRETE GUTTER TYPE A	L.F.	37.00	3	47.58333	50	42.75	111
6091042	CONCRETE GUTTER TYPE B	L.F.	225.00	2	44.25	53.5	35	450
6091051	CURB AND GUTTER TYPE A	L.F.	69.57	7	43.54468	64.54	29.46	487
6091052	CURB AND GUTTER TYPE B	L.F.	2208.27	11	23.57985	30.45	17	24291
6091060	PAVED DITCH	S.Y.	185.91	20	61.61765	199	40	3718.1
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	60.00	7	39	75	18	420
6094010	DRAIN BASIN	EACH	2.00	16	5745.10063	9150	699	32
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	62.67	27	30.22638	250	19.51	1692
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	193.55	11	32.85718	100	22	2129
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	62.67	27	32.58717	467	13.85	1692
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	193.55	11	34.20489	242.16	21.85	2129
60970	ROCK LINING	C.Y.	35.00	8	76.89375	165	42	280
6097000	ROCK LINING	C.Y.	20.82	28	102.23645	250	49	583
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	909.66	32	36.40719	74	20	29109
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	909.66	32	19.25645	53.5	6	29109
6116010A	CONCRETE SLOPE PROTECTION	S.Y.	4598.00	5	46.62	58	32	22990
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	1.00	3	3060.60667	3800	1981.82	3
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	4.00	8	2307.67375	4326	1100	32
6122017	IMPACT ATTENUATOR (17 SAND BARRELS)	EACH	3.45	11	3359.21053	5512.5	2550	38
6122020	REPLACEMENT SAND BARREL	EACH	7.69	13	238.708	420	50	100
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	6.27	15	847.54064	1575	400	94
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	1.95	141	3401.39029	36000	1	275
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PAVEMENT REPAIR	S.Y.	606.28	19	211.65864	700	71	11519.4
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	79.79	19	8.00958	105	1	1516
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	96.20	15	11.0386	250	1	1443
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUT)	L.F.	2124.47	19	5.40659	50	4	40365
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH PAVEMENT REPAIR	EACH	800.00	19	8.14171	50	4.5	15200
6131017	DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR	EACH	170.00	6	10.56333	22.53	6.1	1020
6131018	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH PAVEMENT REPAIR	EACH	152.00	6	6.87667	14	2.5	912

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6133018	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL	TON	11.40	9	287.04316	675	185.77	102.6
6133019	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	47.13	9	101.33669	700	1	424.2
6134001	DOWEL BAR RETROFIT	EACH	474.00	3	63.16667	77	46.5	1422
6134002	CROSS STITCH TIE BAR	EACH	38.00	3	37.4	50.75	26.45	114
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	2.33	12	760.84321	1392.3	540	28
6141024	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)	EACH	2.06	17	1430.16686	2065	956	35
614112	CURVED VANE GRATE AND FRAME (2 FT X 2 FT)	EACH	13.00	8	512.59125	735	348	104
6141121	CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)	EACH	199.00	5	853.588	1662.29	410	995
6143012	MANHOLE FRAME AND COVER, TYPE 2	EACH	1.00	8	567.52625	1223.86	325	8
6143013	MANHOLE FRAME AND COVER, TYPE 3	EACH	3.07	15	332.95326	861.9	198	46
6161005	CONSTRUCTION SIGNS	S.F.	1112.42	204	7.24997	22	1	226933
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	4.99	121	89.19843	200	1	604
6161009	FLAG ASSEMBLY	EACH	13.03	153	27.13302	825	1	1993
6161010	RELOCATED SIGNS	S.F.	232.06	16	5.08904	8.12	4	3713
6161012	BUOYS (BOATS KEEP OUT)	EACH	8.00	2	446.5	693	200	16
6161025	CHANNELIZER (TRIM LINE)	EACH	206.89	159	17.44375	33	11.15	32896
6161028	CHANNELIZER	EACH	43.77	26	13.28738	18	0.58	1138
6161030	TYPE III MOVEABLE BARRICADE	EACH	16.64	28	145.38219	189	110	466
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	9.88	56	194.10615	262.5	61.55	553
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	26.03	35	65.6056	111	20.52	911
6161034	DIRECTIONAL INDICATOR BARRICADE WITH LIGHT	EACH	8.74	27	66.25288	115	0.86	236
6161040	FLASHING ARROW PANEL	EACH	2.22	122	1071.62262	2500	1	271
6161052	WARNING LIGHT, TYPE B	EACH	6.40	10	63.23812	85	10.26	64
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	22.00	14	91.16364	105	25.64	308
6161070	TUBULAR MARKER	EACH	126.30	37	59.66568	185.68	45	4673
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIL	EACH	4.13	32	4696.3803	8125	1263.9	132
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR	EACH	1.46	13	3613.96895	5000	2000	19
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR	EACH	3.86	155	3597.54098	6000	529	599
6162000A	WORK ZONE TRAFFIC SIGNAL SYSTEM	EACH	1.00	3	7035	10000	5105	3
6162010	WORK ZONE LIGHTING	EACH	1.00	50	10537.4776	158000	1	50
6172001	CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)	L.F.	104.00	8	147.31625	190	95	832
6173000	CONCRETE TRAFFIC BARRIER, TYPE C	L.F.	6233.00	5	67.838	84	47.14	31165
6173100	CONCRETE TRAFFIC BARRIER, TYPE D	L.F.	3838.38	13	66.06234	107	40.79	49899
6173101	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)	L.F.	27.00	8	650.59375	973	136.1	216
6173200	CONCRETE TRAFFIC BARRIER, TYPE E	L.F.	170.00	6	197.64833	333.98	75	1020
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	1909.00	26	23.33048	47	10.6	49634
6173602B	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / COMMISSION RETAIL	L.F.	50.00	4	53.25	60	40	200
6173700B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAIL	L.F.	227.31	13	31.30254	50	14.65	2955
6173702B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / COMM	L.F.	96.00	4	70.875	91	62.5	384
6173706	TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR	L.F.	653.00	5	31.89	34	29.45	3265
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	3287.85	26	9.95953	24	5.04	85484
6175011B	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED	L.F.	551.00	5	17.054	21	6.72	2755
6175013	RELOCATING TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION	L.F.	1088.00	5	17.054	21	6.72	5440
6181000	MOBILIZATION	L.S.	1.00	226	135279.5378	1472625.5	725	226
6191000	PAVEMENT EDGE TREATMENT	L.F.	8537.32	34	2.20328	35	0.01	290269
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	231.43	7	10.24938	42	7.3	1620
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	189.53	36	18.81051	31.58	12	6823
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	424.17	12	15.33471	22	14	5090

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	18.42	31	194.50772	388.5	167.99	571
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	5.00	3	163.35	165	162	15
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT/RIGHT	EACH	3.00	6	415.56778	632.92	340	18
6205133	TYPE 2 PREFORMED MARKING TAPE (GROOVED) WORD (ONLY)	EACH	2.67	6	379.06375	407.16	330	16
6205134	TYPE 2 PREFORMED MARKING TAPE (GROOVED) RAILROAD CROSSING MARKER	EACH	1.60	10	1256.88	1474.75	1062	16
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR EACH	EACH	12.00	3	148.61333	152.74	145	36
6205139	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN. WHITE, YIELD LINE TRIANGLE	EACH	20.50	6	17.56667	18.4	16	123
6205139A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 16 IN. WHITE, YIELD LINE TRIANGLE	EACH	33.00	2	55.85	60	51.7	66
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIANGLE	EACH	37.80	10	33.52299	36.75	31	378
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	13713.95	19	1.28534	2.25	0.75	260565
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	14047.58	19	1.20191	2.25	0.75	266904
6205309	PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE	L.F.	48.00	8	6.225	7.5	5	384
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAD	L.F.	49564.81	32	0.17019	1.28	0.13	1586074
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAD	L.F.	59915.36	70	0.22933	2.04	0.17	4194075
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAD	L.F.	54067.96	49	0.23364	1.5	0.17	2649330
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAD	L.F.	2688.96	25	0.64041	1.68	0.36	67224
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	36738.25	75	0.14654	5	0.1	2755369
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	34799.68	71	0.14221	5	0.09	2470777
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	592.00	6	0.71234	1.06	0.6	3552
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	64.00	3	0.13667	0.14	0.13	192
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	547.06	16	3.10085	10.53	2	8753
6207001	PAVEMENT MARKING REMOVAL	L.F.	9289.21	61	0.57842	10.2	0.25	566642
6207002	PAVEMENT MARKING REMOVAL (SYMBOLS)	EACH	11.09	22	99.28484	300.35	45	244
6208064	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	EACH	1499.56	63	1.97393	25	0.375	94472
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	262.15	41	2.23843	10	0.5	10748
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK)	S.Y.	96509.92	96	0.95329	15.55	0.14	9264952
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER)	S.Y.	5028.00	3	2.77667	3.75	2.2	15084
6223010	DIAMOND GRINDING (CONCRETE PAVEMENT)	S.Y.	117317.00	3	3.70333	4.75	2.96	351951
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	2809.92	84	5.43999	190.81	0.82	236033
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	1403.74	39	2.99709	12.6	1.5	54746
6240104A	SEPARATION GEOTEXTILE	S.Y.	1928.00	2	3.7	3.9	3.5	3856
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	1055.51	82	14.46951	1719	3	86551.5
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	403.40	42	18.80943	924	5.5	16942.9
6262000A	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	STA.	308.15	8	42.05123	66.7	30	2465.2
62740	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	8	61909.625	110000	36677	8
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	221	7960.26706	81000	1	221
7011103	DRILLED SHAFTS (2 FT. 6 IN. DIA.)	L.F.	923.00	2	449	470	428	1846
7011105	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	L.F.	149.00	5	797.694	1100	474.67	745
7011107	DRILLED SHAFTS (4 FT. 6 IN. DIA.)	L.F.	128.10	11	755.78569	1500	554.5	1409.1
7011108	DRILLED SHAFTS (5 FT. 0 IN. DIA.)	L.F.	24.00	5	1184.094	2170	790	120
7011202	ROCK SOCKETS (2 FT. 0 IN. DIA.)	L.F.	155.00	2	210	260	160	310
7011204	ROCK SOCKETS (3 FT. 0 IN. DIA.)	L.F.	110.00	5	796.76	1111.05	269.9	550
7011206	ROCK SOCKETS (4 FT. 0 IN. DIA.)	L.F.	61.36	11	992.79604	1523.65	375	675
7011207	ROCK SOCKETS (4 FT. 6 IN. DIA.)	L.F.	30.00	5	1450.942	1785.25	1050	150
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	8.17	18	340.21088	1000	100	147
7011400	FOUNDATION INSPECTION HOLES	L.F.	162.50	18	101.94594	160	20	2925
7011600	SONIC LOGGING TESTING	EACH	8.19	16	932.73519	2500	300	131
7021012	STRUCTURAL STEEL PILES (12 IN.)	L.F.	450.00	10	61.40504	120	45.5	4500

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7021210	GALVANIZED STRUCTURAL STEEL PILES (10 IN)	L.F.	466.62	13	72.16852	150	40	6066
7021212	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	L.F.	1029.70	20	73.85292	92.2	56.37	20594
7021214	GALVANIZED STRUCTURAL STEEL PILES (14 IN)	L.F.	872.00	6	89.37833	103.5	77.55	5232
7025002	PILE WAVE ANALYSIS	EACH	3.14	14	1395.5	4000	188	44
70260	PRE-BORE FOR PILING	L.F.	700.00	8	108.24375	136	83	5600
7026000	PRE-BORE FOR PILING	L.F.	228.43	23	98.94383	210	40	5254
70270	PILE POINT REINFORCEMENT	EACH	100.00	8	107.9875	150	90	800
7027000	PILE POINT REINFORCEMENT	EACH	14.89	35	124.92411	255	83.15	521
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	178.52	55	734.04016	1870	175.25	9818.7
7033009	AESTHETIC CONCRETE STAIN	S.Y.	1.00	16	22638.2875	33120	7867.85	16
7034212	SLAB ON STEEL	S.Y.	2490.21	29	269.01335	326.5	219.5	72216
7034213	SLAB ON CONCRETE I-GIRDER	S.Y.	1007.16	25	272.00752	576	150	25179
7034215	SAFETY BARRIER CURB	L.F.	947.11	47	61.67385	160	49	44514
7034219A	BARRIER CURB (TYPE D)	L.F.	820.10	20	99.66136	129	70.35	16402
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	3536.92	13	272.85279	295	237.71	45980
7034600	CURB BLOCKOUT	L.F.	613.03	33	94.12123	174.85	60	20230
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	90.59	17	123.7224	220	62.5	1540
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	42.50	12	128.57843	161.5	79	510
7056000	TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	467.00	6	193.36667	250	150	2802
7056002	TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	1969.00	6	185.185	249.82	149	11814
7056003	TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	862.38	13	225.39784	375	165	11211
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	2903.00	8	199.35	235.5	183	23224
7056025	NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER	L.F.	3784.00	5	264.456	309	217	18920
706106	REINFORCING STEEL (BRIDGES)	LBS	73920.00	8	1.2	1.3	1.05	591360
7061060	REINFORCING STEEL (BRIDGES)	LBS	31886.07	28	1.20376	3	0.65	892810
706107	MECHANICAL BAR SPLICE	EACH	102.00	8	51.3625	95	38.6	816
70710	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	8	5516.75	5754	5480	8
7071000	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	16	6579	8562.75	3410	16
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	8485.00	12	1.48365	2	1.15	101820
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	29	5082.51724	7150	2630	29
7110300	CONCRETE AND MASONRY PROTECTION SYSTEM	L.S.	1.00	12	1617.66667	2033	1200	12
71104	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	16	11247.62187	16600	6680	16
7110400	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	12	1617.66667	2033	1200	12
7110500	TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)	L.S.	1.00	5	24620.6	35105	9365	5
7120900	EXPANSION DEVICE (FINGER PLATE)	L.F.	50.00	5	2409.574	3128	1840	250
7121000	FABRICATED STRUCTURAL CARBON STEEL (MISC)	LBS	1512.50	8	3.51498	11	0.01	12100
7121060	FABRICATED SIGN SUPPORT BRACKETS	L.S.	1.00	5	5559.972	5780.1	5504.88	5
7121100	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	LBS	6673.33	9	6.57971	10	0.01	60060
7121121	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	LBS	46030.00	5	7.46	8.85	4.5	230150
7121122	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	LBS	418140.00	5	3.818	4.6	3.25	2090700
7121251	HINGE MODIFICATION	EACH	6.00	5	42882.382	50000	38400	30
7123120	CLEANING, LUBRICATING AND COATING BEARING	EACH	1.00	6	2928.33333	6100	400	6
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	21.88	24	833.99636	1315	371.21	525
712361	SLAB DRAIN	EACH	4.00	8	433.85625	1197	220	32
7123610	SLAB DRAIN	EACH	47.28	53	386.73653	993.73	225	2506
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	2029.41	17	46.30029	60	35	34500
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	2029.41	17	6.79238	12.25	3	34500
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	2100.00	10	7.98548	12.25	5.3	21000

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	2100.00	10	8.31576	12.25	5.45	21000
7125385A	INTERMEDIATE FIELD COAT (SYSTEM H)	S.F.	2100.00	7	3	3	3	14700
7125390A	FINISH FIELD COAT (SYSTEM H)	S.F.	2100.00	7	3	3	3	14700
7126000	NON-DESTRUCTIVE TESTING	L.F.	92.00	24	54.73179	465	30	2208
7134000	BRIDGE GUARD RAIL (THRIE BEAM)	L.F.	47.00	4	376.07	506.92	327.76	188
7151001	VERTICAL DRAIN AT END BENTS	EACH	2.00	43	1918.41953	5233	460	86
7161000	PLAIN NEOPRENE BEARING PAD	EACH	8.00	13	215.13308	415.5	60	104
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	13.31	26	242.83127	500	100	346
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	42.80	25	327.94922	550	175	1070
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	15.33	24	1875.5013	4020	700	368
7163000	TYPE N PTFE BEARING	EACH	26.00	10	2497.95938	3375	1800	260
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	77.45	29	376.54993	586.5	223.93	2246
72010	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	15851.00	16	51.974	62	47	253616
7201000	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	2484.00	12	57.76845	71.02	48.2	29808
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	57.50	8	47.59185	100	27	460
7250315A	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	527.40	10	36.42368	212	15	5274
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	256.55	11	40.76263	95.5	20.45	2822
7250412	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	13.00	2	100.25	120	80.5	26
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	25.00	6	63.12667	108	35.95	150
7251000	CORRUGATED METAL PIPE PILE SPACERS	EACH	7.00	6	304.51833	1200	0.01	42
7261012	12 IN. PIPE GROUP A	L.F.	189.00	8	43.06125	58.5	29	1512
7261015	15 IN. PIPE GROUP A	L.F.	10.00	6	96.445	167.47	49	60
7261018	18 IN. PIPE GROUP A	L.F.	2630.31	26	39.99509	100	20.25	68388
7261021	21 IN. PIPE GROUP A	L.F.	338.00	5	47.41	64.25	34.5	1690
7261024	24 IN. PIPE GROUP A	L.F.	1651.00	5	52.602	69.6	39.5	8255
7261030	30 IN. PIPE GROUP A	L.F.	161.75	12	73.75865	112	43.5	1941
7261036	36 IN. PIPE GROUP A	L.F.	289.54	13	93.33863	144.5	47.5	3764
7261042	42 IN. PIPE GROUP A	L.F.	160.00	8	132.4375	196	95	1280
7310072	PRECAST CONCRETE MANHOLE - 72 IN.	L.F.	7.00	8	875.73625	1300	635	56
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	116.00	8	510.705	831	360	928
731103	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6	L.F.	19.00	8	487.5475	667	364	152
7311030	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	L.F.	18.29	7	393.12875	1095.7	243.19	128
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	7.43	14	692.83404	1095.7	376.5	104
7311042	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	L.F.	784.00	5	561.324	801	341.47	3920
7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	L.F.	13.75	20	700.97622	1573.35	366.29	275
7320018A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	12.00	7	319.39857	451.29	175	84
7320615A	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.00	6	643.72	1200	300	12
7320618A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	5.50	20	669.41527	1444.25	210	110
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	5	835.678	1534.25	616.14	5
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3.00	7	848.96857	1254.03	455	21
7320642A	42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.00	8	1758.445	2530	1300	8
7320815A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	6	475.135	1230	217.45	12
7321014A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION	EACH	4.00	6	1022.41667	1100	784.5	24
7322012A	BEVELED PIPE END TREATMENT FOR 12 IN. (300 MM) OR ALLOWED SUB	EACH	1.00	3	523.95667	838.69	133.18	3
8031000A	TURF TYPE TALL FESCUE SODDING	S.Y.	1701.00	8	5.78125	6.5	5	13608
8032000A	KENTUCKY BLUEGRASS SODDING	S.Y.	961.73	22	8.12696	14	5.5	21158
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	2.17	95	2883.53206	28000	280	205.8
8052000A	SEEDING - WARM SEASON MIXTURES	ACRE	2.97	36	2597.68929	7537.89	988.62	106.8

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8061001	SEDIMENT BASIN EXCAVATION	C.Y.	307.60	5	18.982	27.2	9	1538
8061002	SEDIMENT BASIN ROCK	C.Y.	418.20	5	47.836	56.4	36	2091
8061005	ROCK DITCH CHECK	L.F.	594.67	109	11.29805	39	4	64819
8061006	ALTERNATE DITCH CHECK	L.F.	146.94	31	10.22422	34	5	4555
8061007A	CURB INLET CHECK	EACH	38.75	52	130.39324	280	15	2015
8061010A	TYPE B BERM	L.F.	106.00	5	5.822	10.25	1.55	530
8061016	SEDIMENT REMOVAL	C.Y.	109.31	145	24.97784	169	3.7	15850.2
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	0.55	48	1982.62312	14000	300	26.3
8061019	SILT FENCE	L.F.	1882.79	129	3.07816	8	0.6	242880
8061050	TYPE C BERM	L.F.	901.81	26	39.99637	130	4.33	23447
9011062	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	EACH	4.00	5	2275.6	2478	1820	20
9011064	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3	EACH	8.00	7	2258.55429	2535.63	2185	56
9011115	BRACKET ARM, 15 FT. OR 4.6 M	EACH	6.33	12	645.81579	748.5	568.75	76
9011310	LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM	EACH	6.33	12	262.17842	320	245	76
9012230	BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT	EACH	1.00	13	5168.78308	6500	4855	13
9013002	CONDUIT, 2 IN. RIGID, IN TRENCH	L.F.	37.85	13	10.62537	32	8	492
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	59.00	7	12.54571	16	11.5	413
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	256.00	7	20.92857	28	19	1792
9015010	TRENCHING TYPE I	L.F.	3012.33	12	4.36199	5.4	3.1	36148
9015020	TRENCHING TYPE II	L.F.	205.00	6	8.75833	8.8	8.75	1230
9016110	PULL BOX, PREFORMED CLASS 1	EACH	5.22	18	813.38617	1100	675	94
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	160.00	7	2.03714	3	1.8	1120
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	824.44	18	0.94561	1.05	0.85	14840
9017404	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	L.F.	6170.00	5	2.626	2.78	2.55	30850
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	1368.46	13	2.50768	2.79	2.25	17790
9017408	CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	620.00	6	2.95833	3	2.95	3720
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	6.33	12	1306.18316	1467.99	980	76
9018610	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	6	2116.66667	2120	2115	6
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	7	2771.55143	4600	2375	7
9019400	TEMPORARY LIGHTING	L.S.	1.00	7	17011.04143	26900	500	7
9020111	SIGNAL HEAD, TYPE 1T	EACH	6.00	3	664.16667	725	542.5	18
9020211	SIGNAL HEAD, TYPE 1S	EACH	2.00	3	683.56667	760	530.7	6
9020213	SIGNAL HEAD, TYPE 3S	EACH	2.00	8	739.59375	771.75	735	16
9020214	SIGNAL HEAD, TYPE 4S	EACH	1.00	2	1100	1200	1000	2
9020513	SIGNAL HEAD, TYPE 3B	EACH	8.46	13	930.90909	1200	900	110
9020514	SIGNAL HEAD, TYPE 4B	EACH	3.85	13	1125.544	1400	1055	50
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	8.00	8	628.90625	656.25	625	64
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	5.27	11	947.28879	1270	789	58
9022715	POST, SIGNAL 15 FT. OR 4.6 M	EACH	2.00	8	1042.71875	1086.75	1035	16
902322	POST TYPE C 20 FT ARM OR 61 M ARM	EACH	1.00	8	4217.95	4401.6	4190	8
902323	POST TYPE C 30 FT ARM OR 91 M ARM	EACH	1.00	8	5193.46875	5412.75	5155	8
9023235	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM	EACH	1.00	10	5967.925	8500	5485	10
902325	POST TYPE C 50 FT ARM OR 152	EACH	1.00	8	8177.0625	8536.5	8100	8
9023255	POST, TYPE C, 55 FT. ARM	EACH	1.00	2	10777.5	12000	9555	2
9023345	POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M	EACH	1.60	5	11208.5675	15500	8449.27	8
9024295	SPLICE CABINET	EACH	1.00	8	4669	4872	4640	8
902492	DETECTOR PUSHBUTTON	EACH	8.00	8	201.25	210	200	64
9024920	DETECTOR, PUSHBUTTON	EACH	8.00	3	207.4	222.2	200	24

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9024944	DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)	EACH	10.00	8	145.90625	152.25	145	80
902502	CONDUIT 1 IN LOOP DETECTOR	L.F.	72.00	8	4.6875	4.9	4.65	576
9025020	CONDUIT, 1 IN., LOOP DETECTOR	L.F.	146.09	11	6.54282	8	6	1607
90252	CONDUIT 2 IN TRENCH	L.F.	372.00	8	7.75	8.1	7.7	2976
90253	CONDUIT 3 IN TRENCH	L.F.	171.00	8	8.55625	8.95	8.5	1368
9025300	CONDUIT, 3 IN., TRENCH	L.F.	690.00	5	12.78009	15	9.67	3450
90254	CONDUIT 4 IN TRENCH	L.F.	52.00	8	10.56875	11.05	10.5	416
9025400	CONDUIT, 4 IN., TRENCH	L.F.	10.00	3	13.79	14.25	12.87	30
90273	CONDUIT 3 IN PUSHED	L.F.	199.00	8	18.1125	18.9	18	1592
9027300	CONDUIT, 3 IN., PUSHED	L.F.	198.00	5	28.01343	40	18	990
90274	CONDUIT 4 IN PUSHED	L.F.	60.00	8	20.125	21	20	480
9028202	CABLE, 2 AWG 1 CONDUCTOR, POWER	L.F.	150.00	6	1.95833	2	1.95	900
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	560.77	13	1.04132	1.25	1	7290
9028302	CABLE, 12 AWG 2 CONDUCTOR	L.F.	920.00	8	1.2625	1.3	1.25	7360
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	1424.55	11	0.92796	1.16	0.9	15670
902831	CABLE 16 AWG 5 CONDUCTOR	L.F.	1440.00	8	1.0625	1.1	1.05	11520
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	1420.00	3	1.09333	1.28	1	4260
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	1849.23	13	1.19156	1.5	1.1	24040
902835	FIBER OPTIC CABLE 6 - FIBER SINGLE MODE	L.F.	30.00	8	2.06875	2.15	2.05	240
9028350	FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE	L.F.	1490.00	2	4.05	4.5	3.6	2980
90285	CABLE LOOP DETECTOR IN DUCT	L.F.	690.00	8	5.3875	5.6	5.35	5520
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	2615.56	27	3.33535	6.7	3	70620
902851	CABLE LOOP DETECTOR LEAD-IN	L.F.	480.00	8	1.00625	1.05	1	3840
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	642.86	7	1.353	2.39	1.2	4500
902862	POWER SUPPLY ASSEMBLY TYPE 2	EACH	1.00	8	4598.5625	4798.5	4570	8
9028620	POWER SUPPLY ASSEMBLY, TYPE 2	EACH	1.00	5	5159	6000	4725	5
902881	PULL BOX PREFORMED CLASS 1	EACH	1.00	8	739.59375	771.75	735	8
9028810	PULL BOX, PREFORMED CLASS 1	EACH	1.00	3	768	775	754	3
9028811	PULL BOX, PREFORMED CLASS 2	EACH	7.20	5	1161.50556	1300	957.1	36
9028812	PULL BOX, PREFORMED CLASS 3	EACH	5.64	11	1336.525	1391.25	1325	62
902882	PULL BOX CONCRETE STANDARD	EACH	3.00	8	2129.46875	2220.75	2115	24
9028821	PULL BOX, CONCRETE, DOUBLE, TYPE A	EACH	9.00	8	3558.34375	3711.75	3535	72
90291	BASE CONCRETE	C.Y.	14.40	8	945.875	987	940	115.2
9029100	BASE, CONCRETE	C.Y.	9.34	5	1150.74176	1500	995	46.7
90294	TEMPORARY TRAFFIC SIGNALS	L.S.	1.00	8	8579.5625	8956.5	8500	8
903101	CONCRETE FOOTINGS EMBEDDED	C.Y.	3.00	8	1236.56625	2150	158	24
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	2.96	48	858.39885	15086.93	300	142.17
9031020	CONCRETE FOOTINGS, BOLT DOWN	C.Y.	0.10	3	2498.33667	3295.01	2000	0.3
903121	STRUCTURAL STEEL POSTS	LBS	690.00	8	7.21	11.55	3.1	5520
9031210	STRUCTURAL STEEL POSTS	LBS	1919.50	20	3.3667	116	2.2	38390
903122	PIPE POSTS	LBS	420.00	8	6.7825	11	2.95	3360
9031220	PIPE POSTS	LBS	932.00	10	4.83541	9.75	4.05	9320
903124	BREAKAWAY ASSEMBLY	EACH	6.00	8	172.80125	371.91	133	48
9031240	BREAKAWAY ASSEMBLY	EACH	9.59	17	169.83534	362.96	80	163
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	9.71	24	241.34532	300	86	233
9031250A	U-CHANNEL POST, 3 LB	L.F.	26.00	6	33.82167	52.93	14	156
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	68.08	40	13.44994	99.93	7	2723
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	14.83	35	52.73457	522.53	18	519

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	289.95	37	9.44129	25	5.5	10728
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	53.29	42	43.40622	115	20	2238
9035004	TYPE SHR2L-1 SIGN	S.F.	199.06	32	15.91183	208.13	5	6370
9035009	36 IN. OR 900 MM STOP SIGN	EACH	1.00	12	241.50417	553.65	88	12
9035011	SIGN, TYPE STR2L-3	S.F.	352.40	20	21.80455	42.28	9	7048
9035065	TYPE SHR2L-3 SIGN	S.F.	48.00	8	48.13375	260.77	9	384
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	48.15	13	45.29339	179.72	9	626
9035069	TYPE SHR4L-1 SIGN	S.F.	190.15	13	17.27023	321.81	9	2472
9035071	TYPE STR4L-1 SIGN	S.F.	216.83	12	24.08064	27.97	22.85	2602
9036043	TUBULAR SUPPORT, TYPE C-2018-34	EACH	1.00	5	18185.308	18905.7	18000	5
9108353	FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE	L.F.	130.00	3	4.92667	6.5	1.78	390
9108816	PULL BOX, PREFORMED CLASS 5	EACH	1.00	3	1236.20667	1258.62	1225	3

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
1041000	TEMPORARY SURFACING	C.Y.	134.41	29	56.81478	575	20	3898
2013000	CLEARING AND GRUBBING	ACRE	3.56	9	5904.905	11000	3000	32
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	86	20291.30872	175000	1200	86
2024013	REMOVAL OF SURFACING ACM (FRIABLE)	S.F.	400.00	7	19.73286	27.5	5	2800
2024024	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	L.F.	28.00	7	32.80143	45.36	10	196
2024029	REMOVAL OF CEILING TILE ACM (FRIABLE)	S.F.	100.00	7	19.46429	27.5	3.5	700
2024038	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	S.F.	1300.00	7	5.56714	6.6	4	9100
2024040	REMOVAL OF MISCELLANEOUS ACM (FRIABLE)	S.F.	100.00	7	23.53571	33	5	700
2024043	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	S.F.	88.89	9	13.2975	27.5	5	800
2024046	REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY I)	L.F.	106.44	9	11.63808	27.68	3	958
2024048	REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NON-FRIABLE)	L.F.	16.00	7	20.44714	34.38	3	112
2024054	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	L.F.	32.00	7	8.56286	14.69	2	224
2024067	REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE)	S.F.	100.00	7	12.03571	16.5	3	700
2024070	REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)	S.F.	226.89	9	14.2617	22	3.5	2042
2024072	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE)	S.F.	32.00	7	19.92	29.69	3.5	224
2024074	REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE)	S.F.	80.00	7	8.16143	11.88	2	560
2024076	REMOVAL OF FLOOR TILE ACM ON CONCRETE (FRIABLE)	S.F.	48.00	7	8.91143	13.13	4	336
2024078	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE)	S.F.	60.00	7	11.89286	17.5	2	420
2024091	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	S.F.	100.00	7	8.39286	11.5	3	700
2024093	REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE)	S.F.	40.00	7	8.57143	13.75	2.5	280
2024096	REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	S.F.	340.00	7	7.70571	11	1	2380
2024098	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I)	S.F.	560.00	7	9.53143	13.2	2.5	3920
2026010	TANK REMOVAL AND DISPOSAL	EACH	1.00	2	3125	3390	2860	2
2026020	HAZARDOUS RESIDUAL MATERIAL DISPOSAL	GAL	500.00	2	9.315	12.43	6.2	1000
2026027	CONTAMINATED SOIL EXCAVATION	C.Y.	150.00	2	6.39	6.78	6	300
2026029A	CONTAMINATED SOIL HAULING	TON	170.00	2	11.475	11.65	11.3	340
2026030	CONTAMINATED SOIL DISPOSAL	TON	170.00	2	57.6	72.5	42.7	340
2026040	BACKFILL	C.Y.	220.00	2	19.7	24	15.4	440
2026050	TANK PIT WATER DISPOSAL	GAL	500.00	2	1.7	2.25	1.15	1000
2027000	DISPOSAL AND PLUGGING OF WELLS	EACH	1.00	7	2334.66	3300	1500	7
2028000	PLUGGING AND DISPOSAL OF SEPTIC TANKS	EACH	1.00	7	2147.57286	3300	1000	7
2031000	CLASS A EXCAVATION	C.Y.	58020.55	11	4.4759	18	3.25	638226
2035000	UNCLASSIFIED EXCAVATION	C.Y.	5719.00	2	29.775	30	29.55	11438
2035500	EMBANKMENT IN PLACE	C.Y.	819.00	2	36.7	43.4	30	1638
2036000	COMPACTING EMBANKMENT	C.Y.	32207.31	13	1.08792	10.1	0.4	418695
2037075	COMPACTING IN CUT	STA.	31.30	15	646.8075	3607.2	250	469.5
2061000	CLASS 1 EXCAVATION	C.Y.	66.67	9	44.03667	75	15	600
2063000	CLASS 3 EXCAVATION	C.Y.	454.57	14	28.62706	57	10	6364
2063300	CLASS 4 EXCAVATION	C.Y.	338.42	12	30.55843	55	21	4061
2064000	POROUS BACKFILL	C.Y.	96.60	5	83.71118	140	38.5	483
2065500	TEMPORARY SHORING	L.S.	1.00	2	9375	18000	750	2
2071000	LINEAR GRADING CLASS 1	STA.	5.10	4	813.75	900	785	20.4
2072000	LINEAR GRADING CLASS 2	STA.	5.62	26	2066.34901	13500	250	146.1
2142000	FURNISHING ROCK FILL	C.Y.	140.00	2	13.4	25.8	1	280
2143000	PLACING ROCK FILL	C.Y.	140.00	2	69.45	88.9	50	280
2152000A	SHAPING SLOPES, CLASS II	100FT	567.00	6	75.0144	194	1	3402
2153000	SHAPING SLOPES, CLASS III	100FT	14.33	9	1639.31256	4692.17	800	129
2160500	REMOVAL OF BRIDGES	L.S.	1.00	12	57202.53917	105000	32000	12

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	5808.00	4	9.53192	12	8.3	23232
2163000	PARTIAL REMOVAL OF EXISTING BRIDGE DECKS	S.F.	767.50	8	61.70765	93.5	42	6140
2163501	PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE	L.S.	1.00	2	8250	12000	4500	2
3040163	TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	870.75	12	16.36749	46.5	9.5	10449
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	17013.79	17	5.5663	34	4.2	289234.4
3105003	GRAVEL (A) OR CRUSHED STONE (B)	S.Y.	643.51	27	10.51321	65.85	2.39	17374.7
4010103	10 INCHES, BITUMINOUS PAVEMENT	S.Y.	31937.20	1	31.4	31.4	31.4	31937.2
4010150	TYPE A2 SHOULDER	S.Y.	3947.87	6	22.4248	28.6	17.4	23687.2
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	12576.80	6	47.26011	54.3	41.75	75460.8
4011208	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)	TON	4658.15	4	54.20238	59.3	51.1	18632.6
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	8826.04	20	50.9874	225	43.8	176520.7
4011211	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)	TON	22978.20	7	49.62141	53.86	43.8	160847.4
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	184.90	4	125.60059	130	101	739.6
4020520	BITUMINOUS PAVEMENT MIXTURE PG64-22	TON	10431.84	69	51.65742	61	39.65	719796.9
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	25831.46	14	55.16833	62.35	48.25	361640.4
4071005	TACK COAT	GAL	14987.66	107	1.96718	4.15	0.01	1603680
4134000	BITUMINOUS FOG SEAL	GAL	2182.23	26	2.72259	12.39	1	56738
5021107	CONCRETE PAVEMENT (7 IN. NON-REINF)	S.Y.	986.40	7	48.71714	54	35	6904.8
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	333.40	2	215	290	140	666.8
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	24576.13	8	36.21139	52.64	33.8	196609
5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	4490.20	2	51.4	57.8	45	8980.4
5021340	TYPE A2 SHOULDER	S.Y.	6886.00	5	22.912	28	18.56	34430
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	114.36	11	177.31181	262	110	1258
6044012	PIPE COLLAR, TYPE B	EACH	5.00	3	1087.66667	1200	1000	15
6060110	BULLNOSE GUARDRAIL SYSTEM	EACH	8.00	5	6340.17	6874.38	6200	40
6061010	GUARDRAIL TYPE A	L.F.	472.96	24	19.52017	23.34	18	11351
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	651.00	3	28.5	29.5	26.5	1953
6061050	GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING	L.F.	1334.00	5	31.812	35.47	30	6670
6061060	MGS GUARDRAIL	L.F.	550.17	12	22.33607	25.2	21	6602
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	1017.60	10	21.54251	26	19.62	10176
6061063	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING	L.F.	225.00	5	32.124	32.62	32	1125
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	7.37	19	2573.56514	3072.48	2300	140
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	3.00	4	625.53	702.12	600	12
6061080	MGS END ANCHOR	EACH	1.00	4	1280.9925	1523.97	1200	4
6061081	MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)	EACH	4.00	2	2700	2700	2700	8
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.00	19	1762.31579	1900	1680	76
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	6.00	3	1816.66667	1850	1750	18
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	6.00	8	576.75	630	500	48
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	4.00	15	454.66667	600	400	60
6062304	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS	EACH	6.00	3	466.66667	500	400	18
6062400	BRIDGE ANCHOR SECTION (THRIE BEAM)	EACH	4.00	4	1989.625	2050	1950	16
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	9.35	23	2170.98814	3325.61	2100	215
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	5.29	28	2096.45223	3384.32	1900	148
6081010	CONCRETE CURB RAMP	S.Y.	295.75	4	65.46082	500	52	1183
6081012	TRUNCATED DOMES	S.F.	553.64	14	23.55765	55	10	7751
6083003	3 IN. CONCRETE MEDIAN STRIP	S.Y.	10.44	13	174.79018	315	66.39	135.7
6083004	4 IN. CONCRETE MEDIAN STRIP	S.Y.	78.50	2	62	62.5	61.5	157
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	77.42	9	84.45063	420	51.5	696.8

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	3472.32	18	40.98114	230	30	62501.7
6086007	CONCRETE SIDEWALK, 7 IN.	S.Y.	83.90	14	70.83269	132	47.6	1174.6
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	158.78	9	32.59804	106	26.6	1429
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	941.00	2	11.475	15	7.95	1882
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	1791.22	18	19.57498	35	1	32242
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	1428.00	7	24.32571	32	20	9996
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	1791.22	18	14.64828	50	7.67	32242
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	1428.00	7	13.62143	32	8.35	9996
6097000	ROCK LINING	C.Y.	162.40	5	63.98621	110	42	812
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	338.67	12	50.07891	73.13	1	4064
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	387.92	12	18.9055	45	14.9	4655
6116010A	CONCRETE SLOPE PROTECTION	S.Y.	634.80	5	99.01701	182	42	3174
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	2.00	11	2308.41727	4000	1200	22
6122014	IMPACT ATTENUATOR (14 SAND BARRELS)	EACH	2.00	2	2150	2200	2100	4
6122017	IMPACT ATTENUATOR (17 SAND BARRELS)	EACH	1.00	4	4123.75	6045	2550	4
6122019	IMPACT ATTENUATOR (19 SAND BARRELS)	EACH	1.00	4	6412	9148	3800	4
6122020	REPLACEMENT SAND BARREL	EACH	4.40	10	128.43182	415	50	44
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	2.00	9	648.35556	1600	500	18
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.35	110	1112.68508	5100	0.01	258
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA	S.Y.	1290.67	9	159.26085	218	84.47	11616
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	129.11	9	10.05172	33	1	1162
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	129.11	9	7.30361	36.23	1	1162
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW	L.F.	2310.00	5	4.522	7.25	2.6	11550
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEI	EACH	1480.00	5	6.176	13.47	2.8	7400
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	1.00	2	797.5	950	645	2
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	6.00	9	895.37037	3600	450	54
6142014	24 IN. OR 600MM AUTO FLOODGATE (TYPE 1)	EACH	4.00	3	2383.33333	2850	1800	12
6161005	CONSTRUCTION SIGNS	S.F.	1251.43	150	6.99549	54.15	4.73	187715
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	2.30	122	68.60696	300	35	280
6161009	FLAG ASSEMBLY	EACH	18.55	150	22.67477	420	10	2782
6161025	CHANNELIZER (TRIM LINE)	EACH	79.20	142	19.13588	120	5	11247
6161030	TYPE III MOVEABLE BARRICADE	EACH	9.18	34	137.16038	675	56	312
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	6.00	2	127.5	130	125	12
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	26.24	17	68.88283	120.77	26.25	446
6161040	FLASHING ARROW PANEL	EACH	2.14	37	1204.31316	3200	150	79
6161047	TYPE III OBJECT MARKER	EACH	18.67	9	149.17024	185	115	168
6161070	TUBULAR MARKER	EACH	12.00	2	67.5	75	60	24
6161096	CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED	EACH	2.00	6	1241.66667	2500	10	12
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAI	EACH	1.81	16	3959.24862	5919.85	1500	29
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRAI	EACH	2.07	30	3026.35903	5940	1000	62
6162000A	WORK ZONE TRAFFIC SIGNAL SYSTEM	EACH	1.00	14	9230.07071	15000	3500	14
6162010	WORK ZONE LIGHTING	EACH	1.00	3	4050	5000	2150	3
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	1172.57	23	40.79771	69	29	26969
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	478.33	9	16.31812	23	8.21	4305
6181000	MOBILIZATION	L.S.	1.00	157	88206.81962	450000	1500	157
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	387.00	13	7.06863	13	4.5	5031
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	60.04	46	27.59259	89.25	15	2762
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	180.67	9	19.62731	55	18	1626

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	7.24	33	303.56134	550	210	239
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT/EACH	EACH	4.00	2	520	520	520	8
6205134	TYPE 2 PREFORMED MARKING TAPE (GROOVED) RAILROAD CROSSING MARKER	EACH	1.68	19	1183.12875	1600	778	32
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR EACH	EACH	13.85	13	167.97233	300	60	180
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIAN	EACH	28.00	4	43.75	50	35	112
6205401B	PREFORMED SHORT TERM MARKING TAPE 4 IN. WHITE	L.F.	1802.00	7	0.8837	1.75	0.25	12614
6205403B	PREFORMED SHORT TERM MARKING TAPE 4 IN., YELLOW	L.F.	4000.00	5	0.654	0.77	0.25	20000
6205425	PREFORMED SHORT TERM MARKING TAPE 24 IN., WHITE	L.F.	21.43	7	3.75827	5.17	1.5	150
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	127402.00	6	0.1689	0.7	0.16	764412
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	111554.33	18	0.17993	0.35	0.11	2007978
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	65245.64	14	0.19495	0.35	0.11	913439
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE	L.F.	2230.45	11	0.8017	8.15	0.34	24535
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	99844.73	105	0.11041	4.1	0.05	10483697
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	86016.21	106	0.11016	4.1	0.06	9117718
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	11484.00	2	0.4	0.5	0.3	22968
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	456.00	2	3.875	5	2.75	912
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	78.33	9	4.9781	12	0.82	705
6207001	PAVEMENT MARKING REMOVAL	L.F.	1324.00	26	1.26616	11.85	0.25	34424
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC	S.Y.	18423.57	42	1.2375	26.5	0.49	773790
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF	S.Y.	2278.00	4	6.1	8.4	4.2	9112
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	3202.74	110	5.40996	38	0.1	352301
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	2799.47	19	2.93938	9.5	1.5	53190
6252001	UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE	LBS	54799.00	1	4.79	4.79	4.79	54799
6252002	UNDERSEALING MATERIAL ASPHALT CEMENT	GAL	30444.00	4	4.595	4.79	4.53	121776
6254000	DEFLECTION TESTING	EACH	54.00	5	44.636	52.89	20.29	270
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	868.99	38	16.83287	10000	6	33021.6
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	504.07	10	16.55046	24.5	8.5	5040.7
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	39	16708.73513	85000	1600	39
7025001	DYNAMIC PILE TESTING	EACH	2.67	9	3244.92417	3805.31	3000	24
7032002	CLASS B CONCRETE (MISC)	C.Y.	5.00	2	725	750	700	10
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	29.00	9	1264.62634	1500	908.28	261
7034001	CLASS B-1 CONCRETE	C.Y.	97.70	7	628.21286	930	350	683.9
7034040	CLASS B-1 CONCRETE (CULVERTS-BRIDGE)	C.Y.	263.76	5	576.7914	900	495	1318.8
7034212	SLAB ON STEEL	S.Y.	367.50	8	364.45085	1218	275	2940
7034213	SLAB ON CONCRETE I-GIRDER	S.Y.	381.50	6	357.49789	450	275	2289
7034215	SAFETY BARRIER CURB	L.F.	183.33	12	102.92045	345	65	2200
7034222	SLAB ON CONCRETE BEAM	S.Y.	227.00	3	392.78	450	300	681
7034600	CURB BLOCKOUT	L.F.	548.00	10	112.31237	160	98	5480
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	210.00	2	71.5	95	48	420
7040113	CLEAN AND EPOXY SEAL	S.F.	444.00	2	23.135	24.27	22	888
7056001	TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	501.00	3	247.56333	275	227.69	1503
7056003	TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	280.00	3	262.64	285	248	840
7056050A	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	230.00	3	311.79333	325	295	690
7061000	REINFORCING STEEL	LBS	13524.44	9	1.2745	7.15	0.98	121720
7061020	REINFORCING STEEL (CULVERTS-BRIDGE)	LBS	38378.00	5	1.50449	2	1	191890
7061060	REINFORCING STEEL (BRIDGES)	LBS	2960.00	3	2.1	3	1.5	8880
7061070	MECHANICAL BAR SPLICE	EACH	396.00	6	37.5928	62	25	2376
7110100	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHENE)	L.S.	1.00	4	7267.5	9100	4870	4

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7121060	FABRICATED SIGN SUPPORT BRACKETS	L.S.	1.00	4	4136.25	8500	2365	4
7121100	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	LBS	6130.00	4	5.95	7.3	4	24520
7121159	SHEAR CONNECTORS	EACH	1352.00	2	7.5	7.5	7.5	2704
7121250	STRENGTHENING EXISTING STRINGERS	L.S.	1.00	2	32250	32500	32000	2
7123000	STEEL BAR DAM	EACH	5.00	5	8270.226	13900	5000	25
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	2.00	6	1276.61167	1500	902.31	12
7123500	RAILING FOR STEPS	L.F.	47.00	2	125	125	125	94
7123610	SLAB DRAIN	EACH	22.31	13	310.04697	400	250	290
7125385A	INTERMEDIATE FIELD COAT (SYSTEM H)	S.F.	400.00	4	8.5	10	7.5	1600
7125390A	FINISH FIELD COAT (SYSTEM H)	S.F.	400.00	4	7.5625	8.5	5.75	1600
7126000	NON-DESTRUCTIVE TESTING	L.F.	33.00	4	153.28409	350	65	132
7134000	BRIDGE GUARD RAIL (THRIE BEAM)	L.F.	151.33	6	303.9807	386.76	240	908
7151001	VERTICAL DRAIN AT END BENTS	EACH	2.00	9	1209.61889	2000	691.71	18
7161000	PLAIN NEOPRENE BEARING PAD	EACH	3.71	7	370.20385	1500	120	26
7161001	PLAIN NEOPRENE BEARING PAD	L.F.	6.00	6	238.61333	486.68	120	36
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	12.00	3	300.59	476.77	125	36
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	8.00	2	2000	2200	1800	16
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	24.00	2	367.5	385	350	48
7201200	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS	C.Y.	400.00	3	88.56333	120.69	60	1200
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	143.00	7	26.41429	45	14.75	1001
7250315A	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	3.50	6	202.33333	420	100	21
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	100.40	10	39.26753	150	20.5	1004
7250324A	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	94.46	13	51.21417	175	26.25	1228
7250330A	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	221.00	7	47.96286	65	33.64	1547
7250336A	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	275.00	7	55.36714	75	33.97	1925
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	157.08	13	62.27061	111	16	2042
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	242.42	12	96.25473	183.75	25	2909
7250424	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	52.00	2	52.5	70	35	104
7250430	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	149.00	7	49.47429	65	34.72	1043
7250436	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	220.00	7	59.08	80	39	1540
7252006	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A	L.F.	84.00	2	90	100	80	168
7252007	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A	L.F.	526.00	2	95	115	75	1052
7261018	18 IN. PIPE GROUP A	L.F.	1014.00	2	53	56	50	2028
7261024	24 IN. PIPE GROUP A	L.F.	129.00	2	64.5	71	58	258
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	83.00	2	462.5	525	400	166
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	4.00	2	556	562	550	8
7320015A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.00	6	710.33333	858	500	12
7320018A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	4.00	10	510.903	850	135	40
7320024A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.90	10	673.62276	1050	200	29
7320030A	30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	4.00	7	687.00429	1200	365	28
7320036A	36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	4.00	7	993.36143	1800	585	28
7320824A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	1.00	2	275	300	250	2
7322018A	BEVELED PIPE END TREATMENT FOR 18 IN. (450 MM) OR ALLOWED SUB	EACH	16.00	4	144.375	157.5	120	64
8033000	K-31 TALL FESCUE SODDING	S.Y.	3989.00	7	9.78571	21.85	5.75	27923
8036000	BERMUDA SODDING	S.Y.	11066.78	9	5.12783	7.4	5	99601
8041000	TOPSOIL	C.Y.	110.00	2	26	30	22	220
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	22.30	40	1997.82093	9000	1200	892
8061005	ROCK DITCH CHECK	L.F.	1237.59	34	10.25979	117	7.5	42078

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8061006	ALTERNATE DITCH CHECK	L.F.	501.10	20	11.27422	26	1	10022
8061007A	CURB INLET CHECK	EACH	22.56	9	155.05911	190	130	203
8061016	SEDIMENT REMOVAL	C.Y.	1195.22	27	8.40101	100	1	32271
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	20.03	28	1447.91503	5000	1	560.8
8061019	SILT FENCE	L.F.	2182.81	47	2.77312	5.75	1	102592
8061050	TYPE C BERM	L.F.	247.14	7	40.23861	85.89	10	1730
8064121	TYPE 2 EROSION CONTROL BLANKET	S.Y.	17069.00	4	2.0325	2.63	1.5	68276
9011010	RELOCATED POLE	EACH	1.00	2	1556	1556	1556	2
9011030	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT	EACH	8.00	2	1274	1274	1274	16
9011106	BRACKET ARM, 6 FT. OR 1.8 M	EACH	2.00	2	230	230	230	4
9011112	BRACKET ARM, 12 FT. OR 3.6 M	EACH	6.00	2	490	490	490	12
9012230	BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT	EACH	1.00	2	3750	3750	3750	2
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	693.00	2	10	10	10	1386
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	34.00	2	20	20	20	68
9016110	PULL BOX, PREFORMED CLASS 1	EACH	10.00	2	661	661	661	20
9016112	PULL BOX, PREFORMED CLASS 3	EACH	1.00	2	1100	1100	1100	2
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	30.00	2	2	2	2	60
9017008	CABLE, 8 AWG 1 CONDUCTOR	L.F.	2000.00	2	0.75	0.75	0.75	4000
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	680.00	2	0.75	0.75	0.75	1360
9017208	WIRE, 8 AWG, BARE NEUTRAL	L.F.	2000.00	2	0.75	0.75	0.75	4000
9018230	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	EACH	8.00	2	700	700	700	16
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	2	1500	1500	1500	2
9019400	TEMPORARY LIGHTING	L.S.	1.00	2	31600	47000	16200	2
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	2.00	7	788	1062	640	14
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	2.00	7	1091.28571	1205	980	14
9024920	DETECTOR, PUSHBUTTON	EACH	2.00	7	265.42857	360	199	14
9025200	CONDUIT, 2 IN., TRENCH	L.F.	937.00	4	9.625	12	8	3748
9025300	CONDUIT, 3 IN., TRENCH	L.F.	34.00	7	16.91429	30	12	238
9027300	CONDUIT, 3 IN., PUSHED	L.F.	180.36	11	29.09043	45	12	1984
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	400.00	7	1.77857	2.3	1.5	2800
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	400.00	7	2.08571	2.95	1.5	2800
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	1157.00	10	4.87761	5.5	3.5	11570
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	430.00	7	0.99143	2	0.35	3010
9028810	PULL BOX, PREFORMED CLASS 1	EACH	3.55	11	996.84615	1475	850	39
9029100	BASE, CONCRETE	C.Y.	1.79	11	1530.94416	4300	689	19.7
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	2.50	11	1892.1124	2120	1500	27.5
9031210	STRUCTURAL STEEL POSTS	LBS	253.64	11	6.07656	8.61	4.29	2790
9031220	PIPE POSTS	LBS	530.00	4	4.475	4.5	4.4	2120
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	6.33	9	204.42105	220	200	57
9031250A	U-CHANNEL POST, 3 LB	L.F.	176.00	5	14.34	16.3	7.4	880
9031260	WOOD POST, 4 IN. BY 4 IN.	L.F.	48.85	13	28.87559	125	10	635
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	431.11	9	12.16966	13.2	12	3880
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	108.00	7	23.14286	40	20	756
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	96.25	16	14.25275	32	12.75	1540
9035004	TYPE SHR2L-1 SIGN	S.F.	225.15	13	22.39306	47.25	19	2927
9035004A	SH-FLAT SHEET	S.F.	72.00	4	25.9725	26	25.89	288
9035009	36 IN. OR 900 MM STOP SIGN	EACH	6.00	9	210.55556	250	175	54
9035011	SIGN, TYPE STR2L-3	S.F.	55.00	2	24	24	24	110

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9035018	TYPE III OBJECT MARKER	EACH	12.00	2	82.5	85	80	24
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	2.00	7	102.85714	313	40	14
9035069	TYPE SHR4L-1 SIGN	S.F.	56.33	9	28.01361	45.5	24	507
9035069A	SHF-FLAT SHEET FLUORESCENT	S.F.	48.00	5	24.75	26.5	19.25	240

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
1041000	TEMPORARY SURFACING	C.Y.	182.89	54	73.50901	575	20	9876
2013000	CLEARING AND GRUBBING	ACRE	3.77	128	5648.93346	51250	1	483
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1.00	916	53218.73528	1413821.22	6.47	916
2024013	REMOVAL OF SURFACING ACM (FRIABLE)	S.F.	400.00	7	19.73286	27.5	5	2800
2024024	REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)	L.F.	28.00	7	32.80143	45.36	10	196
2024029	REMOVAL OF CEILING TILE ACM (FRIABLE)	S.F.	100.00	7	19.46429	27.5	3.5	700
2024038	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	S.F.	1300.00	7	5.56714	6.6	4	9100
2024040	REMOVAL OF MISCELLANEOUS ACM (FRIABLE)	S.F.	100.00	7	23.53571	33	5	700
2024043	REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)	S.F.	38.48	27	36.34755	1000	5	1039
2024046	REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY I)	L.F.	198.13	16	14.60703	27.68	3	3170
2024048	REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NON-FRIABLE)	L.F.	16.00	7	20.44714	34.38	3	112
2024054	REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)	L.F.	32.00	7	8.56286	14.69	2	224
2024067	REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE)	S.F.	100.00	7	12.03571	16.5	3	700
2024070	REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)	S.F.	216.00	16	17.84277	30	3.5	3456
2024072	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE)	S.F.	32.00	7	19.92	29.69	3.5	224
2024074	REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE)	S.F.	80.00	7	8.16143	11.88	2	560
2024076	REMOVAL OF FLOOR TILE ACM ON CONCRETE (FRIABLE)	S.F.	48.00	7	8.91143	13.13	4	336
2024078	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE)	S.F.	60.00	7	11.89286	17.5	2	420
2024091	REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	S.F.	100.00	7	8.39286	11.5	3	700
2024093	REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE)	S.F.	40.00	7	8.57143	13.75	2.5	280
2024096	REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE)	S.F.	340.00	7	7.70571	11	1	2380
2024098	REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I)	S.F.	560.00	7	9.53143	13.2	2.5	3920
2026010	TANK REMOVAL AND DISPOSAL	EACH	1.00	2	3125	3390	2860	2
2026020	HAZARDOUS RESIDUAL MATERIAL DISPOSAL	GAL	500.00	2	9.315	12.43	6.2	1000
2026027	CONTAMINATED SOIL EXCAVATION	C.Y.	150.00	2	6.39	6.78	6	300
2026029A	CONTAMINATED SOIL HAULING	TON	170.00	2	11.475	11.65	11.3	340
2026030	CONTAMINATED SOIL DISPOSAL	TON	170.00	2	57.6	72.5	42.7	340
2026040	BACKFILL	C.Y.	220.00	2	19.7	24	15.4	440
2026050	TANK PIT WATER DISPOSAL	GAL	500.00	2	1.7	2.25	1.15	1000
2027000	DISPOSAL AND PLUGGING OF WELLS	EACH	1.00	7	2334.66	3300	1500	7
2028000	PLUGGING AND DISPOSAL OF SEPTIC TANKS	EACH	1.00	7	2147.57286	3300	1000	7
2031000	CLASS A EXCAVATION	C.Y.	12175.58	353	8.76121	400	2.5	4297981
2032000	CLASS C EXCAVATION	C.Y.	11493.00	5	21.696	32.5	15.4	57465
2035000	UNCLASSIFIED EXCAVATION	C.Y.	6289.14	57	14.89003	330	5.45	358481
2035500	EMBANKMENT IN PLACE	C.Y.	6316.16	146	13.37045	103	0.01	922159
2036000	COMPACTING EMBANKMENT	C.Y.	8687.46	315	2.15517	110	0.01	2736551
2037075	COMPACTING IN CUT	STA.	36.01	163	810.6919	8872	21	5869.2
2042010	SETTLEMENT GAUGE	EACH	6.38	13	2377.07783	5000	643.46	83
20610	CLASS 1 EXCAVATION	C.Y.	835.00	16	27.86036	75	6	13360
2061000	CLASS 1 EXCAVATION	C.Y.	195.71	213	96.99856	385	1	41686
2061003	CLASS 1 EXCAVATION IN ROCK	C.Y.	44.86	21	130.97332	394	30	942
2062000	CLASS 2 EXCAVATION	C.Y.	4911.00	7	69.67857	125	35	34377
2062003	CLASS 2 EXCAVATION IN ROCK	C.Y.	403.00	7	206.89286	500	15	2821
2063000	CLASS 3 EXCAVATION	C.Y.	1080.40	218	16.33718	573.64	1	235528
2063100	CLASS 3 EXCAVATION IN ROCK	C.Y.	1271.00	5	60.98	95	20	6355
2063300	CLASS 4 EXCAVATION	C.Y.	367.00	45	32.3679	102.98	6	16515
2063400	CLASS 4 EXCAVATION IN ROCK	C.Y.	52.50	6	130.17143	285	80	315
2063500	CULVERT CLEANOUT	EACH	3.77	64	2018.27523	13440	775.55	241

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
2064000	POROUS BACKFILL	C.Y.	615.80	10	65.22877	227	38.5	6158
2065500	TEMPORARY SHORING	L.S.	1.00	65	53474.69369	400000	0.01	65
2066005	COFFERDAMS-BENT5	L.S.	1.00	7	2000780.571	4545464	610000	7
2066006	COFFERDAMS-BENT6	L.S.	1.00	7	2017820.429	4779743	530000	7
2066007	COFFERDAMS-BENT7	L.S.	1.00	7	1984749.143	4783244	460000	7
2066008	COFFERDAMS-BENT8	L.S.	1.00	7	1047658.143	2250000	250000	7
2071000	LINEAR GRADING CLASS 1	STA.	39.16	187	451.88294	14769.9	26.95	7322.8
2072000	LINEAR GRADING CLASS 2	STA.	67.36	188	391.7841	13500	86	12664.5
2081000	INTERCEPTION DITCH	100FT	1.00	7	2059.27429	5000	455	7
2101006A	SUBGRADE COMPACTION (6-INCH DEPTH)	STA.	4.39	49	791.95907	3600	100	215
2121000A	SUBGRADING AND SHOULDERING CLASS 1	STA.	13.30	10	1450.36338	22200	500	133
2122000A	SUBGRADING AND SHOULDERING CLASS 2	STA.	8.65	17	1103.15252	5500	161.9	147
21420	FURNISHING ROCK FILL	C.Y.	1255.00	8	23.85875	37.62	16.2	10040
2142000	FURNISHING ROCK FILL	C.Y.	3117.66	123	27.16108	150	0.01	383472
21430	PLACING ROCK FILL	C.Y.	1255.00	8	13.85125	25	6.4	10040
2143000	PLACING ROCK FILL	C.Y.	3117.66	123	11.99542	610	3	383472
2151000A	SHAPING SLOPES, CLASS I	100FT	618.67	9	60.75906	169.55	41.35	5568
2152000A	SHAPING SLOPES, CLASS II	100FT	398.88	25	113.78534	270	1	9972
2153000	SHAPING SLOPES, CLASS III	100FT	37.56	193	978.40184	12098.69	4	7249
2160500	REMOVAL OF BRIDGES	L.S.	1.00	225	161338.7744	3500000	5000	225
2161000	SCARIFICATION OF BRIDGE DECKS	S.Y.	649.00	30	9.01422	19	5.75	19470
2161501	REMOVAL OF ASPHALT WEARING SURFACE	S.F.	7016.99	136	1.89194	4.9	0.38	954310
2161502	REMOVAL OF CONCRETE WEARING SURFACE	S.F.	37053.75	72	1.22548	4.7	0.6	2667870
2162000	REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS	L.F.	350.00	4	8.8125	15	4	1400
2162500	REMOVAL OF EXISTING BRIDGE DECKS	S.F.	8815.15	219	8.68732	20.5	1.55	1930517
2163000	PARTIAL REMOVAL OF EXISTING BRIDGE DECKS	S.F.	319.79	38	73.09001	144.9	42	12152
2163501	PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE	L.S.	1.00	2	8250	12000	4500	2
2163502	PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE	L.S.	1.00	62	21787.99484	145310	1	62
2164000	CURB REMOVAL	L.F.	5.00	6	241.5	329	130	30
2164500	REMOVAL OF EXISTING EXPANSION JOINTS & ADJACENT CONCRETE	L.F.	235.79	102	300.55855	1036.52	130	24051
2165000	REMOVAL OF EXISTING EXPANSION JOINT SEAL OR SEALANT	L.F.	47.00	6	142	320	34	282
3030600	FURNISHING ROCK BASE MATERIAL	S.Y.	3844.19	21	6.46443	88	3.9	80728
3030610A	PLACING ROCK BASE (18 IN. THICK)	S.Y.	10.00	12	43.41583	93.5	15	120
3040133	TYPE 1 AGGREGATE FOR BASE (3 IN. THICK)	S.Y.	196.14	7	30.74807	247.98	7	1373
3040143	TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	1509.01	258	8.20095	101	1.6	389324
3040163	TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	1248.25	36	14.93566	46.5	8.5	44937
3040183	TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)	S.Y.	35.00	2	15	16	14	70
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	4827.76	245	7.17828	127.95	3.5	1182801
3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	S.Y.	12576.80	119	7.65308	35	1.12	1496639.4
3101002	GRAVEL (A)	TON	32.11	9	157.85467	188	37	289
3101003	GRAVEL (A)	S.Y.	8.00	6	56.68333	93.6	44	48
3105002	GRAVEL (A) OR CRUSHED STONE (B)	TON	327.59	166	37.49178	505.5	11.3	54380
3105003	GRAVEL (A) OR CRUSHED STONE (B)	S.Y.	743.99	48	9.44683	65.85	2.39	35711.7
3107002	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	TON	122.83	6	34.80395	152	26.35	737
3107003	GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)	S.Y.	7467.00	2	6.9	6.9	6.9	14934
4010103	10 INCHES, BITUMINOUS PAVEMENT	S.Y.	31937.20	1	31.4	31.4	31.4	31937.2
4010104	11 INCHES, BITUMINOUS PAVEMENT	S.Y.	17432.20	1	34.17	34.17	34.17	17432.2
4010105	5 3/4 INCHES, BITUMINOUS PAVEMENT	S.Y.	49.90	3	118.33333	125	105	149.7

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4010107	7 INCHES, BITUMINOUS PAVEMENT SECTION	S.Y.	166.00	7	73.16	92.6	51.5	1162
4010150	TYPE A2 SHOULDER	S.Y.	5281.53	56	28.89775	180	13.5	295765.8
4010151	TYPE A3 SHOULDER	S.Y.	3512.18	88	17.13844	129.96	10.25	309071.6
4011207	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-1)	TON	3024.96	26	51.36069	490	41.75	78649
4011208	BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-2)	TON	5143.80	11	56.42646	63.89	51.1	56581.8
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	4143.16	315	53.67498	1200	35	1305095.2
4011211	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)	TON	11639.39	68	50.52696	142	35.25	791478.5
4011213	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)	TON	919.25	8	68.13044	226	1	7354
40130	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	781.30	8	59.00625	67.05	55	6250.4
4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)	TON	1899.07	89	58.11463	1112.24	10	169017
4013010	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)	TON	2382.52	18	55.68525	255	49.52	42885.3
4020520	BITUMINOUS PAVEMENT MIXTURE PG64-22	TON	11648.30	131	54.96924	74.92	39.65	1525927
4030001	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)	TON	6485.28	5	61.29923	70.7	56.58	32426.4
4030003	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)	TON	7567.57	15	65.45682	84.35	50	113513.5
4030006	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX)	TON	5178.50	2	71.91	81.54	62.28	10357
4030009	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)	TON	27251.47	25	77.21051	226.5	65.52	681286.7
4030011	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095CLP MIX)	TON	11650.97	7	66.72941	87.08	56.22	81556.8
4030016	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP048F MIX)	TON	2909.76	15	69.33408	95	52.4	43646.4
4030017	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP048F MIX)	TON	17045.30	5	70.888	80.35	54.9	85226.5
4030101	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)	TON	4319.24	67	55.54	190	39.31	289388.8
4030103	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)	TON	17679.48	96	53.50114	634.61	41	1697230.3
4030109	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)	TON	12117.58	9	66.25788	155	57.75	109058.2
4030114	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125B MIX)	TON	17205.24	10	55.88806	76.6	41.21	172052.4
4030116	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)	TON	24462.09	33	56.85747	200	51	807249
4030130	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125BSM MIX)	TON	6738.70	1	88.7	88.7	88.7	6738.7
4030132	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BSM MIX)	TON	16604.24	55	80.86974	775.52	66.09	913233.3
4030206	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190C MIX)	TON	1043.76	10	94.7307	131.41	71.5	10437.6
4030208	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)	TON	11515.90	8	50.52437	100	44.17	92127.2
4030217	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)	TON	3380.39	16	72.58402	150	59.32	54086.3
4030306	ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)	TON	4897.18	22	56.45835	110	44.4	107738
4030308	ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)	TON	2247.20	8	53.29625	61.95	48.85	17977.6
4030317	ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX)	TON	958.70	7	73.09143	89.98	62.2	6710.9
4030401	8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	717.30	1	78.93	78.93	78.93	717.3
4030404	11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	17090.10	1	35.19	35.19	35.19	17090.1
4030409	12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C	S.Y.	32110.20	1	34.04	34.04	34.04	32110.2
4030422	12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM	S.Y.	898.60	1	193.83	193.83	193.83	898.6
4030423	13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM	S.Y.	6602.20	1	53.59	53.59	53.59	6602.2
4071005	TACK COAT	GAL	14160.78	549	2.29054	274.43	0.01	7774267
4071006	TACK COAT - POLYMER MODIFIED	GAL	6222.86	7	2.45761	3	1.95	43560
4091048	EMULSIFIED ASPHALT, SEAL COAT	GAL	79711.40	121	1.7106	5.75	1.452	9645080
4094001	SEAL COAT AGGREGATE, GRADE A1	S.Y.	369400.36	11	0.67067	1.42	0.551	4063404
4094002	SEAL COAT AGGREGATE, GRADE A2	S.Y.	172835.67	9	0.60256	1.52	0.41	1555521
4094011	SEAL COAT AGGREGATE, GRADE B1	S.Y.	139080.43	87	0.68213	7.83	0.48	12099997
4094012	SEAL COAT AGGREGATE, GRADE B2	S.Y.	623922.84	19	0.55093	0.68	0.48	11854534
4131000	MICROSURFACING, TYPE II	S.Y.	36536.00	4	4.0825	5.71	1.92	146144
4131200	MICROSURFACING, TYPE IIIR	S.Y.	1055.00	2	8	9	7	2110
4133000	ULTRATHIN BONDED WEARING SURFACE, TYPE A	S.Y.	80904.00	3	4.18	4.59	3.8	242712
4133100	ULTRATHIN BONDED WEARING SURFACE, TYPE B	S.Y.	124132.67	15	4.22295	5.75	3.68	1861990

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
4133200	ULTRATHIN BONDED WEARING SURFACE, TYPE C	S.Y.	213641.15	13	4.0188	5.3	3.07	2777335
4134000	BITUMINOUS FOG SEAL	GAL	4465.46	131	2.55595	170	0.01	584975
4136000	PCCP JOINT/CRACK SEALING	L.F.	2405.40	5	2.95291	11.12	1.21	12027
5021106	CONCRETE PAVEMENT (6 IN. NON-REINF)	S.Y.	356.87	13	89.32497	226	35.9	4639.3
5021107	CONCRETE PAVEMENT (7 IN. NON-REINF)	S.Y.	986.40	7	48.71714	54	35	6904.8
5021108	CONCRETE PAVEMENT (8 IN. NON-REINF)	S.Y.	287.90	31	81.0199	515	40.66	8924.9
5021110	CONCRETE PAVEMENT (10 IN. NON-REINF)	S.Y.	209.00	5	197.5	450	100	1045
5021112	CONCRETE PAVEMENT (12 INCH NON-REINFORCED)	S.Y.	4.40	3	394.69667	1020	75	13.2
5021307	CONCRETE PAVEMENT (7 IN. NON-REINFORCED 15 FT. JOINTS)	S.Y.	1156.54	13	46.21136	108.9	35	15035
5021308	CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	8899.44	38	39.98824	144	33.8	338178.6
5021309	CONCRETE PAVEMENT (9 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	6641.57	12	52.98661	92.7	45	79698.8
5021310	CONCRETE PAVEMENT (10 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	741.03	27	90.81188	305	33.83	20007.7
5021311	CONCRETE PAVEMENT (11 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	9605.50	4	51.499	75	50	38422
5021312	CONCRETE PAVEMENT (12 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	106.60	7	102.57143	225	66	746.2
5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	9893.41	28	47.96423	800	39	277015.6
5021333	CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	S.Y.	23281.53	9	47.3064	55.6	40.5	209533.8
5021340	TYPE A2 SHOULDER	S.Y.	4229.11	30	32.37871	130	18.56	126873.3
5021341	TYPE A3 SHOULDER	S.Y.	370.65	21	45.91569	210	22.75	7783.7
5024010	CONCRETE BASE (10 IN. NON-REINF)	S.Y.	118.60	2	125	130	120	237.2
5031010A	BRIDGE APPROACH SLAB (MAJOR ROAD)	S.Y.	249.63	103	260.88667	518.45	185	25712
5031011A	BRIDGE APPROACH SLAB (MINOR ROAD)	S.Y.	135.46	223	150.61829	479	59	30207
50410	CONCRETE APPROACH PAVEMENT	S.Y.	249.40	8	103.3375	131.95	95	1995.2
5041000	CONCRETE APPROACH PAVEMENT	S.Y.	542.92	58	103.49264	175	50	31489.1
5050001	ALTERNATE CONCRETE WEARING SURFACE	S.Y.	2589.50	6	71.5	90	61	15537
5052000	LATEX MODIFIED CONCRETE WEARING SURFACE	S.Y.	4318.65	68	90.5587	200	68.72	293668
5052001	LATEX MODIFIED HIGH EARLY STRENGTH CONCRETE WEARING SURFACE	S.Y.	971.29	14	172.42025	240	124	13598
6011000A	TYPE 2 FIELD LABORATORIES	L.S.	1.00	5	26691.514	42000	18000	5
6021000	DRAIN MARKER	EACH	2.00	5	309.538	703.28	130	10
6042010	ADJUSTING MANHOLE	EACH	3.88	43	723.16275	5000	150	167
604202	ADJUSTING BASIN OR INLET	EACH	3.00	8	1463.745	2000	677.9	24
6042020	ADJUSTING BASIN OR INLET	EACH	4.46	26	1997.12138	6400	1084.22	116
6044011	PIPE COLLAR, TYPE A	EACH	3.44	81	1431.34753	6800	233.35	279
6044012	PIPE COLLAR, TYPE B	EACH	1.59	46	1114.92521	2750	200	73
6044013	PIPE COLLAR, TYPE C	EACH	1.00	2	2700	3500	1900	2
6046012A	12 IN. SLOTTED DRAIN	L.F.	61.65	17	172.63298	322.61	115	1048
6046015A	15 IN. SLOTTED DRAIN	L.F.	1054.00	7	90.43571	106.8	80	7378
6051018A	PIPE AGGREGATE PAVEMENT CROSS DRAIN	L.F.	178.07	14	52.05124	200	8.75	2493
6053020A	FRENCH UNDERDRAIN	L.F.	456.00	4	21.0875	31.5	1.3	1824
6053030A	PIPE AGGREGATE PAVEMENT EDGE DRAIN	L.F.	3919.00	15	11.47887	97.1	7.75	58785
6054020	OUTLET PIPES AND SPLASH PADS	EACH	3.00	9	1198.92037	4200	305	27
6057000	AGGREGATE DRAIN	L.F.	1482.80	10	41.59907	51.5	15	14828
6060110	BULLNOSE GUARDRAIL SYSTEM	EACH	5.38	8	6390.25349	8024.3	6200	43
6061010	GUARDRAIL TYPE A	L.F.	1689.91	170	17.33309	43.03	14	287285
6061011A	GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1 5 IN SPACING	L.F.	1278.94	67	25.80376	38	20.5	85689
6061020	GUARDRAIL TYPE B	L.F.	300.00	2	28	28	28	600
6061040	GUARDRAIL TYPE D	L.F.	30.92	13	23.35821	90	14.24	402
6061050	GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING	L.F.	495.87	23	32.43342	40	26.03	11405
6061054	GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING	L.F.	259.54	24	25.45987	36	21.63	6229

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6061060	MGS GUARDRAIL	L.F.	2944.49	182	19.66009	43	16	535897
6061061	MGS GUARDRAIL, 8 FT. POSTS, 6 FT. - 3 SPACING	L.F.	7010.04	151	22.94093	55.04	19	1058516
6061063	MGS GUARDRAIL, 6 FT. POSTS, 3 FT. - SPACING	L.F.	342.98	56	27.14519	54	15.63	19207
6061065	MGS GUARDRAIL, 6 FT. POSTS, 1 FT. - 6.75 IN. SPACING	L.F.	526.68	31	43.07681	50	32	16327
6061067	MGS DOUBLE FACED GUARDRAIL	L.F.	456.50	6	33.04546	35.2	30.65	2739
6061068	MGS BRIDGE APPROACH TRANSITION SECTION (MAJOR ROUTE)	EACH	11.32	65	2619.64889	3350	2250	736
6061069	MGS BRIDGE APPROACH TRANSITION SECTION (MINOR ROUTE)	EACH	8.36	194	2648.67603	5000	2100	1622
6061070	MGS VERTICAL CONCRETE BARRIER TRANSITION	EACH	5.08	12	2650.20082	3075	1500	61
6061074	MGS HEIGHT AND BLOCK TRANSITION	EACH	11.31	68	554.67111	1000	193	769
6061075	MGS LONG SPAN GUARDRAIL SECTION	EACH	1.50	6	2674.09444	4425	2400	9
6061076	MGS TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	18.29	7	2025.68812	2425	1907.92	128
6061078	MGS EMBEDDED ANCHOR SECTION (WITH RUBRAIL)	L.F.	563.00	3	29.83	31.64	27.85	1689
6061079	MGS EMBEDDED ANCHOR SECTION (WITHOUT RUBRAIL)	L.F.	125.00	2	47.9	47.9	47.9	250
6061080	MGS END ANCHOR	EACH	9.95	146	961.50258	2200	791	1452
6061081	MGS BRIDGE APPROACH TRANSITION (THRIE-BEAM BRIDGE)	EACH	5.11	18	2678.92913	2820.38	2520	92
6062000	BRIDGE ANCHOR SECTION (BRUSH CURB)	EACH	9.43	7	1969.63636	3286	1700	66
6062100	BRIDGE ANCHOR SECTION (CURB TYPE)	EACH	16.00	7	1523.66143	1680	1400	112
6062200A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	4.39	76	1793.11269	2800	1400	334
6062202A	BRIDGE ANCHOR SECTION, 7.5 FT. POSTS (SAFETY BARRIER CURB) (ROADWAY /	EACH	3.82	71	1811.50111	2950.29	1430	271
6062204A	BRIDGE ANCHOR SECTION, 6.5 FT. POSTS (SAFETY BARRIER CURB) (NEW CONS'	EACH	3.92	72	1859.64152	3872.3	1400	282
6062300A	TRANSITION SECTION, 6.5 FT. POSTS	EACH	6.90	77	437.21778	1290.77	286.31	531
6062301A	TRANSITION SECTION, 7.5 FT. POSTS	EACH	1.00	14	413.63643	660	357.22	14
6062303	ASYMETRICAL TRANSITION SECTION, 6.5 FT. POSTS	EACH	6.61	126	414.96288	1455	239.83	833
6062304	ASYMETRICAL TRANSITION SECTION, 7.5 FT. POSTS	EACH	4.00	55	366.957	600	268.28	220
6062400	BRIDGE ANCHOR SECTION (THRIE BEAM)	EACH	5.32	19	1960.86297	3189.04	1700	101
6063000A	TERMINAL SECTION - GUARDRAIL (TURNED-DOWN END)	EACH	1.00	7	1101.89	2581.53	783.94	7
6063014	TYPE A CRASHWORTHY END TERMINAL (MASH)	EACH	14.94	299	2191.73604	5000	450	4466
6063015	TYPE A CRASHWORTHY END TERMINAL	EACH	6.52	263	2230.67083	4560	1650	1715
6063016	TYPE B CRASHWORTHY END TERMINAL	EACH	3.33	9	5048.38933	6255	4000	30
6063017	TYPE C CRASHWORTHY END TERMINAL	EACH	3.24	17	13666.35945	27500	7000	55
6063018	TYPE D CRASHWORTHY END TERMINAL	EACH	2.00	4	23525	23700	23000	8
6063019	TYPE E CRASHWORTHY END TERMINAL	EACH	1.00	7	32542.15143	36000	31000	7
6064100	MEDIAN GUARD CABLE 3 - STRAND	L.F.	2706.38	13	9.8708	22.68	8.05	35183
6064110	ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND	EACH	4.44	16	2937.77958	4081.38	2150	71
6064500	AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE	C.Y.	75.00	7	93.57143	110	60	525
6066200	GUARDRAIL BEAM	EACH	5.00	2	150	200	100	10
6066300	GUARDRAIL POST	EACH	22.86	7	77.74	95	60	160
6066610	END ANCHOR	EACH	4.90	60	947.58861	1320	546.77	294
6066620	GUARDRAIL ANCHOR, EMBEDDED	EACH	2.00	3	2858.57333	3375.72	2000	6
6066630	GUARDRAIL ANCHOR, ROCK FACE	EACH	3.00	3	1711.28333	1898.85	1435	9
6071011A	CHAIN-LINK FENCE (48 IN.)	L.F.	289.00	13	31.04361	55	15.2	3757
6071012A	CHAIN-LINK FENCE (60 IN.)	L.F.	1241.40	5	17.29645	18	14.96	6207
6071013A	CHAIN-LINK FENCE (72 IN.)	L.F.	637.80	10	23.20294	51.63	18.6	6378
6071030	WALK GATE (CHAIN-LINK)	EACH	1.00	7	790.32571	838.48	746.8	7
6071040	DRIVE GATE (CHAIN-LINK)	EACH	2.00	10	1842.281	2581.54	1200	20
6071043A	3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE	L.F.	1291.00	3	2.00667	2.02	2	3873
6071050	CHAIN-LINK FENCE (RETAINING WALLS)	L.F.	548.75	8	24.53713	352	21	4390
6071056	(72 IN.) PROPERTY FENCE (STRUCTURES)	L.F.	2418.00	6	20.86333	23	20	14508

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6071060	PEDESTRIAN FENCE (STRUCTURES)	L.F.	85.13	31	105.92645	150	66.05	2639
6071066	(72 IN.) PEDESTRIAN FENCE (STRUCTURES)	L.F.	574.00	8	99.21	133.4	47.5	4592
6071067	(112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES)	L.F.	200.50	16	156.74246	565	90	3208
6071101	MODIFIED CONCRETE GUTTER TYPE A	L.F.	94.94	17	90.39918	184.9	31	1614
6071102	MODIFIED CONCRETE GUTTER TYPE B	L.F.	453.25	8	45.42537	57	30	3626
6072010	WOVEN WIRE FENCE	L.F.	87.00	1	20	20	20	87
6081000	CONCRETE MEDIAN	S.Y.	373.25	40	37.97745	1250	25.5	14930.1
6081010	CONCRETE CURB RAMP	S.Y.	157.65	111	126.58369	540	31.25	17499
6081012	TRUNCATED DOMES	S.F.	216.02	168	26.42462	366	2	36291
6083003	3 IN. CONCRETE MEDIAN STRIP	S.Y.	76.10	37	69.04323	315	32	2815.6
6083004	4 IN. CONCRETE MEDIAN STRIP	S.Y.	34.94	9	98.51224	278.69	61.5	314.5
6083006	6 IN. CONCRETE MEDIAN STRIP	S.Y.	528.64	56	51.77434	750	32	29603.9
6083008	8 IN. CONCRETE MEDIAN STRIP	S.Y.	344.21	37	66.70534	275.53	7	12735.7
6085007	PAVED APPROACH, 7 IN.	S.Y.	362.26	37	89.92194	258	38.09	13403.7
6085008	PAVED APPROACH, 8 IN.	S.Y.	701.89	80	70.8528	272	40.9	56151.1
6086004	CONCRETE SIDEWALK, 4 IN.	S.Y.	1118.41	190	45.72742	320	5.73	212498.1
6086007	CONCRETE SIDEWALK, 7 IN.	S.Y.	111.99	33	64.82416	439	29.75	3695.6
6086008	CONCRETE SIDEWALK, 8 IN.	S.Y.	141.46	37	82.74788	765	35	5234.1
6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	350.43	97	32.4777	250	19.1	33992
6091011	CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S	L.F.	150.11	38	52.85832	650	9	5704
6091041	CONCRETE GUTTER TYPE A	L.F.	172.60	47	53.81532	339	23.75	8112
6091042	CONCRETE GUTTER TYPE B	L.F.	563.17	12	41.09558	70.3	26	6758
6091051	CURB AND GUTTER TYPE A	L.F.	335.97	30	36.27093	84.5	24.68	10079
6091052	CURB AND GUTTER TYPE B	L.F.	1704.91	58	21.35967	162.56	11	98885
6091060	PAVED DITCH	S.Y.	840.34	46	51.21121	220	27	38655.5
6092011	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A	L.F.	854.83	90	16.88154	325.13	2	76935
6092012	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B	L.F.	500.12	17	20.96052	44.1	5	8502
6092013	INTEGRAL CURB TYPE M	L.F.	400.00	3	20.78333	27	11.6	1200
6092015	INTEGRAL CURB TYPE O	L.F.	408.31	13	22.83845	84.5	12.3	5308
6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	L.F.	37.27	15	93.73714	650	9	559
6092022	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B	L.F.	16.00	5	26.25	62	9.5	80
6092031	CONCRETE CURB LOW PROFILE TYPE E	L.F.	274.00	2	18	22	14	548
6092032	CONCRETE CURB LOW PROFILE TYPE F	L.F.	358.00	1	21	21	21	358
6093010	ASPHALT CURB	L.F.	42.07	15	74.28185	150	39.95	631
6094010	DRAIN BASIN	EACH	2.27	22	5406.386	10086	699	50
6096010A	FURNISHING TYPE 1 ROCK DITCH LINER	C.Y.	128.42	158	34.53713	509.75	19.51	20290
6096020	FURNISHING TYPE 2 ROCK DITCH LINER	C.Y.	480.74	102	27.56971	310	1	49035
6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	C.Y.	780.24	37	41.63162	77.25	20	28869
6096040A	FURNISHING TYPE 4 ROCK DITCH LINER	C.Y.	856.00	25	37.73848	77.3	29	21400
6096041	PLACING TYPE 1 ROCK DITCH LINER	C.Y.	128.42	158	30.65946	472.19	9	20290
6096042	PLACING TYPE 2 ROCK DITCH LINER	C.Y.	480.74	102	21.52206	671	7.67	49035
6096043	PLACING TYPE 3 ROCK DITCH LINER	C.Y.	792.14	37	20.39282	51	8.35	29309
6096044	PLACING TYPE 4 ROCK DITCH LINER	C.Y.	946.62	29	24.553	82.5	12	27452
6096050	BEDDING MATERIAL FOR ROCK DITCH LINER	C.Y.	230.58	33	60.02087	100	23.5	7609
60970	ROCK LINING	C.Y.	35.00	8	76.89375	165	42	280
6097000	ROCK LINING	C.Y.	44.00	131	88.77648	730.78	32	5764
6113010	FURNISHING TYPE 1 ROCK BLANKET	C.Y.	189.00	36	40.20812	80	17.5	6804
6113020	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	876.16	299	35.54576	75	1	261971

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6113030	PLACING TYPE 1 ROCK BLANKET	C.Y.	189.00	36	27.52992	133.75	10	6804
6113040	PLACING TYPE 2 ROCK BLANKET	C.Y.	878.13	299	21.28009	200	6	262562
6116010A	CONCRETE SLOPE PROTECTION	S.Y.	1291.24	21	54.0763	182	32	27116
6117000A	GABIONS	C.Y.	94.00	8	274.94676	8000	125	752
6122008	IMPACT ATTENUATOR (8 SAND BARRELS)	EACH	2.00	7	1794.57143	2000	1650	14
6122009	IMPACT ATTENUATOR (9 SAND BARRELS)	EACH	2.24	38	1884.01318	3800	1000	85
6122012	IMPACT ATTENUATOR (12 SAND BARRELS)	EACH	2.56	25	2380.16781	4326	1100	64
6122014	IMPACT ATTENUATOR (14 SAND BARRELS)	EACH	2.17	12	3855.26	7500	2100	26
6122017	IMPACT ATTENUATOR (17 SAND BARRELS)	EACH	2.78	37	3102.38233	6045	300	103
6122019	IMPACT ATTENUATOR (19 SAND BARRELS)	EACH	2.52	29	3603.69863	9148	1	73
6122020	REPLACEMENT SAND BARREL	EACH	10.17	114	270.30961	1100	1	1159
6122030	IMPACT ATTENUATOR (RELOCATION)	EACH	6.25	79	801.62255	1600	1	494
6123000A	TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)	EACH	2.09	557	2070.53394	36000	0.01	1162
6131010	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A FULL DEPTH PA' S.Y.		776.69	155	236.17666	1556	71	120387.3
6131012	SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)	S.Y.	257.99	160	5.65604	125	1	41278
6131013	TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)	S.Y.	263.17	151	6.32085	250	1	39738
6131014	FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW L.F.		2861.53	156	5.06169	50	1.45	446399
6131015	DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEI EACH		1333.14	152	6.99488	175	2.56	202637
6131017	DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH EACH		1953.89	36	2.64581	80	1.15	70340
6131018	TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR CLASS A FULL DEPTH EACH		187.20	45	9.2332	46.86	0.01	8424
6132018	FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH C.Y.		60.01	15	783.5815	5900.8	155	900.2
6132019	REMOVAL OF CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH CONCRETE P S.Y.		217.55	15	230.26001	490.35	30	3263.3
6133018	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL TON		211.86	62	114.51792	1436.01	32	13135.3
6133019	REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	945.06	62	57.31209	985.99	1	58593.6
6133020	FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS C PARTIAL DEPT TON		1276.45	12	84.34783	435	43	15317.4
6133021	REMOVAL FOR CLASS C PARTIAL DEPTH PAVEMENT REPAIR	S.Y.	5014.02	12	32.73827	288	15	60168.2
6134001	DOWEL BAR RETROFIT	EACH	665.25	8	72.65572	456.91	46.5	5322
6134002	CROSS STITCH TIE BAR	EACH	267.20	5	44.3515	55	26.45	1336
6141021	GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)	EACH	2.28	40	861.59923	1392.3	402.5	91
6141022	GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)	EACH	1.25	16	1220.6	1900	875	20
6141023	GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM)	EACH	3.00	2	1250	1500	1000	6
6141024	GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)	EACH	3.04	51	1733.10394	2900	925	155
6141025	GRATE AND BEARING PLATE (3 FT. - 1 IN. X 2 FT. - 1 IN. OR 940 MM X 635 MM)	EACH	3.20	5	1247	1575	950	16
6141028	GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM)	EACH	1.00	10	1745.498	2475	1200	10
614112	CURVED VANE GRATE AND FRAME (2 FT X 2 FT)	EACH	13.00	8	512.59125	735	348	104
6141120	CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MMX600MM)	EACH	5.84	57	847.83745	3600	225.43	333
6141121	CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)	EACH	32.58	45	943.85456	2588.83	225.42	1466
6142014	24 IN. OR 600MM AUTO FLOODGATE (TYPE 1)	EACH	4.00	3	2383.33333	2850	1800	12
6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EACH	6.07	15	604.91505	4070	190.66	91
6143011	MANHOLE FRAME AND COVER, TYPE 1-B	EACH	2.00	7	440.46714	534	300	14
6143012	MANHOLE FRAME AND COVER, TYPE 2	EACH	1.57	35	597.91473	1700	270	55
6143013	MANHOLE FRAME AND COVER, TYPE 3	EACH	11.96	53	420.66828	2070	160	634
6143014	MANHOLE FRAME AND COVER, TYPE 4	EACH	6.15	13	525.86862	1330	240	80
6143020	CURB INLET	EACH	1.00	3	2910	3000	2730	3
616-99.01	MISC. MISC. TEMPORARY TRAFFIC CONTROL	L.S.	1.00	2	5530	7000	4060	2
6161005	CONSTRUCTION SIGNS	S.F.	1185.02	1056	7.45884	116.06	1	1251380
6161008	ADVANCED WARNING RAIL SYSTEM	EACH	6.30	700	71.02926	750	1	4412
6161009	FLAG ASSEMBLY	EACH	14.79	957	26.88907	825	1	14152

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6161010	RELOCATED SIGNS	S.F.	312.45	65	6.28617	22	1	20309
6161012	BUOYS (BOATS KEEP OUT)	EACH	8.00	2	446.5	693	200	16
6161024	CHANNELIZER (TRIM LINE) WITH LIGHT	EACH	149.18	17	32.17067	80	13	2536
6161025	CHANNELIZER (TRIM LINE)	EACH	145.52	783	19.50582	120	0.01	113942
6161028	CHANNELIZER	EACH	145.32	50	19.3081	93.5	0.58	7266
6161030	TYPE III MOVEABLE BARRICADE	EACH	13.28	327	171.91976	675	30	4344
6161031	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	14.95	222	194.06163	600	25.5	3319
6161033	DIRECTIONAL INDICATOR BARRICADE	EACH	43.35	159	57.10736	210	1	6893
6161034	DIRECTIONAL INDICATOR BARRICADE WITH LIGHT	EACH	33.83	47	97.88747	165	0.86	1590
6161040	FLASHING ARROW PANEL	EACH	3.08	507	1023.26453	7150	0.01	1560
6161047	TYPE III OBJECT MARKER	EACH	10.65	46	146.33592	424	100	490
6161052	WARNING LIGHT, TYPE B	EACH	7.96	57	73.03626	150	10.26	454
6161055	SEQUENTIAL FLASHING WARNING LIGHT	EACH	47.19	118	90.70236	280.5	18	5569
6161070	TUBULAR MARKER	EACH	95.45	67	62.47418	216.09	42	6395
6161095	RADAR SPEED ADVISORY SYSTEM	EACH	2.33	15	2696.79429	12400	650	35
6161096	CHANGEABLE MESSAGE SIGN, COMMISSION FURNISHED / RETAINED	EACH	2.00	18	921.91667	3000	5	36
6161098	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED, CONTRACTOR RETAIL	EACH	3.28	262	3799.08487	10300	2	859
6161098A	CHANGEABLE MESSAGE SIGN WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED	EACH	3.08	199	3407.73546	10000	900	613
6161099	CHANGEABLE MESSAGE SIGN WITH COMMUNICATION INTERFACE, CONTRACTOR FURNISHED	EACH	4.54	262	4034.13072	20000	500	1190
6162000A	WORK ZONE TRAFFIC SIGNAL SYSTEM	EACH	1.00	30	11518.91167	30000	3500	30
6162004	SHORT-TERM RUMBLE STRIPS	EACH	12.00	4	362.5	700	150	48
6162010	WORK ZONE LIGHTING	EACH	1.00	161	13945.81466	158000	1	161
6171000	CONCRETE TRAFFIC BARRIER, TYPE A	L.F.	64.50	16	261.92768	1200	95	1032
6172000	CONCRETE TRAFFIC BARRIER, TYPE B	L.F.	193.00	14	163.92772	550	88.25	2702
6172001	CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)	L.F.	104.00	8	147.31625	190	95	832
6173000	CONCRETE TRAFFIC BARRIER, TYPE C	L.F.	4727.44	25	83.19206	150	47.14	118186
6173100	CONCRETE TRAFFIC BARRIER, TYPE D	L.F.	1812.53	36	78.44572	395	40.79	65251
6173101	CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)	L.F.	85.71	14	330.19487	973	136.1	1200
6173102	CONCRETE TRAFFIC BARRIER, TYPE D (RETAINING WALL)	L.F.	2094.00	7	90.74159	129	63.7	14658
6173200	CONCRETE TRAFFIC BARRIER, TYPE E	L.F.	576.00	10	105.87392	333.98	69.5	5760
6173600D	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / RETAINED	L.F.	1463.20	164	26.77522	138	1	239964
6173602B	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED / COMMISSION RETAIL	L.F.	50.00	4	53.25	60	40	200
6173700B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / RETAIL	L.F.	1552.00	64	31.45735	50	13.23	99328
6173702B	TEMPORARY TRAFFIC BARRIER ANCHORED, CONTRACTOR FURNISHED / COMMISSION RETAIL	L.F.	96.00	4	70.875	91	62.5	384
6173706	TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION, CONTRACTOR FURNISHED	L.F.	567.50	8	31.80388	34	29.45	4540
6174000A	TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	2.62	26	1029.87441	4285	1	68
6175010A	RELOCATING TEMPORARY TRAFFIC BARRIER	L.F.	3259.33	116	10.26785	45	1	378082
6175011B	RELOCATING TEMPORARY TRAFFIC BARRIER ANCHORED	L.F.	3087.13	40	15.97571	32.95	2	123485
6175013	RELOCATING TEMPORARY TRAFFIC BARRIER STIFFNESS TRANSITION SECTION	L.F.	1088.00	5	17.054	21	6.72	5440
6175020A	RELOCATING TEMPORARY TRAFFIC BARRIER HEIGHT TRANSITION	EACH	3.75	12	401.70778	823.85	1	45
6178001	TRAFFIC BARRIER DELINEATOR, WHITE	EACH	2.00	3	158.33333	275	50	6
618-10.00	MOBILIZATION	L.S.	1.00	2	24500	29000	20000	2
6181000	MOBILIZATION	L.S.	1.00	1189	194912.3316	8600000	1	1189
6191000	PAVEMENT EDGE TREATMENT	L.F.	6198.75	114	2.18414	100	0.01	706657
6205101A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., WHITE	L.F.	3781.32	22	3.15701	15	2	83189
6205103A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 4 IN., YELLOW	L.F.	11895.00	3	2.93	4.69	2	35685
6205105	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 6 IN., WHITE	L.F.	808.78	117	4.86258	42	2.5	94627
6205118	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN., WHITE	L.F.	2720.00	3	5.76667	6.3	5	8160

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6205120	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., WHITE	L.F.	253.93	290	18.69251	89.25	9	73641
6205121	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN., YELLOW	L.F.	299.53	68	16.99441	55	6.5	20368
6205130	TYPE 2 PREFORMED MARKING TAPE (GROOVED) LEFT/RIGHT ARROW	EACH	20.90	282	245.46095	600	150	5895
6205131	TYPE 2 PREFORMED MARKING TAPE (GROOVED) STRAIGHT ARROW	EACH	8.08	61	231.92941	525	110	493
6205132	TYPE 2 PREFORMED MARKING TAPE (GROOVED) COMBINATION STRAIGHT-LEFT, EACH	EACH	4.48	82	469.63049	900	275	367
6205133	TYPE 2 PREFORMED MARKING TAPE (GROOVED) WORD (ONLY)	EACH	4.58	45	441.46617	866.97	240	206
6205134	TYPE 2 PREFORMED MARKING TAPE (GROOVED) RAILROAD CROSSING MARKER EACH	EACH	1.85	39	1274.89542	1785	778	72
6205135	TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR EACH	EACH	115.33	61	130.16176	341.25	50	7035
6205139	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 12 IN. WHITE, YIELD LINE TRIAN EACH	EACH	26.95	37	44.4089	150	15	997
6205139A	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 16 IN. WHITE, YIELD LINE TRIAN EACH	EACH	43.70	23	39.62418	240	24	1005
6205140	TYPE 2 PREFORMED MARKING TAPE (GROOVED) 24 IN. WHITE, YIELD LINE TRIAN EACH	EACH	39.96	45	39.53095	300	26	1798
6205141	TYPE 2 PREFORMED MARKING TAPE (GROOVED), LEFT/RIGHT FISH HOOK ARRC EACH	EACH	1.00	5	610.538	995	500	5
6205142	TYPE 2 PREFORMED MARKING TAPE (GROOVED), STRAIGHT FISH HOOK ARROW EACH	EACH	4.00	5	527.43	995	400	20
6205143	TYPE 2 PREFORMED MARKING TAPE (GROOVED), COMBINATION STRAIGHT-LEF EACH	EACH	10.00	5	896.414	995	850	50
6205301B	PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE	L.F.	8558.71	96	1.20935	4.16	0.55	821636
6205303B	PREFORMED REMOVABLE MARKING TAPE 4 IN., YELLOW	L.F.	8785.80	99	1.22115	3.65	0.45	869794
6205309	PREFORMED REMOVABLE MARKING TAPE, 24 IN., WHITE	L.F.	72.77	47	9.02829	50	3.3	3420
6205320	PREFORMED REMOVABLE MARKING TAPE, 12 IN., WHITE	L.F.	145.13	16	7.17372	25	3	2322
6205401B	PREFORMED SHORT TERM MARKING TAPE 4 IN. WHITE	L.F.	1467.83	12	0.91955	1.75	0.25	17614
6205403B	PREFORMED SHORT TERM MARKING TAPE 4 IN., YELLOW	L.F.	2500.00	10	0.7252	1.05	0.25	25000
6205425	PREFORMED SHORT TERM MARKING TAPE 24 IN., WHITE	L.F.	28.13	16	8.79996	30	1.5	450
6205440A	PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT ARROW	EACH	2.25	12	118.53667	450	80	27
6205442	PREFORMED SHORT TERM MARKING TAPE STRAIGHT ARROW	EACH	1.00	7	223.29857	450	60.03	7
6205443A	PREFORMED SHORT TERM MARKING TAPE COMBINATION STRAIGHT- LEFT ARRC EACH	EACH	1.00	7	354.92714	900	81.43	7
6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F.	L.F.	72801.84	136	0.15864	5.5	0.06	9901050
6205902A	6 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEAL L.F.	L.F.	65627.54	348	0.20952	11	0.07	22838384
6205903A	6 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE L.F.	L.F.	46847.45	252	0.21633	5.71	0.11	11805558
6205906A	12 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BE/L.F.	L.F.	4867.93	175	0.57666	8.15	0.25	851887
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	57551.09	495	0.12218	12	0.05	28487788
6206001C	4 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	51040.40	553	0.11954	35	0.05	28225339
6206108A	8 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	790.19	58	0.79707	20.08	0.2	45831
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	242.72	64	4.47478	34	0.13	15534
6206125A	24 IN. YELLOW WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	286.14	107	3.97749	26	0.82	30617
6206150A	4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT	L.F.	1835.00	3	0.3	0.3	0.3	5505
6206151A	4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT	L.F.	4282.00	3	0.3	0.3	0.3	12846
6207001	PAVEMENT MARKING REMOVAL	L.F.	12088.59	251	0.49854	13	0.2	3034237
6207002	PAVEMENT MARKING REMOVAL (SYMBOLS)	EACH	10.13	64	80.01285	300.35	1.5	648
6208063	TEMPORARY PAVEMENT MARKING	EACH	6.00	3	100	100	100	18
6208064	TEMPORARY RAISED PAVEMENT MARKER, TYPE 1	EACH	5056.17	96	1.19425	25	0.35	485392
6208065	TEMPORARY RAISED PAVEMENT MARKER, TYPE 2	EACH	247.44	68	2.17725	22	0.01	16826
6208070	REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER	EACH	353.00	3	11.24667	16.54	0.85	1059
6214600A	FLOWABLE BACKFILL	C.Y.	153.48	44	34.54357	1360	2.38	6753
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THIC S.Y.	S.Y.	92708.37	388	1.40224	104	0.14	35970847.5
6221003	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATEF S.Y.	S.Y.	77538.19	97	2.79569	50	0.54	7521204.5
6221011	COLDMILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE	C.Y.	1406.83	6	3.98419	350	2.71	8441
6223010	DIAMOND GRINDING (CONCRETE PAVEMENT)	S.Y.	175249.00	7	3.02886	4.75	2.15	1226743
6223011	CONCRETE PLANING (BITUMINOUS OVERLAY)	S.Y.	29986.00	3	3.55667	5.3	2.58	89958
6224010	MODIFIED COLD MILLING (DEPTH TRANSITIONS)	S.Y.	3493.16	378	5.23493	223.79	0.1	1320414

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
6233000	EPOXY POLYMER CONCRETE OVERLAY	S.Y.	1416.35	62	42.26131	68.75	36	87814
6240101A	SUBSURFACE DRAINAGE GEOTEXTILE	S.Y.	3062.00	7	2.65714	6.95	1.2	21434
6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	S.Y.	1482.37	343	2.92649	22	0.68	508454
6240104A	SEPARATION GEOTEXTILE	S.Y.	1320.79	34	3.47411	10.11	1.1	44907
6252001	UNDERSEALING MATERIAL HIGH DENSITY POLYURETHANE	LBS	18159.80	5	4.63438	4.92	4.1	90799
6252002	UNDERSEALING MATERIAL ASPHALT CEMENT	GAL	32714.57	14	4.43593	4.79	4.15	458004
6254000	DEFLECTION TESTING	EACH	110.95	19	49.27097	2643.38	20	2108
6261000A	BITUMINOUS SHOULDER RUMBLE STRIP	STA.	944.01	276	15.37117	10000	3	260546.1
6261001	BITUMINOUS CENTERLINE RUMBLE STRIP	STA.	519.41	77	15.6451	924	5.5	39994.8
6262000A	PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP	STA.	171.65	19	50.38323	475	21	3261.3
62740	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	8	61909.625	110000	36677	8
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1.00	709	14257.052	821000	1	709
7011102	DRILLED SHAFTS (2 FT. 0 IN. DIA.)	L.F.	76.65	6	259.11676	465	88	459.9
7011103	DRILLED SHAFTS (2 FT. 6 IN. DIA.)	L.F.	923.00	2	449	470	428	1846
7011104	DRILLED SHAFTS (3 FT. 0 IN. DIA.)	L.F.	220.00	2	199	320	78	440
7011105	DRILLED SHAFTS (3 FT. 6 IN. DIA.)	L.F.	173.24	37	607.98969	1530	379.28	6410
7011106	DRILLED SHAFTS (4 FT. 0 IN. DIA.)	L.F.	265.22	19	451.76731	1460	204.5	5039.2
7011107	DRILLED SHAFTS (4 FT. 6 IN. DIA.)	L.F.	166.75	17	765.24303	1920	274.5	2834.7
7011108	DRILLED SHAFTS (5 FT. 0 IN. DIA.)	L.F.	24.00	5	1184.094	2170	790	120
7011118	DRILLED SHAFTS (10 FT. 0 IN. DIA.)	L.F.	448.50	7	5297.14286	8500	2555	3139.5
7011201	ROCK SOCKETS (1 FT. 6 IN. DIA.)	L.F.	16.00	6	158	270	50	96
7011202	ROCK SOCKETS (2 FT. 0 IN. DIA.)	L.F.	155.00	2	210	260	160	310
7011204	ROCK SOCKETS (3 FT. 0 IN. DIA.)	L.F.	68.74	39	604.94649	1300	250	2681
7011205	ROCK SOCKETS (3 FT. 6 IN. DIA.)	L.F.	77.94	20	611.65679	1116	250	1558.8
7011206	ROCK SOCKETS (4 FT. 0 IN. DIA.)	L.F.	96.18	17	711.66809	1523.65	375	1635
7011207	ROCK SOCKETS (4 FT. 6 IN. DIA.)	L.F.	30.00	5	1450.942	1785.25	1050	150
7011217	ROCK SOCKETS (9 FT. 6 IN. DIA.)	L.F.	265.50	7	5854.85714	8500	4500	1858.5
7011300	SUPPLEMENTARY TELEVISION CAMERA INSPECTION	EACH	9.13	69	627.63333	1767.68	100	630
7011400	FOUNDATION INSPECTION HOLES	L.F.	221.00	74	127.35079	300	20	16354.3
7011600	SONIC LOGGING TESTING	EACH	9.99	72	2282.3238	15000	275	719
7021010	STRUCTURAL STEEL PILES (10 IN.)	L.F.	791.00	4	52.68078	55	47	3164
7021012	STRUCTURAL STEEL PILES (12 IN.)	L.F.	1378.90	20	54.49256	120	31	27578
7021210	GALVANIZED STRUCTURAL STEEL PILES (10 IN)	L.F.	540.64	55	67.25926	150	40	29735
7021212	GALVANIZED STRUCTURAL STEEL PILES (12 IN)	L.F.	569.34	68	76.51472	235	53	38715
7021214	GALVANIZED STRUCTURAL STEEL PILES (14 IN)	L.F.	378.37	27	93.30528	130	76	10216
7021314	GALVANIZED CAST-IN-PLACE CONCRETE PILES (14 IN)	L.F.	512.55	11	78.27517	127	54	5638
7021316	GALVANIZED CAST-IN-PLACE CONCRETE PILES (16 IN)	L.F.	647.82	11	100.30832	141	56.5	7126
7021324	GALVANIZED CAST-IN-PLACE CONCRETE PILES (24 IN)	L.F.	650.00	6	160.34167	204	76.92	3900
7023000	TEST PILES	L.F.	57.00	6	62.53833	100	31	342
7025001	DYNAMIC PILE TESTING	EACH	2.55	64	2836.60436	9000	1200	163
7025002	PILE WAVE ANALYSIS	EACH	2.32	28	1364.64615	4000	188	65
7025004	DYNAMIC PILE RESTRIKE TESTING	EACH	2.81	27	1768.66632	3400	0.01	76
70260	PRE-BORE FOR PILING	L.F.	700.00	8	108.24375	136	83	5600
7026000	PRE-BORE FOR PILING	L.F.	213.27	91	97.10497	250	16.75	19408
70270	PILE POINT REINFORCEMENT	EACH	100.00	8	107.9875	150	90	800
7027000	PILE POINT REINFORCEMENT	EACH	18.68	195	140.12007	986	0.01	3643
7032002	CLASS B CONCRETE (MISC)	C.Y.	4.50	4	1349.44444	2900	700	18
7032003	CLASS B CONCRETE (SUBSTRUCTURE)	C.Y.	240.14	272	792.58322	2144.73	175.25	65318

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7032009	CLASS B CONCRETE (RETAINING WALLS)	C.Y.	17.86	27	1358.21311	6020	508.91	482.3
7033001	SEAL CONCRETE	C.Y.	1684.20	7	331.57143	600	100	11789.4
7033009	AESTHETIC CONCRETE STAIN	S.Y.	1.00	16	22638.2875	33120	7867.85	16
7034001	CLASS B-1 CONCRETE	C.Y.	98.54	47	1264.25683	6000	210.42	4631.6
7034003	CLASS B-1 CONCRETE (SUBSTRUCTURE)	C.Y.	168.53	15	834.74949	3500	300	2528
7034009	CLASS B-1 CONCRETE (RETAINING WALLS)	C.Y.	26.10	4	711.36494	800	585	104.4
7034040	CLASS B-1 CONCRETE (CULVERTS-BRIDGE)	C.Y.	213.71	8	586.74668	900	495	1709.7
7034041	CLASS B-1 CONCRETE (CULVERTS)	C.Y.	159.22	20	631.79826	963	450	3184.3
7034212	SLAB ON STEEL	S.Y.	1356.84	241	294.51403	1218	125	326998
7034213	SLAB ON CONCRETE I-GIRDER	S.Y.	890.52	44	286.39482	576	150	39183
7034214	CLASS B-2 CONCRETE	C.Y.	18.64	91	2175.46961	5800	362	1696
7034215	SAFETY BARRIER CURB	L.F.	455.89	425	74.55968	710	10	193753
7034218	SLAB ON CONCRETE BULB-TEE GIRDER	S.Y.	950.00	7	304.33571	347.35	249	6650
7034219A	BARRIER CURB (TYPE D)	L.F.	604.58	40	102.66194	174	70.35	24183
7034221	SLAB ON CONCRETE NU-GIRDER	S.Y.	1314.50	111	315.12783	680	223	145909
7034222	SLAB ON CONCRETE BEAM	S.Y.	411.62	55	309.10023	540	145	22639
7034226	REINFORCED CONCRETE SLAB OVERLAY	S.Y.	631.76	17	287.82105	610	157.41	10740
7034412	MEDIAN BARRIER CURB TRANSITION	L.F.	23.00	3	542	930	200	69
7034420	RAISED MEDIAN BARRIER	S.F.	1027.00	4	17.125	25	11	4108
7034430	SIDEWALK (BRIDGES)	S.F.	3997.00	5	33.09	90	14.45	19985
7034600	CURB BLOCKOUT	L.F.	619.02	57	96.33712	174.85	60	35284
7034610	CORRAL CURB	L.F.	42.00	5	375.388	690.5	110	210
7034620	FORM LINERS	S.Y.	98.10	21	120.32659	270.95	35	2060
7034630	CONCRETE CURB (BRIDGE RAIL)	L.F.	313.50	6	45.80049	70.05	23.5	1881
7040101	SUBSTRUCTURE REPAIR (FORMED)	S.F.	173.85	130	131.82845	323	45	22601
7040102	SUBSTRUCTURE REPAIR (UNFORMED)	S.F.	57.85	122	146.27409	550	25	7058
7040103	SUPERSTRUCTURE REPAIR (UNFORMED)	S.F.	118.46	26	122.52153	324.75	85	3080
7040104	REPAIRING CONCRETE DECK (HALF-SOLING)	S.F.	299.32	73	61.78879	210	0.01	21850
7040106	FULL DEPTH REPAIR	S.F.	91.00	20	133.56621	285	95	1820
7040107	SLAB EDGE REPAIR (BRIDGES)	L.F.	41.33	24	183.93558	411.5	130	992
7040108	MODIFIED DECK REPAIR	S.F.	595.45	44	50.06889	113.4	26	26200
7040109	TOTAL SURFACE HYDRO DEMOLITION	S.Y.	3753.73	82	34.85781	109.74	20.05	307806
7040110	EPOXY PRESSURE INJECTING	L.F.	46.50	10	235.29316	824	53.99	465
7040112	DECK REPAIR WITH VOID TUBE REPLACEMENT	S.F.	733.33	6	100.14773	155	75	4400
7040113	CLEAN AND EPOXY SEAL	S.F.	1086.53	99	10.42788	300	3.83	107566
7056000	TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	412.08	13	192.80001	250	150	5357
7056001	TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	501.00	3	247.56333	275	227.69	1503
7056002	TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	1726.00	12	180.90469	249.82	146	20712
7056003	TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER	L.F.	753.19	16	227.99376	375	165	12051
7056010	TYPE 8 (63 IN.), PRESTRESSED CONCRETE BULB TEE	L.F.	979.00	7	218.60714	260.25	188	6853
7056021	NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER	L.F.	1054.57	49	220.37851	295	183	51674
7056022	NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER	L.F.	749.26	38	228.54337	306.58	190	28472
7056023	NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER	L.F.	483.50	6	258.43489	330	215	2901
7056025	NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER	L.F.	2161.82	11	268.82189	325.91	217	23780
7056026	NU 78, PRESTRESSED CONCRETE NU-GIRDER	L.F.	4695.00	7	396.17	600	285	32865
7056049	21 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	407.17	18	252.44481	300	225	7329
7056050A	27 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	646.00	25	274.71476	475.72	210	16150
7056051A	33 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	567.83	12	275.0718	323	240	6814

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7056060	16 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER	L.F.	664.00	5	281.1	323	238.5	3320
7056061	22 IN., PRESTRESSED CONCRETE DOUBLE-TEE GIRDER	L.F.	160.00	7	350.80143	396.61	330	1120
7056065	17 IN., PRESTRESSED CONCRETE SPREAD BOX BEAM	L.F.	335.00	7	258	294	225	2345
7061000	REINFORCING STEEL	LBS	6466.32	19	1.31433	14	0.98	122860
7061020	REINFORCING STEEL (CULVERTS-BRIDGE)	LBS	32000.00	8	1.43575	2	1	256000
7061030	REINFORCING STEEL (CULVERTS)	LBS	23662.00	20	1.13997	1.8	0.58	473240
7061040	REINFORCING STEEL (RETAINING WALL)	LBS	1136.45	31	1.94275	19	0.6	35230
706106	REINFORCING STEEL (BRIDGES)	LBS	73920.00	8	1.2	1.3	1.05	591360
7061060	REINFORCING STEEL (BRIDGES)	LBS	89920.06	178	1.1592	4	0.65	16005770
706107	MECHANICAL BAR SPLICE	EACH	102.00	8	51.3625	95	38.6	816
7061070	MECHANICAL BAR SPLICE	EACH	375.54	35	86.60465	220	19.6	13144
70710	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	8	5516.75	5754	5480	8
7071000	CONDUIT SYSTEM ON STRUCTURE	L.S.	1.00	33	9255.26788	25710	1600	33
7101000	REINFORCING STEEL (EPOXY COATED)	LBS	6333.43	166	1.83095	6.35	0.85	1051350
7110100	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHENE)	L.S.	1.00	64	8688.47609	22766	1700	64
7110200	PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)	L.S.	1.00	147	6906.05701	71500	1120	147
7110300	CONCRETE AND MASONRY PROTECTION SYSTEM	L.S.	1.00	100	5340.5039	61557.06	500	100
71104	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	16	11247.62187	16600	6680	16
7110400	SACRIFICIAL GRAFFITI PROTECTION SYSTEM	L.S.	1.00	107	5317.49093	61557.06	305	107
7110500	TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL)	L.S.	1.00	12	44299.41667	107920	9365	12
7110600	AESTHETIC CONCRETE STAIN	L.S.	1.00	12	7504.16667	10700	4905	12
7110700	PENETRATING SEALER	S.Y.	83.50	4	17.10778	27	10	334
7111001	WATERPROOFING MEMBRANE	S.Y.	170.00	12	102.91667	175	45	2040
7120900	EXPANSION DEVICE (FINGER PLATE)	L.F.	48.88	8	2064.74041	3128	1220	391
7121000	FABRICATED STRUCTURAL CARBON STEEL (MISC)	LBS	1034.78	23	9.83119	26	0.01	23800
7121060	FABRICATED SIGN SUPPORT BRACKETS	L.S.	1.00	20	5304.105	8768.03	2365	20
7121100	FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)	LBS	3929.17	24	7.72674	47	0.01	94300
7121111	FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 5	LBS	37890.00	5	2.65	2.85	2.4	189450
7121121	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	LBS	46030.00	5	7.46	8.85	4.5	230150
7121122	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50	LBS	3013165.00	18	2.16959	4.6	1.32	54236970
7121123	FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE HP	LBS	5185280.00	7	2.22571	2.83	1.66	36296960
7121159	SHEAR CONNECTORS	EACH	2262.08	73	6.2757	48	2.75	165132
7121250	STRENGTHENING EXISTING STRINGERS	L.S.	1.00	41	50256.26463	129562.5	10600	41
7121251	HINGE MODIFICATION	EACH	3.82	11	35277.8919	50000	11100	42
7122300	BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)	L.F.	313.00	6	139.17945	143	138	1878
7123000	STEEL BAR DAM	EACH	5.00	5	8270.226	13900	5000	25
7123100	CLEANING AND COATING EXISTING BEARINGS	EACH	18.67	12	1725.48179	2500	1500	224
7123120	CLEANING, LUBRICATING AND COATING BEARING	EACH	6.81	32	2644.88266	6100	400	218
7123130	REHABILITATE BEARING	EACH	13.63	64	6402.54189	14700	500	872
7123210	EARTH QUAKE RESTRAINER ASSEMBLIES	EACH	8.00	7	11344.53286	20000	3000	56
7123250	RIVET REMOVAL AND REPLACEMENT	EACH	20.00	4	322.25	594	150	80
7123301	STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS	EACH	27.13	62	1200.82828	3000	371.21	1682
7123500	RAILING FOR STEPS	L.F.	23.67	6	147.98592	345	60	142
712361	SLAB DRAIN	EACH	4.00	8	433.85625	1197	220	32
7123610	SLAB DRAIN	EACH	28.78	382	376.77614	2500	150	10993
7123611	SLAB DRAIN WITH GRATE	EACH	50.00	7	4233.61143	5061.28	1600	350
7123620	DRAINAGE SYSTEM (ON STRUCTURE)	L.S.	1.00	7	62149.68714	80000	42067	7
7125102	SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER	L.S.	1.00	42	5308.60762	36800	600	42

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7125200	SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL	S.F.	8523.68	152	16.07223	192	2.75	1295600
7125201	SURFACE PREPARATION FOR OVERCOATING STRUCTURAL STEEL	S.F.	2100.00	14	17.07857	50	2.5	29400
7125202	CHLORIDE REMEDIATION SURFACE PREPARATION	S.F.	2100.00	14	10.00714	30	2.5	29400
7125210	FIELD APPLICATION OF INORGANIC ZINC PRIMER	S.F.	8523.68	152	3.55982	30	1	1295600
7125365A	INTERMEDIATE FIELD COAT (SYSTEM G)	S.F.	5260.69	145	3.42314	30	1	762800
7125370A	FINISH FIELD COAT (SYSTEM G)	S.F.	3648.28	145	3.57657	30	1	529000
7125385A	INTERMEDIATE FIELD COAT (SYSTEM H)	S.F.	1481.82	11	3.53988	10	3	16300
7125390A	FINISH FIELD COAT (SYSTEM H)	S.F.	1481.82	11	3.44785	8.5	3	16300
7125900	CALCIUM SULFONATE RUST PENETRATING SEALER	L.S.	1.00	14	18428.57143	50000	2000	14
7125921	CALCIUM SULFONATE TOPCOAT	S.F.	2100.00	14	11.22143	45	2.5	29400
7125960	ALUMINUM EPOXY-MASTIC PRIMER	L.S.	1.00	42	4406.84571	31500	750	42
7126000	NON-DESTRUCTIVE TESTING	L.F.	53.23	168	71.39477	3350	15	8942
7133000	BRIDGE GUARD RAIL (W-BEAM)	L.F.	55.00	4	181.6	188	179.2	220
7134000	BRIDGE GUARD RAIL (THRIE BEAM)	L.F.	83.22	18	280.29789	506.92	30	1498
7151001	VERTICAL DRAIN AT END BENTS	EACH	1.95	318	2484.99123	40000	460	620
7161000	PLAIN NEOPRENE BEARING PAD	EACH	7.48	158	186.90723	1500	60	1182
7161001	PLAIN NEOPRENE BEARING PAD	L.F.	6.00	6	238.61333	486.68	120	36
7161002	LAMINATED NEOPRENE BEARING PAD	EACH	18.42	156	233.46271	1200	73.4	2874
7161003	LAMINATED NEOPRENE BEARING PAD (TAPERED)	EACH	29.19	69	392.30991	1150	164	2014
7162000	LAMINATED NEOPRENE BEARING PAD ASSEMBLY	EACH	18.40	92	1769.69243	5500	444	1693
7163000	TYPE N PTFE BEARING	EACH	17.76	17	2685.31325	9000	1800	302
7171001	PREFORMED COMPRESSION SEAL EXPANSION JOINT SYSTEM	L.F.	923.50	8	285.37263	397	230	7388
7172001	STRIP SEAL EXPANSION JOINT SYSTEM	L.F.	138.37	161	319.29774	860	103	22277
7173002	SILICONE EXPANSION JOINT SEALANT	L.F.	69.47	19	50.18477	194	5	1320
72010	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	15851.00	16	51.974	62	47	253616
7201000	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F.	4253.28	95	62.42844	85.98	48.2	404062
7201100	FORM LINERS FOR MSE WALL SYSTEMS	S.Y.	515.05	40	11.19232	72	1	20602
7201200	SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS	C.Y.	49.57	35	89.71596	210	40	1735
7250312A	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	138.69	39	37.60836	226.65	14.75	5409
7250315A	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	273.16	38	44.73554	420	15	10380
7250318A	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	657.99	76	48.43832	200	20.45	50007
7250324A	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	248.97	64	63.66652	240	26.25	15934
7250330A	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	172.25	12	53.72969	91.84	33.64	2067
7250336A	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	114.09	22	68.61549	202.77	33.97	2510
7250342A	42 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	73.81	16	120.29002	400	41	1181
7250348A	48 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	131.81	16	112.85035	250	77.47	2109
7250412	12 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	153.50	12	43.27755	315	33	1842
7250415	15 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	99.09	44	54.68889	240	16	4360
7250418	18 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	161.08	37	71.33248	183.75	25	5960
7250421	21 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	56.00	7	51.50714	80	34	392
7250424	24 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	86.94	16	59.93799	185	35	1391
7250430	30 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	134.38	8	50.1597	72.5	34.72	1075
7250436	36 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	220.00	7	59.08	80	39	1540
7250460	60 IN. CORRUGATED OR SPECIFIED EQUIVALENT SMOOTH INTERIOR PIPE GROU	L.F.	98.00	1	136	136	136	98
7251000	CORRUGATED METAL PIPE PILE SPACERS	EACH	12.63	27	794.86683	2547.68	0.01	341
7252006	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-6/B-6A	L.F.	118.50	8	83.46023	100.42	58	948
7252007	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-7/B-7A	L.F.	526.00	2	95	115	75	1052
7252009	CORRUGATED METALLIC-COATED STEEL PIPE-ARCH TYPE B-9/B-9A	L.F.	220.00	6	111.76167	158.08	66.74	1320

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
7261012	12 IN. PIPE GROUP A	L.F.	343.51	43	70.77231	1200	29	14771
7261015	15 IN. PIPE GROUP A	L.F.	455.14	37	55.54911	167.47	33	16840
7261018	18 IN. PIPE GROUP A	L.F.	869.29	104	46.00707	2690	20.25	90406
7261021	21 IN. PIPE GROUP A	L.F.	338.00	5	47.41	64.25	34.5	1690
7261024	24 IN. PIPE GROUP A	L.F.	326.07	56	67.57342	521.39	28.5	18260
7261030	30 IN. PIPE GROUP A	L.F.	298.23	30	78.27133	116	43.5	8947
7261036	36 IN. PIPE GROUP A	L.F.	231.50	46	96.32148	213	47.5	10649
7261042	42 IN. PIPE GROUP A	L.F.	204.68	19	114.31869	295.25	80	3889
7265230	JACKED 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE	L.F.	122.00	2	795.7	900	691.4	244
7272043	STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-43	L.F.	33.00	3	185.33333	316	80	99
7310048	PRECAST CONCRETE MANHOLE - 48 IN.	L.F.	29.18	38	436.0855	801.15	200	1109
7310060	PRECAST CONCRETE MANHOLE - 60 IN.	L.F.	40.40	15	411.35051	1350	200	606
7310072	PRECAST CONCRETE MANHOLE - 72 IN.	L.F.	22.67	21	641.0454	1300	300	476
7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	L.F.	35.07	54	602.61146	2700	301.4	1894
731103	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6	L.F.	19.00	8	487.5475	667	364	152
7311030	PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.	L.F.	14.17	12	434.14306	1095.7	243.19	170
7311032	PRECAST CONCRETE DROP INLET 3 FT X 2 FT	L.F.	8.93	40	630.2621	3000	330	357
7311033	PRECAST CONCRETE DROP INLET 3 FT X 3 FT	L.F.	5.38	16	677.82674	1840	350	86
7311042	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	L.F.	108.69	52	586.99176	1405.5	260	5652
7311052	PRECAST CONCRETE DROP INLET 5 FT X 2 FT	L.F.	19.00	2	575	650	500	38
7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	L.F.	31.47	70	694.18701	1573.35	366.29	2203
7320012A	12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.67	9	676.40667	1200	74	33
7320015A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.40	20	757.37333	2210	125	48
7320018A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.99	68	559.89292	1900	135	271
7320024A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.42	45	763.72281	1707.47	200	64
7320030A	30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	3.58	12	899.07	2130	365	43
7320036A	36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	2.24	21	1080.02723	2270	511.62	47
7320042A	42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.56	16	1720.3688	2300	1100	25
7320048A	48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP B FLARED END SECTION	EACH	1.00	16	2104.895	3834.11	1265	16
7320612A	12 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.57	14	795.55167	1734.4	275	36
7320615A	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.05	20	950.34024	1834.54	300	41
7320618A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	4.02	56	649.84422	2701	162.5	225
7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.52	44	1029.11015	2400	180	67
7320630A	30 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	2.85	27	1307.67117	6000	455	77
7320636A	36 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3.32	31	1560.03524	3451.62	744	103
7320642A	42 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	1.53	19	1863.30103	2860	1200	29
7320812A	12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	3	801.66667	1450	250	6
7320815A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	3.10	20	482.3771	1230	150	62
7320818A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	3.33	9	412.57133	1200	222	30
7320824A	24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.94	16	740.21277	2636	250	47
7320830A	30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP C FLARED END SECTION	EACH	2.00	1	345	345	345	2
7321006	B6 FLARED END SECTION	EACH	4.00	6	948.07667	1350	660	24
7321009	B9 FLARED END SECTION	EACH	2.00	9	1731.40778	2350	1000	18
7321013A	15 IN. (375 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION	EACH	2.00	5	1629.938	1795.75	1367.97	10
7321014A	18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY SLOPE END SECTION	EACH	3.00	12	1053.62333	1600	536.3	36
7322012A	BEVELED PIPE END TREATMENT FOR 12 IN. (300 MM) OR ALLOWED SUB	EACH	1.00	3	523.95667	838.69	133.18	3
7322015A	BEVELED PIPE END TREATMENT FOR 15 IN. (375 MM) OR ALLOWED SUB	EACH	1.00	3	911.66667	2310	200	3
7322018A	BEVELED PIPE END TREATMENT FOR 18 IN. (450 MM) OR ALLOWED SUB	EACH	10.86	7	289.36842	2638	120	76

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
8031000A	TURF TYPE TALL FESCUE SODDING	S.Y.	1070.88	41	10.30982	200	4.5	43906
8032000A	KENTUCKY BLUEGRASS SODDING	S.Y.	965.66	32	8.91998	16.7	5.5	30901
8033000	K-31 TALL FESCUE SODDING	S.Y.	4263.87	15	7.36461	22.5	4.95	63958
8034000	BUFFALOGRASS SODDING	S.Y.	890.00	5	9.47	10.4	7.33	4450
8036000	BERMUDA SODDING	S.Y.	11066.78	9	5.12783	7.4	5	99601
8041000	TOPSOIL	C.Y.	68.00	4	35.17647	108	22	272
8051000A	SEEDING - COOL SEASON MIXTURES	ACRE	4.04	469	2383.74108	48500	100	1897.1
8052000A	SEEDING - WARM SEASON MIXTURES	ACRE	3.05	64	2639.56355	11500	988.62	194.9
8061001	SEDIMENT BASIN EXCAVATION	C.Y.	349.67	12	19.24936	27.2	9	4196
8061002	SEDIMENT BASIN ROCK	C.Y.	349.33	6	47.85309	56.4	36	2096
8061003	SEDIMENT TRAP EXCAVATION	C.Y.	24.71	36	39.66027	870	8.5	889.5
8061004	SEDIMENT TRAP ROCK	C.Y.	32.36	91	73.19168	413	26	2944.7
8061005	ROCK DITCH CHECK	L.F.	377.70	532	14.65779	225	1	200938
8061006	ALTERNATE DITCH CHECK	L.F.	319.13	217	11.55781	180	1	69251
8061007A	CURB INLET CHECK	EACH	26.60	146	133.24877	362	1	3884
8061010A	TYPE B BERM	L.F.	654.54	35	3.57704	12	1	22909
8061011	SLOPE DRAINS	L.F.	37.22	18	22.53561	40	5	670
8061016	SEDIMENT REMOVAL	C.Y.	109.41	673	21.90885	545	0.01	73635.2
8061017	TEMPORARY SEEDING AND MULCHING	ACRE	3.14	251	1640.58438	33600	1	787.8
8061019	SILT FENCE	L.F.	2108.24	625	2.42841	25	0.1	1317647
8061020	TEMPORARY PIPE	L.F.	520.27	11	57.94012	100	26	5723
8061050	TYPE C BERM	L.F.	452.94	221	34.77172	317	1.55	100100
8064120	TYPE 1 EROSION CONTROL BLANKET	S.Y.	6613.36	59	1.87571	15	0.53	390188
8064121	TYPE 2 EROSION CONTROL BLANKET	S.Y.	14228.33	6	1.96692	2.63	1.31	85370
8064122	TYPE 3 EROSION CONTROL BLANKET	S.Y.	10603.59	49	1.65386	5.5	1.21	519576
8064123	TYPE 4 EROSION CONTROL BLANKET	S.Y.	3178.00	2	2.45	2.5	2.4	6356
8064124	TYPE 5 EROSION CONTROL BLANKET	S.Y.	214.00	7	2.46857	6.5	1.75	1498
8064128	TYPE 1 TURF REINFORCEMENT MAT	S.Y.	1408.00	21	3.97908	12.5	2.76	29568
8064129	TYPE 2 TURF REINFORCEMENT MAT	S.Y.	971.00	5	3.254	3.43	3.17	4855
8064130	TYPE 3 TURF REINFORCEMENT MAT	S.Y.	1286.13	8	3.70182	7.5	3.06	10289
8080102	RED MAPLE	EACH	9.25	12	438.66604	501.31	348.75	111
8080404	RED CEDAR	EACH	6.00	5	445.264	500	406.32	30
8080601	HETZII JUNIPER	EACH	8.00	5	445.264	500	406.32	40
9011010	RELOCATED POLE	EACH	6.57	14	1320.36304	1930	830	92
9011030	LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT	EACH	7.44	25	1399.79538	2060	1009.9	186
9011060	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 1	EACH	7.16	19	1612.60118	2344.83	1440.66	136
9011062	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 2	EACH	11.43	21	1708.40233	2678	1389.18	240
9011064	LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT DESIGN 3	EACH	14.76	17	1586.93367	2535.63	1307.73	251
9011106	BRACKET ARM, 6 FT. OR 1.8 M	EACH	14.44	18	255.26123	286.48	230	260
9011112	BRACKET ARM, 12 FT. OR 3.6 M	EACH	6.00	2	490	490	490	12
9011115	BRACKET ARM, 15 FT. OR 4.6 M	EACH	8.77	53	525.47123	764	263.09	465
9011250	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM (UNDERPASS)	EACH	9.14	7	644.75875	870	506	64
9011300	LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM	EACH	5.54	37	336.70805	635	226.09	205
9011310	LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM	EACH	11.51	49	471.9908	760	245	564
9011320	LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM	EACH	7.25	8	586.34224	705	465.48	58
9012230	BASE MOUNTED CONTROL STATION 240 VOLT-4 CIRCUIT	EACH	1.44	55	6104.75152	10172	3368	79
9012231	BASE MOUNTED CONTROL STATION 480 VOLT-4 CIRCUIT	EACH	1.00	6	6811.4	7169.86	6666.43	6
9013002	CONDUIT, 2 IN. RIGID, IN TRENCH	L.F.	751.20	49	6.67108	32	4.9	36809

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9013003	CONDUIT, 3 IN. RIGID, IN TRENCH	L.F.	612.02	45	13.55272	25	8	27541
9013004	CONDUIT, 4 IN. RIGID, IN TRENCH	L.F.	365.58	24	16.8027	35	7.25	8774
9014003	CONDUIT, 3 IN. RIGID, PUSHED	L.F.	539.15	34	23.80837	36.3	14	18331
9014004	CONDUIT, 4 IN. RIGID, PUSHED	L.F.	273.67	18	34.37775	42.03	28	4926
9014502	CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE	L.F.	228.29	7	30.12991	54.5	16	1598
9015010	TRENCHING TYPE I	L.F.	3787.12	42	5.03874	12.35	2.15	159059
9015020	TRENCHING TYPE II	L.F.	205.00	6	8.75833	8.8	8.75	1230
9015030	TRENCHING TYPE III	L.F.	835.60	5	7.08734	9.8	4	4178
9016110	PULL BOX, PREFORMED CLASS 1	EACH	10.37	84	978.67594	2190	660	871
9016111	PULL BOX, PREFORMED CLASS 2	EACH	5.00	9	1397.35911	1905	1100	45
9016112	PULL BOX, PREFORMED CLASS 3	EACH	1.00	4	1137	1174	1100	4
9017002	CABLE, 2 AWG 1 CONDUCTOR	L.F.	741.50	40	2.1472	4	1.8	29660
9017004	CABLE, 4 AWG 1 CONDUCTOR	L.F.	14430.00	2	1.75	1.75	1.75	28860
9017006	CABLE, 6 AWG 1 CONDUCTOR	L.F.	867.50	8	1.41563	1.62	1.2	6940
9017008	CABLE, 8 AWG 1 CONDUCTOR	L.F.	5610.00	17	1.03688	1.26	0.75	95370
9017110	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	1446.62	65	0.96634	5	0.45	94030
9017202	WIRE, 2 AWG, BARE NEUTRAL	L.F.	190.00	14	1.9518	3.99	1.75	2660
9017204	WIRE, 4 AWG, BARE NEUTRAL	L.F.	7670.00	2	1.35	1.35	1.35	15340
9017206	WIRE, 6 AWG, BARE NEUTRAL	L.F.	430.00	8	1.15907	1.31	1	3440
9017208	WIRE, 8 AWG, BARE NEUTRAL	L.F.	2923.53	17	0.90694	1.15	0.65	49700
9017401	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG	L.F.	180.00	6	9.39	13.1	5.04	1080
9017402	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG	L.F.	6190.00	5	4.176	4.62	3.7	30950
9017404	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG	L.F.	3538.75	32	3.47509	25	2.55	113240
9017407	CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	3369.12	57	3.19766	5.91	2.25	192040
9017408	CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG	L.F.	620.00	6	2.95833	3	2.95	3720
9018230	POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)	EACH	6.84	31	920.29906	1965	696.88	212
9018245	POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)	EACH	12.36	58	1071.89015	1819	870	717
9018610	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	12	2640.21083	3400	2115	12
9018611	POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGN	EACH	1.00	5	5850.076	7640	4654.21	5
9018612	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY	EACH	1.46	41	4465.1295	6403	1500	60
9018613	POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGN	EACH	1.00	2	11366	11366	11366	2
9018622	POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY	EACH	1.00	6	4042.63333	4255.38	3956.59	6
9019300	NAVIGATION LIGHTING SYSTEM	L.S.	1.00	7	114097.8886	250000	67800	7
9019400	TEMPORARY LIGHTING	L.S.	1.00	9	20253.03222	47000	500	9
902-99.01	MISC. MISC. ITS ASSET MANAGEMENT TOOL	L.S.	1.00	2	4400	8400	400	2
9020111	SIGNAL HEAD, TYPE 1T	EACH	16.29	7	752.62211	830	542.5	114
9020113	SIGNAL HEAD, TYPE 3T	EACH	2.00	16	1018.84375	2430	756	32
9020114	SIGNAL HEAD, TYPE 4T	EACH	2.00	2	2420	2420	2420	4
9020115	SIGNAL HEAD, TYPE 5T	EACH	1.00	4	870.5	924	834	4
9020211	SIGNAL HEAD, TYPE 1S	EACH	6.00	12	535.18611	900	445	72
9020213	SIGNAL HEAD, TYPE 3S	EACH	6.37	76	844.69849	1290.6	317.39	484
9020214	SIGNAL HEAD, TYPE 4S	EACH	3.05	21	1058.14625	1300	849	64
9020215	SIGNAL HEAD, TYPE 5S	EACH	1.00	4	1017.25	1090	982	4
9020413	SIGNAL HEAD, TYPE 3C	EACH	2.60	5	956.53385	1114	738.97	13
9020414	SIGNAL HEAD, TYPE 4C	EACH	5.20	5	1170.04923	1345	937	26
9020511	SIGNAL HEAD, TYPE 1B	EACH	2.00	4	776.7	1171.8	510	8
9020513	SIGNAL HEAD, TYPE 3B	EACH	13.13	82	969.76402	1290	582.04	1077
9020514	SIGNAL HEAD, TYPE 4B	EACH	6.18	80	1252.02281	2677.6	587.9	494

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9020515	SIGNAL HEAD, TYPE 5B	EACH	2.50	8	1421.5	1625	1265	20
9020811	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	EACH	9.25	48	605.9582	1062	410	444
9021213	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3S	EACH	1.00	5	3734.684	4500	3205.29	5
9021413	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B	EACH	4.86	7	3844.57235	4620	3288	34
9021415	SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5B	EACH	3.00	3	5733.33333	6000	5500	9
9022650	150 WATT 120 VOLT HIGH PRESSURE SODIUM LUMINAIRE	EACH	5.57	14	425.44462	800	285	78
9022708	POST, SIGNAL 8 FT. OR 2.4 M	EACH	8.28	89	890.60293	3537	495	737
9022715	POST, SIGNAL 15 FT. OR 4.6 M	EACH	2.27	41	1094.20882	4515.48	675	93
9023115	POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM	EACH	1.00	4	4500.75	6978	3540	4
9023120	POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM	EACH	1.00	3	5286	5700	4758	3
9023125	POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM	EACH	1.00	5	6006.964	6528.7	5803.97	5
9023130	POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM	EACH	1.60	5	6263.125	6900	4931	8
9023135	POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM	EACH	1.00	7	5911.22143	6691.5	5016	7
9023140	POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM	EACH	1.40	5	7720	9100	6579	7
9023145	POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM	EACH	1.56	9	8855.02429	22234	6722	14
9023150	POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM	EACH	1.00	2	7762.5	8030	7495	2
9023155	POST, TYPE CL, 55 FT. ARM	EACH	1.00	7	10900.07714	11673.4	10135.83	7
9023215	POST, TYPE C, 15 FT. ARM OR 4.6 M ARM	EACH	2.67	12	3546.625	8478	2950	32
902322	POST TYPE C 20 FT ARM OR 61 M ARM	EACH	1.00	8	4217.95	4401.6	4190	8
9023220	POST, TYPE C, 20 FT. ARM OR 6.1 M ARM	EACH	4.80	10	4301.10417	8708	3283	48
9023225	POST, TYPE C, 25 FT. ARM OR 7.6 M ARM	EACH	1.80	15	4024.59741	5124.67	3463	27
902323	POST TYPE C 30 FT ARM OR 91 M ARM	EACH	1.00	8	5193.46875	5412.75	5155	8
9023230	POST, TYPE C, 30 FT. ARM OR 9.1 M ARM	EACH	2.64	22	5566.37207	15625	4038	58
9023235	POST, TYPE C, 35 FT. ARM OR 10.7 M ARM	EACH	1.55	31	5398.12396	16928	4197	48
9023240	POST, TYPE C, 40 FT. ARM OR 12.2 M ARM	EACH	1.76	21	7318.12	22278	5643	37
9023245	POST, TYPE C, 45 FT. ARM OR 13.7 M ARM	EACH	1.68	31	7670.98038	25075	6000	52
902325	POST TYPE C 50 FT ARM OR 152	EACH	1.00	8	8177.0625	8536.5	8100	8
9023250	POST, TYPE C, 50 FT. ARM OR 15.2 M ARM	EACH	2.40	15	10724.84611	27707	6383	36
9023255	POST, TYPE C, 55 FT. ARM	EACH	1.00	8	12166.25	30613	8767	8
9023325	POST, TYPE B, LONGEST ARM 25 FT. OR 7.6 M	EACH	1.00	4	5010.5	6000	3608	4
9023345	POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M	EACH	1.23	13	11226.40875	26976	8101	16
9023350	POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M	EACH	2.00	4	15978.25	34248	9358	8
9023355	POST, TYPE B, LONGEST ARM 55 FT.	EACH	1.00	11	11953.47818	13900	11058	11
9023440	POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M	EACH	1.00	5	11214.61	12296.7	10808.95	5
9023445	POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M	EACH	2.00	4	11463	12200	10175	8
9024170	CONTROLLER ASSEMBLY HOUSING, TYPE 170	EACH	2.00	4	15341.61	16900	13421.1	8
9024281	CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTRC	EACH	1.32	19	13681.2192	19718	8971	25
9024283	CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER	EACH	2.51	43	14053.52528	25618.91	9610	108
9024295	SPLICE CABINET	EACH	1.00	8	4669	4872	4640	8
902492	DETECTOR PUSHBUTTON	EACH	8.00	8	201.25	210	200	64
9024920	DETECTOR, PUSHBUTTON	EACH	12.05	42	594.45289	1700	199	506
9024944	DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL-RACK MOUNTED)	EACH	6.85	20	265.78467	3410	100	137
9024975	VIDEO DETECTION SYSTEM	EACH	3.29	21	21044.96768	26900	12793.69	69
902502	CONDUIT 1 IN LOOP DETECTOR	L.F.	72.00	8	4.6875	4.9	4.65	576
9025020	CONDUIT, 1 IN., LOOP DETECTOR	L.F.	122.20	25	9.01086	38.85	4.5	3055
90252	CONDUIT 2 IN TRENCH	L.F.	372.00	8	7.75	8.1	7.7	2976
9025200	CONDUIT, 2 IN., TRENCH	L.F.	315.13	63	10.60103	33	6.3	19853
90253	CONDUIT 3 IN TRENCH	L.F.	171.00	8	8.55625	8.95	8.5	1368

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9025300	CONDUIT, 3 IN., TRENCH	L.F.	364.42	107	14.76446	86	6	38993
90254	CONDUIT 4 IN TRENCH	L.F.	52.00	8	10.56875	11.05	10.5	416
9025400	CONDUIT, 4 IN., TRENCH	L.F.	28.95	22	15.97867	47.96	9	637
9027200	CONDUIT, 2 IN., PUSHED	L.F.	347.87	23	15.23774	45	9	8001
90273	CONDUIT 3 IN PUSHED	L.F.	199.00	8	18.1125	18.9	18	1592
9027300	CONDUIT, 3 IN., PUSHED	L.F.	648.61	83	28.85117	83	12	53835
90274	CONDUIT 4 IN PUSHED	L.F.	60.00	8	20.125	21	20	480
9027400	CONDUIT, 4 IN., PUSHED	L.F.	269.19	26	24.56713	58	17.3	6999
9027504	CONDUIT, 3 IN., EXTERNAL ON STRUCTURE	L.F.	30.00	2	19.475	25	13.95	60
9028100	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	L.F.	505.83	24	0.92567	1.64	0.25	12140
9028202	CABLE, 2 AWG 1 CONDUCTOR, POWER	L.F.	848.15	27	1.99919	2.21	1.35	22900
9028204	CABLE, 4 AWG 1 CONDUCTOR, POWER	L.F.	1100.00	6	1.24791	2.15	1.1	6600
9028206	CABLE, 6 AWG 1 CONDUCTOR, POWER	L.F.	328.46	13	1.55681	1.8	1.35	4270
9028208	CABLE, 8 AWG 1 CONDUCTOR, POWER	L.F.	788.85	52	1.06944	2.25	0.5	41020
9028219	CABLE, 10 AWG 1 CONDUCTOR, POWER	L.F.	170.00	4	0.55	0.8	0.25	680
9028302	CABLE, 12 AWG 2 CONDUCTOR	L.F.	780.49	41	1.29603	2.75	0.6	32000
9028308	CABLE, 16 AWG 2 CONDUCTOR	L.F.	2445.76	99	1.02243	2.3	0.01	242130
9028309	CABLE, 16 AWG 3 CONDUCTOR	L.F.	948.75	8	1.49183	2.15	1.4	7590
902831	CABLE 16 AWG 5 CONDUCTOR	L.F.	1440.00	8	1.0625	1.1	1.05	11520
9028310	CABLE, 16 AWG 5 CONDUCTOR	L.F.	2430.88	91	1.21478	2.95	0.6	221210
9028311	CABLE, 16 AWG 7 CONDUCTOR	L.F.	4611.84	98	1.69713	6.5	0.7	451960
9028340	RG-8/U COAXIAL CABLE	EACH	840.00	7	3.84143	4.25	2.5	5880
902835	FIBER OPTIC CABLE 6 - FIBER SINGLE MODE	L.F.	30.00	8	2.06875	2.15	2.05	240
9028350	FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE	L.F.	1490.00	2	4.05	4.5	3.6	2980
9028354	FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE MODE, 6 MULTIMODE	L.F.	50.00	4	6.435	10	3.58	200
90285	CABLE LOOP DETECTOR IN DUCT	L.F.	690.00	8	5.3875	5.6	5.35	5520
9028500	CABLE, LOOP DETECTOR, IN DUCT	L.F.	3141.84	98	4.93203	11.2	1	307900
902851	CABLE LOOP DETECTOR LEAD-IN	L.F.	480.00	8	1.00625	1.05	1	3840
9028510	CABLE, LOOP DETECTOR, LEAD-IN	L.F.	936.06	33	1.29618	2.8	0.25	30890
9028610	POWER SUPPLY ASSEMBLY, TYPE 1	EACH	1.00	2	1692.5	1800	1585	2
902862	POWER SUPPLY ASSEMBLY TYPE 2	EACH	1.00	8	4598.5625	4798.5	4570	8
9028620	POWER SUPPLY ASSEMBLY, TYPE 2	EACH	1.10	21	4726.00174	6000	3842.46	23
9028621	POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V LIGHTING CONTROL CABINET	EACH	1.63	8	5385.10308	7371.4	4771.82	13
902881	PULL BOX PREFORMED CLASS 1	EACH	1.00	8	739.59375	771.75	735	8
9028810	PULL BOX, PREFORMED CLASS 1	EACH	3.78	45	1016.84082	1800	661	170
9028811	PULL BOX, PREFORMED CLASS 2	EACH	7.68	73	1242.0923	2080	840	561
9028812	PULL BOX, PREFORMED CLASS 3	EACH	3.80	70	1552.56789	2264.4	1300	266
902882	PULL BOX CONCRETE STANDARD	EACH	3.00	8	2129.46875	2220.75	2115	24
9028820	PULL BOX, CONCRETE, STANDARD	EACH	2.00	5	3152	3200	3140	10
9028821	PULL BOX, CONCRETE, DOUBLE, TYPE A	EACH	5.27	15	3603.26481	4386	3535	79
90291	BASE CONCRETE	C.Y.	14.40	8	945.875	987	940	115.2
9029100	BASE, CONCRETE	C.Y.	19.53	108	1361.09979	4300	525	2109
90294	TEMPORARY TRAFFIC SIGNALS	L.S.	1.00	8	8579.5625	8956.5	8500	8
9029400	TEMPORARY TRAFFIC SIGNALS	EACH	1.00	16	48697.33813	108044.78	7788.24	16
9029401	TEMPORARY TRAFFIC SIGNALS AND LIGHTING	L.S.	1.00	5	73469.176	78426.65	67853.7	5
9029407	TEMPORARY TRAFFIC DETECTION, VIDEO DETECTION SYSTEM	L.S.	1.00	5	32902.906	47986.41	13503.5	5
903101	CONCRETE FOOTINGS EMBEDDED	C.Y.	3.00	8	1236.56625	2150	158	24
9031010	CONCRETE FOOTINGS, EMBEDDED	C.Y.	4.55	173	961.38225	15086.93	200	787.97

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9031020	CONCRETE FOOTINGS, BOLT DOWN	C.Y.	51.63	27	1142.25301	3295.01	575	1394.1
903121	STRUCTURAL STEEL POSTS	LBS	690.00	8	7.21	11.55	3.1	5520
9031210	STRUCTURAL STEEL POSTS	LBS	2286.98	116	2.94382	116	2.2	265290
903122	PIPE POSTS	LBS	420.00	8	6.7825	11	2.95	3360
9031220	PIPE POSTS	LBS	1913.09	88	3.03328	9.75	2.4	168352
903124	BREAKAWAY ASSEMBLY	EACH	6.00	8	172.80125	371.91	133	48
9031240	BREAKAWAY ASSEMBLY	EACH	21.33	76	94.62134	362.96	71.82	1621
9031241	BREAKAWAY ASSEMBLY (PERFORATED SQUARE STEEL TUBE)	EACH	11.38	64	213.94232	500	86	728
9031250A	U-CHANNEL POST, 3 LB	L.F.	65.94	32	17.76294	52.93	7.4	2110
9031252	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED WHITE	EACH	21.50	8	32.94343	36.02	29.56	172
9031253A	7 FT. CHANNEL POST DELINEATOR, DOUBLE STACKED YELLOW	EACH	21.00	2	36	36	36	42
9031256	7 FT. CHANNEL POST DELINEATOR, WHITE	EACH	34.65	17	30.20508	48	25.62	589
9031257A	7 FT. CHANNEL POST DELINEATOR, YELLOW	EACH	17.71	17	31.99761	48	25.62	301
9031258	7 FT. CHANNEL POST DELINEATOR, WHITE/RED	EACH	39.55	11	34.35083	52	29.56	435
9031259A	7 FT. CHANNEL POST DELINEATOR, YELLOW/RED	EACH	12.91	11	34.94725	52	29.56	142
9031260	WOOD POST, 4 IN. BY 4 IN.	L.F.	48.85	13	28.87559	125	10	635
9031270A	PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12 GA.	L.F.	185.20	123	10.90823	99.93	4.75	22779
9031271	PERFORATED SQUARE STEEL TUBE POST ANCHOR SLEEVE, 2.5 IN., 12 GA.	L.F.	50.75	118	25.47215	522.53	4.95	5988
9031272	PERFORATED SQUARE STEEL TUBE POST, 2.5 IN., 12 GA.	L.F.	192.03	91	10.45178	32	5.5	17475
9031273	PERFORATED SQUARE STEEL TUBE POST ANCHOR, 7 GA.	L.F.	38.97	89	39.1945	240	20	3468
9031280	2.5 IN. PSST POST - 12 GA.	L.F.	237.00	16	10.56063	40	9.1	3792
9031281	POST ANCHOR FOR 2.5 IN. PSST - 7 GA.	L.F.	50.25	16	34.12985	60	24	804
9035004	TYPE SHR2L-1 SIGN	S.F.	179.11	134	17.90561	208.13	5	24001
9035004A	SH-FLAT SHEET	S.F.	205.81	31	20.8977	120	13.75	6380
9035009	36 IN. OR 900 MM STOP SIGN	EACH	2.83	42	193.26353	553.65	88	119
9035011	SIGN, TYPE STR2L-3	S.F.	735.11	56	19.34073	42.28	9	41166
9035011A	ST-STRUCTURAL	S.F.	1927.89	18	21.88339	24	18.07	34702
9035015	TYPE IV OBJECT MARKER	EACH	4.00	7	197.56571	250	146.48	28
9035017	48 IN. STOP SIGN	EACH	2.00	6	192.69333	289.11	167.35	12
9035018	TYPE III OBJECT MARKER	EACH	12.00	10	177.6	500	80	120
9035065	TYPE SHR2L-3 SIGN	S.F.	44.50	16	35.77706	260.77	9	712
9035068	SIGNAL SIGN, TYPE SHR2L-1	S.F.	121.19	99	39.61923	313	9	11998
9035069	TYPE SHR4L-1 SIGN	S.F.	107.18	95	21.94734	321.81	9	10182
9035069A	SHF-FLAT SHEET FLUORESCENT	S.F.	200.57	21	21.43462	26.5	18.9	4212
9035071	TYPE STR4L-1 SIGN	S.F.	191.43	14	24.02387	27.97	22.13	2680
9035071A	STF-STRUCTURAL FLUORESCENT	S.F.	898.50	4	21.06673	25.66	20.93	3594
9035073	SIGNAL SIGN, HARDWARE	EACH	6.00	6	235.99833	326.75	212.51	36
9036030	TUBULAR SUPPORT, TYPE C-1710-12	EACH	1.00	7	5935.35143	8124.34	1500	7
9036034	TUBULAR SUPPORT, TYPE C-2315-12	EACH	2.00	4	11424.2625	11800	10500	8
9036041	TUBULAR SUPPORT, TYPE C-2018-24	EACH	2.00	2	14500	14500	14500	4
9036042	TUBULAR SUPPORT, TYPE C-2018-28	EACH	2.00	2	16000	16000	16000	4
9036043	TUBULAR SUPPORT, TYPE C-2018-34	EACH	1.00	7	18132.36286	18905.7	18000	7
910-99.01	MISC. MISC. INSTALL NETWORK COMMUNICATIONS EQ	L.S.	1.00	6	48957.5	143000	500	6
910-99.02	MISC. MISC. CHANGEABLE MESSAGE SIGN CONTRACTO	EACH	5.50	8	6068.81818	12420	1200	44
9103700	CCTV CAMERA ASSEMBLY, INSTALLED	EACH	9.29	7	1278.05415	6400	756	65
9103714	CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALL	EACH	1.00	5	5762.86	6649.86	4805.3	5
9103804	DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED	EACH	1.00	2	1048	1048	1048	2
9105200	CONDUIT, 2 IN., RIGID, IN TRENCH	L.F.	1052.94	16	9.06697	28.1	7.4	16847

PAY ITEM	DESCRIPTION	UNIT	AVERAGE QUANTITY	#OF BIDS	AVERAGE PRICE	HIGH BID	LOW BID	TOTAL QUANTITY
9105201	CONDUIT, 3 IN., RIGID, IN TRENCH	L.F.	100.00	2	11.125	11.25	11	200
9105202	CONDUIT, 4 IN., RIGID, IN TRENCH	L.F.	100.00	2	12.375	12.75	12	200
9107201	CONDUIT, 3 IN., RIGID, PUSHED	L.F.	50.00	2	24	24	24	100
9107202	CONDUIT, 4 IN., RIGID, PUSHED	L.F.	165.71	7	28.58848	31.7	26	1160
9108202	CABLE, 2 AWG, 1 CONDUCTOR, POWER	L.F.	3180.00	5	2.102	2.25	2	15900
9108206	CABLE, 6 AWG, 1 CONDUCTOR, POWER	L.F.	1940.00	2	1.2	1.2	1.2	3880
9108352	FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE	L.F.	3790.00	6	2.0136	3.5	0.5	22740
9108353	FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE	L.F.	2506.92	13	2.10593	6.5	1.6	32590
9108354	FIBER OPTIC CABLE, 48-STRAND, SINGLE MODE	L.F.	1557.00	10	3.96694	6	2.5	15570
9108810	PULL BOX, PREFORMED CLASS 1	EACH	15.14	7	871.13585	1000	660	106
9108811	PULL BOX, PREFORMED CLASS 2	EACH	1.00	4	1473.5	1598	1410	4
9108816	PULL BOX, PREFORMED CLASS 5	EACH	2.92	12	2150.47829	2781.6	1225	35