

## **PAL Material Listing by Company**

Master Builders Solutions Reynolds, GA	21 East Railro	21 East Railroad Street			
	Rey	31076			
PCCAdmix					

#### **Air-Entraining Admixtures**

Air Faturinium Amount four Community	Dan autina I Init -		A = 1 2024 12:00:00 ANA		1
Air Entraining Agent for Concrete	Reporting Unit =	gallons	Apr 1, 2024 12:00:00 AM	MasterAir AE 200 (GA)	
				MasterAir AE 90 (GA)	

#### **Water-Reducing Admixtures**

Type A Water Reducing Agent for Concre	Reporting Unit =	gallons	Apr 1, 2024 12:00:00 AM	MasterPolyHeed 1025 (GA)
				MasterPolyHeed 900 (GA)
				MasterPolyHeed 997 (GA)
				MasterPolyHeed N (GA)
				MasterPozzolith 200 (GA)
				MasterPozzolith 322 (GA)
				MasterPozzolith 700 (GA)
				MasterPozzolith 80 (GA)
				PS 1466 (GA)
Type F High Range Water Reduce Agent	Reporting Unit	gallons	Apr 1, 2024 12:00:00 AM	MasterGlenium 3030 (GA)
				MasterGlenium 3400 (GA)
				MasterGlenium 7101 (GA)
				MasterGlenium 7700 (GA)
				MasterPolyHeed 997 (GA)
				MasterRheobuild 1000 (GA)
				PS 1466 (GA)

#### **Retarding Admixtures**



# **PAL Material Listing by Company**

Master Builders Solutions Reynolds, GA	21 East Railroad Street			
	Rey	31076		
PCCAdmix				

#### **Retarding Admixtures**

Type B Retarding Admixture for Concret	Reporting Unit =	gallons	Apr 1, 2024 12:00:00 AM	MasterPozzolith 200 (GA)
				MasterPozzolith 80 (GA)
				MasterSet DELVO (GA)
				MasterSet R 100 (GA)
				MasterSet R 300 (GA)
Type D Water Reduce & Retard Admix Con	Reporting Unit =	gallons	Apr 1, 2024 12:00:00 AM	MasterPozzolith 700 (GA)
				MasterPozzolith 80 (GA)
				MasterSet R 100 (GA)

### **Accelerating Admixtures**

Type C Accelerating Admix No Chlorides	Reporting Unit =	gallons	Apr 1, 2024 12:00:00	MasterLife CI 30 (GA)
			AM	MasterSet AC 534 (GA)
				MasterSet FP 20 (GA)
Type C Accelerating Admix W/ Chlorides	Reporting Unit =	gallons	Apr 1, 2024 12:00:00 AM	MasterSet AC 122 (GA)