



## **ADDENDUM NUMBER 1**

**DATE:** October 8, 2018

**TO:** Prospective Bidders

**OWNER:** City of Wildwood  
Public Works Department  
16860 Main Street  
Wildwood, Missouri 63040

**ENGINEER:** CDG Engineers, Inc.  
One Campbell Plaza  
St. Louis, Missouri 63139

**SUBJECT:** Addendum Number 1 to the  
Bidding Documents for  
Strecker Road Bridge Replacement  
Federal Project No. BRM-5500(681)  
CDG Project No. 15080

---

This Addendum forms a part of the Bidding and Contract Documents and modifies the original Bidding Documents, dated September 26, 2018. **FAILURE TO ACKNOWLEDGE RECEIPT OF ADDENDUM MAY SUBJECT BIDDER TO DISQUALIFICATION.**

---

### **ITEM**

**JSP-T, Corral Curb** – page 83 of 260

Remove and Replace Section 4.1 High Pressure Water-Jet Finish as follows:

**4.1 Sand-Blast Finish.** Perform sand blasting on concrete that has achieved a minimum compressive strength, but that will still “accept” the blasting. Coordinate with formwork removal to ensure that surfaces to be sand-blast finished are treated at same age for uniform results to match approved panel.

This Addendum consists of 1 page.

**END ADDENDUM NUMBER 1**