

# City of Weldon Spring City of Tradition and Progress

5401 Independence Road Weldon Spring, MO 63304 Phone: 636-441-2110 Fax: 636-441-8495

Email: cityofweldonspring@weldonspring.org

October 10, 2018

Re: Independence Road Reconstruction Phase 4

#### **CONTRACT ADDENDUM #3**

#### TO ALL BIDDERS:

You are hereby notified of the following changes to the above referenced Contract Documents and Specifications for Independence Road Reconstruction Phase 4.

- 1) JSP-30 is removed from the project Job Special Provisions and Bid Item JSP-J30 has been removed from the BID FORM.
- 2) Bid item 732.1 for 15 inch precast concrete flared end (with toe wall) should indicate each (EA) instead of linear feet (LF).
- 3) A revised BID FORM is attached that should be used for the BID submittal.
- 4) The bid date, time, and location have not changed and will be October 12, 2018 at 10.00 o'clock AM (Prevailing Local Time) at Weldon Spring City Hall 5401 Independence Road, Weldon Spring, Missouri 63304.

The three addendums must be acknowledged by submittal of the Contract Addendum form on page 11. Please feel free to contact us with questions.

Sincerely

Michael N. Meiners, P.E.

City Engineer of Weldon Spring

Attachment

Bidder Name:		
Bidder Name:		

ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

# INDEPENDENCE ROAD RECONSTRUCTION PHASE 4 ADDENDUM 2 BID FORM

# ROADWAY ITEMS

	ROADW	AIIIE	1110		
ITEM#	ITEM	UNIT	QUANTITY	UNIT PRICE(\$)	EXTENSION(\$)
201-1	CLEARING AND GRUBBING	LS	1		
202-1	REMOVAL OF IMPROVEMENTS	LS	1		
202-2	FULL DEPTH SAWCUT	LF	840		
203-1	UNCLASSIFIED EXCAVATION	CY	2,419		
203-2	COMPACTING EMBANKMENT	CY	17,633		
203-3	COMPACTING IN CUT	STA	40		
JSP-J25	UNSUITABLE MATERIAL REMOVAL	CY	2,550		
304-1	TYPE 5 AGGREGATE FOR BASE, 4 IN.	SY	1,650		
304-2	TYPE 5 AGGREGATE FOR BASE, 8 IN.	SY	10,050		
310-1	GRAVEL (A) OR CRUSHED LIMESTONE (B)	TONS	188	,	
JSP – J41	2" MILL OF EXISTING PAVEMENT	SY	35		
401-1	2" BIT. PAVEMENT MIXTURE PG64-22 (BP-1)	SY	88		
401-2	4" BIT. PAVEMENT MIXTURE PG64-22 (BASE)	SY	88		
401-3	2" BIT. PAVEMENT MIXTURE PG70-22 (BP-3)	SY	8,173		
401-4	7.5" BIT. PAVEMENT MIXTURE PG64-22 (BASE)	SY	8,138		
502-1	CONCRETE PAVEMENT (6 IN. NON-REINF.)	SY	1,299		
604-2	CURB INLET	EA	1		
604-3	GRATE INLET WITH SIDE INTAKE	EA	2		
604-4	GRATE INLETS	EA	22		
604-5	AREA INLET	EA	2		
604-6	DOUBLE AREA INLETS	EA	1		
604-7	DOME INLETS	EA	4		
604-8	PRECAST CONCRETE MANHOLE	EA	3		
609-1	VERTICAL CURB AND GUTTER (2.5')	LF	4,386		

609-2	FURNISH AND INSTALL ROCK LINING	CY	120	
618-1	MOBILIZATION	LS	1	
627-1	CONTRACTOR FURNISHED SURVEYING AND STAKING	LS	1	
627-2	SETTING PROPERTY CORNERS ALONG EXISTING AND PROJECT ESTABLISHED RIGHT OF WAY BY MISSOURI PLS	EA	21	
627-3	AS-BUILT DRAWINGS	LS	1	
720-1	MODULAR BLOCK RETAINING WALL	SF	3,988	
JSP-J29	12 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	1,796.26	
JSP-J29	15 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	112.17	
JSP-J29	18 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	239.75	
JSP-J29	24 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	313.71	
JSP-J29	30 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	12	
724-6	24 IN. CLASS III REINFORCED CONCRETE PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	72.1	
724-7	30 IN. CLASS III REINFORCED CONCRETE PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	115.63	
732.2	15 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	1	
732.3	24 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	1	
803-1	30 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	2	
JSP-J24	SPRINKLER SYSTEM RESTORATION	LS	1	
806-1	TURF TYPE TALL FESCUE SODDING	SY	13,214	
806-2	SILT FENCE	LF	5,098	
806-3	INLET CHECK	EA	35	
JSP-J26	REMOVE AND REPLACE EXISTING MAILBOXES, MONUMENTS, AND SIGNS	LS	1	
JSP-J31	ADJUST TO GRADE SANITARY/STORM MANHOLES	EA	3	
JSP-J39	ROCK DITCH CHECK	EA	10	
JSP-J34	TEMPORARY HORSE PADDOCK FENCE	LF	840	
JSP-J33	REMOVE AND RECONSTRUCT EXISTING HORSE PADDOCK FENCE	LF	960	
JSP-J36	RECTANGULAR FLASHING BEACON	EA	2	
JSP-J35	CHANNEL PROTECTION REVETMENT	SY	262	
JSP-J32	REPLACE 8" PVC SANITARY SEWER WITH 8" DUCTILE IRON	LF	40	

		V-1111000000000000000000000000000000000		
JSP-J37	UPROOT BUSHES AND PLACE IN YARD	LS	1	
JSP-J38	TEMPORARY SEEDING	SY	3,500	
JSP-J12	BORROW AND WASTE	CY	15,214	
310-2	4 INCHES OF 2 INCH RIVER GRAVEL OVER GEOFABRIC	SY	5	
203-4	CODE L SOIL DRYING AGENT	SY	1,650	
203-5	MIRAFI HP570 FOR GEOTEXTILE OVERLAP WALL	SY	5,000	
803-1	PERMANENT SEEDING	SY	7,000	
609-3	TWO FOOT WIDE CONCRETE ROLLED CURB AND GUTTER	LF	25	
604-9	OUTFALL STRUCTURE OS-107	LS	1	
604-10	OS-107A, 16 FEET OF 6" PVC, CONCRETE PAD AND TRASH RACK	LS	1	
604-5	4" BIT. PAVEMENT MIXTURE PG64-22 TRENCH PATCHING (BASE)	SY	122	
	SUBTOTAL - ROADWAY I	TEMS		
	BICYCLE/PED	ESTRIA!	N ITEMS	
304-2	TYPE 5 AGGREGATE FOR BASE, 8 IN (TRAIL)	SY	2,526	
401-5	4" BIT. PAVEMENT MIXTURE PG64-22 (BP-1)	SY	2,195	
607-1	CHAIN LINK FENCE FOR RETAINING WALL	LF	314	
608-1	CONCRETE CURB RAMP	EA	15	
608-2	TRUNCATED DOMES	SF	121	
608-3	4 ' CONCRETE SIDEWALK	SF	449	
	SUBTOTAL - BICYCLE/PEDESTI	RIAN ITI	EMS	
	TRAFFIC CONTROL IT	EMS		
616-1	PROJECT INFORMATION SIGNS	EA	2	
616-2	CONSTRUCTION SIGNS	SF	650	
617-1	TRIM-LINE CHANNELIZE	EA	90	
617-2	TYPE III MOVEABLE BARRICADE W/ LIGHT	EA	4	
617-3	TEMPORARY CONCRETE BARRIER	LF	1,500	
	SUBTOTAL TRAFFIC CONTR	OL ITE	MS	

	SIGNING/STRIPING IT	rems		
620-1	4 IN. WHITE ACRYLIC WATERBORNE TYPE L BEADS PAINT	LF	4400	
620-2	4 IN. YELLOW ACRYLIC WATERBORNE TYPE L BEADS PAINT	LF	5600	
620-3	24 IN. YELLOW TYPE 1 PREFORMED PAVEMENT MARKING TAPE	LF	50	
621-1	12 IN, WHITE TYPE 1 PREFORMED PAVEMENT MARKING TAPE	LF	50	
621-2	24 IN, WHITE TYPE I PREFORMED MARKING TAPE	LF	25	
620-4	LT & RT ARROWS TYPE 1 PREFORMED MARKING TAPE	EA	6	
620-5	BIKE LANE SYMBOL TYPE 1 PREFORMED MARKING TAPE	EA	10	
620-6	YEILD LINE MARKING	LF	40	
903-1	PERMANENT SIGNS	SF	75	
	SUBTOTAL – SIGNING/STRII	'ING ITE	EMS	
IN	DEPENDENCE ROAD RECONSTRU	CTION	PHASE 4 TO	TAL

Total Bid (BASE BID) (Numbers):			
Total Bid (BASE BID) (Written):	A - AAAIIIII		

# Alternate A

Alternate A bid will include the base bid total plus the additional cost for bid item 607-30.25 the 4' high safety fence chain link in the base bid to bid for 883 linear feet of 4' high black painted metal safety fence.

IN	DEPENDENCE ROAD RECONSTRU	CTION	PHASE 4 TOTA	L
JSP-J27	4' HIGH BLACK PAINTED METAL SAFETY FENCE, UPGRADE COST	LF	314	
	BASE BID + ALTERNATI	E A TOT	'AL	

Total Alternate A (Base Bid + Alternate A Bid) (Numbers)

Total Alternate A (Base Bid + Alternate A Bid) (Written)

# Alternate B

Alternate B bid will include the base bid total plus the additional cost for bid item 607-30.25 the 4' high safety fence chain link in the base bid to bid for 883 linear feet of 4' high black painted metal safety fence and for 110 square feet of modular block retaining wall to be bid as boulder retaining wall.

JSP-J27	4' HIGH BLACK PAINTED METAL SAFETY FENCE FOR RETAINING WALL, UPGRADE COST	LF	314	
JSP-J28	BOULDER RETAINING WALL, UPGRAGE COST	SF	474	

Total alternate B (Base Bid + Alternate B Bid) (Numbers)	
Total alternate B (Base Bid + Alternate B Bid) (Written)	

Bidder Name:
--------------

<u>ITEMIZED BID:</u> The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

# INDEPENDENCE ROAD RECONSTRUCTION PHASE 4 ADDENDUM 2 BID FORM

# ROADWAY ITEMS

ROADWAY ITEMS						
ITEM#	ITEM	UNIT	QUANTITY	UNIT PRICE(\$)	EXTENSION(\$)	
201-1	CLEARING AND GRUBBING	LS	1			
202-1	REMOVAL OF IMPROVEMENTS	LS	1			
202-2	FULL DEPTH SAWCUT	LF	840			
203-1	UNCLASSIFIED EXCAVATION	CY	2,419			
203-2	COMPACTING EMBANKMENT	CY	17,633			
203-3	COMPACTING IN CUT	STA	40			
JSP-J25	UNSUITABLE MATERIAL REMOVAL	CY	2,550			
304-1	TYPE 5 AGGREGATE FOR BASE, 4 IN.	SY	1,650			
304-2	TYPE 5 AGGREGATE FOR BASE, 8 IN.	SY	10,050			
310-1	GRAVEL (A) OR CRUSHED LIMESTONE (B)	TONS	188			
JSP – J41	2" MILL OF EXISTING PAVEMENT	SY	35			
401-1	2" BIT. PAVEMENT MIXTURE PG64-22 (BP-1)	SY	88			
401-2	4" BIT. PAVEMENT MIXTURE PG64-22 (BASE)	SY	88			
401-3	2" BIT. PAVEMENT MIXTURE PG70-22 (BP-3)	SY	8,173			
401-4	7.5" BIT. PAVEMENT MIXTURE PG64-22 (BASE)	SY	8,138			
502-1	CONCRETE PAVEMENT (6 IN. NON-REINF.)	SY	1,299			
604-2	CURB INLET	EA	1			
604-3	GRATE INLET WITH SIDE INTAKE	EA	2			
604-4	GRATE INLETS	EA	22			
604-5	AREA INLET	EA	2			
604-6	DOUBLE AREA INLETS	EA	1			
604-7	DOME INLETS	EA	4			
604-8	PRECAST CONCRETE MANHOLE	EA	3			
609-1	VERTICAL CURB AND GUTTER (2.5')	LF	4,386			
		•	•			

500.2	TUDANGULAND DIGITALLA DOGULADADA	GV	120	
609-2	FURNISH AND INSTALL ROCK LINING	CY	120	
618-1	MOBILIZATION	LS	1	
627-1	CONTRACTOR FURNISHED SURVEYING AND STAKING	LS	1	
627-2	SETTING PROPERTY CORNERS ALONG EXISTING AND PROJECT ESTABLISHED RIGHT OF WAY BY MISSOURI PLS	EA	21	
627-3	AS-BUILT DRAWINGS	LS	1	
720-1	MODULAR BLOCK RETAINING WALL	SF	3,988	
JSP-J29	12 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	1,796.26	
JSP-J29	15 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	112.17	
JSP-J29	18 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	239.75	
JSP-J29	24 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	313.71	
JSP-J29	30 IN. PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	12	
724-6	24 IN. CLASS III REINFORCED CONCRETE PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	72.1	
724-7	30 IN. CLASS III REINFORCED CONCRETE PIPE (UNIT COST SHALL INCLUDE BEDDING & GRANULAR BACKFILL)	LF	115.63	
732.2	15 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	1	
732.3	24 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	1	
803-1	30 IN. PRECAST CONCRETE FLARED END (WITH TOEWALL)	EA	2	
JSP-J24	SPRINKLER SYSTEM RESTORATION	LS	1	
806-1	TURF TYPE TALL FESCUE SODDING	SY	13,214	
806-2	SILT FENCE	LF	5,098	
806-3	INLET CHECK	EA	35	
JSP-J26	REMOVE AND REPLACE EXISTING MAILBOXES, MONUMENTS, AND SIGNS	LS	1	
JSP-J31	ADJUST TO GRADE SANITARY/STORM MANHOLES	EA	3	
JSP-J39	ROCK DITCH CHECK	EA	10	
JSP-J34	TEMPORARY HORSE PADDOCK FENCE	LF	840	
JSP-J33	REMOVE AND RECONSTRUCT EXISTING HORSE PADDOCK FENCE	LF	960	
JSP-J36	RECTANGULAR FLASHING BEACON	EA	2	
JSP-J35	CHANNEL PROTECTION REVETMENT	SY	262	
JSP-J32	REPLACE 8" PVC SANITARY SEWER WITH 8" DUCTILE IRON	LF	40	

JSP-J37	UPROOT BUSHES AND PLACE IN YARD	LS	1	
JSP-J38	TEMPORARY SEEDING	SY	3,500	
JSP-J12	BORROW AND WASTE	CY	15,214	
310-2	4 INCHES OF 2 INCH RIVER GRAVEL OVER GEOFABRIC	SY	5	
203-4	CODE L SOIL DRYING AGENT	SY	1,650	
203-5	MIRAFI HP570 FOR GEOTEXTILE OVERLAP WALL	SY	5,000	
803-1	PERMANENT SEEDING	SY	7,000	
609-3	TWO FOOT WIDE CONCRETE ROLLED CURB AND GUTTER	LF	25	
604-9	OUTFALL STRUCTURE OS-107	LS	1	
604-10	OS-107A, 16 FEET OF 6" PVC, CONCRETE PAD AND TRASH RACK	LS	1	
604-5	4" BIT. PAVEMENT MIXTURE PG64-22 TRENCH PATCHING (BASE)	SY	122	
	SUBTOTAL – ROADWAY I	TEMS		
	BICYCLE/PED	ESTRIA	N ITEMS	
304-2	TYPE 5 AGGREGATE FOR BASE, 8 IN (TRAIL)	SY	2,526	
401-5	4" BIT. PAVEMENT MIXTURE PG64-22 (BP-1)	SY	2,195	
607-1	CHAIN LINK FENCE FOR RETAINING WALL	LF	314	
608-1	CONCRETE CURB RAMP	EA	15	
608-2	TRUNCATED DOMES	SF	121	
608-3	4 ' CONCRETE SIDEWALK	SF	449	
	SUBTOTAL – BICYCLE/PEDEST	RIAN ITI	EMS	
	TRAFFIC CONTROL IT	EMS		
616-1	PROJECT INFORMATION SIGNS	EA	2	
616-2	CONSTRUCTION SIGNS	SF	650	
617-1	TRIM-LINE CHANNELIZE	EA	90	
617-2	TYPE III MOVEABLE BARRICADE W/ LIGHT	EA	4	
617-3	TEMPORARY CONCRETE BARRIER	LF	1,500	
	SUBTOTAL – TRAFFIC CONTR	OL ITEN	MS	

620-1	4 IN. WHITE ACRYLIC WATERBORNE TYPE L BEADS PAINT	LF	4400		
620-2	4 IN. YELLOW ACRYLIC WATERBORNE TYPE L BEADS PAINT	LF	5600		
620-3	24 IN. YELLOW TYPE 1 PREFORMED PAVEMENT MARKING TAPE	LF	50		
621-1	12 IN, WHITE TYPE 1 PREFORMED PAVEMENT MARKING TAPE	LF	50		
621-2	24 IN, WHITE TYPE 1 PREFORMED MARKING TAPE	LF	25		
620-4	LT & RT ARROWS TYPE 1 PREFORMED MARKING TAPE	EA	6		
620-5	BIKE LANE SYMBOL TYPE 1 PREFORMED MARKING TAPE	EA	10		
620-6	YEILD LINE MARKING	LF	40		
903-1	PERMANENT SIGNS	SF	75		
	SUBTOTAL – SIGNING/STRIPING ITEMS				
IN	INDEPENDENCE ROAD RECONSTRUCTION PHASE 4 TOTAL				

Total Bid (BASE BID) (Numbers):		
Total Bid (BASE BID) (Written):		

# Alternate A

Alternate A bid will include the base bid total plus the additional cost for bid item 607-30.25 the 4' high safety fence chain link in the base bid to bid for 883 linear feet of 4' high black painted metal safety fence.

INDEPENDENCE ROAD RECONSTRUCTION PHASE 4 TOTAL					
JSP-J27	4' HIGH BLACK PAINTED METAL SAFETY FENCE, UPGRADE COST	LF	314		
	BASE BID + ALTERNATE A TOTAL				

Total Alternate A (Base Bid + Alternate A Bid) (Numbers)

Total Alternate A (Base Bid + Alternate A Bid) (Written)

#### Alternate B

Alternate B bid will include the base bid total plus the additional cost for bid item 607-30.25 the 4' high safety fence chain link in the base bid to bid for 883 linear feet of 4' high black painted metal safety fence and for 110 square feet of modular block retaining wall to be bid as boulder retaining wall.

INDEPENDENCE ROAD RECONSTRUCTION PHASE 4 BASE BID TOTAL					
JSP-J27	4' HIGH BLACK PAINTED METAL SAFETY FENCE FOR RETAINING WALL, UPGRADE COST	LF	314		
JSP-J28	BOULDER RETAINING WALL, UPGRAGE COST	SF	474		
BASE BID + ALTERNATE B TOTAL					

Total alternate B (Base Bid + Alternate B Bid) (Numbers)

Total alternate B (Base Bid + Alternate B Bid) (Written)