

May 24, 2019

To: Plan Holders for Improvements to the
Rolla National Airport
Vichy, Missouri
Project No. 19-056A-1

Transmitted herewith is Addendum **No. 1** to the Issued for Bid Contract Documents, Specifications and Plans dated May 16, 2019 for Improvements to the Rolla National Airport.

Schedule I - Runway 4/22 Rehabilitation

Schedule II - Runway 4/22 Shoulder Grading

Sincerely,

Jviation, Inc.



Elizabeth Duvall, P.E.
Project Engineer

**ADDENDUM NO. 1
TO
CONTRACT DOCUMENTS, SPECIFICATIONS AND PLANS
FOR IMPROVEMENTS TO THE
ROLLA NATIONAL AIRPORT
VICHY, MISSOURI
PROJECT NO. 19-056A-1**

To All Bidders: You are requested to make all changes and/or additions contained in this addendum to the Bidding Documents. Failure to acknowledge this Addendum in Proposal shall result in rejection of bid. Bidders are informed that the above referenced Contract Documents, Specifications and Plans are modified as follows as of May 24, 2019:

1. CONTRACT DOCUMENTS/SPECIFICATIONS

Section – Section 3, Part 1- General Contract Provisions (FAA).

Subsection – Section 50 – Control of Work, part 50-06 Construction Layout and Stakes.

Revision – All bidders are hereby instructed to revise the subsection part number for “50-06 Construction Layout and Stakes” to “50-07 Construction Layout and Stakes”. Remove and replace page (Section 3-22) with the attached revised page.

Justification: The section part number was duplicated and, thus, incorrect.

2. PLANS

G002 (2 of 83) – The sheets C551 thru C554 have been eliminated. The Index of Drawings has been updated to reflect the sheet number and description changes. Remove and replace with the attached revised plan sheet.

C551 thru C554 – These four plan sheets shall be removed from the plan set and all subsequent sheets renumbered in accordance with this addendum’s sheet G002 – Index of Drawings.

All Plan Sheets – The total sheet number shall be changed from “87” to “83”. This change will be reflected in the Issued for Construction Plan set.

Justification: Sheet elimination and numbering changes were necessary due to other sheet changes made to eliminate transverse grade breaks.

G005 (6 of 83) – Detail 2, “Earthwork Calculations Detail (Embankment)” is to be removed in its entirety. Remove and replace with the attached revised plan sheet.

Justification: The detail is being removed to clarify that there is no direct pay for embankment or excavation on this project. The shoulder grading shall be paid per pay item no. P-152a per square yard.

ADDENDUM NO. 1 - CONTINUED

C100 thru C107 (17 thru 24 of 83) – Note #4 that reads: “Minimum overlay thickness for asphalt pavement construction on the runway and taxiway connectors is 2.5 inches.” shall be revised so that the full note #4 shall read:

“4. Minimum overlay thickness for asphalt pavement construction on the runway is 4 inches and on the taxiway connectors is 2 inches. The contractor shall mill the existing pavement to the limits shown and to a depth that ensures both the minimum overlay thicknesses and proposed grades shown on the cross-section sheets are met while also meeting the requirements of P-401. This work shall be completed in accordance with P-101.”

Justification: The first sentence of the note was incorrect.

C100 thru C107 (17 thru 24 of 83) – Note #6 that reads: “Full depth asphalt pavement removal includes the removal of any underlying asphalt and/or concrete pavement, base or any stabilized base.” shall be revised so that the full note #6 shall read:

“6. Full depth asphalt pavement removal includes the removal of any underlying asphalt and/or spalled concrete pavement.”

Justification: This is to clarify that in the full depth asphalt removal areas, all asphalt pavement, down to the underlying concrete is to be removed and, if the underlying concrete is spalled, spalled concrete is to be removed.

C220 (34 of 83) – This sheet has been revised in its entirety. Remove and replace with the attached revised plan sheet.

Justification: Additional Notes were added, and asphalt layer changes were made to clarify the asphalt overlay and leveling course layers along with concrete spall repair clarifications. A callout was added to the quarter crown location.

C223 (37 of 83) – This sheet has been revised in its entirety. Remove and replace with the attached revised plan sheet.

Justification: Additional Notes were added, and asphalt layer changes were made to clarify the asphalt overlay and leveling course layers along with concrete spall repair clarifications.

C300 thru C307 (38 thru 45 of 83) – These sheets have been revised in entirety. Remove and replace with the attached revised plan sheets.

Justification: The grading was revised to eliminate the transverse grade break at the 25-foot offset, except for the Runway 4 end, and the Runway-Runway intersection grades were smoothed out.

ADDENDUM NO. 1 - CONTINUED

C501 and C550 (47 and 51 of 83) – These sheets have been revised in entirety. Remove and replace with the attached revised plan sheets.

Justification: Sheet C501- The Runway-Runway intersection grades were smoothed out. Sheet C550- The plan and profile were slid to encompass the entire quarter grade break onto one sheet. (Eliminates Sheets C551 thru C554)

C900 thru C913 (70 thru 83 of 83) [was 74 thru 87 of 87] – These sheets have been revised in entirety. Remove and replace with the attached revised plan sheets.

Justification: The cross sections were revised to reflect the elimination of the transverse grade breaks and the Runway-Runway intersection grades that were smoothed out.

**** END OF ADDENDUM NO. 1 ****

1017 From time to time, discrepancies within cited testing standards occur due to the timing of the change, edits,
1018 and/or replacement of the standards. If the Contractor discovers any apparent discrepancy within standard test
1019 methods, the Contractor shall immediately ask the RPR for an interpretation and decision, and such decision
1020 shall be final.

1021
1022 The Contractor shall not take advantage of any apparent error or omission on the plans or specifications. In
1023 the event the Contractor discovers any apparent error or discrepancy, Contractor shall immediately notify the
1024 Owner or the designated representative in writing requesting their written interpretation and decision.
1025

1026 **50-04 LIST OF SPECIAL PROVISIONS.** See Section 4 for the Project Special Provisions.
1027

1028 **50-05 COOPERATION OF CONTRACTOR.** The Contractor will be supplied with three hard copies or
1029 an electronic PDF of the plans and specifications. The Contractor shall have available on the construction site
1030 at all times one hard copy each of the plans and specifications. Additional hard copies of plans and specifications
1031 may be obtained by the Contractor for the cost of reproduction.
1032

1033 The Contractor shall give constant attention to the work to facilitate the progress thereof, and shall cooperate
1034 with the RPR and their inspectors and with other Contractors in every way possible. The Contractor shall have
1035 a competent superintendent on the work at all times who is fully authorized as their agent on the work. The
1036 superintendent shall be capable of reading and thoroughly understanding the plans and specifications and shall
1037 receive and fulfill instructions from the RPR or their authorized representative.
1038

1039 **50-06 COOPERATION BETWEEN CONTRACTORS.** The Owner reserves the right to contract for and
1040 perform other or additional work on or near the work covered by this contract.
1041

1042 When separate contracts are let within the limits of any one project, each Contractor shall conduct the work
1043 not to interfere with or hinder the progress of completion of the work being performed by other Contractors.
1044 Contractors working on the same project shall cooperate with each other as directed.
1045

1046 Each Contractor involved shall assume all liability, financial or otherwise, in connection with their own contract
1047 and shall protect and save harmless the Owner from any and all damages or claims that may arise because of
1048 inconvenience, delays, or loss experienced because of the presence and operations of other Contractors working
1049 within the limits of the same project.
1050

1051 The Contractor shall arrange his or her work and shall place and dispose of the materials being used to not
1052 interfere with the operations of the other Contractors within the limits of the same project. The Contractor
1053 shall join their work with that of the others in an acceptable manner and shall perform it in proper sequence to
1054 that of the others.
1055

1056 **50-07 CONSTRUCTION LAYOUT AND STAKES.** The Engineer/RPR shall establish necessary
1057 horizontal and vertical control. The establishment of Survey Control and/or reestablishment of survey control
1058 shall be by a State Licensed Land Surveyor. Contractor is responsible for preserving integrity of horizontal and
1059 vertical controls established by Engineer/RPR. In case of negligence on the part of the Contractor or their
1060 employees, resulting in the destruction of any horizontal and vertical control, the resulting costs will be deducted
1061 as a liquidated damage against the Contractor.
1062

1063 Prior to the start of construction, the Contractor will check all control points for horizontal and vertical accuracy
1064 and certify in writing to the RPR that the Contractor concurs with survey control established for the project.
1065 All lines, grades and measurements from control points necessary for the proper execution and control of the
1066 work on this project will be provided to the RPR. The Contractor is responsible to establish all layout required
1067 for the construction of the project.
1068

1069 Copies of survey notes will be provided to the RPR for each area of construction and for each placement of
1070 material as specified to allow the RPR to make periodic checks for conformance with plan grades, alignments
1071

INDEX OF DRAWINGS		
SHEET NO.	SHEET ID.	SHEET DESCRIPTION
1	G001	COVER SHEET
2	G002	INDEX OF DRAWINGS
3	G003	GENERAL NOTES
4	G003B	GENERAL NOTES
5	G004	MASTER LEGEND AND ABBREVIATIONS
6	G005	SUMMARY OF APPROXIMATE QUANTITIES
7	G006	SURVEY CONTROL PLAN
8	G007	GEOTECHNICAL INVESTIGATION PLAN, BORE LOGS AND LEGEND
9	G008	GEOTECHNICAL INVESTIGATION BORE LOGS
10	G009	GEOTECHNICAL INVESTIGATION BORE LOGS
11	G010	GEOTECHNICAL INVESTIGATION BORE LOGS
12	G011	GEOTECHNICAL INVESTIGATION BORE LOGS
13	G050	CONSTRUCTION SAFETY NOTES AND DETAILS
14	G051	CONSTRUCTION SAFETY - OVERALL PHASING
15	G052	CONSTRUCTION SAFETY DRAWING - PHASE 1 AND 1A
16	G053	CONSTRUCTION SAFETY DRAWING - PHASE 2 AND 2A
17	C100	DEMOLITION PLAN - STA. 7+00.00 TO STA. 15+00.00 RUNWAY 4/22
18	C101	DEMOLITION PLAN - STA. 15+00.00 TO STA. 23+00.00 RUNWAY 4/22
19	C102	DEMOLITION PLAN - STA. 23+00.00 TO STA. 31+00.00 RUNWAY 4/22
20	C103	DEMOLITION PLAN - STA. 31+00.00 TO STA. 39+00.00 RUNWAY 4/22
21	C104	DEMOLITION PLAN - STA. 39+00.00 TO STA. 47+00.00 RUNWAY 4/22
22	C105	DEMOLITION PLAN - STA. 47+00.00 TO STA. 55+00.00 RUNWAY 4/22
23	C106	DEMOLITION PLAN - STA. 55+00.00 TO STA. 63+00.00 RUNWAY 4/22
24	C107	DEMOLITION PLAN - STA. 63+00.00 TO STA. 69+00.00 RUNWAY 4/22
25	C150	CRACK SEAL DETAILS
26	C200	GEOMETRY PLAN - STA. 7+00.00 TO STA. 15+00.00 RUNWAY 4/22
27	C201	GEOMETRY PLAN - STA. 15+00.00 TO STA. 23+00.00 RUNWAY 4/22
28	C202	GEOMETRY PLAN - STA. 23+00.00 TO STA. 31+00.00 RUNWAY 4/22
29	C203	GEOMETRY PLAN - STA. 31+00.00 TO STA. 39+00.00 RUNWAY 4/22
30	C204	GEOMETRY PLAN - STA. 39+00.00 TO STA. 47+00.00 RUNWAY 4/22
31	C205	GEOMETRY PLAN - STA. 47+00.00 TO STA. 55+00.00 RUNWAY 4/22
32	C206	GEOMETRY PLAN - STA. 55+00.00 TO STA. 63+00.00 RUNWAY 4/22
33	C207	GEOMETRY PLAN - STA. 63+00.00 TO STA. 69+00.00 RUNWAY 4/22
34	C220	TYPICAL SECTIONS
35	C221	TYPICAL SECTIONS
36	C222	TYPICAL SECTIONS
37	C223	TYPICAL SECTIONS
38	C300	GRADING AND SPOT ELEVATION PLAN - STA. 7+00.00 TO STA. 15+00.00 RUNWAY 4/22
39	C301	GRADING AND SPOT ELEVATION PLAN - STA. 15+00.00 TO STA. 23+00.00 RUNWAY 4/22
40	C302	GRADING AND SPOT ELEVATION PLAN - STA. 23+00.00 TO STA. 31+00.00 RUNWAY 4/22
41	C303	GRADING AND SPOT ELEVATION PLAN - STA. 31+00.00 TO STA. 39+00.00 RUNWAY 4/22
42	C304	GRADING AND SPOT ELEVATION PLAN - STA. 39+00.00 TO STA. 47+00.00 RUNWAY 4/22
43	C305	GRADING AND SPOT ELEVATION PLAN - STA. 47+00.00 TO STA. 55+00.00 RUNWAY 4/22
44	C306	GRADING AND SPOT ELEVATION PLAN - STA. 55+00.00 TO STA. 63+00.00 RUNWAY 4/22
45	C307	GRADING AND SPOT ELEVATION PLAN - STA. 63+00.00 TO STA. 69+00.00 RUNWAY 4/22
46	C500	PLAN AND PROFILE - STA. 7+50.00 TO STA. 20+00.00 RUNWAY 4/22
47	C501	PLAN AND PROFILE - STA. 20+00.00 TO STA. 32+50.00 RUNWAY 4/22
48	C502	PLAN AND PROFILE - STA. 32+50.00 TO STA. 45+00.00 RUNWAY 4/22
49	C503	PLAN AND PROFILE - STA. 45+00.00 TO STA. 57+50.00 RUNWAY 4/22
50	C504	PLAN AND PROFILE - STA. 57+50.00 TO STA. 70+00.00 RUNWAY 4/22
51	C550	PLAN AND PROFILE - STA. 9+00.00 TO STA. 21+50.00 RUNWAY 4/22 (QUARTER GRADE BREAK)
52	C700	PAVEMENT MARKING PLAN - STA. 7+00.00 TO STA. 15+00.00 RUNWAY 4/22
53	C701	PAVEMENT MARKING PLAN - STA. 15+00.00 TO STA. 23+00.00 RUNWAY 4/22
54	C702	PAVEMENT MARKING PLAN - STA. 23+00.00 TO STA. 31+00.00 RUNWAY 4/22
55	C703	PAVEMENT MARKING PLAN - STA. 31+00.00 TO STA. 39+00.00 RUNWAY 4/22
56	C704	PAVEMENT MARKING PLAN - STA. 39+00.00 TO STA. 47+00.00 RUNWAY 4/22
57	C705	PAVEMENT MARKING PLAN - STA. 47+00.00 TO STA. 55+00.00 RUNWAY 4/22
58	C706	PAVEMENT MARKING PLAN - STA. 55+00.00 TO STA. 63+00.00 RUNWAY 4/22
59	C707	PAVEMENT MARKING PLAN - STA. 63+00.00 TO STA. 69+00.00 RUNWAY 4/22
60	C720	PAVEMENT MARKING DETAILS
61	C800	EROSION CONTROL PLAN - STA. 7+00.00 TO STA. 15+00.00 RUNWAY 4/22
62	C801	EROSION CONTROL PLAN - STA. 15+00.00 TO STA. 23+00.00 RUNWAY 4/22
63	C802	EROSION CONTROL PLAN - STA. 23+00.00 TO STA. 31+00.00 RUNWAY 4/22
64	C803	EROSION CONTROL PLAN - STA. 31+00.00 TO STA. 39+00.00 RUNWAY 4/22

INDEX OF DRAWINGS		
SHEET NO.	SHEET ID.	SHEET DESCRIPTION
65	C804	EROSION CONTROL PLAN - STA. 39+00.00 TO STA. 47+00.00 RUNWAY 4/22
66	C805	EROSION CONTROL PLAN - STA. 47+00.00 TO STA. 55+00.00 RUNWAY 4/22
67	C806	EROSION CONTROL PLAN - STA. 55+00.00 TO STA. 63+00.00 RUNWAY 4/22
68	C807	EROSION CONTROL PLAN - STA. 63+00.00 TO STA. 69+00.00 RUNWAY 4/22
69	C850	EROSION CONTROL DETAILS
70	C900	CROSS SECTIONS - STA. 10+00.00 TO STA. 13+50.00
71	C901	CROSS SECTIONS - STA. 14+00.00 TO STA. 17+50.00
72	C902	CROSS SECTIONS - STA. 18+00.00 TO STA. 21+50.00
73	C903	CROSS SECTIONS - STA. 22+00.00 TO STA. 25+50.00
74	C904	CROSS SECTIONS - STA. 26+00.00 TO STA. 29+50.00
75	C905	CROSS SECTIONS - STA. 30+00.00 TO STA. 33+50.00
76	C906	CROSS SECTIONS - STA. 34+00.00 TO STA. 37+50.00
77	C907	CROSS SECTIONS - STA. 38+00.00 TO STA. 41+50.00
78	C908	CROSS SECTIONS - STA. 42+00.00 TO STA. 45+50.00
79	C909	CROSS SECTIONS - STA. 46+00.00 TO STA. 49+50.00
80	C910	CROSS SECTIONS - STA. 50+00.00 TO STA. 53+50.00
81	C911	CROSS SECTIONS - STA. 54+00.00 TO STA. 57+50.00
82	C912	CROSS SECTIONS - STA. 58+00.00 TO STA. 61+50.00
83	C913	CROSS SECTIONS - STA. 62+00.00 TO STA. 65+00.00

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION , INC.



DES:D.W.C.
DR: L.K.R.
CH: C.L.G.
APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1

RUNWAY 4/22
REHABILITATION

INDEX OF DRAWINGS


ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01

SHEET NAME
G002
SHEET NO.
2 of 83



SUMMARY OF APPROXIMATE QUANTITIES

ITEM NO.	ITEM DESCRIPTION	UNITS	SCHEDULE I		SCHEDULE II	
			ESTIMATE	AS BUILT	ESTIMATE	AS BUILT
C-105a	MOBILIZATION	LS	1		1	
C-102a	INSTALLATION AND REMOVAL OF INLET PROTECTION	EA	-		14	
P-101a	ASPHALT PAVEMENT REMOVAL - FULL DEPTH	SY	9,890		-	
P-101b	ASPHALT PAVEMENT REMOVAL - PROFILE MILL	SY	4,750		-	
P-101c	JOINT AND CRACK REPAIR - MINOR (CRACK SEAL)	LF	1,000		-	
P-101d	JOINT AND CRACK REPAIR - MAJOR	LF	300		-	
P-101e	CONCRETE PAVEMENT REMOVAL - FULL DEPTH	SY	22		-	
P-152a	SHOULDER GRADING	SY	-		28,150	
P-152b	ADJUST RUNWAY OR TAXIWAY LIGHT IN PLACE	EA	-		65	
P-207a	ASPHALT PAVEMENT FDR, TRIMMING, & GRADING	SY	52,750		-	
P-207b	CEMENT	TON	1,280		-	
P-401a	ASPHALT PAVING COURSE	TON	16,300		-	
P-401b	ASPHALT LEVELING COURSE	TON	930		-	
P-602a	BITUMINOUS PRIME COAT	GAL	9,400		-	
P-603a	BITUMINOUS TACK COAT	GAL	10,110		-	
P-620a	PERMANENT RUNWAY AND TAXIWAY PAVEMENT MARKING	SF	41,200		-	
P-620b	TEMPORARY RUNWAY AND TAXIWAY PAVEMENT MARKING	SF	41,200		-	
P-620c	PERMANENT BLACK PAVEMENT MARKING	SF	1,190		-	
T-901a	SEEDING WITH HYDROMULCH	AC	-		5.8	
MoDOT-502a	6" CONCRETE PAVEMENT	SY	22		-	



ISSUED FOR BID


ELIZABETH S. DUVALL PE-2008002153 05/16/19
 NAME REG. NO. DATE
 FOR AND ON BEHALF OF JVIACTION, INC.



NOTE:
RUNWAY AND TAXIWAY LIGHTS SHALL BE ADJUSTED TO PROPOSED GRADES. CONTRACTOR SHALL PROTECT ALL LIGHTS, BASES AND OTHER ELECTRICAL AND NAV/AD EQUIPMENT. ANY LIGHTS, BASES, EQUIPMENT, ETC., THAT ARE DAMAGED DURING CONSTRUCTION SHALL BE REPLACED BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE SPONSOR.

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIATION , INC.






	DES:D.W.C.	ISSUE RECORD			
	NO.	BY	DATE	DESCRIPTION	
DR: L.K.R.	1	E.S.D.	05/16/19	ISSUED FOR BID	
	2	E.S.D.	05/24/19	BID ADDENDUM NO. 1	
CH: C.L.G.					
APP: E.S.D.					

RUNWAY 4/22
REHABILITATIO

TYPICAL SECTIONS


JVIATION PROJ. NO.
17-VIH-01

SHEET NAME
C220
SHEET NO.
34 of 83



ISSUED FOR BID

ELIZABETH S. DUVALL	PE-2008002153	05/16/19
NAME	REG. NO.	DATE
FOR AND ON BEHALF OF JVIACTION, INC.		



JVIATION®

ROLLA
NATIONAL AIRPORT
CITY OF ROLLA, MISSOURI

DES:D.W.C.		ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION		
DR: L.K.R.	E.S.D.	05/16/19	ISSUED FOR BID		
	E.S.D.	05/24/19	BID ADDENDUM NO. 1		
CH: C.L.G.					
APP: E.S.D.					



RUNWAY 4/22
REHABILITATION

GRADING AND SPOT ELEVATION PLAN
STA. 7+00.00 TO STA. 15+00.00
RUNWAY 4/22

SHEET NAME
C300
SHEET NO.
38 of 83

ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01



GRADING LEGEND

GRADING LEGEND

ASPHALT PAVEMENT
CONCRETE PAVEMENT
— EXISTING INDEX CONTOUR
— EXISTING INTERMEDIATE CONTOUR
— PROPOSED INDEX CONTOUR
— PROPOSED INTERMEDIATE CONTOUR

OTES:

- LIMITS OF GRADING ARE APPROXIMATE AND DO NOT CONSTITUTE LIMITS OF DISTURBANCE. THE CONTRACTOR SHALL BE RESPONSIBLE TO RESTORE ALL AREAS DISTURBED BY CONSTRUCTION OPERATIONS AT NO ADDITIONAL COST TO THE SPONSOR.

CONTRACTOR SHALL RESTORE ALL AREAS DISTURBED BY HIS OPERATIONS OUTSIDE OF THE GRADING LIMITS, INCLUDING ENGINEERED IDENTIFIED STAGING AREAS, STOCKPILES AREAS, AND HAUL ROUTES. ALL RESTORATION SHALL BE AT CONTRACTOR'S EXPENSE AND INCLUDES, BUT IS NOT LIMITED TO, MINOR GRADING, TEMPORARY AND PERMANENT EROSION CONTROL MEASURES.

CONTRACTOR SHALL USE CAUTION AND PROTECT ALL EXISTING UNDERGROUND UTILITIES.

IN THE EVENT OF ANY CONFLICT WITHIN THESE PLANS, THE INFORMATION IN THE PROFILES SHALL GOVERN OVER THE SPOT ELEVATIONS AND CROSS SECTIONS.

PROPOSED CONTOURS REFLECT FINAL DESIGN ELEVATIONS. IN NON-PAVEMENT AREAS, FINAL ELEVATIONS SHALL INCLUDE DEPTH OF FINAL TOPSOIL LAYER.

THE TOP 4-INCHES OF TOPSOIL WITHIN ALL GRADING LIMITS SHALL BE STRIPPED AND STOCKPILED FOR PLACEMENT AFTER FINAL GRADING OPERATIONS. PAYMENT FOR TOPSOIL SHALL BE PAID PER ITEM P-152 (T-905). NO PAYMENT FOR STOCKPILING AND RE-HANDLING OF TOPSOIL MATERIAL SHALL BE PAID BUT SHALL BE INCIDENTAL TO ITEM P-152 (T-905).

PRIOR TO THE START OF GRADING OPERATIONS, ALL LIMITS OF GRADING SHALL BE CLEARED AND GRUBBED PER SECTION P-151.

CONTRACTOR SHALL PROTECT ALL ELECTRICAL DUCT MARKERS. ELECTRICAL DUCT MARKERS WITHIN THE PROJECT GRADING LIMITS SHALL BE RESET BY THE CONTRACTOR TO THE PROPOSED GRADING. THIS WORK WILL NOT BE MEASURED OR PAID FOR SEPARATELY, BUT WILL BE CONSIDERED INCIDENTAL WORK TO SHOULDER GRADING.

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF AVIATION, INC.

JVIATION®


ROLLA NATIONAL AIRPORT CITY OF ROLLA, MISSOURI


DES:D.W.C.	ISSUE RECORD			
	NO.	BY	DATE	DESCRIPTION
DR: L.K.R.	1	E.S.D.	05/16/19	ISSUED FOR BID
	2	E.S.D.	05/24/19	BID ADDENDUM NO. 1
CH: C.L.G.				
APP: E.S.D.				



RUNWAY 4/22
REHABILITATION

**GRADING AND SPOT ELEVATION PLAN
STA. 15+00.00 TO STA. 23+00.00
RUNWAY 4/22**

SHEET NAME
C301
SHEET NO.
39 of 83







GRADING LEGEND

The legend includes:
- Asphalt Pavement (represented by a grey square)
- Concrete Pavement (represented by a dotted square)
- Existing Index Contour (represented by a dashed line)
- Existing Intermediate Contour (represented by a dash-dot line)
- Proposed Index Contour (represented by a solid line)
- Proposed Intermediate Contour (represented by a long-dashed line)

OTES:

- LIMITS OF GRADING ARE APPROXIMATE AND DO NOT CONSTITUTE LIMITS OF DISTURBANCE. THE CONTRACTOR SHALL BE RESPONSIBLE TO RESTORE ALL AREAS DISTURBED BY CONSTRUCTION OPERATIONS AT NO ADDITIONAL COST TO THE SPONSOR.

CONTRACTOR SHALL RESTORE ALL AREAS DISTURBED BY HIS OPERATIONS OUTSIDE OF THE GRADING LIMITS, INCLUDING ENGINEERED IDENTIFIED STAGING AREAS, STOCKPILES AREAS, AND HAUL ROUTES. ALL RESTORATION SHALL BE AT CONTRACTOR'S EXPENSE AND INCLUDES, BUT IS NOT LIMITED TO, MINOR GRADING, TEMPORARY AND PERMANENT EROSION CONTROL MEASURES.

CONTRACTOR SHALL USE CAUTION AND PROTECT ALL EXISTING UNDERGROUND UTILITIES.

IN THE EVENT OF ANY CONFLICT WITHIN THESE PLANS, THE INFORMATION IN THE PROFILES SHALL GOVERN OVER THE SPOT ELEVATIONS AND CROSS SECTIONS.

PROPOSED CONTOURS REFLECT FINAL DESIGN ELEVATIONS. IN NON-PAVEMENT AREAS, FINAL ELEVATIONS SHALL INCLUDE DEPTH OF FINAL TOPSOIL LAYER.

THE TOP 4-INCHES OF TOPSOIL WITHIN ALL GRADING LIMITS SHALL BE STRIPPED AND STOCKPILED FOR PLACEMENT AFTER FINAL GRADING OPERATIONS. PAYMENT FOR TOPSOIL SHALL BE PAID PER ITEM P-152 (T-905). NO PAYMENT FOR STOCKPILENING AND RE-HANDLING OF TOPSOIL MATERIAL SHALL BE PAID BUT SHALL BE INCIDENTAL TO ITEM P-152 (T-905).

PRIOR TO THE START OF GRADING OPERATIONS, ALL LIMITS OF GRADING SHALL BE CLEARED AND GRUBBED PER SECTION P-151.

CONTRACTOR SHALL PROTECT ALL ELECTRICAL DUCT MARKERS. ELECTRICAL DUCT MARKERS WITHIN THE PROJECT GRADING LIMITS SHALL BE RESET BY THE CONTRACTOR TO THE PROPOSED GRADING. THIS WORK WILL NOT BE MEASURED OR PAID FOR SEPARATELY, BUT WILL BE CONSIDERED INCIDENTAL WORK TO SHOULDER GRADING.

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIAVATION, INC.

BANCA D'ITALIA - BANCA CENTRALE DELLA REPUBBLICA ITALIANA

JVIATION®



ROLLA NATIONAL AIRPORT CITY OF ROLLA, MISSOURI

DES:D.W.C.		ISSUE RECORD			
		NO.	BY	DATE	DESCRIPTION
DR: L.K.R.		1	E.S.D.	05/16/19	ISSUED FOR BID
			E.S.D.	05/24/19	BID ADDENDUM NO. 1
CH: C.L.G.					
APP: E.S.D.					

RUNWAY 4/22
REHABILITATION

**GRADING AND SPOT ELEVATION PLAN
STA. 39+00.00 TO STA. 47+00.00
RUNWAY 4/22**

SHEET NAME
C304
SHEET NO.
42 of 83



GRADING LEGEND

GRADING LEGEND

The legend identifies four types of pavements: Asphalt Pavement (solid grey box), Concrete Pavement (dotted pattern box), Existing Index Contour (thin grey line), Existing Intermediate Contour (medium grey line), Proposed Index Contour (thick grey line), and Proposed Intermediate Contour (double grey line).

OTES:

- LIMITS OF GRADING ARE APPROXIMATE AND DO NOT CONSTITUTE LIMITS OF DISTURBANCE. THE CONTRACTOR SHALL BE RESPONSIBLE TO RESTORE ALL AREAS DISTURBED BY CONSTRUCTION OPERATIONS AT NO ADDITIONAL COST TO THE SPONSOR.

CONTRACTOR SHALL RESTORE ALL AREAS DISTURBED BY HIS OPERATIONS OUTSIDE OF THE GRADING LIMITS, INCLUDING ENGINEERED IDENTIFIED STAGING AREAS, STOCKPILES AREAS, AND HAUL ROUTES. ALL RESTORATION SHALL BE AT CONTRACTOR'S EXPENSE AND INCLUDES, BUT IS NOT LIMITED TO, MINOR GRADING, TEMPORARY AND PERMANENT EROSION CONTROL MEASURES.

CONTRACTOR SHALL USE CAUTION AND PROTECT ALL EXISTING UNDERGROUND UTILITIES.

IN THE EVENT OF ANY CONFLICT WITHIN THESE PLANS, THE INFORMATION IN THE PROFILES SHALL GOVERN OVER THE SPOT ELEVATIONS AND CROSS SECTIONS.

PROPOSED CONTOURS REFLECT FINAL DESIGN ELEVATIONS. IN NON-PAVEMENT AREAS, FINAL ELEVATIONS SHALL INCLUDE DEPTH OF FINAL TOPSOIL LAYER.

THE TOP 4-INCHES OF TOPSOIL WITHIN ALL GRADING LIMITS SHALL BE STRIPPED AND STOCKPILED FOR PLACEMENT AFTER FINAL GRADING OPERATIONS. PAYMENT FOR TOPSOIL SHALL BE PAID PER ITEM P-152 (T-905). NO PAYMENT FOR STOCKPILING AND RE-HANDLING OF TOPSOIL MATERIAL SHALL BE PAID BUT SHALL BE INCIDENTAL TO ITEM P-152 (T-905).

PRIOR TO THE START OF GRADING OPERATIONS, ALL LIMITS OF GRADING SHALL BE CLEARED AND GRUBBED PER SECTION P-151.

CONTRACTOR SHALL PROTECT ALL ELECTRICAL DUCT MARKERS. ELECTRICAL DUCT MARKERS WITHIN THE PROJECT GRADING LIMITS SHALL BE RESET BY THE CONTRACTOR TO THE PROPOSED GRADING. THIS WORK WILL NOT BE MEASURED OR PAID FOR SEPARATELY, BUT WILL BE CONSIDERED INCIDENTAL WORK TO SHOULDER GRADING.

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIATION, INC.

BANCA D'ITALIA - BANCA NAZIONALE DEL LAVORO


JVIATION®

ROLLA NATIONAL AIRPORT CITY OF ROLLA, MISSOURI


RUNWAY 4/22
REHABILITATION



**GRADING AND SPOT ELEVATION PLAN
STA. 47+00.00 TO STA. 55+00.00
RUNWAY 4/22**

SHEET NAME
C305
SHEET NO.
43 of 83







ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1
CH: C.L.G.			
APP: E.S.D.			










PLAN & PROFILE LEGEND	
Asphalt Pavement	
— 1220 — Existing Index Contour	
— 1221 — Existing Intermediate Contour	
— 1220 — Proposed Index Contour	
— 1221 — Proposed Intermediate Contour	
→ → Proposed Swale	
PROFILE BAND:	
Existing Elevation	
Proposed Elevation	

- NOTES:
- REFER TO SHEETS C220 AND C221 FOR TYPICAL SECTIONS.
 - REFER TO SHEETS C300 THRU C307 FOR SPOT ELEVATIONS.
 - IN THE EVENT OF ANY CONFLICT WITHIN THESE PLANS, THE INFORMATION IN THE PROFILES SHALL GOVERN OVER THE SPOT ELEVATIONS AND CROSS SECTIONS.
 - CONTRACTOR TO VERIFY EXISTING TIE POINTS PRIOR TO CONSTRUCTION AND NOTIFY THE ENGINEER OF ANY DISCREPANCIES.











ISSUED FOR BID		
ELIZABETH S. DUVALL	PE-2008002153	05/16/19
NAME REG. NO. DATE		
FOR AND ON BEHALF OF JVIACTION, INC.		



ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES:D.W.C.
DR: D.W.C.
CH: C.L.G.
APP:E.S.D.

NO.	BY	DATE	ISSUE RECORD	
			DESCRIPTION	
1	E.S.D.	05/16/19	ISSUED FOR BID	
	E.S.D.	05/24/19	BID ADDENDUM NO. 1	









RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 22+00.00 TO STA. 25+50.00

ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01

SHEET NAME
C903
SHEET NO.
73 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES:D.W.C.

DR: D.W.C.

CH: C.L.G.

APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1









RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 26+00.00 TO STA. 29+50.00

ModOT PROJ. NO.
19-056A-1

JVIACTION PROJ. NO.
17-VIH-01

SHEET NAME
C904
SHEET NO.
74 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES:D.W.C.

DR: D.W.C.

CH: C.L.G.

APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1









RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 30+00.00 TO STA. 33+50.00

ModOT PROJ. NO.
19-056A-1

JVIACTION PROJ. NO.
17-VIH-01


SHEET NAME
C905
SHEET NO.
75 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIATION, INC.



DES:D.W.C.
DR: D.W.C.
CH: C.L.G.
APP:E.S.D.

NO.	BY	DATE	ISSUE RECORD	
			DESCRIPTION	
1	E.S.D.	05/16/19	ISSUED FOR BID	
	E.S.D.	05/24/19	BID ADDENDUM NO. 1	









RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 34+00.00 TO STA. 37+50.00

ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01


SHEET NAME
C906
SHEET NO.
76 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES:D.W.C.
DR: D.W.C.
CH: C.L.G.
APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1


RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 42+00.00 TO STA. 45+50.00


ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01


SHEET NAME
C908
SHEET NO.
78 of 83




HORIZ: 1"=60', VERT: 1"=6'




HORIZ: 1"=60', VERT: 1"=6'
8'




HORIZ: 1"=60', VERT: 1"=6'




HORIZ: 1"=60', VERT: 1"=6'




HORIZ: 1"=60', VERT: 1"=



HORIZ: 1"=60', VERT: 1"=



HORIZ: 1"=60', VERT: 1"=



HORIZ: 1"=60', VERT: 1"=

RE-ISSUE ENTIRE SHEET

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.

Plotted May 23, 2019 @ 9:11 AM by Dave Conway
WVH17-01 Run 4-22 CADPI ANSv00-V/H-19-056A-1-C900-XSEC down

JVIATION®

ROLLA NATIONAL AIRPORT CITY OF ROLLA, MISSOURI

	DES:D.W.C.	ISS		
	NO.	BY	DATE	
DR: D.W.C.	1	E.S.D.	05/16/19	ISSU
CH: C.L.G.	2	E.S.D.	05/24/19	BID A









RUNWAY 4/22
REHABILITATIO

CROSS SECTIONS
STA. 46+00.00 TO STA. 49+50.00

MoDOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01

SHEET NAME
C909
SHEET NO.
79 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES:D.W.C.

DR: D.W.C.

CH: C.L.G.

APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1









RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 50+00.00 TO STA. 53+50.00

ModOT PROJ. NO.
19-056A-1

JVIACTION PROJ. NO.
17-VIH-01

SHEET NAME
C910
SHEET NO.
80 of 83



ISSUED FOR BID

RE-ISSUE ENTIRE SHEET

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIATION, INC.



DES:D.W.C.

DR: D.W.C.

CH: C.L.G.

APP:E.S.D.

ISSUE RECORD			
NO.	BY	DATE	DESCRIPTION
1	E.S.D.	05/16/19	ISSUED FOR BID
	E.S.D.	05/24/19	BID ADDENDUM NO. 1








RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 54+00.00 TO STA. 57+50.00

ModOT PROJ. NO.
19-056A-1

JVIATION PROJ. NO.
17-VIH-01

SHEET NAME
C911
SHEET NO.
81 of 83



RE-ISSUE ENTIRE SHEET

ISSUED FOR BID

ELIZABETH S. DUVALL PE-2008002153 05/16/19
NAME REG. NO. DATE
FOR AND ON BEHALF OF JVIACTION, INC.



DES: DESIGNED	ISSUE RECORD		
DR: DESIGNED	NO.	BY	DATE
ED 1	E.S.D.	05/16/19	ISSUED FOR BID
ED 1	E.S.D.	05/24/19	BID ADDENDUM NO. 1
CH: C.L.G.			
APP: E.S.D.			

RUNWAY 4/22
REHABILITATION

CROSS SECTIONS
STA. 62+00.00 TO STA. 65+00.00

ModOT PROJ. NO.
19-056A-1

JVIACTION PROJ. NO.
17-VIH-01

SHEET NAME
C913
SHEET NO.
83 of 83