

Traffic Operations

APPROVED PRODUCTS LIST

TRAFFIC SIGNALS, HIGHWAY LIGHTING, AND HIGHWAY SIGNING EQUIPMENT

TRAFFIC SIGNALS AND HIGHWAY LIGHTING EQUIPMENT

I. GENERAL

This Approved Products List (APL) is based on equipment meeting department specifications and being tested for the specified test period with satisfactory performance. All models shall conform to the latest revision of the Missouri Standard Specifications for Highway Construction unless otherwise indicated. The models indicated on the list are approved, but are subject to final field inspection before acceptance.

The department frequently tests new products and equipment for traffic signals and highway lighting. These new products may be installed on a construction project, purchased on parts orders, or with controller orders. Vendors may also submit a device, at no cost to the department, for the test period. MoDOT will determine the methods and needs of the product for test. Only a limited number of units will be accepted for test statewide until an item is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form - Signal and Lighting Equipment. Copies of this form can be obtained from our website at http://contribute.modot.mo.gov/business/contractor resources/traffic.htm. Minor model changes do not require an evaluation period; however the vendor shall submit specification sheets, a summary of changes from the current to former model, and a sample of the product for the Department to inspect.

All equipment evaluations are coordinated through MoDOT Traffic Operations. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified in the APL. Products not performing satisfactorily or falls below established standards will be replaced with an approved product if the vendor cannot provide timely correction of the problem or if unsatisfactory operation of the intersection results.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Traffic Operations. If approved, the product may be tested for the specified period noted in the APL. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Any modification to the device must be reviewed and approved by MoDOT prior to sale/use of the modified device. Products will not be added to the Approved Products List that does not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include, but limited to:

Significant change in product specifications or design without notification to the department.

Failure to correct or replace products that are defective in manufacturing or workmanship.

Repeated patterns of malfunctions of a product not adequately corrected by the vendor.

Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.

Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However, the product will be removed from the list if it is not revised to meet specifications.

II. TRAFFIC SIGNAL EQUIPMENT

All traffic signal equipment requires a one-year evaluation period.

CONTROLLERS

NEMA TS1 CONTROLLERS	MODEL
Econolite	Cobalt Series X-3 Series EPAC M52
NEMA ON-STREET MASTER CONTROLLER	MODEL
Econolite	
SOLID STATE PRETIMED CONTROLLERS (ALL TYPES) No currently accepted models.	MODEL
170 CONTROLLERS	MODEL
McCain Phillips/Sisson Industries, Inc Safetran	170E

CABINETS AND BACK PANELS (NEMA & S.S. PRETIMED)

NOTE: Cabinets and Back panels that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

NEMA CABINET AND BACK PANEL ASSEMBLIES

Control Technology Econolite Henke/Bison IDC/Gibbons Trafficware Eagle

SOLID STATE PRETIMED CABINET AND BACK PANEL ASSEMBLIES

Eagle

CABINETS AND RACKS (TYPE 170 CONTROLLERS)

NOTE: Cabinets and Racks that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

332 AND 336S CABINET AND RACK ASSEMBLIES

McCain Phillips/Sisson Industries, Inc. Safetran Eagle

CONFLICT MONITORS

NEMA CONFLICT MONITORS	MODEL
Eberle Design Incorporated (EDI) Trafficware Power Distribution & Control (PDC) Power Distribution & Control (PDC) Power Distribution & Control (PDC) Reno A&E Solid State Devices Solid State Devices	NSM-12E SSM-12LE MMU-16E MMU2-16LE NM512 CM82-03 CM82-06 CM82-12 MMU-1600 Series NM-6
Solid State Devices	
Solid State Devices	
170 CONFLICT MONITORS	MODEL
Eberle Design Incorporated (EDI)	2018ECLip

CABINET ACCESSORIES

AUXILIARY TIME CLOCK	MODEL
Eltec Eltec RTC Applied Information	TC-14 AP41
EXTERNAL T.B.C. COORDINATORS	MODEL
Eltec	TC-14
FLASHERS (NEMA & 170)	MODEL
Eberle Design Incorporated (EDI) Power Distribution & Control (PDC) Power Distribution & Control (PDC) Reno A & E Traffic Sensor Corp	SSF-86 SSF-88 FL-200

Page 3

Traffic Sensor Corp	204-15 304
Traffic Sensor Corp	
Traine deligor dorp	504-13
FLASH TRANSFER RELAYS	MODEL
AMECO	136-4962
Struthers-Dunn	21ACPX-2/21ACPXD
Mid-Tex	136-62T-3A1
Power Distribution & Control (PDC)	
Reno	
LOAD SWITCHES (NEMA & 170)	MODEL
,	540
Eberle Design Incorporated (EDI)	
Power Distribution & Control (PDC)	
Power Distribution & Control (PDC)	
Reno A & E	
Traffic Sensor Corp	200
Traffic Sensor Corp	200-15
Traffic Sensor Corp	300
Traffic Sensor Corp	300-15
ISOLATORS (170 only) (242=DC, 252=AC)	MODEL
Eberle Design Incorporated	
GDI	242
GDI	
Power Distribution & Control (PDC)	242
Power Distribution & Control (PDC)	242 252
Power Distribution & Control (PDC)	242 252 242 (2 Channel)
Power Distribution & Control (PDC)	242 252 242 (2 Channel)
Power Distribution & Control (PDC)	242 252 242 (2 Channel) 242
Power Distribution & Control (PDC)	242 252 242 (2 Channel) 242
Power Distribution & Control (PDC)	242 252 242 (2 Channel) 242 252 MODEL
Power Distribution & Control (PDC)	242 252 242 (2 Channel) 242 252 MODEL
Power Distribution & Control (PDC)	

MICROLOOP, PROBE	MODEL
3M	Canoga 701
PEDESTRIAN PUSH BUTTONS Campbell	SE-2178-Px
POWER SUPPLY FOR CARD RACK DETECTORS - NEMA	MODEL
ICCEDI	
SINGLE CHANNEL SHELF MOUNT DETECTORS, STANDARD	MODEL
Eberle Design Incorporated (EDI)	
SINGLE CHANNEL SHELF MOUNT DETECTORS, TIME DELAY	MODEL
Eberle Design Incorporated (EDI)	
ULTRASONIC DETECTORS	MODEL
Microwave Sensors	TC-30
2-CHANNEL CARD RACK COUNTING DETECTORS, DUAL OUTPUT	
Eberle Design Incorporated (EDI)	LMD632
2-CHANNEL CARD RACK COUNTING DETECTORS, SINGLE OUTPUT PULSE MODE (NEMA)	MODEL
Eberle Design Incorporated (EDI)	S27B
2-CHANNEL CARD RACK DETECTORS, STANDARD (170)	MODEL
Eberle Design Incorporated (EDI) Eberle Design Incorporated (EDI) Reno A & E Sarasota Sarasota	LMD222 222 222-GP5
2-CHANNEL CARD RACK DETECTORS, STANDARD (NEMA)	MODEL
Eberle Design Incorporated (EDI)	LMD602R

Eberle Design Incorporated (EDI)	LMD602TR
Reno A & E	C
Reno A & E	
NAL HEADS	
BACKPLATES	MODEL
Chapel Hill	44xx Series
Intelight	
Pelco	
Neodesia Plastics	BP Series
LOUVERS	MODEL
Pelco	GPL
POLYCARBONATE SIDE-MOUNT BRACKETS	MODEL
WITH RELATED HARDWARE	
	Any
WITH RELATED HARDWARE	
WITH RELATED HARDWARE Component Products	
WITH RELATED HARDWARE Component Products	UKS1452AB MODEL
WITH RELATED HARDWARE Component Products Eagle SIGNAL HEADS - OPTICALLY LIMITED	UKS1452AB MODELESB Series
WITH RELATED HARDWARE Component Products	UKS1452AB MODELESB Series
WITH RELATED HARDWARE Component Products Eagle SIGNAL HEADS - OPTICALLY LIMITED Intelight, Inc. McCain	UKS1452AB MODELESB SeriesHPTS Series MODEL
WITH RELATED HARDWARE Component Products Eagle SIGNAL HEADS - OPTICALLY LIMITED Intelight, Inc. McCain SIGNAL HEADS - POLY CONVENTIONAL	UKS1452AB MODEL ESB Series HPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 sec
WITH RELATED HARDWARE Component Products Eagle SIGNAL HEADS - OPTICALLY LIMITED Intelight, Inc. McCain SIGNAL HEADS - POLY CONVENTIONAL Chapel Hill	UKS1452AB MODEL ESB SeriesHPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 secSIG-TPB-586-CTN-NVN-0N (5 sec
WITH RELATED HARDWARE Component Products Eagle	UKS1452AB MODELESB SeriesHPTS Series MODELSIG-TPB-305-CTN-NVN-0N (3 secSIG-TPB-586-CTN-NVN-0N (5 secSA Series
WITH RELATED HARDWARE Component Products Eagle	UKS1452AB MODEL ESB SeriesHPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 section of the section of
WITH RELATED HARDWARE Component Products Eagle	UKS1452AB MODEL ESB SeriesHPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 secSIG-TPB-586-CTN-NVN-0N (5 secSA SeriesTP SeriesTP SeriesT-30 POLY
WITH RELATED HARDWARE Component Products Eagle SIGNAL HEADS - OPTICALLY LIMITED Intelight, Inc. McCain SIGNAL HEADS - POLY CONVENTIONAL Chapel Hill Chapel Hill Eagle Econolite General Traffic Equipment Corp.	UKS1452AB MODEL ESB SeriesHPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 secSIG-TPB-586-CTN-NVN-0N (5 secSA SeriesTP SeriesTP SeriesT-30 POLYLT Series
WITH RELATED HARDWARE Component Products Eagle	UKS1452AB MODEL ESB SeriesHPTS Series MODEL SIG-TPB-305-CTN-NVN-0N (3 secSIG-TPB-586-CTN-NVN-0N (5 secSA SeriesTP SeriesT-30 POLYLT SeriesMTSTP Series

Page 6 Revised July 3, 2019

PEDESTRIAN LED SIGNAL INDICATION

Pedestrian LED signal indications must be ETL verified. The ETL verified listing is located at: http://www.intertek.com/lighting/infrastructure/traffic-signals/

HARDWARE

NOTE: Hardware that meets MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide equipment that meets specifications and complete a satisfactory six-month evaluation as described above to be added to the list.

SIGNAL HARDWARE

Pelco

STRANDVISE	MODEL
Reliable 3/8" Strandvise	5202
Reliable 1/4" Strandvise	5200

POSTS AND MAST ARMS

Note: Posts and Mast Arms do not require an evaluation period. Posts and Mast Arms shall be fabricated in accordance with MoDOT specifications and standards. Posts and Mast Arms shall be pre-approved as required by the MoDOT standards and specifications to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Posts and Mast Arms are subject to field inspection before acceptance.

STEEL POSTS AND MAST ARMS	DRAWING NUMBER
Ameron Pole Products	
Ameron Pole Products	` *'
Ameron Pole Products	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Ameron Pole Products	
JEM Engineering & Manufacturing	MODOT1-4 Rev. 2 (Types C, CL, B & BL)
Maico Industries, Inc	MOMAST 1-5A Rev. 1-6 (Types C, CL, B & BL)
Millerbernd Manufacturing Company	
Millerbernd Manufacturing Company	
Millerbernd Manufacturing Company	1005004 (Type C)
Millerbernd Manufacturing Company	1003523 (Type CL)
Millerbernd Manufacturing Company	
Pelco Structural, LLC	MODMA1001 & 1002 (Type B)
Pelco Structural, LLC	MODMAL1001 & 1002 (Type BL)
Pelco Structural, LLC	MOSMA1001 & 1002 (Type C)
Pelco Structural, LLC	
Union Metals	30443-B202 - Rev. 19 (Types C, CL, B & BL)
Valmont	DB00408 - Rev. H (Types B, BL, C, & CL)

MISCELLANEOUS

LOOP SEALANTS (Loop sealants do not require material certification)	MODEL	
3M	5000	
Bondo		
Bondo		
Chemque		
Chemque		
Durant Paints		
RAI Products	·	
NAI F1000015	F10-Sear 0000	
PEDESTAL BASES	MODEL	
Akron Foundry	TS-1000-L-P	
Akron Foundry	TS-1000-L-WP	
Component Products	CPI-BAS-1	
Pelco	PB5336	
Pelco	PB5337	
Pelco	PB5340	
Pelco	PB5341	
Traffic Parts	TP 289 X	
SPLICE KITS (DETECTOR LEAD-IN)	MODEL	
3M	DBY Series	
HOMAC HMC Industries	RAB 1/0 Series	
METER SERVICE PEDESTAL (SIGNALS/SIGNALS & LIGHTING) MODEL		
Miller L 400V O'r rel Oak	00005404040404	
Milbank 120V Signal Only		
Milbank 120V Signal with 2 – Circuit 240V Lighting		
Milbank 120V Signal with 2-Circuit 240V Lighting Dual Meter Myers 120V Signal with 2-Circuit 240V Lighting		
Myers 120V Signal with 2-Circuit 240V Lighting		
Pacific Utility Products 120V Signal Only		
r acinc offinty i roddets 120 v Signal Offiy	001 10-1012100-11120-101010010-10	
Pacific Utility Products 120V Signal with 2-Circuit 240V Lighting Note: (Pacific Utility Products - product listed with "R" is ring less meter sockets, utilities requiring ring type meter socket, have the "6" at the end of the catalog number 150 per 150	other	
Pacific Utility Products 120V Signal with 2-Circuit 240V LightingUSP16R-M2100-112C-MODOT Note: (Pacific Utility Products - product listed with "R" is ring less meter sockets, other utilities requiring ring type meter socket, have the "6" at the end of the catalog number)		
Pacific Utility Products 120V Signal with 2-Circuit 240V Lighting Pacific Utility Products 120V Sgnl w/2-Circuit 240V Lighting Dual I Tesco 120V Signal with 2-Circuit 240V Lighting Tesco 120V Signal with 2-Circuit 240V Lighting	Mtr USPD-2M2100-100-MODOT6 28-105 Type III BF	

Page 8 Revised July 3, 2019

LIGHT EMITTING DIODES (LED)

LEDs (circular and arrow) must be ETL verified. The ETL verified listing is located at: http://www.intertek.com/lighting/infrastructure/traffic-signals/

PROGRAMMABLE VIEW	MODEL
Dialight	P463R33003 (Red Ball)
Dialight	P463Y33003 (Yellow Ball)
Dialight	P463G33003 (Green Ball)
GELcore	
GELcore	DR3-YCFB-01A (Yellow Ball)
GELcore	

VIDEO DETECTION SYSTEMS

VIDEO DETECTOR	MODEL
Aldis	GridSmartAutoscope RackVisionAutoscope RackVision TerraVantage Edge2Vantage NextVantage Vector
Peek Traffic CorpFLIR	VideoTrak IQ-ITS

Page 9 Revised July 3, 2019

III. HIGHWAY LIGHTING

All highway lighting equipment require a one-year evaluation period except for items noted requiring a sixmonth evaluation.

LIGHTING POLES

Note: Poles do not require an evaluation period. Poles shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Lighting poles are subject to field inspection before acceptance.

STEEL POLES	DRAWING NUMBER
Ameron Pole Products JEM Engineering and Manufacturing JEM Engineering and Manufacturing Millerbernd Manufacturing Co. Union Metals	MO98AT3 – Rev. 4 (Type AT45) Design 1 & 2MO98AT2 – Rev. 4 (Type AT45)Design 3, 4 & 5MO98AT4 – Rev. 3 (Type AT30)MO98B2 – Rev. 3 (Type B45 & MB45)MO98B4 – Rev. 2 (Type B30)MO-AT30 – Rev. 3 (Type AT30)MO-AT45 – Rev. 3 (Type AT45)730B907 (Type AT30)730B908 (Type AT45)730B908 (Type B30)730B909 (Type B45)730B910 (Type MB45)71020-B2 - Rev. 5 (Type AT30)71020-B3 - Rev. 4 (Type B30)71019-B6 - Rev. 7 (Type AT45)71019-B7 - Rev. 3 (Type B45)71019-B9 – Rev. 3 (Type B45)71019-B10 – Rev. 3 (Type B45)71020-B103 – Rev. 3 (Type AT30)71020-B104 – Rev. 3 (Type AT30)71020-B104 – Rev. 3 (Type AT30)71020-B104 – Rev. 4 (Type AT45)
Valmont	
ALUMINUM POLES	DRAWING NUMBER
Valmont	MO-051707 (Type AT-30)

Page 10 Revised July 3, 2019

FOUNDATIONS

Note: Screw anchor foundations do not require an evaluation period. Screw anchor foundations shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Screw anchor foundations are subject to field inspection before acceptance.

SCREW ANCHOR FOUNDATIONS

DRAWING NUMBER

Component Products, Inc.	SLSF 8-5 (Type AT30)
Component Products, Inc.	SLSF 10-7 (Type AT45)
Hubbell Chance	SA112-0696 - Rev. H (Type AT30)
Hubbell Chance	SA112-0786 - Rev. E (Type AT45)
Integrated Traffic Solutions, Inc.	ITS AT30 (Type AT30)
Integrated Traffic Solutions, Inc.	ITS AT45 (Type AT45)
J. H. Botts	JHB MOH 30 – Rev. C (Type AT30)
J. H. Botts	JHB MOH 45 – Rev. D (Type AT45)
J. H. Botts	JHB MOH 45 – Rev. D (Type AT45)

LED LUMINAIRES

NOTE: LED Luminaires do not require a field evaluation period. LED Luminaires shall be pre-approved by submittal of documents as required by the MoDOT standards and specifications in order to be added to the list. LED Luminaires shall be fabricated in accordance with MoDOT specifications and standards. Because there is no evaluation period MoDOT reserves the right to deny a product due to evaluations or experiences with a product by other agencies.

BRACKET ARM MOUNT (120/277V)

I	_ED-/	Α	MODEL

American Electric Lighting (AEL)ATB0-20BLEDE10-MVOLT-R3-3K-NL-NR-USPOM	
American Electric Lighting (AEL)ATB0-20BLEDE10-MVOLT-R3-3K-NL-P7-SH-USPOM**	
CreeBXSP1-HO-HT-3ME-100W-30K-UL-SV-UTL	
CreeBXSP1-HO-HT-3ME-100W-30K-UL-SV-R-UTL*	
EatonARCH-AF24-70-D-U-T3-7030-10K-K-AP	
EatonARCH-AF24-70-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**	
Philips/LumecRFM-72W32LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3	
Philips/LumecRFM-72W32LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY	3**
Solar MaxSMX-72WIE-NV-LV2-00-3070-T302-P-10**	

^{*} ANSI C136.41 7-pin receptacle included

LED-B MODEL

American Electric Lighting (AEL)ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-NR-USPOM
American Electric Lighting (AEL)ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-P7-SH-USPOM**
American Electric Lighting (AEL)ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-NR-USPOM
American Electric Lighting (AEL)ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-P7-SH-USPOM**

Page 11 Revised July 3, 2019

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-UTL
Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-R-UTL*
Eaton	ARCH-M-AF48-130-D-U-T3-7030-10K-K-AP
Eaton	ARCH-M-AF48-130-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**
GE	ERLH-0-15-C3-30-D-GRAY-G-R**
Philips/l	LumecRFL-145W64LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/l	LumecRFL-145W64LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar M	axSMX-115WIE-NV-LV2-00-3070-T302-P-10**

^{*} ANSI C136.41 7-pin receptacle included

LED-C MODEL

American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-HK-NR-USPOM
American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-HK-P7-SH-USPOM**
GE	ERL2-0-21-C3-30-D-GRAY-G-R**
Holophane	MGLED 4 3K AS M L V G NL US
Holophane	MGLED 4 3K AS M L V G NL P7 PSC US**
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-190WIE-NV-LV2-00-3070-T302-P-10**

^{*} ANSI C136.41 7-pin receptacle included

BRACKET ARM MOUNT (480V)

LED-A MODEL

American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-NR
American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-P7-SH**
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-UTL
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-R-UTL*
Eaton	ARCH-AF24-70-D-8-T3-7030-10K-K-AP
Eaton	ARCH-AF24-70-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-72WIE-HV-LV2-00-3070-T302-P-10**

^{*} ANSI C136.41 7-pin receptacle included

LED-B MODEL

American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-NR
American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-P7-SH**
American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-HK-NR
American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-HK-P7-SH**

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

Cree	BXSP2-HO-HT-3ME-165W-30K-UH-SV-UTL
Cree	BXSP2-HO-HT-3ME-165W-30K-UH-SV-R-UTL*
Eaton	ARCH-M-AF48-130-D-8-T3-7030-10K-K-AP
Eaton	ARCH-M-AF48-130-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**
GE	ERLH-5-15-C3-30-D-GRAY-G-R**
Philips/l	LumecRFL-145W64LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/l	LumecRFL-145W64LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar M	axSMX-115WIE-HV-LV2-00-3070-T302-P-10**

^{*} ANSI C136.41 7-pin receptacle included

LED-C MODEL

American Electric Lighting (AEL)	ATB2-60BLEDE10-480-R3-3K-NL-HK-NR
American Electric Lighting (AEL)	ATB2-60BLEDE10-480-R3-3K-NL-HK-P7-SH**
GE	ERL2-5-21-C3-30-D-GRAY-G-R**
Holophane	MGLED 4 3K AH M L V G NL US
Holophane	MGLED 4 3K AH M L V G NL P7 PSC US**
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-190WIE-HV-LV2-00-3070-T302-P-10**

^{*} ANSI C136.41 7-pin receptacle included

HIGH PRESSURE SODIUM LUMINAIRES

NOTE: Luminaires will not be furnished with photoelectric cells. Receptacles will have a shorting plug in place of cell. Multi-tap ballast for 120 Volt and 240 Volt fixtures is permissible.

BRACKET ARM MOUNT – 150 WATT	MODEL
------------------------------	-------

American Electric Lighting	115 Series
American Electric Lighting	
Crouse-Hinds/Cooper	
Crouse-Hinds/Cooper	
General Electric (GE)	
Holophane	

BRACKET ARM MOUNT - 250 WATT MODEL

American Electric Lighting	
American Electric Lighting	Durastar 2000, Series 30
Crouse-Hinds/Cooper	OVZ Series
Crouse-Hinds/Cooper	OVX Series
General Electric (GE)	MSRL Series
Holophane	Mongoose Series

BRACKET ARM MOUNT - 400 WATT MODEL

American Electric Lighting	125 Series
American Electric Lighting	Durastar 2000, Series 30

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

Crouse-Hinds/Cooper	
Holophane	
поюрнане	iviorigoose Series
HIGH MAST LIGHTING	MODEL
NOTE: High mast lighting is custom designed for the	e location. Fixtures from the following manufactur
series are considered pre-approved.	
Cooper	HMC Series
General Electric (GE)	HMA Series
Holophane	
Holophane	
Metrolux	VA Series
POLE TOP MOUNTING	MODEL
Holophane	
Holophane	Mongoose Series
SIGN LIGHTING - 250 WATT	MODEL
General Electric (GE)	V2FN Series
Guth	
Holophane	
Holophane	SNVW Series
SIGN LIGHTING - 400 WATT	MODEL
Holophane	PANL Series
Holophane	
UNDERPASS (WALLPACKS)	MODEL
American Electric Lighting	582 Series
Cooper	
General Electric (GE)	
Holophane	
Holophane	
Hubbell	PGM-150S Series
NTROL EQUIPMENT	
CONTACTORS-ELECTROMECHANICAL	MODEL
Square D	Type S
Westinghouse/Cutler-Hammer	A202 Series
CONTACTORS-MERCURY	MODEL
Dayton/Duracool	6A/6X Series

BASE MOUNTED CONTROL CABINETS

NOTE: Cabinets that meet MoDOT specifications from the following manufacturers will be accepted. All other manufacturers must provide a model that meets specifications and complete a satisfactory sixmonth evaluation as described above to be added to the list.

Cleveland Switchboard Coxline Hoffman Shallbetter Inland Technologies

MOUNTING SOCKET FOR PHOTOELECTRIC CONTROL MODEI	MOUNTING	SOCKET FOR	PHOTOELECTRIC CO	NTROL	MODEL
---	----------	------------	------------------	-------	--------------

NOTE: Mounting sockets require a six-month evaluation.

American Electric Lighting	DUR
Fischer-Pierce	
General Electric (GE)	MB-PECTL

PHOTOELECTRIC CONTROL MODEL

Area Lighting Research	SST-120 (120 volt)
Area Lighting Research	
Area Lighting Research	SST-PV (120/240 volt)
American Electric Lighting	
American Electric Lighting	D124-1.0-STJ (120/240 volt)
American Electric Lighting	D240-1.0-STJ (240 volt)
American Electric Lighting	DE480-1.0-TJ (480 volt)
Fischer-Pierce	FPN7790B (105 – 285 volt)
Fischer-Pierce	FPN7772 (195 – 305 volt)
Fischer-Pierce	FPN7794 (480 volt)
Fischer-Pierce	FPN7760 (120 volt)
General Electric (GE)	PEC01TL (>120v/< 305v w/ time delay)

General Liectric (GL)	F LCOTTL (>1207/< 3037 W/ tittle delay)
General Electric (GE)	PEC1TL (120v)
General Electric (GE)	PEC5TL (480v)

TYPE A CIRCUIT BREAKERS MODEL

Square D	FAL Series
Westinghouse/Cutler-Hammer	EHD Series (1-Pole)
Westinghouse/Cutler-Hammer	

MISCELLANEOUS

AVIATION LIGHTING	MODEL
Hughey & Philips	KG114
FUSED SLIP CONNECTORS	MODEL

NOTE: Slip connectors require a six-month evaluation.

BussIDEAL	
METER SERVICE PEDESTAL (LIGHTING)	MODEL
Milbank 4-Circuit 240V Lighting	CP3B51D1PBAOMO1 CP3B51D1PBAOMOCS1 USP24-M2100-100-MODOT6 USP16-M2100-100-MODOT
NAVIGATION LIGHTING	MODEL
TidelandPharos Marine Automatic Power, Inc	ML-140 with TF-3AC Lamp Changer FA-143
SPLICE KITS	MODEL
3M 3M 3M 3M HOMAC HMC Industries	82A2 (Single) 82B1 (Three Way) 82B2 (Three Way)
TRANSFORMER BASES	MODEL
Akron FoundryAkron Foundry	

IV. POWER SUPPLY EQUIPMENT AND PULL BOXES

All items require a six-month evaluation period.

MAIN SERVICE DISCONNECT ENCLOSURE WITH SAFETY SWITCH (NEMA 4)	MODEL
General Electric (GE)	TE 100 CS
Square D	
Westinghouse	WFDN 100
PREFORMED PULL BOX-CLASS 1 Straight	MODEL
Armorcast Products Company	A6001640TAPCX22 (Box & Lid)
Carson Industries	H1730-24 (Box)
CDR	A14-1730 series-22" (Box & Lid)
Composite Industries	CI183024PB1P
Highline	PHA173024HO1R
	H1730-PI (Lid)
Martin Enterprises	173022PC
Strongwell/Quazite	PG1730B532 (Box)
	PG1730H511 (Lid)
	PG1730BA Series
Synertech	S1730B24AA (Box)
	S1730HBB0A (Lid)
Flared	
Armorcast Products Company	
CDR	
Highline	
Martin Enterprises	
NewBasis	,
NewBasis	,
NewBasis	,
Pencell Plastics	PEM-1830-PCX (Box & Lid)
PREFORMED PULL BOX-CLASS 2	MODEL
Straight	100040T4T4D0V00 (D
Armorcast Products Company	
Armorcast Products Company	
Carson Industries	` '
	` ,
CDR	
Composite Industries	
Highline	
Martin Enterprises	
Strongwell/Quazite	, ,
	PG2436H508 (Lid)
	PG2436BA Series
Synertech	, ,
	S2436HCB0A (Lid)

Page 17 Revised July 3, 2019

PREFORMED PULL BOX-CLASS 2 Flared	MODEL
Armorcast Products Company	A6001974TAX26 (Box & Lid)
Armorcast Products Company	
CDR	
Highline	` ,
Martin Enterprises	
NewBasis	
NewBasis	
NewBasis	` ,
Pencell Plastics	` ,
Pencell Plastics	,
Synertech	,
Sylicitedi	
	3243011CB0A (Eld)
PREFORMED PULL BOX-CLASS 3 Straight	MODEL
Armorcast Products Company	A6001430TAPCX36 (Box & Lid)
Carson Industries	
	` ,
CDR	` ,
Composite Industries	` ,
Highline	
Martin Enterprises	
Strongwell/Quazite	
Ottorig work & duzito	PG3048H517 (Lid)
	PG3048BA Series
Synertech	
Synerceon	S3048HCB0A (Lid)
Flared	COCTOTIODON (Eld)
Armorcast Products Company	Δ6001550TΔX36 (Box & Lid)
CDR	
Highline	` ,
Martin Enterprises	
NewBasis	
NewBasis	,
	` ,
Pencell Plastics	PEIVI-3046-30-PCA-3PLIT (BOX & LIU)
PREFORMED PULL BOX-CLASS 5 Flared	MODEL
Armorcast Products Company	A6001466TA (Box & Lid)
Armorcast Products Company	
CDR	,
Highline Products	,
Martin Enterprises	
NewBasis	
NewBasis	
NewBasis	` ,
NewBasis	,
Quazite	

Page 18 Revised July 3, 2019

HIGHWAY SIGNING EQUIPMENT

V. GENERAL

This Approved Products List (APL) for highway signing equipment contains current pre-approved products for highway signing. This list is applicable to department purchases and construction contracts. The list includes products that have been approved for use based on satisfactory performance during a specified test period. Products listed have undergone sufficient field testing to be considered acceptable for use at any time. All field tests of new products or pending products should be arranged with Central Office Traffic.

The department frequently tests new products and equipment for highway signing. These new products may be installed on a construction project or used for normal department installations and maintenance. Vendors may also submit items, at no cost to the department, for the test period. Only a limited number of units will be accepted for test statewide until the product is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form. Copies of this form can be obtained from our website at www.modot.state.mo.us or contact MoDOT Central Office Traffic. Minor model changes of previously approved products do not require a new evaluation period, although the vendor shall submit specification sheets and a sample of the product for the Department to inspect. Any modifications determined to potentially alter the performance of the product may require the product to undergo additional field testing and evaluation.

All product evaluations are coordinated through MoDOT Central Office Traffic. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified by Central Office Traffic (typically one year). Products that are not performing satisfactorily will be left off of the list. Products that were previously approved that begin to perform unsatisfactorily will be removed or replaced with an approved product if the vendor cannot provide timely correction of the problem.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Central Office Traffic. If approved, the product may be tested for the specified period as described above. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Products will not be added to the Approved Products List that does not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include but are not limited to:

- Significant change in product specifications or design without notification to the department.
- Failure to correct or replace products that are defective in manufacturing or workmanship.
- Repeated patterns of malfunctions of a product not adequately corrected by the vendor.
- Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.
- Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However the product will eventually be removed from the list if it is not revised to meet specifications.

VI. HIGWAY SIGNING EQUIPMENT

BREAKAWAY DEVICES

MANUFACTURER	DESCRIPTION, MODEL

XKBSM42520-G

PSST, RT8UX-25C25-G

SMSB9-10-G

Dent Breakaway Industries, Inc...............................5/8" Dent Bolt, #6878

Dent Breakaway Industries, Inc 1/2" Dent Bolt, #6874

FOUNDATIONS/ANCHORS

MANUFACTURER DESCRIPTION, MODEL

None......None

SIGN HARDWARE

MANUFACTURER DESCRIPTION, MODEL

Xcessories Squared	. Aluminum Post Clamp for 2.5" Pipe, XAPC278RD
Xcessories Squared	. Aluminum Post Clamp for 3" Pipe, XAPC350RD
Xcessories Squared	. Aluminum Post Clamp for 4" Pipe, XAPC450RD
Xcessories Squared	. Aluminum Bar for Post Clamps, XAB750
Xcessories Squared	. Aluminum Sign Backer Bar, ASB200P1
Xcessories Squared	. Extruded Panel Clamp for 2" PSST, EPPCS200SQ
Xcessories Squared	. Extruded Panel Clamp for 2.5" PSST, EPPCS250SQ
Xcessories Squared	Extruded Panel Clamp for 2.5" Pipe, EPPCS250RD
Xcessories Squared	. Extruded Panel Clamp for 3" Pipe, EPPCS300RD
Xcessories Squared	. Extruded Panel Clamp for 4" Pipe, EPPCS400RD
Xcessories Squared	. Extruded Panel Clamp for 4x4 Wood, EPPCS44W
Xcessories Squared	. Extruded Panel Clamp for 4x6 Wood, EPPCS46W
Xcessories Squared	. Extruded Panel Clamp for 6x6 Wood, EPPCS66W

Page 20 Revised July 3, 2019

SIGNS

MANUFACTURER	DESCRIPTION, MODEL
Tapco	. Blinkersigns

Page 21 Revised July 3, 2019

TRAFFIC SIGNALS AND HIGHWAY LIGHTING EQUIPMENT

ADDED:

DETECTORS

PEDESTRIAN PUSH BUTTONS	MODEL
Pelco	SE-2178-Pxx (Added 4/18/19)

LED LUMINAIRES

NOTE: LED Luminaires do not require a field evaluation period. LED Luminaires shall be fabricated in accordance with MoDOT specifications and standards. LED Luminaires shall be pre-approved by submittal of documents as required by the MoDOT standards and specifications in order to be added to the list. Submittal of documentation shall occur prior to approval for use on MoDOT projects.

BRACKET ARM MOUNT (120/277V)

LED-A	MODEL
LEDEA	INICUEL

American Electric Lighting (AEL)	ATB0-20BLEDE10-MVOLT-R3-3K-NL-NR-USPOM
American Electric Lighting (AEL)	ATB0-20BLEDE10-MVOLT-R3-3K-NL-P7-SH-USPOM**
Cree	BXSP1-HO-HT-3ME-100W-30K-UL-SV-UTL
Cree	BXSP1-HO-HT-3ME-100W-30K-UL-SV-R-UTL*
Eaton	ARCH-AF24-70-D-U-T3-7030-10K-K-AP
Eaton	ARCH-AF24-70-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-72WIE-NV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

LED-B MODEL

American Electric Lighting (AEL)	ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-NR-USPOM
American Electric Lighting (AEL)	ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-P7-SH-USPOM**
American Electric Lighting (AEL)	ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-NR-USPOM
American Electric Lighting (AEL)	ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-P7-SH-USPOM**
Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-UTL
Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-R-UTL*
Eaton	ARCH-M-AF48-130-D-U-T3-7030-10K-K-AP
Eaton	ARCH-M-AF48-130-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**
GE	ERLH-0-15-C3-30-D-GRAY-G-R**
Philips/Lumec	RFL-145W64LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFL-145W64LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-115WIE-NV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

LED-C MODEL

American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-HK-NR-USPOM
American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-HK-P7-SH-USPOM**
GE	ERL2-0-21-C3-30-D-GRAY-G-R**
Holophane	MGLED 4 3K AS M L V G NL US
Holophane	MGLED 4 3K AS M L V G NL P7 PSC US**
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-190WIE-NV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

BRACKET ARM MOUNT (480V)

LED-A MODEL

American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-NR
American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-P7-SH**
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-UTL
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-R-UTL*
Eaton	ARCH-AF24-70-D-8-T3-7030-10K-K-AP
Eaton	ARCH-AF24-70-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-72WIE-HV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

LED-B MODEL

American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-NR
American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-P7-SH**
American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-HK-NR
American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-HK-P7-SH**
CreeBXSP2-HO-HT-3ME-165W-30K-UH-SV-UTL
CreeBXSP2-HO-HT-3ME-165W-30K-UH-SV-R-UTL*
EatonARCH-M-AF48-130-D-8-T3-7030-10K-K-AP
EatonARCH-M-AF48-130-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**
GEERLH-5-15-C3-30-D-GRAY-G-R**
Philips/LumecRFL-145W64LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/LumecRFL-145W64LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar MaxSMX-115WIE-HV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

LED-C	MODEL
LED-C	MODEL

American Electric Lighting (AEL)	ATB2-60BLEDE10-480-R3-3K-NL-HK-NR
American Electric Lighting (AEL)	ATB2-60BLEDE10-480-R3-3K-NL-HK-P7-SH**
GE	ERL2-5-21-C3-30-D-GRAY-G-R**
Holophane	MGLED 4 3K AH M L V G NL US
Holophane	MGLED 4 3K AH M L V G NL P7 PSC US**
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-190WIE-HV-LV2-00-3070-T302-P-GRAY-10**

^{*} ANSI C136.41 7-pin receptacle included

Page 3 Revised July 3, 2019

^{**} ANSI C136.41 7-pin receptacle with shorting cap included

DELETED:

REVISED:

CABINETS AND BACK PANELS (NEMA & S.S. PRETIMED)

NEMA CABINET AND BACK PANEL ASSEMBLIES

Naztec P-44 Changed to: Trafficware (4/18/19 – Naztec acquired by Trafficware)

CONFLICT MONITORS

NEMA CONFLICT MONITORS	MODEL
Naztec Incorporated	.NM512
Trafficware	.NM512

Page 5 Revised July 3, 2019