

ADDENDUM NUMBER 3

Project Number 89005566

Project Title <u>Kenneth Road Bridge Replacement</u> Federal Job #BRO-B048(50)

ISSUE DATE: <u>10/24/2019</u>

Bidders are hereby notified that the Bidding and Contract Documents for the above project, for which Bids are to be received on 10/29/2019, are amended as follows:

| Q1. | In the Invitation to Bid page 1, 4 th paragraph "Each bidder must certify that it is not presently | | | | | |
|-----|---|--|--|--|--|--|
| | debarred,". Do you have a form for this certification? If not, do we need to include a | | | | | |
| | statement on our company letterhead certifying this? | | | | | |
| A1. | We don't have a form for this. Refer to Notice to Contractors Item (6). | | | | | |
| | | | | | | |
| Q2. | Notice to Contractors Item (6), it stated that "Any necessary documentation is to accompany | | | | | |
| | the bid submission, as required by these actions." Where are the documents that are referred | | | | | |
| | to in Sec. 102.18.1 and Sec. 102.18.4? | | | | | |
| A2. | By signing and submitting the bid the bidder certifies the requirements in Contractors | | | | | |
| | Item (6). Documentation that will be needed is located in Bid Form – Document | | | | | |
| | 00500.03. | | | | | |
| | | | | | | |
| Q3. | The bid form has a quantity of 1242 SY of Asphalt Milling (2"), 4227 SY of both 2" Asphalt | | | | | |
| | Surface and 7" Asphalt Base. In the plans, in the summary of quantities on Sheet 2 of 100, | | | | | |
| | the surface quantity is shown as 5469 SY. Which is correct? If the bid form is correct, is the | | | | | |
| | 2" asphalt surface subsidiary to the Asphalt Milling (2")? | | | | | |
| A3. | The plans are correct. A revised bid form is attached with a revised 2" Asphalt Surface | | | | | |
| | quantity of 5469 SY shown. | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Contracting Requirements

- 1. Delete and replace the following section(s):
 - a. Delete Document, 00412 Unit Prices and replace with the following Document, 00412 Unit Prices included in this Addendum.

NOTE: Bidders must acknowledge receipt of this Addendum by listing the number and date, where provided, on the Bid Form - Document 00410.



CITY OF FOUNTAINS

UNIT PRICES

89005566

Kenneth Rd Bridge Project

KANSAS CITY MISSOURI

NOTE: IN THE EVENT OF DISCREPANCY, UNIT PRICE SHALL GOVERN.

| Item No. | Unit | Quantity | Item Description: | Unit | Extension |
|----------|------|----------|---|------|-----------|
| 1 | L.S. | 1 | Clearing & Grubbing (Approximately 0.45Acres) | | |
| 2 | L.S. | 1 | Demolition and Removal | | |
| 3 | L.S. | 1 | Mobilization | | |
| 4 | L.S. | 1 | Contractor Surveying and Staking | | |
| 5 | C.Y. | 12,384 | Embankment | | |
| 5a | C.Y. | 12,384 | Soil Treatment (If Liq Limit > 40 and/or Plastic Limit > 25) (5-7% Lime or 15-20% Fly Ash) | | |
| 6 | C.Y. | 6,432 | Excavation | | |
| 7 | S.Y. | 1,596 | 4" Layer Crushed Stone Surface | | |
| 8 | S.Y. | 361 | Temporary 4" Layer Crushed Stone Surface | | |
| 9 | S.Y. | 240 | Construction Entrance Rock | | |
| 10 | S.Y. | 1,242 | Asphalt Milling (2") | | |
| 11 | | | Bid Item Deleted | | |
| 12 | S.Y. | 5,469 | Asphalt Surface Course (2") | | |
| 13 | S.Y. | 4,227 | Asphalt Base Course (7") | | |
| 14 | S.Y. | 4,661 | Aggregate Base Course (6") | | |
| 15 | C.Y. | 777 | Compacted Subgrade (6") | | |
| 16 | Gal. | 211 | Tack Coat | | |
| 17 | S.Y. | 253 | Portland Cement Concrete Pavement (6" thick) | | |
| 18 | S.Y. | 199 | 4" Concrete Sidewalk | | |
| 19 | L.F. | 775 | Barbed Wire Fence | | |
| 20 | L.F. | 525 | Chainlink Fence (Relocate) | | |
| 21 | EACH | 1 | Double Swing Gate/Access Control Gate | | |
| 22 | L.F. | 3,750 | 4" Yellow Thermoplastic Pavement Marking (On Roadway) | | |
| 23 | L.F. | 3,260 | 4" White Thermoplastic Pavement Marking (On Roadway) | | |
| 24 | L.F. | 42 | 24" Stop Bar White | | |
| 25 | L.F. | 887 | 4" Yellow Epoxy Pavement Marking (On Bridge) | | |
| 26 | L.F. | 967 | 4" White Epoxy Pavement Marking (On Bridge) | | |
| 27 | EACH | 3 | Left Turn Arrow (Preformed Thermoplastic) | | |
| 28 | EACH | 1 | Right Turn Arrow (Preformed Thermoplastic) | | |
| 29 | L.F. | 110 | 24" Hatch Yellow Waterborne Pavement Marking | | |
| 30 | EACH | 2 | Land Corner and Corner Monument Adjustments | | |
| 31 | EACH | 1 | Grate Inlet (Type 1)(4' x 2')(Special) | | |

| Item No. | Unit | Quantity | Item Description: | Unit | Extension |
|----------|------|----------|--|------|-----------|
| 32 | L.F. | | 15" RCP | | |
| 33 | L.F. | 139 | 48" RCP | | |
| 34 | EACH | 2 | 15" RC End Section | | |
| 35 | EACH | 2 | 48" RC End Section | | |
| 36 | EACH | 3 | 15" RC End Section w/ Toe Wall | | |
| 37 | EACH | 2 | 48" RC End Section w/ Toe Wall | | |
| 38 | S.Y. | 160 | Rock Lining | | |
| 39 | C.Y. | 2,950 | Type 2 Rock Blanket | | |
| 40 | ACRE | 3 | Temporary Seeding | | |
| 41 | ACRE | 2 | Permanent Seeding | | |
| 42 | L.F. | 2,590 | Compost Filter Sock | | |
| 43 | L.F. | 130 | Slope Drain | | |
| 44 | L.F. | 1,070 | Type B Berm | | |
| 45 | L.F. | 265 | Type C Berm | | |
| 46 | L.F. | 20 | Gravel Filter Sock | | |
| 47 | S.Y. | 95 | Erosion Control Blanket | | |
| 48 | S.Y. | 4,433 | Geotextile Blanket | | |
| 49 | C.Y. | 103 | Type 3 Ditch Liner | | |
| 50 | Each | 1 | Fire Hydrant Relocation | | |
| 51 | L.S. | 1 | Existing Street Signs & Pavement Marking Removal | | |
| 52 | EACH | 9 | Type III Moveable Barricades | | |
| 53 | S.F. | 72.89 | Construction Signs | | |
| 54 | S.F. | 73.00 | Permanent Signs | | |
| 55 | EACH | 15 | Posts | | |
| 56 | EACH | 2 | Project Signs (Const -5-96) | | |
| 57 | EACH | 2 | Changeable Message Sign | | |
| 58 | L.S. | 1 | Removal of Existing Bridge Substructure | | |
| 59 | S.Y. | 199 | Bridge Approach Slab (Minor Road) | | |
| 60 | L.F. | 395 | Pedestrian Fence* | | |
| 61 | L.F. | 93 | Drilled Shaft (4'-0") | | |
| 62 | L.F. | 72 | Rock Sockets (3'-6") | | |
| 63 | EACH | 9 | Supplementary Television Camera Inspection | | |
| 64 | L.F. | 162 | Foundation Inspection Holes | | |
| 65 | EACH | 9 | Sonic Log Testing | | |
| 66 | L.F. | 357 | Galvanized Structural Steel Piles (10 inch) | | |
| 67 | EACH | 2 | Dynamic Pile Testing | | |
| 68 | EACH | 14 | Pile Point Reinforcement | | |
| 69 | C.Y. | 249 | KCMO Mix SA-1 Concrete | | |
| 70 | S.Y. | 1,462 | Slab on Concrete NU-Girder | | |
| 71 | L.F. | 810 | Corral Rail on Bridge (includes tapers) | | |
| 72 | L.F. | 1.444 | NU-43, Prestressed Concrete NU Girder | | |

Bidder: _____

| Item No. | Unit | Quantity | Item Description: | Unit | Extension |
|----------|------|----------|-------------------------------------|------|-----------|
| 73 | LBS. | 49,167 | Reinforcing Steel (Bridges) | | |
| 74 | EACH | 2 | Vertical Drain at End Bents | | |
| 75 | EACH | 12 | Plain Neoprene Bearing Pads | | |
| 76 | EACH | 20 | Laminated Neoprene Bearing Pads | | |
| | | | Total Unit Prices: (LAST PAGE ONLY) | | TOTAL \$ |
| | | | | | |

*Non-participating item

Note: May be printed, for manual fill-in, or filled in on electronic excel spreadsheet version.