

CITY OF RAYTOWN, MISSOURI
10000 EAST 59TH STREET
RAYTOWN, MISSOURI 64133
(816) 737-6012
PUBLIC WORKS – ENGINEERING DIVISION



PROJECT NUMBER: STP-3301(477)
RAYTOWN DOWNTOWN STREETScape
ADDENDUM NO. 1 DATE: September 18, 2015

The original bid documents for Project No. STP-3301(477) for the Raytown Downtown Streetscape project shall remain in effect except as revised by the following changes, which shall take precedence over anything to the contrary in the plans and specifications.

- *The Bid date and time remains the same as Tuesday, September 22nd at 2:00pm.*

Specifications:

- Approved Lighting Product List

The lighting system manufacturers shall be on the following list, or an approved equal.

Item	Sternberg	Philips Hadco	Bega
18' Post	7700 T5	RS856	B99-766-B411
25' Post	7700 T6	RS856	B99-766-B411
Finish	BK	B	Black
Arm	R3	HFP510	Hook 4'-1"x 2'-2 1/2"
Fixture	1914LED/FFA	CXF4 T A 3 A N S	9962MM
Luminaire	4ARC60T3	Included with Fixture	Included with Fixture

- Here are the MoDOT approved video detection systems.

<u>VIDEO DETECTOR</u>	<u>MODEL</u>
Aldis	GridSmart
Econolite	Autoscope 2020
Econolite	Autoscope RackVision
Econolite	Autoscope RackVision Terra
Econolite	Autoscope Solo Terra
Iteris	Vantage Edge2
Peek Traffic Corp	VideoTrak IQ-P
Peek Traffic Corp	VideoTrak IQ-ITS

Clarification:

- Type 2 Asphalt Mix: This unit price will include all work for construction of the KC Metro Chapter, American Public Works Association, Division II Section 2200 Paving, 2205 Asphaltic Concrete Surface & Base. Tack should be placed at an undiluted shotrate of 0.05 gallon per square yard. RAP up to 27% and RAS up to 3% will be allowed. SS-1HP Emulsified Asphalt to be used and included as subsidiary.

ACKNOWLEDGEMENT

Each bidder shall acknowledge receipt of this Addendum No. 1 with their signature affixed hereto, and shall attach this Addendum to the original bid proposal.


Jason Hanson
Project Manager
9-18-2015

CERTIFICATION BY BIDDER:

PRINT NAME _____

SIGNATURE _____

COMPANY _____

DATE _____