

August 26, 2015

To: Plan Holders for Improvements to the
Kennett Memorial Airport
Kennett, MO
State Block Grant No. 15-079C-1

Transmitted herewith is Addendum **No. 2** to the Contract Documents and Specifications dated July 30, 2015, for Improvements to the Kennett Memorial Airport, Kennett, Missouri.

SCHEDULE I:

Construct 4-Unit Box Hangar

SCHEDULE II:

Construct Taxiway Widening

SCHEDULE III:

Install Gate Operator

Sincerely,

Jviation, Inc.



Andy Remstad, AIA
Project Manager



**ADDENDUM NO. 2
TO
CONTRACT DOCUMENTS AND SPECIFICATIONS
FOR IMPROVEMENTS TO THE
KENNETT MEMORIAL AIRPORT
KENNETT, MISSOURI
State Block Grant No. 15-079C-1**

To All Bidders: You are requested to make all changes and/or additions contained in this addendum to the Bidding Documents. Failure to acknowledge this Addendum in Proposal shall result in rejection of bid. Bidders are informed that the above referenced Contract Documents and Specifications are modified as follows as of August 26, 2015:

CONTRACT DOCUMENTS & SPECIFICATIONS

1. Specification 13 3419 1.7 Warranty, B. Roof Weather tightness Warranty. Revise to read:
 - a. "Furnish manufacturers standard weather tightness warranty against leaks in roof panels, arising out of or caused by ordinary wear and tear under normal weather and atmospheric conditions."

QUESTIONS

1. What kind of roof system are we supposed to provide?
 - a. Furnish the screw down metal panel roof system described in Specification 13 3419 Metal Building Systems 2.5 Roof Panels.

**** END OF ADDENDUM NO. 2 ****

No more questions will be accepted prior to the bid opening.

3. Do not store materials directly on ground.
 4. Store materials on flat, level surface, raised above ground, with adequate support to prevent sagging.
 5. Protect materials and finish during storage, handling, and installation to prevent damage.
- C. Maintain environmental conditions (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside manufacturer's absolute limits.
- D. Store and dispose of hazardous materials, and materials contaminated by hazardous materials, in accordance with requirements of local authorities having jurisdiction.

1.7 WARRANTY

- A. Building System Warranty
1. Furnish manufacturer's standard warranty for the metal building system, excluding paint.
 2. The manufacturer shall warranty the metal building system against failure due to defective material or workmanship for a minimum period of one (1) year from date of shipment.
 3. The liability under this warranty shall be limited to furnishing, but not dismantling or installing, necessary replacement material F.O.B. manufacturer's plant. In no event shall the manufacturer be liable for loss of profits, or other incidental, consequential, or special damages.
- B. Roof Weather tightness Warranty
1. Furnish manufacturer's standard weather tightness warranty against leaks in roof panels, arising out of or caused by ordinary wear and tear under normal weather and atmospheric conditions.
- C. Roof and Wall Paint Finish Warranty
1. Paint Systems
 - a. Furnish manufacturer's standard warranty for the metal panel paint system against chipping, peeling, blistering, fading in excess of 5 NBS Hunter units as set forth in ASTM-D-2244, and chalking in excess of 8 units as set forth in ASTM-D-4214.
 2. The warranty shall be for a period of 30 years from the date of shipment for PVDF paint systems.
 3. The warranty shall be for a period of 25 years from the date of shipment for silicone-polyester paint systems.

PART 2 PRODUCTS

2.1 MANUFACTURERS

- A. Acceptable Manufacturer:
1. Erect-A-Tube
 2. FulFab Aircraft Hangars
 3. Prime Steel Buildings