
ADDENDUM NO. 4 TO SALINE ROAD IMPROVEMENTS – PHASE 1 STP – 5403 (642)

COUNTY OF JEFFERSON, MISSOURI





This addendum forms a part of the bidding and contract documents and modifies the original bidding documents. Acknowledge receipt of this addendum in the space provided on this bid form. **FAILURE TO DO SO MAY SUBJECT BIDDER TO DISQUALIFICATION.**

PROJECT SPECIFICATIONS

STP - 5403 (642) BID FORM:

Remove page 21 and replace with new page 21, revised 3/6/15. Reason: revised quantity for pay item 617-36.00D "Temporary Traffic Barrier, Contractor Furnished/Retained" from 392 lineal feet to 530 lineal feet.

STP - 5403 (642) AGREEMENT FORMS:

Remove page 34 and replace with new page 34, revised 3/6/15. Reason: revised quantity for pay item 617-36.00D "Temporary Traffic Barrier, Contractor Furnished/Retained" from 392 lineal feet to 530 lineal feet.

CONSTRUCTION PLANS

STP - 5403 (642) QTY-01

Remove plan sheet 2 of 99 (and any previous revisions) and replace with plan sheet 2 of 99, revised 3/6/15. Reason: revised quantity for pay item 617-36.00D "Temporary Traffic Barrier, Contractor Furnished/Retained" from 392 lineal feet to 530 lineal feet.

STP - 5403 (642) QTY-04

Remove plan sheet 5 of 99 and replace with plan sheet 5 of 99, revised 3/6/15. Reason: revised schedule of quantities for pay item 617-36.00D "Temporary Traffic Barrier, Contractor Furnished/Retained", and added note stating length of traffic barrier includes any required nose section. Also revised schedule of quantity for pay item 720-99.04 "Mechanically Stabilized Earth Wall Systems Large Blocks"

BIDDER'S FORMS

STP - 5403 (642) BIDDER'S FORMS:

Replace entire Bidder's Form (and any previous revisions) with Bidder's Forms revised 3/6/15.

END OF ADDENDUM NO. 4

Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
726-10.15	15 In. Pipe Group A	LF	2,668	Omit Oost	Amount
726-10.18	18 In. Pipe Group A	LF	636		
726-10.24	24 In. Pipe Group A	LF	530		
726-10.36	36 In. Pipe Group A	LF	16		
726-11.15	Temporary 15" Corrugated Metal	LF	135		
720-11.15	Pipe	LF	133		
726-54.04	4" Polyvinyl Chloride Pipe	LF	65		
726-54.08	8" Polyvinyl Chloride Pipe	LF	144		
731-00.42	Precast Concrete Manhole – 42 In.	EA	3		
731-10.42	Precast Concrete Drop Inlet 4 Ft X 2 Ft	FT	5		
731-99.02	Precast Drop Inlet with Grate and Frame	EA	52		
732-06.15A	15 In. or Allowed Substitute Group A Flared End Section	EA	3		
732-06.24A	24 In. or Allowed Substitute Group A Flared End Section	EA	3		
806-10.19	Silt Fence	LF	4,060		
806-10.25	Inlet Check	EA	58		
806-41.24	Type 5 Erosion Control Blanket	SY	1,142		
				Subtotal=	

	Signing/Striping Items				
Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
616-10.05	Construction Signs	SF	612		
616-10.28	Channelizer	EA	207		
616-10.31	Type III Moveable Barricade with Light	EA	13		
616-10.98	Changeable Message Sign, Contractor Furnished (Rental)	EA	4		
617-36.00D	Temporary Traffic Barrier, Contractor Furnished/Retained	LF	530		
620-60.00B	4 In. White Acrylic Waterborne Pavement Marking Paint	LF	15,530		
620-60.01B	4 In. Yellow Acrylic Waterborne Pavement Marking Paint	LF	15,720		

Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
616-10.98	Changeable Message Sign, Contractor Furnished (Rental)	EA	4		
617-36.00D	Temporary Traffic Barrier, Contractor Furnished/Retained	LF	530		
620-60.00B	4 In. White Acrylic Waterborne Pavement Marking Paint	LF	15,530		
620-60.01B	4 In. Yellow Acrylic Waterborne Pavement Marking Paint	LF	15,720		
620-61.24	Acrylic Waterborne Pavement Marking Paint, 24 In., White	LF	12		
903-50.10	Permanent Signing	SF	323		
				Subtotal=	

	Landscaping Items									
Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount					
604-10.00	Topsoil (4" Thick)	CY	1090							
805-10.00A	Seeding – Cool Season Mixtures	AC	2.0							
				Subtotal=						

PROJECT	TOTAL =	

ARTICLE 5. PAYMENT PROCEDURES

Contractor shall submit Application for Payment in accordance with Paragraph 26 of the General Conditions. The Engineer as provided in the General Conditions will process application for Payment.

- 5.1 Progress Payment. Owner will make progress payments per the Contract Bid Price on the basis of the Contractor's Application of Payment as recommended by the Engineer, on or about the First day of each month during the construction as provided below. All progress payments will be on the basis of the Work measured on the job site according to unit of measurement as shown within the job special provisions or Missouri Standard Specifications.
- 5.1.1 The Owner may initiate withholding of retainage as provided by Section 109.9 of the Missouri Standard Specifications for Highway Construction. Release of any retained percentage shall be as provided by Section 109.9.

202-20.10 203-10.00 203-20.00 203-20.00 203-60.00 206-30.00 206-31.00 206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-10.05 408-10.10 \$002-17.06 603-10.30* 603-10.30* 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 606-60.10 606-60.10 606-60.10	DESCRIPTION ROADWAY ITEMS CLEARING AND GRUBBING REMOVAL OF IMPROVEMENTS CLASS A EXCAVATION CLASS C EXCAVATION (ROCK BENCHING) COMPACTING EMBANKMENT CLASS 3 EXCAVATION CLASS 6 EXCAVATION CLASS 7 EXCAVATION CLASS 6 EXCAVATION CLASS 7 EXCAVATION CLASS 7 EXCAVATION CLASS 7 EXCAVATION CLASS 6 EXCAVATION CLASS 7 EXCAVATION CLASS 7 EXCAVATION CLASS 6 EXCAVATION CLASS 7 EXCAVATION CLASS 7 EXCAVATION CLASS 6 EXC	L.S. L.S. C.Y. C.Y. C.Y. C.Y. C.Y. L.F. S.Y. S.Y. TON TON GAL GAL SY. EACH EACH EACH EACH EACH EACH EACH EACH	QUANTITY 1 1 14,145 549 1,436 3,623 1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
202-20.10 203-10.00 203-20.00 203-60.00 206-30.00 206-30.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 502-17.06 603-10.30* 603-10.31** 604-12.01* 604-12.01* 604-20.11** 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	CLEARING AND GRUBBING REMOVAL OF IMPROVEMENTS CLASS A EXCAVATION CLASS C EXCAVATION (ROCK BENCHING) COMPACTING EMBANKMENT CLASS 3 EXCAVATION (ROCK BENCHING) CLASS 3 EXCAVATION CLASS 5 EXCAVATION CLASS 6 EXCAVATION CLASS	L.S. C.Y. C.Y. C.Y. C.Y. C.Y. L.F. S.Y. S.Y. TON GAL GAL SY. EACH EACH EACH EACH EACH EACH	1 14,145 549 1,436 3,623 1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
203-10.00 203-20.00 203-60.00 206-30.00 206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 602-17.06 603-10.30** 604-12.01** 604-12.01** 604-20.00** 604-20.11** 604-20.10 604-20.11** 604-80.06* 606-30.15 606-66.10 607-10.10A	CLASS A EXCAVATION CLASS C EXCAVATION (ROCK BENCHING) COMPACTING EMBANKMENT CLASS 3 EXCAVATION CLASS 3 EXCAVATION IN ROCK LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOUIS A SPHALT RC 76-OR MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SYVA BOLINLINE DRAIN A SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	C.Y. C.Y. C.Y. C.Y. C.Y. L.F. S.Y. S.Y. TON TON GAL GAL SW. EACH EACH EACH EACH EACH EACH	14,145 549 1,436 3,623 1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6 1
203-20.00 203-60.00 206-30.00 206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 \$02-17.06 603-10.30** 604-12.01** 604-05.08** 604-12.01** 604-20.00** 604-20.10** 604-20.10** 604-60-30.15 606-60.10 606-60.10	CLASS C EXCAVATION (ROCK BENCHING) COMPACTING EMBANKMENT CLASS 3 EXCAVATION CLASS 3 EXCAVATION IN ROCK LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOLIDAS PHALT RC 76-OB MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER PNAGUNUNE DRAIN SYVABOUNUNE DRAIN ADJUSTING AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	C.Y. C.Y. C.Y. C.Y. C.Y. L.F. S.Y. S.Y. S.Y. TON TON GAL. GAL S.Y. EACH EACH EACH EACH EACH EACH	549 1,436 3,623 1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
203-60.00 206-30.00 206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 \$\frac{4}{2}\$\text{06}\$\text{06}\$\text{03}\$\text{10}\$\text{10}\$\text{06}\$\text{03}\$\text{10}\$\text{10}\$\text{04}\$\text{10}\$\text{10}\$\text{10}\$\text{04}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{10}\$\text{11}\$\text{10}\$\text{11}\$\text{10}\$\text{11}\$	COMPACTING EMBANKMENT CLASS 3 EXCAVATION CLASS 3 EXCAVATION CLASS 3 EXCAVATION IN ROCK LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME-LIQUIDA SPHALT RC 76- QR-MC 26 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SYVARD INLINE DRAIN ASSINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	C.Y. C.Y. C.Y. L.F. S.Y. S.Y. S.Y. TON TON GAL. GAL SY. EACH EACH EACH EACH EACH EACH EACH	1,436 3,623 1,543 1,000 19,287 294 1,246 1,712,2 6,802,3 710 4,920 468 18 13 2
206-30.00 206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 502-17.06 603-10.30* 603-10.31** 604-12.01* 604-12.00** 604-20.10 604-20.10 604-20.10 604-20.10 606-61.0.10 606-30.15 606-66.10 607-10.10A	CLASS 3 EXCAVATION IN ROCK LIASS 3 EXCAVATION IN ROCK LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOUIDA SPHALT RC 70 OR MC 30 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SY ABOUNUME DEAIN ASSINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING M ANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	C.Y. C.Y. L.F. S.Y. S.Y. TON TON GAL. GAL SY. EACH EACH EACH EACH EACH EACH EACH	3,623 1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2
206-31.00 207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 502-17.06 603-10.30* 603-10.31** 604-05.08* 604-12.01* 604-20.00** 604-20.11** 604-80.06* 606-10.10 606-60.10 606-60.10	CLASS 3 EXCAVATION IN ROCK LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOUID A SPHALT RC 76-OR MC 36 CONCRETE PAVEMENT (6" NOIN-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING M ANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	C.Y. L.F. S.Y. S.Y. TON TON GAL GAL SY. EACH EACH EACH EACH EACH EACH EACH	1,543 1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
207-99.09 304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 \$02-17.06 603-10.30* 603-10.31** 604-05.08* 604-12.01* 604-20.00** 604-20.11** 604-20.10 604-604.00.00* 604-10.10 606-60.10.10 606-30.15 606-66.10 607-10.10A	LINEAR GRADING, SPECIAL TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME-LOUIDA SPHALT-RC 76-OR MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SYVA BO INLUNE DRAIN A SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	L.F. S.Y. S.Y. S.Y. TON TON GAL GAL S.Y. EACH EACH EACH EACH EACH EACH EACH	1,000 19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
304-05.04 310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 902-17.06 603-10.30* 603-10.31** 604-12.01* 604-12.01* 604-20.10* 604-20.10 604-20.10 604-60-10.10 606-60-10.10 606-60.15 606-60.10	TYPE 5 AGGREGATE FOR BASE (4" THICK) GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME-LIQUIB ASPHALT RC 76- QR-MC 26 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SYVARD INLINE DRAIN A SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	S.Y. S.Y. S.Y. TON TON GAL. GAL SY. EACH EACH EACH EACH EACH EACH EACH EACH	19,287 294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
310-60.03 405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 502-17.06 603-10.30* 603-10.31** 604-12.01* 604-12.00** 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10 604-20.10	GRAVEL (A) OR CHAT (C) TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOUIDAS PHALT RC 76-OR MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER PLABOINUME DEAIN ASSINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	S.Y. S.Y. TON TON GAL. GAL SY. EACH EACH EACH EACH EACH EACH EACH	294 1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6 1
405-10.10** 401-12.09 401-30.00 407-10.05 408-10.10 \$02-17.06 603-10.30* 603-10.31** 604-12.01* 604-12.01* 604-20.10* 604-20.10* 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	TEMPORARY PAVEMENT, 6-INCH THICK ASPHALT BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT PRIME LOUID A SPHALT RC 76-OR INC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER BY ABOUNDING DEALIN ASSIGNMENT OF THE SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	S.Y. TON TON GAL SY. EACH EACH EACH EACH EACH EACH EACH EACH	1,246 1,712.2 6,802.3 710 4,920 468 18 13 2 6
401-12.09 401-30.00 407-10.05 408-10.10 502-17.06 603-10.30* 603-10.30* 604-05.08* 604-12.01* 604-12.00** 604-20.10* 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	BITUMINOUS PAVEMENT MIXTURE PG64-22 (BP-1) BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE) TACK COAT TACK COAT TACK COAT TACK COAT PRIME-LOUIS A SPHALT RC 76-OR-MC 36 CONCRETE PAVEMENT (6' NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6'')	TON TON GAL GAL SY. EACH EACH EACH EACH EACH EACH EACH EACH	1,712.2 6,802.3 710 4,920 468 18 13 2 6
401-30.00 407-10.05 408-10.10 902-17/06 603-10.30* 603-10.31** 604-12.01* 604-12.01* 604-20.00** 604-20.11** 604-20.11* 604-60-10.10 606-61.0.10 606-61.0.15 606-66.10 607-10.10A	TACK COAT PRIME LOUIDA SPHALT RC 76-OR MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER PVARD INJUNE DEALIN SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	GAL. GAL S.Y. EACH EACH EACH EACH EACH EACH EACH EACH	6,802.3 710 4,920 468 18 13 6
408-10.10 902-17/06 603-10.30** 603-10.31** 604-12.01* 604-12.01* 604-20.10* 604-20.10* 604-20.11** 604-80.06* 606-10.10 606-60.15 606-66.10 607-10.10A	PRIME LIQUID A SPHALT RC 76 OR MC 36 CONCRETE PAVEMENT (6" NON-REINFORCED) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER 9VA BOLINUME DOWN SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	GAL S.Y. V EACH EACH EACH EACH EACH EACH EACH	4,920 468 18 13 6 1
\$02-17.06 603-10.30* 603-10.31** 604-50.08* 604-12.01* 604-14.04* 604-20.00** 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	CONCRETE PAVEMENT (6'NON-REINFORCÉD) ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER BYVA BOUNDING DEALN SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HY DRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EACH EACH EACH EACH EACH EACH EACH EACH	468 18 13 6 1
603-10.30* 603-10.31** 604-05.08* 604-12.01* 604-14.04* 604-20.00** 604-20.11** 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	ADJUST WATER SERVICE VALVE AND BOX TO GRADE ADJUST WATER METER \$\text{SYVAPQ NUME DEVAN } \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	EACH EACH EACH EACH EACH EACH EACH	18 13 2 6 1
603-10.31** 604-05.08* 604-12.01* 604-14.04* 604-20.10** 604-20.11** 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	ADJUST WATER METER 8 YA BO INIUNE DRAIN SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EACH EACH EACH EACH EACH	13 6 1
604-05.08*/ 604-12.01* 604-14.04* 604-20.00** 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	SYVABOINUME DRAIN	EACH EACH EACH EACH	6 1
604-12.01* 604-14.04* 604-20.00** 604-20.10 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	SINGLE CURB INLET, UNTRAPPED AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EACH EACH EACH EACH	6
604-14.04* 604-20.00** 604-20.10 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	AREA INLET, SINGLE, OPEN 4 SIDES, UNTRAPPED REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EACH EACH EACH	1
604-20.00** 604-20.10 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	REMOVE AND REPLACE HYDRANT ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EA CH EA CH	
604-20.10 604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	ADJUSTING MANHOLE TO GRADE MISCELLANEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")	EACH	1 2
604-20.11** 604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	MISCELLA NEOUS (PULLBOXES, OTHER) SLOTTED DRAIN (6")		
604-80.06* 606-10.10 606-30.15 606-66.10 607-10.10A	SLOTTED DRAIN (6")	EAUN	1 5
606-10.10 606-30.15 606-66.10 607-10.10A		L.F.	90
606-30.15 606-66.10 607-10.10A		L.F.	572
606-66.10 607-10.10A	TYPE A CRASHWORTY END TERMINAL	EACH	1
607-10.10A	END ANCHOR	EACH	1
	42" CHAIN LINK FENCE	L.F.	276
607-10.10B	6' WOOD PRIVACY FENCE	L.F.	495
	48" WHITE VINYL PRIVACY FENCE	L.F.	72
607-10.30	WALK GATE (CHAIN LINK)	EACH	1
	CHAIN LINK FENCE ON RETAINING WALL	L.F.	82
	PAVED APPROACH (6")	S.Y.	1,105.3
608-60.04	CONCRETE SIDEWALK, 4 IN.	S.Y.	17.6
	CONCRETE STEPS	S.F.	190.0
	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	L.F.	61
	CURB AND GUTTER TYPE B	L.F.	8,710
	INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B	L.F.	32
	INTEGRAL CURB TYPE M	L.F.	47
	CONCRETE CURB LOW PROFILE TYPE F	L.F.	76
	ASPHALT CURB (4 INCH)	L.F.	75
	ROCK BLANKET TYPE 2	S.Y.	92.3
	MOBILIZATION COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)	L.S. S.Y.	233
	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1
	RAILING FOR STEPS	L.F.	30
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS	S.F. /	1.483
	MECHANICALLY STABILIZED EARTH WALL SYSTEMS - LARGE BLOCK	S.F.	381
	12 IN. PIPE GROUP A	L.F.	232
	15 IN. PIPE GROUP A	L.F.	2,668
	18 IN. PIPE GROUP A	L.F.	636
726-10.24	24 IN. PIPE GROUP A	L.F.	530
	36 IN. PIPE GROUP A	L.F.	16
	TEMPORARY 15" CORRUGATED METAL PIPE	L.F.	135
	4" POLYVINYL CHLORIDE PIPE	L.F.	65
	8" POLYVINYL CHLORIDE PIPE	L.F.	144
	PRECAST CONCRETE MANHOLE (42")	EACH	3
	PRECAST CONCRETE DROP INLET 4 FT X 2 FT	FT.	5
	PRECAST DROP INLET WITH GRATE AND FRAME	EACH	52
	15 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3
	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EACH	3
	SILT FENCE	L.F.	4,060
	INLET CHECK TYPE 5:EROSION CONTROL BLANKET	EACH YS:Y:Y	58
	WATER MAIN ABANDONMENT	L.F.	3,450
202-99.03			
616 10 05	SIGNING STRIPING SIGNALS AND LIGHTING TEMS	$\frac{1}{1}$	612
	CONSTRUCTION SIGNS CHANNELIZER	S.F. EACH	612 207
	TYPE III MOVEABLE BARRICADE WITH LIGHT	EACH	13
	CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED (RENTAL)	EACH	13
	TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED/RETAINED	L.F.	530
	4 IN. WHITE ACRYLIC WATERBORNE PAVEMENT MARKING PAINT	L.F.	15,531
	4 IN. YELLOW A CRYLIC WATERBORNE PAVEMENT MARKING PAINT	L.F.	15,716
	ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 24 IN., WHITE	L.F.	12
	PERMANENT SIGNING	S.F.	323
		T	
	LANDSCAPING	1	
804-10.00	TOPSOIL	C.Y.	1089.3
	SEEDING-COOL SEASON MIXTURES	ACRE	2.0

ALL BID ITEMS REFER TO LATEST EDITION OF MISSOURI STANDARDS FOR HIGHWAY CONSTRUCTION, BY MODOT

= REFER TO LATEST EDITION OF ST. LOUIS COUNTY STANDARDS FOR HIGHWAY CONSTRUCTION

* = JOB SPECIAL PROVISIONS, AS ATTACHED IN THE PROJECT MANUAL

CONSTRUCTION SIGNS ARE FOR USE IN TRAFFIC CONTROL AND ARE TEMPORARY. RELOCATION OF THE SIGNS DURING VARIOUS STAGES OF CONSTRUCTION IS CONSIDERED INCIDENTAL TO QUANTITY OF CONSTRUCTION SIGNAGE.

BID FOR PIPE INCLUDES EXCAVATION AND GRANULAR BACKFILL AS REQUIRED IN THE SPECIFICATIONS


STANDARDS TO BE USED FOR THIS PROJECT

The Missouri Department of Transportation's Standard Specifications for Highway Construction have been adopted for use on this project. Current editions of these plans can be downloaded from MoDOT's website at www.modot.org. The billowing sections are specifically applicable to this project:

604.40	606.00	606.30	607.10	607.11	608.10		
608.20	609.00	609.70	614.11	614.30	616.10		
620.00	726.30	731.00	731.10	732.00	806.10		
002.02							

					PAVEMENT	PAVEMEN'
SHEET	STATION	STATION	ROUTE	LOCATION	ARE A	AREA
					(SF)	(SY)
PLN-01	13+79	14+12	SALINE	RT	238	26
PLN-01	14+18	14+50	SALINE	RT	377	42
PLN-02	18+99	19+69	SALINE	LT	1362	151
PLN-03	22+37	22+59	SALINE	RT	153	17
PLN-04	25+67	25+88	SALINE	RT	228	25
PLN-04	26+22	27+05	SALINE	LT	1727	192
PLN-04	26+77	26+95	SALINE	RT	61	7
PLN-04	27+60	27+85	SALINE	LI	332	3/
PLN-04	27+83	28+37	SALINE	RT	1099	122
PLN-05	31+28	32+89	SALINE	RT	3077	342
PLN-06	36+11	37+04	SALINE	LT	1915	213
PLN-06	40+62	41+14	SALINE	LT	1660	184
PLN-06	40+69	40+92	SALINE	RT	775	86
PLN-06	40+97	41+64	SALINE	RT	3067	341
PLN-07	42+01	42+94	SALINE	LT	2680	298
PLN-07	43+24	43+62	SALINE	RT	270	30
PLN-07	43+50	43+78	SALINE	LT	388	43
PLN-07	44+58	45+67	SALINE	RT	1707	190
PLN-07	44+59	46+21	SALINE	LT	2276	253
PLN-07	46+40	46+61	SALINE	LT	226	25
PLN-08	47+64	48+55	SALINE	RT	1700	189
PLN-08	47+93	48+23	SALINE	LT	210	23
PLN-08	48+89	49+26	SALINE	RT	551	61
PLN-08	49+49	49+66	SALINE	RT	146	16
PLN-08	49+81	50+01	SALINE	LT	159	18
PLN-09	53+35	53+60	SALINE	LT	487	54
PLN-09	55+22	55+99	SALINE	LT	770	86
PLN-09	55+43	55+98	SALINE	RT	1210	134
PLN-09	56+72	57+09	SALINE	LT	575	64
PLN-09	57+43	57+77	SALINE	RT	495	55
PLN-09	67+77	68+13	SALINE	RT	763	85
PLN-10	58+52	59+37	SALINE	RT	1452	161
				TOTAL =		3571

CLEARI	NG AND	GRUBBIN	IG			
SHEET	STATION	STATION	ROUTE	LOCATION	CLE ARING & GRUBBING (SF)	CLE ARING & GRUBBING (ACRE)
PNP-02	14+88	15+15	SALINE	LT	319	0.01
PNP-02	15+92	16+50	SALINE	RT	439	0.02
PNP-02	19+16	19+46	SALINE	RT	94	0.01
PNP-03	22+12	22+36	SALINE	RT	159	0.01
PNP-04	27+38	27+61	SALINE	LT	91	0.01
PNP-04	29+56	30+19	SALINE	LT	211	0.01
PNP-05	31+31	32+57	SALINE	RT	3797	0.09
PNP-05	34+92	35+60	SALINE	RT	231	0.01
PNP-06	36+50	37+01	SALINE	LT	442	0.02
PNP-06	37+24	39+69	SALINE	RT	1786	0.05
PNP-06	40+08	40+33	SALINE	LT	111	0.01
PNP-07	42+38	42+51	SALINE	LT	37	0.01
PNP-07	44+78	44+97	SALINE	LT	186	0.01
PNP-09	53+84	54+45	SALINE	LT	358	0.01
PNP-09	55+66	56+22	SALINE	RT	521	0.02
PNP-09	56+62	57+47	SALINE	RT	334	0.01
PNP-10	58+00	58+22	SALINE	LT	339	0.01
				TOTAL =		0.3




m

SIDEWA	LK AND C	JRB REMO	VAL			
SHEET	STATION	STATION	ROUTE	LOCATION	CONCRETE CURB (LF)	SIDE WALK ARE A (SY)
PNP-02	15+59	15+62	SALINE	RT		5
PNP-02	19+00	19+20	SALINE	LT	59	
PNP-02	19+51	19+53	SALINE	LT	11	
PNP-04	26+24	26+31	SALINE	LT	42	
PNP-04	26+45	26+99	SALINE	LT	77	
PNP-06	36+11	36+48	SALINE	LT	59	
PNP-06	36+26	36+50	SALINE	LT	52	
PNP-06	36+50	36+79	SALINE	LT	64	
PNP-06	40+78	40+94	SALINE	RT	33	
PNP-06	41+03	41+50	SALINE	LT		13
PNP-07	41+50	42+08	SALINE	LT		13
PNP-07	44+73	44+96	SALINE	RT	37	
PNP-07	45+32	45+52	SALINE	RT	33	
PNP-08	47+78	47+92	SALINE	RT	26	
PNP-08	48+29	48+40	SALINE	RT	26	
PNP-10	58+20	58+34	SALINE	LT	35	
PNP-10	58+62	58+75	SALINE	LT	34	
PNP-10	58+68	58+89	SALINE	RT	40	
PNP-10	59+17	59+37	SALINE	RT	32	
				TOTAL =	660	31

ROADW	'AYPAVEM	ENTREMO	VAL		
				PAVEMENT	PAVEMENT
SHEET	STATION	STATION	ROUTE	AREA	AREA
				(SF)	(SY)
ROADW A	Υ				
PNP-01	13+17	14+50	SALINE	3387	376
PNP-02	14+50	20+00	SALINE	13437	1493
PNP-03	20+00	25+50	SALINE	12975	1442
PNP-04	25+50	31+00	SALINE	13838	1538
PNP-05	31+00	36+00	SALINE	14115	1568
PNP-06	36+00	41+50	SALINE	15024	1669
PNP-07	41+50	47+00	SALINE	14085	1565
PNP-08	47+00	52+50	SALINE	14129	1570
PNP-09	52+50	58+00	SALINE	13326	1481
PNP-10	58+00	59+37	SALINE	4374	486
			TOTAL =		13188

EARTHWORK			
	203-10.00	203-20.00	203-60.00
LOCATION	CLASS A EXCAVATION	CLASS C EXCAVATION (ROCK BENCH)	COMPACTING EMBANKMENT
	(C.Y.)	(C.Y.)	(C.Y.)
SALINE	12,839		1,336
ROCK BENCH-STA 28+32 TO STA 30+95		549	
DRIVEWAY ADD YARDAGES	1,306		100
TOTALS =	14,145	549	1,436



DRAWN BY: EBS	_ JOB DATE:	02/2012 - 12/2014
APPROVED: JSD	JOB NUMBER:	75110022
CAD DATE: 2/27/2015	5:17:15 PM	

CAD FILE: \\hrg\dfs004\Data\75110022\CAD\Data_qty_01.dgn

NO.	DATE	BY	REVISION DESCRIPTION
A	3/2/15	JSD	REM'D LS ITEM FOR 381 SALINE AND GAS ADJUST. QTY
A	3/2/15	BLA	ADD PAY ITEM
4	3/5/15	BLA	REVISED QUANTITY
A	3/6/15	BLA	REVISED QUANTITY



16020 SWINGLEY RIDGE ROAD, SUITE 205 ST. LOUIS, MISSOURI 63017 PHONE: (636) 519.0990 CORPORATE LICENSE #2002006608



SALINE ROAD IMPROVEMENTS-PHASE 1 COUNTY OF JEFFERSON, MISSOURI 5403(642)/TIP*5589-12

Ш	QU	ΑN	T	ΙT	IE.
---	----	----	---	----	-----

(Sheet 1 of 6)



						27	PHA	SES		W.	700	TOTAL NUMBER	616-10.05	
SIGN NUMBER (TCP PLANS)	SIGN NUMBER (MUTCD)	SIZE	SIGN AREA (S.F.)	1A	1B	2A	2B	2C	3А	3B	3C	REQUIRED FOR PROJECT (ASSUME RE-USE)	CONSTRUCTION SIGNS (S.F.)	REMARKS
1	W020-1	36 X 36	9.00	6	7	10	4	10	9	9	5	10	90	ROAD WORK AHEAD
2	W5-1	36 X 36	9.00	1	1	10	7	10	1	1	3	10	9	ROAD WORK AREAD
3	W8-9	36 X 36	9.00	3	2	2	1	2	2	2		3	27	SHOULDER DROP-OFF
4	R1-1	30 X 30	6.25	4	5	6	2	8	6	5	2	8	50	STOP
5	R6-1L	36 X 12	3.00	2	2	4	1	4	1	1		4	12	ONE WAY-LEFT
6	R6-1R	36 X 12	3.00	3	2	3	- "	3	5	5	1	5	15	ONE WAY-RIGHT
7	R11-2	48 X 30	10.00	1	2	2	-	2	1	1		2	20	ROAD CLOSED
3	W20-3	36 X 36	9.00	1	1	1	1	1	1	1	1	1 1	9	ROAD CLOSED AHEAD
9	G20-5aP	24 X 18	3.00	3	3	2	2	2	4	4	1	4	12	WORK ZONE
9	R2-1	24 X 30	5.00	3	3	2	2	2	4	4	1	4	20	SPEED LIMIT 25
10	G20-2	36 X 18	4.50	2	2	1	1	1	1	1	1	2	9	END ROAD WORK
11	SP-1	60 X 30	12.50	2	2	•						2	25	SALINE ROAD CLOSED TO THRU SOUTHBOUND TRAFF AT LAKEVIEW RIDGE DRIVE
12	SP-2	60 X 30	12.50			2	2	2				2	25	SOUTHBOUND SALINE ROAD CLOSED AT STONE BLU DRIVE FOLLOW DETOUR
13	SP-3	60 X 30	12.50			2			2	2	2	2	25	SOUTHBOUND SALINE ROAD CLOSED AT SILVER MAP DRIVE FOLLOW DETOUR
14	M 4-9	30 X 24	5.00	4	4	4	4	4	3	3	3	4	20	DETOUR STRAIGHT
15	M 4-9	30 X 24	5.00	1	1	1	1	1	1	1	1	1	5	DETOUR TURN RIGHT
16	M 4-9	30 X 24	5.00	1	1	2	2	2	1	1	1	2	10	DETOUR RIGHT
17	M 4-9	30 X 24	5.00	1	1	1	1	1	2	2	2	2	10	DETOUR TURN LEFT
18	M 4-9	30 X 24	5.00	3	3	4	4	4	3	3	3	4	20	DETOUR LEFT
19	M-04-8a	30 X 24	5.00	1	1	1	1	1	1	1	1	1	5	END DETOUR
20	R11-3a	60 X 30	12.50	1	41							1	13	ROAD CLOSED 0.8 MILES AHEAD LOCAL TRAFFIC ONL
21	R11-3a	60 X 30	12.50	1	1	1	1	1				1	13	ROAD CLOSED 0.5 MILES AHEAD LOCAL TRAFFIC ONI
22	R11-3a	60 X 30	12.50			1	1	1	1	1	1	1	13	ROAD CLOSED 0.3 MILES AHEAD LOCAL TRAFFIC ONI
23	R1-2	30 X 30X 30	3.90			2	1	1				2	8	YIELD
23	R1-2aP	36 X 30	7.50			2	1	1				2	15	TO ONCOMING TRAFFIC
24	R5-1	30 X 30	6.25	3	3	5	1	3	4	- 4		5	31	DO NOT ENTER
24	R5-1a	36 X 24	6.00	3	3	5	1	3	4	- 4		5	30	WRONG WAY
25	W1-4R	48 X 48	16.00			1				1	.1	1	16	REVERSE CURVE RIGHT
26	W1-4L	48 X 48	16.00		1	1			_	1		1	16	REVERSE CURVE LEFT
27	R3-2	24 X 24	4,00	2	2	3	1	3	5	4	1	5	20	NO LEFT TURN
28	R3-1	24 X 24	4.00	2	3	2	1	4			1	4	16	NO RIGHT TURN
29	W4-4bP	36 X 18	4.50		1	1		1	1	1	1	1	5	ONCOMING TRAFFIC DOES NOT STOP

TEMPORAL	RY PAVEMEN	NT/DRAINAG	SE/PAVEMEN	NT MARKING	3					
TCP PHASE	SHEET	STATION	STATION	ROUTE	TEMPORARY PAVEMENT AREA (SF)	405-10.10** TEMPORARY PAVEMENT (SY)	620-60.00B 4 IN. WHITE ACRYLIC WATERBORNE PAVEMENT MARKING PAINT (LF)	620-60.01B 4 IN. YELLOW ACRYLIC WATERBORNE PAVEMENT MARKING PAINT (LF)	620-61.24 ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 24 IN., WHITE (LF)	726-11.15** TEMPORARY 15" CORRUGATED METAL PIPE (LF)
1A	TCP-03	12+35	20+00	SALINE			775	775	250 , 170.	
1A	TCP-03	14+38	17+19	SALINE	473	53	li .			
1A	TCP-04	20+00	31+00	SALINE			1110	1110		
1A	TCP-04	21+61	21+91	SALINE						30
1A	TCP-04	21+00	23+18	SALINE	221	25				
1A	TCP-04	22+38	22+59	SALINE			Î			21
1A	TCP-04 & 05	24+94	32+34	SALINE	3284	365				
1A	TCP-04	25+67	25+88	SALINE						21
1A	TCP-04	26+43	26+69	SALINE						25
1A	TCP-04	26+73	26+98	SALINE						25
1A	TCP-04	30+28	30+39	SALINE						13
1A	TCP-05	31+00	32+93	SALINE			203	203		
1B	TCP-06	11+00	13+17	SALINE			511			
1B	TCP-08	31+50	32+23	SALINE	460	51				
2A	TCP-10	31+00	36+50	SALINE			600	550		
2A	TCP-10	31+50	36+36	SALINE	784	87				
2A	TCP-11	36+50	44+77	SALINE			840	840		7
2A	TCP-11	41+31	43+85	SALINE	758	84				,
2B	TCP-12	40+76	40+86	SALINE					12	
2B	TCP-12	40+74	40+88	SALINE	231	26				
2C	TCP-13	30+95	36+50	SALINE			565	565		
2C	TCP-14	36+50	43+85	SALINE			745	745		
2C	TCP-14	42+99	43+65	SALINE	321	36				
3A	TCP-16	42+99	52+50	SALINE			961	961		
3A	TCP-16	52+50	59+69	SALINE			729	729		
3A	TCP-16 & 17	43+00	58+65	SALINE	4679	520				
4			-		TOTAL	12.46	7020	6470	12	405

SHEET	STATION	STATION	STREET	SIDE	712-35.00 RAILING FOR STEPS (L.F.)	REMARKS
WAL-02	15+59	15+59	SALINE	RT	8	MBW5
WAL-02	15+63	15+64	SALINE	RT	8	MBW6
DET-01	56+93	56+93	SALINE	LT	14	OSTERHAGEN **
				TOTAL =	30	

DRAWN BY:	EBS	JOB DATE:	02/2012 - 12/2014
APPROVED:	JSD	JOB NUMBER:	75110022
CAD DATE:	12/1/2014	4:23:27 PM	VIII. (C. 11) (11)
CAD FILE:	\\hrgwdfs004\l	Dalo\75110022\CAD\D	ato_qty_04.dgn

NO.	DATE	BY	REVISION DESCRIPTION
Δ	3/6/15	BLA	REV QUANTITIES FOR TRAF BAR & RET WALL
			Ĭ

7	
11	
11	
1	1.00
- 1	HRGreen

16020 SWINGLEY RIDGE RCAD, SUITE 20X ST. LOUIS, MISSOURI 63017 PHONE: (636) 519.0990 CORPORATE LICENSE #2002006608



"WALL QUANTITY IS MEASURED FROM FOUNDATION TO TOP OF WALL
" QUANTITIES CALCULATED AND PROVIDED BY JEFFERSON COUNTY

SALINE ROAD IMPROVEMENTS-PHASE 1 COUNTY OF JEFFERSON, MISSOURI 5403(642)/TIP#5589-12

(Sheet 4 of 6)

	OF MISSO
	OF MISS
	DOHRMANN
4	20FESSION
	JASON S. DOHRMANN CML ENGINEER PF-2004017169
	The preferations personal and other elements of the shark common responsibility only for state appears on this state and detailed the shark common responsibility only for state appears on this state and detailed Parasani to Section 327.48 (Shink) are responsibilities for all
	other droning, sugginizated droning, plots, europy, remisers, specification, extinates, reports or after documents or instruments not sealed by the underspace productional reliable to or honoide is to used for city port or parts of the project to which this sheet relians.

TRAFFIC CON	TROL ITEMS		2	30.	207	
PHASE	PHASE SHEET		616-10.31 TYPE III MOVEABLE BARRICADE WITH LIGHT	616-10.98 CHANGEABLE MESSAGE SIGN, CONTRACTOR FURNISHED	617-36.00D TEMPORARY TRAFFIC BARRIER, CONTRACTOR FURNISHED	REMARKS
		(EA)	(EA)	(EA)	(LF)	
					(444,)	
PHASE 1A	TCP03-TCP05	95	4	3	> 400 1	PHASE SPECIFIC
PHASE 1B	TCP06-TCP08	122	4	3	0 1	PHASE SPECIFIC
PHASE 2A	TCP10-TCP11	89	13	4) 130 1	PHASE SPECIFIC
PHASE 2B	TCP12	20	9	4	V 0 1	PHASE SPECIFIC
PHASE 2C	TCP13-TCP14	123	8	4	0 4	PHASE SPECIFIC
PHASE 3A	TCP16-TCP17	187	6	4	0 <	PHASE SPECIFIC
PHASE 3B	TCP18-TCP19	149	6	4	0 <	PHASE SPECIFIC
PHASE 3C	TCP20	21	6	4	(0 \	PHASE SPECIFIC
DISCRET	TIONARY	20			7	
MAX OVERALL		207	13	4	530 🗸	GENERAL TRAFFIC CONTROL
					(1	Δ

NOTE: CHANNELIZER AMOUNT IS ESTIMATED AND TO BE USED AT THE DISCRETION OF THE ENGINEER
ON SITE FOR SPECIFIC TRAFFIC CONTROL SITUATIONS AS NEEDED
LENGTH OF TEMPORARY TRAFFIC BARRIER INCLUDES NOSE SECTION AS REQUIRED. ANY MINOR RELOCATION OF BARRIER SHALL BE CONSIDERED INCIDENTAL TO PAY ITEM.

SHEET	STATION	STATION	STREET	SIDE	720-10.00 MECHANICALLY STABILIZED EARTH WALL SYSTEMS	720-99.04 MECHANICALLY STABILIZED EARTH WALL SYSTEMS - LARGE BLOCK	608.70.00 CONCRETE STEPS	REMARKS
					(S.F.)*	(S.F.)	(S.F.)	
WAL-01	52+00	53+99	SALINE	RT	601			MBW1
VAL-01	54+32	54+54	SALINE	RT	136			MBW2
VAL-02	15+05	15+57	SALINE	RT	220			MBW3
VAL-02	15+64	16+31	SALINE	RT	245		4500	MBW4
VAL-02	15+59	15+58	SALINE	RT	76		150.0	MBW5
VAL-02	15+63	15+64	SALINE	RT	76			MBW6
VAL-03	53+33	53+29	SALINE	LT	129	m	٨	MBW7
DET-01	56+93	56+93	SALINE	LT		211	/1\	MLB8 **
DET-01	56+93	56+93	SALINE	LT		122	40	MLB9 **
DET-01	56+93	56+93	SALINE	LT		48		MLB10 **
				TOTAL =	1483	381	190 0	

QUANTITIES

BIDDER'S FORMS

(Item A to be completed and turned in by all potential Bidders immediately after downloading bidding documents)

A. Plan Holder Contact Information form

Items below to be completed and turned	in by the Contractor prior to Bid Opening)
 B. Notice to Contractor 	REVISED 3/5/15

- C. Bid Form REVISED 3/6/15
- D. Bid Bond
- E. Bidder's Acknowledgement
- F. Affidavit of Federal Employment Authorization
- G. DBE Submittal Forms
- H. Contractor to Enclose Bid Security
- I. Contractor to Enclose Certificate of Insurance

Name of Contractor:	 	
Address:	 	
Phone and Fax:		

Note: Three copies of Items "B" through "I" above are to be filled in by the Contractor and turned in with the bid.

This project has Federal Funding so the following terms apply:

The prime contractor must be on MoDOT's approved contractor listing at least 7 days before the day of the bid opening in order for MoDOT to concur with the award of this project.

Only work performed by DBE subcontractors that appear on MoDOT's approved listing at the time of the bid opening will be applied towards calculating the DBE Goal.

DBE submittal forms shall be completed and submitted with the bid proposal or delivered by the low and second low bidder by 4:00 p.m. on the third working day after the bid opening date. Failure to deliver the completed DBE submittal forms will be cause for rejection of the low bid and the proposed guaranty will become the property of the Owner.

MoDOT will only concur with awarding the contract to a responsible bidder who has submitted the lowest, responsive bid. A responsive bid is one that meets all requirements of the advertisement and proposal, and "responsible" is defined as one who is physically organized and equipped with the financial wherewithal to undertake and complete the contract.

** Prospective Bidders are to read and give special attention to Provision Numbers 37 & 38 found on pages GC-16 & GC-17 of the General Conditions pertaining to Federal Employment Authority and OSHA Training before bidding.

PLAN HOLDER CONTACT INFORMATION

All potential bidders <u>must</u> complete this form and submit it to the Jefferson County email address listed below in order to provide contact information as required. All other plan holders may submit this form at their own option. Addendums will be posted on the county website. In the event of disruption of website services, all such information will be communicated to all registered plan holders.

Project:	
Plans &	\$0.00 AVAILABLE ONLINE
Specifications:	WOUND AVAILABLE ONLINE
Bid Opening Date:	
Estimate:	
Company Name*:	
Contact Name*:	
Address*:	
Phone*:	
Email*:	
*	required information
Email this	\mathbf{S}
completed form to	•

NOTICE TO CONTRACTORS

Sealed bids for the proposed work will be addressed and delivered to the office of The County Clerk, 729 Maple Street, Jefferson County Administration Center, Hillsboro, Missouri until 2:00 o'clock P.M. (CDST) on March 10, 2015, and at that time will be publicly opened. All bids shall be submitted in triplicate in an opaque sealed envelope, marked with the Project title, name and address of the Bidder, and accompanied by the other required documents. Bids submitted via fax or electronic will be rejected. Late Bids will not be accepted and will be returned to the sender, unopened.

(1) **PROPOSED WORK:** The proposed work, hereinafter called the work, includes:

New pavement and base, curb and gutter, curb inlets, drainage structures, storm sewers, guardrail and retaining walls. Driveway modifications, pavement markings, erosion protection, traffic control will also be included in the project.

(2) <u>COMPLIANCE WITH CONTRACT PROVISIONS</u>: The bidder, having examined and being familiar with the local conditions affecting the work, and with the contract, contract documents, including the Missouri Highways and Transportation Commission's "Missouri Standard Specifications for Highway Construction, 2011," and "Missouri Standard Plans for Highway Construction, 2009" and Supplemental Revisions (if applicable), their revisions, and the request for bid, including appendices, the special provisions and plans, hereby proposes to furnish all labor, materials, equipment, services, etc., required for the performance and completion of the work. All references are to the Missouri Standard Specifications for Highway Construction, as revised, unless otherwise noted.

The following documents are available on the Missouri Department of Transportation web page at www.modot.mo.gov under "Business with MoDOT" "Standards and Specifications". The effective version shall be determined by the letting date of the project.

General Provisions & Supplemental Specifications

Supplemental Plans to October 2009 Missouri Std. Plans For Highway Construction (if applicable)

These supplemental bidding documents contain all current revisions to the bound printed versions and have important legal consequences. It shall be conclusively presumed that they are in the bidder's possession, and they have been reviewed and used by the bidder in the preparation of any bid submitted on this project.

Please note that within the above-listed documents, the term "Commission" shall be replaced with the term, "County of Jefferson", and the term "Engineer" is a reference to the County Director of Public Works/Highway Engineer.

The contracting authority for this contract is County of Jefferson.

(3) <u>PERIOD OF PERFORMANCE:</u> If the bid is accepted, the bidder agrees that work shall be diligently prosecuted at such rate and in such manner as, in the judgment of the engineer, is necessary for the completion of the work within the time specified as follows in accordance with Sec 108:

Working Days: 200

(4) <u>LIQUIDATED DAMAGES</u>: The bidder agrees that, should the bidder fail to complete the work in the time specified or such additional time as may be allowed by the engineer under the contract, the amount of liquidated damages to be recovered in accordance with Sec 108 shall be as follows:

Liquidated damages per day \$ 1,225

` '	<u>SUARANTY</u> : The bidder shall submit a Bid Guaranty meeting the requirements of Section dard Specifications for Highway Construction (if applicable). The project bid bond form is
included in the bid book	. The bidder shall mark the box below to identify the type of Bid Guaranty.
	Paper Bid Bond

Cashier's Check

- (6) <u>CERTIFICATIONS FOR FEDERAL JOBS</u>: By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the contracting authority may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.
- (7) <u>ANTIDISCRIMINATION:</u> The Contracting Authority hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national origin in consideration for an award.
- (8) <u>FEDERAL AND STATE INSPECTION:</u> The Federal Government is participating in the cost of construction of this project. All applicable Federal laws, and the regulations made pursuant to such laws, shall be observed by the contractor, and the work will be subject to the inspection of the appropriate State or Federal Agency in the same manner as provided in Sec 105.10 of the Missouri Standard Specifications for Highway Construction with all revisions applicable to this bid and contract.
- **PREVAILING WAGE (FEDERAL AND STATE):** This contract requires payment of the prevailing hourly rate of wages for each craft or type of work required to execute the contract as determined by the Missouri Department of Labor and Industrial Relations, and requires adherence to a schedule of minimum wages as determined by the United States Department of Labor. For work performed anywhere on this project, the contractor and the contractor's subcontractors shall pay the higher of these two applicable wage rates. The applicable state wage rates for this contract are detailed in "Annual Wage Order No. 21", that is attached to this bidding document. The applicable federal wage rates for this contract are the effective Davis-Bacon federal wage rates posted the tenth day before the bid opening date and are attached herein.

These supplemental bidding documents have important legal consequences. It shall be conclusively presumed that they are in the bidder's possession, and they have been reviewed and used by the bidder in the preparation of any bid submitted on this project.

(10) <u>WORKER ELIGIBILITY REQUIREMENTS:</u> Execution of the construction contract for this project is dependent upon the awarded bidder providing an Affidavit of Compliance AND E-Verify Memorandum-of-Understanding (MOU) between the bidder and Department of Homeland Security to the Contracting Authority as required by section 285.530 RSMo. The cover page and signature page of the E-Verify MOU and the Affidavit must be submitted with the bid.

A sample Affidavit of Compliance can be found at the Missouri Attorney General's website at the following link:

http://ago.mo.gov/forms/Affidavit_of_Compliance.pdf

All bidders must also be enrolled in the E-Verify Program, and include their MOU prior to contract execution. Bidders who are not enrolled will need to go to the following website link and select "Enroll in the Program" to get started. After completing the program, they will receive their E-Verify MOU with Department of Homeland Security. This document will need to be printed out and kept on file so that a copy can be attached to the Affidavit of Compliance.

http://www.dhs.gov/files/programs/gc_1185221678150.shtm

This requirement also applies to subcontractors and contract labor, but this contract only requires submittal of the verification documents for the prime contractor. It is the prime contractor's responsibility to verify the worker eligibility of their subcontractors in order to protect their own company from liability as required by section 285.530 RSMo.

- OSHA TEN HOUR TRAINING REQUIREMENTS: Missouri Law, 292.675 RSMO, requires any awarded contractor and its subcontractor(s) to provide a ten-hour Occupational Safety and Health Administration (OSHA) Construction Safety Program (or a similar program approved by the Missouri Department of Labor and Industrial Relations as a qualified substitute) for their on-site employees (laborers, workmen, drivers, equipment operators, and craftsmen) who have not previously completed such a program and are directly engaged in actual construction of the improvement (or working at a nearby or adjacent facility used for construction of the improvement). The awarded contractor and its subcontractor(s) shall require all such employees to complete this ten-hour program, pursuant to 292.675 RSMO, unless they hold documentation on their prior completion of said program. Penalties, for Non-Compliance include contractor forfeiture to the Contracting Authority in the amount of \$2,500, plus \$100 per contractor and subcontractor employee for each calendar day such employee is employed beyond the elapsed time period for required program completion under 292.675 RSMO.
- (12) <u>BUY AMERICA REQUIREMENTS:</u> Construction contracts shall assure compliance with Section 165 of the Surface Transportation Assistance Act of 1982, Section 337 of the Surface Transportation and Uniform Relocation Assistance Act of 1987, and 23 CFR 635.410 regarding Buy America provisions on the procurement of foreign products and materials. On all contracts involving Federal-aid, all products of iron, steel, or a coating of steel which are incorporated into the work must have been manufactured in the United States. The Contracting Authority may allow minimal amounts of these materials from foreign sources, provided the cost does not exceed 0.1 percent of the contract sum or \$2,500, whichever is greater. The Contractor certifies that these materials are of domestic origin. Additional information regarding the "Buy America" requirements can be found at:

http://www.fhwa.dot.gov/programadmin/contracts/b-amquck.cfm

(13) <u>ADDENDUM ACKNOWLEDGEMENT:</u> The undersigned states that all addenda (if applicable) have been received, acknowledged and incorporated into their bid, prior to submittal. For paper bids, staple addenda to the bid in the appropriate part of the bid.

provided information is correct and that (if not s responsible and sole bidder) they are the agent of, and		themselves to become the
is the correct LEGAL NAME as stated on the contract	ctor questionnaire (if applicable)	, which
a) The organization submitting this bid is (whether individuals or corporations, and whether Indicate by marking the appropriate box below.	s a(n) (1) individual bidder, (2) pa	
sole individual	partnership	joint venture
corporation, incorporated under laws of s	state of	.
b) If the bidder is doing business under a fid	ctitious name, indicate below by fill	ling in the fictitious name
Executed by bidder this day of	20	
THE BIDDER CERTIFIES THAT THE BIDDER AND DIRECTLY NOR INDIRECTLY ENTERED INTO AN OTHERWISE TAKEN ANY ACTION IN RESTRAINT OF BID, AND THAT THE BIDDER INTENDS TO PERFORM SUBCONTRACTORS, AND DID NOT BID FOR THE BUTTER BUTT	NY AGREEMENT, PARTICIPATED OF FREE COMPETITIVE BIDDING I RM THE WORK WITH ITS OWN BO	IN ANY COLLUSION, OR N CONNECTION WITH THIS ONAFIDE EMPLOYEES AND
THE BIDDER ACKNOWLEDGES THAT THIS IS AN PERJURY UNDER THE LAWS OF THE UNITED STAMISSOURI, AND ANY OTHER APPLICABLE STATCERTIFICATION IN THIS BID MAY MAKE THIS BID	ATES AND/OR FALSE DECLARAT TE OR FEDERAL LAWS. THE FA	ION UNDER THE LAWS OF AILURE TO PROVIDE THIS
THE BIDDER CERTIFIES THAT THE BIDDER'S COARE AUTHORIZED TO WORK IN THE UNITED ST STATE LAWS AND ALL PROVISIONS OF MISSOUR CONTRACTING AUTHORITY.	TATES IN ACCORDANCE WITH A	PPLICABLE FEDERAL AND
Check this box ONLY if the bidder is provide an explanation for the refusal(s	REFUSES to make any or all of these s) with this submittal.	certifications. The bidder may
Signature of Bidder's Owner, Officer, Partner or Aut	thorized Agent	
Please print or type name and title of person signing	here	
Attest:		
Secretary of Corporation if Bidder is a Corporation		

Affix Corporate Seal (If Bidder is a Corporation)

NOTE: If bidder is doing business under a fictitious name, the bid shall be executed in the legal name of the individual, partners, joint ventures, or corporation, and registration of fictitious name filed with the secretary of state, as required by sections 417.200 to 417.230 RSMo. If the bidder is a corporation not organized under the laws of Missouri, it shall procure a certificate of authority to do business in Missouri, as required by section 351.572 et seq RSMo. A certified copy of such registration of fictitious name or certificate of authority to do business in Missouri shall be filed with the Missouri Highways and Transportation Commission, as required by the standard specifications.

- (15) TRAINEES: By submitting this bid, the bidder certifies that the bidder is familiar with the Training Provision in the Missouri Highways and Transportation Commission's "General Provisions and Supplement Specifications" which are available on the Missouri Department of Transportation web page at www.modot.mo.gov under "Business with MoDOT" "Standards and Specifications". The number of trainee hours provided under this contract will be 1 slots at 1000 hours per slot or 1000 hours.
- (16) <u>SUBCONTRACTOR DISCLOSURE</u>: Requirements contained within Sec 102.7.12 of the Missouri Standard Specification for Highway Construction shall be waived for this contract.
 - (17) **PROJECT AWARD:** This project will be awarded to the lowest, responsive, responsible bidder.
- (18) <u>MATERIALS INSPECTION</u>: All technicians who perform, or are required by the FHWA to witness, such sampling and testing shall be deemed as qualified by virtue of successfully completing the requirements of EPG 106.18 Technician Certification Program, for that specific technical area.
- (19) PRIME CONTRACTOR REQUIREMENTS: The limitation in Sec 108.1.1 of the Missouri Standard Specifications for Highway Construction that "the contractor's organization shall perform work amounting to not less than 40 percent of the total contract cost" is waived for this contract. Instead, the less restrictive terms of the Federal Highway Administration's rule at Title 23 Code of Federal Regulations (CFR) § 635.116(a) shall apply, so that the contractor must perform project work with its own organization equal to and not less than 30 percent of the total original contract price. Second-tier subcontracting will not be permitted on this contract. All other provisions in Sec 108.1.1 et seq. of the Missouri Standard Specifications for Highway Construction shall remain in full force and effect, and shall continue to govern the contractor and its subcontractors, in accordance with the provisions of Title 23 CFR § 635.116.
- (20) <u>SALES AND USE TAX EXEMPTION:</u> County of Jefferson, a tax exempt entity, will furnish a Missouri Project Exemption Certificate as described in Section 144.062 RSMo to the awarded contractor who in turn may use the certificate to purchase materials for a specific project performed for the tax exempt entity. Only the materials and supplies incorporated or consumed during the construction of the project are exempt. The certificate will be issued to the contractor for a specific project for a defined period of time.

ITEMIZED BID: The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

BID FORM

TO: JEFFERSON COUNTY, MISSOURI
BID FOR: SALINE ROAD IMPROVEMENTS PHASE 1

FEDERAL PROJECT NO. STP-5403 (642)

1. The undersigned BIDDER proposes and agrees, if this BID is accepted, to enter into an Agreement with the County in the form included in the Contract Documents to complete all Work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with the Contract Documents.

- 2. BIDDER accepts all of the terms and conditions of the Instructions to Bidders. This Bid will remain open for sixty days after the day of Bid opening. BIDDER will sign the Agreement and submit all documents required within fifteen (15) days after the COUNTY'S Notice of Award.
- 3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:
 - (a) BIDDER has examined the site and locality where the Work is to be performed, the legal requirements (federal, state and local laws, ordinances, rules and regulations) and the conditions affecting cost, progress or performance of the Work and has made such independent investigations as BIDDER deems necessary; and
 - (b) This Bid is genuine and not made in the interest of or on behalf on any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or a corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for himself any advantage over any other Bidder or over the County.
- 4. Bidder will complete project for the following unit prices. It is understood that the quantities given for the following bid items are not guaranteed by the Jefferson County Public Works Department and are used solely for the purpose of comparing bids and awarding the contract, and may or may not represent the actual quantities encountered on the job: and that the sum of quantities listed below, multiplied by the unit price shall constitute the gross sum bid.

BID ITEMS:

iption	l lasit			
	Unit	Quantity	Unit Cost	Amount
g and Grubbing	LS	1		
al of Improvements	LS	1		
Excavation	CY	14,145		
	CY	549		
cting Embankment	CY	1,436		
Excavation	CY	3,624		
Excavation in Rock	CY	1,543		
Grading, Special	LF	1,000		
Aggregate for Base (4 in.	SY	19,287		
Type A or Chat (C)	SY	294		
	SY	1,246		
	TON	1,712		
	TON	6,802		
oat	Gal	710		
	Gal	4,920		
	SY	468		
	EA	18		
Water Meter	EA	13		
Main Abandonment	LF	3,450		
Inline Drain	EA	2		
Curb Inlet, Untrapped	EA	6		
	EA	1		
e and Replace Hydrant	EA	2		
ng Manhole to Grade	EA	1		
	A Excavation C Excavation (Rocking) Intering Embankment B Excavation B Excavation in Rock Grading, Special Aggregate for Base (4 in. Type A or Chat (C) Irary Pavement, 6-Inchesphalt Inous Pavement Mixture 22, (BP-1) Inous Pavement Mixture 22, (Base) Inous Pavement Mixture 23, (Base) Inous Pavement Mixture 24, (Base) Inous Pavement Mixture 25, (Base) Inous Pavement Mixture 26, (Base) Inous Pavement Mixture 27, (Base) Inous Pavement Mixture 28, (Base) Inous Pavement Mixture 29, (Base) Inous Pavement Mixture 20, (Base) Inous Pavement Mixture 21, (Base) Inous Pavement Mixture 22, (Base) Inous Pavement Mixture 23, (Base) Inous Pavement Mixture 24, (Base) Inous Pavement Mixture 25, (Base) Inous Pavement Mixture Inous Pavement Mixture Inous Pavement M	A Excavation CY C Excavation (Rock ng) C Excavation (Rock ng) C Excavation (Rock ng) C Excavation (Rock ng) C Excavation CY C	Excavation (Rock ng) CY 549 CExcavation (Rock ng) CY 549 Cotting Embankment CY 1,436 B Excavation CY 3,624 B Excavation in Rock CY 1,543 Grading, Special LF 1,000 Aggregate for Base (4 in. SY 19,287 Type A or Chat (C) SY 294 Tarry Pavement, 6-Inch sphalt CON SY 1,246 Toous Pavement Mixture 22, (BP-1) Toous Pavement Mixture 22, (BP-1) Toous Pavement Mixture CON	A Excavation CY

*

Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
604-20.11	Miscellaneous (Pullboxes, Other)	EA	5		
604-80.06	Slotted Vane Drain	LF	90		
606-10.10	Guardrail, Type A	LF	572		
606-30.15	Type A Crashworthy End Treatment	EA	1		
606-66.10	End Anchor	EA	1		
607-10.10A	42" Chain Link Fence	LF	276		
697-10.10B	6' Wood Privacy Fence	LF	495		
607-10.10C	48" White Vinyl Privacy Fence	LF	72		
607-30.00	Walk Gate (Chain-Link)	EA	1		
607-50.00	Chain-Link Fence Retaining Wall	LF	82		
608-50.06	Paved Approach (6")	SY	1,105		
608-60.04	Concrete Sidewalk, 4 In.	SY	18		
608-70.00	Concrete Steps	SF	190		
609-10.10	Concrete Curb (6 In. Height and Under) Type S	LF	61		
609-10.52	Curb and Gutter Type B	LF	8,710		
609-20.12	Integral Curb (6 In. Height and Under) Type B	LF	32		
609-20.13	Integral Curb Type M	LF	47		
609-20.32	Concrete Curb Low Profile Type F	LF	76		
609-30.15	Asphalt Curb (4 Inch)	LF	75		
611-99.05	Rock Blanket Type 2	SY	92		
618-10.00	Mobilization	LS	1		
622-10.01	Coldmilling Bituminous Pavement for Removal of Surfacing (3 In. Thick or Less)	SY	233		
627-40.00	Contractor Furnished Surveying and Staking	LS	1		
712-35.00	Railings For Steps	LF	30		
720-10.00	Mechanically Stabilized Earth Wall Systems	SF	1,483		
720-99.04	Mechanically Stabilized Earth Wall Systems – Large Block	SF	381		
726-10.12	12 In. Pipe Group A	LF	232		

*

Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
726-10.15	15 In. Pipe Group A	LF	2,668		
726-10.18	18 In. Pipe Group A	LF	636		
726-10.24	24 In. Pipe Group A	LF	530		
726-10.36	36 In. Pipe Group A	LF	16		
726-11.15	Temporary 15" Corrugated Metal Pipe	LF	135		
726-54.04	4" Polyvinyl Chloride Pipe	LF	65		
726-54.08	8" Polyvinyl Chloride Pipe	LF	144		
731-00.42	Precast Concrete Manhole – 42 In.	EA	3		
731-10.42	Precast Concrete Drop Inlet 4 Ft X 2 Ft	FT	5		
731-99.02	Precast Drop Inlet with Grate and Frame	EA	52		
732-06.15A	15 In. or Allowed Substitute Group A Flared End Section	EA	3		
732-06.24A	24 In. or Allowed Substitute Group A Flared End Section	EA	3		
806-10.19	Silt Fence	LF	4,060		
806-10.25	Inlet Check	EA	58		
806-41.24	Type 5 Erosion Control Blanket	SY	1,142		
				Subtotal=	

	Signing/Striping Items				
Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
616-10.05	Construction Signs	SF	612		
616-10.28	Channelizer	EA	207		
616-10.31	Type III Moveable Barricade with Light	EA	13		
616-10.98	Changeable Message Sign, Contractor Furnished (Rental)	EA	4		
617-36.00D	Temporary Traffic Barrier, Contractor Furnished/Retained	LF	530		
620-60.00B	4 In. White Acrylic Waterborne Pavement Marking Paint	LF	15,530		
620-60.01B	4 In. Yellow Acrylic Waterborne Pavement Marking Paint	LF	15,720		

*

Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
620-61.24	Acrylic Waterborne Pavement Marking Paint, 24 In., White	LF	12		
903-50.10	Permanent Signing	SF	323		
				Subtotal=	

	Landscaping Items				
Pay Item No.	Description	Unit	Quantity	Unit Cost	Amount
604-10.00	Topsoil (4" Thick)	CY	1,090		
805-10.00A	Seeding – Cool Season Mixtures	ACRE	2.02		
				Subtotal=	

PROJECT	TOTAL =	

NOTICE TO BIDDER- Bidders must complete the submitted section in its entirety.

5. BIDDER agrees that the work will be completed within **200 Working days** or the CONTRACTOR shall pay the COUNTY, not as a penalty but as **liquidated damages**, a sum equal to **One Thousand Two Hundred and Twenty-five Dollars (\$1,225.00)** for each day, as defined by Sec 108 of the 2011 Edition of the "Missouri Standard Specifications for Highway Construction", elapsing between the expiration of such time limit plus such extensions as may be necessary to cover contingencies beyond the CONTRACTOR'S control and the date of the full completion.

The County reserves the right to negotiate additional terms for the time of completion with the successful bidder.

5.1 Acceptance of Provision for Asphalt Cement Price Index: Bidder has the option to accept the following provision for Asphalt Cement Price Index, if applicable. The bidder must mark the box below if they choose to accept the provision. No price adjustments will be made, due to asphalt price changes, for bidders that do not accept this provision. This provision applies only to projects that have a quantity of asphalt wet ton mix pay items over 1000 tons.

	Asphalt Cement
1 1	Asplial Celliel

Asphalt Cement Price Index adjustments will be made to the payments due the Contractor for any plant mix bituminous base, plant mix bituminous pavement, and plant mix bituminous surface leveling that contains PG64-22, PG70-22 or PG76-22 when it

has been determined that the monthly average price of PG64-22 for St. Louis, Missouri area has fluctuated from the monthly average price of the month the project was bid. The St. Louis, Missouri "Asphalt Price Index" will be obtained from MoDOT' website:

http://www.modot.mo.gov/business/contractor_resources/bid_opening_info/bidGenInfo.shtml

The monthly base price, established prior to the bid opening, shall apply to payment estimates for the following month.

The adjusted contract unit price will be applied to the actual amount of asphalt binder used by the Contractor for all asphalt items. The adjustment will be applied to projects that have a quantity of asphalt wet ton mix pay items over 1000 tons. The percentage of virgin asphalt as shown in the job mix formula, in accordance with Sec 401, Sec 403 and Sec 413, will be the basis for adjustments for any asphalt mix type placed on the project during the monthly index period. The effective asphalt obtained from the use of Recycled Asphalt Pavement (RAP) and/or Recycled Asphalt Shingles (RAS) will not be eligible for adjustment. The base price index for PG64-22 will be applied to the asphalt mix for mixes using PG64-22, PG70-22 or PG76-22.

Basis of Payment To determine the adjustment for any material specified in this provision the following formula will be used.

 $A = (B \times C) \times (D-E)$

Where:

A = Adjustment for mix placed during monthly average index period

B = Tons of Mix Placed during the monthly average index period

C = % of virgin asphalt binder as listed in the job mix formula in use

D = Asphalt Price Index, as published by MoDOT for the month prior to the month of mix placement (Ex: if asphalt material placed in August, use Price Index listed for July)

E = Asphalt Price Index, as published by MoDOT for the month prior to the letting (Ex: if project bid in June, use Price Index listed for May)

The engineer will make adjustment payments, as defined above, for the applicable work completed during each month except for projects on which the contractor is being charged liquidated damages, due to working beyond the project completion date, in accordance with Sec 108. In this case, the "D" value used for the price adjustment will be either the last "D" value prior to the date that liquidated damage assessment began or the current monthly "D" value, whichever is lower. If the contractor is being charged liquidated damages due to the contract being beyond the project completion date and the current months "D" value results in a deduction, then the current monthly "D" value will be used.

Optional This provision is optional. If the bidder wishes to be bound by this provision, the bidder shall execute the acceptance form in the Bid. Failure by the bidder to execute the acceptance form will be interpreted to mean election to not participate in the Asphalt Cement Price Index. If the Asphalt Cement Price Index is accepted, asphalt binder for the project will not be eligible for a material allowance as described in Sec 109.

Address:			

6. Communications concerning this Bid shall be addressed to the following:

- 7. The terms used in this Bid which are defined in the General Conditions of the Construction Contract included as part of the Contract Documents have the meanings assigned to them in the General Conditions.
- 8. **CERTIFICATIONS FOR FEDERAL JOBS**: By signing and submitting this bid, the bidder makes the certifications appearing in Sec. 102.18.1 (regarding affirmative action and equal opportunity), Sec. 102.18.2 (regarding disbarment, eligibility, indictments, convictions, or civil judgments), Sec. 102.18.3 (regarding anti-collusion), and Sec. 102.18.4 (regarding lobbying activities). Any necessary documentation is to accompany the bid submission, as required by these sections. As provided in Sec. 108.13, the contracting authority may terminate the contract for acts of misconduct, which includes but is not limited to fraud, dishonesty, and material misrepresentation or omission of fact within the bid submission.

addenda:	•		·
Date:	Number:		
(receipts of all of which Notice and the Instruction	is hereby acknowledged) s to Bidders:	and also copies	s of the Bio
SUBMITTED on		_, 20	
By			
(Corporation Name)			
(State of incorporation)			
Ву			
(Name of person authorized to s	sign) (Signature ar	nd typed)	
(Title)			
(Corporate Seal)			
Attest			
(Secretary)	(Signature and typed)		
Business address:			
Phone No.:			

BIDDER has examined copies of all the Contract Documents and of the following

BID BOND

Suitable bid security in the amount of: (\$_____) Dollars and equal to five (5%) percent as called for in the advertisement for bids which accompanies this proposal. This sum is to be forfeited to the County of Jefferson if the party or parties making the proposal fail to enter into a contract with the approved securities within fifteen (15) days after the Notice of Award has been made. The undersigned has examined the Plans and Specifications for the work to be done and has satisfied himself as to the work to be done and the conditions under which it must be carried out. The Contractor shall commence work within three (3) days after the date of a written Notice to Proceed from the County and shall fully complete all work under this proposal within the scheduled time established by the Contract Documents. This proposal shall be equally binding to all heirs, administrators, executors, successors and assigns. FIRM NAME ______ BY TITLE ATTEST TITLE **ADDRESS**

TELEPHONE _____

BIDDER'S ACKNOWLEDGMENT

(Complete and fill out all parts applicable, and strike out all parts not applicable) On this_____ day of _____ to me personally known, who, being appeared__ by me first duly sworn, did say that he executed the forgoing Proposal with full knowledge and understanding of all its terms and provisions and of the plans and specifications; that the correct legal name and address of the Bidder (including those of all partners or joint ventures) is fully and correctly set out above; that all statements made therein by or for the Bidder are true; and (if a sole individual) acknowledged that he executed the same as his free act and deed. (if a partnership or joint venture) acknowledged that he executed the same, with written authority from, and as the free act and deed of, all said partners or joint venturers. (if a corporation) that he is the ______(President or other agent) _____; that the above Proposal was signed and sealed in behalf of said corporation by authority of its board of directors; and he acknowledged said proposal to be the free act and deed of said corporation. Witness my hand and seal at______,_____ The day and year first above written. (SEAL) Notary Public My commission expires_____ 20

ANNUAL WORKER ELIGIBILITY VERIFICATION AFFIDAVIT

(for joint ventures, a separate affidavit is required for each business entity)

ed, personally ce to be a person whose name is subscribed to this
vit, and personally certify the facts herein stated, as agreement with the state to perform any job, task, which compensation is provided, expected, or due ies.
, and I am duly authorized, directed, siness entity.
oned business entity is enrolled in a federal work Homeland Security, and the aforementioned business at eligibility of newly hired employees working in I have attached documentation to this affidavit to entity in a federal work authorization program, as
oned business entity does not and shall not knowingly ounty, any alien who does not have the legal right on the ned in 8 U.S.C. § 1324a(h)(3).
ract and affidavit conditions are satisfied pursuant to e held liable under Sections 285.525 though 285.550, apploy any unauthorized alien to work within the state
ee act and deed of the aforementioned business entity
Affiant Signature
the day and year first above-written.
Notary Public

[documentation of enrollment/participation in a federal work authorization program attached]

DBE Submittal Forms

(6) <u>DBE Submittal Forms:</u> This form must be submitted by 4 p.m. three (3) business days after bid opening.
(A) <u>DBE Contract Goal</u> : By submitting this bid, the bidder certifies that the bidder is familiar with the DBE Program Requirements in this contract. The contract DBE goal for the amount of work to be awarded is <u>14%</u> of the total federal project price. The bidder shall also complete the DBE Submittal Form in accordance with the program requirements.
(B) <u>DBE Participation</u> : The bidder certifies that it will utilize DBE's as follows:
% OF TOTAL FEDERAL CONTRACT
NOTE: Bidder must fill in the above blank. If no percentage is specified, the bidder certifies that it agrees to, and will comply with the contract goal. If a percentage below the contract goal is specified, then the bidder must submit complete documentation of good faith efforts to meet the DBE contract goal, immediately below.
(C) <u>Certification of Good Faith Efforts to Obtain DBE Participation</u> : By submitting its signed bid, the bidder certifies under penalty of perjury and other provisions of law, that the bidder took each of the following steps to try to obtain sufficient DBE participation to achieve the Commission's proposed DBE Contract Goal: (Attach additional sheets if necessary).

Fig 136.9.9 1 of 3 Jan 2012

DBE Submittal Forms

Identification of Participating DBEs: The information shown on this page must be completed. If this page is submitted but not signed, it will not be cause for rejection. The apparent low and second low bidder must file this form with the <u>Jefferson County Public Works Department, P.O. Box 100, Hillsboro, MO 63050</u> by 4:00 p.m. on the third working day after the bid opening. Fax or email transmittal is permitted. The fax number is <u>636-797-5565</u> and the email address for submittal is <u>JJonas@jeffcomo.org</u>. The original copy must be mailed by overnight mail to the Local Public Agency the day of the FAX or email transmittal. Contact External Civil Rights at (573) 751-7801 for questions or assistance in completion. (Note: Submittal of this form is not required if the Contract DBE Goal is 0%)

The undersigned submits the following list of DBEs to be used in accomplishing the work of this contract. The work, supplies or services, applicable value and percent of total federal contract each DBE is to perform or furnish is as follows:

(1)	(=)	(-)	(=)	, <u>, , , , , , , , , , , , , , , , , , </u>	(=)
(A) DBE Name & Address	(B) Bid Item numbers (Or Line numbers)	(C) \$ Value of DBE of Work ** (Unit Price x Quantity of each item in B, or Lump Sum)	(D) % Of \$ Value Applicable to DBE Goal ** (100%, 60%)	(E) \$ Amount Applicable to DBE Goal for each item (C x D)	(F) % Of Total Contract Amount for each item (E/Total Contract
				(C X D)	Amount)
1.					, mounty
		Total		Total	Total
2.					
		Total		Total	Total
3.					
		Total		Total	Total
		Total		Total	Total
4.					
		Tatal		Tatal	Tatal
		Total		Total	Total
Total DBE Participation					

^{**} Cannot exceed contract amount for given item of work.

Fig 136.9.9 2 of 3 Jan 2012

DBE Submittal

· · ·	(=)	(-)	(=)	<i>(</i> -)	-
(A) DBE Name & Address	(B) Bid Item numbers	(C) \$ Value of DBE of Work ** (Unit Price x Quantity of each item in B, or Lump	(D) % Of \$ Value Applicable to DBE Goal ** (100%, 60%)	(E) \$ Amount Applicable to DBE Goal for each item (C x D)	(F) % Of Total Contract Amount for each item
		Sum)	(10070, 0070)	(C x D)	(E/Total Contract Amount)
Trucking Services					,
Only used if the DBE owns the trucks or is leasing from a DBE firm			100%		
Trucking Services					
Trucks are leased from				Only Include <u>Fees</u> for Trucking Services	
non-DBE source					
Brokered Services					
				Only Include <u>Fees</u> for Brokered Services	
Totals (Page 1)					
Totals (Page 2)					
Totals (additional pages if needed)					
Total DBE Participation					

Company:	Date:
By:	Title:

^{**} Cannot exceed contract amount for given item of work.