

ADDENDUM NUMBER 1Project Number: **STP 3301 (456) and 89002847**Project Title: **Blue River Trail: Swope Park to Brush Creek (Segment A)**ISSUE DATE: **November 26, 2014**

Bidders are hereby notified that the Bidding and Contract Documents for the above project, for which Bids are to be received on **December 2, 2014**, are amended as follows:

The Bid date for this Project stated in Document(s) 00130 - Invitation to Bid, and 00130-01 Notice to Contractors to Bid shall be changed to: 2:00 PM, on **December 9, 2014**.

Information to Bidders The following is provided to Bidders for information only:

1. **Pre-Bid Conference Attendance List** (See Attached)

2.

Q1.	Is the Contractor required to design the SWPPP (Storm Water Pollution Prevention Plan) or will this be provided by the Civil Engineer?
A1.	The Water Services Department has prepared the required City portion of the SWPPP including associated erosion control plans and it will be the Contractor's responsibility to finalize the submittal documents including any required modifications to the erosion control plans and submit for approval. (See Project Manual)
Q2.	Is the Geotech Report available?
A2.	Yes. It is in the Project Manual, Section 20030.1
Q3.	Is a project office required?
A3.	This is up to the Contractor.
Q4.	Do you know when the Notice to Proceed (NTP) will be?
A4.	Estimating approximately 6 weeks after contractor selection.
Q5.	The street light pole at Hardesty Avenue and 63 rd Street is shown to be relocated by the contractor. Is this correct?
A5.	Yes. The street light shall be relocated by the contractor. The existing bid item list includes an item for this work. The contractor shall coordinate and work through City Street Light Division for any requirements.
Q6.	Is the KCPL residential service pole adjacent to 51 st Street to be relocated by the contractor?
A6.	Yes. The residential service pole shall be relocated by the contractor. The existing bid item list includes an item for this work. The contractor shall coordinate and work through KCPL for any requirements.

Q7.	There is a discrepancy with the concrete trail construction. The drawings show Welded Wire Fabric (WWF) reinforcement and the specifications refer to Fiber Reinforced. Which is the correct one? If WWF, what is the chair spacing?
A7.	The trail shall be constructed per the drawing details with WWF. Chairs shall be included per APWA standards and as recommended from the Wire Reinforcement Institute's "Manual of Standard Practice" and "TF 702, Supporting Welded Wire Reinforcement". The WWF shall be supported so it is centered in the pavement section, with limited deflection. No "hooking" is allowed.
Q8.	It appears all testing will be paid and performed by the Owner. Please confirm.
A8.	Please refer to Specification 01410 Project Administration, Section U. The City will perform field testing as desired by the City. The Cost of accepting testing services arranged by the City, if testing results are found to be in compliance with the Contract Documents, will be borne by the City. Also refer to Contracting Requirements—General, 00700, Article 8, 8.07; and, Article 13, 13.02.

Bidding Requirements

1. Delete and Replace the following section(s):
 - a. **Delete**, Unit Prices (Form 00412) and **Replace** with the following Document, Unit Prices (Form 00412) Revised 11/24/2014.
 - b. Document, 00210 Notice to Contractors, (15) TRAINEES:, Page 00210-4.
Delete the last sentence, "The number of trainee hours provided under this contract will be 0 slots at 1000 hours per slot or 0 hours.", and **Replace** with, "The number of trainee hours provided under this contract will be 1 slot (person) at 1000 hours per slot or 1000 hours."
2. Add the following subparagraph:
 - a. Document, 00210 Notice to Contractors, (9) PREVAILING WAGE (FEDERAL or STATE):, Page 00210-3.

Directly after the first paragraph, **Add** "Successful Bidder shall be required to use City's Internet web based Prevailing Wage Reporting System provided by City and protocols included in that software during the term of this Contract. When requested by the City, Bidder shall submit user applications to City's provided Prevailing Wage Reporting System for all applicable personnel and shall require subcontractors to submit same."

Specifications

1. Delete the following section(s):
 - a. Document, Sec. 02301, A. General, Subparagraph 2. Section 2301.2 D....., Page 02301-1
Delete "Fiber reinforcement shall be applied...." in its entirety.
2. Delete the following section(s):
 - a. Document, Sec. 02209, A. General, Subparagraphs 1. Section 02209.2....., Page 02209-1
Delete "Materials: Concrete shall conform to..." in its entirety., and
Delete "Fiber reinforcement shall be applied..." in its entirety.

Drawings:

1. Delete and Replace the following:
 - a. **Delete** all plan sheets, and **Replace** with clearer, readable plan sheets
 - b. Sheet A002, Summary of Quantities
Delete Item No. 10, Concrete Trail (6" Reinforced), SY, 13848, and **Replace** with Item No. 10, Concrete Trail (6" Reinforced), SY, 13925.

NOTE: Bidders must acknowledge receipt of this Addendum by listing the number and date, where provided, on the Bid Form - Document 00410.

CITY OF FOUNTAINS
HEART OF THE NATION



KANSAS CITY
MISSOURI

UNIT PRICES (FORM 00412) REVISED 11/24/2014

Project Number: Federal No. STP-3301 (456) KCMO No. 89002847

Project Title: Blue River Trail: Swope Park to Brush Creek (Segment A)

BOLD ITEMS have been revised.

NOTE: IN THE EVENT OF DISCREPANCY, UNIT PRICE SHALL GOVERN.

Item No.	Unit	Quantity	Item Description:	Unit	Extension
1	LS	1	MOBILIZATION		
2	EA	5	TEMPORARY CONSTRUCTION ENTRANCE		
3	LS	1	CLEARING AND GRUBBING AND DEMOLITION		
4	LS	1	CONTRACTOR FURNISHED SURVEYING		
5	LF	16,651	SEDIMENT FENCE		
6	LF	180	STRAW BALE BARRIER		
7	EA	4	INLET PROTECTION		
8	CY	5,521	UNCLASSIFIED EXCAVATION		
9	CY	5,393	COMPACTED EMBANKMENT		
10	SY	13,925	CONCRETE TRAIL (6" REINFORCED)		
11	SY	350	CONCRETE SIDEWALK (4" REINFORCED)		
12	SF	1,067	ACCESSIBLE RAMP		
13	LF	935	CONCRETE CURB TYPE C-1 (STRAIGHT)		
14	LF	266	CONCRETE CURB AND GUTTER TYPE CG-1		
15	SY	832	CONCRETE DRIVEWAY (6")		
16	SY	350	AGGREGATE BASE ROCK (4")		
17	SY	17,338	AGGREGATE BASE ROCK (6")		
18	SFF	1,747	LARGE BLOCK MODULAR WALL		
19	LF	70	4" YELLOW PAVEMENT MARKING		
20	LF	40	12" WHITE PAVEMENT MARKING		
21	LF	3,267	PRECAST CONCRETE SPLIT RAIL FENCE		
22	LF	298	PRECAST CONCRETE SPLIT RAIL FENCE (WITH MESH)		
23	EA	3	ACCESS CONTROL POST		
24	EA	6	ROCK BOULDERS		
25	EA	39	TRAIL SIGNAGE		
26	SY	3,484	SODDING		
27	ACRES	6.2	SEEDING		
28	SY	4,683	EROSION CONTROL BLANKET (STRAW MAT)		
29	EA	1	PREFABRICATED PEDESTRIAN BRIDGE (80' SPAN)		
30	LF	288	STRUCTURAL STEEL PILE (HP 12x63)		
31	CY	16	STRUCTURAL CONCRETE (CLASS 1)		
32	EA	6	PILE POINT REINFORCEMENT		
33	SY	104	ROCK BLANKET (1/4 TON)		
34	LF	150	PRE-BORE FOR PILING		
35	LF	300	18" RCP		
36	EA	20	18" RCP END SECTION		
37	LF	54	24" RCP		
38	EA	4	24" RCP END SECTION		
39	EA	2	MODIFY CONCRETE FLUME (HARDESTY)		
40	SY	326	ROCK BLANKET (LIGHT 18")		
41	LF	165	8" FIBERGLASS PIPE		
42	EA	1	RELOCATE STREET LIGHT		
43	EA	1	RELOCATE ELECTRICAL SERVICE POLE		
			Total Unit Prices: (LAST PAGE ONLY)		TOTAL \$

Note: May be printed, for manual fill-in, or filled in on electronic excel spreadsheet version.