Charlie A. Dooley County Executive



Sheryl L. Hodges, D.E., P.E., L.P.G. Director

September 22, 2014

## ADDENDUM NO. 1

Notice to All Persons and Firms Proposing to Submit a Bid or Furnish Materials for Forder Road Infrastructure St. Louis County Project No. AR-1412 Federal Project No. STP-4901(627)

The construction contract for this project has been revised as follows:

No. 1

**Replace** Plan Sheet No. 2 of 35, "<u>Summary of Quantities</u>" with the attached document. Bid Item 627-10.00 Diamond Grinding (Concrete Pavement) was removed from the sheet 2 of 35

ATTENTION BIDDERS: CHECK THE ADDENDUM ACKNOWLEDGEMENT IN THE BID DOCUMENTS AND COMPLETE APPROPRIATELY.

Daniel R. Naunheim, P.E. Division Manager, Design


land fairh

DRN/ZH/jlh

Attachments: Plan Sheet and Addendum Acknowledgement (Please sign and return.)

SUMMARY OF QUANTITIES		FORDER ROAD INFRASTRUCTURE  ST. LOUIS COUNTY PROJECT NO. AR-1412  FEDERAL PROJECT NO. STP-4901 (627)			
				ROADWAY ITEMS	
		-   1   1   1   1   1   1   1   1   1		게 보고 있다. 그리고 있는 것이 되었는데 그리고 있다. 그리고 있다. 그리고 있다. 그리고 있는데 그리고 있다. 그리고 있는데 그리고 있는데 그리고 있는데 그리고 있다. 그리고 있다. 그리고 있다 네트로 보고 있는데 그리고 있는데 그리고 있는데 그리고 있는데 그리고 있는데 그리고 있다. 그리고 있는데 그리고 네트로 보고 있는데 그리고	
		L.S.	202-20.10	REMOVAL OF IMPROVEMENTS	PORT HER TO BE AND THE PROPERTY OF THE PROPER
4,095.7	4,095.7	S.Y.		REMOVAL OF RIGID PAVEMENT	Includes sawcutting and removal of adjacent curbing where applicable.
834.3	917.7	C.Y.		CLASS "A" EXCAVATION	10% added. Includes Removal of Bituminous Concrete pavement.
1		L.S.		LAND DISTURBANCE PERMIT	
7,508.7	8,259.6	S.Y.		TYPE 5 AGGREGATE BASE (4" Thick)	Includes 10% additional
882.7	882.7	S.Y.		CONCRETE PAVEMENT (8" NON-REINFORCED), VERY EARLY STRENGTH	TANGER BERNER BERNE - Berner Ber
3213.0	3213.0	S.Y.		CONCRETE PAVEMENT (8" NON-REINFORCED)	
944.8	944.8	S.Y.		REMOVE AND REPLACE CONCRETE PAVEMENT (7" NON-REINFORCED), INCLUDES CURBS	
8	8	EACH		ADJUSTING MANHOLE TO GRADE	
10	10	EACH	604-90.50	REPLACE PRECAST INLET TOP AND ADJUST TO GRADE	마음에 <mark>들어진 하는데 되었다면 되었다. 이 사람들은 이 사람들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이</mark>
244.2	244.2	S.Y.	ter and the second	REMOVE AND REPLACE CONCRETE MEDIAN / ISLAND	Includes sawcutting.
177.6	177.6	S.Y.		REMOVE AND REPLACE PAVED APPROACH (6")	Includes sawcutting.
359.0	359.0	S.Y.		REMOVE AND REPLACE PAVED APPROACH (7")	Includes sawcutting.
381	381			REMOVE AND REPLACE CURB & GUTTER (VARIOUS WIDTHS), VERTICAL/ MOUNTABLE	Includes sawcutting and aggregate base as needed.
910	910	L.F.		INTEGRAL CURB (6" HEIGHT AND UNDER)	
38	38	L.F.		REMOVE AND REPLACE INTEGRAL CURB (6" HEIGHT AND UNDER)	Includes sawcutting and aggregate base as needed.
4		L.S.		STANDARD TRAFFIC CONTROL DEVICES	Not shown on B sheets
4	4	EACH		ARROW PANEL, TYPE "B" (NOISELESS), RENTAL	
834.8	834.8	S.Y.		JOINT REPAIR - TRANSVERSE, HIGH EARLY STRENGTH	Includes all items as described in Special Provision 1100.70.8
344.7	344.7	S.Y.		JOINT REPAIR - TRANSVERSE, VERY EARLY STRENGTH	Includes all items as described in Special Provision 1100.70.8
233.2	233.2	S.Y.	the state of the s	JOINT REPAIR - LONGITUDINAL, VERY EARLY STRENGTH	Includes all items as described in Special Provision 1100.70.8
252.7	252.7	S.Y.		JOINT REPAIR - LONGITUDINAL, HIGH EARLY STRENGTH	Includes all items as described in Special Provision 1100.70.8
		L.S.		MOBILIZATION	Not shown on B sheets
37,142	37,142	S.Y.	[1] M. Alika, A. S. S. Market, Phys. Lett. B 48, 127 (1997).	DIAMOND GRINDING (CONCRETE PAVEMENT) \( \sigma \) ADDENDUM #1	
450	495	S.Y.		STRIP SODDING	Includes 10% additional.
		L.S.		INLET PROTECTION	Not shown on B sheets
				COUNTY TRAFFIC SIGNAL ITEMS	몆쳁궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦궦
1,032	1,032	L.F.	904-85.05	CABLE DETECTOR LOOP, #14 GAUGE, 1 CONDUCTOR, W/ TUBE JACKET (IN CONDUIT AND PULL BOXES)	으로 하는 것이 되는 것이 되었다. 그런 사람들은 경우 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은
3,990	3,990	L.F.		CABLE DETECTOR LOOP, #14 GAUGE, 1 CONDUCTOR, W/ TUBE JACKET (IN SAWED SLOT)	
5	5	EACH	<del>Laireannia (a la contra la cont</del>	ADJUSTMENT OF CONCRETE PULL BOX	rent between the common the control of the control
		EACH		ADJUSTMENT OF CONCRETE DOUBLE PULL BOX	THE CONTROL OF THE PROPERTY OF
10	10	EACH		RELOCATION OF EXISTING PUSH BUTTON	TAN BERNAMBER AND BERNAMBER BERNAMBER AND BERNAMBER AND BERNAMBER AND BERNAMBER BERNAMBER BERNAMBER AND BERNAMBER AND BERNAMBER AND BERNAM
					en el proposition de la compactación de la compactación de la compactación de la compactación de la compactació Establicación de la compactación d
					caracteristics control control Acceptable control con
				PEDESTRIAN AND BICYCLE ITEMS	
1		L.S.		CLEARING VEGETATION FROM PEDESTRIAN ACCESS ROUTE	Not shown on B sheets
50	50	EACH		SIDEWALK GRINDING	As directed by the Engineer
44	44	EACH		CONCRETE SIDEWALK, CURB RAMP	Includes all items as described in Special Provision 100.20.9 and sawcutting as needed
684.3	684.3	S.Y.		REMOVE AND REPLACE CONCRETE SIDEWALK (4" THICK)	Includes sawcutting.
22.0	22.0	S.Y.	608-60.96	REMOVE AND REPLACE CONCRETE SIDEWALK (6" THICK)	Includes sawcutting.
	. 19   10   10   10   10   10   10   10				CERT CORNER CORNER IN CORNER CO

COUNTY PROJECT NO. AR-1412 FEDERAL PROJECT NO. STP-4901(627) E-W GATEWAY TIP NO. 5605-14 N/A MSD BASE MAP: H-30, J-30



SUMMARY OF QUANTITIES FORDER ROAD INFRASTRUCTURE

DJF DJF

CHECKED:

SHEET SEQUENCE: 2 OF 35

## September 22, 2014

## ADDENDUM ACKNOWLEDGEMENT

## ADDENDUM NO. 1

FROM:	St. Louis County Department of Highways and Traffic
RE:	Forder Road Infrastructure St. Louis County Project No. AR-1412 Federal Project No. STP-4901(627)
	AGE INCLUDES THIS ACKNOWLEDGEMENT AND NDUM NOTICE AND REVISED PLAN SHEET.
IF YOU	DID NOT RECEIVE ALL PAGES, CALL (314) 615-8569.
DATE THIS HIGH	RECEIPT OF THIS PACKAGE, PLEASE SIGN AND (IN THE INDICATED LOCATIONS BELOW), AND FAX ACKNOWLEDGEMENT TO THE DEPARTMENT OF WAYS & TRAFFIC AT (314) 615-8194 (Attn: Zenija vic, DESIGN DIVISION) TO VERIFY RECEIPT
	COMPANY
	RECEIVED BY
	DATE