



---

**ADDENDUM NO. 3**

---

**DATE:** 07/16/14  
**TO:** All Interested Parties  
**FROM:** Charles C. LePage, P.E.  
**RE:** City of Warsaw, Missouri- Harrison Street Streetscape Improvements  
Federal Project STP-3001(002)  
Addendum No. 1

---

The Contractor shall incorporate the following changes/clarifications into their bids for the above Project

1. The Bid Form has been amended as follows:

- a) Line item 77 should read "Class C Excavation", not "Class 3 Excavation"
- b) Tack Coat For Add Alternate 1 should be 55 gallons, not 255 gallons.

An updated bid form has been uploaded to the project website with the file name "Bid Form 07-16-14a"

Please contact Charles LePage at (417) 544-4507 if you have any additional questions prior to bid opening.

## BID FORM

PROJECT NO. STP-3001(002) HARRISON STREET STREETSCAPE IMPROVEMENTS

TO CITY OF WARSAW  
WARSAW, MISSOURI

The undersigned bidder hereby proposes to furnish all material, supplies, transportation, tools, and equipment, perform all necessary labor and construct, install and complete all work stipulated in, required by, and in conformity with the proposed Contract Documents (including all documents referred to therein) and any and all written addenda thereto, for and in consideration of the lump sum price as follows:

Item	Qty	Unit	Unit Cost	Total Cost
1. Mobilization	1	L.S.	\$ _____	\$ _____
2. Tree & Stump Removal	1	L.S.	\$ _____	\$ _____
3. Removal of Improvements (By Contractor)	1	L.S.	\$ _____	\$ _____
4. Class A Excavation	310	C.Y.	\$ _____	\$ _____
5. Compacting Embankment	247	C.Y.	\$ _____	\$ _____
6. Embankment, In Place	1,534	C.Y.	\$ _____	\$ _____
7. Coldmilling Bituminous Pavement for Removal of Surfacing (3" thick or less)	1895	S.Y.	\$ _____	\$ _____
8. Temporary Aggregate Surfacing	210	S.Y.	\$ _____	\$ _____
9. Type 1 Aggregate For Base (4" Thick)	2,165.5	S.Y.	\$ _____	\$ _____
10. Gravel (A) or Crushed Stone (B)	4	TON	\$ _____	\$ _____
11. 6" Concrete Pavement Repair	60	S.Y.	\$ _____	\$ _____
12. Subgrade Preparation (6") (95% Compaction)	1,204	S.Y.	\$ _____	\$ _____
13. 6" Asphaltic Concrete Pavement (PMBB)	425.4	TON	\$ _____	\$ _____
14. 1 3/4" Asphaltic Concrete Pavement (BP-1)	325.5	TON	\$ _____	\$ _____
15. Tack Coat	230	GAL.	\$ _____	\$ _____
16. 7" Non-Reinforced Concrete Pavement (Crosswalk)	19	S.Y.	\$ _____	\$ _____
17. Plant Mix Bituminous Pavement BP-1 Wedge	80.8	TON	\$ _____	\$ _____
18. 4" Non-Reinforced Concrete Pavement (Sidewalk)	997.4	S.Y.	\$ _____	\$ _____
19. Type I Driveways	499.4	S.Y.	\$ _____	\$ _____
20. Concrete Curb Ramp	43.4	S.Y.	\$ _____	\$ _____
21. Truncated Domes	132	S.F.	\$ _____	\$ _____

22. Type CG-1 Curb & Gutter	479	L.F.	\$ _____	\$ _____
23. Type CG-1 (Dry) Curb & Gutter	664	L.F.	\$ _____	\$ _____
24. Type CG-2 (Dry) Curb & Gutter	437	L.F.	\$ _____	\$ _____
25. 2.5' Curb & Gutter	170.4	L.F.	\$ _____	\$ _____
26. Curb Transitions	76.3	L.F.	\$ _____	\$ _____
27. Type S Curb	186.4	L.F.	\$ _____	\$ _____
28. 5'x3' Type M Curb Inlet(5' depth)	1	EA.	\$ _____	\$ _____
29. 5'x3' Type M Curb Inlet(4' depth)	1	EA.	\$ _____	\$ _____
30. 5'x3' Type M Curb Inlet(6.5' depth)	1	EA.	\$ _____	\$ _____
31. 5'x3' Type M Curb Inlet(6' depth)	1	EA.	\$ _____	\$ _____
32. 5'x3' Type M Curb Inlet(7.75' depth)	1	EA.	\$ _____	\$ _____
33. 5'x2' Type S-1 Drop Inlet(6.5' depth)	1	EA.	\$ _____	\$ _____
34. 2'x2' Type D Drop Inlet(4' depth)	2	EA.	\$ _____	\$ _____
35. Curved Vane Grate and Frame	3	EA.	\$ _____	\$ _____
36. 8" Group B Pipe	26	L.F.	\$ _____	\$ _____
37. 15" Group B Pipe	241	L.F.	\$ _____	\$ _____
38. 18" Group B Pipe	78	L.F.	\$ _____	\$ _____
39. 24" Group B Pipe	381	L.F.	\$ _____	\$ _____
40. Class 3 Excavation	904.7	C.Y.	\$ _____	\$ _____
41. 4' Eccentric Sanitary Manhole (11' Depth)	1	EA.	\$ _____	\$ _____
42. 4' Eccentric Sanitary Manhole (9.25' Depth)	1	EA.	\$ _____	\$ _____
43. 4' Eccentric Sanitary Manhole (6.5' Depth)	1	EA.	\$ _____	\$ _____
44. 4' Eccentric Sanitary Manhole (5' Depth)	3	EA.	\$ _____	\$ _____
45. Type 1-C Manhole Frame & Cover	6	EA.	\$ _____	\$ _____
46. 8" PVC (SDR-35) Pipe	410	L.F.	\$ _____	\$ _____
47. Trenching & Backfill (for Sanitary Sewer)	426	L.F.	\$ _____	\$ _____
48. Granular Backfill (for Sanitary Sewer)	426	L.F.	\$ _____	\$ _____
49. Sanitary Sewer Service Connection	16	EA.	\$ _____	\$ _____
50. 4" White High Build Acrylic Waterborne Pavement Marking Paint	660	L.F.	\$ _____	\$ _____
51. 4" Yellow High Build Acrylic Waterborne Pavement Marking Paint	540	L.F.	\$ _____	\$ _____
52. Type 2 Preformed Marking Tape (Grooved) 6 in. White	204	L.F.	\$ _____	\$ _____
53. Type 2 Preformed Marking Tape (Grooved) 24" White	28	L.F.	\$ _____	\$ _____
54. Acrylic Waterborne Pavement Marking Paint 4"	117	L.F.	\$ _____	\$ _____
55. Acrylic Waterborne Pavement Marking				

Paint Blue Handicap Symbol	1	EA.	\$ _____	\$ _____
56. Acrylic Waterborne Pavement Marking				
Paint Bike Sharrow Symbol	7	EA.	\$ _____	\$ _____
57. Street Lights Poles, & Luminaires				
(Install Only)	11	EA.	\$ _____	\$ _____
58. Concrete Light Pole Foundations	17	EA.	\$ _____	\$ _____
59. Metered Service Enclosure	1	EA.	\$ _____	\$ _____
60. Preformed Pull Box Class 1	4	EA.	\$ _____	\$ _____
61. Conduit, 2" Rigid, In Trench	1,633	L.F.	\$ _____	\$ _____
62. Conduit, 3" Rigid, Pushed	46	L.F.	\$ _____	\$ _____
63. Cable, 8 AWG 3 Conductor w/GRD	1,160	L.F.	\$ _____	\$ _____
64. Cable #2 AWG Copper	30	L.F.	\$ _____	\$ _____
65. Ground Rods, Jumpers, Clamps, Etc.	1	L.S.	\$ _____	\$ _____
66. Base Mounted Lighting Control				
Station (240 V)	1	EA.	\$ _____	\$ _____
67. Small Block Retaining Wall	2,565	S.F.	\$ _____	\$ _____
68. Granular Backfill				
(for Retaining Wall)	96	C.Y.	\$ _____	\$ _____
69. Leveling Pad (for Retaining Wall)	25.3	C.Y.	\$ _____	\$ _____
70. Type III Movable Barricade (9')	9	EA.	\$ _____	\$ _____
71. Type C Warning Lights	9	EA.	\$ _____	\$ _____
72. Channelizer (Drum or Trim-Line)	25	EA.	\$ _____	\$ _____
73. Construction Signs	160	S.F.	\$ _____	\$ _____
74. Flag Assembly	2	EA.	\$ _____	\$ _____
75. Contractor Furnished Survey	1	L.S.	\$ _____	\$ _____
& Staking				
76. <b>Trenching in Rock</b>	25	C.Y.	\$ _____	\$ _____
77. <b>Class C Excavation</b>	100	C.Y.	\$ _____	\$ _____

**Total Base Bid \$ \_\_\_\_\_**

Add Alternate 1: The Contractor shall state the amount to be added to the Base Bid to provide labor, equipment and material.

Item	Qty	Unit	Unit Cost	Total Cost
1. Class A Excavation	435	C.Y.	\$ _____	\$ _____
2. Compacting Embankment	175	C.Y.	\$ _____	\$ _____
3. Class 3 Excavation	18.4	C.Y.	\$ _____	\$ _____
4. 6" Plant Mix Bituminous Base (PMBB)	374	TON	\$ _____	\$ _____
5. 2" Plant Mix Bituminous Pavement (BP-1)	124.7	TON	\$ _____	\$ _____
6. Type 1 Aggregate for Base				

(4" Thick)	1,122	S.Y.	\$ _____	\$ _____
7. 2'x2' Type D Drop Inlet (3' Depth)	1	EA	\$ _____	\$ _____
8. Curved Vane Grate and Frame	1	EA.	\$ _____	\$ _____
9. 12" Group B Pipe	35	L.F.	\$ _____	\$ _____
10. Type S Curb	283	L.F.	\$ _____	\$ _____
11. Tack Coat	55	GAL	\$ _____	\$ _____

**Total Add Alternate 1 Bid \$ \_\_\_\_\_**

Add Alternate 2: The Contractor shall state the amount to be added to the Base Bid to provide labor, equipment and material.

Item	Qty	Unit	Unit Cost	Total Cost
1. Type S Curb (Upper Parking Lot Islands)	209	L.F.	\$ _____	\$ _____

**Total Add Alternate 2 Bid \$ \_\_\_\_\_**

Add Alternate 3: The Contractor shall state the amount to be added to the Base Bid to provide labor, equipment and material.

Item	Qty	Unit	Unit Cost	Total Cost
1. Linear Grading	1	L.S.	\$ _____	\$ _____
2. 4" Non-Reinforced Concrete Pavement (Sidewalk)	181.5	S.F.	\$ _____	\$ _____
3. Concrete Curb Ramps	4.8	S.Y.	\$ _____	\$ _____
4. Truncated Domes	12	S.F.	\$ _____	\$ _____
5. 6" NRPCCP Shoulder	100.5	L.F.	\$ _____	\$ _____
6. Type 1 Aggregate for Base (4" Thick)	119	S.Y.	\$ _____	\$ _____

**Total Add Alternate 3 Bid \$ \_\_\_\_\_**

**The Contract will be awarded to the lowest responsive bidder based on the following parameters:**

**If lowest Base Bid is within City's project budget, but all combined Base Bids plus Add Alternate 1 exceed City's budget, the lowest responsive Base Bid will be awarded the contract.**

**If one or more bidder's combined Base Bid plus Add Alternate 1 Bid is within the City's budget, the lowest combined Base Bid and Add Alternate 1 Bid will be awarded the contract.**

**If one or more bidder's combined Base Bid plus Add Alternate 1 Bid and Add Alternate 2 Bid is within the City's budget, the lowest combined Base Bid and Add Alternate 1 Bid and Add Alternate 2 Bid will be awarded the contract.**

**If one or more bidder's combined Base Bid plus Add Alternate 1 Bid and Add Alternate 2 Bid and Add Alternate 3 Bid is within the City's budget, the lowest combined Base Bid and Add Alternate 1 Bid and Add Alternate 2 Bid and Add Alternate 3 Bid will be awarded the contract.**

1. The undersigned further agrees to begin work, if the successful lowest responsive bidder, upon the date stated in the Notice to Proceed.
2. In submitting this bid, the undersigned declares that it is of lawful age and executed the accompanying bid on behalf of the bidder therein named, and that it has lawful authority so to do. The undersigned further declares that it has not directly or indirectly entered into any agreement, expressed or implied, with any bidder or bidders, having for its object the controlling of the price or amount of such bid or any bids, the limiting of the bid or bidders, the parceling or farming out to any bidder or bidders, or other persons, of any part of the Contract or any part of the subject matter of the bid or bids or of the profits thereof, and that it has not and will not divulge the sealed bid to any person whomsoever, except those having a partnership or other financial interest with bidder in said bid or bids, until after sealed bid or bids are opened.
3. The undersigned further declares that it has carefully examined the Notice to Bidders, Instructions to Bidders and other Contract Documents, and that it has inspected the actual location of the work, together with the local sources of supply, and has satisfied itself as to all conditions and quantities, and understands that in signing this Bid Form it waives all right to plead any misunderstanding regarding the same.
4. The undersigned hereby agrees to furnish the required bonds and insurance certificates and execute an Agreement within ten (10) calendar days from and after notice of the award of the Contract to said bidder, and failure of the bidder to do so shall constitute a default, and the City may thereafter take such steps to protect its legal rights as it deems in its best interest, including, but not limited to, enforcement of its rights as to bid security.
5. It is understood that the City will pay monthly pay estimates submitted in accordance with the City of Warsaw's claims policy and approved by the City Engineer, all as provided in the Contract Documents.
6. Undersigned acknowledge receipt of the Plans and Specifications for the project including the following written addenda (insert "none" if none were received).

---

---

Enclosed is a certified check, cashier's check or bid bond in the amount of \_\_\_\_\_  
DOLLARS (\$\_\_\_\_\_) which sum is five percent (5%) of the total bid. The  
undersigned agrees this security is subject to being forfeited to the City as liquidated damages and not as  
a penalty, together with other legal remedies the City may choose to invoke, all as set forth in the  
Instructions to Bidders, should this Bid be accepted and the Contract be awarded to this bidder and it  
should fail to enter into an Agreement in the form prescribed and to furnish the required insurance,  
bonds and other required documents within ten (10) calendar days as above stipulated, otherwise the bid  
security shall be returned to the undersigned upon signing of the Agreement and delivery of the  
approved bonds and other required documents to said City of Warsaw, Missouri.

DATED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_.

\_\_\_\_\_  
Contractor

By: \_\_\_\_\_

\_\_\_\_\_  
Title

\_\_\_\_\_  
Address

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number