

ADDENDUM NO. 2
TO
CONTRACT DOCUMENTS AND SPECIFICATIONS
Kearney 19th Street Culvert
BRM-3400-(431)

TO WHOM IT MAY CONCERN:

The contract documents and specifications covering the *Kearney 19th Street Culvert BRM-3400-(431)* for the City of Kearney, Missouri are hereby amended as follows:

Construction Plans

Drawing 2 of 24

QUANTITIES - Item 11. 4" Rock Base (MoDOT Type 5) (Roadway)

DELETE: 746 sy

And REPLACE with: **1043 sy**

TYPICAL SECTION

DELETE: 7" Asphalt Base Course in Max. 3" Lifts. (APWA Type 1-01)

And REPLACE with: **7" Asphalt Base Course in Max. 4" Lifts. (APWA Type 1-01)**

And ADD note: **Asphalt base under and 1' past curb and gutter (totaling 3'), shall be paid for under 7" asphalt base course and measured as 1.3' per linear ft of curb.**

Drawing 14 of 24: Street Patch Detail

Add Note **8. This concrete portion of this detail shall apply to street cut of Meadow Lane only.**

Contract Documents:

NOTICE TO CONTRACTORS - ITEMIZED BID: Item 11. 4" Rock Base (MoDOT Type 5) (Roadway)

DELETE: 746 sy

And REPLACE with: **1043 sy**

1. Bidder to line through 746 and write in and use 1043 to calculate extension amount.

TECHNICAL SPECIFICATIONS - 2205 Asphaltic Concrete Surface and Base

DELETE:

The asphaltic concrete mixture for the asphalt overlay shall consist of Virgin Type 3-01 asphalt and meet the requirements of subsection 2205.3 Mixing and Proportioning.

And REPLACE with;

The asphaltic concrete mixture for the asphalt overlay shall consist of Type 3-01 asphalt and meet the requirements of subsection 2205.3 Mixing and Proportioning.

Contractor shall acknowledge receipt of Addendum by attaching it to the Bid Documents.

City of Kearney, Missouri
100 East Washington
Kearney, MO 64060