EFFECTIVE 0401-2002

1 8/23/13 SIGNAL SHEET REVISED

POWER SUPPLY

LOCATION			POWER SUPPLY ASSEMBLY		CIRCUIT BREAKER TRIP RATING ✱				LIGHTING CONTROL ✱ (ON POWER SUPPLY)		SERVICE POLE	
					CONTROLLER		POWER SUPPLY DISCONNECT					
APPROACH	STATION	OFFSET	DRAWING 902.15	DRAWING	AUXILIARY BREAKER	CONT & SIGNAL LAMPS	MAIN BREAKER		120 VOLT CONTROL CABINET	MAIN BREAKER	CONTRACT FURNISH	UTILITY COMPANY
							SIGNALS	LIGHTING				
			Type		15 Amps	Amps	Amps	Amps		Amps	Cl. Ft.	
			Type		Amps	Amps	Amps	Amps		Amps	Cl. Ft.	

CONTROLLER ASSEMBLY AND AUXILIARY EQUIPMENT

LOCATION			SYSTEM MASTER (CLOSED LOOP)		ACTUATED		ON-OFF ✱ SWITCH TYPE		COORDINATION INTERFACE ✱						TIME ✱ CLOCK	NEMA CABINET TYPE ✱			170 CABINET TYPE ✱		170 SOFTWARE ✱	
									12C/7C HARDWIRE (1)		TIME BASE	CLOSED LOOP		FIBER								
APPROACH	STATION	OFFSET	NEMA	170	NEMA	170	I	II	MASTER	LOCAL		NEMA	170			E	EV	DOUBLE	332	336S	BITRAN	WAPITI

✱ ITEMS FOR WHICH SEPARATE PAYMENT WILL NOT BE MADE.

DETECTOR SCHEDULE

DETECTOR NUMBER	APPROACH	TYPE					
		PUSH BUTTON	INDUCTION LOOP			VIDEO (1)	OPTICAL
			STANDARD	DELAY/ EXTEND ✱	CALL UNIT ✱		