August 30, 2013

Addendum No. 2

Fee Fee Road Improvements – Phase I Project No. STP-5407(611)

This addendum forms a part of the contract documents and modifies the drawings and specifications as indicated by the following items:

Specifications

Bidder Checklist

Delete the Bidder Checklist and replace it with the attached Bidder Checklist dated 8/30/2013 (Addendum #2).

Changes to the Bidder Checklist include:

- Item 6 to read: For paper bids submit a fully executed bid bond either in the form provided or an AIA bid bond listing the owner as the City of Bridgeton 12355 Natural Bridge Road, Bridgeton, Missouri 63044.
- Item c to read: Using a different bid bond form other than one mentioned in item 6 above.

Bid Bond

Delete the Bid Bond included in Addendum #1 dated 8/28/2013 and replace it with the attached Bid Bond dated 8/30/2013 (Addendum #2).

Itemized Bid

Delete the Itemized Bid Form and replace it with the attached Itemized Bid Form dated 8/30/13 (Addendum #2).

Changes to the Itemized Bid Form include adjusting the length of 15" Class III Reinforced Concrete Pipe Culvert from 1987 linear feet to 2203 linear feet.

<u>Plans</u>

Summary of Quantities Sheet GN005

The quantity of 15" Class III Reinforced Concrete Pipe Culvert in column PL003 has been changed from 225 to 441.

END OF DOCUMENT

BIDDER CHECKLIST FINAL CHECKLIST BEFORE SUBMITTING BID

- Submit completed Contractor Questionnaire and/or Contractor Prequalification Questionnaire with attachments not later than seven (7) days prior to the date and hour of the bid opening. See Secs 101-103 of the Standard Specifications, and Rule 7 CSR 10-15.900, "Prequalifications to Bid of Certain Contractors". Questionnaire and Contact information are provided on MoDOT's website. (if applicable required on highway and bridge projects)
- 2. For submittal of paper bids, the complete set of bidding documents includes all information through the DBE forms (for DBE forms see #7). The Technical Specifications/Job Special Provisions are for the bidder's information only and is not to be returned with the bid.
- 3. If submitting the bid by mail, it is to be completed, executed, and submitted in a sealed envelope addressed CITY OF BRIDGETON – DEPARTMENT OF PUBLIC WORKS; 12355 Natural Bridge Road Bridgeton, Missouri . <u>Provide the</u> <u>vendor name, vendor address, vendor number, county, route and federal project number on the outside of the</u> <u>envelope</u>.
- 4. Please read all items in the bidding document carefully. For paper bids, complete all items in ink or by typing in the information.
- □ 5. Sign this bidding document properly. If submitted in the name of a firm or corporation, the legal name of the firm or corporation should appear in the space designated, and be signed for by one or more persons legally qualified to execute papers in the name of said firm or corporation. Affix Corporate Seal if the Bidder is a Corporation.
- □ 6. For paper bids submit a fully executed bid bond either in the form provided or an AIA bid bond listing the owner as the City of Bridgeton 12355 Natural Bridge Road, Bridgeton, Missouri 63044.
- **7**. Submit the DBE Identification Submittal within 3 business days of the Bid Opening.
- 8. For paper bids, staple addenda to the bid in the appropriate part of the bid. The letter accompanying the addenda should be stapled to the inside of the back cover of the bid and returned. The bidder should retain a duplicate copy.

.....

Below is a list of common mistakes made by bidders leading to non-responsive bids. Please refer to the Standard Specifications for the appropriate procedures for completing and submitting a bid.

- a) Not signing the bid
- b) Not incorporating the addendum into the bidding documents, including attaching the letter to the bid
- c) Using a different bid bond form other than one mentioned in item 6 above.
- d) Using pencil to fill out the bid
- e) Using white out to make corrections to the itemized bid sheets
- f) Not initialing changes made

All questions concerning the bid document preparation can be directed to the to Robert Gunn; City of Bridgeton 12355 Natural Bridge Road; Bridgeton, MO 63044; Telephone No: 314-373-3818.

<u>Special Needs:</u> If you have special needs addressed by the Americans with Disabilities Act, please notify the Bridgeton Police Department, at (314) 739-7557 or through Missouri Relay System, TDD 1-800-735-2966, at least five (5) working days prior to the bid opening.

BID BOND

KNOW ALL PERSONS BY THESE PRESENTS, that we, the undersigned,

(Principal's Name and Principle Place of Business)

as PRINCIPAL, hereinafter called the "Principal" and

(Surety's Name and Principle Place of Business)

as SURETY, hereinafter called the "**Surety**," are held and firmly bound unto City of Bridgeton, Missouri, with an address of 12355 Natural Bridge Road, Bridgeton, Missouri 63044, as OBLIGEE, hereinafter called the "**City**", in the penal sum of Dollars(\$_____) of lawful money of the United States, for the payment of which sum well and truly to be made, the said bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted accompanying bid, dated, _____, 20___, for

Fee Fee Road Improvements (Ayrshire Rd. to Old St. Charles Rd.), Federal Project No. STP-5407(611)

NOW, THEREFORE, if the Obligee shall accept the bid of the Principal and the Principal shall enter into a Contract with the Obligee in accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to the Obligee the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which the Obligee may in good faith contract with another party to perform the Work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect.

IN WITNESS WHEREOF, the above-bounded parties have executed this instrument under their several seals this ______ day of _____, 20___, the name and corporate seal of each corporate party being hereto affixed and these presents signed by its undersigned representative, pursuant to authority of its governing body.

Attest:	[PRINCIPAL]
	Ву:
	Name: Title
Attest:	[SURETY]
	By:
	Name:
	Title

*Attorney-in-Fact, State of _____ *Power-of-Attorney for signing for surety company must be attached to bond.

CERTIFICATE AS TO CORPORATE PRINCIPAL

I,, certify that I am the	of the
named as Principal in the within bond:, that	,
who signed the said bond on behalf of the Principal was then	
of said corporation, that I know his signature, and his signature thereto is genuin	e; and
that said bond was duly signed, sealed and attested for and in behalf of said corpo	oration
by authority of its governing body.	

(CORPORATE SEAL)

CERTIFICATE AS TO CORPORATE SURETY

I,, certify that I am the	of	the
named as Surety in the within bond:, that	,	
who signed the said bond on behalf of the Surety was then		
of said corporation, that I know his signature, and his signature thereto is genui	ne;	and
that said bond was duly signed, sealed and attested for and in behalf of said corp	pora	ation
by authority of its governing body.		


(CORPORATE SEAL)

The rate of premium on this bond is	per thousand. Total amount of
premium charges \$	
The above must be filled in by corporate surety.	Power-of-attorney of person signing for
surety company must be attached.	

ITEM	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	EXTENDED PRICE
201-20.10	CLEARING AND GRUBBING	L.S.	1		
202-20.10	REMOVAL OF IMPROVEMENTS	L.S.	1		
203-10.00	CLASS "A" EXCAVATION	C.Y.	9800		
203-60.00	COMPACTING EMBANKMENT	C.Y.	1000		
203-99.01	SOFT SOIL REMEDIATION	C.Y.	1428	\$35	\$49,980.00
218-30.03	SILT FENCE DITCH CHECK	EA	2		
218-45.01	DRAINAGE STRUCTURE SEDIMENTATION CONTROL TRAP	EA	52		
218-50.00	TEMPORARY SEEDING AND MULCHING	S.Y.	1734		
218-70.00	SILT FENCE	L.F.	10200		
	TYPE 5 AGGREGATE BASE (4" THICK)	S.Y.	22797.6		
	AGGREGATE SURFACE FOR DRIVEWAYS	S.Y.	157.5		
	TYPE "C" BITUMINOUS PAVEMENT	TON	85.365		· · · · · · · · · · · · · · · · · · ·
405-30.30	TYPE "X" BITUMINOUS CONCRETE (BASE)	TON	224.7		
	TACK-EMULSIFIED ASPHALT (SS-1)	GAL	283.5		
502-11.10	CONCRETE PAVEMENT (10" NON- REINFORCED)	S.Y.	17294.1		
	CONCRETE PAVEMENT (6" NON- REINFORCED)	S.Y.	50		
	EXPOSE WATER SERVICE HOUSE LEADS (LESS THAN 2")	EA	46		
	RELOCATING HOUSE WATER SERVICE	L.F.	650		
303-10.21	ADJUST WATER SERVICE METER	EA	14		
	ADJUST WATER SERVICE VALVE AND BOX TO GRADE	EA	48		
	SINGLE CURB INLET, UNTRAPPED	EA	48		
304-12.02	DOUBLE CURB INLET, UNTRAPPED	EA	1		
604-19.27	MANHOLE	EA	10		
604-19.99	MANHOLE, WATER QUALITY UNIT	EA	1		
	CONNECTION TO EXISTING STORM SEWER, STRUCTURE OR PIPE	EA	5		,
	ADJUSTING MANHOLE TO GRADE	EA	8		
	CONCRETE MEDIAN, DOWELED	S.Y.	163.4		
308-50.06	PAVED APPROACH (6")	S.Y.	1772.7		
	PAVED APPROACH (7")	S.Y.	292.7		
	INTEGRAL CURB (6" HEIGHT AND UNDER)	L.F.	8158		
311-30 20	FURNISHING TYPE 2 ROCK BLANKET	C.Y.	122		· · · · · · · · · · · · · · · · · · ·
	PLACING TYPE 2 ROCK BLANKET	C.Y.	122	····	· · · · · · · · · · · · · · · · · · ·
	CONSTRUCTION STAKING	L.S.	1		
	MOBILIZATION	L.S.	1		
26-13.12	12" CLASS III REINFORCED CONCRETE PIPE CULVERT	L.F.	3243		
726-13.15	15" CLASS III REINFORCED CONCRETE PIPE CULVERT	L.F.	2203		······································
26-13.18	18" CLASS III REINFORCED CONCRETE PIPE CULVERT	L.F.	304		
726-13.24	24" CLASS III REINFORCED CONCRETE PIPE CULVERT	L.F.	45		
	12" POLYVINYL CHLORIDE PIPE	L.F.	27		
	24" FLARED END SECTION	EA	1		
	SODDING	S.Y.	6934		
00-10.001		J			

	CONSTRUCTION SIGNS	S.F.	754					
616-10.10	RELOCATED SIGNS	S.F.	387					
	CHANNELIZER (TRIM LINE)	EA	270					
	MOVEABLE BARRICADE (STANDARD)	EA	10					
616-10.98	CHANGEABLE MESSAGE BOARD	EA	2					
**	(NOISELESS), NON-RETURNABLE (CITY TO RETAIN)							
616-99.01	MAINTENANCE OF TRAFFIC CONTROL DEVICES	L.S.	1					
621-20.10	PERMANENT YELLOW PAVEMENT STRIPING, PAINT	L.F.	9070		-			
	PERMANENT WHITE PAVEMENT STRIPING, PAINT	L.F.	1320					
	PERMANENT PAVEMENT MARKING ARROWS, PAINT	EA	5	1	·			
903-99.01	HIGHWAY SIGNING	L.S.	1					
	Striping / Signal Subtotal				\$ -			
	CONCRETE SIDEWALK (4" THICK)	S.Y.	500					
608-60.07	CONCRETE SIDEWALK (7" THICK), CURB RAMPS	S.Y.	226.5					
	CONCRETE STEPS	S.F.	24					
	CONCRETE SIDEWALK (4" THICK), PERVIOUS PAVEMENT SIDEWALK	S.Y.	4364.1					
Pedestria	n Facilities Subtotal							
			TOTAL BASE	E BID	\$ -			
ADD ALT	ERNATE 'A'							
624-99.01	GEOTEXTILE FOR SUBBASE	S.Y.	21712					
TOTAL AD	D ALTERNATE 'A' BID				,			
	TOTAL OF BA	SE BID AND	ADD ALTERNA	TE 'A'				
** Non-pai	ticipating Item							

ITEM #	DESCRIPTION	ACC.	UNITS	PL001	PL002	PL003	PL004	PL006	PL008	PL009	PL010	PL011	PL012	PM001	TC001	XS001	SUBTOTAL	TOTAL
201-20.10	CLEARING AND GRUBBING	1	L.S.														1	1
202-20.10	REMOVAL OF IMPROVEMENTS	1	L.S.														1	1
203-10.00	CLASS "A" EXCAVATION	1	C.Y.													9800	9800	9800
203-60.00	COMPACTING EMBANKMENT	1	C.Y.													1000	1000	1000
203-99.01	SOFT SOIL REMEDIATION	1	C.Y.														1428	1428
218-30.03	SILT FENCE DITCH CHECK	1	EA												2		2	2
218-45.01	DRAINAGE STRUCTURE SEDIMENTATION CONTROL TRAP	1	EA												52		52	52
218-50.00	TEMPORARY SEEDING AND MULCHING	1	S.Y.	94	178	196	216	194	156	198	168	168	166				1734	1734
218-30.00	SILT FENCE	1	L.F.	94	170	190	210	194	100	190	100	100	100		10200		10200	10200
304-05.04	TYPE 5 AGGREGATE BASE (4" THICK)	1	S.Y.	1038	2139	2201	2680	2362	2116	2226	2034	2000	2916		10200		21712	22798
304-99.04	AGGREGATE SURFACE FOR DRIVEWAYS	1	S.Y.	1030	2139	2201	74	5	2110	38	2034	11	2910				150	158
405-30.10	TYPE "C" BITUMINOUS PAVEMENT	0.1	TON		7.6		27.7		6.7	3.8	2.8	4.2					81.3	85.4
405-30.10	TYPE "X" BITUMINOUS CONCRETE (BASE)	0.1	TON		7.6	12.5		16									214	224.7
405-30.30			GAL		19	25.3	93.6	32.4	13.4	14.5	7.4	8.4					270	224.7
	TACK-EMULSIFIED ASPHALT (SS-1)	10		044.7	20	30	50	40	40	10	40	40	0740.4					
502-11.10	CONCRETE PAVEMENT (10" NON-REINFORCED)	0.1	S.Y.	941.7	1802.0	1569.5	1622.8	1836.6	1799.6	1802.9	1598.8	1601.8	2718.4				17294.1	17294.1
502-11.06	CONCRETE PAVEMENT (6" NON-REINFORCED)	0.1	S.Y.	52.9		65	161	38		50.5	38.2	16.5					50	50
603-10.09	EXPOSE WATER SERVICE HOUSE LEADS (LESS THAN 2")	1	EA	3	3	12	9	8	3	3	4	1					46	46
603-10.10	RELOCATING HOUSE WATER SERVICE LEAD	1	L.F.	30	50	230	130	80	30	30	40	30					650	650
603-10.21	ADJUST WATER SERVICE METER	1	EA	3	3	12	9	8	3	3	4						14	14
603-10.30	ADJUST WATER SERVICE VALVE AND BOX TO GRADE	1	EA	3	3	12	9	8	3	5	4	1					48	48
604-12.01	SINGLE CURB INLET, UNTRAPPED	1	EA	1	5	6	4	7	6	6	6	4	3				48	48
604-12.02	DOUBLE CURB INLET, UNTRAPPED	1	EA	1													1	1
604-19.27	MANHOLE	1	EA		1					1		2	3				7	10
604-19.99	MANHOLE, WATER QUALITY UNIT	1	EA										1				1	1
604-20.99	CONNECTION TO EXISTING STORM SEWER, STRUCTURE OR PIPE	1	EA	1					1	1			2				5	5
604-20.30	ADJUSTING MANHOLE TO GRADE	1	EA	2		+											2	8
608-10.00	CONCRETE MEDIAN, DOWELED	0.1	S.Y.	<u> </u>									163.4				163.4	163.4
608-50.06	PAVED APPROACH (6")	0.1	S.Y.	37.9	62.2	281.7	448.7	244.8	135.9	133.9	210.2	217.4	103.4				1772.7	1772.7
608-50.07	PAVED APPROACH (7")	0.1	S.Y.	01.5	104	201.7		244.0	100.0	41	52.8	217.7	94.9				292.7	292.7
608-60.04	CONCRETE SIDEWALK (4" THICK)	0.1	S.Y.		104						02.0		54.5				500	500
608-60.07	CONCRETE SIDEWALK (7" THICK), CURB RAMPS	0.1	S.Y.	34.5	15.7			45.1	48.1	50.7			32.4				226.5	226.5
608-70.00	CONCRETE STEPS	0.1	S.F.	34.3	15.7	24		40.1	40.1	50.7			32.4				220.3	220.3
	CONCRETE SIDEWALK (4" THICK), PERVIOUS PAVEMENT																	
608-99.99	SIDEWALK	0.1	S.Y.	309.6	424.9	429.7	376.3	549.9	480.2	467	441.6	476.2	408.7				4364.1	4364.1
609-20.11	INTEGRAL CURB (6" HEIGHT AND UNDER)	1	L.F.	441	883	795	722	841	938	919	818	882	919				8158	8158
611-30.20	FURNISHING TYPE 2 ROCK BLANKET	1	C.Y.										122				122	122
611-30.40	PLACING TYPE 2 ROCK BLANKET	1	C.Y.										122				122	122
612-99.10	CONSTRUCTION STAKING	1	L.S.														1	1
616-10.05	CONSTRUCTION SIGNS	1	S.F.												754		754	754
616-10.10	RELOCATED SIGNS	1	S.F.												387		387	387
616-10.25	CHANNELIZER (TRIM LINE)	1	EA												270		270	270
616-10.31	MOVEABLE BARRICADE (STANDARD)	1	EA												10		10	10
616-10.98	CHANGEABLE MESSAGE BOARD (NOISELESS), NON-	1	EA												2		2	2
	RETURNABLE (CITY TO RETAIN)					-									۲ ۲		<u> </u>	
616-99.01	MAINTENANCE OF TRAFFIC CONTROL DEVICES	1	L.S.												1			1
619-00.00		1	L.S.											0077				1
621-20.10	PERMANENT YELLOW PAVEMENT STRIPING, PAINT	10	L.F.											9070			9070	9070
621-20.11	PERMANENT WHITE PAVEMENT STRIPING, PAINT	10	L.F.											1320			1320	1320
621-20.15	PERMANENT PAVEMENT MARKING ARROWS, PAINT	1	EA											5			5	5
726-13.12	12" CLASS III REINFORCED CONCRETE PIPE CULVERT	1	L.F.		39	117	221	735	446	624	704	306	51				3243	3243
726-13.15	15" CLASS III REINFORCED CONCRETE PIPE CULVERT	1	L.F.		466	<u>{441</u> }	266		184	546		123	177				2203	2203
726-13.18	18" CLASS III REINFORCED CONCRETE PIPE CULVERT	1	L.F.	234	70												304	304
726-13.24	24" CLASS III REINFORCED CONCRETE PIPE CULVERT	1	L.F.										45				45	45
726-54.12	12" POLYVINYL CHLORIDE PIPE	1	L.F.										27				27	27
732-00.24	24" FLARED END SECTION	1	EA										1				1	1
803-10.00	SODDING	1	S.Y.	377	712	784	863	776	625	790	674	671	662				6934	6934
903-99.01	HIGHWAY SIGNING	1	L.S.											1			1	1
DD ALTER	NATE 'A'																F	
													1					



P:\Transportation\21562440_FeeFee_Bridgeton\07_Construction\01_GN005.dgn 10:23:23 AM 8/30/2013