

**BIDDING AND CONTRACT DOCUMENTS**  
**ADDENDUM NUMBER ONE**  
**STATE PROJECT NO. 12-070A-1**

DATE: MAY 3, 2012

PIEDMONT MUNICIPAL AIRPORT

CRAWFORD, MURPHY, TILLY, INC.  
ONE MEMORIAL DRIVE, SUITE 500  
SAINT LOUIS, MISSOURI 63102

TO: ALL PLANHOLDERS AND POTENTIAL BIDDERS

SUBJECT: ADDENDUM NUMBER ONE TO THE BIDDING DOCUMENTS FOR:  
OVERLAY RUNWAY 3-21, TAXIWAYS AND APRON; CONSTRUCT PARKING LOT



This addendum forms a part of the bidding and contract documents, and modifies the original bidding documents dated April 15, 2013. This addendum must be signed on the last page and included with the submitted Bid Package. An acknowledgement sheet is also attached. This must be signed and returned to Crawford, Murphy, & Tilly, Inc via fax or mail by May 7, 2013. FAILURE TO NOT RECOGNIZE THE ADDENDUM ON THE BID FORM MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

The Contract Documents are revised as follows:

**PLANS:**

**Sheet 3 of 20**

ADD the following notes to the end of Section 5. CONTRACTOR ACCESS:

- 12. DURING ADVERSE WEATHER, THE CONTRACTOR SHALL MAKE PROVISIONS FOR ACCESS TO THE WORK AT NO ADDITIONAL COST TO THE CONTRACT. NO EXTENSION OF TIME WILL BE CONSIDERED FOR DELAYS DUE TO LACK OF ADEQUATE ACCESS TO THE WORK.
- 13. THE CONTRACTOR SHALL BE RESPONSIBLE AT NO ADDITIONAL COST TO THE CONTRACT FOR ANY IMPROVEMENTS TO THE ACCESS ROUTE THAT ARE REQUIRED TO ACCOMMODATE THE CONTRACTOR'S HAULING OPERATIONS.

**Sheet 4 of 20**

REPLACE this sheet with Revision 1.

**CONTRACT PROPOSAL:**

**Page 153, ITEM MO-401F PLANT MIX BITUMINOUS PAVEMENTS**

ADD after the first sentence of 401-4.6 PREPARATION OF THE UNDERLYING SURFACE the following: All vegetation in existing cracks shall be removed or burned with a torch and the crack sprayed in the locations of the vegetation with a herbicide that sterilizes the soil.

**Page 158, ITEM MO-401F PLANT MIX BITUMINOUS PAVEMENTS**

ADD after the first complete sentence at the top of the page the following: Payment for each lot shall be withheld until the survey documentation is submitted to the Engineer.

**Page 209, PROPOSAL FORM**

REVISE the first sentence of Item i. to read as follows: The undersigned prime contractor, if not a MoDOT certified DBE, hereby assures that they will subcontract four (4) percent of the dollar value of the prime contract to DBE firms or make good faith efforts to meet the DBE contract goal.

**Page 221, FORM OF CONTRACT AGREEMENT**

REPLACE the words “forty five (45)” in the second sentence of Article 5 – Contract Time with the words “twenty five (25)”.

**CRAWFORD, MURPHY & TILLY, INC.**

**This Addendum consists of 2 pages plus revised plan Sheet 4 of 20 and a fax transmittal sheet.**

\_\_\_\_\_  
Signed  
(Contractor)

\_\_\_\_\_  
Date

Contractor to sign and date this Addendum #1 to acknowledge receipt. This signed Addendum must be included with the submitted Bid Package.

# **FAX TRANSMITTAL**

To: Crawford, Murphy & Tilly, Inc

Attention: **Brian Garkie**

Re: Addendum #1

Fax 314.436.0723

From:

(name)

---

(company)

---

Date:

---

To verify that all contractors are in receipt of this addendum, Contractors are asked to sign and date this acknowledgement sheet. The Contractor should fax or mail to Crawford, Murphy, & Tilly, Inc. at the number listed below by **May 7, 2013**.

Crawford, Murphy, & Tilly, Inc.  
One Memorial Drive, Suite 500  
Saint Louis, Missouri 63102

Fax: (314) 436-0723  
Phone: (314) 436-5500

BY: CRAWFORD, MURPHY, & TILLY, INC.

