



CITY OF ST PETERS
636.477.6600
bids@stpetersmo.net

January 30, 2013

**RE: Addendum 02: Bid 13-110 – Mexico Road – Salt Lick Road Intersection
Improvement Project (Federal Project No. CMAQ-5640(612)) TIP #5448-11**

To all Contract Bidders of Record,

This Addendum, consisting of 1 page, is issued to modify, explain or correct the original Contract documents as noted below, and is hereby made a part of the Contract documents.

Change/Addition

1. Section L – Item No. 11 – pages 60 and 61 – **REPLACE** Item No. 11 that says:

11. **FINISHING**: All concrete placed shall be struck off and edged level with existing sections, inlet structures, curbs, or driveways. All operations shall take place at the appropriate time during the curing process. Sidewalk surface shall be broom finished, except in handicap ramps. All slab replacements shall be finished in a method conducive to the diamond grinding that shall follow installation. At no time shall additional water be placed on the concrete during finishing operations, unless approved by the engineer. All slab replacements will be required to be installed prior to diamond grinding. All new slabs will be required to be diamond ground. No extra payment will be made to diamond grind new pavement.

WITH:

11. **FINISHING**: All concrete placed shall be struck off and edged level with existing sidewalk sections, inlet structures, curbs, or driveways. Sidewalk surfaces shall be broom finished, except in handicapped ramps. All operations shall take place at the appropriate time during the curing process. At no time shall additional water be placed on the concrete during finishing operations, unless approved by the City.

When submitting your bid, please include the following:

*Use Section C – Revised January 17, 2013 Bid Proposal
Section O - Acknowledge receipt of Addendum 01 and 02*

Thank you,

City of St. Peters
bids@stpetersmo.net