

Weldon Spring City Hall
5401 Independence Road
Weldon Spring, Missouri 63304

February 29, 2012

Re: Independence Road Reconstruction Phase 2

CONTRACT ADDENDUM #2

TO ALL BIDDERS:

You are hereby notified of the following changes to the above referenced Contract Documents and Specifications for Independence Road Reconstruction Phase 2.

- 1) Job Special Provisions – Clarification to Section 3.1

3.1 GENERAL

The total Contract Price shall cover all Work required by the Contract Documents. All costs in connection with the proper and successful completion of the Work, including furnishing all materials, equipment, supplies, and appurtenances; providing all construction plant, equipment, and tools; and performing all necessary labor and supervision to fully complete the Work, shall be included in the unit and lump sum prices bid. All Work not specifically set forth as a pay item in the Bid Form shall be considered a subsidiary obligation of CONTRACTOR and all costs in connection therewith shall be included in the prices bid.

This applies to items such as the tack & prime coat noted on the typical sections as well as all other Work, including furnishing all materials, equipment, supplies, and appurtenances; providing all construction plant, equipment, and tools; and performing all necessary labor and supervision to fully complete the Work.

- 2) The typical sections note a polymer modified PG64-22 oil is to be used. A polymer modified oil will not be required.
- 3) The Permanent Turf Reinforcement Mat noted on the plans shall be Type I.
- 4) Job Special Provisions – addition to Section 2. ADDITIONS TO STANDARD SPECIFICATIONS

PERMANENT TURF REINFORCEMENT MAT

Description. This work shall consist of furnishing and placing turf reinforcement mat on slopes or ditches for short-term or long-term protection of seeded areas at locations shown on the plans or as directed by the engineer.

Material. Turf reinforcement mats shall be used as designated in the contract or as approved by the engineer. The contractor shall provide prequalified turf reinforcement mats of the class and type specified in the contract documents or as approved by the engineer. A manufacturer's certification for each type of blanket used stating that the mats are in accordance with Sec 1011 shall be provided to the engineer.

Construction Requirements. Turf reinforcement mats shall be installed and maintained according to the manufacturer's recommendations.

Method of Measurement. Measurement of turf reinforcement mats will be made to the nearest square yard of surface area covered by the completed mat.

Basis of Payment. The accepted quantity of blanket will be paid for at the contract unit price for each of the pay items included in the contract. If mat is used in lieu of other erosion control measures, payment will be made at the contract unit price for the pay items in the contract for the respective items that the mat replaces.

This addendum must be acknowledged by submittal of the Contract Addendum form on page AD-1. Please feel free to contact us with questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael N. Meiners". The signature is fluid and cursive, with a prominent initial "M".

Michael N. Meiners, P.E
City Engineer of Weldon Spring