

Traffic Operations

APPROVED PRODUCTS LIST

TRAFFIC SIGNALS, HIGHWAY LIGHTING, AND HIGHWAY SIGNING EQUIPMENT

TRAFFIC SIGNALS AND HIGHWAY LIGHTING EQUIPMENT

I. GENERAL

This Approved Products List (APL) is based on equipment meeting department specifications and being tested for the specified test period with satisfactory performance. All models shall conform to the latest revision of the Missouri Standard Specifications for Highway Construction unless otherwise indicated. The models indicated on the list are approved, but are subject to final field inspection before acceptance.

The department frequently tests new products and equipment for traffic signals and highway lighting. These new products may be installed on a construction project, purchased on parts orders or with controller orders. Vendors may also submit items, at no cost to the department, for the test period. Only a limited number of units will be accepted for test statewide until an item is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form - Signal and Lighting Equipment. Copies of this form can be obtained from our website at www.modot.state.mo.us or contact MoDOT Traffic Operations. Minor model changes do not require an evaluation period, although the vendor shall submit specification sheets and a sample of the product for the Department to inspect.

All equipment evaluations are coordinated through MoDOT Traffic Operations. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified on the APL. Products that are not performing satisfactorily will be replaced with an approved product if the vendor cannot provide timely correction of the problem or if unsatisfactory operation of the intersection results.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Traffic Operations. If approved, the product may be tested for the specified period as described above. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Products will not be added to the Approved Products List that do not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include but are not limited to:

Significant change in product specifications or design without notification to the department.

Failure to correct or replace products that are defective in manufacturing or workmanship.

Repeated patterns of malfunctions of a product not adequately corrected by the vendor.

Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.

Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However the product will be removed from the list if it is not revised to meet specifications.

II. TRAFFIC SIGNAL EQUIPMENT

All traffic signal equipment requires a one-year evaluation period.

CONTROLLERS

NEMA TS1 CONTROLLERS	MODEL
Econolite	ASC/2-2100
Econolite	ASC/2S-2100
Econolite	ASC/3-2100
Naztec	980
Peek	3000
Siemens	EPAC Genesis M40
Siemens	
Siemens	EPAC M52
Traffic Control Technologies (TCT)	LMD-8000
3 ()	
NEMA ON-STREET MASTER CONTROLLER	MODEL
Econolite	KMC-10,000
Econolite	
Siemens	
SOLID STATE PRETIMED CONTROLLERS (ALL TYPES)	MODEL
Siemens	EDIC Sories
Traffic Control Technologies (TCT)	IMD 40 Series
Traille Control Technologies (TCT)	LIVID 40 Series
170 CONTROLLERS	MODEL
McCain	170E
Phillips/Sisson Industries, Inc.	
Safetran	
Siemens	

CABINETS AND BACK PANELS (NEMA & S.S. PRETIMED)

NOTE: Cabinets and Back panels that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

NEMA CABINET AND BACK PANEL ASSEMBLIES

Control Technology Econolite Henke/Bison IDC/Gibbons Naztec P-44 Siemens

SOLID STATE PRETIMED CABINET AND BACK PANEL ASSEMBLIES

Siemens

CABINETS AND RACKS (TYPE 170 CONTROLLERS)

NOTE: Cabinets and Racks that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

332 AND 336S CABINET AND RACK ASSEMBLIES

McCain Phillips/Sisson Industries, Inc. Safetran

CONFLICT MONITORS

NEMA CONFLICT MONITORS	MODEL
Eberle Design Incorporated (EDI)	NSM-6
Eberle Design Incorporated (EDI)	NSM-12
Eberle Design Incorporated (EDI)	SSM-12LE
Eberle Design Incorporated (EDI)	
Eberle Design Incorporated (EDI)	
Naztec, Incorporated	
Peek/Transyt	1200
Power Distribution & Control (PDC)	CM82-03
Power Distribution & Control (PDC)	CM82-06
Power Distribution & Control (PDC)	
Reno A&E	
Solid State Devices	
Solid State Devices	
Solid State Devices	LCD-6P
Solid State Devices	LCD-12P
Traffic Control Technologies (TCT)	LNM Series
170 CONFLICT MONITORS	MODEL
Eberle Design Incorporated (EDI)	
Reno A & E	2018
Solid State Devices	210P

CABINET ACCESSORIES

AUXILIARY TIME CLOCK	MODEL
Eltec	
EltecRTC	

EXTERNAL T.B.C. COORDINATORS	MODEL
Eltec	TC-14
FLASHERS (NEMA & 170)	MODEL
Eberle Design Incorporated (EDI) Power Distribution & Control (PDC) Power Distribution & Control (PDC) Reno A & E Traffic Sensor Corp	SSF-86 SSF-88 FL-200 204 204-15 304
FLASH TRANSFER RELAYS	MODEL
AMECO Struthers-Dunn Mid-Tex Power Distribution & Control (PDC) Reno	21ACPX-2/21ACPXD-5 136-62T-3A1 FTR 91
LOAD SWITCHES (NEMA & 170)	MODEL
Eberle Design Incorporated (EDI) Power Distribution & Control (PDC) Power Distribution & Control (PDC) Reno A & E Traffic Control Technologies (TCT) Traffic Sensor Corp Traffic Sensor Corp Traffic Sensor Corp Traffic Sensor Corp Traffic Sensor Corp	SSS-86 SSS-88 LS-200 SSS-86 200 200-15
ISOLATORS (170 only) (242=DC, 252=AC)	MODEL
Eberle Design Incorporated GDI	242 252 242 252 242

	SURGE PROTECTORS	MODEL
	Emerson Network Power Emerson Network Power	
	TONE RECEIVERS	MODEL
	Iniven	.IR30M-05-30
	TONE TRANSMITTERS	MODEL
	Iniven	.IT30
DE	TECTORS	
	MICROWAVE DETECTORS	MODEL
	Microwave Sensors Electronic Integrated Systems, Inc. (EIS)	
	MICROLOOP, PROBE	MODEL
	3M	.Canoga 701
	PEDESTRIAN PUSH BUTTONS Campbell	
	POWER SUPPLY FOR CARD RACK DETECTORS - NEMA	MODEL
	ICCPGK	
	SINGLE CHANNEL SHELF MOUNT DETECTORS, STANDARD	MODEL
	Eberle Design Incorporated (EDI)	.LMD301S .535B/MS
	SINGLE CHANNEL SHELF MOUNT DETECTORS, TIME DELAY	MODEL
	Eberle Design Incorporated (EDI)	
	ULTRASONIC DETECTORS	MODEL
	Microwave Sensors	.TC-30

2-CHANNEL CARD RACK COUNTING

DETECTORS. DUAL OUTPUT

DETECTORS, DUAL OUTPUT	
Eberle Design Incorporated (EDI)	LMD632
2-CHANNEL CARD RACK COUNTING DETECTORS, SINGLE OUTPUT PULSE MODE (NEMA)	MODEL
Eberle Design Incorporated (EDI)	S27B
2-CHANNEL CARD RACK DETECTORS, STANDARD (170)	MODEL
Eberle Design Incorporated (EDI)	LMD222 222 222-GP5
2-CHANNEL CARD RACK DETECTORS, STANDARD (NEMA)	MODEL
Eberle Design Incorporated (EDI)Reno A & EReno A & E	S27B C
2-CHANNEL CARD RACK DETECTORS, TIME DELAY (NEMA)	MODEL
3MEberle Design Incorporated (EDI)Reno A & EReno A & E	LMD602TR C
SIGNAL HEADS	
BACKPLATES	MODEL

HARDWARE

NOTE: Hardware that meets MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide equipment that meets specifications and complete a satisfactory six-month evaluation as described above to be added to the list.

Pelco Reliable 3/8" Strandvise Reliable 1/4" Strandvise	
LOUVERS	MODEL
Pelco	GPL
POLYCARBONATE SIDE-MOUNT BRACKETS WITH RELATED HARDWARE	MODEL
Component Products	
SIGNAL HEADS - OPTICALLY LIMITED	MODEL
Intelight, IncMcCain	
SIGNAL HEADS - POLY CONVENTIONAL	MODEL
Chapel Hill Chapel Hill Eagle Econolite General Traffic Equipment Corp. IDC/Safetrans McCain Traffic Control Technologies (TCT)	SIG-TPB-586-CTN-NVN-0N (5 section)SA SeriesTP SeriesT-30 POLYLT SeriesMTSTP Series
PEDESTRIAN HEAD - POLY 1-SECTION	MODEL
McCain	M32258
PEDESTRIAN LED SIGNAL INDICATION	MODEL

Pedestrian LED signal indications must be ETL verified. The ETL verified listing is located at Intertek
ETL Verified Listing - Link

POSTS AND MAST ARMS

STEEL POSTS AND MAST ARMS

Note: Posts and Mast Arms do not require an evaluation period. Posts and Mast Arms shall be fabricated in accordance with MoDOT specifications and standards. Posts and Mast Arms shall be preapproved as required by the MoDOT standards and specifications to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Posts and Mast Arms are subject to field inspection before acceptance.

DRAWING NUMBER

MODEL

Ameron International	MO9811 - Rev. 9 (Type C)
Ameron International	MO9812 - Rev. 10 (Type CL)
JEM Engineering & Manufacturing	MODOT1-4 Rev. 2 (Types C, CL, B & BL)
	MOMAST 1-5A Rev. 1-6 (Types C, CL, B & BL)
Millerbernd Manufacturing Company	780C388 (Type B)
Millerbernd Manufacturing Company	780C389 (Type BL)
Millerbernd Manufacturing Company	780C49 (Type C)
Millerbernd Manufacturing Company	780C51 (Type CL)
Millerbernd Manufacturing Company	500A971
Pelco Structural, LLC	MODMA1001 & 1002 (Type B)
Pelco Structural, LLC	MODMAL1001 & 1002 (Type BL)
Pelco Structural, LLC	MOSMA1001 & 1002 (Type C)
Pelco Structural, LLC	MOSMAL1001 & 1002 (Type CL)
Union Metals	30443-B202 - Rev. 19 (Types C, CL, B & BL)
Valmont	DB00408 - Rev. G (Types C, CL, B & BL)

MISCELLANEOUS

LOOP SEALANTS

PEDESTAL BASES MODEL

Akron Foundry	TS-1000-L-P
Akron Foundry	TS-1000-L-WP
Component Products	CPI-BAS-1
Pelco	PB5336
Pelco	
Pelco	
Pelco	PB5341
Traffic Parts	TP 289 X

SPLICE KITS (DETECTOR LEAD-IN) MODEL

METER SERVICE PEDESTAL (SIGNALS/SIGNALS & LIGHTING) MODEL

Milbank 120V Signal Only	.CP3B51C1PAAOMO1
Milbank 120V Signal with 2 - Circuit 240V Lighting	.CP3B51C1PBAOMO2
Milbank 120V Signal with 2-Circuit 240V Lighting Dual Meter	.CP3B62C2NBAOMO1
Myers 120V Signal with 2-Circuit 240V Lighting	.MEUGLA-M100-MDOT
Myers 120V Signal with 2-Circuit 240V Lighting	.MEUG 20
Pacific Utility Products 120V Signal Only	.USP16-M2100-112C-MODOT6-TS
Pacific Utility Products 120V Signal with 2-Circuit 240V Lighting	.USPA-100-100-MODOT
Pacific Utility Products 120V Signal with 2-Circuit 240V Lighting	.USP16-M2100-112C-MODOT
Pacific Utility Products 120V Signal with 2-Circuit 240V Lighting	.USP24-M2100-100-MODOT6-TSL
Pacific Utility Products 120V Sgnl w/2-Circuit 240V Lighting Dual Mtr	USPD-2M2100-100-MODOT6
Tesco 120V Signal with 2-Circuit 240V Lighting	.28-105 Type III BF
Tesco 120V Signal with 2-Circuit 240V Lighting	.28-102F

LIGHT EMITTING DIODES (LED)

LED's (circular and arrow) must be ETL verified. The ETL verified listing is located at Intertek ETL Verified Listing - Link

PROGRAMMABLE VIEW MODEL

Dialight	P463R33003 (Red Ball)
Dialight	P463Y33003 (Yellow Ball)
Dialight	
GELcore	DR3-RCFB-01A (Red Ball)
GELcore	
GELcore	

VIDEO DETECTION SYSTEMS

VIDEO DETECTOR	MODEL

Aldis	GridSmart
Econolite	Autoscope 2020
Econolite	Autoscope RackVision
Econolite	Autoscope RackVision Terra
Econolite	Autoscope Solo Terra
Iteris	Vantage Edge2
Traficon	VIP 3D.1
Traficon	VIP 3D.2

III. HIGHWAY LIGHTING

All highway lighting equipment require a one-year evaluation period except for items noted requiring a six-month evaluation.

LIGHTING POLES

Note: Poles do not require an evaluation period. Poles shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Lighting poles are subject to field inspection before acceptance.

Ameron International	MO98AT3 – Rev. 4 (Type AT45) Design 1 & 2
Ameron International	MO98AT2 – Rev. 4 (Type AT45)Design 3, 4 & 5
Ameron International	MO98AT4 – Rev. 3 (Type AT30)
Ameron International	MO98B2 - Rev. 3 (Type B45 & MB45)
Ameron International	MO98B4 - Rev. 2 (Type B30)
JEM Engineering and Manufacturing	MO-AT30 – Rev. 3 (Type AT30)
JEM Engineering and Manufacturing	MO-AT45 – Rev. 3 (Type AT45)
Millerbernd Manufacturing Co	730B907 (Type AT30)
Millerbernd Manufacturing Co	730B653 (Type AT45)
Millerbernd Manufacturing Co	730B908 (Type B30)
Millerbernd Manufacturing Co	730B909 (Type B45)
Millerbernd Manufacturing Co	730B910 (Type MB45)
Union Metals	71020-B2 - Rev. 5 (Type AT30)
Union Metals	71020-B3 - Rev. 4 (Type B30)
Union Metals	71019-B6 - Rev. 7 (Type AT45)
Union Metals	71019-B7 - Rev .4 (Types B45 & MB45)
Union Metals	71019-B8 – Rev. 3 (Type B30)
Union Metals	71019-B9 – Rev. 3 (Type B45)
Union Metals	71019-B10 – Rev. 3 (Type MB45)
Union Metals	71020-B103 – Rev. 3 (Type AT30)
Union Metals	71020-B104 – Rev. 4 (Type AT45)
Valmont	DB00019 - Rev. N (Types AT30 & B30)
Valmont	DB00020 – Rev. N (Types AT45, B45 & MB45)

ALUMINUM POLES

FOUNDATIONS

Note: Screw anchor foundations do not require an evaluation period. Screw anchor foundations shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Screw anchor foundations are subject to field inspection before acceptance.

SCREW ANCHOR FOUNDATIONS DRAWING NUMBER

Component Products, Inc.	SLSE 8-5 (Type AT30)
Component Products, Inc.	
Hubbell Chance	
Hubbell Chance	
Integrated Traffic Solutions, Inc	
Integrated Traffic Solutions, Inc.	ITS AT45 (Type AT45)
J. H. Botts	JHB MOH 30 – Rev. C (Type AT30)
I H Botte	IHR MOH 45 - Rev. D (Type AT45)

LUMINAIRES

NOTE: Luminaires will not be furnished with photoelectric cells. Receptacles will have a shorting plug in place of cell. Multi-tap ballast for 120 Volt and 240 Volt fixtures is permissible.

BRACKET ARM MOUNT - 150 WATT	MODEL
------------------------------	-------

American Electric Lighting	115 Series
American Electric Lighting	Durastar 2000, Series 30
Crouse-Hinds/Cooper	OVZ Series
Crouse-Hinds/Cooper	
General Electric (GE)	M2RR Series
Holophane	Mongoose Series

BRACKET ARM MOUNT - 250 WATT MODEL

American Electric Lighting	115 Series
American Electric Lighting	Durastar 2000, Series 30
Crouse-Hinds/Cooper	
Crouse-Hinds/Cooper	
General Electric (GE)	
Holophane	
•	J

BRACKET ARM MOUNT - 400 WATT MODEL

American Electric Lighting125 Series	
American Electric LightingDurastar 2000, Series 3	0
Crouse-Hinds/CooperOVX Series	
General Electric (GE)MSRL Series	
HolophaneMongoose Series	

HIGH MAST LIGHTING

MODEL

NOTE: High mast lighting is custom designed for the location. Fixtures from the following manufacturer's series are considered pre-approved.

Cooper	HMA Series
Holophane	HMS Series
Metrolux	VA Series
POLE TOP MOUNTING	MODEL
Holophane	HL2A Series
Holophane	Mongoose Series

SIGN LIGHTING - 250 WATT MODEL

General Electric (GE)	.V2FN Series
Guth	.B17632 Series
Holophane	.PANL Series
Holophane	.SNVW Series

SIGN LIGHTING - 400 WATT MODEL

Holophane	.PANL \$	Series
Holophane	.SNVW	Series

UNDERPASS (WALLPACKS) MODEL

American Electric Lighting	582 Series
Cooper	
General Electric (GE)	WAL Series
Holophane	MDWP Series
Holophane	WL2K Series
Hubbell	PGM-150S Series

CONTROL EQUIPMENT

CONTACTORS-ELECTROMECHANICAL	MODEL
Square D Westinghouse/Cutler-Hammer	Type S A202 Series
CONTACTORS-MERCURY	MODEL

BASE MOUNTED CONTROL CABINETS

NOTE: Cabinets that meet MoDOT specifications from the following manufacturers will be accepted. All other manufacturers must provide a model that meets specifications and complete a satisfactory six-month evaluation as described above to be added to the list.

Cleveland Switchboard Coxline Hoffman Shallbetter Inland Technologies

MOUNTING SOCKET FOR PHOTOELECTRIC CONTROLMODE	MOUNTING	SOCKET FOR	₹ PHOTOELECTRIC C	CONTROL	MODEL
---	----------	------------	-------------------	---------	-------

NOTE: Mounting sockets require a six-month evaluation.

American Electric Lighting	PBC
Fischer-Pierce	
General Electric (GE)	MB-PECTL

PHOTOELECTRIC CONTROL MODEL

Area Lighting Research	SST-120 (120 volt)
Area Lighting Research	
Area Lighting Research	
American Electric Lighting	
American Electric Lighting	D124-1.0-STJ (120/240 volt)
American Electric Lighting	D240-1.0-STJ (240 volt)
American Electric Lighting	DE480-1.0-TJ (480 volt)
Fischer-Pierce	FPN7790B (105 – 285 volt)
Fischer-Pierce	
Fischer-Pierce	FPN7794 (480 volt)
Fischer-Pierce	FPN7760 (120 volt)
General Electric (GE)	PEC01TL (>120v/< 305v w/ time delay)
General Electric (GE)	
General Electric (GE)	PEC5TL (480v)
ITT	SAT-15
Tyco	6190 VPS

TYPE A CIRCUIT BREAKERS	MODEL

Square D	FAL Series
•	EHD Series (1-Pole)
<u> </u>	FDB Series (2-Pole)

MISCELLANEOUS

AVIATION LIGHTING	MODEL
Hughey & Philips	KG114
FUSED SLIP CONNECTORS	MODEL
NOTE: Slip connectors require a six-month evaluation.	
BussIDEAL	
METER SERVICE PEDESTAL (LIGHTING)	MODEL
Milbank 4-Circuit 240V Lighting	CP3B51D1PBAOMO1 CP3B51D1PBAOMOCS1 USP24-M2100-100-MODOT6 USP16-M2100-112C-MODOT
NAVIGATION LIGHTING	MODEL
Tideland Automatic Power, Inc.	, ,
SPLICE KITS	MODEL
3M 3M 3M 3M HOMAC HMC Industries	82A2 (Single) 82B1 (Three Way) 82B2 (Three Way)
TRANSFORMER BASES	MODEL
Akron FoundryAkron Foundry	

IV. POWER SUPPLY EQUIPMENT AND PULL BOXES

All items require a six-month evaluation period.

MAIN SERVICE DISCONNECT ENCLOSURE WITH SAFETY SWITCH (NEMA 4)	MODEL
General Electric (GE)	
Square D	
Westinghouse	WFDN 100
PREFORMED PULL BOX-CLASS 1 Straight	MODEL
Armorcast Products Company	A6001640TAPCX22 (Box & Lid)
Carson Industries	, ,
CDR	
Composite Industries	
Highline	PHA173024HO1R
	, ,
Martin Enterprises	
Strongwell/Quazite	
	PG1730H511 (Lid)
	PG1730BA Series
Synertech	, ,
	S1730HBB0A (Lid)
Flared	
Armorcast Products Company	
CDR	
Highline	
NewBasis	` '
NewBasis	` '
NewBasis	` ,
Pencell Plastics	PEM-1830-PCX (Box & Lid)
PREFORMED PULL BOX-CLASS 2	MODEL
Straight	
Armorcast Products Company	
Armorcast Products Company	A6001974TAPCX24
Carson Industries	, ,
	H2436-PI (Lid)
CDR	
Composite Industries	
Highline	
Martin Enterprises	
Strongwell/Quazite	
	PG2436H508 (Lid)
	PG2436BA Series
Synertech	` ,
	S2436HCB0A (Lid)

Flared	
Armorcast Products Company	A6001974TAX26 (Box & Lid)
Armorcast Products Company	
CDR	
Highline	CHA243624HO1R
NewBasis	FCA243630CC4126-61 (Box & Lid)
NewBasis	FCA243630CC4749-61 (Box & Lid)
NewBasis	FCA243624T Series (Box & Lid)
Pencell Plastics	PEM-2436-36 (Box & Lid)
Pencell Plastics	PEM-2436-PCX-24 (Box & Lid)
Synertech	S2436B24AA (Box)
	S2436HCB0A (Lid)
PREFORMED PULL BOX-CLASS 3	MODEL
Straight	A6001420TADCV26 (Dov. 8 Lid)
Armorcast Products Company	· · · · · · · · · · · · · · · · · · ·
Carson Industries	, ,
CDR	` ,
Composite Industries	
Highline	
Martin Enterprises	
Strongwell/Quazite	
Strongweii/Quazite	PG3048H517 (Lid)
	PG3048BA Series
Synertech	
Synercon	S3048HCB0A (Lid)
Flared	200 101 1020/ (Lia)
Armorcast Products Company	A6001550TAX36 (Box & Lid)
CDR	` ,
Highline	,
NewBasis	
NewBasis	,
Pencell Plastics	` ,
PREFORMED PULL BOX-CLASS 5	MODEL
Flared	
Armorcast Products Company	
Armorcast Products Company	
CDR	,
Highline Products	
NewBasis	
NewBasis	,
NewBasis	
NewBasis	
Quazite	PR3944Z504

HIGHWAY SIGNING EQUIPMENT

V. GENERAL

This Approved Products List (APL) for highway signing equipment contains current pre-approved products for highway signing. This list is applicable to department purchases and construction contracts. The list includes products that have been approved for use based on satisfactory performance during a specified test period. Products listed have undergone sufficient field testing to be considered acceptable for use at any time. All field tests of new products or pending products should be arranged with Central Office Traffic.

The department frequently tests new products and equipment for highway signing. These new products may be installed on a construction project or used for normal department installations and maintenance. Vendors may also submit items, at no cost to the department, for the test period. Only a limited number of units will be accepted for test statewide until the product is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form. Copies of this form can be obtained from our website at www.modot.state.mo.us or contact MoDOT Central Office Traffic. Minor model changes of previously approved products do not require a new evaluation period, although the vendor shall submit specification sheets and a sample of the product for the Department to inspect. Any modifications determined to potentially alter the performance of the product may require the product to undergo additional field testing and evaluation.

All product evaluations are coordinated through MoDOT Central Office Traffic. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified by Central Office Traffic (typically one year). Products that are not performing satisfactorily will be left off of the list. Products that were previously approved that begin to perform unsatisfactorily will be removed or replaced with an approved product if the vendor cannot provide timely correction of the problem.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Central Office Traffic. If approved, the product may be tested for the specified period as described above. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Products will not be added to the Approved Products List that does not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include but are not limited to:

- Significant change in product specifications or design without notification to the department.
- Failure to correct or replace products that are defective in manufacturing or workmanship.
- Repeated patterns of malfunctions of a product not adequately corrected by the vendor.
- Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.
- Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However the product will eventually be removed from the list if it is not revised to meet specifications.

VI. HIGWAY SIGNING EQUIPMENT

BREAKAWAY DEVICES

MANUFACTURER DESCRIPTION, MODEL

Ultimate Highway Products	
Xcessories Squared	Kleen Break 425 for 2" PSST, XKB42520-G
Xcessories Squared	Redi-Torque 280 for 2.5" PSST, SB8C-250A-G
Xcessories Squared	
Northwest Pipe Company	S-Q 8" Square Slipbase for 2.5" PSST, 31209
Designovations, Inc	Snap n Safe S250 and S250 S
Dent Breakaway Industries, Inc	3/4" Dent Bolt, #6882
Dent Breakaway Industries, Inc	5/8" Dent Bolt, #6878
Dent Breakaway Industries, Inc	1/2" Dent Bolt, #6874
Dent Breakaway Industries, Inc	5/8" Ground Anchors (Galvanized)
Dent Breakaway Industries, Inc	5/8" Modified Dent Bolt, #6220
Dent Breakaway Industries, Inc	3/4" Modified Dent Bolt, #6882

FOUNDATIONS/ANCHORS

MANUFACTURER DESCRIPTION, MODEL

NoneNone

SIGN HARDWARE

MANUFACTURER DESCRIPTION, MODEL

Xcessories Squared	Aluminum Post Clamp for 2.5" Pipe, XAPC278RD
Xcessories Squared	Aluminum Post Clamp for 3" Pipe, XAPC350RD
Xcessories Squared	Aluminum Post Clamp for 4" Pipe, XAPC450RD
Xcessories Squared	Aluminum Bar for Post Clamps, XAB750
Xcessories Squared	Aluminum Sign Backer Bar, ASB200P1
Xcessories Squared	Extruded Panel Clamp for 2" PSST, EPPCS200SQ
Xcessories Squared	Extruded Panel Clamp for 2.5" PSST, EPPCS250SQ
	Extruded Panel Clamp for 2.5" Pipe, EPPCS250RD
Xcessories Squared	Extruded Panel Clamp for 3" Pipe, EPPCS300RD
Xcessories Squared	Extruded Panel Clamp for 4" Pipe, EPPCS400RD
Xcessories Squared	Extruded Panel Clamp for 4x4 Wood, EPPCS44W
Xcessories Squared	Extruded Panel Clamp for 4x6 Wood, EPPCS46W
Xcessories Squared	Extruded Panel Clamp for 6x6 Wood, EPPCS66W

SIGNS

DESCRIPTION, MODEL

TapcoBlinkersigns

MODEL

MODEL

ADDED:

VIDEO DETECTION SYSTEMS

VIDEO DETECTOR

Aldis GridSmart

FUSED SLIP CONNECTORS

IDEAL 30-S2212

DELETED:

REVISED:

SURGE PROTECTORS Edco	MODEL 1210
Changed to Emerson Network Power	1210
EdcoChanged to	1250
Emerson Network Power	1250

STEEL POSTS AND MAST ARMS