



## MoDOT/MSHP Medical and Life Insurance Plan

### 2022 Formulary

### (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 8/23/2022. For more recent information or other questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <https://www.modot.org/medicare>.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means MoDOT/MSHP Medical and Life Insurance Plan. When it refers to “plan” or “our plan,” it means MoDOT/MSHP Medical and Life Insurance Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of September 1, 2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on October 1, 2022, and from time to time during the year.

MoDOT/MSHP Medical and Life Insurance Plan

Effective: September 1, 2022

Formulary ID: 00022449 Version: 15

## What is the MoDOT/MSHP Medical and Life Insurance Plan Formulary?

A formulary is a list of covered drugs selected by MoDOT/MSHP Medical and Life Insurance Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MoDOT/MSHP Medical and Life Insurance Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MoDOT/MSHP Medical and Life Insurance Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan's Formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of September 1, 2022. To get updated information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.”. If you know what your drug is used for, look for the category name in the list that begins on 3. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

MoDOT/MSHP Medical and Life Insurance Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MoDOT/MSHP Medical and Life Insurance Plan requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescriptions. If you don't get approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that MoDOT/MSHP Medical and Life Insurance Plan will cover. For example,

MoDOT/MSHP Medical and Life Insurance Plan provides 30 tablets per prescription for Zolpidem. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, MoDOT/MSHP Medical and Life Insurance Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MoDOT/MSHP Medical and Life Insurance Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MoDOT/MSHP Medical and Life Insurance Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan’s formulary?” on page 5 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MoDOT/MSHP Medical and Life Insurance Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MoDOT/MSHP Medical and Life Insurance Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MoDOT/MSHP Medical and Life Insurance Plan.
- You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan’s Formulary?**

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at lower cost-sharing level, unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MoDOT/MSHP Medical and Life Insurance Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

**Note:** Members with levels-of-care changes may contact MedImpact Customer Service (844) 513-6006 (or have their doctor or prescriber contact us) to request transitional supplies of medication during their transitions of care. MoDOT/MSHP Medical and Life Insurance Plan will not supply a transition fill for any drugs that are not Part D-approved drugs.

## For more information

For more detailed information about your MoDOT/MSHP Medical and Life Insurance Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## MoDOT/MSHP Medical and Life Insurance Plan's Formulary

The formulary below provides coverage information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LOPRESSOR) and generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*).

The information in the Requirements/Limits column tells you if MoDOT/MSHP Medical and Life Insurance Plan has any special requirements for coverage of your drug.

## Formulary Key

### **The first column of the drug list contains the drug name:**

Brand name drugs are Capitalized (e.g., LOPRESSOR)

Generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*)

### **The second column shows the drug coverage tier.** Each tier is described below.

**Tier 1 = Generics.** These drugs offer the most cost savings.

**Tier 2 = Brand Name drugs with no generic equivalent.** These drugs offer the most cost savings among brand-name drugs.

**Tier 3 = Brand Name drugs with a generic equivalent.** These drugs cost more because less expensive alternatives may exist.

A drug may display one or more of the following abbreviations:

Symbol	Definition
PA	<b>Prior Authorization.</b> There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
PA BvD	<b>Prior Authorization (PA) is required for Part B versus Part D Determinations (BvD).</b> This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
PA NSO	<b>Prior Authorization (PA) is required for New Starts Only (NSO).</b> If this medication is new for you, you (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
QL	<b>Quantity Limit Restriction.</b> There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
ST	<b>Step Therapy Restriction.</b> There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
LA	<b>Limited Access Drug.</b> Due to limited manufacturers, this medication may be only available through limited pharmacies. See the <i>Pharmacy Directory</i> or call MedImpact Customer Service (844) 513-6006.
NM	<b>Non-Mail Order.</b> Drugs marked “NM” cannot be filled by mail order, though are available at retail/local pharmacies.
GC	<b>Gap Coverage.</b> We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

The right-hand column of the Requirements/Limits section includes information about dosage forms (such as tablet, capsule, or spray) or dosage strengths.

- If no information is displayed in this column, it means that all dosage forms and strengths are covered on the same drug tier.
- If information is displayed, it means that only those dosage forms
- Strengths are covered on that tier.

## Table of Contents

Analgesics.....	3
Anesthetics.....	14
Anti-Addiction/Substance Abuse Treatment Agents.....	15
Antianxiety Agents.....	17
Antibacterials.....	19
Anticancer Agents.....	34
Anticholinergic Agents.....	57
Anticonvulsants.....	57
Antidementia Agents.....	67
Antidepressants.....	68
Antidiabetic Agents.....	74
Antifungals.....	85
Antigout Agents.....	89
Antihistamines.....	90
Anti-Infectives (Skin And Mucous Membrane).....	91
Antimigraine Agents.....	92
Antimycobacterials.....	95
Antinausea Agents.....	96
Antiparasite Agents.....	99
Antiparkinsonian Agents.....	101
Antipsychotic Agents.....	104
Antivirals (Systemic).....	111
Blood Products/Modifiers/Volume Expanders.....	121
Caloric Agents.....	129
Cardiovascular Agents.....	133
Central Nervous System Agents.....	156
Contraceptives.....	165
Dental And Oral Agents.....	177
Dermatological Agents.....	178
Devices.....	187
Enzyme Replacement/Modifiers.....	227
Eye, Ear, Nose, Throat Agents.....	229
Gastrointestinal Agents.....	238
Genitourinary Agents.....	247
Heavy Metal Antagonists.....	249
Hormonal Agents, Stimulant/Replacement/Modifying.....	251



Immunological Agents.....	266
Inflammatory Bowel Disease Agents.....	282
Irrigating Solutions.....	284
Metabolic Bone Disease Agents.....	284
Miscellaneous Therapeutic Agents.....	287
Ophthalmic Agents.....	292
Parasympathomimetic (Cholinergic Agents).....	295
Replacement Preparations.....	295
Respiratory Tract Agents.....	298
Skeletal Muscle Relaxants.....	308
Sleep Disorder Agents.....	309
Vasodilating Agents.....	311
Vitamins And Minerals.....	313

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen intravenous solution</i> (Ofirmev) 1,000 mg/100 ml (10 mg/ml)	1	GC
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	1	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	1	GC; QL (180 per 30 days)
ACTIQ BUCCAL LOZENGE ON (fentanyl citrate) A HANDLE 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; GC; QL (120 per 30 days)
<i>ascomp with codeine oral capsule</i> (codeine-butalbital-asa-caff) 30-50-325-40 mg	1	GC; QL (180 per 30 days)
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG (buprenorphine hcl)	2	GC; QL (60 per 30 days)
BUPRENEX INJECTION SOLUTION 0.3 MG/ML (buprenorphine hcl)	2	GC
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	1	GC
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	1	GC
<i>buprenorphine transdermal patch</i> (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	1	GC; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-300-40-30 mg (Fioricet with Codeine)	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-325-40-30 mg	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet</i> (Bupap) 50-300 mg	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet</i> (Tencon) 50-325 mg	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>butalbital-acetaminophen-caff oral</i> (Fioricet) <i>capsule 50-300-40 mg</i>	1	GC
<i>butalbital-acetaminophen-caff oral</i> (Zebutal) <i>capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral</i> (Esgic) <i>tablet 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butorphanol injection solution 1</i> <i>mg/ml</i>	1	GC
<i>butorphanol nasal spray,non-aerosol</i> <i>10 mg/ml</i>	1	GC; QL (5 per 28 days)
BUTRANS TRANSDERMAL (buprenorphine) PATCH WEEKLY 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR	3	GC; QL (4 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 30</i> <i>mg, 60 mg</i>	1	GC; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral</i> (Ascomp with <i>capsule 30-50-325-40 mg</i> Codeine)	1	GC; QL (180 per 30 days)
DEMEROL (PF) INJECTION SYRINGE 25 MG/ML	2	PA; GC; AGE (Max 64 Years)
DILAUDID (PF) INJECTION (hydromorphone (pf)) SYRINGE 2 MG/ML, 4 MG/ML	2	GC
DILAUDID ORAL LIQUID 1 (hydromorphone) MG/ML	3	GC; QL (1200 per 30 days)
DILAUDID ORAL TABLET 2 (hydromorphone) MG, 4 MG, 8 MG	3	GC; QL (180 per 30 days)
DISKETS ORAL (methadone) TABLET,SOLUBLE 40 MG	3	GC; QL (30 per 30 days)
DURAGESIC TRANSDERMAL (fentanyl) PATCH 72 HOUR 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR	3	GC; QL (10 per 30 days)
DURAMORPH (PF) (morphine (pf)) INJECTION SOLUTION 0.5 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DURAMORPH (PF) INJECTION SOLUTION 1 MG/ML	(morphine (pf))	3	GC
<i>endocet oral tablet 10-325 mg</i>	(oxycodone- acetaminophen)	1	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5- 325 mg</i>	(oxycodone- acetaminophen)	1	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone- acetaminophen)	1	GC; QL (240 per 30 days)
ESGIC ORAL CAPSULE 50-325- 40 MG	(butalbital- acetaminophen-caff)	3	GC; QL (180 per 30 days)
ESGIC ORAL TABLET 50-325-40 MG	(butalbital- acetaminophen-caff)	3	GC; QL (180 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	(Actiq)	1	PA; GC; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/1hr, 12 mcg/1hr, 25 mcg/1hr, 37.5 mcg/1hr, 50 mcg/1hr, 62.5 mcg/1hr, 75 mcg/1hr, 87.5 mcg/1hr</i>		1	GC; QL (10 per 30 days)
FIORICET WITH CODEINE ORAL CAPSULE 50-300-40-30 MG	(butalbital- acetaminop-caf-cod)	3	GC; QL (180 per 30 days)
<i>hydrocodone bitartrate oral capsule, oral only, er 12hr 50 mg</i>		1	GC; QL (60 per 30 days)
<i>hydrocodone bitartrate oral tablet, oral only, ext. rel. 24 hr 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(Hysingla ER)	1	GC; QL (30 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>		1	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i>	(Vicodin HP)	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-300 mg, 7.5- 325 mg</i>		1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>		1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-ibuprofen oral tablet</i> 10-200 mg, 5-200 mg, 7.5-200 mg	1	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	GC
<i>hydromorphone injection solution 1 mg/ml</i>	1	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	GC; QL (180 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg</i>	1	PA; GC; QL (30 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 32 mg</i>	1	PA; GC; QL (60 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	1	GC; QL (28 per 30 days)
INFUMORPH P/F INJECTION SOLUTION 10 MG/ML	2	GC
INFUMORPH P/F INJECTION SOLUTION 25 MG/ML (morphine (pf))	2	GC
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	2	PA; GC; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>meperidine (pf) injection solution 25 mg/ml</i>	1	PA; GC; AGE (Max 64 Years)
<i>methadone injection solution 10 mg/ml</i>	1	GC
<i>methadone intensol oral concentrate 10 mg/ml</i> (methadone)	1	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methadone oral tablet 5 mg</i>	1	GC; QL (180 per 30 days)
<i>methadone oral tablet, soluble 40 mg</i> (Methadose)	1	GC; QL (30 per 30 days)
METHADOSE ORAL (methadone) CONCENTRATE 10 MG/ML	3	GC; QL (120 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	1	GC; QL (30 per 30 days)
<i>mitigo (pf) injection solution 10 mg/ml</i>	1	GC
<i>mitigo (pf) injection solution 25 mg/ml</i> (morphine (pf))	1	GC
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> (Duramorph (PF))	1	GC
<i>morphine 10 mg/ml carpject outer, plf, sub 10 mg/ml</i>	1	GC
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	GC; QL (180 per 30 days)
MORPHINE INJECTION SOLUTION 2 MG/ML	1	GC
<i>morphine intravenous solution 10 mg/ml</i>	1	GC
<i>morphine intravenous syringe 10 mg/ml</i>	2	GC
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	1	GC; QL (30 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	3	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	3	GC; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MS CONTIN ORAL TABLET (morphine) EXTENDED RELEASE 100 MG, 200 MG, 60 MG	3	GC; QL (60 per 30 days)
MS CONTIN ORAL TABLET (morphine) EXTENDED RELEASE 15 MG, 30 MG	3	GC; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	GC
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	2	GC; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	2	GC; QL (181 per 30 days)
OLINVYK INTRAVENOUS PATIENT CONTROL.ANALGESIA SOLN 30 MG/30 ML (1 MG/ML)	2	PA BvD; GC
OLINVYK INTRAVENOUS SOLUTION 1 MG/ML	2	GC
OXAYDO ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 7.5 MG	2	GC; QL (120 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	GC
<i>oxycodone oral solution 5 mg/5 ml</i>	1	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	GC; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	2	GC; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	1	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	GC; QL (60 per 30 days)
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>	1	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 10-325 MG (oxycodone-acetaminophen)	3	GC; QL (180 per 30 days)
PERCOCET ORAL TABLET 2.5-325 MG, 5-325 MG (oxycodone-acetaminophen)	3	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 7.5-325 MG (oxycodone-acetaminophen)	3	GC; QL (240 per 30 days)
ROXICODONE ORAL TABLET 15 MG, 30 MG (oxycodone)	3	GC; QL (120 per 30 days)
ROXICODONE ORAL TABLET 5 MG (oxycodone)	3	GC; QL (180 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 15 MG, 30 MG	2	GC; QL (120 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	1	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	(Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultracet)	1	GC; QL (240 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	(hydrocodone-acetaminophen)	1	GC; QL (180 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		2	GC; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		2	GC; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG		2	GC; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	1	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	(hydrocodone bitartrate)	2	PA; GC; QL (60 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>			
ANAPROX DS ORAL TABLET 550 MG	(naproxen sodium)	3	GC
ARTHROTEC 50 ORAL TABLET,IR,DELAYED REL,BIPHASIC 50-200 MG-MCG	(diclofenac-misoprostol)	3	GC
ARTHROTEC 75 ORAL TABLET,IR,DELAYED REL,BIPHASIC 75-200 MG-MCG	(diclofenac-misoprostol)	3	GC
CATAFLAM ORAL TABLET 50 MG	(diclofenac potassium)	3	GC; QL (120 per 30 days)
CELEBREX ORAL CAPSULE 100 MG, 200 MG, 400 MG, 50 MG	(celecoxib)	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	GC; QL (60 per 30 days)
DAYPRO ORAL TABLET 600 MG (oxaprozin)	3	GC
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; GC
<i>diclofenac potassium oral tablet 25 mg</i> (Lofena)	1	GC; QL (120 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	1	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	1	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	1	GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	GC
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	GC
<i>diflunisal oral tablet 500 mg</i>	1	GC
EC-NAPROSYN ORAL TABLET, DELAYED RELEASE (DR/EC) 375 MG, 500 MG (naproxen)	3	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	GC
<i>etodolac oral tablet 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	GC
FELDENE ORAL CAPSULE 10 MG, 20 MG (piroxicam)	3	GC
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 % (diclofenac epolamine)	3	PA; GC
<i>flurbiprofen oral tablet 100 mg</i>	1	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
INDOCIN ORAL SUSPENSION 25 MG/5 ML	2	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	1	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	1	GC; QL (20 per 30 days)
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	GC
<i>mefenamic acid oral capsule 250 mg</i>	1	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
MOBIC ORAL TABLET 15 MG, 7.5 MG (meloxicam)	3	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	1	GC
NAPROSYN ORAL TABLET 500 MG (naproxen)	3	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	GC
<i>naproxen sodium oral tablet 275 mg</i>	1	GC
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	GC
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	GC
RELAFEN ORAL TABLET 500 MG, 750 MG (nabumetone)	3	GC
SOLARAZE TOPICAL GEL 3 % (diclofenac sodium)	3	GC; QL (100 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	GC
<i>tolmetin oral capsule 400 mg</i>	1	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	GC
VOLTAREN TOPICAL GEL 1 % (diclofenac sodium)	3	GC; QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	1	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, plf 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	1	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	1	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; GC; QL (30 per 30 days)
LIDODERM TOPICAL ADHESIVE PATCH, MEDICATED 5 % (lidocaine)	3	PA; GC; QL (90 per 30 days)
XYLOCAINE INJECTION SOLUTION 10 MG/ML (1 %), 20 MG/ML (2 %), 5 MG/ML (0.5 %) (lidocaine hcl)	3	GC
XYLOCAINE-MPF 2% VIAL SUV, INNER 20 MG/ML (2 %) (lidocaine (pf))	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 10 MG/ML (1 %) (lidocaine (pf))	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 15 MG/ML (1.5 %) (lidocaine (pf))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>xylocaine-mpf injection solution 20 mg/ml (2%)</i> (lidocaine (pf))	3	GC
<i>xylocaine-mpf injection solution 5 mg/ml (0.5%)</i> (lidocaine (pf))	2	GC
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	1	GC
BUNAVAIL BUCCAL FILM 2.1-0.3 MG	2	GC; QL (30 per 30 days)
BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG	2	GC; QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i> (Suboxone)	1	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i> (Suboxone)	1	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG (varenicline)	2	GC; QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG (varenicline)	2	GC; QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42) (varenicline)	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	GC
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	GC; QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	2	GC; QL (228 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	GC
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)	1	GC; QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	GC
NARCAN NASAL SPRAY,NON-AEROSOL 4 MG/ACTUATION (naloxone)	2	GC; QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	2	GC; QL (1008 per 90 days)
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML	2	GC; QL (240 per 180 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	2	GC; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	2	GC; QL (1.5 per 30 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG (buprenorphine-naloxone)	3	GC; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG (buprenorphine-naloxone)	3	GC; QL (30 per 30 days)
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	1	GC
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 380 MG	2	GC
ZIMHI INJECTION SYRINGE 5 MG/0.5 ML	2	GC
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	2	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	GC; QL (90 per 30 days)
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (120 per 30 days)
ATIVAN INJECTION SOLUTION 2 MG/ML, 4 MG/ML (lorazepam)	3	GC; QL (2 per 30 days)
ATIVAN ORAL TABLET 0.5 MG, 1 MG (lorazepam)	3	GC; QL (90 per 30 days)
ATIVAN ORAL TABLET 2 MG (lorazepam)	3	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i> (Diazepam Intensol)	1	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	GC; QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazepam injection syringe 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 (diazepam) mg/ml</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 (Valium) mg</i>	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	1	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	1	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	1	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	1	GC; QL (30 per 30 days)
HALCION ORAL TABLET 0.25 (triazolam) MG	3	GC; QL (60 per 30 days)
KLONOPIN ORAL TABLET 0.5 (clonazepam) MG, 1 MG	3	GC; QL (90 per 30 days)
KLONOPIN ORAL TABLET 2 (clonazepam) MG	3	GC; QL (300 per 30 days)
<i>lorazepam 2 mg/ml oral concent 2 (Lorazepam Intensol) mg/ml</i>	1	GC; QL (150 per 30 days)
<i>lorazepam injection solution 2 (Ativan) mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam intensol oral concentrate (lorazepam) 2 mg/ml</i>	1	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; QL (150 per 30 days)
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	GC
<i>midazolam (pf) in 0.9 % nacl intravenous prefilled pump reservoir 100 mg/100 ml (1 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midazolam (pf) injection solution 1 mg/ml, 5 mg/ml</i>	1	GC
<i>midazolam injection solution 1 mg/ml, 5 mg/ml</i>	1	GC
<i>midazolam oral syrup 2 mg/ml</i>	1	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	GC; QL (120 per 30 days)
RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG (temazepam)	3	GC; QL (30 per 30 days)
RESTORIL ORAL CAPSULE 7.5 MG (temazepam)	3	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	1	GC; QL (120 per 30 days)
TRANXENE T-TAB ORAL TABLET 7.5 MG (clorazepate dipotassium)	3	GC
<i>triazolam oral tablet 0.125 mg</i>	1	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	GC; QL (60 per 30 days)
VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG (diazepam)	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG (alprazolam)	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 2 MG (alprazolam)	3	GC; QL (150 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 0.5 MG, 1 MG, 2 MG (alprazolam)	3	GC; QL (120 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 3 MG (alprazolam)	3	GC; QL (90 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	2	PA; GC; QL (235.2 per 28 days)
BETHKIS INHALATION (tobramycin) SOLUTION FOR NEBULIZATION 300 MG/4 ML	3	PA BvD; GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	1	GC
TOBI INHALATION (tobramycin in 0.225 % SOLUTION FOR nacl) NEBULIZATION 300 MG/5 ML	3	PA BvD; GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	GC; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml</i>	1	PA BvD; GC
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	1	GC
<i>tobramycin inhalation solution for (Bethkis) nebulization 300 mg/4 ml</i>	1	PA BvD; GC
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	GC
ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML	2	GC
<b>Antibacterials, Miscellaneous</b>		
AEMCOLO ORAL TABLET, DELAYED RELEASE (DR/EC) 194 MG	2	GC; QL (12 per 3 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bacitracin intramuscular recon soln 50,000 unit</i>	1	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	GC
CLEOCIN HCL ORAL (clindamycin hcl) CAPSULE 150 MG, 300 MG, 75 MG	3	GC
CLEOCIN INJECTION (clindamycin phosphate) SOLUTION 150 MG/ML	3	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	1	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	PA BvD; GC
COLY-MYCIN M PARENTERAL INJECTION RECON SOLN 150 MG (colistin (colistimethate na))	3	PA BvD; GC
CUBICIN INTRAVENOUS RECON SOLN 500 MG (daptomycin)	3	GC
CUBICIN RF 500 MG VIAL 500 MG (daptomycin)	3	GC
DALVANCE INTRAVENOUS SOLUTION 500 MG	2	GC
<i>daptomycin intravenous recon soln 350 mg</i>	1	GC
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	1	GC
FIRVANQ ORAL RECON SOLN 25 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIRVANQ ORAL RECON SOLN 50 MG/ML (vancomycin)	3	GC
FLAGYL ORAL CAPSULE 375 MG (metronidazole)	3	GC
FLAGYL ORAL TABLET 500 MG (metronidazole)	3	GC
<i>fosfomycin tromethamine oral packet 3 gram</i> (Monurol)	1	GC
FURADANTIN ORAL SUSPENSION 25 MG/5 ML (nitrofurantoin)	3	GC; QL (2400 per 30 days)
HIPREX ORAL TABLET 1 GRAM (methenamine hippurate)	3	GC
KIMYRSA INTRAVENOUS RECON SOLN 1,200 MG	2	GC
LINCOCIN INJECTION SOLUTION 300 MG/ML (lincomycin)	3	GC
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	1	GC
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	GC
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	GC
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	GC
MACROBID ORAL CAPSULE 100 MG (nitrofurantoin monohyd/m-cryst)	3	GC; QL (60 per 30 days)
MACRODANTIN ORAL CAPSULE 100 MG, 25 MG, 50 MG (nitrofurantoin macrocrystal)	3	GC; QL (120 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	GC
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONUROL ORAL PACKET 3 GRAM (fosfomycin tromethamine)	3	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	1	GC; QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	1	GC
ORBACTIV INTRAVENOUS RECON SOLN 400 MG	2	GC
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	GC
PRIMSOL ORAL SOLUTION 50 MG/5 ML	2	GC
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	2	GC
SIVEXTRO ORAL TABLET 200 MG	2	GC
SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
VANCOCIN ORAL CAPSULE 125 MG (vancomycin)	3	GC; QL (40 per 30 days)
VANCOCIN ORAL CAPSULE 250 MG (vancomycin)	3	GC; QL (80 per 30 days)
<i>vancomycin in dextrose 5% intravenous piggyback 500 mg/100 ml</i>	1	PA BvD; GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1.5 gram</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	GC; QL (40 per 30 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vancomycin oral recon soln 50 mg/ml</i> (Firvanq)	1	GC
<i>vancomycin-water inject (peg) intravenous piggyback 1 gram/200 ml, 750 mg/150 ml</i>	1	PA BvD; GC
VIBATIV INTRAVENOUS RECON SOLN 750 MG	2	GC
XENLETA INTRAVENOUS SOLUTION 150 MG/15 ML	2	GC; QL (210 per 7 days)
XENLETA ORAL TABLET 600 MG	2	PA; GC; QL (10 per 5 days)
XIFAXAN ORAL TABLET 200 MG	2	PA; GC; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	PA; GC; QL (90 per 30 days)
ZYVOX INTRAVENOUS PIGGYBACK 200 MG/100 ML	2	GC
ZYVOX INTRAVENOUS PIGGYBACK 600 MG/300 ML (linezolid in dextrose 5%)	3	GC
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML (linezolid)	3	GC
ZYVOX ORAL TABLET 600 MG (linezolid)	3	GC
<b>Cephalosporins</b>		
AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM	2	GC
<i>cefactor oral capsule 250 mg, 500 mg</i>	1	GC
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	GC
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	1	GC
<i>cefadroxil oral capsule 500 mg</i>	1	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
<i>cefadroxil oral tablet 1 gram</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	GC
<i>cefdinir oral capsule 300 mg</i>	1	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	GC
<i>cefixime oral capsule 400 mg</i> (Suprax)	1	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Suprax)	1	GC
CEFOTAN INJECTION RECON SOLN 1 GRAM, 2 GRAM (cefotetan)	3	GC
<i>cefotaxime injection recon soln 1 gram</i>	1	GC
<i>cefotaxime injection recon soln 2 gram</i> (Claforan)	1	GC
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	1	GC
<i>cefotetan intravenous recon soln 10 gram</i>	1	GC
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	1	GC
<i>cefoxitin intravenous recon soln 1 gram</i>	1	GC
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	1	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	GC
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	GC
CLAFORAN INJECTION (cefotaxime) RECON SOLN 10 GRAM, 2 GRAM	2	GC
FETROJA INTRAVENOUS RECON SOLN 1 GRAM	2	PA BvD; GC
SUPRAX ORAL CAPSULE 400 MG (cefixime)	3	GC
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	2	GC
<i>tazicef 2 gm add-vantage vial plf, suv, outer 2 gram</i>	1	GC
<i>tazicef injection recon soln 1 gram, 6 gram</i> (ceftazidime)	1	GC
<i>tazicef injection recon soln 2 gram</i> (ceftazidime)	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	GC
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	2	GC
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	GC
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	ST; GC; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	2	ST; GC; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i> (erythromycin ethylsuccinate)	1	GC
<i>ery-tab oral tablet, delayed release (drlec) 250 mg</i> (erythromycin)	1	GC
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG (erythromycin)	3	GC
<i>ery-tab oral tablet, delayed release (drlec) 500 mg</i> (erythromycin)	2	GC
<i>erythrocin (as stearate) oral tablet 250 mg</i> (erythromycin stearate)	1	GC
ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	1	GC
<i>erythromycin oral capsule, delayed release (drlec) 250 mg</i>	1	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>erythromycin oral tablet, delayed release (drlec) 250 mg, 333 mg, 500 mg</i> (Ery-Tab)	1	GC
ZITHROMAX INTRAVENOUS RECON SOLN 500 MG (azithromycin)	3	GC
ZITHROMAX ORAL PACKET 1 GRAM (azithromycin)	3	GC
ZITHROMAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML (azithromycin)	3	GC
ZITHROMAX ORAL TABLET 250 MG, 500 MG (azithromycin)	3	GC
ZITHROMAX TRI-PAK ORAL TABLET 500 MG (azithromycin)	3	GC
ZITHROMAX Z-PAK ORAL TABLET 250 MG (azithromycin)	3	GC
<b>Miscellaneous B-Lactam Antibiotics</b>		
AZACTAM IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML	3	GC
AZACTAM INJECTION RECON SOLN 1 GRAM, 2 GRAM (aztreonam)	3	GC
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	PA; GC
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	GC
INVANZ INJECTION RECON SOLN 1 GRAM (ertapenem)	3	GC
<i>meropenem intravenous recon soln 1 gram</i>	1	GC
<i>meropenem intravenous recon soln 500 mg</i>	1	GC
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	1	GC
MERREM INTRAVENOUS RECON SOLN 500 MG (meropenem)	3	GC
PRIMAXIN IV INTRAVENOUS RECON SOLN 500 MG (imipenem-cilastatin)	3	GC
RECARBRIO INTRAVENOUS RECON SOLN 1.25 GRAM	2	GC
VABOMERE INTRAVENOUS RECON SOLN 2 GRAM	2	GC
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>ampicillin-sulbactam injection recon soln 15 gram, 3 gram</i> (Unasyn)	1	GC
AUGMENTIN ES-600 ORAL SUSPENSION FOR RECONSTITUTION 600-42.9 MG/5 ML (amoxicillin-pot clavulanate)	3	GC
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 250-62.5 MG/5 ML (amoxicillin-pot clavulanate)	3	GC
AUGMENTIN ORAL TABLET 500-125 MG, 875-125 MG (amoxicillin-pot clavulanate)	3	GC
AUGMENTIN XR ORAL TABLET EXTENDED RELEASE 12 HR 1,000-62.5 MG (amoxicillin-pot clavulanate)	3	GC
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	GC
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	1	GC
<i>nafcillin 2 gml 100 ml inj 2 gram/100 ml</i>	1	GC
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	1	GC
<i>nafcillin injection recon soln 10 gram</i>	1	GC
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	1	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	1	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	GC
<i>penicillin g sodium injection recon soln 5 million unit</i>	1	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	1	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	GC
<b>UNASYN INJECTION RECON SOLN 1.5 GRAM, 15 GRAM, 3 GRAM</b> (ampicillin-sulbactam)	3	GC
<b>ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML</b>	2	GC
<b>Quinolones</b>		
<b>AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML</b> (moxifloxacin-sod.chloride(iso))	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BAXDELA INTRAVENOUS RECON SOLN 300 MG	2	GC; QL (28 per 14 days)
BAXDELA ORAL TABLET 450 MG	2	PA; GC; QL (28 per 14 days)
CIPRO ORAL SUSPENSION, MICROCAPSULE RECON 250 MG/5 ML, 500 MG/5 ML (ciprofloxacin)	2	GC
CIPRO ORAL TABLET 250 MG, 500 MG (ciprofloxacin hcl)	3	GC
CIPRO XR ORAL TABLET, ER MULTIPHASE 24 HR 1,000 MG, 500 MG	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	1	GC
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sulfonamides</b>		
BACTRIM DS ORAL TABLET 800-160 MG (sulfamethoxazole-trimethoprim)	3	GC
BACTRIM ORAL TABLET 400-80 MG (sulfamethoxazole-trimethoprim)	3	GC
<i>sulfadiazine oral tablet 500 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
SULFATRIM 800-160 MG/20 ML SUS 200-40 MG/5 ML (sulfamethoxazole-trimethoprim)	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i> (sulfamethoxazole-trimethoprim)	1	GC
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	GC
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	1	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	1	GC
<i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> (Acticlate)	1	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	1	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 150 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline monohydrate oral capsule 100 mg, 75 mg</i> (Mondoxyne NL)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono))	1	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 150 mg</i>	1	GC
<i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>	1	GC; QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	GC
NUZYRA INTRAVENOUS RECON SOLN 100 MG	2	GC; QL (15 per 14 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	1	GC
TYGACIL INTRAVENOUS RECON SOLN 50 MG (tigecycline)	3	GC
VIBRAMYCIN (CALCIUM) ORAL SYRUP 50 MG/5 ML	2	GC
VIBRAMYCIN (MONO) ORAL SUSPENSION FOR RECONSTITUTION 25 MG/5 ML (doxycycline monohydrate)	3	GC
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	1	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	2	GC
ADCETRIS INTRAVENOUS RECON SOLN 50 MG		2	PA NSO; GC
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	(doxorubicin)	1	PA BvD; GC
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	(doxorubicin)	1	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	1	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	(everolimus (antineoplastic))	3	PA NSO; GC; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	(everolimus (antineoplastic))	3	PA NSO; GC; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	(everolimus (antineoplastic))	3	PA NSO; GC; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG		2	PA NSO; GC; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	(pemetrexed disodium)	2	GC
ALIQOPA INTRAVENOUS RECON SOLN 60 MG		2	PA NSO; GC; QL (3 per 28 days)
ALKERAN (AS HCL) INTRAVENOUS RECON SOLN 50 MG	(melphalan hcl)	3	GC
ALUNBRIG ORAL TABLET 180 MG, 90 MG		2	PA NSO; GC; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		2	PA NSO; GC; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		2	PA NSO; GC
<i>alysys intravenous solution 25 mg/ml</i>		1	GC
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARIMIDEX ORAL TABLET 1 (anastrozole) MG	3	GC
AROMASIN ORAL TABLET 25 (exemestane) MG	3	GC
ARRANON INTRAVENOUS (nelarabine) SOLUTION 250 MG/50 ML	2	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	GC
<i>arsenic trioxide intravenous solution (Trisenox) 2 mg/ml</i>	1	GC
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	2	PA NSO; GC
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	2	PA NSO; GC
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	GC
BALVERSA ORAL TABLET 3 MG	2	PA NSO; GC; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	2	PA NSO; GC; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	2	PA NSO; GC; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	2	PA NSO; GC
BENDEKA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	2	PA NSO; GC
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	2	PA NSO; GC
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; GC; QL (420 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bexarotene topical gel 1%</i> (Targretin)	1	PA NSO; GC; QL (60 per 28 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	GC
BICNU INTRAVENOUS RECON SOLN 100 MG (carmustine)	3	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	2	PA NSO; GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	2	PA NSO; GC; QL (140 per 365 days)
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	1	PA NSO; GC
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; GC
BOSULIF ORAL TABLET 100 MG	2	PA NSO; GC; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	2	PA NSO; GC; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	2	PA NSO; GC; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	2	PA NSO; GC; QL (120 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	GC
BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML (busulfan)	3	GC
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	PA NSO; GC; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	2	PA NSO; GC; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML, 40 MG/2 ML (irinotecan)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAMPTOSAR INTRAVENOUS SOLUTION 300 MG/15 ML (irinotecan)	2	GC
CAPRELSA ORAL TABLET 100 MG (vandetanib)	2	PA NSO; GC; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	2	PA NSO; GC; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	GC
<i>carmustine intravenous recon soln 100 mg</i> (BiCNU)	1	GC
CASODEX ORAL TABLET 50 MG (bicalutamide)	3	GC
<i>cisplatin intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD; GC
<i>clofarabine intravenous solution 1 mg/ml</i> (Clolar)	1	GC
CLOLAR INTRAVENOUS SOLUTION 1 MG/ML (clofarabine)	3	GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	2	PA NSO; GC; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	PA NSO; GC; QL (56 per 28 days)
COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG (dactinomycin)	3	GC
COTELLIC ORAL TABLET 20 MG	2	PA NSO; GC; LA; QL (63 per 28 days)
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD; ST; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	1	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cytarabine (pf) injection solution</i> 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)	1	PA BvD; GC
<i>cytarabine injection solution</i> 20 mg/ml	1	PA BvD; GC
<i>dacarbazine intravenous recon soln</i> 100 mg, 200 mg	1	GC
DACOGEN INTRAVENOUS (decitabine) RECON SOLN 50 MG	3	GC
<i>dactinomycin intravenous recon soln</i> (Cosmegen) 0.5 mg	1	GC
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	PA NSO; GC; QL (120 per 28 days)
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	2	PA NSO; GC; LA
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	PA NSO; GC
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
<i>daunorubicin intravenous solution</i> 5 mg/ml	1	GC
DAURISMO ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>decitabine intravenous recon soln</i> 50 mg (Dacogen)	1	GC
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	2	GC
<i>docetaxel intravenous solution</i> 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)	1	GC
DOXIL INTRAVENOUS (doxorubicin, peg-liposomal) SUSPENSION 2 MG/ML	3	PA BvD; GC
<i>doxorubicin intravenous recon soln</i> 10 mg	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxorubicin intravenous recon soln</i> (Adriamycin) 50 mg	1	PA BvD; GC
<i>doxorubicin intravenous solution</i> 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	1	PA BvD; GC
<i>doxorubicin, peg-liposomal</i> (Doxil) <i>intravenous suspension</i> 2 mg/ml	1	PA BvD; GC
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	GC
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	GC
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	GC
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	GC
ELLECE INTRAVENOUS (epirubicin) SOLUTION 200 MG/100 ML, 50 MG/25 ML	3	GC
EMCYT ORAL CAPSULE 140 MG	2	GC
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	2	PA NSO; GC
ENHERTU INTRAVENOUS RECON SOLN 100 MG	2	PA NSO; GC
<i>epirubicin intravenous recon soln</i> 200 mg, 50 mg	1	GC
<i>epirubicin intravenous solution</i> 200 (Ellence) mg/100 ml, 50 mg/25 ml	1	GC
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	PA NSO; GC
ERIVEDGE ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	2	PA NSO; GC; QL (120 per 30 days)
<i>erlotinib oral tablet</i> 100 mg, 25 mg (Tarceva)	1	PA NSO; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	PA NSO; GC; QL (90 per 30 days)
ERWINASE INJECTION RECON SOLN 10,000 UNIT	2	PA BvD; GC; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	GC
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	GC
EULEXIN ORAL CAPSULE 125 MG (flutamide)	3	GC
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	1	GC; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	1	GC; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	1	PA NSO; GC; QL (112 per 28 days)
EVOMELA INTRAVENOUS RECON SOLN 50 MG	2	GC
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	GC
EXKIVITY ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (120 per 30 days)
FARESTON ORAL TABLET 60 MG (toremifene)	3	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	PA NSO; GC
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML (fulvestrant)	3	GC
FEMARA ORAL TABLET 2.5 MG (letrozole)	3	GC
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	2	GC
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD; GC
<i>fludarabine intravenous recon soln 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	PA BvD; GC
<i>flutamide oral capsule 125 mg (Eulexin)</i>	1	GC
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	2	PA NSO; GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	PA NSO; GC; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe (Faslodex) 250 mg/5 ml</i>	1	GC
GAVRETO ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	2	PA NSO; GC
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	GC
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	PA NSO; GC; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG (imatinib)	3	PA NSO; GC; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG (imatinib)	3	PA NSO; GC; QL (60 per 30 days)
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	2	PA NSO; GC
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	PA NSO; GC; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	2	PA NSO; GC
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HYCAMTIN INTRAVENOUS (topotecan) RECON SOLN 4 MG	3	GC
HYDREA ORAL CAPSULE 500 (hydroxyurea) MG	3	GC
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
ICLUSIG ORAL TABLET 15 MG	2	PA NSO; GC; QL (60 per 30 days)
IDAMYCIN PFS (idarubicin) INTRAVENOUS SOLUTION 1 MG/ML	3	GC
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	GC
IDHIFA ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
IFEX INTRAVENOUS RECON (ifosfamide) SOLN 1 GRAM, 3 GRAM	3	GC
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD; GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; GC; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	PA NSO; GC; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	2	PA NSO; GC; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	2	PA NSO; GC; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	PA NSO; GC; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	2	PA NSO; GC; QL (8 per 28 days)
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	2	GC
INLYTA ORAL TABLET 1 MG	2	PA NSO; GC; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	2	PA NSO; GC; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	2	PA NSO; GC; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	GC
ISTODAX INTRAVENOUS (romidepsin) RECON SOLN 10 MG/2 ML	2	PA NSO; GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	2	GC
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	2	GC
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	2	PA NSO; GC
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	2	PA NSO; GC; QL (2 per 28 days)
KISQALI 200 MG DAILY DOSE 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (63 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	PA NSO; GC; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	PA NSO; GC; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	PA NSO; GC; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	PA NSO; GC; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	PA NSO; GC; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	2	PA NSO; GC; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	2	PA NSO; GC
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	PA NSO; GC
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	2	GC
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	GC
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	2	PA NSO; GC; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	2	PA NSO; GC; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	2	PA NSO; GC; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	GC
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	GC
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	2	PA BvD; GC
MATULANE ORAL CAPSULE 50 MG	2	GC
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	2	PA NSO; GC; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	2	PA NSO; GC; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln (Alkeran (as HCl)) 50 mg</i>	1	GC
<i>mercaptopurine oral tablet 50 mg</i>	1	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST; GC
<i>mitomycin intravenous recon soln 40 (Mutamycin) mg</i>	1	PA BvD; GC
<i>mitomycin intravesical solution 40 mg/10 ml (4 mg/ml)</i>	1	PA BvD; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	GC
MONJUVI INTRAVENOUS RECON SOLN 200 MG	2	PA NSO; GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nelarabine intravenous solution 250 mg/50 ml</i> (Arranon)	1	GC
NERLYNX ORAL TABLET 40 MG	2	PA NSO; GC; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG (sorafenib)	2	PA NSO; GC; QL (120 per 30 days)
NILANDRON ORAL TABLET 150 MG (nilutamide)	3	GC
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	GC
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG (pentostatin)	2	GC
NUBEQA ORAL TABLET 300 MG	2	PA NSO; GC; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	2	PA NSO; GC
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	2	PA NSO; GC
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	2	GC
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
ONUREG ORAL TABLET 200 MG, 300 MG	2	PA NSO; GC; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	PA NSO; GC
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	2	PA NSO; GC
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	PA BvD; GC
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	1	GC
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	2	PA NSO; GC
PARAPLATIN INTRAVENOUS SOLUTION 10 MG/ML (carboplatin)	3	GC
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	PA NSO; GC; QL (14 per 21 days)
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	1	GC
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	1	GC
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	1	GC
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	2	PA NSO; GC; QL (2 per 28 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	2	PA NSO; GC
PHEGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	2	PA NSO; GC; QL (15 per 21 days)
PHEGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	2	PA NSO; GC; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	PA NSO; GC; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	2	PA NSO; GC
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	2	PA NSO; GC; QL (100 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	2	GC
PURIXAN ORAL SUSPENSION 20 MG/ML	2	GC
QINLOCK ORAL TABLET 50 MG	2	PA NSO; GC; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	2	PA NSO; GC; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG (lenalidomide)	2	PA NSO; GC; QL (28 per 28 days)
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	2	PA NSO; GC; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	PA NSO; GC
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	2	PA NSO; GC
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	1	PA NSO; GC
<i>romidepsin intravenous solution 5 mg/ml</i>	1	PA NSO; GC
ROZLYTREK ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	2	PA NSO; GC; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	PA NSO; GC; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
RYDAPT ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5 ML	2	PA NSO; GC
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
SCSEMBLIX ORAL TABLET 20 MG, 40 MG	2	PA NSO; GC
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	GC
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	1	PA NSO; GC; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	PA NSO; GC; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	2	PA NSO; GC; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	2	PA NSO; GC; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	PA NSO; GC; QL (30 per 30 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG (sunitinib)	2	PA NSO; GC; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	2	PA NSO; GC
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	PA NSO; GC
TABLOID ORAL TABLET 40 MG (thioguanine)	2	GC
TABRECTA ORAL TABLET 150 MG, 200 MG	2	PA NSO; GC; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	PA NSO; GC; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	2	PA NSO; GC; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	2	PA NSO; GC; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TARCEVA ORAL TABLET 100 MG, 25 MG (erlotinib)	3	PA NSO; GC; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG (erlotinib)	3	PA NSO; GC; QL (90 per 30 days)
TARGRETIN ORAL CAPSULE 75 MG (bexarotene)	3	PA NSO; GC; QL (420 per 30 days)
TARGRETIN TOPICAL GEL 1 % (bexarotene)	2	PA NSO; GC; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	PA NSO; GC; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	2	PA NSO; GC; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	PA NSO; GC
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	1	PA BvD; GC; QL (4 per 28 days)
TEPADINA INJECTION RECON SOLN 100 MG, 15 MG (thiotepa)	2	GC
TEPMETKO ORAL TABLET 225 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	1	GC
TIBSOVO ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
TIVDAK INTRAVENOUS RECON SOLN 40 MG	2	PA NSO; GC; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	GC
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	1	GC
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	GC
TORISEL INTRAVENOUS (temsirolimus) RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	3	PA BvD; GC; QL (4 per 28 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	2	PA NSO; GC
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	2	GC; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	2	GC
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	GC
TRISENOX INTRAVENOUS (arsenic trioxide) SOLUTION 2 MG/ML	2	GC
TRODELVY INTRAVENOUS RECON SOLN 180 MG	2	PA NSO; GC
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	2	PA NSO; GC
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
TUKYSA ORAL TABLET 150 MG	2	PA NSO; GC; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	2	PA NSO; GC; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TYKERB ORAL TABLET 250 MG (lapatinib)	3	PA NSO; GC
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	2	PA NSO; GC
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	1	GC
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML (valrubicin)	2	GC
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	2	PA NSO; GC
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	2	PA NSO; GC
VENCLEXTA ORAL TABLET 10 MG	2	PA NSO; GC; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	PA NSO; GC; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	2	PA NSO; GC; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	PA NSO; GC
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (56 per 28 days)
VIDAZA INJECTION RECON SOLN 100 MG (azacitidine)	3	GC
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	1	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	GC
VITRAKVI ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VITRAKVI ORAL SOLUTION 20 MG/ML	2	PA NSO; GC; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	2	PA BvD; GC
WELIREG ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	PA NSO; GC; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	2	PA BvD; ST; GC
XOSPATA ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	2	PA NSO; GC; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	PA NSO; GC; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	PA NSO; GC; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	2	PA NSO; GC; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	2	PA NSO; GC; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	PA NSO; GC; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	PA NSO; GC; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XTANDI ORAL TABLET 40 MG	2	PA NSO; GC; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	2	PA NSO; GC; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	PA NSO; GC
YONDELIS INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
YONSA ORAL TABLET 125 MG	2	PA NSO; GC; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	2	PA NSO; GC
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	2	GC
ZEJULA ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	2	PA NSO; GC; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	2	PA NSO; GC
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	2	GC; QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	2	GC; QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	2	GC
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	2	PA NSO; GC; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYTIGA ORAL TABLET 250 MG (abiraterone)	3	PA NSO; GC; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG (abiraterone)	2	PA NSO; GC; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
DARTISLA ORAL TABLET,DISINTEGRATING 1.7 MG	2	GC; QL (120 per 30 days)
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	GC
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	2	GC; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	2	GC; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML (rufinamide)	3	GC
BANZEL ORAL TABLET 200 MG, 400 MG (rufinamide)	2	GC
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	GC; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	GC; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	GC; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	GC
<i>carbamazepine oral tablet 200 mg</i> (Eptitol)	1	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARBATROL ORAL CAPSULE, (carbamazepine) ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	3	GC
CELONTIN ORAL CAPSULE 300 MG	2	GC
CEREBYX INJECTION (fosphenytoin) SOLUTION 100 MG PE/2 ML, 500 MG PE/10 ML	3	GC
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	PA NSO; GC; QL (60 per 30 days)
DEPAKOTE ER ORAL TABLET (divalproex) EXTENDED RELEASE 24 HR 250 MG, 500 MG	3	GC
DEPAKOTE ORAL (divalproex) TABLET, DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	3	GC
DEPAKOTE SPRINKLES ORAL (divalproex) CAPSULE, DELAYED REL SPRINKLE 125 MG	3	GC
DIACOMIT ORAL CAPSULE 250 MG	2	PA NSO; GC; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	2	PA NSO; GC; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	PA NSO; GC; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	PA NSO; GC; QL (180 per 30 days)
DIASTAT ACUDIAL RECTAL (diazepam) KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	GC
DIASTAT RECTAL KIT 2.5 MG (diazepam)	3	GC
<i>diazepam rectal kit 12.5-15-17.5-20</i> (Diastat AcuDial) <i>mg, 5-7.5-10 mg</i>	1	GC
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	GC
DILANTIN EXTENDED ORAL (phenytoin sodium extended) CAPSULE 100 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DILANTIN INFATABS ORAL (phenytoin) TABLET,CHEWABLE 50 MG	3	GC
DILANTIN ORAL CAPSULE 30 MG	2	GC
DILANTIN-125 ORAL (phenytoin) SUSPENSION 125 MG/5 ML	3	GC
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	PA NSO; GC
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	2	GC; QL (480 per 30 days)
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	2	GC
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	GC
FELBATOL ORAL (felbamate) SUSPENSION 600 MG/5 ML	3	GC
FELBATOL ORAL TABLET 400 (felbamate) MG, 600 MG	3	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	PA NSO; GC
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	GC; QL (720 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 8 MG	2	GC; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	GC; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	GC
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	GC; QL (120 per 30 days)
GABITRIL ORAL TABLET 12 MG, 16 MG, 2 MG, 4 MG (tiagabine)	3	GC
KEPPRA INTRAVENOUS SOLUTION 500 MG/5 ML (levetiracetam)	3	GC
KEPPRA ORAL SOLUTION 100 MG/ML (levetiracetam)	3	GC
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG (levetiracetam)	3	GC
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG (levetiracetam)	3	GC
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	1	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	1	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	1	GC; QL (60 per 30 days)
LAMICTAL ODT ORAL TABLET, DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG (lamotrigine)	3	GC
LAMICTAL ODT STARTER (BLUE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG (21) -50 MG (7) (lamotrigine)	3	GC
LAMICTAL ODT STARTER (GREEN) ORAL TABLET DISINTEGRATING, DOSE PK 50 MG (42) -100 MG (14) (lamotrigine)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LAMICTAL ODT STARTER (ORANGE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG(14)-50 MG (14)-100 MG (7) (lamotrigine)	3	GC
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG (lamotrigine)	3	GC
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG (lamotrigine)	3	GC
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35) (lamotrigine)	3	GC
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14) (lamotrigine)	3	GC
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7) (lamotrigine)	3	GC
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG (lamotrigine)	3	GC
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	2	GC
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	2	GC
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	2	GC
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i>	(Lamictal ODT Starter (Blue))	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)- 50 mg (14)-100 mg (7)</i>	(Lamictal ODT Starter (Orange))	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i>	(Lamictal ODT Starter (Green))	1	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	(Lamictal XR)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	1	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	(Lamictal ODT)	1	GC
<i>lamotrigine oral tablets, dose pack 25 mg (35)</i>	(Subvenite Starter (Blue) Kit)	1	GC
<i>lamotrigine oral tablets, dose pack 25 mg (42) -100 mg (7)</i>	(Subvenite Starter (Orange) Kit)	1	GC
<i>lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14)</i>	(Subvenite Starter (Green) Kit)	1	GC
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>		1	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	1	GC
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	1	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	1	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	1	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG	(pregabalin)	3	GC; QL (90 per 30 days)
LYRICA ORAL CAPSULE 225 MG, 300 MG	(pregabalin)	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYRICA ORAL SOLUTION 20 (pregabalin) MG/ML	3	GC; QL (900 per 30 days)
MYSOLINE ORAL TABLET 250 (primidone) MG, 50 MG	3	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	2	GC; QL (10 per 30 days)
NEURONTIN ORAL CAPSULE (gabapentin) 100 MG, 300 MG	3	GC; QL (360 per 30 days)
NEURONTIN ORAL CAPSULE (gabapentin) 400 MG	3	GC; QL (270 per 30 days)
NEURONTIN ORAL (gabapentin) SOLUTION 250 MG/5 ML	3	GC; QL (2160 per 30 days)
NEURONTIN ORAL TABLET (gabapentin) 600 MG	3	GC; QL (180 per 30 days)
NEURONTIN ORAL TABLET (gabapentin) 800 MG	3	GC; QL (120 per 30 days)
ONFI ORAL SUSPENSION 2.5 (clobazam) MG/ML	3	PA NSO; GC; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 (clobazam) MG	3	PA NSO; GC; QL (60 per 30 days)
<i>oxcarbazepine oral suspension 300 (Trileptal) mg/5 ml (60 mg/ml)</i>	1	GC
<i>oxcarbazepine oral tablet 150 mg, (Trileptal) 300 mg, 600 mg</i>	1	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	GC
PHENYTEK ORAL CAPSULE (phenytoin sodium 200 MG, 300 MG extended)	3	GC
<i>phenytoin oral suspension 125 mg/5 (Dilantin-125) ml</i>	1	GC
<i>phenytoin oral tablet, chewable 50 (Dilantin Infatabs) mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	1	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	1	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	GC
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 25 MG, 50 MG (topiramate)	3	GC; QL (30 per 30 days)
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 150 MG, 200 MG (topiramate)	3	GC; QL (60 per 30 days)
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG (levetiracetam)	3	GC
ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG (levetiracetam)	3	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	1	GC
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	1	GC
SABRIL ORAL POWDER IN PACKET 500 MG (vigabatrin)	3	PA NSO; GC; QL (180 per 30 days)
SABRIL ORAL TABLET 500 MG (vigabatrin)	2	PA NSO; GC; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	ST; GC; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	ST; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
<i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i> (lamotrigine)	1	GC
<i>subvenite starter (green) kit oral tablets, dose pack 25 mg (84) -100 mg (14)</i> (lamotrigine)	1	GC
<i>subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) -100 mg (7)</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
TEGRETOL ORAL SUSPENSION 100 MG/5 ML (carbamazepine)	3	GC
TEGRETOL ORAL TABLET 200 MG (carbamazepine)	3	GC
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG (carbamazepine)	3	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	GC
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG (topiramate)	3	GC
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG (topiramate)	3	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	GC
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	GC; QL (30 per 30 days)
<i>topiramate oral capsule, sprinkle, er 24hr 150 mg, 200 mg</i> (Qudexy XR)	1	GC; QL (60 per 30 days)
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML) (oxcarbazepine)	3	GC
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG (oxcarbazepine)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG	2	GC; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	GC
<i>valproic acid oral capsule 250 mg</i>	1	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	2	GC
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	GC
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	PA NSO; GC; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	1	PA NSO; GC; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	2	GC; QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML (lacosamide)	2	GC; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG (lacosamide)	2	GC; QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	PA NSO; GC; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	PA NSO; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	PA NSO; GC
ZARONTIN ORAL CAPSULE (ethosuximide) 250 MG	3	GC
ZARONTIN ORAL SOLUTION (ethosuximide) 250 MG/5 ML	3	GC
ZONEGRAN ORAL CAPSULE (zonisamide) 100 MG, 25 MG	3	GC
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	GC
<i>zonisamide oral capsule 50 mg</i>	1	GC
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
ARICEPT ORAL TABLET 10 (donepezil) MG, 23 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	GC
EXELON PATCH (rivastigmine) TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR	3	GC; QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	GC; QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	GC; QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>memantine oral tablets,dose pack 5-10 mg</i> (Namenda Titration Pak)	1	GC
NAMENDA ORAL TABLET 10 MG, 5 MG (memantine)	3	GC; QL (60 per 30 days)
NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7-14-21-28 MG	2	GC
NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR 14 MG, 21 MG, 28 MG, 7 MG (memantine)	3	GC; QL (30 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	GC
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	GC; QL (30 per 30 days)
RAZADYNE ER ORAL CAPSULE,EXT REL. PELLETS 24 HR 16 MG, 24 MG, 8 MG (galantamine)	3	GC; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	1	GC; QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	GC
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG (clomipramine)	3	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	GC
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i> (Forfivo XL)	1	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	GC
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG (citalopram)	3	GC; QL (30 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>	1	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	GC
CYMBALTA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 20 MG, 30 MG, 60 MG (duloxetine)	3	GC; QL (60 per 30 days)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	GC
<i>desvenlafaxine oral tablet extended release 24 hr 100 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	GC; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	GC; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>duloxetine oral capsule, delayed release(drlec) 40 mg</i>	1	GC; QL (30 per 30 days)
EFFEXOR XR ORAL (venlafaxine) CAPSULE,EXTENDED RELEASE 24HR 150 MG	3	GC; QL (30 per 30 days)
EFFEXOR XR ORAL (venlafaxine) CAPSULE,EXTENDED RELEASE 24HR 37.5 MG, 75 MG	3	GC; QL (90 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	GC; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	ST; GC
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>fluoxetine (pmd) oral tablet 10 mg, 20 mg</i>	1	GC
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral capsule, delayed release(drlec) 90 mg</i>	1	GC; QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>fluoxetine oral tablet 10 mg, 20 mg, 60 mg</i>	1	GC
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	1	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FORFIVO XL ORAL TABLET (bupropion hcl) EXTENDED RELEASE 24 HR 450 MG	3	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	GC
LEXAPRO ORAL TABLET 10 (escitalopram oxalate) MG, 20 MG, 5 MG	3	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
MARPLAN ORAL TABLET 10 MG	2	GC
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	GC
NARDIL ORAL TABLET 15 MG (phenelzine)	3	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	GC
NORPRAMIN ORAL TABLET (desipramine) 10 MG, 25 MG	3	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> (Symbyax)	1	GC
PAMELOR ORAL CAPSULE 10 (nortriptyline) MG, 25 MG, 50 MG, 75 MG	3	GC
PARNATE ORAL TABLET 10 (tranylcypromine) MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	1	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	1	GC
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG (paroxetine hcl)	3	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML (paroxetine hcl)	3	GC
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG (paroxetine hcl)	3	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	GC
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	GC
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 25 MG, 50 MG (desvenlafaxine succinate)	3	ST; GC; QL (30 per 30 days)
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	GC
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG (fluoxetine)	3	GC
REMERON ORAL TABLET 15 MG, 30 MG (mirtazapine)	3	GC
REMERON SOLTAB ORAL TABLET,DISINTEGRATING 15 MG, 30 MG, 45 MG (mirtazapine)	3	GC
<i>sertraline oral capsule 150 mg, 200 mg</i>	1	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMBYAX ORAL CAPSULE 12- (olanzapine-fluoxetine) 50 MG, 3-25 MG, 6-25 MG, 6-50 MG	3	GC
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i> (Effexor XR)	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg</i>	1	GC; QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 225 mg</i>	1	GC
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	GC; QL (90 per 30 days)
VIIBRYD ORAL TABLET 10 (vilazodone) MG, 20 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	2	ST; GC
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	ST; GC; QL (30 per 30 days)
WELLBUTRIN SR ORAL (bupropion hcl) TABLET SUSTAINED- RELEASE 12 HR 100 MG, 150 MG, 200 MG	3	GC
WELLBUTRIN XL ORAL (bupropion hcl) TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	3	GC
ZOLOFT ORAL (sertraline) CONCENTRATE 20 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG (sertraline)	3	GC
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	2	GC
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	GC; QL (90 per 30 days)
ACTOPLUS MET ORAL TABLET 15-500 MG, 15-850 MG (pioglitazone-metformin)	3	GC; QL (90 per 30 days)
ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG (pioglitazone)	3	GC; QL (30 per 30 days)
ADLYXIN SUBCUTANEOUS PEN INJECTOR 10 MCG/0.2 ML- 20 MCG/0.2 ML	2	GC
ADLYXIN SUBCUTANEOUS PEN INJECTOR 20 MCG/0.2 ML	2	GC; QL (6 per 28 days)
<i>alogliptin oral tablet 12.5 mg, 25 mg, 6.25 mg</i> (Nesina)	1	GC
<i>alogliptin-metformin oral tablet 12.5-1,000 mg, 12.5-500 mg</i> (Kazano)	1	GC
<i>alogliptin-pioglitazone oral tablet 12.5-15 mg, 12.5-30 mg, 12.5-45 mg, 25-15 mg, 25-30 mg, 25-45 mg</i> (Oseni)	1	GC
AVANDIA ORAL TABLET 2 MG, 4 MG	2	GC; QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	2	GC; QL (3.4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	2	GC; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	2	GC; QL (1.2 per 28 days)
CYCLOSET ORAL TABLET 0.8 MG	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUETACT ORAL TABLET 30-2 (pioglitazone-glimepiride) MG, 30-4 MG	3	GC; QL (30 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)
GLUCOPHAGE ORAL TABLET (metformin) 1,000 MG	3	GC; QL (75 per 30 days)
GLUCOPHAGE ORAL TABLET (metformin) 500 MG	3	GC; QL (150 per 30 days)
GLUCOPHAGE ORAL TABLET (metformin) 850 MG	3	GC; QL (90 per 30 days)
GLUCOPHAGE XR ORAL (metformin) TABLET EXTENDED RELEASE 24 HR 500 MG	3	GC; QL (120 per 30 days)
GLUCOPHAGE XR ORAL (metformin) TABLET EXTENDED RELEASE 24 HR 750 MG	3	GC; QL (60 per 30 days)
GLYXAMBI ORAL TABLET 10- 5 MG, 25-5 MG	2	GC; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50- 1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	2	GC; QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	2	GC; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	GC; QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG (alogliptin-metformin)	3	GC; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 5-1,000 MG, 5-500 MG	2	GC; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	2	PA; GC; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml (Riomet)</i>	1	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG (alogliptin)	3	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ONGLYZA ORAL TABLET 2.5 MG, 5 MG	2	GC; QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG (alogliptin-pioglitazone)	3	GC; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	GC; QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	2	GC; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	GC; QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	GC; QL (90 per 30 days)
PRECOSE ORAL TABLET 100 MG, 25 MG, 50 MG (acarbose)	3	GC; QL (90 per 30 days)
QTERN ORAL TABLET 10-5 MG, 5-5 MG	2	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	1	GC; QL (150 per 30 days)
RIOMET ORAL SOLUTION 500 MG/5 ML (metformin)	3	GC; QL (765 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	GC; QL (30 per 30 days)
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG	2	GC; QL (60 per 30 days)
SEGLUROMET ORAL TABLET 2.5-500 MG	2	GC; QL (120 per 30 days)
STARLIX ORAL TABLET 120 MG (nateglinide)	3	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
STEGLATRO ORAL TABLET 15 MG, 5 MG	2	GC; QL (30 per 30 days)
STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG	2	GC; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; GC; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; GC; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	GC; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	GC; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG	2	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	2	GC; QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	GC; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	GC; QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	2	GC; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Insulins</b>		
ADMELOG SOLOSTAR U-100 (insulin lispro) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
ADMELOG U-100 INSULIN (insulin lispro) LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 4 UNIT, 4 UNIT (90)/ 8 UNIT (90), 8 UNIT	2	PA; GC; QL (180 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 4 UNIT/8 UNIT/ 12 UNIT (60)	2	PA; GC
AFREZZA INHALATION CARTRIDGE WITH INHALER 8 UNIT (90)/ 12 UNIT (90)	2	PA; GC; QL (360 per 28 days)
APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
BASAGLAR KWIKPEN U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMALOG JUNIOR (insulin lispro) KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG KWIKPEN (insulin lispro) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	GC; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50- 50)	2	GC; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25 (insulin lispro KWIKPEN SUBCUTANEOUS protamin-lispro) INSULIN PEN 100 UNIT/ML (75-25)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25(U- 100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75- 25)	2	GC; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG U-100 INSULIN (insulin lispro) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	2	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)	
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)	
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)	
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	GC; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	GC; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> (70-30)	(Novolog Mix 70- 30FlexPen U-100)	1	GC; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> (70-30)	(Novolog Mix 70-30 U- 100 Insuln)	1	GC; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i>	(Novolog PenFill U- 100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Novolog Flexpen U- 100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	1	GC; QL (40 per 28 days)
<i>insulin glargine subcutaneous insulin</i> <i>pen 100 unit/ml (3 ml)</i>	(Basaglar KwikPen U- 100 Insulin)	1	GC; QL (30 per 30 days)
<i>insulin glargine subcutaneous</i> <i>solution 100 unit/ml</i>	(Lantus U-100 Insulin)	1	GC; QL (40 per 28 days)
<i>insulin glargine-yfgn subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Semglee(insulin glarg- yfgn)Pen)	1	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	(Semglee(insulin glargine-yfgn))	1	GC; QL (40 per 28 days)
<i>insulin lispro protamin-lispro subcutaneous insulin pen 100 unit/ml (75-25)</i>	(Humalog Mix 75-25 KwikPen)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous insulin pen 100 unit/ml</i>	(Admelog SoloStar U-100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous insulin pen, half-unit 100 unit/ml</i>	(Humalog Junior KwikPen U-100)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous solution 100 unit/ml</i>	(Admelog U-100 Insulin lispro)	1	GC; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	2	GC; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	2	GC; QL (40 per 28 days)
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	GC; QL (30 per 28 days)
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	GC; QL (40 per 28 days)
LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML		2	GC; QL (30 per 28 days)
LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)		2	GC; QL (30 per 28 days)
LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	GC; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		2	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin aspart u-100)	2	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart)	2	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (insulin aspart u-100)	3	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100)	3	GC; QL (40 per 28 days)
SEMGLEE PEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine)	1	GC; QL (30 per 28 days)
SEMGLEE U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine)	1	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	2	GC; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	2	GC; QL (30 per 28 days)
SOLQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	GC; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	GC; QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	GC; QL (15 per 28 days)
<b>Sulfonylureas</b>		
AMARYL ORAL TABLET 1 MG, 2 MG (glimepiride)	3	GC; QL (30 per 30 days)
AMARYL ORAL TABLET 4 MG (glimepiride)	3	GC; QL (60 per 30 days)
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 10 MG (glipizide)	3	GC; QL (120 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG (glipizide)	3	GC; QL (60 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG, 5 MG (glipizide)	3	GC; QL (30 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
GLYNASE ORAL TABLET 1.5 MG, 3 MG, 6 MG (glyburide micronized)	3	GC
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	PA BvD; GC
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	2	PA BvD; GC
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	1	PA BvD; GC
ANCOBON ORAL CAPSULE 250 MG, 500 MG (flucytosine)	3	GC
CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG (caspofungin)	3	GC
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	1	GC
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	GC; QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	1	GC; QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	1	GC
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	GC; QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	GC; QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	1	GC
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	GC
<i>clotrimazole topical solution 1 %</i>	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	1	GC; QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	1	GC; QL (90 per 30 days)
CRESEMBA INTRAVENOUS RECON SOLN 372 MG	2	GC
CRESEMBA ORAL CAPSULE 186 MG	2	GC
DIFLUCAN ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML, 40 MG/ML (fluconazole)	3	GC
DIFLUCAN ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG (fluconazole)	3	GC
<i>econazole topical cream 1 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	2	GC
EXELDERM TOPICAL CREAM (sulconazole) 1 %	2	GC
<i>fluconazole in nacl (iso-osm)</i> <i>intravenous piggyback 100 mg/50</i> <i>ml, 400 mg/200 ml</i>	1	PA BvD; GC
<i>fluconazole in nacl (iso-osm)</i> <i>intravenous piggyback 200 mg/100</i> <i>ml</i>	1	GC
<i>fluconazole oral suspension for</i> (Diflucan) <i>reconstitution 10 mg/ml, 40 mg/ml</i>	1	GC
<i>fluconazole oral tablet 100 mg, 150</i> (Diflucan) <i>mg, 200 mg, 50 mg</i>	1	GC
<i>flucytosine oral capsule 250 mg, 500</i> (Ancobon) <i>mg</i>	1	GC
<i>griseofulvin microsize oral</i> <i>suspension 125 mg/5 ml</i>	1	GC
<i>griseofulvin microsize oral tablet</i> <i>500 mg</i>	1	GC
<i>griseofulvin ultramicrosize oral</i> <i>tablet 125 mg, 250 mg</i>	1	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	GC
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	1	GC
<i>ketoconazole oral tablet 200 mg</i>	1	GC
<i>ketoconazole topical cream 2 %</i>	1	GC
<i>ketoconazole topical shampoo 2 %</i>	1	GC; QL (360 per 30 days)
LOPROX (AS OLAMINE) (ciclopirox) TOPICAL SUSPENSION 0.77 %	3	GC; QL (180 per 30 days)
LOPROX TOPICAL SHAMPOO (ciclopirox) 1 %	3	GC
<i>luliconazole topical cream 1 %</i> (Luzu)	1	GC
LUZU TOPICAL CREAM 1 % (luliconazole)	3	GC
MENTAX TOPICAL CREAM 1 (butenafine) %	3	GC
<i>micafungin intravenous recon soln</i> (Mycamine) <i>100 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>miconazole nitrate-zinc ox-pet</i> (Vusion) <i>topical ointment 0.25-15-81.35 %</i>	1	GC
<i>miconazole-3 vaginal suppository</i> <i>200 mg</i>	1	GC
MYCAMINE INTRAVENOUS (micafungin) RECON SOLN 100 MG, 50 MG	2	GC
<i>naftifine topical cream 1 %</i>	1	GC; QL (180 per 30 days)
<i>naftifine topical cream 2 %</i>	1	GC
<i>naftifine topical gel 1 %</i> (Naftin)	1	GC
NAFTIN TOPICAL GEL 1 % (naftifine)	3	GC; QL (360 per 30 days)
NAFTIN TOPICAL GEL 2 %	2	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	2	GC
NOXAFIL ORAL SUSPENSION (posaconazole) 200 MG/5 ML (40 MG/ML)	2	GC
NOXAFIL ORAL (posaconazole) TABLET, DELAYED RELEASE (DR/EC) 100 MG	3	GC
<i>nyamyc topical powder 100,000</i> (nystatin) <i>unit/gram</i>	1	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000</i> <i>unit/ml</i>	1	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	1	GC
<i>nystatin topical cream 100,000</i> <i>unit/gram</i>	1	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000</i> <i>unit/gram</i>	1	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000</i> (Nyamyc) <i>unit/gram</i>	1	GC; QL (60 per 30 days)
<i>nystatin-triamcinolone topical</i> <i>cream 100,000-0.1 unit/g-%</i>	1	GC
<i>nystatin-triamcinolone topical</i> <i>ointment 100,000-0.1 unit/gram-%</i>	1	GC
<i>nystop topical powder 100,000</i> (nystatin) <i>unit/gram</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORAVIG BUCCAL MUCO-ADHESIVE BUCCAL TABLET 50 MG	2	GC; QL (14 per 30 days)
<i>oxiconazole topical cream 1 %</i> (Oxistat)	1	GC; QL (270 per 30 days)
OXISTAT TOPICAL CREAM 1 % (oxiconazole)	3	GC; QL (270 per 30 days)
OXISTAT TOPICAL LOTION 1 %	2	GC; QL (270 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	1	GC
SPORANOX ORAL CAPSULE 100 MG (itraconazole)	3	GC
SPORANOX ORAL SOLUTION 10 MG/ML (itraconazole)	3	GC
<i>sulconazole topical solution 1 %</i> (Exelderm)	1	GC
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
VFEND IV INTRAVENOUS RECON SOLN 200 MG (voriconazole)	3	PA BvD; GC
VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML) (voriconazole)	3	GC
VFEND ORAL TABLET 200 MG, 50 MG (voriconazole)	3	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	1	PA BvD; GC
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	1	GC
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	GC
VUSION TOPICAL OINTMENT 0.25-15-81.35 % (miconazole nitrate-zinc ox-pet)	3	GC
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
ALOPRIM INTRAVENOUS RECON SOLN 500 MG (allopurinol sodium)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	GC; QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	1	GC
COLCRYS ORAL TABLET 0.6 MG (colchicine)	3	PA; GC; QL (120 per 30 days)
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	2	ST; GC; QL (30 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	GC; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	GC
ULORIC ORAL TABLET 40 MG, 80 MG (febuxostat)	3	ST; GC; QL (30 per 30 days)
ZYLOPRIM ORAL TABLET 100 MG (allopurinol)	3	GC
ZYLOPRIM ORAL TABLET 300 MG (allopurinol)	3	GC
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	1	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	1	GC
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	GC
CLARINEX ORAL TABLET 5 MG (desloratadine)	3	GC
CLARINEX-D 12 HOUR ORAL TABLET, ER MULTIPHASE 12 HR 2.5-120 MG	2	GC
<i>clemastine oral syrup 0.5 mg/5 ml</i>	1	GC
<i>clemastine oral tablet 2.68 mg</i>	1	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	GC
<i>cyproheptadine oral tablet 4 mg</i>	1	GC
<i>desloratadine oral tablet 5 mg</i> (Clarinet)	1	GC
<i>desloratadine oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>CLEOCIN VAGINAL CREAM 2 %</b> (clindamycin phosphate)	3	GC
<b>CLEOCIN VAGINAL SUPPOSITORY 100 MG</b>	2	GC
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	GC
<b>CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %</b>	2	GC
<b>METROGEL VAGINAL VAGINAL GEL 0.75 % (37.5MG/5 GRAM)</b> (metronidazole)	3	GC
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	1	GC
<b>NUVESSA VAGINAL GEL 1.3 % (65 MG/5 GRAM)</b>	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal suppository 80 mg</i>	1	GC
VANADAZOLE VAGINAL GEL (metronidazole) 0.75 % (37.5MG/5 GRAM)	2	GC
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	2	PA; GC; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	2	PA; GC; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	PA; GC; QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	GC; QL (12 per 30 days)
AMERGE ORAL TABLET 1 (naratriptan) MG, 2.5 MG	3	ST; GC; QL (9 per 30 days)
D.H.E.45 INJECTION (dihydroergotamine) SOLUTION 1 MG/ML	3	GC; QL (24 per 28 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	1	GC; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non- aerosol 0.5 mg/pump act. (4 mg/ml)</i>	1	GC; QL (8 per 28 days)
<i>eletriptan oral tablet 20 mg</i> (Relpax)	1	GC; QL (6 per 30 days)
<i>eletriptan oral tablet 40 mg</i> (Relpax)	1	GC; QL (12 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	PA; GC; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	PA; GC; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	PA; GC; QL (3 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (20 per 28 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	1	GC; QL (40 per 28 days)
FROVA ORAL TABLET 2.5 MG (frovatriptan)	3	ST; GC; QL (18 per 30 days)
<i>frovatriptan oral tablet 2.5 mg</i> (Frova)	1	GC; QL (18 per 28 days)
IMITREX 6 MG/0.5 ML PEN INJECT 2 STAT DOSE SYR,SDV 6 MG/0.5 ML (sumatriptan succinate)	3	ST; GC; QL (4 per 28 days)
IMITREX NASAL SPRAY, NON-AEROSOL 20 MG/ACTUATION (sumatriptan)	3	ST; GC; QL (12 per 30 days)
IMITREX NASAL SPRAY, NON-AEROSOL 5 MG/ACTUATION (sumatriptan)	3	ST; GC; QL (18 per 30 days)
IMITREX ORAL TABLET 100 MG (sumatriptan succinate)	3	ST; GC; QL (9 per 30 days)
IMITREX ORAL TABLET 25 MG, 50 MG (sumatriptan succinate)	3	ST; GC; QL (18 per 30 days)
IMITREX STATDOSE PEN SUBCUTANEOUS PEN INJECTOR 4 MG/0.5 ML (sumatriptan succinate)	3	ST; GC; QL (4 per 28 days)
IMITREX STATDOSE REFILL SUBCUTANEOUS CARTRIDGE 6 MG/0.5 ML (sumatriptan succinate)	3	ST; GC; QL (4 per 28 days)
IMITREX SUBCUTANEOUS SOLUTION 6 MG/0.5 ML (sumatriptan succinate)	3	ST; GC; QL (4 per 28 days)
MAXALT ORAL TABLET 10 MG (rizatriptan)	3	ST; GC; QL (12 per 30 days)
MAXALT-MLT ORAL TABLET, DISINTEGRATING 10 MG (rizatriptan)	3	ST; GC; QL (12 per 30 days)
MIGRANAL NASAL SPRAY, NON-AEROSOL 0.5 MG/PUMP ACT. (4 MG/ML) (dihydroergotamine)	3	GC; QL (8 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	GC; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	2	PA; GC; QL (16 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
RELPAK ORAL TABLET 20 MG, 40 MG (eletriptan)	3	ST; GC; QL (6 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i> (Imitrex)	1	GC; QL (12 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/lactuation</i> (Imitrex)	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	GC; QL (4 per 28 days)
TRUDHESA NASAL SPRAY,NON-AEROSOL 0.725 MG/PUMP ACT. (4 MG/ML)	2	GC; QL (12 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	2	PA; GC; QL (1 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zolmitriptan nasal spray,non-aerosol</i> (Zomig) 2.5 mg, 5 mg	1	GC; QL (12 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg</i>	1	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 5 mg</i>	1	GC; QL (12 per 28 days)
ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG, 5 MG (zolmitriptan)	3	ST; GC; QL (12 per 30 days)
ZOMIG ORAL TABLET 2.5 MG, 5 MG (zolmitriptan)	3	ST; GC; QL (6 per 30 days)
ZOMIG ZMT ORAL TABLET,DISINTEGRATING 2.5 MG, 5 MG (zolmitriptan)	3	ST; GC; QL (6 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	2	GC
<i>cycloserine oral capsule 250 mg</i>	1	GC
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	GC
<i>ethambutol oral tablet 100 mg</i>	1	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	GC
<i>isoniazid injection solution 100 mg/ml</i>	1	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	1	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
MYAMBUTOL ORAL TABLET 400 MG (ethambutol)	3	GC
MYCOBUTIN ORAL CAPSULE 150 MG (rifabutin)	3	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	2	GC
PRETOMANID ORAL TABLET 200 MG	2	GC; QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pyrazinamide oral tablet 500 mg</i>	1	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	GC
RIFADIN INTRAVENOUS RECON SOLN 600 MG (rifampin)	3	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	2	PA; GC
TRECTOR ORAL TABLET 250 MG	2	GC
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	GC
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	2	GC
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	PA BvD; GC
ALOXI INTRAVENOUS SOLUTION 0.25 MG/5 ML (palonosetron)	3	GC
ANTIVERT ORAL TABLET,CHEWABLE 25 MG (meclizine)	3	GC
<i>aprepitant oral capsule 125 mg</i>	1	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; GC; QL (6 per 28 days)
CESAMET ORAL CAPSULE 1 MG	2	PA BvD; GC; QL (180 per 30 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	2	GC; QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg</i> (Marinol)	1	PA; GC; QL (60 per 30 days)
<i>dronabinol oral capsule 5 mg</i> (Marinol)	1	PA; GC
<i>droperidol injection solution 2.5 mg/ml</i>	1	GC
EMEND ORAL CAPSULE 80 MG (aprepitant)	3	PA BvD; GC; QL (4 per 28 days)
EMEND ORAL CAPSULE,DOSE PACK 125 MG (1)- 80 MG (2) (aprepitant)	3	PA BvD; GC; QL (6 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	2	PA BvD; GC; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	1	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	1	GC
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD; GC
MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG (dronabinol)	3	PA; GC; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	1	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PALONOSETRON INTRAVENOUS SOLUTION 0.25 MG/2 ML	2	GC
<i>palonosetron intravenous solution</i> <i>0.25 mg/5 ml</i>	1	GC
<i>palonosetron intravenous syringe</i> <i>0.25 mg/5 ml</i>	1	GC
<i>prochlorperazine edisylate injection</i> <i>solution 10 mg/2 ml (5 mg/ml), 5</i> <i>mg/ml</i>	1	GC
<i>prochlorperazine maleate oral tablet</i> (Compazine) <i>10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository</i> (Compro) <i>25 mg</i>	1	GC
<i>promethazine injection solution 25</i> (Phenergan) <i>mg/ml, 50 mg/ml</i>	1	GC
<i>promethazine oral tablet 12.5 mg,</i> <i>25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository</i> (Promethegan) <i>12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethegan rectal suppository 12.5</i> (promethazine) <i>mg, 25 mg, 50 mg</i>	1	GC
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR	2	GC; QL (4 per 28 days)
<i>scopolamine base transdermal patch</i> (Transderm-Scop) <i>3 day 1 mg over 3 days</i>	1	GC; QL (10 per 30 days)
SUSTOL SUBCUTANEOUS LIQUID,EXTENDED RELEASE SYRING 10 MG/0.4 ML	2	GC
SYNDROS ORAL SOLUTION 5 MG/ML	2	PA; GC
TIGAN INTRAMUSCULAR (trimethobenzamide) SOLUTION 100 MG/ML	2	GC
TIGAN ORAL CAPSULE 300 (trimethobenzamide) MG	3	GC
TRANSDERM-SCOP (scopolamine base) TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	3	GC; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trimethobenzamide oral capsule 300 mg</i>	1	GC
VARUBI ORAL TABLET 90 MG	2	PA BvD; GC
ZOFRAN ORAL TABLET 4 MG, (ondansetron hcl) 8 MG	3	PA BvD; GC
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	1	GC
ALBENZA ORAL TABLET 200 MG (albendazole)	3	GC
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	1	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	GC
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	1	GC
BILTRICIDE ORAL TABLET 600 MG (praziquantel)	3	GC
<i>chloroquine phosphate oral tablet 250 mg</i>	1	GC; QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	1	GC; QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	2	GC
DARAPRIM ORAL TABLET 25 MG (pyrimethamine)	2	GC
EMVERM ORAL TABLET,CHEWABLE 100 MG (mebendazole)	2	GC; QL (6 per 21 days)
HUMATIN ORAL CAPSULE 250 MG (paromomycin)	3	GC
<i>hydroxychloroquine oral tablet 100 mg, 300 mg, 400 mg</i>	1	GC; QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	2	PA; GC; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	GC
KRINTAFEL ORAL TABLET 150 MG	2	GC
LAMPIT ORAL TABLET 120 MG, 30 MG	2	GC
MALARONE ORAL TABLET (atovaquone- 250-100 MG proguanil)	3	GC
MALARONE PEDIATRIC (atovaquone- ORAL TABLET 62.5-25 MG proguanil)	3	GC
<i>mefloquine oral tablet 250 mg</i>	1	GC
MEPRON ORAL SUSPENSION (atovaquone) 750 MG/5 ML	3	GC
NEBUPENT INHALATION (pentamidine) RECON SOLN 300 MG	2	PA BvD; GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	1	GC
<i>paromomycin oral capsule 250 mg</i> (Humatin)	1	GC
PENTAM INJECTION RECON (pentamidine) SOLN 300 MG	2	GC
<i>pentamidine inhalation recon soln</i> (Nebupent) <i>300 mg</i>	1	PA BvD; GC
<i>pentamidine injection recon soln 300</i> (Pentam) <i>mg</i>	1	GC
PLAQUENIL ORAL TABLET (hydroxychloroquine) 200 MG	3	GC; QL (90 per 30 days)
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	1	PA; GC
QUALAQUIN ORAL CAPSULE (quinine sulfate) 324 MG	3	PA; GC
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	PA; GC; QL (42 per 7 days)
STROMECTOL ORAL TABLET (ivermectin) 3 MG	3	GC
<i>tinidazole oral tablet 250 mg, 500</i> <i>mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	1	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	1	GC
APOKYN SUBCUTANEOUS (apomorphine) CARTRIDGE 10 MG/ML	2	PA; GC; QL (60 per 30 days)
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	1	PA; GC; QL (60 per 30 days)
AZILECT ORAL TABLET 0.5 MG, 1 MG (rasagiline)	3	GC
<i>benztropine injection solution 1 mg/ml</i>	1	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	GC
<i>cabergoline oral tablet 0.5 mg</i>	1	GC
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	1	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	GC
COGENTIN INJECTION SOLUTION 1 MG/ML (benztropine)	3	GC
COMTAN ORAL TABLET 200 MG (entacapone)	3	GC
ELDEPRYL ORAL CAPSULE 5 MG (selegiline hcl)	3	GC
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	GC
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	2	PA; GC; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	2	PA; GC; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	PA; GC; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	PA; GC; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	PA; GC
LODOSYN ORAL TABLET 25 MG (carbidopa)	3	GC
MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HR 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG (pramipexole)	3	GC
MIRAPEX ORAL TABLET 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG (pramipexole)	3	GC
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOURIANZ ORAL TABLET 20 MG, 40 MG	2	PA; GC; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	ST; GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	2	ST; GC; QL (60 per 30 days)
PARLODEL ORAL CAPSULE 5 MG (bromocriptine)	3	GC
PARLODEL ORAL TABLET 2.5 MG (bromocriptine)	3	GC
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> (Mirapex ER)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	GC
REQUIP ORAL TABLET 0.25 MG, 3 MG (ropinirole)	3	GC
REQUIP XL ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 6 MG (ropinirole)	3	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	GC
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG	2	GC; QL (300 per 30 days)
<i>selegiline hcl oral capsule 5 mg</i>	1	GC
<i>selegiline hcl oral tablet 5 mg</i>	1	GC
SINEMET ORAL TABLET 10-100 MG, 25-100 MG (carbidopa-levodopa)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STALEVO 100 ORAL TABLET 25-100-200 MG (carbidopa-levodopa-entacapone)	3	GC
STALEVO 150 ORAL TABLET 37.5-150-200 MG (carbidopa-levodopa-entacapone)	3	GC
TASMAR ORAL TABLET 100 MG (tolcapone)	3	GC
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
ZELAPAR ORAL TABLET, DISINTEGRATING 1.25 MG	2	GC; QL (60 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILIFY ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG, 5 MG (aripiprazole)	3	ST; GC; QL (30 per 30 days)
ABILIFY ORAL TABLET 2 MG (aripiprazole)	3	ST; GC; QL (60 per 30 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	2	GC
<i>aripiprazole oral solution 1 mg/ml</i>	1	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	GC; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	2	GC; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	2	GC; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	2	GC; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	2	GC; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	2	GC; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	1	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	2	GC; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	GC
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	1	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>clozapine oral tablet 100 mg</i> (Clozaril)	1	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	1	GC; QL (135 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	1	GC; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	1	GC; QL (120 per 30 days)
CLOZARIL ORAL TABLET 100 MG (clozapine)	3	GC; QL (270 per 30 days)
CLOZARIL ORAL TABLET 200 MG (clozapine)	3	GC; QL (135 per 30 days)
CLOZARIL ORAL TABLET 25 MG, 50 MG (clozapine)	3	GC; QL (90 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	ST; GC; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2)	2	ST; GC
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.) (ziprasidone mesylate)	3	GC; QL (6 per 28 days)
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG (ziprasidone hcl)	3	ST; GC; QL (60 per 30 days)
HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML (haloperidol decanoate)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HALDOL INJECTION (haloperidol lactate) SOLUTION 5 MG/ML	3	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	1	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	2	ST; GC; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	2	ST; GC; QL (5 per 166 days)
INVEGA ORAL TABLET (paliperidone) EXTENDED RELEASE 24HR 1.5 MG, 3 MG, 9 MG	3	ST; GC; QL (30 per 30 days)
INVEGA ORAL TABLET (paliperidone) EXTENDED RELEASE 24HR 6 MG	3	ST; GC; QL (60 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	ST; GC; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	ST; GC; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	ST; GC; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	ST; GC; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	ST; GC; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	2	GC; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	2	GC; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	GC; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	2	GC; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	2	ST; GC; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	2	ST; GC; QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	1	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	PA NSO; GC; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	2	GC; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 50 mg</i> (Seroquel)	1	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 400 mg</i> (Seroquel)	1	GC; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	1	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	1	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	2	ST; GC; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	2	ST; GC; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	ST; GC; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	2	GC; QL (2 per 28 days)
RISPERDAL ORAL SOLUTION 1 MG/ML (risperidone)	3	ST; GC; QL (480 per 30 days)
RISPERDAL ORAL TABLET 0.5 MG, 1 MG, 2 MG, 3 MG (risperidone)	3	ST; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RISPERDAL ORAL TABLET 4 MG (risperidone)	3	ST; GC; QL (120 per 30 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	GC; QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	1	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG (asenapine maleate)	3	ST; GC; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR	2	ST; GC
SECUADO TRANSDERMAL PATCH 24 HOUR 7.6 MG/24 HOUR	2	ST; GC; QL (30 per 30 days)
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG (quetiapine)	3	ST; GC; QL (90 per 30 days)
SEROQUEL ORAL TABLET 300 MG, 400 MG (quetiapine)	3	ST; GC; QL (60 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 50 MG (quetiapine)	3	ST; GC; QL (30 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 400 MG (quetiapine)	3	ST; GC; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	ST; GC; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	ST; GC; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	ST; GC
<i>ziprasidone hcl oral capsule 20 mg,</i> (Geodon) <i>40 mg, 60 mg, 80 mg</i>	1	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular</i> (Geodon) <i>recon soln 20 mg/ml (final conc.)</i>	1	GC; QL (6 per 28 days)
ZYPREXA INTRAMUSCULAR (olanzapine) RECON SOLN 10 MG	3	GC; QL (30 per 30 days)
ZYPREXA ORAL TABLET 10 (olanzapine) MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	3	ST; GC; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	2	GC; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	GC; QL (1 per 28 days)
ZYPREXA ZYDIS ORAL (olanzapine) TABLET,DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	2	GC
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	2	GC
APTIVUS ORAL CAPSULE 250 MG	2	GC
<i>atazanavir oral capsule 150 mg</i>	1	GC
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	1	GC
ATRIPLA ORAL TABLET 600- 200-300 MG (efavirenz-emtricitabin- tenofof)	3	GC
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	2	GC
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	GC
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	1	GC
<i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	1	GC
CIMDUO ORAL TABLET 300- 300 MG	2	GC
COMBIVIR ORAL TABLET 150- 300 MG (lamivudine- zidovudine)	3	GC
COMPLERA ORAL TABLET 200-25-300 MG	2	GC
CRIXIVAN ORAL CAPSULE 200 MG	2	GC
DELSTRIGO ORAL TABLET 100-300-300 MG	2	GC
DESCOVY ORAL TABLET 200- 25 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>didanosine oral capsule, delayed release (drlec) 250 mg, 400 mg</i>	1	GC
DOVATO ORAL TABLET 50-300 MG	2	GC
EDURANT ORAL TABLET 25 MG	2	GC
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	1	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	GC
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	1	GC
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	1	GC
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	1	GC
EMTRIVA ORAL CAPSULE 200 MG (emtricitabine)	3	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	2	GC
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	GC
EPIVIR HBV ORAL TABLET 100 MG (lamivudine)	3	GC
EPIVIR ORAL SOLUTION 10 MG/ML (lamivudine)	3	GC
EPIVIR ORAL TABLET 150 MG, 300 MG (lamivudine)	3	GC
EPZICOM ORAL TABLET 600-300 MG (abacavir-lamivudine)	3	GC
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	GC
EVOTAZ ORAL TABLET 300-150 MG	2	GC
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	GC
GENVOYA ORAL TABLET 150-150-200-10 MG	2	GC
INTELENCE ORAL TABLET (etravirine) 100 MG, 200 MG	2	GC
INTELENCE ORAL TABLET 25 MG	2	GC
INVIRASE ORAL TABLET 500 MG	2	GC
ISENTRESS HD ORAL TABLET 600 MG	2	GC
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	GC
ISENTRESS ORAL TABLET 400 MG	2	GC
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	2	GC
JULUCA ORAL TABLET 50-25 MG	2	GC
KALETRA ORAL SOLUTION (lopinavir-ritonavir) 400-100 MG/5 ML	3	GC; QL (480 per 30 days)
KALETRA ORAL TABLET 100-25 MG (lopinavir-ritonavir)	2	GC; QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG (lopinavir-ritonavir)	2	GC; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	2	GC
LEXIVA ORAL TABLET 700 MG (fosamprenavir)	3	GC
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	GC; QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i> (Kaletra)	1	GC
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	1	GC
<i>nevirapine oral suspension 50 mg/5 ml</i>	1	GC
<i>nevirapine oral tablet 200 mg</i>	1	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	1	GC
NORVIR ORAL POWDER IN PACKET 100 MG	2	GC
NORVIR ORAL SOLUTION 80 MG/ML	2	GC
NORVIR ORAL TABLET 100 MG (ritonavir)	3	GC
ODEFSEY ORAL TABLET 200-25-25 MG	2	GC
PIFELTRO ORAL TABLET 100 MG	2	GC
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	GC
PREZISTA ORAL SUSPENSION 100 MG/ML	2	GC
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	2	GC
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	GC
RETROVIR ORAL CAPSULE 100 MG (zidovudine)	3	GC
RETROVIR ORAL SYRUP 10 MG/ML (zidovudine)	3	GC
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG (atazanavir)	3	GC
REYATAZ ORAL POWDER IN PACKET 50 MG	2	GC
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	2	GC
SELZENTRY ORAL TABLET (maraviroc) 150 MG, 300 MG	3	GC
SELZENTRY ORAL TABLET 25 MG, 75 MG	2	GC
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
STRIBILD ORAL TABLET 150- 150-200-300 MG	2	GC
SUSTIVA ORAL CAPSULE 200 (efavirenz) MG, 50 MG	2	GC
SUSTIVA ORAL TABLET 600 (efavirenz) MG	3	GC
SYMFI LO ORAL TABLET 400- (efavirenz-lamivu- 300-300 MG tenofov disop)	3	GC
SYMFI ORAL TABLET 600-300- (efavirenz-lamivu- 300 MG tenofov disop)	3	GC
SYMTUZA ORAL TABLET 800- 150-200-10 MG	2	GC
TEMIXYS ORAL TABLET 300- 300 MG	2	GC
<i>tenofovir disoproxil fumarate oral (Viread) tablet 300 mg</i>	1	GC
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	2	GC
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	GC
TRIUMEQ ORAL TABLET 600- 50-300 MG	2	GC
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	2	GC
TRIZIVIR ORAL TABLET 300- (abacavir-lamivudine- 150-300 MG zidovudine)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	GC
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG (emtricitabine-tenofovir (tdf))	2	GC
TRUVADA ORAL TABLET 200-300 MG (emtricitabine-tenofovir (tdf))	3	GC
VEMLIDY ORAL TABLET 25 MG	2	GC; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	GC
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML (nevirapine)	3	GC
VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG (nevirapine)	3	GC
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	GC
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	GC
VIREAD ORAL TABLET 300 MG (tenofovir disoproxil fumarate)	3	GC
VOCABRIA ORAL TABLET 30 MG	2	GC
ZIAGEN ORAL SOLUTION 20 MG/ML (abacavir)	3	GC
ZIAGEN ORAL TABLET 300 MG (abacavir)	3	GC
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	GC
<i>zidovudine oral tablet 300 mg</i>	1	GC
<b>Antivirals, Miscellaneous</b>		
FLUMADINE ORAL TABLET 100 MG (rimantadine)	3	GC
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD; GC
LIVTENCITY ORAL TABLET 200 MG	2	PA; GC; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	GC; QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG	2	GC; QL (20 per 5 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	GC; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	PA; GC; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	PA; GC; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	PA; GC; QL (28 per 28 days)
RAPIVAB (PF) INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	2	GC
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	GC; QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
TAMIFLU ORAL CAPSULE 30 MG (oseltamivir)	3	GC; QL (84 per 180 days)
TAMIFLU ORAL CAPSULE 45 MG (oseltamivir)	3	GC; QL (48 per 180 days)
TAMIFLU ORAL CAPSULE 75 MG (oseltamivir)	3	GC; QL (42 per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML (oseltamivir)	3	GC; QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XOFLUZA ORAL TABLET 20 MG, 40 MG, 80 MG	2	GC; QL (4 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG	2	PA; GC; QL (28 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	2	PA; GC; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	3	PA; GC; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	PA; GC; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	3	PA; GC; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	1	PA; GC; QL (28 per 28 days)
MAVYRET ORAL PELLETS IN PACKET 50-20 MG	2	PA; GC; QL (168 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	2	PA; GC; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Eplusa)	1	PA; GC; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	2	PA; GC; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	2	PA; GC; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	2	PA; GC; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	2	PA; GC
VOSEVI ORAL TABLET 400-100-100 MG	2	PA; GC; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	2	PA NSO; GC
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	2	PA NSO; GC
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	GC
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	GC
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	2	GC
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	1	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	GC
BARACLUDGE ORAL SOLUTION 0.05 MG/ML	2	GC
BARACLUDGE ORAL TABLET (entecavir) 0.5 MG, 1 MG	3	GC
<i>cidofovir intravenous solution 75 mg/ml</i>	1	GC
CYTOVENE INTRAVENOUS (ganciclovir sodium) RECON SOLN 500 MG	3	PA BvD; GC
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	1	PA BvD; GC
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD; GC
HEPSERA ORAL TABLET 10 MG (adefovir)	3	GC
<i>lagevrio (eua) oral capsule 200 mg</i>	1	GC; QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA BvD; GC
<i>ribavirin oral capsule 200 mg</i>	1	GC
<i>ribavirin oral tablet 200 mg</i>	1	GC
SITAVIG BUCCAL MUCO-ADHESIVE BUCCAL TABLET 50 MG	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	GC
VALCYTE ORAL RECON SOLN 50 MG/ML (valganciclovir)	3	GC
VALCYTE ORAL TABLET 450 MG (valganciclovir)	3	GC
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	GC
VALTREX ORAL TABLET 1 GRAM, 500 MG (valacyclovir)	3	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	2	PA BvD; GC
VIRAZOLE INHALATION RECON SOLN 6 GRAM (ribavirin)	3	PA BvD; GC
ZOVIRAX ORAL SUSPENSION 200 MG/5 ML (acyclovir)	3	GC
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
ARIXTRA SUBCUTANEOUS SYRINGE 10 MG/0.8 ML (fondaparinux)	3	GC; QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARIXTRA SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML (fondaparinux)	3	GC; QL (15 per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE 5 MG/0.4 ML (fondaparinux)	3	GC; QL (12 per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE 7.5 MG/0.6 ML (fondaparinux)	3	GC
<i>dabigatran etexilate oral capsule 150 mg, 75 mg</i> (Pradaxa)	1	GC; QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	GC
ELIQUIS ORAL TABLET 2.5 MG	2	GC; QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	GC; QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	1	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	1	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	1	GC
FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML	2	GC; QL (15.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	2	GC; QL (17 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	2	GC; QL (8.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	2	GC; QL (10.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	2	GC; QL (21.6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML	2	GC; QL (6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	2	GC; QL (5.1 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML (enoxaparin)	3	GC; QL (30 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 100 MG/ML, 150 MG/ML (enoxaparin)	3	GC; QL (60 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 120 MG/0.8 ML, 80 MG/0.8 ML (enoxaparin)	3	GC; QL (48 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 30 MG/0.3 ML (enoxaparin)	3	GC; QL (18 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 40 MG/0.4 ML (enoxaparin)	3	GC; QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LOVENOX SUBCUTANEOUS (enoxaparin) SYRINGE 60 MG/0.6 ML	3	GC; QL (36 per 30 days)
PRADAXA ORAL CAPSULE 110 MG	2	GC; QL (60 per 30 days)
PRADAXA ORAL CAPSULE (dabigatran etexilate) 150 MG, 75 MG	2	GC; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	2	GC; QL (30 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	GC
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	2	GC; QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	2	GC; QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	GC; QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	2	PA; GC
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	2	PA; GC
BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)	2	PA; GC; QL (24 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	PA; GC; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	PA; GC
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	PA; GC
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	PA; GC; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	PA; GC; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	2	GC
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	2	PA; GC; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	2	GC
MULPLETA ORAL TABLET 3 MG	2	PA; GC; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	PA; GC
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	PA; GC
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	PA; GC
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	2	PA; GC
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	2	PA; GC; QL (30 per 30 days)
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (4 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	PA; GC; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	2	PA; GC; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	2	PA; GC; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	2	PA; GC; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
REBLOZYL SUBCUTANEOUS RECON SOLN 25 MG, 75 MG	2	PA; GC
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	PA; GC
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (4 per 28 days)
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	2	PA; GC; QL (8 per 30 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
AGRYLIN ORAL CAPSULE 0.5 MG (anagrelide)	3	GC
AMICAR ORAL SOLUTION 250 MG/ML (25 %) (aminocaproic acid)	3	GC
AMICAR ORAL TABLET 1,000 MG, 500 MG (aminocaproic acid)	3	GC
<i>aminocaproic acid oral solution 250 mg/ml (25 %)</i> (Amicar)	1	GC
<i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i> (Amicar)	1	GC
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	GC
<i>anagrelide oral capsule 1 mg</i>	1	GC
CABLIVI INJECTION KIT 11 MG	2	PA; GC; QL (30 per 30 days)
CYKLOKAPRON INTRAVENOUS SOLUTION 1,000 MG/10 ML (100 MG/ML) (tranexamic acid)	3	GC
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENJAYMO INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC; QL (462 per 28 days)
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	2	PA; GC
LYSTEDA ORAL TABLET 650 MG (tranexamic acid)	3	GC; QL (30 per 30 days)
OXBRYTA ORAL TABLET 500 MG	2	PA; GC
OXBRYTA ORAL TABLET FOR SUSPENSION 300 MG	2	PA; GC; QL (90 per 30 days)
SIKLOS ORAL TABLET 1,000 MG, 100 MG	2	PA NSO; GC
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	1	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	GC; QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	GC
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	GC
<i>clopidogrel oral tablet 300 mg</i>	1	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
EFFIENT ORAL TABLET 10 MG, 5 MG (prasugrel)	3	GC; QL (30 per 30 days)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	GC
PLAVIX ORAL TABLET 75 MG (clopidogrel)	3	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	GC; QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	2	PA BvD; GC
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	2	PA BvD; GC
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	2	PA BvD; GC
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	PA BvD; GC
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	PA BvD; GC
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	PA BvD; GC
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	PA BvD; GC
CLINOLIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	1	PA BvD; GC
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	2	PA BvD; GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	PA BvD; GC
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	2	PA BvD; GC
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	2	PA BvD; GC
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
OMEGAVEN INTRAVENOUS EMULSION 10 %	2	PA BvD; GC
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	2	PA BvD; GC
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	PA BvD; GC
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	PA BvD; GC
<i>smoflipid intravenous emulsion 20 %</i>	1	PA BvD; GC
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG (doxazosin)	3	GC
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	2	GC
CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24 HR (clonidine)	3	GC; QL (4 per 28 days)
CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24 HR (clonidine)	3	GC; QL (4 per 28 days)
CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24 HR (clonidine)	3	GC; QL (8 per 28 days)
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	GC; QL (8 per 28 days)
DIBENZYLINE ORAL CAPSULE 10 MG (phenoxybenzamine)	3	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	PA; GC; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	GC
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	1	GC
<i>methyldopate intravenous solution 250 mg/5 ml</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MINIPRESS ORAL CAPSULE 1 MG, 2 MG, 5 MG (prazosin)	3	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG (droxidopa)	2	PA; GC; QL (180 per 30 days)
<i>phenoxybenzamine oral capsule 10 mg</i> (Dibenzyline)	1	GC
<i>phentolamine injection recon soln 5 mg</i>	1	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	GC
VAZCULEP INJECTION SOLUTION 10 MG/ML (phenylephrine hcl)	3	GC
<b>Angiotensin II Receptor Antagonists</b>		
ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG (candesartan-hydrochlorothiazid)	3	GC
ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG (candesartan)	3	GC
AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG (irbesartan-hydrochlorothiazide)	3	GC
AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG (irbesartan)	3	GC
BENICAR HCT ORAL TABLET 20-12.5 MG, 40-12.5 MG, 40-25 MG (olmesartan-hydrochlorothiazide)	3	GC
BENICAR ORAL TABLET 20 MG, 40 MG, 5 MG (olmesartan)	3	GC
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	GC
COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG (losartan)	3	GC
DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG (valsartan-hydrochlorothiazide)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG (valsartan)	3	GC
EDARBI ORAL TABLET 40 MG, 80 MG	2	GC
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	2	GC
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	GC; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	GC
HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG (losartan-hydrochlorothiazide)	3	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-12.5 MG, 80-25 MG (telmisartan-hydrochlorothiazid)	3	GC
MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG (telmisartan)	3	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	GC
<i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg</i> (Twynsta)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>telmisartan-amlodipine oral tablet</i> (Twynsta) 40-5 mg, 80-10 mg, 80-5 mg	1	GC
<i>telmisartan-hydrochlorothiazid oral tablet</i> (Micardis HCT) 40-12.5 mg, 80-12.5 mg, 80-25 mg	1	GC
TRIBENZOR ORAL TABLET (olmesartan-amlodipin-hcthiazid) 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG	3	GC
TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG (telmisartan-amlodipine)	3	GC
<i>valsartan oral solution</i> 4 mg/ml	1	GC
<i>valsartan oral tablet</i> 160 mg, 320 mg, 40 mg, 80 mg (Diovan)	1	GC
<i>valsartan-hydrochlorothiazide oral tablet</i> 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg (Diovan HCT)	1	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG (quinapril)	3	GC
ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG (quinapril-hydrochlorothiazide)	3	GC
ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG (ramipril)	3	GC
<i>benazepril oral tablet</i> 10 mg, 20 mg, 40 mg (Lotensin)	1	GC
<i>benazepril oral tablet</i> 5 mg	1	GC
<i>benazepril-hydrochlorothiazide oral tablet</i> 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)	1	GC
<i>benazepril-hydrochlorothiazide oral tablet</i> 5-6.25 mg	1	GC
<i>captopril oral tablet</i> 100 mg, 12.5 mg, 25 mg, 50 mg	1	GC
<i>captopril-hydrochlorothiazide oral tablet</i> 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	GC; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
EPANED ORAL SOLUTION 1 MG/ML (enalapril maleate)	2	ST; GC; QL (1200 per 30 days)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	GC
LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG (benazepril-hydrochlorothiazide)	3	GC
LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG (benazepril)	3	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	GC
PRINIVIL ORAL TABLET 20 MG (lisinopril)	3	GC
QBRELIS ORAL SOLUTION 1 MG/ML	2	ST; GC; QL (1200 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TARKA ORAL TABLET, IR - ER, BIPHASIC 24HR 2-180 MG, 2-240 MG, 4-240 MG	(trandolapril-verapamil) 3	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	GC
VASERETIC ORAL TABLET 10-25 MG	(enalapril-hydrochlorothiazide) 3	GC
VASOTEC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	(enalapril maleate) 3	GC
ZESTORETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	(lisinopril-hydrochlorothiazide) 3	GC
ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG	(lisinopril) 3	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone intravenous solution 50 mg/ml</i>	1	GC
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i>	(Pacerone) 1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	(Norpace) 1	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	(Tikosyn) 1	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>lidocaine (pf) injection solution 10 mg/ml (1%)</i>	(Xylocaine-MPF) 1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	GC
MULTAQ ORAL TABLET 400 MG	2	GC
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 150 MG	(disopyramide phosphate)	2	GC
NORPACE ORAL CAPSULE 100 MG, 150 MG	(disopyramide phosphate)	3	GC
<i>pacerone oral tablet 100 mg, 200 mg</i>	(amiodarone)	1	GC
<i>pacerone oral tablet 400 mg</i>	(amiodarone)	3	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>		1	GC
<i>procainamide intravenous syringe 100 mg/ml</i>		1	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	(Rythmol SR)	1	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>		1	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>		1	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>		1	GC
RYTHMOL SR ORAL CAPSULE, EXTENDED RELEASE 12 HR 225 MG, 325 MG, 425 MG	(propafenone)	3	GC
TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG	(dofetilide)	3	GC
XYLOCAINE-MPF 1% VIAL SUV, OUTER 10 MG/ML (1 %)	(lidocaine (pf))	3	GC
XYLOCAINE-MPF 2% VIAL SUV, OUTER 20 MG/ML (2 %)	(lidocaine (pf))	3	GC
<b>Beta-Adrenergic Blocking Agents</b>			
<i>acebutolol oral capsule 200 mg, 400 mg</i>		1	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	(Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i>	(Tenoretic 100)	1	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i>	(Tenoretic 50)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BETAPACE AF ORAL TABLET (sotalol) 120 MG, 160 MG, 80 MG	3	GC
BETAPACE ORAL TABLET 120 (sotalol) MG, 160 MG, 80 MG	3	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	GC
<i>bisoprolol-hydrochlorothiazide oral (Ziac) tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 (nebivolol) MG, 2.5 MG, 20 MG, 5 MG	3	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>carvedilol phosphate oral capsule, er (Coreg CR) multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
COREG CR ORAL CAPSULE, (carvedilol phosphate) ER MULTIPHASE 24 HR 10 MG, 20 MG, 40 MG, 80 MG	3	GC
COREG ORAL TABLET 12.5 (carvedilol) MG, 25 MG, 3.125 MG, 6.25 MG	3	GC
CORGARD ORAL TABLET 20 (nadolol) MG, 40 MG, 80 MG	3	GC
INDERAL LA ORAL (propranolol) CAPSULE,EXTENDED RELEASE 24 HR 160 MG, 60 MG	3	GC
KAPSPARGO SPRINKLE ORAL CAPSULE,SPRINKLE,ER 24HR 100 MG, 200 MG, 25 MG, 50 MG	2	GC
<i>labetalol intravenous solution 5 mg/ml</i>	1	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	GC
LEVATOL ORAL TABLET 20 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LOPRESSOR HCT ORAL TABLET 50-25 MG (metoprolol ta-hydrochlorothiaz)	3	GC
LOPRESSOR ORAL TABLET 100 MG, 50 MG (metoprolol tartrate)	3	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	GC
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	1	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	1	GC
SOTYLIZE ORAL SOLUTION 5 MG/ML	2	GC
TENORETIC 100 ORAL TABLET 100-25 MG (atenolol-chlorthalidone)	3	GC
TENORETIC 50 ORAL TABLET 50-25 MG (atenolol-chlorthalidone)	3	GC
TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG (atenolol)	3	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 200 MG, 25 MG, 50 MG (metoprolol succinate)	3	GC
ZIAC ORAL TABLET 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG (bisoprolol-hydrochlorothiazide)	3	GC
<b>Calcium-Channel Blocking Agents</b>		
CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG, 180 MG, 240 MG (verapamil)	3	GC
CARDIZEM CD ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG (diltiazem hcl)	3	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 120 MG	2	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG (diltiazem hcl)	3	GC
CARDIZEM ORAL TABLET 120 MG, 30 MG, 60 MG (diltiazem hcl)	3	GC
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	GC
<i>diltiazem 24h er(cd) 300 mg cp 300 mg</i> (Cartia XT)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diltiazem hcl intravenous recon soln 100 mg</i>	1	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	1	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	1	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	GC
<i>diltiazem hcl oral tablet 90 mg</i>	1	GC
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	GC
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	GC
<b>TIAZAC ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG</b> (diltiazem hcl)	3	GC
<i>verapamil 10 mg/4 ml vial p/f, suv, outer 2.5 mg/ml</i>	1	GC
<i>verapamil intravenous solution 2.5 mg/ml</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	GC
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	GC
VERELAN ORAL CAPSULE, EXT REL. PELLETS 24 HR 120 MG, 180 MG, 240 MG (verapamil)	3	GC
VERELAN PM ORAL CAPSULE, 24 HR ER PELLETT CT 100 MG, 200 MG, 300 MG (verapamil)	3	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
ADRENALIN INJECTION SOLUTION 1 MG/ML, 1 MG/ML (1 ML) (epinephrine)	3	GC
AKOVAZ INTRAVENOUS SOLUTION 50 MG/ML (ephedrine sulfate)	3	GC
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	GC; QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	GC; QL (60 per 30 days)
DEMSEER ORAL CAPSULE 250 MG (metyrosine)	2	GC
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	GC
<i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek)	1	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	GC
<i>epinephrine hcl (pf) injection solution 1 mg/ml (1 ml)</i>	1	GC
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr 2-Pak)	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (EpiPen 2-Pak)	1	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML (epinephrine)	3	GC; QL (4 per 30 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML (epinephrine)	3	GC; QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML (icatibant)	3	PA; GC; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	1	PA; GC; QL (18 per 30 days)
LANOXIN INJECTION SOLUTION 250 MCG/ML (0.25 MG/ML) (digoxin)	3	GC
LANOXIN ORAL TABLET 125 MCG (0.125 MG), 250 MCG (0.25 MG) (digoxin)	3	GC
LANOXIN ORAL TABLET 62.5 MCG (0.0625 MG) (digoxin)	2	GC
LANOXIN PEDIATRIC INJECTION SOLUTION 100 MCG/ML (0.1 MG/ML)	2	GC
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RANEXA ORAL TABLET (ranolazine) EXTENDED RELEASE 12 HR 1,000 MG	3	GC; QL (60 per 30 days)
RANEXA ORAL TABLET (ranolazine) EXTENDED RELEASE 12 HR 500 MG	3	GC; QL (120 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	1	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	1	GC
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	1	PA; GC; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	2	GC; QL (4 per 30 days)
SYMJEPI INJECTION (epinephrine) SYRINGE 0.3 MG/0.3 ML	2	GC; QL (4 per 30 days)
VECAMYL ORAL TABLET 2.5 MG	2	GC
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	GC
VYNDAMAX ORAL CAPSULE 61 MG	2	PA; GC; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	2	PA; GC; QL (120 per 30 days)
<b>Dihydropyridines</b>		
ADALAT CC ORAL TABLET (nifedipine) EXTENDED RELEASE 30 MG, 60 MG, 90 MG	3	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	GC
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	GC
AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG (amlodipine-olmesartan)	3	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 20 MG/200 ML (0.1 MG/ML), 40 MG/200 ML (0.2 MG/ML) (nicardipine in nacl (iso-os))	2	GC
CARDENE IV INTRAVENOUS SOLUTION 25 MG/10 ML (nicardipine)	3	GC
CONJUPRI ORAL TABLET 2.5 MG	2	PA; GC; QL (30 per 30 days)
CONJUPRI ORAL TABLET 5 MG (levamlodipine)	2	PA; GC; QL (30 per 30 days)
EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG (amlodipine-valsartan-hcthiiazid)	3	GC
EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG (amlodipine-valsartan)	3	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	GC
KATERZIA ORAL SUSPENSION 1 MG/ML	2	ST; GC; QL (300 per 30 days)
<i>levamlodipine oral tablet 5 mg</i> (Conjupri)	1	GC
LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG (amlodipine-benazepril)	3	GC
<i>nicardipine intravenous solution 25 mg/10 ml</i> (Cardene IV)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	1	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	GC
<i>nimodipine oral capsule 30 mg</i>	1	GC
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i> (Sular)	1	GC
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	1	GC
NORLIQVA ORAL SOLUTION 1 MG/ML	2	GC; QL (300 per 30 days)
NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG (amlodipine)	3	GC
NYMALIZE 30 MG/5 ML ORAL SYRNG OUTER 30 MG/5 ML	2	GC
NYMALIZE ORAL SYRINGE 60 MG/10 ML	2	GC
PROCARDIA ORAL CAPSULE 10 MG (nifedipine)	3	GC
PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG, 60 MG, 90 MG (nifedipine)	3	GC
SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG, 34 MG, 8.5 MG (nisoldipine)	3	GC
<b>Diuretics</b>		
ALDACTAZIDE ORAL TABLET 25-25 MG (spironolacton-hydrochlorothiaz)	3	GC
ALDACTAZIDE ORAL TABLET 50-50 MG	2	GC
ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG (spironolactone)	3	GC
<i>amiloride oral tablet 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	1	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	GC
DIURIL IV INTRAVENOUS RECON SOLN 500 MG (chlorothiazide sodium)	3	GC
DIURIL ORAL SUSPENSION 250 MG/5 ML	2	GC
DYRENIUM ORAL CAPSULE 100 MG, 50 MG (triamterene)	3	GC
EDECRIIN ORAL TABLET 25 MG (ethacrynic acid)	3	GC
<i>ethacrynic acid oral tablet 25 mg</i> (Edecrin)	1	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	PA; GC; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	PA; GC; QL (56 per 28 days)
LASIX ORAL TABLET 20 MG, 40 MG, 80 MG (furosemide)	3	GC
MAXZIDE ORAL TABLET 75-50 MG (triamterene-hydrochlorothiazid)	3	GC
MAXZIDE-25MG ORAL TABLET 37.5-25 MG (triamterene-hydrochlorothiazid)	3	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
SAMSCA ORAL TABLET 15 MG (tolvaptan)	3	GC; QL (30 per 30 days)
SAMSCA ORAL TABLET 30 MG (tolvaptan)	3	GC; QL (60 per 30 days)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	1	GC
<i>tolvaptan oral tablet 15 mg, 30 mg</i> (Samsca)	1	GC; QL (60 per 30 days)
<i>torseamide oral tablet 10 mg, 100 mg, 5 mg</i>	1	GC
<i>torseamide oral tablet 20 mg</i> (Soanz)	1	GC
<i>triamterene oral capsule 100 mg, 50 mg</i> (Dyrenium)	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
<b>Dyslipidemics</b>		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-atorvastatin oral tablet</i> (Caduet) 10-10 mg, 10-20 mg, 10-80 mg, 5-10 mg	1	GC
<i>amlodipine-atorvastatin oral tablet</i> (Caduet) 10-40 mg, 5-20 mg, 5-40 mg, 5-80 mg	1	GC; QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet</i> 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	1	GC
<i>atorvastatin oral tablet</i> 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	1	GC; QL (30 per 30 days)
CADUET ORAL TABLET 10-10 MG, 5-10 MG (amlodipine-atorvastatin)	3	GC
CADUET ORAL TABLET 10-20 MG, 10-40 MG, 10-80 MG, 5-20 MG, 5-40 MG, 5-80 MG (amlodipine-atorvastatin)	3	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet</i> 4 gram (Questran)	1	GC
<i>cholestyramine light oral powder in packet</i> 4 gram (cholestyramine-aspartame)	1	GC
<i>colesevelam oral powder in packet</i> 3.75 gram (WelChol)	1	GC
<i>colesevelam oral tablet</i> 625 mg (WelChol)	1	GC
COLESTID ORAL PACKET 5 GRAM (colestipol)	3	GC
COLESTID ORAL TABLET 1 GRAM (colestipol)	3	GC
<i>colestipol oral packet</i> 5 gram (Colestid)	1	GC
<i>colestipol oral tablet</i> 1 gram (Colestid)	1	GC
CRESTOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG (rosuvastatin)	3	GC; QL (30 per 30 days)
EVKEEZA INTRAVENOUS SOLUTION 150 MG/ML	2	PA; GC
<i>ezetimibe oral tablet</i> 10 mg (Zetia)	1	GC; QL (30 per 30 days)
<i>ezetimibe-rosuvastatin oral tablet</i> (Roszet) 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet</i> 10-10 mg (Vytorin 10-10)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	GC
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	GC
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	1	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	GC
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	1	GC
<i>fenofibrate oral capsule 150 mg, 50 mg</i> (Lipofen)	1	GC
<i>fenofibrate oral tablet 120 mg, 40 mg</i> (Fenoglide)	1	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	GC
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i> (Trilipix)	1	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	1	GC
FENOGLIDE ORAL TABLET 120 MG, 40 MG (fenofibrate)	3	GC
FIBRICOR ORAL TABLET 105 MG, 35 MG (fenofibric acid)	3	GC
<i>fluvastatin oral capsule 20 mg</i>	1	GC; QL (60 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>	1	GC
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	1	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JUXTAPID ORAL CAPSULE 5 MG	2	PA; GC; QL (45 per 30 days)
LEQVIO SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	2	PA; GC; QL (4.5 per 365 days)
LESCOL XL ORAL TABLET (fluvastatin) EXTENDED RELEASE 24 HR 80 MG	3	GC
LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG (atorvastatin)	3	GC; QL (30 per 30 days)
LIPOFEN ORAL CAPSULE 150 MG, 50 MG (fenofibrate)	3	GC
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	2	GC; QL (30 per 30 days)
LOPID ORAL TABLET 600 MG (gemfibrozil)	3	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
LOVAZA ORAL CAPSULE 1 GRAM (omega-3 acid ethyl esters)	3	GC; QL (120 per 30 days)
NEXLETOL ORAL TABLET 180 MG	2	PA; GC; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	2	PA; GC; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	GC
<i>niacor oral tablet 500 mg</i> (niacin)	1	GC
NIASPAN EXTENDED-RELEASE ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG, 500 MG, 750 MG (niacin)	3	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	PA; GC; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 40 mg, 80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pravastatin oral tablet 20 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	1	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	PA; GC; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	PA; GC; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	PA; GC; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	GC; QL (30 per 30 days)
TRICOR ORAL TABLET 145 MG, 48 MG (fenofibrate nanocrystallized)	3	GC
TRILIPIX ORAL CAPSULE, DELAYED RELEASE (DR/EC) 135 MG, 45 MG (fenofibric acid (choline))	3	GC
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
VYTORIN 10-10 ORAL TABLET 10-10 MG (ezetimibe-simvastatin)	3	GC; QL (30 per 30 days)
VYTORIN 10-20 ORAL TABLET 10-20 MG (ezetimibe-simvastatin)	3	GC; QL (30 per 30 days)
VYTORIN 10-40 ORAL TABLET 10-40 MG (ezetimibe-simvastatin)	3	GC; QL (30 per 30 days)
VYTORIN 10-80 ORAL TABLET 10-80 MG (ezetimibe-simvastatin)	3	GC
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM (colesevelam)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WELCHOL ORAL TABLET 625 MG (colesevelam)	3	GC
ZETIA ORAL TABLET 10 MG (ezetimibe)	3	GC; QL (30 per 30 days)
ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG (simvastatin)	3	GC; QL (30 per 30 days)
ZYPITAMAG ORAL TABLET 2 MG, 4 MG	2	GC; QL (30 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	GC
INSPRA ORAL TABLET 25 MG, 50 MG (eplerenone)	3	GC
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	2	GC
TEKTURNA ORAL TABLET 150 MG, 300 MG (aliskiren)	3	GC
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine)	2	GC
DILATRATE-SR ORAL CAPSULE, EXTENDED RELEASE 40 MG	2	GC
ISORDIL ORAL TABLET 40 MG (isosorbide dinitrate)	3	GC
ISORDIL TITRADOSE ORAL TABLET 5 MG (isosorbide dinitrate)	3	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	GC
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	1	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	1	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (nitroglycerin)	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	GC
NITRO-BID TRANSDERMAL OINTMENT 2 % (nitroglycerin)	2	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR (nitroglycerin)	3	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	1	GC
<i>nitroglycerin translingual spray,non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	GC
NITROLINGUAL TRANSLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY (nitroglycerin)	3	GC
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG (nitroglycerin)	3	GC
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
ADDERALL XR ORAL CAPSULE, EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG (dextroamphetamine-amphetamine)	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 20 MG, 25 MG, 30 MG	(dextroamphetamine-amphetamine)	3	ST; GC; QL (60 per 30 days)
<i>amphetamine sulfate oral tablet 10 mg, 5 mg</i>	(Evekeo)	1	GC; QL (180 per 30 days)
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	(dalfampridine)	3	PA; GC; QL (60 per 30 days)
APTENSIO XR ORAL CAP,ER SPRINKLE,BIPHASIC 40-60 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	(methylphenidate hcl)	3	ST; GC; QL (30 per 30 days)
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	(Strattera)	1	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	(Strattera)	1	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG		2	PA; GC; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG		2	PA; GC; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG		2	PA; GC; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML		2	PA; GC; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML		2	PA; GC; QL (1 per 28 days)
BAFIERTAM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 95 MG		2	PA; GC; QL (120 per 30 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG		2	PA; GC; QL (15 per 30 days)
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>		1	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	(Kapvay)	1	GC; QL (120 per 30 days)
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG	(methylphenidate hcl)	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CONCERTA ORAL TABLET (methylphenidate hcl) EXTENDED RELEASE 24HR 36 MG	3	ST; GC; QL (60 per 30 days)
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 20 MG/ML	3	PA; GC; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS (glatiramer) SYRINGE 40 MG/ML	3	PA; GC; QL (12 per 28 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 17.3 MG, 25.9 MG	2	ST; GC; QL (60 per 30 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 8.6 MG	2	ST; GC; QL (30 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; GC; QL (60 per 30 days)
DAYTRANA TRANSDERMAL (methylphenidate) PATCH 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	2	ST; GC; QL (30 per 30 days)
DESOXYN ORAL TABLET 5 (methamphetamine) MG	3	PA; GC; QL (150 per 30 days)
DEXEDRINE SPANSULE (dextroamphetamine ORAL CAPSULE, EXTENDED RELEASE 10 MG, 15 MG, 5 MG sulfate)	3	GC; QL (120 per 30 days)
<i>dexmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	GC; QL (30 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i> (Dexedrine Spansule)	1	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>	1	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral solution 5 mg/5 ml</i> (ProCentra)	1	GC; QL (1800 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Zenedi)	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i> 10 mg, 15 mg, 5 mg (Adderall XR)	1	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i> 20 mg, 25 mg, 30 mg (Adderall XR)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall)	1	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(drlec)</i> 120 mg (Tecfidera)	1	PA; GC; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(drlec)</i> 120 mg (14)- 240 mg (46) (Tecfidera)	1	PA; GC
<i>dimethyl fumarate oral capsule,delayed release(drlec)</i> 240 mg (Tecfidera)	1	PA; GC; QL (60 per 30 days)
DYANA VEL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML	2	GC; QL (240 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	2	PA; GC
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	2	PA; GC; QL (15 per 30 days)
FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG (dexmethylphenidate)	3	ST; GC; QL (60 per 30 days)
FOCALIN XR ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG (dexmethylphenidate)	3	ST; GC; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	2	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe</i> 20 mg/ml (Glatopa)	1	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe</i> 40 mg/ml (Glatopa)	1	PA; GC; QL (12 per 28 days)
<i>glatopa subcutaneous syringe</i> 20 mg/ml (glatiramer)	1	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	1	PA; GC; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	GC; QL (30 per 30 days)
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	2	PA; GC
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	PA; GC; QL (30 per 30 days)
INTUNIV ER ORAL TABLET EXTENDED RELEASE 24 HR 1 MG, 2 MG, 3 MG, 4 MG (guanfacine)	3	GC; QL (30 per 30 days)
JORNAY PM ORAL CAPSULE,DEL REL,EXT REL SPRINK 100 MG, 20 MG, 40 MG, 60 MG, 80 MG	2	GC; QL (30 per 30 days)
KAPVAY ORAL TABLET EXTENDED RELEASE 12 HR 0.1 MG (clonidine hcl)	3	GC; QL (120 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	PA; GC; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	2	PA; GC; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	GC
LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG (lithium carbonate)	3	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAYZENT ORAL TABLET 0.25 MG	2	PA; GC; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	2	PA; GC; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	2	PA; GC
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	1	GC; QL (90 per 30 days)
<i>methamphetamine oral tablet 5 mg</i> (Desoxyn)	1	PA; GC; QL (150 per 30 days)
METHYLIN ORAL SOLUTION 10 MG/5 ML, 5 MG/5 ML (methylphenidate hcl)	3	ST; GC; QL (900 per 30 days)
<i>methylphenidate hcl oral cap,er sprinkle,biphasic 40-60 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> (Aptensio XR)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 10 mg</i>	1	GC; QL (180 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 2.5 mg, 5 mg</i>	1	GC; QL (90 per 30 days)
<i>methylphenidate transdermal patch 24 hour 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr</i> (Daytrana)	1	ST; GC; QL (30 per 30 days)
MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	ST; GC; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	2	PA; GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	PA; GC; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK 2 MG (2) - 10 MG (3)	2	PA; GC
PONVORY ORAL TABLET 20 MG	2	PA; GC; QL (30 per 30 days)
QUILLICHEW ER ORAL TABLET,CHEW,IR-ER.BIPHASIC24HR 20 MG, 30 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
QUILLIVANT XR ORAL SUSPENSION,EXT REL 24HR,RECON 5 MG/ML (25 MG/5 ML)	2	ST; GC; QL (360 per 30 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	2	PA; GC; QL (2800 per 28 days)
RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION 105 MG/5 ML	2	PA; GC
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
RILUTEK ORAL TABLET 50 MG (riluzole)	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	GC; QL (60 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 20 MG, 40 MG (methylphenidate hcl)	3	ST; GC; QL (30 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 30 MG (methylphenidate hcl)	3	ST; GC; QL (60 per 30 days)
RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG (methylphenidate hcl)	3	ST; GC; QL (90 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	GC
STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25 MG, 40 MG (atomoxetine)	3	GC; QL (60 per 30 days)
STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80 MG (atomoxetine)	3	GC; QL (30 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (dimethyl fumarate)	3	PA; GC; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)-240 MG (46) (dimethyl fumarate)	3	PA; GC
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG (dimethyl fumarate)	3	PA; GC; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	PA; GC; QL (112 per 28 days)
UPLIZNA INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	2	PA; GC; QL (120 per 30 days)
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
XENAZINE ORAL TABLET (tetrabenazine) 12.5 MG, 25 MG	3	PA; GC; QL (112 per 28 days)
<i>zenzedi oral tablet 10 mg</i> (dextroamphetamine sulfate)	1	GC; QL (180 per 30 days)
<i>zenzedi oral tablet 5 mg</i> (dextroamphetamine sulfate)	1	GC; QL (90 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	2	PA; GC; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	2	PA; GC
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	2	PA; GC
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
ANNOVERA VAGINAL RING 0.15-0.013 MG/24 HOUR	2	GC; QL (1 per 364 days)
<i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>abra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<b>BALCOLTRA ORAL TABLET 0.1 MG-0.02 MG (21)/36.5 MG(7)</b>		2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>camrese oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	1	GC; QL (91 per 84 days)
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	GC
<i>charlotte 24 fe oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>cyclafem 7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>dasetta 7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	1	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	GC
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i>	(Beyaz)	1	GC
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	(Tydemy)	1	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Ocella)	1	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
ELLA ORAL TABLET 30 MG		2	GC; QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>enpresse oral tablet 50-30 (6)/175-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
ESTROSTEP FE-28 ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	(norethindrone-e.estradiol-iron)	3	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	1	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(1 norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>gemmily oral capsule 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
GENERESS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	(noreth-ethinyl estradiol-iron)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>kaitlib fe oral tablet, chewable</i> 0.8mg-25mcg(24) and 75 mg (4)	(noreth-ethinyl estradiol-iron)	1	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>kariva (28) oral tablet 0.15-0.02</i> mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	1	GC
<i>kelnor 1/35 (28) oral tablet 1-35</i> mg-mcg	(ethynodiol diac-eth estradiol)	1	GC
<i>kelnor 1-50 (28) oral tablet 1-50</i> mg-mcg	(ethynodiol diac-eth estradiol)	1	GC
<i>kurvelo (28) oral tablet 0.15-0.03</i> mg	(levonorgestrel-ethinyl estradiol)	1	GC
<i>l norgestle.estradiol-e.estradiol oral</i> tablets,dose pack,3 month 0.10 mg- 20 mcg (84)/10 mcg (7)	(Camrese Lo)	1	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral</i> tablets,dose pack,3 month 0.15 mg- 20 mcg/ 0.15 mg-25 mcg	(Rivelsa)	1	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral</i> tablets,dose pack,3 month 0.15 mg- 30 mcg (84)/10 mcg (7)	(Amethia)	1	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30</i> mg-mcg	(norethindrone ac-eth estradiol)	1	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-</i> mcg	(norethindrone ac-eth estradiol)	1	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg</i> (24)/75 mg (4)	(norethindrone- e.estradiol-iron)	1	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5</i> mg-30 mcg (21)/75 mg (7)	(norethindrone- e.estradiol-iron)	1	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-</i> 20 mcg (21)/75 mg (7)	(norethindrone- e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	GC
<i>layolis fe oral tablet, chewable</i> 0.8mg-25mcg(24) and 75 mg (4)	(noreth-ethinyl estradiol-iron)	1	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-</i> mcg		1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Dolishale)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<b>LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2)</b>		2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<b>LOSEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.10 MG-20 MCG (84)/10 MCG (7)</b>	(l norgest/e.estradiol-e.estrad)	3	GC; QL (91 per 84 days)
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>lutura (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>melodetta 24 fe oral tablet, chewable 1 mg-20 mcg (24) /75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mibelas 24 fe oral tablet, chewable 1 mg-20 mcg (24) /75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24) /75 mg (4)</i>	(norethindrone-e.estradiol-iron)	3	GC
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21) /75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21) /75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<b>MINASTRIN 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)</b>	(norethindrone-e.estradiol-iron)	3	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<b>NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG</b>		2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	GC
<b>NEXTSTELLIS ORAL TABLET 3 MG- 14.2 MG (28)</b>		2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>nora-be oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg (21) and 75 mg (7)</i>	(Wymzya Fe) 1	GC
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg (24) and 75 mg (4)</i>	(Kaitlib Fe) 1	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila) 1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21)) 1	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21)) 1	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gem mily) 1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28)) 1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28)) 1	GC
<i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg (24) /75 mg (4)</i>	(Charlotte 24 Fe) 1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla) 1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri Femynor) 1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla) 1	GC
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive)) 1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol) 1	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	(etonogestrel-ethinyl estradiol)	3	GC; QL (1 per 28 days)
<i>nylia 1/35 (28) oral tablet 1-35 mg- mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>ocella oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	GC
ORTHO MICRONOR ORAL TABLET 0.35 MG	(norethindrone (contraceptive))	3	GC
ORTHO TRI-CYCLEN (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	(norgestimate-ethinyl estradiol)	3	GC
ORTHO-NOVUM 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG		3	GC
PHEXXI VAGINAL GEL 1.8-1- 0.4 %		2	GC; QL (60 per 30 days)
<i>philith oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	1	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	1	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG	(1 norgest/e.estradiol- e.estradiol)	3	GC; QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
SAFYRAL ORAL TABLET 3-0.03-0.451 MG (21) (7)	(drospirenone-e.estradiol-lm.fa)	3	GC
SEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	(l norgest/e.estradiol-e.estrad)	3	GC; QL (91 per 84 days)
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)		2	GC
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
TAYTULLA ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	(norethindrone-e.estradiol-iron)	3	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-estarylla oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) 11mg-35mcg (9)</i>	(norethindrone- e.estradiol-iron)	1	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-estarylla oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>trivora (28) oral tablet 50-30</i> (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	GC
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		1	GC
<i>tydemy oral tablet 3-0.03-0.451 mg</i> (21) (7)	(drospirenone- e.estradiol-lm.fa)	1	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		1	GC
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	(noreth-ethinyl estradiol-iron)	1	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>		1	GC; QL (3 per 28 days)
<b>YASMIN (28) ORAL TABLET 3-0.03 MG</b>	(drospirenone-ethinyl estradiol)	3	GC
<b>YAZ (28) ORAL TABLET 3-0.02 MG</b>	(drospirenone-ethinyl estradiol)	3	GC
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>		1	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	1	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
<b>EVOXAC ORAL CAPSULE 30 MG</b>	(cevimeline)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	1	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>perio gard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	1	GC
SALAGEN (PILOCARPINE) ORAL TABLET 5 MG, 7.5 MG	(pilocarpine hcl)	3	GC
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	1	GC
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		1	GC
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	GC; QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>		1	GC
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	1	GC
<i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i>	(isotretinoin)	1	GC
<i>azelaic acid topical gel 15 %</i>	(Finacea)	1	GC
BD SINGLE USE SWAB	(alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>		1	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcipotriene topical ointment 0.005 %</i>	1	GC; QL (120 per 30 days)
<i>calcipotriene-betamethasone topical suspension 0.005-0.064 %</i> (Taclonex)	1	GC
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	GC
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	1	GC
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	GC
<i>dapsone topical gel 5 %</i> (Aczone)	1	GC
DOVONEX TOPICAL CREAM 0.005 % (calcipotriene)	3	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	GC
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	1	GC
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	1	GC; QL (24 per 30 days)
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Accutane)	1	GC
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	1	GC
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OPZELURA TOPICAL CREAM 1.5 %	2	PA; GC; QL (60 per 30 days)
OXSORALEN ULTRA ORAL (methoxsalen) CAPSULE, LIQD- FILLED, RAPID REL 10 MG	3	GC
PANRETIN TOPICAL GEL 0.1 %	2	GC; QL (180 per 30 days)
PICATO TOPICAL GEL 0.015 %	2	GC; QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	2	GC; QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	GC
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES	1	GC
REGRANEX TOPICAL GEL 0.01 %	2	PA; GC; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	GC; QL (180 per 30 days)
SORIATANE ORAL CAPSULE (acitretin) 10 MG, 25 MG	3	GC
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	GC
SURE-PREP ALCOHOL PREP PADS	1	GC
TACLONEX TOPICAL (calcipotriene- ointment 0.005-0.064 % betamethasone)	3	GC
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	GC
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	GC
UVADEX INJECTION SOLUTION 20 MCG/ML	2	GC
VALCHLOR TOPICAL GEL 0.016 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	GC
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)	1	GC
<b>Dermatological Antibacterials</b>		
ALTABAX TOPICAL OINTMENT 1 %	2	GC
CENTANY AT 2% OINTMENT KIT 2 %	3	GC
CENTANY TOPICAL (mupirocin) OINTMENT 2 %	3	GC
clindamycin phosphate topical foam (Evoclin) 1 %	1	GC; QL (100 per 30 days)
clindamycin phosphate topical (Cleocin T) solution 1 %	1	GC; QL (180 per 30 days)
clindamycin phosphate topical swab (Clindacin ETZ) 1 %	1	GC
clindamycin-benzoyl peroxide (Neuac) topical gel 1.2 % (1 % base) -5 %	1	GC
clindamycin-benzoyl peroxide topical gel 1-5 %	1	GC
clindamycin-benzoyl peroxide (Acanya) topical gel with pump 1.2-2.5 %	1	GC
ery pads topical swab 2 % (erythromycin with ethanol)	1	GC
ERYGEL TOPICAL GEL 2 % (erythromycin with ethanol)	3	GC; QL (180 per 30 days)
erythromycin with ethanol topical (Erygel) gel 2 %	1	GC; QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %	1	GC
erythromycin-benzoyl peroxide (Benzamycin) topical gel 3-5 %	1	GC
gentamicin topical cream 0.1 %	1	GC; QL (120 per 30 days)
gentamicin topical ointment 0.1 %	1	GC
metronidazole topical cream 0.75 % (Rosadan)	1	GC
metronidazole topical gel 0.75 % (Rosadan)	1	GC
metronidazole topical gel 1 % (Metrogel)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	GC
<i>mupirocin calcium topical cream 2 %</i>	1	GC; QL (90 per 30 days)
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	GC
<i>rosadan topical cream 0.75 %</i> (metronidazole)	1	GC
<i>selenium sulfide topical lotion 2.5 %</i>	1	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	1	GC
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	1	GC
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	GC
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	1	GC
<i>ala-scalp topical lotion 2 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	1	GC
<i>alclometasone topical ointment 0.05 %</i>	1	GC
<i>amcinonide topical cream 0.1 %</i>	1	GC
<i>amcinonide topical lotion 0.1 %</i>	1	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	GC
<i>betamethasone valerate topical cream 0.1 %</i>	1	GC
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	1	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	1	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone, augmented topical gel 0.05 %</i>	1	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	GC
<i>clobetasol scalp solution 0.05 %</i>	1	GC
<i>clobetasol topical cream 0.05 %</i>	1	GC
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	GC
<i>clobetasol topical gel 0.05 %</i>	1	GC
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	GC
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	GC
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	1	GC
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	GC
<b>CLOBEX TOPICAL LOTION 0.05 %</b> (clobetasol)	3	GC
<b>CLOBEX TOPICAL SPRAY, NON-AEROSOL 0.05 %</b> (clobetasol)	3	GC
<i>desonide topical cream 0.05 %</i> (DesOwen)	1	GC
<i>desonide topical lotion 0.05 %</i>	1	GC
<i>desonide topical ointment 0.05 %</i>	1	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	1	GC; QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	GC
<i>desoximetasone topical spray, non-aerosol 0.25 %</i> (Topicort)	1	GC
<b>EPIFOAM TOPICAL FOAM 1-1 %</b>	2	GC
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	2	GC
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)	1	GC
<i>fluocinolone topical cream 0.01 %</i>	1	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	GC
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	1	GC
<i>fluocinonide topical cream 0.05 %</i>	1	GC
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	1	GC
<i>fluocinonide topical gel 0.05 %</i>	1	GC
<i>fluocinonide topical ointment 0.05 %</i>	1	GC
<i>fluocinonide topical solution 0.05 %</i>	1	GC
<i>fluocinonide-e topical cream 0.05 %</i> (fluocinonide-emollient)	1	GC
<i>flurandrenolide topical cream 0.05 %</i> (Cordran)	1	GC
<i>flurandrenolide topical lotion 0.05 %</i> (Cordran)	1	GC
<i>fluticasone propionate topical cream 0.05 %</i>	1	GC
<i>fluticasone propionate topical lotion 0.05 %</i> (Beser)	1	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	1	GC
<i>halobetasol propionate topical cream 0.05 %</i>	1	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	1	GC
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	1	GC; QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	1	GC; QL (118 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	1	GC; QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	1	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	1	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>	1	GC
LOCOID LIPOCREAM TOPICAL CREAM 0.1 % (hydrocortisone butyr-emollient)	3	GC
LOCOID TOPICAL LOTION 0.1 % (hydrocortisone butyrate)	3	ST; GC
<i>mometasone topical cream 0.1 %</i>	1	GC
<i>mometasone topical ointment 0.1 %</i>	1	GC
<i>mometasone topical solution 0.1 %</i>	1	GC
OLUX TOPICAL FOAM 0.05 % (clobetasol)	3	GC
PANDEL TOPICAL CREAM 0.1 %	2	ST; GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	1	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC
<i>procto-pak topical cream with perineal applicator 1 %</i> (hydrocortisone)	1	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC
SERNIVO TOPICAL SPRAY WITH PUMP 0.05 %	2	GC
SYNALAR TOPICAL SOLUTION 0.01 % (fluocinolone)	3	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	GC; QL (100 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i> (Kenalog)	1	GC
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Tritocin)	1	GC
<i>triderm topical cream 0.1 %, 0.5 %</i> (triamcinolone acetonide)	1	GC
TRITOCIN TOPICAL OINTMENT 0.05 % (triamcinolone acetonide)	1	GC
VANOS TOPICAL CREAM 0.1 % (fluocinonide)	3	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	1	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	1	GC
<i>adapalene topical gel 0.3 %</i>	1	GC
ALTRENO TOPICAL LOTION 0.05 %	2	PA; GC
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	1	GC
TAZORAC TOPICAL CREAM 0.05 %	2	GC
TAZORAC TOPICAL GEL 0.1 %	2	GC
<i>tretinoin microspheres topical gel 0.1 %</i> (Retin-A Micro)	1	GC
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical cream 0.05 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical cream 0.1 %</i> (Retin-A)	1	GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA; GC
<b>Scabicides And Pediculicides</b>		
<i>ivermectin topical cream 1 %</i> (Soolantra)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>malathion topical lotion 0.5 %</i>	(Ovide)	1	GC
<i>permethrin topical cream 5 %</i>	(Elimite)	1	GC
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" (insulin syringe-needle SYRINGE 1 ML 30 GAUGE X u-100) 1/2"	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR u-100) RETAIL SALE 1 ML 30 GAUGE X 1/2"	2	GC
BD INSULIN SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC
BD INSULIN SYR 1 ML (insulin syringe-needle 25GX5/8" 1 ML 25 GAUGE X u-100) 5/8"	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	GC
BD INSULIN SYR 1 ML (Comfort EZ Insulin 28GX1/2" (OTC) 1 ML 28 Syringe) GAUGE X 1/2"	2	GC
BD INSULIN SYRINGE 1 ML (insulin syringe W/O NEEDLE 1 ML needleless)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD LUER-LOK SYRINGE 1 ML (BD Insulin Syringe Slip Tip)	2	GC
BD NANO 2 GEN PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
BD SAFETGLD INS 0.3 ML (insulin syringe-needle u-100) 13MMX29G 0.3 ML 29 GAUGE X 1/2"	2	GC
BD SAFETGLD INS 0.3 ML (insulin syringe-needle u-100) 8MMX31G 0.3 ML 31 GAUGE X 5/16"	2	GC
BD SAFETGLD INS 0.5 ML (insulin syringe-needle u-100) 13MMX29G 0.5 ML 29 GAUGE X 1/2"	2	GC
BD SAFETGLD INS 0.5 ML (insulin syringe-needle u-100) 8MMX30G 0.5 ML 30 GAUGE X 5/16"	2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		2	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 (gauze bandage) PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2"	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2"	2	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16"	2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPSAFE PEN NEEDLE (pen needle, diabetic, safety) 31GX3/16" 31 GAUGE X 3/16"	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA (insulin syringe-needle COMFORT SYR 0.3 ML 29 u-100) GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	GC
EASY COMFORT INSULIN 1 (insulin syringe-needle ML SYR 1 ML 30 GAUGE X 5/16 u-100)	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 5MM 33 GAUGE X 3/16"	2	GC
EASY COMFORT PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
EASY COMFORT SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	GC
EASY GLIDE INS 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
EASY GLIDE INS 0.5 ML (insulin syringe-needle 31GX6MM 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
EASY GLIDE INS 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH FLIPLK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	GC
EASY TOUCH LUER LOK INSUL 1 ML 1 ML (insulin syringe needleless)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	2	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X u-100) 1/2"	2	GC
EASY TOUCH UNI-SLIP SYR 1 (insulin syringe ML 1 ML needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	GC
EQL INSULIN 0.3 ML (Ultra Comfort Insulin SYRINGE SHORT NEEDLE 0.3 Syringe) ML 30	2	GC
EQL INSULIN 0.5 ML (Lite Touch Insulin SYRINGE SHORT NEEDLE 1/2 Syringe) ML 30 GAUGE	2	GC
EQL INSULIN 1 ML SYRINGE (Lite Touch Insulin SHORT NEEDLE 1 ML 30 Syringe) GAUGE X 7/16"	2	GC
EXEL INSULIN SYRINGE 27G- (insulin syringe-needle 1 ML 1 ML 27 GAUGE X u-100) 1/2"	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYR 0.3 ML (UltiCare Insuln 31GX1/4(1/2) 0.3 ML 31 GAUGE Syr(half unit)) X 1/4"	2	GC
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE 0.3 Syringe) ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 28GX1/2" 1/2 ML 28 GAUGE X Syringe) 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin 30GX1/2" SHORT NEEDLE Syringe) (OTC) 0.5 ML 30 GAUGE X 1/2"	2	GC
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	2	GC
INSULIN SYRING 0.5 ML (Easy Touch Insulin 27GX1/2" 1/2 ML 27 GAUGE X Syringe) 1/2"	2	GC
INSULIN SYRINGE 0.3 ML 0.3 (insulin syringe-needle ML 29 GAUGE u-100)	2	GC
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X Syringe) 1/4"	2	GC
INSULIN SYRINGE 0.5 ML 1/2 (insulin syringe-needle ML 29 u-100)	2	GC
INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin 31GX1/4 1/2 ML 31 GAUGE X Syringe) 1/4"	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	GC
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	2	GC
INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	GC
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	GC
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin Syringe) U-100 SYRINGE 1/2 ML 28 GAUGE	2	GC
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	GC
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	2	GC
INSUPEN 32G 6MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 1/4"	2	GC
INSUPEN 32G 8MM PEN (pen needle, diabetic) NEEDLE 32 GAUGE X 5/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	GC
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	GC
LISCO SPONGES 100/BAG 2 X 2"	1	GC
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	GC
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle u-100) SYR 1/2 ML 28 GAUGE, 1/2 ML 29, 1/2 ML 30 GAUGE	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"	2	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML	(insulin syringes (disposable))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE	2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	2	GC
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	2	GC
OMNIPOD CLASSIC PDM KIT(GEN 3)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	2	GC
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	2	GC
OMNIPOD DASH PDM KIT (GEN 4)	2	GC
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	2	GC
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 8MM 30 (AboutTime Pen GAUGE X 5/16" Needle)	2	GC
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus)	2	GC
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	GC
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	GC
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	2	GC
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	2	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTIPS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 4MM 32 GAUGE X 5/32"	2	GC
PENTIPS PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
PIP PEN NEEDLE 31G X 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	2	GC
PIP PEN NEEDLE 32G X 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	GC
PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	2	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Lite Touch Insulin Syringe)	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	GC
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	GC	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	2	GC	
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	GC	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	(gauze bandage)	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC	
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-FINE PEN NEEDLES (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 5/16"	2	GC
SURE-JECT INSU SYR U100 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	GC
SURE-JECT INSU SYR U100 1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2" u-100)	2	GC
SURE-JECT INSUL SYR U100 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16	2	GC
SURE-JECT INSULIN (insulin syringe-needle SYRINGE 1 ML 1 ML 31 u-100) GAUGE X 5/16	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	GC
TECHLITE INS SYR 1 ML (insulin syringe-needle 29GX12MM 1 ML 29 GAUGE X u-100) 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PEN ND 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	GC
TRUE COMFORT PEN ND 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	GC
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	GC
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE SAFETY 0.5 ML (Advocate Syringes) 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	2	GC
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100)	2	GC
ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	2	GC
ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	GC
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	2	GC
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2"	2	GC
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	2	GC
ULTRACARE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE ULTRA PEN ND (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN ND (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN ND (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN ND (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	2	GC
V-GO 30 DEVICE	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
V-GO 40 DEVICE	2	GC
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	2	PA; GC
CERDELGA ORAL CAPSULE 84 MG	2	PA; GC
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	GC
CHENODAL ORAL TABLET 250 MG	2	PA; GC
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	GC
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	GC
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	GC
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	PA; GC
GALAFOLD ORAL CAPSULE 123 MG	2	PA; GC; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	PA NSO; GC
KUVAN ORAL POWDER IN (sapropterin) PACKET 100 MG, 500 MG	3	GC
KUVAN ORAL (sapropterin) TABLET,SOLUBLE 100 MG	3	GC
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	2	GC
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	GC
NEXVIAZYME INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	1	PA; GC
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	2	PA; GC
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG (nitisinone)	2	PA; GC
ORFADIN ORAL CAPSULE 20 MG	2	PA; GC
ORFADIN ORAL SUSPENSION 4 MG/ML	2	PA; GC
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	PA; GC
PANCREAZE ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,500-35,500-61,500 UNIT, 16,800-56,800-98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200- 24,600 UNIT	2	GC
PERTZYE ORAL CAPSULE, DELAYED RELEASE(DR/EC) 16,000-57,500-60,500 UNIT, 24,000-86,250-90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	2	GC
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	PA; GC
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	PA; GC
<i>sapropterin oral powder in packet 100 mg, 500 mg</i> (Kuvan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	1	GC
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	PA; GC
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	2	GC
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	PA; GC
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT	2	GC
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	GC
XIAFLEX INJECTION RECON SOLN 0.9 MG	2	PA; GC; QL (2 per 28 days)
ZAVESCA ORAL CAPSULE 100 MG (miglustat)	3	PA; GC; QL (90 per 30 days)
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	2	GC
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	2	GC
<i>alcaine ophthalmic (eye) drops 0.5 %</i> (proparacaine)	1	GC
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	GC
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	GC
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	GC; QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	1	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	GC
<i>azelastine-fluticasone nasal spray,non-aerosol 137-50 mcg/spray</i> (Dymista)	1	GC; QL (23 per 30 days)
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	1	GC
<b>BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %</b> (bepotastine besilate)	2	GC
<i>ciprofloxacin-fluocinolone otic (ear) solution 0.3-0.025 % (0.25 ml)</i> (Otovel)	1	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	GC
<b>CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %</b>	2	GC
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	2	GC
<b>DYMISTA NASAL SPRAY,NON-AEROSOL 137-50 MCG/SPRAY</b> (azelastine-fluticasone)	3	GC; QL (23 per 30 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	GC
<b>IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 %</b>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	GC; QL (15 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISOPTO ATROPINE (atropine) OPHTHALMIC (EYE) DROPS 1 %	3	GC
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	2	GC
LASTACAFT OPHTHALMIC (EYE) DROPS 0.25 %	2	GC
<i>levofloxacin ophthalmic (eye) drops</i> 1.5 %	1	GC
<i>olopatadine nasal spray, non-aerosol</i> (Patanase) 0.6 %	1	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops</i> (Eye Allergy Itch- 0.1 % Redness Rlf)	1	GC
<i>olopatadine ophthalmic (eye) drops</i> (Eye Allergy Itch 0.2 % Relief)	1	GC
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML) (ciprofloxacin- fluocinolone)	3	GC
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	2	PA; GC; QL (56 per 28 days)
PATANASE NASAL (olopatadine) SPRAY, NON-AEROSOL 0.6 %	3	GC; QL (30.5 per 30 days)
<i>phenylephrine hcl ophthalmic (eye)</i> <i>drops 10 %, 2.5 %</i>	1	GC
<i>proparacaine ophthalmic (eye)</i> (Alcaine) <i>drops 0.5 %</i>	1	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	2	PA; GC
<i>tropicamide ophthalmic (eye) drops</i> 0.5 %	1	GC
<i>tropicamide ophthalmic (eye) drops</i> (Mydriacyl) 1 %	1	GC
TYRVAYA NASAL SPRAY, METERED, NON-AEROSOL 0.03 MG/SPRAY	2	GC; QL (8.4 per 30 days)
<b>Eye, Ear, Nose, Throat Anti- Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AZASITE OPHTHALMIC (EYE) DROPS 1 %	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	2	ST; GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium)	1	GC
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	2	GC
CETRAXAL OTIC (EAR) DROPPERETTE 0.2 % (ciprofloxacin hcl)	3	GC
CILOXAN OPHTHALMIC (EYE) DROPS 0.3 % (ciprofloxacin hcl)	3	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
CIPRO HC OTIC (EAR) DROPS,SUSPENSION 0.2-1 %	2	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 % (ciprofloxacin-dexamethasone)	3	GC; QL (7.5 per 7 days)
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	1	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	1	GC
CORTISPORIN-TC OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentak ophthalmic (eye) ointment</i> (gentamicin) 0.3 % (3 mg/gram)	1	GC
<i>gentamicin ophthalmic (eye) drops</i> 0.3 %	1	GC
<i>hydrocortisone-acetic acid otic</i> (ear) drops 1-2 %	1	GC
<i>levofloxacin ophthalmic (eye) drops</i> 0.5 %	1	GC
MAXITROL OPHTHALMIC (neomycin-polymyxin (EYE) DROPS,SUSPENSION b-dexameth) 3.5MG/ML-10,000 UNIT/ML-0.1 %	3	GC
MAXITROL OPHTHALMIC (neomycin-polymyxin (EYE) OINTMENT 3.5 MG/G- b-dexameth) 10,000 UNIT/G-0.1 %	3	GC
MOXEZA OPHTHALMIC (EYE) (moxifloxacin) DROPS, VISCOUS 0.5 %	3	GC
<i>moxifloxacin ophthalmic (eye)</i> (Vigamox) <i>drops 0.5 %</i>	1	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	GC
<i>neomycin-bacitracin-poly-hc</i> (Neo-Polycin HC) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit/g-1%</i>	1	GC
<i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit-unit/g</i>	1	GC
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) drops,suspension</i> <i>3.5mg/ml-10,000 unit/ml-0.1 %</i>	1	GC
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5</i> <i>mg/g-10,000 unit/g-0.1 %</i>	1	GC
<i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc ophthalmic</i> <i>(eye) drops,suspension 3.5-10,000-</i> <i>10 mg-unit-mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc) 1	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin) 1	GC
<b>OCUFLOX OPHTHALMIC (EYE) DROPS 0.3 %</b>	(ofloxacin) 3	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox) 1	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b) 1	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	(Polytrim) 1	GC
<b>POLYTRIM OPHTHALMIC (EYE) DROPS 10,000 UNIT- 1 MG/ML</b>	(polymyxin b sulf-trimethoprim) 3	GC
<b>PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %</b>	2	GC
<b>PRED-G S.O.P. OPHTHALMIC (EYE) OINTMENT 0.3-0.6 %</b>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	GC
<b>TOBRADEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.1 %</b>	(tobramycin-dexamethasone) 3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	GC; QL (3.5 per 7 days)
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	2	GC
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) 0.3 %	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> (TobraDex) 0.3-0.1 %	1	GC
TOBREX OPHTHALMIC (EYE) DROPS 0.3 % (tobramycin)	3	GC
TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
<i>trifluridine ophthalmic (eye) drops</i> 1 %	1	GC
VIGAMOX OPHTHALMIC (EYE) DROPS 0.5 % (moxifloxacin)	3	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	GC
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	GC
ZYMAXID OPHTHALMIC (EYE) DROPS 0.5 % (gatifloxacin)	3	GC
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 % (ketorolac)	3	GC; QL (10 per 25 days)
ACULAR OPHTHALMIC (EYE) DROPS 0.5 % (ketorolac)	3	GC; QL (10 per 25 days)
ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 %	2	GC
ALOCRIAL OPHTHALMIC (EYE) DROPS 2 %	2	GC
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	2	GC
BECONASE AQ NASAL SPRAY, NON-AEROSOL 42 MCG (0.042 %)	2	GC; QL (50 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	GC
<b>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</b>	2	GC
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	1	GC
<b>DERMOTIC OIL OTIC (EAR) DROPS 0.01 %</b> (fluocinolone acetonide oil)	3	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	GC
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	1	GC
<b>DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %</b> (difluprednate)	3	GC
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	2	PA; GC; QL (8.3 per 14 days)
<b>FLAC OTIC OIL OTIC (EAR) DROPS 0.01 %</b> (fluocinolone acetonide oil)	3	GC
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	GC
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	GC
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
<b>FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	2	GC
<b>FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %</b>	2	GC
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>ketorolac ophthalmic (eye) drops</i> (Acular LS) 0.4 %	1	GC; QL (10 per 25 days)
<i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 %	1	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (loteprednol etabonate) (EYE) DROPS,GEL 0.5 %	2	GC
LOTEMAX OPHTHALMIC (loteprednol etabonate) (EYE) DROPS,SUSPENSION 0.5 %	3	GC
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	GC
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	GC
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel 0.5 %</i>	1	GC
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,suspension 0.5 %</i>	1	GC
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
<i>mometasone nasal spray,non-aerosol</i> <i>50 mcg/actuation</i>	1	GC; QL (34 per 30 days)
NASONEX NASAL (mometasone) SPRAY,NON-AEROSOL 50 MCG/ACTUATION	3	GC; QL (34 per 28 days)
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
OMNARIS NASAL SPRAY,NON-AEROSOL 50 MCG	2	GC; QL (13 per 30 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %	2	GC
<i>prednisolone acetate ophthalmic</i> (Pred Forte) <i>(eye) drops,suspension 1 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	2	GC
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	2	GC; QL (9.8 per 28 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (8.7 per 28 days)
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	GC
VERKAZIA OPHTHALMIC (EYE) DROPPERETTE 0.1 %	2	GC; QL (120 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	GC; QL (60 per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION	2	GC; QL (6.1 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
ACIPHEX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG (rabeprazole)	3	ST; GC; QL (30 per 30 days)
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	1	GC
CARAFATE ORAL SUSPENSION 100 MG/ML (sucralfate)	3	GC
CARAFATE ORAL TABLET 1 GRAM (sucralfate)	3	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	GC
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	GC
CYTOTEC ORAL TABLET 100 MCG, 200 MCG (misoprostol)	3	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG (dexlansoprazole)	2	ST; GC; QL (30 per 30 days)
<i>dexlansoprazole oral capsule,biphase delayed releas 30 mg, 60 mg</i> (Dexilant)	1	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 20 mg</i> (Nexium)	1	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(drlec) 40 mg</i> (Nexium)	1	GC; QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	1	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	1	GC; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	GC
<i>famotidine intravenous solution 10 mg/ml</i>	1	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule,delayed release(drlec) 15 mg</i> (Prevacid 24Hr)	1	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule,delayed release(drlec) 30 mg</i> (Prevacid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lansoprazole oral tablet, disintegrat,</i> (Prevacid SoluTab) <i>delay rel 15 mg, 30 mg</i>	1	GC
<i>misoprostol oral tablet 100 mcg, 200</i> (Cytotec) <i>mcg</i>	1	GC
NEXIUM IV INTRAVENOUS (esomeprazole sodium) RECON SOLN 40 MG	3	GC
NEXIUM ORAL (esomeprazole CAPSULE, DELAYED magnesium) RELEASE(DR/EC) 20 MG	3	ST; GC; QL (30 per 30 days)
NEXIUM ORAL (esomeprazole CAPSULE, DELAYED magnesium) RELEASE(DR/EC) 40 MG	3	ST; GC; QL (60 per 30 days)
NEXIUM PACKET ORAL (esomeprazole GRANULES DR FOR SUSP IN magnesium) PACKET 10 MG, 20 MG	3	ST; GC; QL (30 per 30 days)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 2.5 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
NEXIUM PACKET ORAL (esomeprazole GRANULES DR FOR SUSP IN magnesium) PACKET 40 MG	3	ST; GC; QL (60 per 30 days)
<i>nizatidine oral capsule 150 mg, 300</i> <i>mg</i>	1	GC
<i>nizatidine oral solution 150 mg/10</i> <i>ml</i>	1	GC
OMECLAMOX-PAK ORAL COMBO PACK 20 MG-500 MG- 500 MG (40)	2	GC
<i>omeprazole oral capsule, delayed</i> <i>release(drlec) 10 mg, 40 mg</i>	1	GC
<i>omeprazole oral capsule, delayed</i> <i>release(drlec) 20 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral</i> (Zegerid) <i>capsule 20-1.1 mg-gram, 40-1.1 mg-</i> <i>gram</i>	1	GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln</i> (Protonix) <i>40 mg</i>	1	GC
<i>pantoprazole oral granules dr for</i> (Protonix) <i>susp in packet 40 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i>	(Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i>	(Protonix)	1	GC; QL (60 per 30 days)
PREVACID ORAL CAPSULE, DELAYED RELEASE (DR/EC) 15 MG	(lansoprazole)	3	ST; GC; QL (30 per 30 days)
PREVACID ORAL CAPSULE, DELAYED RELEASE (DR/EC) 30 MG	(lansoprazole)	3	ST; GC; QL (60 per 30 days)
PREVACID SOLUTAB ORAL TABLET, DISINTEGRATING, DELAY REL 15 MG, 30 MG	(lansoprazole)	3	ST; GC
PRILOSEC ORAL SUSP, DELAYED RELEASE FOR RECON 10 MG, 2.5 MG		2	GC
PROTONIX INTRAVENOUS RECON SOLN 40 MG	(pantoprazole)	3	GC
PROTONIX ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	(pantoprazole)	2	ST; GC; QL (60 per 30 days)
PROTONIX ORAL TABLET, DELAYED RELEASE (DR/EC) 20 MG	(pantoprazole)	3	ST; GC; QL (30 per 30 days)
PROTONIX ORAL TABLET, DELAYED RELEASE (DR/EC) 40 MG	(pantoprazole)	3	ST; GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i>	(AcipHex)	1	GC; QL (30 per 30 days)
<i>sucralfate oral suspension 100 mg/ml</i>	(Carafate)	1	GC
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	GC
TALICIA ORAL CAPSULE, IR - DELAY REL, BIPHASE 10-250-12.5 MG		2	GC; QL (168 per 14 days)
VOQUEZNA DUAL PAK ORAL COMBO PACK 20 MG (28)- 500 MG (84)		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
VOQUEZNA TRIPLE PAK ORAL COMBO PACK 20-500- 500 MG	2	GC
ZEGERID ORAL CAPSULE 20- 1.1 MG-GRAM, 40-1.1 MG- GRAM	(omeprazole-sodium bicarbonate) 3	GC; QL (30 per 30 days)
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	(lubiprostone) 3	GC; QL (60 per 30 days)
BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML	(dicyclomine) 2	GC
BUPHENYL ORAL POWDER 0.94 GRAM/GRAM	(sodium phenylbutyrate) 3	GC
BUPHENYL ORAL TABLET 500 MG	(sodium phenylbutyrate) 3	GC
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	(carglumic acid) 3	GC
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu) 1	GC
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	2	GC
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose) 1	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom) 1	GC
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML)	(glycopyrrolate) 2	GC
<i>dicyclomine intramuscular solution 10 mg/ml</i>	(Bentyl) 1	GC
<i>dicyclomine oral capsule 10 mg</i>	1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	GC
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil) 1	GC
<i>enulose oral solution 10 gram/15 ml</i>	(lactulose) 1	GC
GASTROCROM ORAL CONCENTRATE 100 MG/5 ML	(cromolyn) 3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	PA; GC
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	1	GC
GIMOTI NASAL SPRAY WITH PUMP 15 MG/SPRAY	2	PA; GC; QL (9.8 per 28 days)
<i>glycopyrrolate oral solution 1 mg/5 ml</i> (Cuvposa) <i>(0.2 mg/ml)</i>	1	GC
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	1	GC
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	1	GC
IBSRELA ORAL TABLET 50 MG	2	PA; GC; QL (60 per 30 days)
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	GC; QL (30 per 30 days)
LIVMARLI ORAL SOLUTION 9.5 MG/ML	2	PA; GC; QL (90 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	2	GC; QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	2	GC; QL (30 per 30 days)
LOMOTIL ORAL TABLET 2.5- 0.025 MG (diphenoxylate- atropine)	3	GC
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	1	GC; QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoclopramide hcl oral tablet, disintegrating 10 mg, 5 mg</i>	1	GC
MOTEGRITY ORAL TABLET 1 MG, 2 MG	2	GC; QL (30 per 30 days)
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	GC; QL (30 per 30 days)
MYTESI ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG	2	GC; QL (60 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
PYLERA ORAL CAPSULE 140-125-125 MG	2	GC
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	PA; GC
REGLAN ORAL TABLET 10 MG, 5 MG (metoclopramide hcl)	3	GC
RELISTOR ORAL TABLET 150 MG	2	PA; GC; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	PA; GC; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	2	PA; GC; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	2	PA; GC; QL (11.2 per 28 days)
RELTONE ORAL CAPSULE 200 MG, 400 MG (ursodiol)	2	PA; GC
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	1	GC
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	GC
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	1	GC
<i>sodium polystyrene sulfonate oral powder</i>	1	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	GC
SYMPROIC ORAL TABLET 0.2 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRULANCE ORAL TABLET 3 MG	2	GC; QL (30 per 30 days)
URSO 250 ORAL TABLET 250 MG (ursodiol)	3	GC
URSO FORTE ORAL TABLET 500 MG (ursodiol)	3	GC
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	1	GC
<i>ursodiol oral capsule 300 mg</i>	1	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	GC; QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	2	PA; GC; QL (90 per 30 days)
ZELNORM ORAL TABLET 6 MG	2	GC; QL (60 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	2	GC
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	1	GC
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	1	GC
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	2	GC
GOLYTELY ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM (peg 3350-electrolytes)	3	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM (peg3350-sod sul-nacl-kcl-asb-c)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NULYTELY LEMON-LIME (peg-electrolyte soln) ORAL RECON SOLN 420 GRAM	3	GC
OSMOPREP ORAL TABLET 1.5 GRAM	2	GC
<i>peg 3350-electrolytes oral recon soln</i> (GaviLyte-G) <i>236-22.74-6.74 -5.86 gram</i>	1	GC
<i>peg3350-sod sul-nacl-kcl-asb-c oral</i> (MoviPrep) <i>powder in packet 100-7.5-2.691</i> <i>gram</i>	1	GC
<i>peg-electrolyte soln oral recon soln</i> (GaviLyte-N) <i>420 gram</i>	1	GC
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9- 5.2 GRAM	2	GC
<i>polyethylene glycol 3350 oral</i> (ClearLax) <i>powder 17 gram/dose</i>	1	GC
<i>polyethylene glycol 3350 oral</i> (ClearLax) <i>powder in packet 17 gram</i>	1	GC
POLYETHYLENE GLYCOL 3350(BULK) POWDER	1	GC
SUPREP BOWEL PREP KIT (sodium,potassium,ma ORAL RECON SOLN 17.5-3.13- g sulfates) 1.6 GRAM	2	GC
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	2	GC
<i>trilyte with flavor packets oral recon</i> (peg-electrolyte soln) <i>soln 420 gram</i>	1	GC
<b>Phosphate Binders</b>		
AURYXIA ORAL TABLET 210 MG IRON	2	PA; GC
<i>calcium acetate(phosphat bind) oral</i> <i>capsule 667 mg</i>	1	GC
<i>calcium acetate(phosphat bind) oral</i> <i>tablet 667 mg</i>	1	GC
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FOSRENOL ORAL (lanthanum) TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG	3	GC
<i>lanthanum oral tablet, chewable</i> (Fosrenol) <i>1,000 mg, 500 mg, 750 mg</i>	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	2	GC
RENAGEL ORAL TABLET 800 (sevelamer hcl) MG	3	GC
RENVELA ORAL POWDER IN (sevelamer carbonate) PACKET 0.8 GRAM, 2.4 GRAM	3	GC
RENVELA ORAL TABLET 800 (sevelamer carbonate) MG	3	GC
<i>sevelamer carbonate oral powder in</i> (Renvela) <i>packet 0.8 gram, 2.4 gram</i>	1	GC
<i>sevelamer carbonate oral tablet 800</i> (Renvela) <i>mg</i>	1	GC
<i>sevelamer hcl oral tablet 400 mg</i>	1	GC
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	1	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	GC
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10</i> <i>mg, 25 mg, 5 mg, 50 mg</i>	1	GC
<i>darifenacin oral tablet extended</i> <i>release 24 hr 15 mg, 7.5 mg</i>	1	GC
DETROL LA ORAL (tolterodine) CAPSULE,EXTENDED RELEASE 24HR 2 MG, 4 MG	3	GC
DETROL ORAL TABLET 1 MG, (tolterodine) 2 MG	3	GC
DITROPAN XL ORAL TABLET (oxybutynin chloride) EXTENDED RELEASE 24HR 10 MG, 5 MG	3	GC
<i>fesoterodine oral tablet extended</i> (Toviaz) <i>release 24 hr 4 mg, 8 mg</i>	1	GC
<i>flavoxate oral tablet 100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GELNIQUE TRANSDERMAL GEL IN PACKET 10 % (100 MG/GRAM)	2	GC; QL (30 per 30 days)
GEMTESA ORAL TABLET 75 MG	2	GC
MYRBETRIQ ORAL SUSPENSION, EXTENDED REL RECON 8 MG/ML	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	GC
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR	2	GC; QL (8 per 28 days)
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	GC
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG (fesoterodine)	2	GC
<i>tropium oral capsule, extended release 24hr 60 mg</i>	1	GC
<i>tropium oral tablet 20 mg</i>	1	GC
VESICARE LS ORAL SUSPENSION 1 MG/ML	2	GC
VESICARE ORAL TABLET 10 MG, 5 MG (solifenacin)	3	GC
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVODART ORAL CAPSULE 0.5 (dutasteride) MG	3	GC
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	2	GC
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
FLOMAX ORAL CAPSULE 0.4 (tamsulosin) MG	3	GC
JALYN ORAL CAPSULE, ER (dutasteride- MULTIPHASE 24 HR 0.5-0.4 tamsulosin) MG	3	GC; QL (30 per 30 days)
LITHOSTAT ORAL TABLET 250 MG	2	GC
RAPAFLO ORAL CAPSULE 4 (silodosin) MG, 8 MG	3	GC
<i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	2	PA; GC
THIOLA ORAL TABLET 100 (tiopronin) MG	2	GC
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	GC
UROXATRAL ORAL TABLET (alfuzosin) EXTENDED RELEASE 24 HR 10 MG	3	GC; QL (30 per 30 days)
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
CHEMET ORAL CAPSULE 100 MG	2	GC
<i>clovique oral capsule 250 mg</i> (trientine)	1	PA; GC; QL (240 per 30 days)
CUPRIMINE ORAL CAPSULE (penicillamine) 250 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>deferasirox oral granules in packet</i> (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg	1	PA; GC
<i>deferasirox oral tablet 180 mg</i> (Jadenu)	1	GC
<i>deferasirox oral tablet 360 mg, 90 mg</i> (Jadenu)	1	PA; GC
<i>deferasirox oral tablet, dispersible</i> (Exjade) 125 mg, 250 mg, 500 mg	1	PA; GC
<i>deferiprone oral tablet 1,000 mg</i> (Ferriprox)	1	GC
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	1	PA; GC
<i>deferoxamine injection recon soln 2 gram</i>	1	PA NSO; GC
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	1	PA NSO; GC
DEPEN TITRATABS ORAL TABLET 250 MG (penicillamine)	3	PA; GC
DESFERAL INJECTION RECON SOLN 500 MG (deferoxamine)	3	PA NSO; GC
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG (deferasirox)	3	PA; GC
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG (deferiprone)	2	GC
FERRIPROX ORAL SOLUTION 100 MG/ML	2	PA; GC
FERRIPROX ORAL TABLET 1,000 MG (deferiprone)	2	GC
FERRIPROX ORAL TABLET 500 MG (deferiprone)	2	PA; GC
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG (deferasirox)	3	PA; GC
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG (deferasirox)	3	PA; GC
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	1	PA; GC
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	PA; GC
SYPRINE ORAL CAPSULE 250 MG (trientine)	3	PA; GC; QL (240 per 30 days)
<i>trientine oral capsule 250 mg</i> (Syprine)	1	PA; GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	2	PA; GC; QL (30 per 30 days)
ANDROGEL TRANSDERMAL (testosterone) GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; GC; QL (150 per 30 days)
ANDROGEL TRANSDERMAL (testosterone) GEL IN PACKET 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
ANDROGEL TRANSDERMAL (testosterone) GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; GC; QL (150 per 30 days)
ANDROID ORAL CAPSULE 10 (methyltestosterone) MG	3	GC
AVEED INTRAMUSCULAR SOLUTION 750 MG/3 ML (250 MG/ML)	2	PA; GC
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	GC
<i>methyltestosterone oral capsule 10 mg</i>	1	GC
NATESTO NASAL GEL IN METERED-DOSE PUMP 5.5 MG/0.122 GRAM/ACTUATION	2	PA; GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	GC
TESTIM TRANSDERMAL GEL (testosterone) 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
<i>testosterone cypionate (Depo-Testosterone) intramuscular oil 100 mg/ml, 200 mg/ml</i>	1	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram lactuation</i> (Fortesta)	1	PA; GC; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62% (20.25 mg/1.25 gram), 1.62% (40.5 mg/2.5 gram)</i> (AndroGel)	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	1	PA; GC; QL (180 per 30 days)
TESTRED ORAL CAPSULE 10 MG (methyltestosterone)	3	GC
TLANDO ORAL CAPSULE 112.5 MG	2	PA; GC
VOGELXO TRANSDERMAL GEL 50 MG/5 GRAM (1%) (testosterone)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1%) (testosterone)	3	PA; GC; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	PA; GC; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
ACTIVELLA ORAL TABLET 1-0.5 MG (estradiol-norethindrone acet)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALORA TRANSDERMAL (estradiol) PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (8 per 28 days)
<i>amabelz oral tablet 0.5-0.1 mg, 1- 0.5 mg</i> (estradiol- norethindrone acet)	1	GC
ANGELIQ ORAL TABLET 0.25- 0.5 MG, 0.5-1 MG	2	GC
BIJUVA ORAL CAPSULE 1-100 MG	2	GC
CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR	2	GC; QL (4 per 28 days)
CLIMARA TRANSDERMAL (estradiol) PATCH WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	2	GC; QL (8 per 28 days)
DELESTROGEN (estradiol valerate) INTRAMUSCULAR OIL 10 MG/ML	2	GC
DELESTROGEN (estradiol valerate) INTRAMUSCULAR OIL 20 MG/ML, 40 MG/ML	3	GC
DEPO-ESTRADIOL (estradiol cypionate) INTRAMUSCULAR OIL 5 MG/ML	2	GC
DIVIGEL 1 MG GEL PACKET OUTER 1 MG/GRAM (0.1 %)	2	GC; QL (30 per 30 days)
DIVIGEL TRANSDERMAL GEL IN PACKET 0.5 MG/0.5 GRAM (0.1 %)	2	GC; QL (30 per 30 days)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DUAVEE ORAL TABLET 0.45-20 MG	2	GC
ELESTRIN TRANSDERMAL GEL IN METERED-DOSE PUMP 0.87 GRAM/ACTUATION	2	GC
ESTRACE VAGINAL CREAM (estradiol) 0.01 % (0.1 MG/GRAM)	3	GC
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	1	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Amabelz)	1	GC
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	2	GC; QL (1 per 84 days)
ESTROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 1.25 GRAM/ACTUATION	2	GC
EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%)	2	GC; QL (16.2 per 30 days)
EVISTA ORAL TABLET 60 MG (raloxifene)	3	GC
FEMHRT LOW DOSE ORAL TABLET 0.5-2.5 MG-MCG (norethindrone ac-eth estradiol)	3	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG		2	GC; QL (18 per 28 days)
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG		2	GC; QL (18 per 28 days)
INTRAROSA VAGINAL INSERT 6.5 MG		2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	1	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG		2	GC
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR		2	GC; QL (4 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	1	GC
MINIVELLE TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	(estradiol)	3	GC; QL (8 per 28 days)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	1	GC
OSPHENA ORAL TABLET 60 MG		2	GC
PREMARIN INJECTION RECON SOLN 25 MG		2	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		2	GC
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	2	GC
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)	2	GC
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	GC
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	GC
VAGIFEM VAGINAL TABLET (estradiol) 10 MCG	3	GC; QL (18 per 28 days)
VIVELLE-DOT (estradiol) TRANSDERMAL PATCH SEMIWEEKLY 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	1	GC; QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	1	GC
ARISTOSPAN INTRA- ARTICULAR INJECTION SUSPENSION 20 MG/ML	2	GC
ARISTOSPAN INTRALESIONAL INJECTION SUSPENSION 5 MG/ML	2	GC
<i>betamethasone acet,sod phos</i> (Celestone Soluspan) <i>injection suspension 6 mg/ml</i>	1	GC
CELESTONE SOLUSPAN (betamethasone INJECTION SUSPENSION 6 acet,sod phos) MG/ML	3	GC
CORTEF ORAL TABLET 10 (hydrocortisone) MG, 20 MG, 5 MG	3	GC
<i>decadron oral tablet 0.5 mg, 0.75</i> (dexamethasone) <i>mg, 4 mg, 6 mg</i>	1	GC
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	2	GC
DEPO-MEDROL INJECTION (methylprednisolone SUSPENSION 40 MG/ML, 80 acetate) MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	1	GC
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	2	PA; GC; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	2	PA; GC; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	2	PA; GC; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	GC
KENALOG INJECTION SUSPENSION 10 MG/ML (triamcinolone acetonide)	2	GC
KENALOG INJECTION SUSPENSION 40 MG/ML (triamcinolone acetonide)	3	GC
KENALOG-80 INJECTION SUSPENSION 80 MG/ML	2	GC
MEDROL (PAK) ORAL TABLETS,DOSE PACK 4 MG (methylprednisolone)	3	GC
MEDROL ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG (methylprednisolone)	3	GC
MEDROL ORAL TABLET 2 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	1	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	GC
ORAPRED ODT ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 30 MG (prednisolone sodium phosphate)	3	PA BvD; GC
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml)</i> (Veripred 20)	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	PA BvD; GC
<i>prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	1	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	GC
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL (methylprednisolone INTRAVENOUS RECON SOLN sodium succ) 1,000 MG	3	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 2 GRAM	2	GC
TARPEYO ORAL CAPSULE,DELAYED RELEASE(DR/EC) 4 MG	2	PA; GC; QL (120 per 30 days)
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	1	GC
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	2	PA; GC; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	2	GC
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	2	PA; GC; QL (35 per 28 days)
DDAVP INJECTION (desmopressin) SOLUTION 4 MCG/ML	3	GC
DDAVP NASAL SOLUTION 0.1 MG/ML (REFRIGERATE)	2	GC
DDAVP ORAL TABLET 0.1 (desmopressin) MG, 0.2 MG	3	GC
<i>desmopressin injection solution 4</i> (DDAVP) <i>mcg/ml</i>	1	GC
<i>desmopressin nasal spray with pump</i> <i>10 mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin oral tablet 0.1 mg, 0.2</i> (DDAVP) <i>mg</i>	1	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FENSOLVI SUBCUTANEOUS SYRINGE 45 MG	2	GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	2	PA; GC
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	2	PA; GC
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	2	PA; GC
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	2	PA; GC
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	PA; GC
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	1	PA NSO; GC; QL (0.5 per 28 days)
LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET 3.75 MG -5 MG (30)	2	GC; QL (1 per 30 days)
LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET 11.25 MG -5 MG (90)	2	GC; QL (1 per 84 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	GC
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	GC
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	2	GC
MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	2	PA; GC; QL (120 per 30 days)
MYFEMBREE ORAL TABLET 40-1-0.5 MG	2	PA; GC; QL (28 per 28 days)
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	2	GC; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	2	GC; QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	2	PA; GC
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	1	GC
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	1	GC
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	1	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	2	PA; GC
ORGOVYX ORAL TABLET 120 MG	2	PA NSO; GC
ORIAHNN ORAL CAPSULE, SEQUENTIAL 300-1- 0.5MG(AM) /300 MG(PM)	2	PA; GC; QL (56 per 28 days)
ORILISSA ORAL TABLET 150 MG	2	PA; GC; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	2	PA; GC; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	2	PA; GC
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	2	PA; GC
SANDOSTATIN INJECTION (octreotide acetate) SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML	3	GC
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	2	GC
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	PA; GC
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	GC; QL (60 per 30 days)
SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG, 7.6 MG, 9.1 MG	2	PA; GC
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	2	PA NSO; GC; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	2	PA NSO; GC; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	2	PA NSO; GC; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 30 MG	2	PA; GC
SOMAVERT SUBCUTANEOUS RECON SOLN 25 MG	2	GC
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	GC; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	GC
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
<i>vasopressin intravenous solution 20 unit/ml</i> (Vasostriect)	1	GC
VASOSTRICT INTRAVENOUS SOLUTION 0.2 UNIT/ML, 0.4 UNIT/ML	2	GC
VASOSTRICT INTRAVENOUS (vasopressin) SOLUTION 20 UNIT/ML	2	GC
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	2	PA; GC
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	2	PA; GC
<b>Progestins</b>		
CRINONE VAGINAL GEL 4 %	2	PA; GC
DEPO-PROVERA (medroxyprogesterone) INTRAMUSCULAR SUSPENSION 150 MG/ML	3	GC; QL (1 per 84 days)
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	GC; QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydroxyprogesterone (pf) (preg preserv) intramuscular oil 250 mg/ml (1 ml)</i>	1	GC
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	1	GC
<b>MAKENA (PF) SUBCUTANEOUS AUTO- INJECTOR 275 MG/1.1 ML</b>	2	GC
<b>MAKENA INTRAMUSCULAR OIL 250 MG/ML</b> (hydroxyprogesterone cap(ppres))	3	GC
<b>MAKENA INTRAMUSCULAR OIL 250 MG/ML (1 ML)</b> (hydroxyprogesterone(pf)(pr eg preserv))	3	GC
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	1	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	GC
<b>PROMETRIUM ORAL CAPSULE 100 MG, 200 MG</b> (progesterone micronized)	3	GC
<b>PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG</b> (medroxyprogesterone)	3	GC
<b>Thyroid And Antithyroid Agents</b>		
<b>CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG</b> (liothyronine)	3	GC
<i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (levothyroxine)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	3	GC
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	GC
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>	1	GC
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Synthroid)	1	GC
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	3	GC
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	1	GC
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG (levothyroxine)	2	GC
THYQUIDITY ORAL SOLUTION 20 MCG/ML	2	GC
THYROLAR-1 ORAL TABLET 12.5-50 MCG	2	GC
THYROLAR-1/2 ORAL TABLET 6.25-25 MCG	2	GC
THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG	2	GC
THYROLAR-2 ORAL TABLET 25-100 MCG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
THYROLAR-3 ORAL TABLET 37.5-150 MCG	2	GC
TRIOSTAT INTRAVENOUS (liothyronine) SOLUTION 10 MCG/ML	3	GC
UNITHROID ORAL TABLET (levothyroxine) 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	PA; GC
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	PA; GC
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	PA; GC
ADBRY SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC; QL (6 per 28 days)
ARAVA ORAL TABLET 10 MG, (leflunomide) 20 MG	3	GC
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	GC
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	PA BvD; GC
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	PA BvD; GC
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
azathioprine oral tablet 100 mg, 75 (Azasan) mg	1	PA BvD; GC
azathioprine oral tablet 50 mg (Imuran)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	PA; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	PA; GC; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	PA; GC; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	2	PA NSO; GC; QL (2 per 28 days)
BIVIGAM INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG (mycophenolate mofetil (hcl))	3	PA BvD; GC
CELLCEPT ORAL CAPSULE 250 MG (mycophenolate mofetil)	3	PA BvD; GC
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML (mycophenolate mofetil)	3	PA BvD; GC
CELLCEPT ORAL TABLET 500 MG (mycophenolate mofetil)	3	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	2	PA; GC
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	2	PA; GC
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	PA; GC
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	2	PA BvD; GC
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	PA BvD; GC
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	1	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	1	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	PA; GC
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	2	PA; GC
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	PA; GC
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	PA; GC
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	PA; GC
ENTYVIO INTRAVENOUS RECON SOLN 300 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	2	PA BvD; GC
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	1	PA BvD; GC
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	2	PA BvD; GC
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	2	PA; GC
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	PA BvD; GC
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	PA BvD; GC
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	PA BvD; GC
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	PA BvD; GC
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	1	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	PA; GC
HYPERHEP B INTRAMUSCULAR SOLUTION 220 UNIT/ML, 220 UNIT/ML (5 ML)	2	GC
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	2	GC
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
HYPERRHO S/D INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG), 250 UNIT (50 MCG)	2	GC
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	PA BvD; GC
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	PA; GC
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
IMURAN ORAL TABLET 50 (azathioprine) MG	3	PA BvD; GC
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	2	PA; GC
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	PA; GC
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	GC
LUPKYNIS ORAL CAPSULE 7.9 MG	2	PA; GC; QL (180 per 30 days)
MICRHOGAM ULTRA- FILTERED PLUS INTRAMUSCULAR SYRINGE 250 UNIT (50 MCG)	2	GC
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	1	PA BvD; GC
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	1	PA BvD; GC
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	1	PA BvD; GC
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	1	PA BvD; GC
<i>mycophenolate sodium oral</i> (Myfortic) <i>tablet, delayed release (drlec) 180</i> <i>mg, 360 mg</i>	1	PA BvD; GC
MYFORTIC ORAL (mycophenolate TABLET, DELAYED RELEASE sodium) (DR/EC) 180 MG, 360 MG	3	PA BvD; GC
NABI-HB INTRAMUSCULAR SOLUTION GREATER THAN 1,560 UNIT/5 ML, GREATR THAN 312 UNIT/ML	2	GC
NEORAL ORAL CAPSULE 100 (cyclosporine modified) MG, 25 MG	3	PA BvD; GC
NEORAL ORAL SOLUTION 100 (cyclosporine modified) MG/ML	3	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	2	PA; GC; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	PA; GC
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	PA; GC
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	PA; GC
OTEZLA ORAL TABLET 30 MG	2	PA; GC; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	PA; GC
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	2	GC
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	2	PA BvD; GC
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	PA BvD; GC
PROGRAF ORAL CAPSULE 0.5 (tacrolimus) MG, 1 MG, 5 MG	3	PA BvD; GC
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	PA BvD; ST; GC
RAPAMUNE ORAL SOLUTION (sirolimus) 1 MG/ML	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RAPAMUNE ORAL TABLET (sirolimus) 0.5 MG, 1 MG, 2 MG	3	PA BvD; GC
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	GC
REDITREX (PF) SUBCUTANEOUS SYRINGE 10 MG/0.4 ML, 12.5 MG/0.5 ML, 15 MG/0.6 ML, 17.5 MG/0.7 ML, 20 MG/0.8 ML, 22.5 MG/0.9 ML, 25 MG/ML, 7.5 MG/0.3 ML	2	GC
REMICADE INTRAVENOUS (infliximab) RECON SOLN 100 MG	2	PA; GC
RENFLIXIS INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
REZUROCK ORAL TABLET 200 MG	2	PA NSO; GC
RHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG)	2	GC
RHOPHYLAC INJECTION SYRINGE 1,500 UNIT (300 MCG)/2 ML	2	GC
RIDAURA ORAL CAPSULE 3 MG	2	GC
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	2	PA; GC
SANDIMMUNE (cyclosporine) INTRAVENOUS SOLUTION 250 MG/5 ML	3	PA BvD; GC
SANDIMMUNE ORAL (cyclosporine) CAPSULE 100 MG, 25 MG	3	PA BvD; GC
SANDIMMUNE ORAL (cyclosporine) SOLUTION 100 MG/ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAPHNELO INTRAVENOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC; QL (2 per 28 days)
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	2	PA; GC
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	2	PA; GC
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	2	PA BvD; GC
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD; GC
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD; GC
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	2	PA; GC
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	PA; GC
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	PA; GC
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	PA; GC
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC
TAVNEOS ORAL CAPSULE 10 MG	2	PA; GC; QL (180 per 30 days)
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	2	PA BvD; GC
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	PA; GC
ULTOMIRIS INTRAVENOUS SOLUTION 10 MG/ML, 100 MG/ML	2	PA; GC
WINRHO SDF INJECTION SOLUTION 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML	2	GC
XELJANZ ORAL SOLUTION 1 MG/ML	2	PA; GC
XELJANZ ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	PA; GC; QL (30 per 30 days)
XEMBIFY SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	2	GC
ZORTRESS ORAL TABLET 0.25 (everolimus MG, 0.5 MG, 0.75 MG, 1 MG (immunosuppressive))	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	GC
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	2	GC
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	2	GC
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD; GC
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD; GC
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	GC; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	GC; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD; GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	2	GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	GC
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	GC
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	GC
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	GC
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	GC
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID <sub>50</sub> /0.5 ML	2	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	2	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	GC
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	2	GC
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 62 DU/0.5 ML	2	GC
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	2	GC
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	2	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	2	GC
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	GC; QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	2	GC
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	GC
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	GC
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	2	GC
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	GC
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	GC
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	GC
TYPHIM VI (typhoid vi polysacch INTRAMUSCULAR SYRINGE vaccine) 25 MCG/0.5 ML	2	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	GC; QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	GC
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	GC; QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosectron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	GC
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM (mesalamine)	3	GC
AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG (sulfasalazine)	3	GC
AZULFIDINE ORAL TABLET 500 MG (sulfasalazine)	3	GC
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	1	GC
<i>budesonide oral tablet, delayed and ext. release 9 mg</i> (Uceris)	1	GC
CANASA RECTAL SUPPOSITORY 1,000 MG (mesalamine)	3	GC
COLAZAL ORAL CAPSULE 750 MG (balsalazide)	3	GC
CORTENEMA RECTAL ENEMA 100 MG/60 ML (hydrocortisone)	3	GC
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG (mesalamine)	3	GC
DIPENTUM ORAL CAPSULE 250 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENTOCORT EC ORAL (budesonide) CAPSULE,DELAYED,EXTEND .RELEASE 3 MG	3	GC
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	GC
LIALDA ORAL (mesalamine) TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	GC
LOTRONEX ORAL TABLET 0.5 (alosetron) MG, 1 MG	3	GC
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	GC
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	1	GC
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	1	GC
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda)	1	GC
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	1	GC
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	1	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	GC
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	2	GC
PENTASA ORAL CAPSULE, (mesalamine) EXTENDED RELEASE 500 MG	2	GC
ROWASA RECTAL ENEMA (mesalamine with KIT 4 GRAM/60 ML cleansing wipe)	3	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	GC
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	1	GC
UCERIS ORAL (budesonide) TABLET,DELAYED AND EXT.RELEASE 9 MG	3	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>glycine urologic solution irrigation solution 1.5 %</i> (Glycine Urologic)	1	GC
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	GC
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	GC
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	2	GC
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
ACTONEL 35 MG TABLET F/C,DOSEPACK 35 MG (risedronate)	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 150 MG (risedronate)	3	GC; QL (1 per 28 days)
ACTONEL ORAL TABLET 35 MG (risedronate)	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 5 MG (risedronate)	3	GC; QL (30 per 30 days)
<i>alendronate oral solution 70 mg/75 ml</i>	1	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
AELVIA ORAL TABLET,DELAYED RELEASE (DR/EC) 35 MG (risedronate)	3	GC; QL (4 per 28 days)
BONIVA INTRAVENOUS SYRINGE 3 MG/3 ML (ibandronate)	3	GC; QL (3 per 84 days)
BONIVA ORAL TABLET 150 MG (ibandronate)	3	GC; QL (1 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	1	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	GC; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	1	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	GC
<i>etidronate disodium oral tablet 200 mg</i>	1	GC
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	2	GC; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	2	PA; GC; QL (2.4 per 28 days)
FOSAMAX ORAL TABLET 70 MG (alendronate)	3	GC; QL (4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	2	GC; QL (4 per 28 days)
HECTOROL INTRAVENOUS SOLUTION 2 MCG/ML	2	GC
HECTOROL INTRAVENOUS SOLUTION 4 MCG/2 ML (doxercalciferol)	3	GC
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	1	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MIACALCIN INJECTION (calcitonin (salmon)) SOLUTION 200 UNIT/ML	2	GC
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	PA; GC; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	GC
<i>paricalcitol 2 mcg/ml vial sdv, inner 2 mcg/ml</i>	2	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 (Zemlar) mcg</i>	1	GC
<i>paricalcitol oral capsule 4 mcg</i>	1	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	GC; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	GC; QL (60 per 30 days)
RECLAST INTRAVENOUS (zoledronic acid- PIGGYBACK 5 MG/100 ML mannitol-water)	3	GC; QL (100 per 300 days)
<i>risedronate oral tablet 150 mg (Actonel)</i>	1	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg (Actonel)</i>	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed (Atelvia) release (drlec) 35 mg</i>	1	GC; QL (4 per 28 days)
ROCALTROL ORAL CAPSULE (calcitriol) 0.25 MCG, 0.5 MCG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ROCALTROL ORAL SOLUTION 1 MCG/ML (calcitriol)	3	GC
SENSIPAR ORAL TABLET 30 MG, 60 MG (cinacalcet)	3	GC; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG (cinacalcet)	3	GC; QL (120 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	1	PA; GC; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	PA; GC; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	PA; GC
ZEMPLAR INTRAVENOUS SOLUTION 2 MCG/ML, 5 MCG/ML (paricalcitol)	3	GC
ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG (paricalcitol)	3	GC
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	GC; QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	PA; GC
AMONDYS-45 INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	2	GC
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	1	GC
BRISDELLE ORAL CAPSULE 7.5 MG (paroxetine mesylate(menop.sym))	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	GC
CARNITOR INTRAVENOUS SOLUTION 200 MG/ML (levocarnitine)	2	GC
CARNITOR ORAL SOLUTION 100 MG/ML (levocarnitine (with sugar))	2	GC
CARNITOR ORAL TABLET 330 MG (levocarnitine)	3	GC
CARNITOR SF 100 MG/ML ORAL SOL 100 MG/ML (levocarnitine)	2	GC
COSELA INTRAVENOUS RECON SOLN 300 MG	2	PA; GC
CYSTADANE ORAL POWDER 1 GRAM/SCOOP (betaine)	2	GC
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	GC
ELMIRON ORAL CAPSULE 100 MG	2	GC; QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	PA; GC; QL (180 per 30 days)
ETHYOL INTRAVENOUS RECON SOLN 500 MG (amifostine crystalline)	2	GC
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	PA; GC
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
FIRDAPSE ORAL TABLET 10 MG	2	PA; GC; QL (240 per 30 days)
<i>fomepizole intravenous solution 1 gram/ml</i>	1	GC
FUSILEV INTRAVENOUS RECON SOLN 50 MG (levoleucovorin calcium)	3	GC
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	GC
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GRASTEK SUBLINGUAL TABLET 2,800 BAU	2	PA; GC; QL (30 per 30 days)
<i>guanidine oral tablet 125 mg</i>	1	GC
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	GC
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	GC
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	2	GC
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	GC
ISTURISA ORAL TABLET 1 MG	2	PA; GC; QL (1800 per 30 days)
ISTURISA ORAL TABLET 10 MG	2	PA; GC; QL (180 per 30 days)
ISTURISA ORAL TABLET 5 MG	2	PA; GC; QL (360 per 30 days)
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	2	GC
KEVEYIS ORAL TABLET 50 MG	2	PA; GC; QL (120 per 30 days)
KHAPZORY INTRAVENOUS RECON SOLN 175 MG, 300 MG	2	GC
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	1	GC
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	1	GC
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	GC
MESNEX INTRAVENOUS SOLUTION 100 MG/ML (mesna)	3	GC
MESNEX ORAL TABLET 400 MG	2	GC
MESTINON ORAL SYRUP 60 MG/5 ML (pyridostigmine bromide)	3	GC
MESTINON ORAL TABLET 60 MG (pyridostigmine bromide)	3	GC
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG (pyridostigmine bromide)	3	GC
METHERGINE ORAL TABLET 0.2 MG (methylergonovine)	3	GC
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	GC
<i>methylergonovine oral tablet 0.2 mg</i> (Methergine)	1	GC; QL (28 per 7 days)
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	2	GC
NULIBRY INTRAVENOUS RECON SOLN 9.5 MG	2	PA BvD; GC
ODACTRA SUBLINGUAL TABLET 12 SQ-HDM	2	PA; GC; QL (30 per 30 days)
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY	2	PA; GC
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	2	PA; GC
<i>paroxetine mesylate (menop.sym) oral capsule 7.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROGLYCEM ORAL (diazoxide) SUSPENSION 50 MG/ML	3	GC
<i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i>	1	GC
<i>pyridostigmine bromide oral tablet</i> <i>30 mg</i>	1	GC
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	1	GC
<i>pyridostigmine bromide oral tablet</i> (Mestinon Timespan) <i>extended release 180 mg</i>	1	GC
RECORLEV ORAL TABLET 150 MG	2	PA; GC; QL (240 per 30 days)
RECTIV RECTAL OINTMENT 0.4 % (W/W)	2	GC; QL (30 per 30 days)
REGONOL INJECTION SOLUTION 5 MG/ML	2	GC
RUZURGI ORAL TABLET 10 MG	2	PA; GC; QL (300 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	2	PA; GC; QL (4 per 28 days)
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	2	PA; GC; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (60 per 30 days)
TYBOST ORAL TABLET 150 MG	2	GC; QL (30 per 30 days)
VIJOICE ORAL TABLET 125 MG, 250 MG/DAY (200 MG X1- 50 MG X1), 50 MG	2	PA; GC
VILTEPSO INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
VISTARIL ORAL CAPSULE 25 (hydroxyzine pamoate) MG, 50 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	GC; QL (24 per 14 days)
VOXZOGO SUBCUTANEOUS RECON SOLN 0.4 MG, 0.56 MG, 1.2 MG	2	PA; GC; QL (30 per 30 days)
VYONDYS-53 INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
VYVGART INTRAVENOUS SOLUTION 20 MG/ML	2	PA; GC
XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 200 UNIT, 50 UNIT	2	PA; GC; QL (2 per 90 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	2	PA; GC; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	2	GC
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	2	GC
ZOKINVY ORAL CAPSULE 50 MG, 75 MG	2	PA; GC
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.15 % (brimonidine)	3	GC
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betaxolol ophthalmic (eye) drops</i> 0.5 %	1	GC
BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	2	GC
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
<i>bimatoprost ophthalmic (eye) drops</i> 0.03 %	1	GC
<i>brimonidine ophthalmic (eye) drops</i> (Alphagan P) 0.15 %	1	GC
<i>brimonidine ophthalmic (eye) drops</i> 0.2 %	1	GC
<i>brimonidine-timolol ophthalmic</i> (Combigan) <i>(eye) drops</i> 0.2-0.5 %	1	GC
<i>brinzolamide ophthalmic (eye)</i> (Azopt) <i>drops,suspension</i> 1 %	1	GC
<i>carteolol ophthalmic (eye) drops</i> 1 %	1	GC
COMBIGAN OPHTHALMIC (brimonidine-timolol) (EYE) DROPS 0.2-0.5 %	2	GC
COSOPT (PF) OPHTHALMIC (dorzolamide-timolol (EYE) DROPPERETTE 2-0.5 % (pf))	3	GC
COSOPT OPHTHALMIC (EYE) (dorzolamide-timolol) DROPS 22.3-6.8 MG/ML	3	GC
<i>dorzolamide ophthalmic (eye) drops</i> (Trusopt) 2 %	1	GC
<i>dorzolamide-timolol (pf)</i> (Cosopt (PF)) <i>ophthalmic (eye) dropperette</i> 2-0.5 %	1	GC
<i>dorzolamide-timolol ophthalmic</i> (Cosopt) <i>(eye) drops</i> 22.3-6.8 mg/ml	1	GC
ISOPTO CARPINE (pilocarpine hcl) OPHTHALMIC (EYE) DROPS 1 %, 2 %, 4 %	3	GC
ISTALOL OPHTHALMIC (EYE) (timolol maleate) DROPS, ONCE DAILY 0.5 %	3	GC
<i>latanoprost ophthalmic (eye) drops</i> (Xalatan) 0.005 %	1	GC; QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	ST; GC; QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	GC
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	1	GC
<i>pilocarpine hcl ophthalmic (eye) drops 2 %</i> (Isopto Carpine)	1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	GC; QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	ST; GC; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	GC
<i>timolol maleate (pf) ophthalmic (eye) dropperette 0.5 %</i> (Timoptic Ocudose (PF))	1	GC
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	1	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %	2	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.5 % (timolol maleate (pf))	2	GC
TIMOPTIC OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 % (timolol maleate)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIMOPTIC-XE OPHTHALMIC (timolol maleate) (EYE) GEL FORMING SOLUTION 0.25 %, 0.5 %	3	GC
TRAVATAN Z OPHTHALMIC (travoprost) (EYE) DROPS 0.004 %	3	ST; GC; QL (2.5 per 25 days)
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	1	GC; QL (2.5 per 25 days)
TRUSOPT OPHTHALMIC (dorzolamide) (EYE) DROPS 2 %	3	GC
VUITY OPHTHALMIC (EYE) DROPS 1.25 %	2	GC; QL (5 per 28 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	ST; GC; QL (5 per 30 days)
XALATAN OPHTHALMIC (latanoprost) (EYE) DROPS 0.005 %	3	GC; QL (2.5 per 25 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	2	ST; GC; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	ST; GC; QL (30 per 30 days)
<b>Parasympathomimetic (Cholinergic Agents)</b>		
<b>Parasympathomimetic (Cholinergic Agents)</b>		
ADLARITY TRANSDERMAL PATCH WEEKLY 10 MG/24 HOUR, 5 MG/24 HOUR	2	PA; GC; QL (4 per 28 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE S IV SOLUTION- EXCEL SINGLE USE	2	GC
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
KLOR-CON 10 ORAL TABLET (potassium chloride) EXTENDED RELEASE 10 MEQ	3	GC
KLOR-CON 8 ORAL TABLET (potassium chloride) EXTENDED RELEASE 8 MEQ	3	GC
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	1	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	1	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	1	GC
K-TAB ORAL TABLET (potassium chloride) EXTENDED RELEASE 10 MEQ, 20 MEQ, 8 MEQ	3	GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD; GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	GC
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	2	GC
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	GC
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	1	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	1	GC
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	1	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	1	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	1	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC
<i>sodium chloride 0.9 % injection solution</i>	1	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sodium chloride 0.9 % intravenous piggyback</i>	1	GC
<i>sodium chloride 3 % hypertonic intravenous parenteral solution 3 %</i>	1	GC
<i>sodium chloride 5 % hypertonic intravenous parenteral solution 5 %</i>	1	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml, 4 meq/ml</i>	1	GC
UROCIT-K 10 ORAL TABLET (potassium citrate) EXTENDED RELEASE 10 MEQ (1,080 MG)	3	GC
UROCIT-K 15 ORAL TABLET (potassium citrate) EXTENDED RELEASE 15 MEQ	3	GC
UROCIT-K 5 ORAL TABLET (potassium citrate) EXTENDED RELEASE 5 MEQ (540 MG)	3	GC
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS (fluticasone propion-salmeterol) INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	GC; QL (12 per 30 days)
AIRDUO RESPICLICK (fluticasone propion-salmeterol) INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION	3	GC; QL (1 per 30 days)
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (12.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (30 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (30)	2	GC; QL (1 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (60)	2	GC; QL (1 per 14 days)
BREO ELLIPTA INHALATION (fluticasone furoate- BLISTER WITH DEVICE 100-25 vilanterol) MCG/DOSE, 200-25 MCG/DOSE	2	GC; QL (60 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort)</i> <i>nebulization 0.25 mg/2 ml, 0.5 mg/2</i> <i>ml</i>	1	PA BvD; GC; QL (120 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort)</i> <i>nebulization 1 mg/2 ml</i>	1	PA BvD; GC; QL (60 per 30 days)
<i>budesonide-formoterol inhalation (Symbicort)</i> <i>hfa aerosol inhaler 160-4.5</i> <i>mcglactuation, 80-4.5 mcglactuation</i>	1	GC; QL (30.6 per 30 days)
DULERA 100 MCG-5 MCG INHALER 100-5 MCG/ACTUATION	2	GC; QL (39 per 30 days)
DULERA 200 MCG-5 MCG INHALER 200-5 MCG/ACTUATION	2	GC; QL (13 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 50-5 MCG/ACTUATION	2	GC; QL (39 per 30 days)	
DULERA INHALATION HFA AEROSOL INHALER 200-5 MCG/ACTUATION	2	GC; QL (13 per 30 days)	
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (60 per 30 days)	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)	
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	(fluticasone propionate)	2	GC; QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	(fluticasone propionate)	2	GC; QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	(fluticasone propionate)	2	GC; QL (21.2 per 30 days)
<i>fluticasone furoate-vilanterol inhalation blister with device 100-25 mcg/dose, 200-25 mcg/dose</i>	(Breo Ellipta)	1	GC; QL (60 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcglactuation</i>	(Flovent HFA)	1	GC; QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcglactuation</i>	(Flovent HFA)	1	GC; QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcglactuation</i>	(Flovent HFA)	1	GC; QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcglactuation, 232-14 mcglactuation, 55-14 mcglactuation</i> (AirDuo RespiClick)	1	GC; QL (1 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	1	GC; QL (60 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	2	GC; QL (1 per 30 days)
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 0.25 MG/2 ML, 0.5 MG/2 ML (budesonide)	3	PA BvD; GC; QL (120 per 30 days)
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 1 MG/2 ML (budesonide)	3	PA BvD; GC; QL (60 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	GC; QL (30.6 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	1	GC; QL (60 per 30 days)
<b>Antileukotrienes</b>		
ACCOLATE ORAL TABLET 10 MG, 20 MG (zafirlukast)	3	GC
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
SINGULAIR ORAL GRANULES IN PACKET 4 MG (montelukast)	3	GC
SINGULAIR ORAL TABLET 10 MG (montelukast)	3	GC
SINGULAIR ORAL TABLET, CHEWABLE 4 MG, 5 MG (montelukast)	3	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	GC
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	1	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	1	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml</i>	1	PA BvD; GC
<i>albuterol sulfate inhalation solution for nebulization 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)</i>	1	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	GC
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	GC; QL (60 per 30 days)
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG	2	GC; QL (30 per 30 days)
<i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i> (Brovana)	1	PA BvD; GC
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	GC; QL (25.8 per 28 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	2	GC; QL (10.7 per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	GC; QL (10.7 per 30 days)
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML (arformoterol)	2	PA BvD; GC; QL (120 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	GC; QL (8 per 30 days)
DUAKLIR PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400-12 MCG/ACTUATION	2	GC; QL (1 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i> (theophylline)	1	GC
<i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i> (Perforomist)	1	PA BvD; GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; GC; QL (540 per 30 days)
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> (Xopenex)	1	PA BvD; GC
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> (Xopenex Concentrate)	1	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	1	GC; QL (30 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	2	GC; QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML (formoterol fumarate)	2	PA BvD; GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION (albuterol sulfate)	3	GC; QL (17 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	GC; QL (2 per 30 days)
PROVENTIL HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION (albuterol sulfate)	3	GC; QL (13.4 per 30 days)
SEEBRI NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 15.6 MCG	2	GC; QL (60 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	GC; QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC; QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	GC; QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	GC
<i>theophylline oral solution 80 mg/15 ml</i>	1	GC
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	1	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	2	GC; QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	2	GC; QL (1 per 30 days)
UTIBRON NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 27.5- 15.6 MCG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
VENTOLIN HFA (albuterol sulfate) INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC; QL (36 per 30 days)
XOPENEX CONCENTRATE (levalbuterol hcl) INHALATION SOLUTION FOR NEBULIZATION 1.25 MG/0.5 ML	3	PA BvD; GC
XOPENEX INHALATION (levalbuterol hcl) SOLUTION FOR NEBULIZATION 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML	3	PA BvD; GC
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	2	PA BvD; GC; QL (90 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	1	PA BvD; GC
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	GC; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	2	GC; QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	2	GC; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 (pirfenidone) MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 (pirfenidone) MG	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	2	PA; GC; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	PA; GC; QL (1 per 28 days)
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	2	PA BvD; GC
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	2	PA; GC; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	2	PA; GC; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	2	PA; GC; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150- 188 MG	2	PA; GC; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	2	PA; GC; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	1	PA; GC; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	1	PA; GC; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+/-)/20 ML	2	PA BvD; GC
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	PA; GC; QL (56 per 28 days)
TEZSPIRE SUBCUTANEOUS SYRINGE 210 MG/1.91 ML (110 MG/ML)	2	PA; GC; QL (1.91 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	PA; GC; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	PA; GC
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	2	PA; GC
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
<i>carisoprodol oral tablet 250 mg, 350 mg</i> (Soma)	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-aspirin-codeine oral tablet 200-325-16 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
COMFORT PAC-CYCLOBENZAPRINE KIT 10 MG	1	PA NSO; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
DANTRIUM ORAL CAPSULE (dantrolene) 25 MG, 50 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dantrolene oral capsule 100 mg, 50 mg</i>	1	GC
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	1	GC
<i>metaxalone oral tablet 400 mg, 800 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN-750 ORAL TABLET 750 MG (methocarbamol)	3	PA NSO; GC; AGE (Max 64 Years)
SKELAXIN ORAL TABLET 800 MG (metaxalone)	3	PA NSO; GC; AGE (Max 64 Years)
SOMA ORAL TABLET 250 MG, 350 MG (carisoprodol)	3	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	GC
<i>tizanidine oral tablet 2 mg</i>	1	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	GC
ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG (tizanidine)	3	GC
ZANAFLEX ORAL TABLET 4 MG (tizanidine)	3	GC
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
AMBIEN CR ORAL TABLET,EXT RELEASE MULTIPHASE 12.5 MG, 6.25 MG (zolpidem)	3	GC; QL (30 per 30 days)
AMBIEN ORAL TABLET 10 MG, 5 MG (zolpidem)	3	GC; QL (30 per 30 days)
<i>armodafinil oral tablet 150 mg</i> (Nuvigil)	1	PA; GC
<i>armodafinil oral tablet 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	GC; QL (30 per 30 days)
DAYVIGO ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)	1	GC; QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	2	PA; GC; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	2	PA; GC; QL (30 per 30 days)
LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG (eszopiclone)	3	GC; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	PA; GC; QL (60 per 30 days)
NEMBUTAL SODIUM INJECTION SOLUTION 50 MG/ML (pentobarbital sodium)	3	GC; QL (2 per 30 days)
NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG, 50 MG (armodafinil)	3	PA; GC; QL (30 per 30 days)
<i>pentobarbital sodium injection solution 50 mg/ml</i> (Nembutal Sodium)	1	GC; QL (2 per 30 days)
PROVIGIL ORAL TABLET 100 MG (modafinil)	3	PA; GC; QL (30 per 30 days)
PROVIGIL ORAL TABLET 200 MG (modafinil)	3	PA; GC; QL (60 per 30 days)
QUVIVIQ ORAL TABLET 25 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG (doxepin)	3	GC; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	2	PA; GC; QL (30 per 30 days)
WAKIX ORAL TABLET 17.8 MG, 4.45 MG	2	PA; GC; QL (60 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	2	PA; GC; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	2	PA; GC; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADCIRCA ORAL TABLET 20 MG (tadalafil (pulm. hypertension))	3	PA; GC; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	PA; GC; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	1	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	PA; GC; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	1	PA; GC; QL (60 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG (tadalafil)	3	PA; GC; QL (30 per 30 days)
LETAIRIS ORAL TABLET 10 MG, 5 MG (ambrisentan)	3	PA; GC; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	2	PA; GC; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	2	PA; GC
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML (treprostinil sodium)	3	PA; GC
REVATIO INTRAVENOUS SOLUTION 10 MG/12.5 ML (sildenafil (pulm.hypertension))	3	PA; GC; QL (37.5 per 1 day)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML (sildenafil (pulm.hypertension))	3	PA; GC; QL (224 per 30 days)
REVATIO ORAL TABLET 20 MG (sildenafil (pulm.hypertension))	3	PA; GC; QL (90 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; GC; QL (37.5 per 1 day)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> (Revatio)	1	PA; GC; QL (224 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	1	PA; GC; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	1	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	3	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	PA; GC; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	PA; GC
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 16 MCG (112)- 32 MCG (84), 16(112)-32(112) -48(28) MCG, 32 MCG, 32-48 MCG, 48 MCG, 64 MCG	2	PA; GC
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	PA; GC
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	2	PA; GC; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	2	PA; GC
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	GC
<i>calcium pnv oral capsule 28-1-250 mg</i>	1	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	1	GC
<i>completenate tablet chew 29 mg iron- 1 mg</i>	1	GC
<i>dothelle dha oral capsule 35-1-200 mg</i>	1	GC
<i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i>	1	GC
<i>fluorabon oral drops 0.25 mg(0.55 mg s.fluor)/0.6 ml</i>	1	GC
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	1	GC
<i>fluoride 0.25 mg tablet chew cherry flavor (rx) 0.25 mg(0.55 mg sod. fluoride)</i> (Ludent Fluoride)	1	GC
<i>fluoride 0.5 mg tablet chew grape flavor (rx) 0.5 mg (1.1 mg sodium fluorid)</i> (Ludent Fluoride)	1	GC
<i>fluoride 1 mg tablet chewable (rx) 1 mg (2.2 mg sod. fluoride)</i> (Ludent Fluoride)	1	GC
<i>fluoritab 0.5 mg tablet chew (rx) 0.5 mg (1.1 mg sodium fluorid)</i> (fluoride (sodium))	1	GC
<i>fluoritab 1 mg tablet chew (rx) 1 mg (2.2 mg sod. fluoride)</i> (fluoride (sodium))	1	GC
<i>flura-drops 0.25 mg/drop (rx) 0.25 mg(0.55 mg sod.fluor)/drop</i>	1	GC
<i>folivane-ob capsule 85-1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	1	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	GC
<i>ludent fluoride 0.25 mg tb chw dlf, chewable (rx) 0.25 mg(0.55 mg sod. fluoride)</i> (fluoride (sodium))	1	GC
<i>ludent fluoride 0.5 mg tb chew dlf, chewable (rx) 0.5 mg (1.1 mg sodium fluorid)</i> (fluoride (sodium))	1	GC
<i>ludent fluoride 1 mg tab chew dlf, chewable (rx) 1 mg (2.2 mg sod. fluoride)</i> (fluoride (sodium))	1	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	GC
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	GC
<i>mynatal oral tablet 90-1-50 mg</i>	1	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	GC
<b>NESTABS ONE ORAL CAPSULE 38-1-225 MG</b>	2	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	1	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	GC
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	1	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	1	GC
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i>	1	GC
<i>pnv-omega softgel 28-1-300 mg</i>	1	GC
<i>pnv-vp-u capsule 106.5-1 mg</i>	1	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	GC
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	GC
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	1	GC
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	1	GC
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	1	GC
<i>prenatabs fa tablet 29-1 mg</i>	1	GC
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	GC
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	GC
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	1	GC
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	1	GC
<i>prenatal plus tablet (rx) 27 mg iron-1 mg</i> (pnv,calcium 72-iron-folic acid)	1	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	GC
<i>prenatal-u capsule 106.5-1 mg</i>	1	GC
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	GC
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	1	GC
<i>purefe ob plus capsule 106 mg iron-1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>purefe plus capsule 106 mg iron- 1 mg</i>	1	GC
<i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>	1	GC
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	GC
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	GC
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	GC
<i>sodium fluoride 0.5 mg/ml drop (rx) 0.5 mg (1.1 mg sod.fluorid)/ml</i>	1	GC
<i>taron-c dha capsule 35-1-200 mg</i>	1	GC
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	GC
<i>triveen-duo dha combo pack 29-1-400 mg</i>	1	GC
<i>triveen-prx rnf oral capsule 26-1.2-55-300 mg</i>	1	GC
<i>vena-bal dha oral combo pack, tablet and cap, dr 27-1-430 mg</i>	1	GC
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	1	GC
<i>vinate gt oral tablet 90-1-50 mg</i>	1	GC
<i>vinate ii oral tablet 29 mg iron- 1 mg</i>	1	GC
<i>vinate ultra oral tablet 90-1-50 mg</i>	1	GC
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	GC
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	GC
<i>virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg</i>	1	GC
<i>virt-pn oral tablet 27-1 mg</i>	1	GC
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	1	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	GC
<i>viva dha oral capsule 28 mg iron-1 mg -200 mg</i>	1	GC
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	1	GC
<i>vol-tab rx oral tablet 29 mg iron- 1 mg</i>	1	GC
<i>vp-ch plus oral capsule 29 mg iron-1 mg -50 mg-265 mg</i>	1	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	GC
<i>vp-ggr-b6 oral tablet 1.2 mg-40 mg-124.1 mg-100 mg</i>	1	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	1	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	GC
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	GC
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

1ST TIER UNIFINE PENTIPS.....	187	ACTOPLUS MET.....	74	AFREZZA.....	79
1ST TIER UNIFINE PENTIPS PLUS.....	187	ACTOS.....	74	AGRYLIN.....	127
<i>abacavir</i> .....	111	ACULAR.....	235	<i>a-hydrocort</i> .....	256
<i>abacavir-lamivudine</i> .....	111	ACULAR LS.....	235	AIMOVIG.....	
<i>abacavir-lamivudine- zidovudine</i> .....	111	ACUVAIL (PF).....	235	AUTOINJECTOR.....	92
ABELCET.....	85	<i>acyclovir</i> .....	120, 178	AIRDUO RESPICLICK.....	298
ABILIFY.....	104	<i>acyclovir sodium</i> .....	120	AJOVY AUTOINJECTOR....	92
ABILIFY MAINTENA.....	104	ADACEL(TDAP ADOLESN/ADULT)(PF)....	277	AJOVY SYRINGE.....	92
<i>abiraterone</i> .....	34	ADAKVEO.....	127	AKOVAZ.....	144
ABOUTTIME PEN NEEDLE.....	187	ADALAT CC.....	146	AKTEN (PF).....	229
ABRAXANE.....	35	<i>adapalene</i> .....	186	AKYNZEO (FOSNETUPITANT).....	96
<i>acamprosate</i> .....	15	ADASUVE.....	104	AKYNZEO (NETUPITANT).....	96
<i>acarbose</i> .....	74	ADBRY.....	266	<i>ala-cort</i> .....	182
ACCOLATE.....	301	ADCETRIS.....	35	<i>ala-scalp</i> .....	182
ACCUPRIL.....	136	ADCIRCA.....	311	<i>albendazole</i> .....	99
ACCURETIC.....	136	ADDERALL XR.....	156, 157	ALBENZA.....	99
<i>accutane</i> .....	178	<i>adefovir</i> .....	120	<i>albuterol sulfate</i> .....	302
<i>acebutolol</i> .....	139	ADEMPAS.....	311	<i>alcaine</i> .....	229
<i>acetaminophen</i> .....	3	ADLARITY.....	295	<i>alclometasone</i> .....	182
<i>acetaminophen-codeine</i> .....	3	ADLYXIN.....	74	ALCOHOL PADS.....	178
<i>acetazolamide</i> .....	292	ADMELOG SOLOSTAR U- 100 INSULIN.....	79	ALCOHOL PREP PADS.....	179
<i>acetazolamide sodium</i> .....	292	ADMELOG U-100 INSULIN LISPRO.....	79	ALCOHOL PREP SWABS..	178
<i>acetic acid</i> .....	231	ADRENALIN.....	144	ALCOHOL SWABS.....	178
<i>acetylcysteine</i> .....	306	<i>adriamycin</i> .....	35	ALCOHOL WIPES.....	180
ACIPHEX.....	238	<i>adrucil</i> .....	35	ALDACTAZIDE.....	148
<i>acitretin</i> .....	178	ADVAIR DISKUS.....	298	ALDACTONE.....	148
ACTEMRA.....	266	ADVAIR HFA.....	298	ALDURAZYME.....	227
ACTEMRA ACTPEN.....	266	ADVOCATE PEN NEEDLE .....	188	ALECENSA.....	35
ACTHAR.....	259	ADVOCATE SYRINGES .....	187, 188	<i>alendronate</i> .....	284
ACTHIB (PF).....	277	AEMCOLO.....	20	<i>alfuzosin</i> .....	248
ACTIMMUNE.....	287	AFINITOR.....	35	ALIMTA.....	35
ACTIQ.....	3	AFINITOR DISPERZ.....	35	ALIQOPA.....	35
ACTIVELLA.....	252	<i>afirmelle</i> .....	165	<i>aliskiren</i> .....	155
ACTONEL.....	284			ALKERAN (AS HCL).....	35
				<i>allopurinol</i> .....	89
				<i>almotriptan malate</i> .....	92

ALOCRIL.....	235	AMINOSYN 7 % WITH ELECTROLYTES.....	129	<i>ampicillin sodium</i> .....	30
<i>alogliptin</i> .....	74	AMINOSYN 8.5 %.....	129	<i>ampicillin-sulbactam</i> .....	30
<i>alogliptin-metformin</i> .....	74	AMINOSYN 8.5 %-ELECTROLYTES.....	129	AMPYRA.....	157
<i>alogliptin-pioglitazone</i> .....	74	AMINOSYN II 10 %.....	129	ANAFRANIL.....	68
ALOMIDE.....	229	AMINOSYN II 15 %.....	129	<i>anagrelide</i> .....	127
ALOPRIM.....	89	AMINOSYN II 7 %.....	129	ANAPROX DS.....	10
ALORA.....	253	AMINOSYN II 8.5 %.....	129	<i>anastrozole</i> .....	35
<i>alosetron</i> .....	282	AMINOSYN II 8.5 %-ELECTROLYTES.....	129	ANCOBON.....	86
ALOXI.....	96	AMINOSYN M 3.5 %.....	130	ANDRODERM.....	251
ALPHAGAN P.....	292	AMINOSYN-HBC 7%.....	130	ANDROGEL.....	251
<i>alprazolam</i> .....	17	AMINOSYN-PF 10 %.....	130	ANDROID.....	251
ALREX.....	235	AMINOSYN-PF 7 % (SULFITE-FREE).....	130	ANGELIQ.....	253
ALTABAX.....	181	AMINOSYN-RF 5.2 %.....	130	ANNOVERA.....	165
ALTACE.....	136	<i>amiodarone</i> .....	138	ANORO ELLIPTA.....	303
<i>altavera (28)</i> .....	165	AMITIZA.....	242	ANTIVERT.....	96
ALTOPREV.....	150	<i>amitriptyline</i> .....	68	APIDRA SOLOSTAR U-100 INSULIN.....	79
ALTRENO.....	186	<i>amitriptyline-chlordiazepoxide</i> .....	68	APIDRA U-100 INSULIN.....	79
ALUNBRIG.....	35	<i>amlodipine</i> .....	146	APOKYN.....	101
ALVESCO.....	298	<i>amlodipine-atorvastatin</i> .....	151	<i>apomorphine</i> .....	101
<i>alyacen 1/35 (28)</i> .....	165	<i>amlodipine-benazepril</i> .....	146	<i>apraclonidine</i> .....	230
<i>alyacen 7/7/7 (28)</i> .....	165	<i>amlodipine-olmesartan</i> .....	146	<i>aprepitant</i> .....	96
<i>alymsys</i> .....	35	<i>amlodipine-valsartan</i> .....	147	APRETUDE.....	112
<i>alyq</i> .....	311	<i>amlodipine-valsartan-hcthiazid</i> .....	147	<i>apri</i> .....	165
<i>amabelz</i> .....	253	<i>ammonium lactate</i> .....	178	APRISO.....	282
<i>amantadine hcl</i> .....	101	<i>amnesteem</i> .....	178	APTENSIO XR.....	157
AMARYL.....	84	AMONDYS-45.....	287	APTIOM.....	57
AMBIEN.....	309	<i>amoxapine</i> .....	68	APTIVUS.....	112
AMBIEN CR.....	309	<i>amoxicil-clarithromy-lansopraz</i> .....	238	APTIVUS (WITH VITAMIN E).....	112
AMBISOME.....	85	<i>amoxicillin</i> .....	29	ARALAST NP.....	306
<i>ambrisentan</i> .....	311	<i>amoxicillin-pot clavulanate</i> .....	29, 30	<i>aranelle (28)</i> .....	165
<i>amcinonide</i> .....	182	<i>amphetamine sulfate</i> .....	157	ARANESP (IN POLYSORBATE).....	124
AMERGE.....	92	<i>amphotericin b</i> .....	85	ARAVA.....	266
<i>amethia</i> .....	165	<i>amphotericin b liposome</i> .....	86	ARCALYST.....	266
AMICAR.....	127	<i>ampicillin</i> .....	30	ARCAPTA NEOHALER.....	303
<i>amikacin</i> .....	19			<i>arformoterol</i> .....	303
<i>amiloride</i> .....	148			ARICEPT.....	67
<i>amiloride-hydrochlorothiazide</i> .....	149			ARIKAYCE.....	20
<i>aminocaproic acid</i> .....	127				
<i>aminophylline</i> .....	302				
AMINOSYN 10 %.....	129				

ARIMIDEX.....	36	<i>atovaquone-proguanil</i> .....	99	AZILECT.....	101
<i>aripiprazole</i> .....	104, 105	ATRIPLA.....	112	<i>azithromycin</i> .....	26, 27
ARISTADA.....	105	<i>atropine</i> .....	230	AZOPT.....	292
ARISTADA INITIO.....	105	ATROVENT HFA.....	303	AZOR.....	147
ARISTOSPAN INTRA-		AUBAGIO.....	157	<i>aztreonam</i> .....	28
ARTICULAR.....	256	<i>aubra eq.</i> .....	166	AZULFIDINE.....	282
ARISTOSPAN		AUGMENTIN.....	30	AZULFIDINE EN-TABS...	282
INTRALESIONAL.....	256	AUGMENTIN ES-600.....	30	<i>azurette (28)</i> .....	166
ARIXTRA.....	121, 122	AUGMENTIN XR.....	30	<i>bacitracin</i> .....	21, 232
<i>armodafinil</i> .....	309	<i>aurovela 1.5/30 (21)</i> .....	166	<i>bacitracin-polymyxin b</i> .....	232
ARNUITY ELLIPTA.....	299	<i>aurovela 1/20 (21)</i> .....	166	<i>baclofen</i> .....	308
AROMASIN.....	36	<i>aurovela 24 fe</i> .....	166	BACTRIM.....	33
ARRANON.....	36	<i>aurovela fe 1.5/30 (28)</i> .....	166	BACTRIM DS.....	33
<i>arsenic trioxide</i> .....	36	<i>aurovela fe 1-20 (28)</i> .....	166	BAFIERTAM.....	157
ARTHROTEC 50.....	10	AURYXIA.....	246	<i>bal-care dha</i> .....	313
ARTHROTEC 75.....	10	AUSTEDO.....	157	<i>bal-care dha essential</i> .....	313
ARZERRA.....	36	AVALIDE.....	134	BALCOLTRA.....	166
<i>ascomp with codeine</i> .....	3	AVANDIA.....	74	<i>balsalazide</i> .....	282
<i>asenapine maleate</i> .....	105	AVAPRO.....	134	BALVERSA.....	36
<i>ashlyna</i> .....	166	AVASTIN.....	36	<i>balziva (28)</i> .....	166
ASMANEX HFA.....	299	AVEED.....	251	BANZEL.....	57
ASMANEX TWISTHALER	299	AVELOX IN NACL (ISO-		BAQSIMI.....	287
ASPARLAS.....	36	OSMOTIC).....	31	BARACLUDE.....	120
<i>aspirin-dipyridamole</i> .....	128	<i>aviane</i> .....	166	BASAGLAR KWIKPEN U-	
ASSURE ID DUO-SHIELD	188	AVODART.....	249	100 INSULIN.....	79
ASSURE ID INSULIN		AVONEX.....	157	BAVENCIO.....	36
SAFETY.....	188, 189	AVSOLA.....	266	BAXDELA.....	32
ASSURE ID PEN NEEDLE	188	AVYCAZ.....	24	BCG VACCINE, LIVE (PF)	277
ASTAGRAF XL.....	266	<i>ayuna</i> .....	166	BD ALCOHOL SWABS.....	178
ATACAND.....	134	AYVAKIT.....	36	BD AUTOSHIELD DUO	
ATACAND HCT.....	134	<i>azacitidine</i> .....	36	PEN NEEDLE.....	189
<i>atazanavir</i> .....	112	AZACTAM.....	28	BD ECLIPSE LUER-LOK...	189
ATELVIA.....	284	AZACTAM IN DEXTROSE		BD INSULIN SYRINGE.....	189
<i>atenolol</i> .....	139	(ISO-OSM).....	28	BD INSULIN SYRINGE	
<i>atenolol-chlorthalidone</i> .....	139	AZASITE.....	232	(HALF UNIT).....	189
ATGAM.....	266	<i>azathioprine</i> .....	266	BD INSULIN SYRINGE	
ATIVAN.....	17	<i>azathioprine sodium</i> .....	267	SLIP TIP.....	189
<i>atomoxetine</i> .....	157	<i>azelaic acid</i> .....	178	BD INSULIN SYRINGE U-	
<i>atorvastatin</i> .....	151	<i>azelastine</i> .....	230	500.....	189
<i>atovaquone</i> .....	99	<i>azelastine-fluticasone</i> .....	230		



BD INSULIN SYRINGE	BESIVANCE.....	232	BONIVA.....	284
ULTRA-FINE.....	BESPONSA.....	36	BOOSTRIX TDAP.....	277
189	BESREMI.....	267	BORDERED GAUZE.....	191
BD NANO 2ND GEN PEN	<i>betaine</i> .....	287	<i>bortezomib</i> .....	37
NEEDLE.....	<i>betamethasone acet,sod phos</i> ..	256	BORTEZOMIB.....	37
190	<i>betamethasone dipropionate</i> ...	182	<i>bosentan</i> .....	311
BD SAFETYGLIDE	<i>betamethasone valerate</i> .....	182	BOSULIF.....	37
INSULIN SYRINGE....	<i>betamethasone, augmented</i>		BRAFTOVI.....	37
189, 190	.....	182, 183	BREO ELLIPTA.....	299
BD SAFETYGLIDE	BETAPACE.....	140	BREZTRI AEROSPHERE..	303
SYRINGE.....	BETAPACE AF.....	140	<i>briellyn</i> .....	166
190	BETASERON.....	157	BRILINTA.....	128
BD ULTRA-FINE MICRO	<i>betaxolol</i> .....	140, 293	<i>brimonidine</i> .....	293
PEN NEEDLE.....	<i>bethanechol chloride</i> .....	247	<i>brimonidine-timolol</i> .....	293
190	BETHKIS.....	20	<i>brinzolamide</i> .....	293
BD ULTRA-FINE MINI	BETIMOL.....	293	BRISDELLE.....	287
PEN NEEDLE.....	BETOPTIC S.....	293	BRIVIACT.....	57
190	BEVESPI AEROSPHERE... 303		<i>bromfenac</i> .....	236
BD ULTRA-FINE NANO	<i>bexarotene</i> .....	36, 37	<i>bromocriptine</i> .....	101
PEN NEEDLE.....	BEXSERO.....	277	BROMSITE.....	236
190	<i>bicalutamide</i> .....	37	BRONCHITOL.....	306
BD ULTRA-FINE ORIG	BICILLIN C-R.....	30	BROVANA.....	303
PEN NEEDLE.....	BICILLIN L-A.....	30	BRUKINSA.....	37
190	BICNU.....	37	<i>budesonide</i> .....	282, 299
BD VEO INSULIN SYR	BIDIL.....	155	<i>budesonide-formoterol</i> .....	299
(HALF UNIT).....	BIJUVA.....	253	<i>bumetanide</i> .....	149
191	BIKTARVY.....	112	BUNAVAIL.....	15
BD VEO INSULIN	BILTRICIDE.....	99	BUPHENYL.....	242
SYRINGE UF.....	<i>bimatoprost</i> .....	293	BUPRENEX.....	3
191	<i>bisoprolol fumarate</i> .....	140	<i>buprenorphine</i> .....	3
BECONASE AQ.....	<i>bisoprolol-hydrochlorothiazide</i>	140	<i>buprenorphine hcl</i> .....	3, 15
235	.....	267	<i>buprenorphine-naloxone</i> .....	15
<i>bekyree (28)</i> .....	BIVIGAM.....	267	<i>bupropion hcl</i> .....	68, 69
166	BLENREP.....	37	<i>bupropion hcl (smoking deter)</i>	15
BELBUCA.....	<i>bleomycin</i> .....	37	<i>bupirone</i> .....	288
3	<i>bleph-10</i> .....	232	<i>busulfan</i> .....	37
BELEODAQ.....	BLEPHAMIDE.....	232	BUSULFEX.....	37
36	BLINCYTO.....	37	<i>butalbital-acetaminop-caf-cod</i> ....	3
BELSOMRA.....	<i>blisovi 24 fe</i> .....	166	<i>butalbital-acetaminophen</i> .....	3
309	<i>blisovi fe 1.5/30 (28)</i> .....	166	<i>butalbital-acetaminophen-caff</i> ....	4
<i>benazepril</i> .....	<i>blisovi fe 1/20 (28)</i> .....	166		
136				
<i>benazepril-hydrochlorothiazide</i>				
.....				
136				
BENDEKA.....				
36				
BENICAR.....				
134				
BENICAR HCT.....				
134				
BENLYSTA.....				
267				
BENTYL.....				
242				
<i>benznidazole</i> .....				
99				
<i>benztropine</i> .....				
101				
<i>bepotastine besilate</i> .....				
230				
BEPREVE.....				
230				
BERINERT.....				
124				

<i>butalbital-aspirin-caffeine</i> .....	4	CARBATROL.....	58	CAYSTON.....	28
<i>butorphanol</i> .....	4	<i>carbidopa</i> .....	101	<i>caziant (28)</i> .....	167
BUTRANS.....	4	<i>carbidopa-levodopa</i> .....	101	<i>cefaclor</i> .....	24
BYDUREON BCISE.....	74	<i>carbidopa-levodopa-</i> <i>entacapone</i> .....	101, 102	<i>cefadroxil</i> .....	24
BYETTA.....	74	<i>carbinoxamine maleate</i> .....	90	<i>cefazolin</i> .....	25
BYNFEZIA.....	259	<i>carboplatin</i> .....	38	<i>cefdinir</i> .....	25
BYSTOLIC.....	140	CARDENE IV.....	147	<i>cefepime</i> .....	25
CABENUVA.....	112	CARDENE IV IN SODIUM CHLORIDE.....	147	<i>cefixime</i> .....	25
<i>cabergoline</i> .....	101	CARDIZEM.....	142	CEFOTAN.....	25
CABLIVI.....	127	CARDIZEM CD.....	142	<i>cefotaxime</i> .....	25
CABOMETYX.....	37	CARDIZEM LA.....	142	<i>cefotetan</i> .....	25
<i>cabotegravir</i> .....	112	CARDURA.....	133	<i>cefoxitin</i> .....	25
CADUET.....	151	CARDURA XL.....	133	<i>cefoxitin in dextrose, iso-osm</i> ... 25	
<i>caffeine citrate</i> .....	157	CAREFINE PEN NEEDLE 191		<i>cefpodoxime</i> .....	25
CALAN SR.....	142	CARETOUCH ALCOHOL PREP PAD.....	179	<i>cefprozil</i> .....	25
<i>calcipotriene</i> .....	178, 179	CARETOUCH INSULIN SYRINGE.....	192	<i>ceftazidime</i> .....	25
<i>calcipotriene-betamethasone</i> ... 179		CARETOUCH PEN NEEDLE.....	191, 192	<i>ceftriaxone</i> .....	26
<i>calcitonin (salmon)</i> .....	284, 285	<i>carglumic acid</i> .....	242	<i>cefuroxime axetil</i> .....	26
<i>calcitriol</i> .....	179, 285	<i>carisoprodol</i> .....	308	<i>cefuroxime sodium</i> .....	26
<i>calcium acetate (phosphat</i> <i>bind)</i> .....	246	<i>carisoprodol-aspirin</i> .....	308	CELEBREX.....	10
<i>calcium pnv</i> .....	313	<i>carisoprodol-aspirin-codeine</i> ... 308		<i>celecoxib</i> .....	11
CALQUENCE.....	37	<i>carmustine</i> .....	38	CELESTONE SOLUSPAN.. 256	
<i>camila</i> .....	166	CARNITOR.....	288	CELEXA.....	69
CAMPTOSAR.....	37, 38	CARNITOR (SUGAR- FREE).....	288	CELLCEPT.....	267
<i>camrese</i> .....	167	<i>carteolol</i> .....	293	CELLCEPT INTRAVENOUS.....	267
<i>camrese lo</i> .....	166	<i>cartia xt</i> .....	142	CELONTIN.....	58
CANASA.....	282	<i>carvedilol</i> .....	140	CENTANY.....	181
CANCIDAS.....	86	<i>carvedilol phosphate</i> .....	140	CENTANY AT.....	181
<i>candesartan</i> .....	134	CASODEX.....	38	<i>cephalexin</i> .....	26
<i>candesartan-</i> <i>hydrochlorothiazid</i> .....	134	<i>caspofungin</i> .....	86	CERDELGA.....	227
CAPASTAT.....	95	CATAFLAM.....	10	CEREBYX.....	58
CAPLYTA.....	105	CATAPRES-TTS-1.....	133	CEREZYME.....	227
CAPRELSA.....	38	CATAPRES-TTS-2.....	133	CESAMET.....	96
<i>captopril</i> .....	136	CATAPRES-TTS-3.....	133	<i>cetirizine</i> .....	90
<i>captopril-hydrochlorothiazide</i> . 136				CETRAXAL.....	232
CARAFATE.....	238			<i>cevimeline</i> .....	177
CARBAGLU.....	242			CHANTIX.....	15
<i>carbamazepine</i> .....	57			CHANTIX CONTINUING MONTH BOX.....	15

CHANTIX STARTING MONTH BOX.....	15	<i>ciprofloxacin-fluocinolone</i> .....	230	CLINIMIX E 4.25%/D10W SUL FREE.....	131
<i>charlotte 24 fe</i> .....	167	<i>cisplatin</i> .....	38	CLINIMIX E 4.25%/D5W SULF FREE.....	131
<i>chateal eq (28)</i> .....	167	<i>citalopram</i> .....	69	CLINIMIX E 5%/D15W SULFIT FREE.....	131
CHEMET.....	249	<i>cladribine</i> .....	38	CLINIMIX E 5%/D20W SULFIT FREE.....	131
CHENODAL.....	227	CLAFORAN.....	26	CLINIMIX E 8%-D10W SULFITEFREE.....	131
<i>chloramphenicol sod succinate</i> ..	21	<i>claravis</i> .....	179	CLINIMIX E 8%-D14W SULFITEFREE.....	131
<i>chlordiazepoxide hcl</i> .....	17	CLARINEX.....	90	CLINOLIPID.....	131
<i>chlorhexidine gluconate</i> .....	177	CLARINEX-D 12 HOUR.....	90	<i>clobazam</i> .....	58
<i>chloroquine phosphate</i> .....	99	<i>clarithromycin</i> .....	27	<i>clobetasol</i> .....	183
<i>chlorothiazide sodium</i> .....	149	<i>clemastine</i> .....	90	<i>clobetasol-emollient</i> .....	183
<i>chlorpromazine</i> .....	105	CLENPIQ.....	245	CLOBEX.....	183
<i>chlorthalidone</i> .....	149	CLEOCIN.....	21, 91	<i>clofarabine</i> .....	38
<i>chlorzoxazone</i> .....	308	CLEOCIN HCL.....	21	CLOLAR.....	38
CHOLBAM.....	242	CLICKFINE PEN NEEDLE.....	192	<i>clomipramine</i> .....	69
<i>cholestyramine (with sugar)</i> ...	151	CLIMARA.....	253	<i>clonazepam</i> .....	17
<i>cholestyramine light</i> .....	151	CLIMARA PRO.....	253	<i>clonidine</i> .....	133
CIALIS.....	311	<i>clindamycin hcl</i> .....	21	<i>clonidine hcl</i> .....	133, 157
<i>ciclopirox</i> .....	86	<i>clindamycin in 5 % dextrose</i> ....	21	<i>clopidogrel</i> .....	128
<i>cidofovir</i> .....	120	<i>clindamycin pediatric</i> .....	21	<i>clorazepate dipotassium</i> .....	17
<i>cilostazol</i> .....	128	<i>clindamycin phosphate</i> 21, 91, 181	181	<i>clotrimazole</i> .....	86
CILOXAN.....	232	<i>clindamycin-benzoyl peroxide</i> . 181	181	<i>clotrimazole-betamethasone</i> .....	86
CIMDUO.....	112	CLINDESSE.....	91	<i>clovique</i> .....	249
<i>cimetidine</i> .....	238, 239	CLINIMIX 5%/D15W SULFITE FREE.....	130	<i>clozapine</i> .....	105, 106
<i>cimetidine hcl</i> .....	238	CLINIMIX 4.25%/D10W SULF FREE.....	130	CLOZARIL.....	106
CIMZIA.....	267	CLINIMIX 4.25%/D5W SULFIT FREE.....	130	<i>c-nate dha</i> .....	313
CIMZIA POWDER FOR RECONST.....	267	CLINIMIX 5%-D20W(SULFITE-FREE).....	130	COARTEM.....	99
<i>cinacalcet</i> .....	285	CLINIMIX 6%-D5W (SULFITE-FREE).....	130	<i>codeine sulfate</i> .....	4
CINQAIR.....	306	CLINIMIX 8%-D10W(SULFITE-FREE).....	130	<i>codeine-butalbital-asa-caff</i> .....	4
CINRYZE.....	124	CLINIMIX 8%-D14W(SULFITE-FREE).....	131	COGENTIN.....	102
CINVANTI.....	96	CLINIMIX E 2.75%/D5W SULF FREE.....	131	COLAZAL.....	282
CIPRO.....	32	<i>ciprofloxacin</i> .....	32	<i>colchicine</i> .....	90
CIPRO HC.....	232	<i>ciprofloxacin hcl</i> .....	32, 232	COLCRYS.....	90
CIPRO XR.....	32	<i>ciprofloxacin in 5 % dextrose</i> ... 32	32	<i>colesevelam</i> .....	151
CIPRODEX.....	232	<i>ciprofloxacin-dexamethasone</i> . 232	232	COLESTID.....	151

<i>colestipol</i> .....	151	COSOPT .....	293	CYSTARAN.....	230
<i>colistin (colistimethate na)</i> .....	21	COSOPT (PF).....	293	<i>cytarabine</i> .....	39
COLY-MYCIN M		COTELLIC.....	38	<i>cytarabine (pf)</i> .....	39
PARENTERAL.....	21	COTEMPLA XR-ODT.....	158	CYTOMEL.....	264
COMBIGAN.....	293	COZAAR.....	134	CYTOTEC.....	239
COMBIPATCH.....	253	CREON.....	227	CYTOVENE.....	120
COMBIVENT RESPIMAT ..	303	CRESEMBA.....	86	D.H.E.45 .....	92
COMBIVIR.....	112	CRESTOR.....	151	<i>d5 % and 0.9 % sodium</i>	
COMETRIQ.....	38	CRINONE.....	263	<i>chloride</i> .....	295
COMFORT EZ INSULIN		CRIXIVAN.....	112	<i>d5 %-0.45 % sodium chloride</i> ..	295
SYRINGE.....	192, 193, 194	<i>cromolyn</i> .....	230, 242, 306	<i>dabigatran etexilate</i> .....	122
COMFORT EZ PEN		<i>cryselle (28)</i> .....	167	<i>dacarbazine</i> .....	39
NEEDLES.....	193	CUBICIN.....	21	DACOGEN.....	39
COMFORT PAC-		CUBICIN RF .....	21	<i>dactinomycin</i> .....	39
CYCLOBENZAPRINE.....	308	CUPRIMINE.....	249	<i>dalfampridine</i> .....	158
COMFORT TOUCH PEN		CURAD GAUZE PAD.....	195	DALIRESP .....	306
NEEDLE.....	194, 195	CURITY ALCOHOL		DALVANCE.....	21
COMPLERA.....	112	SWABS.....	179	<i>danazol</i> .....	251
<i>completenate</i> .....	313	CURITY GAUZE .....	195	DANTRIUM.....	308
<i>compro</i> .....	96	CUTAQUIG.....	267	<i>dantrolene</i> .....	309
COMTAN.....	102	CUVITRU .....	268	DANYELZA.....	39
CONCERTA.....	157, 158	CUVPOSA.....	242	<i>dapsone</i> .....	95, 179
CONJUPRI.....	147	<i>cyclafem 1/35 (28)</i> .....	167	DAPTACEL (DTAP	
<i>constulose</i> .....	242	<i>cyclafem 7/7/7 (28)</i> .....	167	PEDIATRIC) (PF).....	277
COPAXONE.....	158	<i>cyclobenzaprine</i> .....	308	<i>daptomycin</i> .....	21
COPIKTRA.....	38	<i>cyclopentolate</i> .....	230	DARAPRIM.....	99
COREG.....	140	CYCLOPHOSPHAMIDE.....	38	<i>darifenacin</i> .....	247
COREG CR.....	140	<i>cyclophosphamide</i> .....	38	DARTISLA.....	57
CORGARD.....	140	<i>cycloserine</i> .....	95	DARZALEX.....	39
CORLANOR.....	144	CYCLOSET.....	74	DARZALEX FASPRO.....	39
CORTEF.....	256	<i>cyclosporine</i> .....	236, 268	<i>dasetta 1/35 (28)</i> .....	167
CORTENEMA.....	282	<i>cyclosporine modified</i> .....	268	<i>dasetta 7/7/7 (28)</i> .....	167
CORTISPORIN-TC.....	232	CYKLOKAPRON.....	127	<i>daunorubicin</i> .....	39
CORTROPHIN GEL.....	259	CYMBALTA.....	69	DAURISMO.....	39
COSELA.....	288	<i>cyproheptadine</i> .....	90	DAYPRO.....	11
COSENTYX.....	267	CYRAMZA.....	38	<i>daysee</i> .....	167
COSENTYX (2 SYRINGES)		<i>cyred eq</i> .....	167	DAYTRANA.....	158
.....	267	CYSTADANE.....	288	DAYVIGO.....	309
COSENTYX PEN (2 PENS)	267	CYSTADROPS.....	230	DDAVP.....	259
COSMEGEN.....	38	CYSTAGON.....	249	<i>deblitane</i> .....	167

<i>decadron</i> .....	256	DETROL LA.....	247	<i>digitek</i> .....	144
<i>decitabine</i> .....	39	<i>dexamethasone</i> .....	257	<i>digox</i> .....	144
<i>deferasirox</i> .....	250	DEXAMETHASONE		<i>digoxin</i> .....	144, 145
<i>deferiprone</i> .....	250	INTENSOL.....	257	DIGOXIN.....	144
<i>deferoxamine</i> .....	250	<i>dexamethasone sodium phos</i>		<i>dihydroergotamine</i> .....	92
DELESTROGEN.....	253	( <i>pf</i> ).....	257	DILANTIN.....	59
DELSTRIGO.....	112	<i>dexamethasone sodium</i>		DILANTIN EXTENDED.....	58
DELZICOL.....	282	<i>phosphate</i> .....	236, 257	DILANTIN INFATABS.....	59
<i>demeclocycline</i> .....	33	DEXEDRINE SPANSULE..	158	DILANTIN-125.....	59
DEMEROL (PF).....	4	DEXILANT.....	239	DILATRATE-SR.....	155
DEMSER.....	144	<i>dexlansoprazole</i> .....	239	DILAUDID.....	4
DENGVAXIA (PF).....	277	<i>dexmethylphenidate</i> .....	158	DILAUDID (PF).....	4
<i>denta 5000 plus</i> .....	177	<i>dextrazoxane hcl</i> .....	288	<i>diltiazem hcl</i> .....	142, 143
<i>dentagel</i> .....	177	<i>dextroamphetamine sulfate</i> .....	158	<i>dilt-xr</i> .....	143
DEPAKOTE.....	58	<i>dextroamphetamine-</i>		<i>dimenhydrinate</i> .....	97
DEPAKOTE ER.....	58	<i>amphetamine</i> .....	159	<i>dimethyl fumarate</i> .....	159
DEPAKOTE SPRINKLES....	58	<i>dextrose 10 % in water (d10w)</i>		DIOVAN.....	135
DEPEN TITRATABS.....	250	.....	131	DIOVAN HCT.....	134
DEPO-ESTRADIOL.....	253	<i>dextrose 5 % in water (d5w)</i> ..	131	DIPENTUM.....	282
DEPO-MEDROL.....	256	<i>dextrose 5 %-lactated ringers</i> ..	295	<i>diphenhydramine hcl</i> .....	91
DEPO-PROVERA.....	263	<i>dextrose 70 % in water (d70w)</i>		<i>diphenoxylate-atropine</i> .....	242
DEPO-SUBQ PROVERA		.....	132	<i>dipyridamole</i> .....	128
104.....	263	DIACOMIT.....	58	DISKETS.....	4
DERMACEA.....	195	DIASTAT.....	58	<i>disopyramide phosphate</i> .....	138
DERMACEA NON-		DIASTAT ACUDIAL.....	58	<i>disulfiram</i> .....	15
WOVEN.....	195	<i>diazepam</i> .....	17, 18, 58	DITROPAN XL.....	247
DERMOTIC OIL.....	236	<i>diazepam intensol</i> .....	18	DIURIL.....	149
DESCOVY.....	112	<i>diazoxide</i> .....	288	DIURIL IV.....	149
DESFERAL.....	250	DIBENZYLINE.....	133	<i>divalproex</i> .....	59
<i>desipramine</i> .....	69	<i>diclofenac epolamine</i> .....	11	DIVIGEL.....	253
<i>desloratadine</i> .....	90	<i>diclofenac potassium</i> .....	11	DOCEFREZ.....	39
<i>desmopressin</i> .....	259	<i>diclofenac sodium</i> .....	11, 236	<i>docetaxel</i> .....	39
<i>desog-e.estradiolle.estradiol</i> ....	167	<i>diclofenac-misoprostol</i> .....	11	<i>dofetilide</i> .....	138
<i>desogestrel-ethinyl estradiol</i> ....	167	<i>dicloxacillin</i> .....	30	<i>dolishale</i> .....	167
<i>desonide</i> .....	183	<i>dicyclomine</i> .....	242	<i>donepezil</i> .....	67
<i>desoximetasone</i> .....	183	<i>didanosine</i> .....	113	DOPTELET (10 TAB PACK)	
DESOXYN.....	158	DIFICID.....	27	.....	124
<i>desvenlafaxine</i> .....	69	DIFLUCAN.....	86	DOPTELET (15 TAB PACK)	
<i>desvenlafaxine succinate</i> .....	69	<i>diflunisal</i> .....	11	.....	125
DETROL.....	247	<i>difluprednate</i> .....	236		

DOPTELET (30 TAB PACK)	DULERA.....	299, 300	EASY TOUCH SAFETY
.....	<i>duloxetine</i> .....	69, 70	PEN NEEDLE.....
<i>dozalamide</i> .....	DUPIXENT PEN.....	268	EASY TOUCH
<i>dozalamide-timolol</i> .....	DUPIXENT SYRINGE.....	268	SHEATHLOCK INSULIN
<i>dozalamide-timolol (pf)</i> .....	DURAGESIC.....	4	.....
<i>dothelle dha</i> .....	DURAMORPH (PF).....	4, 5	EASY TOUCH UNI-SLIP... 201
<i>dotti</i> .....	DUREZOL.....	236	EC-NAPROSYN.....
DOVATO.....	<i>dutasteride</i> .....	249	<i>econazole</i> .....
DOVONEX.....	<i>dutasteride-tamsulosin</i> .....	249	86
<i>doxazosin</i> .....	DUZALLO.....	90	EDARBI.....
<i>doxepin</i> .....	DYANAVEL XR.....	159	EDARBYCLOR.....
<i>doxercalciferol</i> .....	DYMISTA.....	230	EDECRIIN.....
DOXIL.....	DYRENIUM.....	149	EDURANT.....
<i>doxorubicin</i> .....	<i>e.e.s. 400</i> .....	27	<i>efavirenz</i> .....
<i>doxorubicin, peg-liposomal</i> .....	EASY COMFORT		<i>efavirenz-emtricitabin-tenofo</i>
<i>doxy-100</i> .....	ALCOHOL PAD.....	179	<i>efavirenz-lamivu-tenofo</i>
<i>doxycycline hyclate</i> .....	EASY COMFORT		<i>disop</i> 113
<i>doxycycline monohydrate</i> .....	INSULIN SYRINGE....	197, 198	EFFEXOR XR.....
DRIZALMA SPRINKLE.....	EASY COMFORT PEN		EFFIENT.....
<i>dronabinol</i> .....	NEEDLES.....	198	EGRIFTA SV.....
<i>droperidol</i> .....	EASY GLIDE INSULIN		ELAPRASE.....
DROPLET INSULIN	SYRINGE.....	198	ELDEPRYL.....
SYR(HALF UNIT).....	EASY GLIDE PEN		ELESTRIN.....
DROPLET INSULIN	NEEDLE.....	199	<i>eletriptan</i> .....
SYRINGE.....	EASY TOUCH.....	200, 201	40
DROPLET MICRON PEN	EASY TOUCH ALCOHOL		ELIGARD (3 MONTH).....
NEEDLE.....	PREP PADS.....	179	40
DROPLET PEN NEEDLE	EASY TOUCH FLIPLOCK		ELIGARD (4 MONTH).....
.....	INSULIN.....	200	40
DROPSAFE ALCOHOL	EASY TOUCH FLIPLOCK		<i>elinest</i> .....
PREP PADS.....	SYRINGE.....	199	168
DROPSAFE PEN NEEDLE	EASY TOUCH INSULIN		ELIQUIS.....
<i>drospirenone-e.estradiol-lm.fa</i>	SAFETY SYR.....	199	122
<i>drospirenone-ethinyl estradiol</i>	EASY TOUCH INSULIN		ELIQUIS DVT-PE TREAT
.....	SYRINGE.....	199, 200, 201	30D START.....
DROXIA.....	EASY TOUCH LUER		122
<i>droxidopa</i> .....	LOCK INSULIN.....	200	ELITEK.....
DUAKLIR PRESSAIR.....	EASY TOUCH PEN		227
DUAVEE.....	NEEDLE.....	200	<i>elixophyllin</i> .....
DUETACT.....			303
			ELLA.....
			168
			ELLENCES.....
			40
			ELMIRON.....
			288
			<i>eluryng</i> .....
			168
			EMCYT.....
			40
			EMEND.....
			97
			EMFLAZA.....
			257
			EMGALITY PEN.....
			92

EMGALITY SYRINGE.....	92	<i>epirubicin</i> .....	40	ESTRACE.....	254
<i>emoquette</i> .....	168	<i>epitol</i> .....	59	<i>estradiol</i> .....	254
EMPLICITI.....	40	EPIVIR.....	113	<i>estradiol valerate</i> .....	254
EMSAM.....	70	EPIVIR HBV.....	113	<i>estradiol-norethindrone acet...</i>	254
<i>emtricitabine</i> .....	113	<i>eplerenone</i> .....	155	ESTRING.....	254
<i>emtricitabine-tenofovir (tdf)</i> ..	113	EPOGEN.....	125	ESTROGEL.....	254
EMTRIVA.....	113	EPRONTIA.....	59	ESTROSTEP FE-28.....	168
EMVERM.....	99	<i>eprosartan</i> .....	135	<i>eszopiclone</i> .....	310
<i>enalapril maleate</i> .....	137	EPZICOM.....	113	<i>ethacrynic acid</i> .....	149
<i>enalapril-hydrochlorothiazide</i> ..	137	EQUETRO.....	59	<i>ethambutol</i> .....	95
ENBREL.....	268	ERAXIS(WATER		<i>ethosuximide</i> .....	59
ENBREL MINI.....	268	DILUENT).....	87	<i>ethynodiol diac-eth estradiol...</i>	168
ENBREL SURECLICK.....	268	ERBITUX.....	40	ETHYOL.....	288
ENDARI.....	288	<i>ergoloid</i> .....	67	<i>etidronate disodium</i> .....	285
<i>endocet</i> .....	5	ERGOMAR.....	93	<i>etodolac</i> .....	11, 12
ENGERIX-B (PF).....	277, 278	<i>ergotamine-caffeine</i> .....	93	<i>etonogestrel-ethinyl estradiol..</i>	168
ENGERIX-B PEDIATRIC		ERIVEDGE.....	40	ETOPOPHOS.....	41
(PF).....	278	ERLEADA.....	40	<i>etoposide</i> .....	41
ENHERTU.....	40	<i>erlotinib</i> .....	40, 41	<i>etravirine</i> .....	113
ENJAYMO.....	128	<i>errin</i> .....	168	EUCRISA.....	183
<i>enoxaparin</i> .....	122	<i>ertapenem</i> .....	28	EULEXIN.....	41
<i>enpresse</i> .....	168	ERWINASE.....	41	<i>euthyrox</i> .....	264
<i>enskyce</i> .....	168	<i>ery pads</i> .....	181	EVAMIST.....	254
ENSPRYNG.....	159	ERYGEL.....	181	EVENITY.....	285
<i>entacapone</i> .....	102	<i>ery-tab</i> .....	27	<i>everolimus (antineoplastic)</i> .....	41
<i>entecavir</i> .....	120	ERY-TAB.....	27	<i>everolimus</i>	
ENTOCORT EC.....	283	ERYTHROCIN.....	27	<i>(immunosuppressive)</i> .....	269
ENTRESTO.....	135	<i>erythrocine (as stearate)</i> .....	27	EVISTA.....	254
ENTYVIO.....	268	<i>erythromycin</i> .....	28, 232	EVKEEZA.....	151
<i>enulose</i> .....	242	<i>erythromycin ethylsuccinate</i> 27, 28		EVOMELA.....	41
ENVARUS XR.....	269	<i>erythromycin with ethanol</i> .....	181	EVOTAZ.....	113
EPANED.....	137	<i>erythromycin-benzoyl peroxide</i>		EVOXAC.....	177
EPCLUSA.....	119	.....	181	EVRYSDI.....	288
EPIDIOLEX.....	59	ESBRIET.....	306	EXEL INSULIN.....	201
EPIFOAM.....	183	<i>escitalopram oxalate</i> .....	70	EXELDERM.....	87
<i>epinastine</i> .....	230	ESGIC.....	5	EXELON PATCH.....	67
<i>epinephrine</i> .....	145	<i>esomeprazole magnesium</i> .....	239	<i>exemestane</i> .....	41
<i>epinephrine hcl (pf)</i> .....	145	<i>esomeprazole sodium</i> .....	239	EXFORGE.....	147
EPIPEN 2-PAK.....	145	<i>estarylla</i> .....	168	EXFORGE HCT.....	147
EPIPEN JR 2-PAK.....	145	<i>estazolam</i> .....	18	EXJADE.....	250

EXKIVITY.....	41	FERRIPROX.....	250	<i>fluocinolone and shower cap...</i>	184
EXONDYS-51.....	288	FERRIPROX (2 TIMES A		<i>fluocinonide.....</i>	184
EXTAVIA.....	159	DAY).....	250	<i>fluocinonide-e.....</i>	184
<i>extra-virt plus dha.....</i>	313	<i>fesoterodine.....</i>	247	<i>fluorabon.....</i>	313
EYSUVIS.....	236	FETROJA.....	26	<i>fluoride (sodium).....</i>	313, 316
<i>ezetimibe.....</i>	151	FETZIMA.....	70	<i>fluoritab.....</i>	313
<i>ezetimibe-rosuvastatin.....</i>	151	FIASP FLEXTOUCH U-100		<i>fluorometholone.....</i>	236
<i>ezetimibe-simvastatin.....</i>	151, 152	INSULIN.....	79	<i>fluorouracil.....</i>	42, 179
FABRAZYME.....	227	FIASP PENFILL U-100		<i>fluoxetine.....</i>	70
<i>falmina (28).....</i>	168	INSULIN.....	79	<i>fluoxetine (pmdd).....</i>	70
<i>famciclovir.....</i>	120	FIASP U-100 INSULIN.....	79	<i>fluphenazine decanoate.....</i>	106
<i>famotidine.....</i>	239	FIBRICOR.....	152	<i>fluphenazine hcl.....</i>	106
<i>famotidine (pf).....</i>	239	<i>finasteride.....</i>	249	<i>flura-drops.....</i>	313
<i>famotidine (pf)-nacl (iso-os).....</i>	239	FINTEPLA.....	59	<i>flurandrenolide.....</i>	184
FANAPT.....	106	FIORICET WITH		<i>flurazepam.....</i>	18
FARESTON.....	41	CODEINE.....	5	<i>flurbiprofen.....</i>	12
FARXIGA.....	75	FIRAZYR.....	145	<i>flurbiprofen sodium.....</i>	236
FARYDAK.....	41	FIRDAPSE.....	288	<i>flutamide.....</i>	42
FASENRA.....	307	FIRMAGON KIT W		<i>fluticasone furoate-vilanterol..</i>	300
FASENRA PEN.....	307	DILUENT SYRINGE.....	41	<i>fluticasone propionate</i>	
FASLODEX.....	41	FIRVANQ.....	21, 22	<i>.....</i>	184, 236, 300
<i>fayosim.....</i>	168	FLAC OTIC OIL.....	236	<i>fluticasone propion-salmeterol</i>	301
<i>febuxostat.....</i>	90	FLAGYL.....	22	<i>fluvastatin.....</i>	152
<i>felbamate.....</i>	59	<i>flavoxate.....</i>	247	<i>fluvoxamine.....</i>	70
FELBATOL.....	59	FLEBOGAMMA DIF.....	269	FML FORTE.....	236
FELDENE.....	12	<i>flecainide.....</i>	138	FML S.O.P.....	236
<i>felodipine.....</i>	147	FLECTOR.....	12	FOCALIN.....	159
FEMARA.....	41	FLOMAX.....	249	FOCALIN XR.....	159
FEMHRT LOW DOSE.....	254	FLOVENT DISKUS.....	300	<i>folivane-ob.....</i>	313
FEMRING.....	254	FLOVENT HFA.....	300	FOLOTYN.....	42
<i>femynor.....</i>	168	<i>floxuridine.....</i>	41	<i>fomepizole.....</i>	288
<i>fenofibrate.....</i>	152	<i>fluconazole.....</i>	87	<i>fondaparinux.....</i>	122
<i>fenofibrate micronized.....</i>	152	<i>fluconazole in nacl (iso-osm) ..</i>	87	FORFIVO XL.....	71
<i>fenofibrate nanocrystallized....</i>	152	<i>flucytosine.....</i>	87	<i>formoterol fumarate.....</i>	303
<i>fenofibric acid.....</i>	152	<i>fludarabine.....</i>	41, 42	FORTEO.....	285
<i>fenofibric acid (choline).....</i>	152	<i>fludrocortisone.....</i>	257	FOSAMAX.....	285
FENOGLIDE.....	152	FLUMADINE.....	117	FOSAMAX PLUS D.....	285
FENSOLVI.....	260	<i>flunisolide.....</i>	236	<i>fosamprenavir.....</i>	113
<i>fentanyl.....</i>	5	<i>fluocinolone.....</i>	183, 184	<i>foscarnet.....</i>	117
<i>fentanyl citrate.....</i>	5	<i>fluocinolone acetonide oil.....</i>	236	<i>fosfomycin tromethamine.....</i>	22



<i>fosinopril</i> .....	137	<i>gavilyte-n</i> .....	245	<i>glyburide micronized</i> .....	85
<i>fosinopril-hydrochlorothiazide</i>	137	GAVRETO.....	42	<i>glyburide-metformin</i> .....	85
<i>fosphephenytoin</i> .....	59	GAZYVA.....	42	<i>glycine urologic solution</i> .....	284
FOSRENOL.....	246, 247	GELNIQUE.....	248	<i>glycopyrrolate</i> .....	57, 243
FOTIVDA.....	42	<i>gemcitabine</i> .....	42	<i>glydo</i> .....	14
FRAGMIN.....	122, 123	<i>gemfibrozil</i> .....	152	GLYNASE.....	85
FREAMINE III 10 %.....	132	<i>gemmily</i> .....	168	GLYXAMBI.....	75
FREESTYLE PRECISION..	202	GEMTESA.....	248	GOCOVRI.....	102
FROVA.....	93	GENERESS FE.....	168	GOLYTELY.....	245
<i>frovatriptan</i> .....	93	<i>generlac</i> .....	243	<i>granisetron (pf)</i> .....	97
FULPHILA.....	125	<i>gengraf</i> .....	269	<i>granisetron hcl</i> .....	97
<i>fulvestrant</i> .....	42	GENOTROPIN.....	260	GRANIX.....	125
FURADANTIN.....	22	GENOTROPIN		GRASTEK.....	289
<i>furosemide</i> .....	149	MINIQUICK.....	260	<i>griseofulvin microsize</i> .....	87
FUSILEV.....	288	<i>gentak</i> .....	233	<i>griseofulvin ultramicrosize</i> .....	87
FUZEON.....	114	<i>gentamicin</i> .....	20, 181, 233	<i>guanfacine</i> .....	133, 160
<i>fyavolv</i> .....	255	<i>gentamicin sulfate (ped) (pf)</i> ...	20	<i>guanidine</i> .....	289
FYCOMPA.....	59, 60	<i>gentamicin sulfate (pf)</i> .....	20	GVOKE.....	289
<i>gabapentin</i> .....	60	GENVOYA.....	114	GVOKE HYPOPEN 2-	
GABITRIL.....	60	GEODON.....	106	PACK.....	289
GALAFOLD.....	227	GILENYA.....	159	GVOKE PFS 1-PACK	
<i>galantamine</i> .....	67	GILOTRIF.....	42	SYRINGE.....	289
GAMASTAN.....	269	GIMOTI.....	243	HAEGARDA.....	125
GAMIFANT.....	269	GIVLAARI.....	128	<i>hailey</i> .....	169
GAMMAGARD LIQUID...	269	GLASSIA.....	307	<i>hailey 24 fe</i> .....	169
GAMMAGARD S-D (IGA <		<i>glatiramer</i> .....	159	<i>hailey fe 1.5/30 (28)</i> .....	169
1 MCG/ML).....	269	<i>glatopa</i> .....	159, 160	<i>hailey fe 1/20 (28)</i> .....	169
GAMMAKED.....	269	GLEEVEC.....	42	HALAVEN.....	42
GAMMAPLEX.....	269	<i>glimepiride</i> .....	84, 85	HALCION.....	18
GAMMAPLEX (WITH		<i>glipizide</i> .....	85	HALDOL.....	107
SORBITOL).....	269	<i>glipizide-metformin</i> .....	85	HALDOL DECANOATE...	106
GAMUNEX-C.....	269	GLUCAGEN HYPOKIT.....	288	<i>halobetasol propionate</i> .....	184
<i>ganciclovir sodium</i> .....	121	GLUCAGON		<i>haloperidol</i> .....	107
GARDASIL 9 (PF).....	278	EMERGENCY KIT		<i>haloperidol decanoate</i> .....	107
GASTROCROM.....	242	(HUMAN).....	288	<i>haloperidol lactate</i> .....	107
<i>gatifloxacin</i> .....	232	GLUCOPHAGE.....	75	HARVONI.....	119
GATTEX 30-VIAL.....	243	GLUCOPHAGE XR.....	75	HAVRIX (PF).....	278
GAUZE PAD.....	202	GLUCOTROL.....	85	HEALTHWISE INSULIN	
<i>gavilyte-c</i> .....	245	GLUCOTROL XL.....	85	SYRINGE.....	202, 203
<i>gavilyte-g</i> .....	245	<i>glyburide</i> .....	85		

HEALTHWISE PEN	HUMIRA PEN PSOR-	<i>hydroxyprogest(pf) (preg</i>
NEEDLE..... 203	UVEITS-ADOL HS.....270	<i>presv) ..... 264</i>
HEALTHY ACCENTS	HUMIRA(CF).....271	<i>hydroxyprogesterone</i>
UNIFINE PENTIP.....203	HUMIRA(CF) PEDI	<i>cap(ppres) ..... 264</i>
<i>heather</i> .....169	CROHNS STARTER.....270	<i>hydroxyurea</i> .....43
HECTOROL.....285	HUMIRA(CF) PEN..... 270	<i>hydroxyzine hcl</i> .....91
<i>hemenatal ob + dha</i> ..... 314	HUMIRA(CF) PEN	<i>hydroxyzine pamoate</i> ..... 289
<i>heparin (porcine)</i> ..... 123	CROHNS-UC-HS..... 270	HYPERHEP B.....271
<i>heparin, porcine (pf)</i> ..... 123	HUMIRA(CF) PEN	HYPERRAB (PF).....271
HEPATAMINE 8%.....132	PEDIATRIC UC..... 270	HYPERRAB S/D (PF)..... 271
HEPSERA..... 121	HUMIRA(CF) PEN PSOR-	HYPERRHO S/D..... 271
HERCEPTIN..... 42	UV-ADOL HS..... 270	HYQVIA.....271
HERCEPTIN HYLECTA.....42	HUMULIN 70/30 U-100	HYZAAR..... 135
HERZUMA.....42	INSULIN.....80	<i>ibandronate</i> .....285
HETLIOZ..... 310	HUMULIN 70/30 U-100	IBRANCE..... 43
HETLIOZ LQ.....310	KWIKPEN..... 81	IBSRELA.....243
HIBERIX (PF).....278	HUMULIN N NPH	<i>ibu</i> ..... 12
HIPREX..... 22	INSULIN KWIKPEN.....81	<i>ibuprofen</i> .....12
HIZENTRA.....270	HUMULIN N NPH U-100	<i>ibuprofen-oxycodone</i> .....6
HUMALOG JUNIOR	INSULIN.....81	<i>icatibant</i> .....145
KWIKPEN U-100..... 80	HUMULIN R REGULAR	<i>iclevia</i> ..... 169
HUMALOG KWIKPEN	U-100 INSULN..... 81	ICLUSIG.....43
INSULIN.....80	HUMULIN R U-500	<i>icosapent ethyl</i> ..... 152
HUMALOG MIX 50-50	(CONC) INSULIN..... 81	IDAMYCIN PFS..... 43
INSULN U-100..... 80	HUMULIN R U-500	<i>idarubicin</i> .....43
HUMALOG MIX 50-50	(CONC) KWIKPEN.....81	IDHIFA.....43
KWIKPEN..... 80	HYCAMTIN..... 43	IFEX.....43
HUMALOG MIX 75-25	<i>hydralazine</i> ..... 145	<i>ifosfamide</i> ..... 43
KWIKPEN..... 80	HYDREA..... 43	ILARIS (PF)..... 271
HUMALOG MIX 75-25(U-	<i>hydrochlorothiazide</i> .....149	ILEVRO..... 236
100)INSULN..... 80	<i>hydrocodone bitartrate</i> .....5	ILUMYA.....271
HUMALOG U-100	<i>hydrocodone-acetaminophen</i> ..... 5	<i>imatinib</i> ..... 43
INSULIN.....80	<i>hydrocodone-ibuprofen</i> .....6	IMBRUVICA.....43
HUMATIN.....99	<i>hydrocortisone</i> . 184, 185, 257, 283	IMFINZI..... 43
HUMATROPE.....260	<i>hydrocortisone butyrate</i> .....184	<i>imipenem-cilastatin</i> .....28, 29
HUMIRA..... 270	<i>hydrocortisone valerate</i> ..... 185	<i>imipramine hcl</i> ..... 71
HUMIRA PEN.....270	<i>hydrocortisone-acetic acid</i> ..... 233	<i>imipramine pamoate</i> ..... 71
HUMIRA PEN CROHNS-	<i>hydromorphone</i> ..... 6	<i>imiquimod</i> ..... 179
UC-HS START.....270	<i>hydromorphone (pf)</i> ..... 6	IMITREX.....93
	<i>hydroxychloroquine</i> .....99	IMITREX STATDOSE PEN. 93

IMITREX STATDOSE	<i>insulin glargine-yfgn</i> ..... 81, 82	<i>irbesartan-hydrochlorothiazide</i>
REFILL..... 93	<i>insulin lispro</i> .....82	..... 135
IMLYGIC.....44	<i>insulin lispro protamin-lispro</i> .... 82	IRESSA..... 44
IMOGAM RABIES-HT (PF)	INSULIN SYR/NDL U100	<i>irinotecan</i> .....44
..... 271	HALF MARK..... 204	ISENTRESS..... 114
IMOVAX RABIES	INSULIN SYRINGE..... 190	ISENTRESS HD..... 114
VACCINE (PF)..... 278	INSULIN SYRINGE	<i>isibloom</i> ..... 169
IMPAVIDO..... 99	MICROFINE..... 189	ISOLYTE S PH 7.4.....296
IMURAN..... 271	INSULIN SYRINGE	ISOLYTE-P IN 5 %
IMVEXXY	NEEDLELESS..... 190	DEXTROSE..... 296
MAINTENANCE PACK.....255	INSULIN SYRINGE-	ISOLYTE-S..... 296
IMVEXXY STARTER	NEEDLE U-100	<i>isoniazid</i> .....95
PACK..... 255	189, 191, 201, 202, 204, 205, 212,	ISOPTO ATROPINE..... 231
INBRIJA.....102	216, 221	ISOPTO CARPINE.....293
<i>incassia</i> ..... 169	INSUPEN..... 205	ISORDIL..... 155
INCONTROL ALCOHOL	INTELENCE..... 114	ISORDIL TITRADOSE.....155
PADS..... 179	INTRALIPID..... 132	<i>isosorbide dinitrate</i> ..... 155
INCONTROL PEN	INTRAROSA..... 255	<i>isosorbide mononitrate</i> ..... 155
NEEDLE.....203, 204	INTRON A.....120	<i>isosorbide-hydralazine</i> ..... 156
INCRELEX..... 260	<i>introvale</i> ..... 169	<i>isotretinoin</i> ..... 179
INCRUSE ELLIPTA..... 303	INTUNIV ER..... 160	<i>isradipine</i> ..... 147
<i>indapamide</i> ..... 149	INVANZ.....29	ISTALOL.....293
INDERAL LA..... 140	INVEGA..... 107	ISTODAX.....44
INDOCIN.....12	INVEGA HAFYERA..... 107	ISTURISA..... 289
<i>indomethacin</i> .....12	INVEGA SUSTENNA. 107, 108	<i>itraconazole</i> ..... 87
INFANRIX (DTAP) (PF).... 278	INVEGA TRINZA..... 108	IV PREP WIPES.....179
INFLECTRA.....271	INVELTYS.....237	<i>ivermectin</i> ..... 100, 186
<i>infliximab</i> .....271	INVIRASE..... 114	IXEMPRA.....44
INFUGEM..... 44	INVOKAMET.....75	IXIARO (PF).....278
INFUMORPH P/F.....6	INVOKAMET XR..... 75	JADENU..... 250
INGREZZA.....160	INVOKANA..... 75	JADENU SPRINKLE.....250
INGREZZA INITIATION	IONOSOL-B IN D5W..... 295	<i>jaimiess</i> ..... 169
PACK..... 160	IONOSOL-MB IN D5W..... 296	JAKAFI.....44
INLYTA..... 44	IOPIDINE..... 230	JALYN..... 249
INQOVI.....44	IPOL..... 278	<i>jantoven</i> ..... 123
INREBIC.....44	<i>ipratropium bromide</i> ..... 230, 304	JANUMET..... 75
INSPIRA.....155	<i>ipratropium-albuterol</i> ..... 304	JANUMET XR..... 75
<i>insulin asp prt-insulin aspart</i> .... 81	<i>irbesartan</i> .....135	JANUVIA.....75
<i>insulin aspart u-100</i> ..... 81		JARDIANCE..... 76
<i>insulin glargine</i> .....81		<i>jasmiel (28)</i> ..... 169

JEMPERLI.....	44	<i>ketoprofen</i> .....	12	LAMICTAL ODT	
<i>jencycla</i> .....	169	<i>ketorolac</i> .....	12, 13, 237	STARTER (BLUE).....	60
JENTADUETO.....	76	KEVEYIS.....	289	LAMICTAL ODT	
JENTADUETO XR.....	76	KEVZARA.....	272	STARTER (GREEN).....	60
JEVTANA.....	45	KEYTRUDA.....	45	LAMICTAL ODT	
<i>jinteli</i> .....	255	KHAPZORY.....	289	STARTER (ORANGE).....	61
<i>jolessa</i> .....	169	KIMMTRAK.....	45	LAMICTAL STARTER	
JORNAY PM.....	160	KIMYRSA.....	22	(BLUE) KIT.....	61
<i>juleber</i> .....	169	KINERET.....	272	LAMICTAL STARTER	
JULUCA.....	114	KINRIX (PF).....	278, 279	(GREEN) KIT.....	61
<i>junel 1.5/30 (21)</i> .....	169	<i>kionex (with sorbitol)</i> .....	243	LAMICTAL STARTER	
<i>junel 1/20 (21)</i> .....	169	KISQALI.....	45	(ORANGE) KIT.....	61
<i>junel fe 1.5/30 (28)</i> .....	169	KISQALI FEMARA CO-		LAMICTAL XR.....	61
<i>junel fe 1/20 (28)</i> .....	169	PACK.....	45	LAMICTAL XR STARTER	
<i>junel fe 24</i> .....	169	KLONOPIN.....	18	(BLUE).....	61
JUXTAPID.....	152, 153	KLOR-CON 10.....	296	LAMICTAL XR STARTER	
JYNARQUE.....	149, 150	KLOR-CON 8.....	296	(GREEN).....	61
KABIVEN.....	132	<i>klor-con m10</i> .....	296	LAMICTAL XR STARTER	
KADCYLA.....	45	<i>klor-con m15</i> .....	296	(ORANGE).....	61
<i>kaitlib fe</i> .....	170	<i>klor-con m20</i> .....	296	<i>lamivudine</i> .....	114
KALETRA.....	114	KLOXXADO.....	15	<i>lamivudine-zidovudine</i> .....	114
<i>kalliga</i> .....	170	KOMBIGLYZE XR.....	76	<i>lamotrigine</i> .....	61, 62
KALYDECO.....	307	KORLYM.....	76	LAMPIT.....	100
KANJINTI.....	45	KOSELUGO.....	45	LANOXIN.....	145
KANUMA.....	227	<i>kosher prenatal plus iron</i> .....	314	LANOXIN PEDIATRIC.....	145
KAPSPARGO SPRINKLE..	140	KRINTAFEL.....	100	<i>lanreotide</i> .....	260
KAPVAY.....	160	K-TAB.....	296	<i>lansoprazole</i> .....	239, 240
<i>kariva (28)</i> .....	170	<i>kurvelo (28)</i> .....	170	<i>lanthanum</i> .....	247
KATERZIA.....	147	KUVAN.....	227	LANTUS SOLOSTAR U-100	
KAZANO.....	76	KYNMOBI.....	102	INSULIN.....	82
KEDRAB (PF).....	271	KYPROLIS.....	45	LANTUS U-100 INSULIN....	82
<i>kelnor 1/35 (28)</i> .....	170	<i>l norgestle.estradiol-e.estrad</i> ... 170		<i>lapatinib</i> .....	45
<i>kelnor 1-50 (28)</i> .....	170	<i>labetalol</i> .....	140	<i>larin 1.5/30 (21)</i> .....	170
KENALOG.....	257	<i>lacosamide</i> .....	60	<i>larin 1/20 (21)</i> .....	170
KENALOG-80.....	257	LACRISERT.....	231	<i>larin 24 fe</i> .....	170
KEPIVANCE.....	289	<i>lactulose</i> .....	243	<i>larin fe 1.5/30 (28)</i> .....	170
KEPPRA.....	60	<i>lagevrio (eua)</i> .....	121	<i>larin fe 1/20 (28)</i> .....	170
KEPPRA XR.....	60	LAMICTAL.....	61	<i>larissia</i> .....	170
KESIMPTA PEN.....	160	LAMICTAL ODT.....	60	LASIX.....	150
<i>ketoconazole</i> .....	87			LASTACFT.....	231

<i>latanoprost</i> .....	293	<i>levothyroxine</i> .....	265	<i>lojaimiess</i> .....	171
LATUDA.....	108	LEVOXYL.....	265	LOKELMA.....	243
<i>layolis fe</i> .....	170	LEXAPRO.....	71	LOMOTIL.....	243
LAZANDA.....	6	LEXIVA.....	114	LONHALA MAGNAIR	
<i>ledipasvir-sofosbuvir</i> .....	119	LIALDA.....	283	REFILL.....	304
<i>leena 28</i> .....	170	LIBTAYO.....	46	LONSURF.....	46
<i>leflunomide</i> .....	272	<i>lidocaine</i> .....	14	<i>loperamide</i> .....	243
LEMTRADA.....	160	<i>lidocaine (pf)</i> .....	14, 138	LOPID.....	153
LENVIMA.....	46	<i>lidocaine hcl</i> .....	14	<i>lopinavir-ritonavir</i> .....	114, 115
LEQVIO.....	153	<i>lidocaine viscous</i> .....	14	LOPRESSOR.....	141
LESCOL XL.....	153	<i>lidocaine-prilocaine</i> .....	14	LOPRESSOR HCT.....	141
<i>lessina</i> .....	170	LIDODERM.....	14	LOPROX.....	87
LETAIRIS.....	311	<i>lillow (28)</i> .....	171	LOPROX (AS OLAMINE)....	87
<i>letrozole</i> .....	46	LINCOCIN.....	22	<i>lorazepam</i> .....	18
<i>leucovorin calcium</i> .....	289	<i>lincomycin</i> .....	22	<i>lorazepam intensol</i> .....	18
LEUKERAN.....	46	<i>linezolid</i> .....	22	LORBRENA.....	46
LEUKINE.....	125	<i>linezolid in dextrose 5%</i> .....	22	<i>loryna (28)</i> .....	171
<i>leuprolide</i> .....	46	<i>linezolid-0.9% sodium chloride</i> ..	22	<i>losartan</i> .....	135
<i>levabuterol hcl</i> .....	304	LINZESS.....	243	<i>losartan-hydrochlorothiazide</i> ..	135
<i>levabuterol tartrate</i> .....	304	<i>liothyronine</i> .....	265	LOSEASONIQUE.....	171
<i>levamlodipine</i> .....	147	LIPITOR.....	153	LOTEMAX.....	237
LEVATOL.....	140	LIPOFEN.....	153	LOTEMAX SM.....	237
LEVEMIR FLEXTOUCH		LISCO.....	205	LOTENSIN.....	137
U-100 INSULN.....	82	<i>lisinopril</i> .....	137	LOTENSIN HCT.....	137
LEVEMIR U-100 INSULIN..	82	<i>lisinopril-hydrochlorothiazide</i> ..	137	<i>loteprednol etabonate</i> .....	237
<i>levetiracetam</i> .....	62	LITE TOUCH INSULIN		LOTREL.....	147
<i>levetiracetam in nacl (iso-os)</i> ..	62	PEN NEEDLES.....	205, 206	LOTRONEX.....	283
<i>levobunolol</i> .....	294	LITE TOUCH INSULIN		<i>lovastatin</i> .....	153
<i>levocarnitine</i> .....	289	SYRINGE.....	205, 206, 207	LOVAZA.....	153
<i>levocarnitine (with sugar)</i> .....	289	<i>lithium carbonate</i> .....	160	LOVENOX.....	123, 124
<i>levocetirizine</i> .....	91	<i>lithium citrate</i> .....	160	<i>low-ogestrel (28)</i> .....	171
<i>levofloxacin</i> .....	32, 231, 233	LITHOBID.....	160	<i>loxapine succinate</i> .....	108
<i>levofloxacin in d5w</i> .....	32	LITHOSTAT.....	249	<i>lo-zumandimine (28)</i> .....	171
<i>levoleucovorin calcium</i> .....	290	LIVALO.....	153	<i>lubiprostone</i> .....	243
<i>levonest (28)</i> .....	171	LIVMARLI.....	243	LUCEMYRA.....	15
<i>levonorgestrel-ethinyl estrad</i> ...	171	LIVTENCITY.....	117	<i>ludent fluoride</i> .....	314
<i>levonorg-eth estrad triphasic</i> ...	171	LO LOESTRIN FE.....	171	<i>luliconazole</i> .....	87
<i>levora-28</i> .....	171	LOCOID.....	185	LUMAKRAS.....	46
<i>levorphanol tartrate</i> .....	6	LOCOID LIPOCREAM.....	185	LUMIGAN.....	294
LEVO-T.....	265	LODOSYN.....	102	LUMIZYME.....	227

LUMOXITI.....	46	MALARONE.....	100	MAXZIDE.....	150
LUNESTA.....	310	MALARONE PEDIATRIC.....	100	MAXZIDE-25MG.....	150
LUPANETA PACK (1		<i>malathion</i> .....	187	MAYZENT.....	161
MONTH).....	260	<i>maprotiline</i> .....	71	MAYZENT	
LUPANETA PACK (3		<i>maraviroc</i> .....	115	STARTER(FOR 1MG	
MONTH).....	260	MARGENZA.....	47	MAINT).....	161
LUPKYNIS.....	272	MARINOL.....	97	<i>meclizine</i> .....	97
LUPRON DEPOT.....	260	<i>marlissa (28)</i> .....	172	<i>meclofenamate</i> .....	13
LUPRON DEPOT (3		<i>marnatal-f</i> .....	314	MEDROL.....	257
MONTH).....	46, 260	MARPLAN.....	71	MEDROL (PAK).....	257
LUPRON DEPOT (4		MARQIBO.....	47	<i>medroxyprogesterone</i> .....	264
MONTH).....	46	MATULANE.....	47	<i>mefenamic acid</i> .....	13
LUPRON DEPOT (6		<i>matzim la</i> .....	143	<i>mefloquine</i> .....	100
MONTH).....	46	MAVENCLAD (10 TABLET		<i>megestrol</i> .....	47, 264
LUPRON DEPOT-PED.....	261	PACK).....	160	MEKINIST.....	47
LUPRON DEPOT-PED (3		MAVENCLAD (4 TABLET		MEKTOVI.....	47
MONTH).....	260	PACK).....	160	<i>melodetta 24 fe</i> .....	172
<i>lutea (28)</i> .....	171	MAVENCLAD (5 TABLET		<i>meloxicam</i> .....	13
LUZU.....	87	PACK).....	161	<i>melfhalan hcl</i> .....	47
LYBALVI.....	108	MAVENCLAD (6 TABLET		<i>memantine</i> .....	67, 68
<i>lyleq</i> .....	171	PACK).....	161	MENACTRA (PF).....	279
<i>lyllana</i> .....	255	MAVENCLAD (7 TABLET		MENEST.....	255
LYNPARZA.....	46	PACK).....	161	MENOSTAR.....	255
LYRICA.....	62, 63	MAVENCLAD (8 TABLET		MENQUADFI (PF).....	279
LYSODREN.....	46	PACK).....	161	MENTAX.....	87
LYSTEDA.....	128	MAVENCLAD (9 TABLET		MENVEO A-C-Y-W-135-	
LYUMJEV KWIKPEN U-		PACK).....	161	DIP (PF).....	279
100 INSULIN.....	82	MAVYRET.....	119	<i>mepredine (pf)</i> .....	6
LYUMJEV KWIKPEN U-		MAXALT.....	93	<i>meprobamate</i> .....	18
200 INSULIN.....	82	MAXALT-MLT.....	93	MEPRON.....	100
LYUMJEV U-100 INSULIN.....	82	MAXICOMFORT II PEN		MEPSEVII.....	227
<i>lyza</i> .....	171	NEEDLE.....	207	<i>mercaptopurine</i> .....	47
MACROBID.....	22	MAXICOMFORT INSULIN		<i>meropenem</i> .....	29
MACRODANTIN.....	22	SYRINGE.....	207	<i>meropenem-0.9% sodium</i>	
MAGELLAN INSULIN		MAXI-COMFORT		<i>chloride</i> .....	29
SAFETY SYRNG.....	207	INSULIN SYRINGE.....	207	MERREM.....	29
MAGELLAN SYRINGE.....	207	MAXICOMFORT SAFETY		<i>merzee</i> .....	172
<i>magnesium sulfate</i> .....	296	PEN NEEDLE.....	207	<i>mesalamine</i> .....	283
MAKENA.....	264	MAXIDEX.....	237	<i>mesna</i> .....	290
MAKENA (PF).....	264	MAXITROL.....	233	MESNEX.....	290

MESTINON.....	290	METROGEL VAGINAL.....	91	<i>mirtazapine</i> .....	71
MESTINON TIMESPAN....	290	<i>metronidazole</i> .....	22, 91, 181, 182	<i>misoprostol</i> .....	240
<i>metadate er</i> .....	161	<i>metronidazole in nacl (iso-os)</i> ..	22	<i>mitigo (pf)</i> .....	7
<i>metaproterenol</i> .....	304	<i>metyrosine</i> .....	145	<i>mitomycin</i> .....	47
<i>metaxalone</i> .....	309	<i>mexiletine</i> .....	138	<i>mitoxantrone</i> .....	47
<i>metformin</i> .....	76	MIACALCIN.....	286	M-M-R II (PF).....	279
<i>methadone</i> .....	6, 7	<i>mibelas 24 fe</i> .....	172	<i>m-natal plus</i> .....	314
<i>methadone intensol</i> .....	6	<i>micafungin</i> .....	87	MOBIC.....	13
METHADOSE.....	7	MICARDIS.....	135	<i>modafinil</i> .....	310
<i>methadose</i> .....	7	MICARDIS HCT.....	135	<i>moexipril</i> .....	137
<i>methamphetamine</i> .....	161	<i>miconazole nitrate-zinc ox-pet</i> ..	88	<i>molindone</i> .....	108
<i>methazolamide</i> .....	294	<i>miconazole-3</i> .....	88	<i>mometasone</i> .....	185, 237
<i>methenamine hippurate</i> .....	22	MICRHOGAM ULTRA- FILTERED PLUS.....	272	MONJUVI.....	47
METHERGINE.....	290	MICRODOT INSULIN PEN NEEDLE.....	207	MONOJECT INSULIN SAFETY SYRINGE.....	209
<i>methimazole</i> .....	265	<i>microgestin 1.5/30 (21)</i> .....	172	MONOJECT INSULIN SYRINGE.....	208, 209
<i>methocarbamol</i> .....	309	<i>microgestin 1/20 (21)</i> .....	172	MONOJECT SYRINGE.....	208
<i>methotrexate sodium</i> .....	47	<i>microgestin 24 fe</i> .....	172	MONOJECT ULTRA COMFORT INSULIN.....	222
<i>methotrexate sodium (pf)</i> .....	47	<i>microgestin fe 1.5/30 (28)</i> .....	172	<i>mono-lynyah</i> .....	172
<i>methoxsalen</i> .....	179	<i>microgestin fe 1/20 (28)</i> .....	172	<i>montelukast</i> .....	301, 302
<i>methscopolamine</i> .....	243	<i>midazolam</i> .....	19	MONUROL.....	23
<i>methyldopa</i> .....	133	<i>midazolam (pf)</i> .....	19	<i>morphine</i> .....	7
<i>methyldopa-</i> <i>hydrochlorothiazide</i> .....	133	<i>midazolam (pf) in 0.9% nacl</i> ..	18	MORPHINE.....	7
<i>methyldopate</i> .....	133	<i>midodrine</i> .....	133	<i>morphine (pf)</i> .....	7
<i>methylergonovine</i> .....	290	<i>miglitol</i> .....	76	<i>morphine concentrate</i> .....	7
METHYLIN.....	161	<i>miglustat</i> .....	227	MOTEGRITY.....	244
<i>methylphenidate</i> .....	162	MIGRANAL.....	93	MOVANTIK.....	244
<i>methylphenidate hcl</i> .....	161, 162	<i>mili</i> .....	172	MOVIPREP.....	245
<i>methylprednisolone</i> .....	258	<i>mimvey</i> .....	255	MOXEZA.....	233
<i>methylprednisolone acetate</i> .....	258	MINASTRIN 24 FE.....	172	<i>moxifloxacin</i> .....	32, 233
<i>methylprednisolone sodium</i> <i>succ</i> .....	258	MINI ULTRA-THIN II.....	208	<i>moxifloxacin-sod.ace,sul-water</i>	32
<i>methyltestosterone</i> .....	251	MINIPRESS.....	134	<i>moxifloxacin-sod.chloride(iso)</i>	32
<i>metipranolol</i> .....	294	<i>minitran</i> .....	156	MOZOBIL.....	125
<i>metoclopramide hcl</i> .....	243, 244	MINIVELLE.....	255	MS CONTIN.....	8
<i>metolazone</i> .....	150	<i>minocycline</i> .....	34	MULPLETA.....	125
<i>metoprolol succinate</i> .....	141	<i>minoxidil</i> .....	156	MULTAQ.....	138
<i>metoprolol ta-hydrochlorothiaz</i> .....	141	MIRAPEX.....	102	<i>mupirocin</i> .....	182
<i>metoprolol tartrate</i> .....	141	MIRAPEX ER.....	102	<i>mupirocin calcium</i> .....	182
		MIRCERA.....	125		

MVASI.....	47	<i>naratriptan</i> .....	93	NEXAVAR.....	48
MYALEPT.....	290	NARCAN.....	16	NEXIUM.....	240
MYAMBUTOL.....	95	NARDIL.....	71	NEXIUM IV.....	240
MYCAMINE.....	88	NASONEX.....	237	NEXIUM PACKET.....	240
MYCAPSSA.....	261	NATACYN.....	233	NEXLETOL.....	153
MYCOBUTIN.....	95	NATAZIA.....	172	NEXLIZET.....	153
<i>mycophenolate mofetil</i> .....	272	<i>nateglinide</i> .....	76	NEXTSTELLIS.....	172
<i>mycophenolate mofetil (hcl)</i> ...	272	NATESTO.....	251	NEXVIAZYME.....	228
<i>mycophenolate sodium</i> .....	272	NATPARA.....	286	<i>niacin</i> .....	153
MYDAYIS.....	162	NAYZILAM.....	63	<i>niacor</i> .....	153
MYFEMBREE.....	261	<i>nebivolol</i> .....	141	NIASPAN EXTENDED-	
MYFORTIC.....	272	NEBUPENT.....	100	RELEASE.....	153
MYLOTARG.....	47	<i>necon 0.5/35 (28)</i> .....	172	<i>nicardipine</i> .....	147, 148
<i>mynatal</i> .....	314	<i>nefazodone</i> .....	71	NICOTROL.....	16
<i>mynatal advance</i> .....	314	<i>nelarabine</i> .....	48	NICOTROL NS.....	16
<i>mynatal plus</i> .....	314	NEMBUTAL SODIUM.....	310	<i>nifedipine</i> .....	148
<i>mynatal-z</i> .....	314	<i>neomycin</i> .....	20	<i>nikki (28)</i> .....	172
<i>mynate 90 plus</i> .....	314	<i>neomycin-bacitracin-poly-hc</i> ...	233	NILANDRON.....	48
<i>myorisan</i> .....	179	<i>neomycin-bacitracin-</i>		<i>nilutamide</i> .....	48
MYRBETRIQ.....	248	<i>polymyxin</i> .....	233	<i>nimodipine</i> .....	148
MYSOLINE.....	63	<i>neomycin-polymyxin b gu</i> .....	182	NINLARO.....	48
MYTESI.....	244	<i>neomycin-polymyxin b-</i>		NIPENT.....	48
NABI-HB.....	272	<i>dexameth</i> .....	233	<i>nisoldipine</i> .....	148
<i>nabumetone</i> .....	13	<i>neomycin-polymyxin-</i>		<i>nitazoxanide</i> .....	100
<i>nadolol</i> .....	141	<i>gramicidin</i> .....	233	<i>nitisinone</i> .....	228
<i>nadolol-bendroflumethiazide</i> ...	141	<i>neomycin-polymyxin-hc</i> ..	233, 234	NITRO-BID.....	156
<i>nafcillin</i> .....	31	<i>neo-polycin</i> .....	234	NITRO-DUR.....	156
<i>nafcillin in dextrose iso-osm</i> ....	31	<i>neo-polycin hc</i> .....	234	<i>nitrofurantoin</i> .....	23
<i>naftifine</i> .....	88	NEORAL.....	272	<i>nitrofurantoin macrocrystal</i> .....	23
NAFTIN.....	88	NEPHRAMINE 5.4 %.....	132	<i>nitrofurantoin monohydlm-</i>	
NAGLAZYME.....	228	NERLYNX.....	48	<i>cryst</i> .....	23
<i>nalbuphine</i> .....	8	NESINA.....	76	<i>nitroglycerin</i> .....	156
<i>naloxone</i> .....	16	NESTABS ONE.....	314	NITROLINGUAL.....	156
<i>naltrexone</i> .....	16	NEULASTA.....	125	NITROSTAT.....	156
NAMENDA.....	68	NEULASTA ONPRO.....	125	NITYR.....	228
NAMENDA XR.....	68	NEUPRO.....	102	<i>niva-plus</i> .....	314
NAMZARIC.....	68	NEURONTIN.....	63	NIVESTYM.....	126
NAPROSYN.....	13	NEVANAC.....	237	<i>nizatidine</i> .....	240
<i>naproxen</i> .....	13	<i>nevirapine</i> .....	115	NOCDURNA (MEN).....	261
<i>naproxen sodium</i> .....	13	<i>newgen</i> .....	314	NOCDURNA (WOMEN)....	261



<i>nora-be</i> .....	172	NOVOLIN R REGULAR U-100 INSULN.....	83	NYVEPRIA.....	126
NORDITROPIN FLEXPRO.....	261	NOVOLOG FLEXPEN U-100 INSULIN.....	83	<i>obstetrix dha</i> .....	314
<i>noreth-ethinyl estradiol-iron</i> ...	173	NOVOLOG MIX 70-30 U-100 INSULN.....	83	<i>o-cal prenatal</i> .....	314
<i>norethindrone (contraceptive)</i>	173	NOVOLOG MIX 70-30FLEXPEN U-100.....	83	OCALIVA.....	244
<i>norethindrone acetate</i> .....	264	NOVOLOG PENFILL U-100 INSULIN.....	83	<i>ocella</i> .....	174
<i>norethindrone ac-eth estradiol</i> .....	173, 255	NOVOLOG U-100 INSULIN ASPART.....	83	OCREVUS.....	162
<i>norethindrone-e.estradiol-iron</i>	173	NOVOTWIST.....	209	OCTAGAM.....	273
<i>norgestimate-ethinyl estradiol</i>	173	NOXAFIL.....	88	<i>octreotide acetate</i> .....	261
NORLIQVA.....	148	NPLATE.....	126	OCUFLOX.....	234
<i>norlyda</i> .....	173	NUBEQA.....	48	ODACTRA.....	290
NORMOSOL-M IN 5 % DEXTROSE.....	296	NUCALA.....	307	ODEFSEY.....	115
NORMOSOL-R IN 5 % DEXTROSE.....	296	NUCYNTA.....	8	ODOMZO.....	48
NORMOSOL-R PH 7.4.....	296	NUCYNTA ER.....	8	OFEV.....	307
NORPACE.....	139	NUEDEXTA.....	162	<i>ofloxacin</i> .....	32, 234
NORPACE CR.....	138, 139	NULIBRY.....	290	OGIVRI.....	48
NORPRAMIN.....	71	NULOJIX.....	272	<i>olanzapine</i> .....	108, 109
NORTHERA.....	134	NULYTELY LEMON-LIME.....	246	<i>olanzapine-fluoxetine</i> .....	71
<i>nortrel 0.5/35 (28)</i> .....	173	NUPLAZID.....	108	OLINVYK.....	8
<i>nortrel 1/35 (21)</i> .....	173	NURTEC ODT.....	94	<i>olmesartan</i> .....	135
<i>nortrel 1/35 (28)</i> .....	173	NUTRILIPID.....	132	<i>olmesartan-amlodipin-hcthiazid</i> .....	135
<i>nortrel 7/7/7 (28)</i> .....	173	NUTROPIN AQ NUSPIN...	261	<i>olmesartan-hydrochlorothiazide</i> .....	135
<i>nortriptyline</i> .....	71	NUVARING.....	174	<i>olopatadine</i> .....	231
NORVASC.....	148	NUVESSA.....	91	OLUMIANT.....	273
NORVIR.....	115	NUVIGIL.....	310	OLUX.....	185
NOURIANZ.....	103	NUZYRA.....	34	OMECLAMOX-PAK.....	240
NOVOFINE 30.....	209	<i>nyamyc</i> .....	88	<i>omega-3 acid ethyl esters</i> .....	153
NOVOFINE 32.....	209	<i>nylia 1/35 (28)</i> .....	174	OMEGAVEN.....	132
NOVOFINE PLUS.....	209	<i>nylia 7/7/7 (28)</i> .....	174	<i>omeprazole</i> .....	240
NOVOLIN 70/30 U-100 INSULIN.....	82	NYMALIZE.....	148	<i>omeprazole-sodium bicarbonate</i> .....	240
NOVOLIN 70-30 FLEXPEN U-100.....	83	<i>nymyo</i> .....	174	OMNARIS.....	237
NOVOLIN N FLEXPEN.....	83	<i>nystatin</i> .....	88	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	209
NOVOLIN N NPH U-100 INSULIN.....	83	<i>nystatin-triamcinolone</i> .....	88	OMNIPOD 5 G6 PODS (GEN 5).....	209
NOVOLIN R FLEXPEN.....	83	<i>nystop</i> .....	88	OMNIPOD CLASSIC PDM KIT(GEN 3).....	209

OMNIPOD CLASSIC PODS (GEN 3).....	210	<i>orphenadrine citrate</i> .....	309	<i>paliperidone</i> .....	109
OMNIPOD DASH INTRO KIT (GEN 4).....	210	<i>orsythia</i> .....	174	PALONOSETRON.....	98
OMNIPOD DASH PDM KIT (GEN 4).....	210	ORTHO MICRONOR.....	174	<i>palonosetron</i> .....	98
OMNIPOD DASH PODS (GEN 4).....	210	ORTHO TRI-CYCLEN (28)	174	PALYNZIQ.....	228
OMNITROPE.....	261, 262	ORTHO-NOVUM 7/7/7 (28)	174	PAMELOR.....	71
ONCASPAR.....	48	<i>oseltamivir</i> .....	118	<i>pamidronate</i> .....	286
<i>ondansetron</i> .....	97	OSENI.....	77	PANCREAZE.....	228
<i>ondansetron hcl</i> .....	97	OSMOLEX ER.....	103	PANDEL.....	185
<i>ondansetron hcl (pf)</i> .....	97	OSMOPREP.....	246	PANRETIN.....	180
ONFI.....	63	OSPHENA.....	255	<i>pantoprazole</i> .....	240, 241
ONGENTYS.....	103	OTEZLA.....	273	PANZYGA.....	273
ONGLYZA.....	77	OTEZLA STARTER.....	273	PARAPLATIN.....	49
ONIVYDE.....	48	OTOVEL.....	231	<i>paricalcitol</i> .....	286
ONPATTRO.....	290	OTREXUP (PF).....	273	PARICALCITOL.....	286
ONTRUZANT.....	48	<i>oxacillin</i> .....	31	PARLODEL.....	103
ONUREG.....	48	<i>oxaliplatin</i> .....	48	PARNATE.....	71
OPDIVO.....	48	<i>oxandrolone</i> .....	251	<i>paroex oral rinse</i> .....	178
OPDUALAG.....	48	<i>oxaprozin</i> .....	13	<i>paromomycin</i> .....	100
OPSUMIT.....	311	OXAYDO.....	8	<i>paroxetine hcl</i> .....	72
OPZELURA.....	180	<i>oxazepam</i> .....	19	<i>paroxetine</i> <i>mesylate (menop.sym)</i> .....	290
ORALAIR.....	290	OXBRYTA.....	128	PASER.....	95
<i>oralone</i> .....	178	<i>oxcarbazepine</i> .....	63	PATANASE.....	231
ORAPRED ODT.....	258	OXERVATE.....	231	PAXIL.....	72
ORAVIG.....	89	<i>oxiconazole</i> .....	89	PAXIL CR.....	72
ORBACTIV.....	23	OXISTAT.....	89	PAXLOVID (EUA).....	118
ORENCIA.....	273	OXLUMO.....	290	PEDIARIX (PF).....	279
ORENCIA (WITH MALTOSE).....	273	OXSORALEN ULTRA.....	180	PEDVAX HIB (PF).....	279
ORENCIA CLICKJECT.....	273	OXTELLAR XR.....	63	<i>peg 3350-electrolytes</i> .....	246
ORENITRAM.....	311	<i>oxybutynin chloride</i> .....	248	<i>peg3350-sod sul-nacl-kcl-asb-c</i>	246
ORFADIN.....	228	<i>oxycodone</i> .....	8, 9	PEGASYS.....	120
ORGOVYX.....	262	<i>oxycodone-acetaminophen</i> .....	9	<i>peg-electrolyte soln</i> .....	246
ORIAHNN.....	262	<i>oxycodone-aspirin</i> .....	9	PEGINTRON.....	120
ORILISSA.....	262	OXYCONTIN.....	9	PEMAZYRE.....	49
ORKAMBI.....	307	<i>oxymorphone</i> .....	9	<i>pemetrexed</i> .....	49
ORLADEYO.....	126	OXYTROL.....	248	<i>pemetrexed disodium</i> .....	49
		OZEMPIC.....	77	PEN NEEDLE.....	202, 210, 212
		<i>pacerone</i> .....	139	PEN NEEDLE, DIABETIC .....	194, 208, 210, 212
		<i>paclitaxel</i> .....	49		
		<i>paclitaxel protein-bound</i> .....	49		
		PADCEV.....	49		

PEN NEEDLE, DIABETIC, SAFETY .....	213	PHESGO .....	49	<i>polymyxin b sulfate</i> .....	23
<i>penicillamine</i> .....	250	PHEXXI .....	174	<i>polymyxin b sulf-trimethoprim</i> .....	234
<i>penicillin g potassium</i> .....	31	<i>philith</i> .....	174	POLYTRIM .....	234
<i>penicillin g procaine</i> .....	31	PHOSLYRA .....	247	POMALYST .....	49
<i>penicillin g sodium</i> .....	31	PHOSPHOLINE IODIDE .....	294	PONVORY .....	163
<i>penicillin v potassium</i> .....	31	PHYSIOLYTE .....	284	PONVORY 14-DAY STARTER PACK .....	163
PENTACEL (PF) .....	279	PHYSIOSOL IRRIGATION .....	284	<i>portia 28</i> .....	174
PENTACEL DTAP-IPV COMPNT (PF) .....	279	PICATO .....	180	PORTRAZZA .....	49
PENTAM .....	100	PIFELTRO .....	115	<i>posaconazole</i> .....	89
<i>pentamidine</i> .....	100	<i>pilocarpine hcl</i> .....	178, 294	<i>potassium chloride</i> .....	297
PENTASA .....	283	<i>pimecrolimus</i> .....	185	<i>potassium chloride in 5 % dex</i> .....	297
<i>pentazocine-naloxone</i> .....	9	<i>pimozide</i> .....	109	<i>potassium chloride-0.45 % nacl</i> .....	297
PENTIPS .....	210, 211	<i>pimtreea (28)</i> .....	174	<i>potassium citrate</i> .....	297
<i>pentobarbital sodium</i> .....	310	<i>pindolol</i> .....	141	<i>pr natal 400</i> .....	315
<i>pentoxifylline</i> .....	128	<i>pioglitazone</i> .....	77	<i>pr natal 400 ec</i> .....	315
PEPAXTO .....	49	<i>pioglitazone-glimepiride</i> .....	77	<i>pr natal 430</i> .....	315
PERCOCET .....	9	<i>pioglitazone-metformin</i> .....	77	<i>pr natal 430 ec</i> .....	315
PERFOROMIST .....	304	PIP PEN NEEDLE .....	211	PRADAXA .....	124
PERIKABIVEN .....	132	<i>piperacillin-tazobactam</i> .....	31	PRALUENT PEN .....	153
<i>perindopril erbumine</i> .....	137	PIQRAY .....	49	<i>pramipexole</i> .....	103
<i>periogard</i> .....	178	<i>pirfenidone</i> .....	307	<i>prasugrel</i> .....	128
PERJETA .....	49	<i>pirmella</i> .....	174	<i>pravastatin</i> .....	153, 154
<i>permethrin</i> .....	187	<i>piroxicam</i> .....	13	<i>praziquantel</i> .....	100
<i>perphenazine</i> .....	109	PLAQUENIL .....	100	<i>prazosin</i> .....	134
<i>perphenazine-amitriptyline</i> .....	72	PLASMA-LYTE 148 .....	296	PRECOSE .....	77
PERSERIS .....	109	PLASMA-LYTE A .....	297	PRED MILD .....	237
PERTZYE .....	228	PLAVIX .....	128	PRED-G .....	234
PEXEVA .....	72	PLEGRIDY .....	162, 163	PRED-G S.O.P. .....	234
<i>pfizerpen-g</i> .....	31	PLENVU .....	246	<i>prednicarbate</i> .....	185
<i>phenelzine</i> .....	72	<i>pnv 29-1</i> .....	314	<i>prednisolone</i> .....	258
<i>phenobarbital</i> .....	63	<i>pnv-dha + docusate</i> .....	314	<i>prednisolone acetate</i> .....	237
<i>phenoxybenzamine</i> .....	134	<i>pnv-ferrous fumarate-docu-fa</i> .....	315	<i>prednisolone sodium phosphate</i> .....	238, 258
<i>phentolamine</i> .....	134	<i>pnv-omega</i> .....	315	<i>prednisone</i> .....	258
<i>phenylephrine hcl</i> .....	134, 231	<i>pnv-vp-u</i> .....	315	<i>pregabalin</i> .....	64
PHENYTEK .....	63	<i>podofilox</i> .....	180	PREHEVBRIO (PF) .....	279
<i>phenytoin</i> .....	63	POLIVY .....	49	PREMARIN .....	255
<i>phenytoin sodium</i> .....	64	<i>polycin</i> .....	234	PREMPHASE .....	256
<i>phenytoin sodium extended</i> .....	64	<i>polyethylene glycol 3350</i> .....	246		
		POLYETHYLENE GLYCOL 3350(BULK) .....	246		

PREMPRO.....	256	PROAIR HFA.....	304	PROVENTIL HFA.....	304
<i>prenal true</i> .....	315	PROAIR RESPICLICK.....	304	PROVERA.....	264
<i>prenaissance</i> .....	315	<i>probenecid</i> .....	90	PROVIGIL.....	310
<i>prenaissance plus</i> .....	315	<i>probenecid-colchicine</i> .....	90	PROZAC.....	72
<i>prenatabs fa</i> .....	315	<i>procainamide</i> .....	139	PULMICORT.....	301
<i>prenatal 19</i> .....	315	PROCALAMINE 3%.....	132	PULMICORT	
<i>prenatal 19 (with docusate)</i> .....	315	PROCARDIA.....	148	FLEXHALER.....	301
<i>prenatal low iron</i> .....	315	PROCARDIA XL.....	148	PULMOZYME.....	228
<i>prenatal plus</i> .....	315	<i>prochlorperazine</i> .....	98	PURE COMFORT	
<i>prenatal plus (calcium carb)</i> ..	315	<i>prochlorperazine edisylate</i> .....	98	ALCOHOL PADS.....	180
<i>prenatal vitamin plus low iron</i> .....	315	<i>prochlorperazine maleate</i> .....	98	PURE COMFORT PEN	
<i>prenatal-u</i> .....	315	PROCRIT.....	126	NEEDLE.....	212
<i>preplus</i> .....	315	<i>procto-med hc</i> .....	185	<i>purefe ob plus</i> .....	315
<i>pretab</i> .....	315	<i>procto-pak</i> .....	185	<i>purefe plus</i> .....	316
PRETOMANID.....	95	<i>proctosol hc</i> .....	185	PURIXAN.....	50
PREVACID.....	241	<i>proctozone-hc</i> .....	185	PYLERA.....	244
PREVACID SOLUTAB.....	241	PRODIGY INSULIN		<i>pyrazinamide</i> .....	96
<i>prevalite</i> .....	154	SYRINGE.....	212	<i>pyridostigmine bromide</i> .....	291
PREVENT DROPSAFE		<i>progesterone</i> .....	264	<i>pyrimethamine</i> .....	100
PEN NEEDLE.....	211	<i>progesterone micronized</i> .....	264	QBRELIS.....	137
<i>previfem</i> .....	174	PROGLYCEM.....	291	QINLOCK.....	50
PREVYMIS.....	118	PROGRAF.....	273	QNASL.....	238
PREZCOBIX.....	115	PROLASTIN-C.....	307	QTERN.....	77
PREZISTA.....	115	PROLENSA.....	238	QUADRACEL (PF).....	280
PRIFTIN.....	95	PROLEUKIN.....	50	QUALAQUIN.....	100
PRILOSEC.....	241	PROLIA.....	286	QUARTETTE.....	174
PRIMAQUINE.....	100	PROMACTA.....	126	QUDEXY XR.....	64
PRIMAXIN IV.....	29	<i>promethazine</i> .....	91, 98	<i>quetiapine</i> .....	109
<i>primidone</i> .....	64	<i>promethegan</i> .....	98	QUILLICHEW ER.....	163
PRIMSOL.....	23	PROMETRIUM.....	264	QUILLIVANT XR.....	163
PRINIVIL.....	137	<i>propafenone</i> .....	139	<i>quinapril</i> .....	137
PRIORIX (PF).....	280	<i>proparacaine</i> .....	231	<i>quinapril-hydrochlorothiazide</i> .....	137
PRISTIQ.....	72	<i>propranolol</i> .....	141	<i>quinidine gluconate</i> .....	139
PRIVIGEN.....	273	<i>propranolol-hydrochlorothiazid</i>		<i>quinidine sulfate</i> .....	139
PRO COMFORT		.....	141	<i>quinine sulfate</i> .....	100
ALCOHOL PADS.....	180	<i>propylthiouracil</i> .....	265	QULIPTA.....	94
PRO COMFORT INSULIN		PROQUAD (PF).....	280	QUVIVIQ.....	310
SYRINGE.....	211	PROSOL 20 %.....	132	QVAR REDHALER.....	301
PRO COMFORT PEN		PROTONIX.....	241	RABAVERT (PF).....	280
NEEDLE.....	211	<i>protriptyline</i> .....	72	<i>rabeprazole</i> .....	241

RADICAVA.....	163	REMODULIN.....	311	RIOMET.....	77
RADICAVA ORS		RENACIDIN.....	284	<i>risedronate</i> .....	286
STARTER KIT SUSP.....	163	RENAGEL.....	247	RISPERDAL.....	109, 110
<i>raloxifene</i> .....	256	RENFLEXIS.....	274	RISPERDAL CONSTA.....	109
<i>ramipril</i> .....	137	REVELA.....	247	<i>risperidone</i> .....	110
RANEXA.....	146	<i>repaglinide</i> .....	77	RITALIN.....	164
<i>ranolazine</i> .....	146	<i>repaglinide-metformin</i> .....	77	RITALIN LA.....	164
RAPAFLO.....	249	REPATHA PUSHTRONEX	154	<i>ritonavir</i> .....	116
RAPAMUNE.....	273, 274	REPATHA SURECLICK....	154	RITUXAN.....	50
RAPIVAB (PF).....	118	REPATHA SYRINGE.....	154	RITUXAN HYCELA.....	50
<i>rasagiline</i> .....	103	REQUIP.....	103	<i>rivastigmine</i> .....	68
RASUVO (PF).....	274	REQUIP XL.....	103	<i>rivastigmine tartrate</i> .....	68
RAVICTI.....	244	RESTASIS.....	238	<i>rivelsa</i> .....	175
RAYALDEE.....	286	RESTASIS MULTIDOSE....	238	<i>rizatriptan</i> .....	94
RAZADYNE ER.....	68	RESTORIL.....	19	<i>r-natal ob</i> .....	316
REBIF (WITH ALBUMIN).	163	RETACRIT.....	127	ROBAXIN-750.....	309
REBIF REBIDOSE.....	163	RETEVMO.....	50	ROCALTROL.....	286, 287
REBIF TITRATION PACK	163	RETROVIR.....	115	ROCKLATAN.....	294
REBLOZYL.....	126	REVATIO.....	311	<i>romidepsin</i> .....	50
RECARBRIO.....	29	REVCOVI.....	228	<i>ropinirole</i> .....	103
RECLAST.....	286	REVLIMID.....	50	<i>rosadan</i> .....	182
<i>reclipsen (28)</i> .....	174	REXULTI.....	109	<i>rosuvastatin</i> .....	154
RECOMBIVAX HB (PF)....	280	REYATAZ.....	115	ROTARIX.....	280
RECORLEV.....	291	REYVOW.....	94	ROTATEQ VACCINE.....	280
RECTIV.....	291	REZUROCK.....	274	ROWASA.....	283
REDITREX (PF).....	274	RHOGAM ULTRA-		ROWEEPRA.....	64
REGLAN.....	244	FILTERED PLUS.....	274	ROWEEPRA XR.....	64
REGONOL.....	291	RHOPHYLAC.....	274	ROXICODONE.....	9
REGRANEX.....	180	RHOPRESSA.....	294	ROXYBOND.....	9
RELAFEN.....	13	RIABNI.....	50	ROZLYTREK.....	50
RELENZA DISKHALER...	118	<i>ribavirin</i> .....	121	RUBRACA.....	50
RELEUKO.....	126	RIDAURA.....	274	RUCONEST.....	127
RELION NEEDLES.....	212	<i>rifabutin</i> .....	96	<i>rufinamide</i> .....	64
RELION PEN NEEDLES....	212	RIFADIN.....	96	RUKOBIA.....	116
RELISTOR.....	244	<i>rifampin</i> .....	96	RUXIENCE.....	50
RELPAK.....	94	<i>rilpivirine</i> .....	115	RUZURGI.....	291
RELSTONE.....	244	RILUTEK.....	163	RYBELSUS.....	77
REMERON.....	72	<i>riluzole</i> .....	164	RYBREVANT.....	50
REMERON SOLTAB.....	72	<i>rimantadine</i> .....	118	RYDAPT.....	50
REMICADE.....	274	RINVOQ.....	274	RYLAZE.....	51

RYTARY.....	103	SEMGLEE U-100 INSULIN .	83	SKELAXIN.....	309
RYTHMOL SR.....	139	SEMGLEE(INSULIN		SKYRIZI.....	275
SABRIL.....	64	GLARGINE-YFGN).....	84	SKYTROFA.....	262
SAFESNAP INSULIN		SEMGLEE(INSULIN		SLYND.....	175
SYRINGE.....	213	GLARG-YFGN)PEN.....	84	<i>smoflipid</i> .....	132
SAFETY PEN NEEDLE.....	213	<i>se-natal 19 chewable</i> .....	316	<i>sodium chloride</i> .....	298
SAFYRAL.....	175	SENSIPAR.....	287	<i>sodium chloride 0.45 %</i> .....	297
SAIZEN.....	262	SEREVENT DISKUS.....	304	<i>sodium chloride 0.9 %</i> .....	297, 298
SAIZEN SAIZENPREP.....	262	SERNIVO.....	185	<i>sodium chloride 3 % hypertonic</i>	
<i>sajazir</i> .....	146	SEROQUEL.....	110	.....	298
SALAGEN		SEROQUEL XR.....	110	<i>sodium chloride 5 % hypertonic</i>	
(PILOCARPINE).....	178	SEROSTIM.....	262	.....	298
SAMSCA.....	150	<i>sertraline</i> .....	72	<i>sodium phenylbutyrate</i> .....	244
SANCUSO.....	98	<i>setlakin</i> .....	175	<i>sodium polystyrene (sorb free)</i>	
SANDIMMUNE.....	274	<i>sevelamer carbonate</i> .....	247	.....	244
SANDOSTATIN.....	262	<i>sevelamer hcl</i> .....	247	<i>sodium polystyrene sulfonate</i> ..	244
SANDOSTATIN LAR		<i>sf 5000 plus</i> .....	178	<i>sofosbuvir-velpatasvir</i> .....	119
DEPOT.....	262	<i>sharobel</i> .....	175	SOLARAZE.....	13
SANTYL.....	180	SHINGRIX (PF).....	280	<i>solifenacin</i> .....	248
SAPHNELO.....	275	SIGNIFOR.....	262	SOLIQUA 100/33.....	84
SAPHRIS.....	110	SIKLOS.....	128	SOLOSEC.....	23
<i>sapropterin</i> .....	228, 229	<i>sildenafil (pulm.hypertension)</i>		SOLTAMOX.....	51
SARCLISA.....	51	.....	311, 312	SOLU-CORTEF ACT-O-	
SAVAYSA.....	124	SILENOR.....	310	VIAL (PF).....	258
SAVELLA.....	164	SILIQ.....	275	SOLU-MEDROL.....	259
SCSEMBLIX.....	51	<i>silodosin</i> .....	249	SOLU-MEDROL (PF).....	259
<i>scopolamine base</i> .....	98	<i>silver sulfadiazine</i> .....	182	SOMA.....	309
SEASONIQUE.....	175	SIMBRINZA.....	294	SOMATULINE DEPOT	
SECUADO.....	110	<i>simliya (28)</i> .....	175	.....	262, 263
SECURESAFE PEN		<i>simpesse</i> .....	175	SOMAVERT.....	263
NEEDLE.....	213	SIMPONI.....	275	<i>sorafenib</i> .....	51
SEEBRI NEOHALER.....	304	SIMPONI ARIA.....	275	SORIATANE.....	180
SEGLUROMET.....	77	SIMULECT.....	275	<i>sorine</i> .....	141
<i>select-ob</i> .....	316	<i>simvastatin</i> .....	154	<i>sotalol</i> .....	142
<i>select-ob (folic acid)</i> .....	316	SINEMET.....	103	<i>sotalol af</i> .....	141
<i>selegiline hcl</i> .....	103	SINGULAIR.....	302	SOTYLIZE.....	142
<i>selenium sulfide</i> .....	182	<i>sirolimus</i> .....	275	SOVALDI.....	119
SELZENTRY.....	116	SIRTURO.....	96	SPIRIVA RESPIMAT.....	305
SEMGLEE PEN U-100		SITAVIG.....	121	SPIRIVA WITH	
INSULIN.....	83	SIVEXTRO.....	23	HANDIHALER.....	305

<i>spironolactone</i> .....	150	<i>sulfadiazine</i> .....	33	SYMFI.....	116
<i>spironolacton-hydrochlorothiaz</i> .....	150	<i>sulfamethoxazole-</i> <i>trimethoprim</i> .....	33	SYMFI LO.....	116
SPORANOX.....	89	<i>sulfasalazine</i> .....	283	SYMJEPI.....	146
SPRAVATO.....	72	SULFATRIM.....	33	SYMLINPEN 120.....	78
<i>sprintec (28)</i> .....	175	<i>sulfatrim</i> .....	33	SYMLINPEN 60.....	78
SPRITAM.....	64	<i>sulindac</i> .....	13	SYMPAZAN.....	65
SPRYCEL.....	51	<i>sumatriptan</i> .....	94	SYMPROIC.....	244
<i>sps (with sorbitol)</i> .....	244	<i>sumatriptan succinate</i> .....	94	SYMTUZA.....	116
<i>sronyx</i> .....	175	<i>sunitinib</i> .....	51	SYNAGIS.....	118
<i>ssd</i> .....	182	SUNOSI.....	310	SYNALAR.....	185
STALEVO 100.....	104	SUPPRELIN LA.....	263	SYNAREL.....	263
STALEVO 150.....	104	SUPRAX.....	26	SYNDROS.....	98
STARLIX.....	77	SUPREP BOWEL PREP KIT.....	246	SYNERCID.....	23
<i>stavudine</i> .....	116	SURE COMFORT ALCOHOL PREP PADS.....	180	SYNJARDY.....	78
STEGLATRO.....	78	SURE COMFORT INS. SYR. U-100.....	213	SYNJARDY XR.....	78
STEGLUJAN.....	78	SURE COMFORT INSULIN SYRINGE....	213, 214	SYNRIBO.....	51
STELARA.....	275	SURE COMFORT PEN NEEDLE.....	214	SYNTHROID.....	265
STERILE PADS.....	213	SURE COMFORT SAFETY PEN NEEDLE.....	213	SYPRINE.....	250
STIOLTO RESPIMAT.....	305	SURE-FINE PEN NEEDLES.....	214, 215	TABLOID.....	51
STIVARGA.....	51	SURE-JECT INSULIN SYRINGE.....	215	TABRECTA.....	51
STRATTERA.....	164	SURE-PREP ALCOHOL PREP PADS.....	180	TACLONEX.....	180
STRENSIQ.....	229	SUSTIVA.....	116	<i>tacrolimus</i> .....	185, 275
<i>streptomycin</i> .....	20	SUSTOL.....	98	<i>tadalafil</i> .....	312
STRIBILD.....	116	SUTAB.....	246	<i>tadalafil (pulm. hypertension)</i>	312
STRIVERDI RESPIMAT....	305	SUTENT.....	51	TAFINLAR.....	51
STROMECTOL.....	100	<i>syeda</i> .....	175	TAGRISSO.....	51
SUBLOCADE.....	16	SYLVANT.....	51	TAKHZYRO.....	291
SUBOXONE.....	16	SYMBICORT.....	301	TALICIA.....	241
<i>subvenite</i> .....	65	SYMBYAX.....	73	TALTZ AUTOINJECTOR..	275
<i>subvenite starter (blue) kit</i> .....	65	SYMDEKO.....	308	TALTZ SYRINGE.....	276
<i>subvenite starter (green) kit</i> .....	65			TALZENNA.....	51
<i>subvenite starter (orange) kit</i> ..	65			TAMIFLU.....	118
SUCRAID.....	229			<i>tamoxifen</i> .....	51
<i>sucrafate</i> .....	241			<i>tamsulosin</i> .....	249
SULAR.....	148			TARCEVA.....	52
<i>sulconazole</i> .....	89			TARGRETIN.....	52
<i>sulfacetamide sodium</i> .....	234			<i>tarina 24 fe</i> .....	175
<i>sulfacetamide sodium (acne)</i> ..	182			<i>tarina fe 1-20 eq (28)</i> .....	175
<i>sulfacetamide-prednisolone</i> ....	234			TARKA.....	138
				<i>taron-c dha</i> .....	316

<i>taron-prex prenatal-dha</i> .....	316	TEPADINA.....	52	TICE BCG.....	52
TARPEYO.....	259	TEPEZZA.....	231	TICOVAC.....	281
TASIGNA.....	52	TEPMETKO.....	52	TIGAN.....	98
TASMAR.....	104	<i>terazosin</i> .....	249	<i>tigecycline</i> .....	34
TAVALISSE.....	128	<i>terbinafine hcl</i> .....	89	TIKOSYN.....	139
TAVNEOS.....	276	<i>terbutaline</i> .....	305	<i>tilia fe</i> .....	175
<i>taysofy</i> .....	175	<i>terconazole</i> .....	91, 92	<i>timolol maleate</i> .....	142, 294
TAYTULLA.....	175	<i>teriparatide</i> .....	287	<i>timolol maleate (pf)</i> .....	294
<i>tazarotene</i> .....	186	TERUMO INSULIN		TIMOPTIC.....	294
<i>tazicef</i> .....	26	SYRINGE.....	216, 217	TIMOPTIC OCUDOSE (PF)	
TAZORAC.....	186	TESTIM.....	251	.....	294
<i>taztia xt</i> .....	143	<i>testosterone</i> .....	252	TIMOPTIC-XE.....	295
TAZVERIK.....	52	<i>testosterone cypionate</i> .....	251, 252	<i>tinidazole</i> .....	100
TDVAX.....	281	<i>testosterone enanthate</i> .....	252	<i>tiopronin</i> .....	249
TECENTRIQ.....	52	TESTRED.....	252	TIVDAK.....	52
TECFIDERA.....	164	TETANUS,DIPHThERIA		TIVICAY.....	116
TECHLITE INSULIN		TOX PED(PF).....	281	TIVICAY PD.....	116
SYRINGE.....	215, 216	<i>tetrabenazine</i> .....	164	<i>tizanidine</i> .....	309
TECHLITE INSULN		<i>tetracycline</i> .....	34	TLANDO.....	252
SYR(HALF UNIT).....	215	TEZSPIRE.....	308	TOBI.....	20
TECHLITE PEN NEEDLE	216	THALOMID.....	291	TOBI PODHALER.....	20
TEFLARO.....	26	<i>theophylline</i> .....	305	TOBRADEX.....	234, 235
TEGRETOL.....	65	THINPRO INSULIN		TOBRADEX ST.....	235
TEGRETOL XR.....	65	SYRINGE.....	217	<i>tobramycin</i> .....	20, 235
TEGSEDI.....	291	THIOLA.....	249	<i>tobramycin in 0.225 % nacl</i> .....	20
TEKTRNA.....	155	THIOLA EC.....	249	<i>tobramycin in 0.9 % nacl</i> .....	20
TEKTRNA HCT.....	155	<i>thioridazine</i> .....	110	<i>tobramycin sulfate</i> .....	20
<i>telmisartan</i> .....	135	<i>thiotepa</i> .....	52	<i>tobramycin-dexamethasone</i> ....	235
<i>telmisartan-amlodipine</i> ...	135, 136	<i>thiothixene</i> .....	110	TOBEX.....	235
<i>telmisartan-hydrochlorothiazid</i>		THYMOGLOBULIN.....	276	<i>tolcapone</i> .....	104
.....	136	THYQUIDITY.....	265	<i>tolmetin</i> .....	13
<i>temazepam</i> .....	19	THYROLAR-1.....	265	<i>tolterodine</i> .....	248
TEMIXYS.....	116	THYROLAR-1/2.....	265	<i>tolvaptan</i> .....	150
<i>temsirolimus</i> .....	52	THYROLAR-1/4.....	265	TOPAMAX.....	65
<i>tencon</i> .....	10	THYROLAR-2.....	265	TOPCARE CLICKFINE.....	217
TENIVAC (PF).....	281	THYROLAR-3.....	266	TOPCARE ULTRA	
<i>tenofovir disoproxil fumarate</i> ..	116	<i>tiadylt er</i> .....	143	COMFORT.....	217
TENORETIC 100.....	142	<i>tiagabine</i> .....	65	<i>topiramate</i> .....	65
TENORETIC 50.....	142	TIAZAC.....	143	<i>toposar</i> .....	52
TENORMIN.....	142	TIBSOVO.....	52	<i>topotecan</i> .....	52



TOPROL XL.....	142	<i>triamcinolone acetonide</i>	<i>triveen-prx rnf</i> .....	316
<i>toremifene</i> .....	53	.....	<i>trivora (28)</i> .....	176
TORISEL.....	53	<i>triamterene</i> .....	<i>tri-vylibra</i> .....	176
<i>torseamide</i> .....	150	<i>triamterene-hydrochlorothiazid</i>	<i>tri-vylibra lo</i> .....	176
TOUJEO MAX U-300		.....	TRIZIVIR.....	116
SOLOSTAR.....	84	<i>triazolam</i> .....	TRODELVY.....	53
TOUJEO SOLOSTAR U-300		TRIBENZOR.....	TROGARZO.....	117
INSULIN.....	84	TRICOR.....	TROKENDI XR.....	66
TOVIAZ.....	248	<i>triderm</i> .....	TROPHAMINE 10 %.....	132
TRACLEER.....	312	<i>trientine</i> .....	<i>tropicamide</i> .....	231
TRADJENTA.....	78	<i>tri-estarylla</i> .....	<i>tropium</i> .....	248
<i>tramadol</i> .....	10	<i>trifluoperazine</i> .....	TRUDHESA.....	94
<i>tramadol-acetaminophen</i> .....	10	<i>trifluridine</i> .....	TRUE COMFORT	
<i>trandolapril</i> .....	138	<i>trihexyphenidyl</i> .....	ALCOHOL PADS.....	180
<i>trandolapril-verapamil</i> .....	138	TRIJARDY XR.....	TRUE COMFORT	
<i>tranexamic acid</i> .....	128	TRIKAFTA.....	INSULIN SYRINGE.....	218
TRANSDERM-SCOP.....	98	<i>tri-legest fe</i> .....	TRUE COMFORT PEN	
TRANXENE T-TAB.....	19	TRILEPTAL.....	NEEDLE.....	218
<i>tranlycypromine</i> .....	73	<i>tri-linyah</i> .....	TRUE COMFORT PRO	
TRAVASOL 10 %.....	132	TRILIPIX.....	ALCOHOL PADS.....	180
TRAVATAN Z.....	295	<i>tri-lo-estarylla</i> .....	TRUE COMFORT PRO INS	
<i>travoprost</i> .....	295	<i>tri-lo-marzia</i> .....	SYRINGE.....	217, 218, 219
TRAZIMERA.....	53	<i>tri-lo-mili</i> .....	TRUEPLUS INSULIN.....	219, 220
<i>trazodone</i> .....	73	<i>tri-lo-sprintec</i> .....	TRUEPLUS PEN NEEDLE.....	219
TREANDA.....	53	<i>trilyte with flavor packets</i> .....	TRULANCE.....	245
TRECTOR.....	96	<i>trimethobenzamide</i> .....	TRULICITY.....	78
TRELEGY ELLIPTA.....	305	<i>trimethoprim</i> .....	TRUMENBA.....	281
TRELSTAR.....	53	<i>tri-mili</i> .....	TRUSELTIQ.....	53
TREMFYA.....	276	<i>trimipramine</i> .....	TRUSOPT.....	295
<i>treprostinil sodium</i> .....	312	TRINTELLIX.....	TRUVADA.....	117
TRESIBA FLEXTOUCH U-		<i>tri-nymyo</i> .....	TRUXIMA.....	53
100.....	84	TRIOSTAT.....	TUDORZA PRESSAIR.....	305
TRESIBA FLEXTOUCH U-		<i>tri-previfem (28)</i> .....	TUKYSA.....	53
200.....	84	TRIPTODUR.....	<i>tulana</i> .....	176
TRESIBA U-100 INSULIN..	84	TRISENOX.....	TURALIO.....	53
<i>tretinoin</i> .....	186	<i>tri-sprintec (28)</i> .....	TWINRIX (PF).....	281
<i>tretinoin (antineoplastic)</i> .....	53	TRITOCIN.....	TWYNSTA.....	136
<i>tretinoin microspheres</i> .....	186	TRIUMEQ.....	<i>tyblume</i> .....	176
<i>tri femynor</i> .....	175	TRIUMEQ PD.....	TYBOST.....	291
		<i>triveen-duo dha</i> .....	<i>tydemy</i> .....	176

TYGACIL.....	34	ULTRA FLO PEN NEEDLE	223	UVADEX.....	180
TYKERB.....	54	.....	223	VABOMERE.....	29
TYMLOS.....	287	ULTRA THIN PEN		VAGIFEM.....	256
TYPHIM VI.....	281	NEEDLE.....	223	<i>valacyclovir</i> .....	121
TYRVAYA.....	231	ULTRACARE INSULIN		VALCHLOR.....	180
TYSABRI.....	276	SYRINGE.....	223, 224	VALCYTE.....	121
TYVASO.....	312	ULTRACARE PEN		<i>valganciclovir</i> .....	121
TYVASO DPI.....	312	NEEDLE.....	224	VALIUM.....	19
UBRELVY.....	94	ULTRA-THIN II (SHORT)		<i>valproate sodium</i> .....	66
UCERIS.....	283	INS SYR.....	224	<i>valproic acid</i> .....	66
UDENYCA.....	127	ULTRA-THIN II (SHORT)		<i>valproic acid (as sodium salt)</i> ...66	
ULORIC.....	90	PEN NDL.....	225	<i>valrubicin</i> .....	54
ULTICARE.....	220, 221	ULTRA-THIN II INS PEN		<i>valsartan</i> .....	136
ULTICARE INSULIN		NEEDLES.....	225	<i>valsartan-hydrochlorothiazide</i> 136	
SYRINGE.....	220	ULTRA-THIN II INSULIN		VALSTAR.....	54
ULTICARE INSULN		SYRINGE.....	224	VALTOCO.....	66
SYR(HALF UNIT).....	220	UNASYN.....	31	VALTRES.....	121
ULTICARE PEN NEEDLE	220	UNIFINE PEN NEEDLE....	225	VANCOCIN.....	23
ULTICARE SAFETY PEN		UNIFINE PENTIPS.....	210, 225	<i>vancomycin</i> .....	23, 24
NEEDLE.....	220	UNIFINE PENTIPS		<i>vancomycin in dextrose 5 %</i> .....23	
ULTIGUARD SAFEPACK-		MAXFLOW.....	225	<i>vancomycin-water inject (peg)</i> .24	
INSULIN SYR.....	221, 222	UNIFINE PENTIPS PLUS		VANDAZOLE.....	92
ULTIGUARD SAFEPACK-		.....	225, 226	VANISHPOINT INSULIN	
PEN NEEDLE.....	221	UNIFINE PENTIPS PLUS		SYRINGE.....	226
ULTILET ALCOHOL		MAXFLOW.....	225	VANISHPOINT SYRINGE.	226
SWAB.....	180	UNIFINE SAFECONTROL	226	VANOS.....	186
ULTILET INSULIN		UNIFINE ULTRA PEN		VAQTA (PF).....	281
SYRINGE.....	204, 222	NEEDLE.....	226	<i>varenicline</i> .....	16
ULTILET PEN NEEDLE....	222	UNITHROID.....	266	VARIVAX (PF).....	281
ULTOMIRIS.....	276	UNITUXIN.....	54	VARUBI.....	99
ULTRA CMFT INS SYR		UPLIZNA.....	164	VASCEPA.....	154
(HALF UNIT).....	202, 213, 220	UPTRAVI.....	312	VASERETIC.....	138
ULTRA COMFORT		UROCIT-K 10.....	298	<i>vasopressin</i> .....	263
INSULIN SYRINGE		UROCIT-K 15.....	298	VASOSTRICT.....	263
.....	197, 202, 222	UROCIT-K 5.....	298	VASOTEC.....	138
ULTRA FLO INSUL		UROXATRAL.....	249	VAZCULEP.....	134
SYR(HALF UNIT).....	222, 223	URSO 250.....	245	VECAMYL.....	146
ULTRA FLO INSULIN		URSO FORTE.....	245	VECTIBIX.....	54
SYRINGE.....	223	<i>ursodiol</i> .....	245	VEKLURY.....	121
		UTIBRON NEOHALER.....	305	VELCADE.....	54

<i>velivet triphasic regimen (28)</i> .....	176	VIIBRYD.....	73	<i>vol-tab rx</i> .....	317
VELPHORO.....	247	VIJOICE.....	291	VOLTAREN.....	13
VELTASSA.....	245	<i>vilazodone</i> .....	73	VONJO.....	55
VEMLIDY.....	117	VILTEPSO.....	291	VOQUEZNA DUAL PAK...241	
<i>vena-bal dha</i> .....	316	VIMIZIM.....	229	VOQUEZNA TRIPLE PAK 242	
VENCLEXTA.....	54	VIMPAT.....	66	<i>voriconazole</i> .....	89
VENCLEXTA STARTING		<i>vinate care</i> .....	316	VOSEVI.....	119
PACK.....	54	<i>vinate gt</i> .....	316	VOTRIENT.....	55
<i>venlafaxine</i> .....	73	<i>vinate ii</i> .....	316	VOXZOGO.....	292
VENTAVIS.....	313	<i>vinate ultra</i> .....	316	<i>vp-ch plus</i> .....	317
VENTOLIN HFA.....	306	<i>vinblastine</i> .....	54	<i>vp-ch-pnv</i> .....	317
<i>verapamil</i> .....	143, 144	<i>vincasar pfs</i> .....	54	<i>vp-ggr-b6</i> .....	317
VERELAN.....	144	<i>vincristine</i> .....	54	<i>vp-pnv-dha</i> .....	317
VERELAN PM.....	144	<i>vinorelbine</i> .....	54	VPRIV.....	229
VERIFINE PEN NEEDLE..	226	VIOKACE.....	229	VRAYLAR.....	111
VERKAZIA.....	238	<i>viorele (28)</i> .....	177	VUITY.....	295
VERQUVO.....	146	VIRACEPT.....	117	VUMERITY.....	164
VERSACLOZ.....	111	VIRAMUNE.....	117	VUSION.....	89
VERSALON.....	226	VIRAMUNE XR.....	117	VYEPTI.....	94
VERZENIO.....	54	VIRAZOLE.....	121	<i>vyfemla (28)</i> .....	177
VESICARE.....	248	VIREAD.....	117	<i>vylibra</i> .....	177
VESICARE LS.....	248	<i>virt-c dha</i> .....	316	VYNDAMAX.....	146
<i>vestura (28)</i> .....	176	<i>virt-nate dha</i> .....	316	VYNDAQEL.....	146
VFEND.....	89	<i>virt-pn</i> .....	316	VYONDYS-53.....	292
VFEND IV.....	89	<i>virt-pn dha</i> .....	316	VYTORIN 10-10.....	154
V-GO 20.....	226	<i>virt-pn plus</i> .....	316	VYTORIN 10-20.....	154
V-GO 30.....	226	VISTARIL.....	291	VYTORIN 10-40.....	154
V-GO 40.....	227	VISTOGARD.....	292	VYTORIN 10-80.....	154
VIBATIV.....	24	<i>vitafol gummies</i> .....	316	VYVANSE.....	164, 165
VIBERZI.....	245	<i>vitafol nano</i> .....	316	VYVGART.....	292
VIBRAMYCIN (CALCIUM) 34		<i>vitafol-ob+dha</i> .....	317	VYXEOS.....	55
VIBRAMYCIN (MONO).....	34	VITRAKVI.....	54, 55	VYZULTA.....	295
<i>vicodin hp</i> .....	10	<i>viva dha</i> .....	317	WAKIX.....	310
VICTOZA.....	78	VIVELLE-DOT.....	256	<i>warfarin</i> .....	124
VIDAZA.....	54	VIVITROL.....	16	WEBCOL.....	181
VIEKIRA PAK.....	119	VIZIMPRO.....	55	WELCHOL.....	154, 155
<i>vienva</i> .....	177	VOCABRIA.....	117	WELIREG.....	55
<i>vigabatrin</i> .....	66	VOGELXO.....	252	WELLBUTRIN SR.....	73
<i>vigadrone</i> .....	66	<i>vol-nate</i> .....	317	WELLBUTRIN XL.....	73
VIGAMOX.....	235	<i>volnea (28)</i> .....	177	<i>wera (28)</i> .....	177

WINRHO SDF.....	276	XULTOPHY 100/3.6.....	84	<i>zenatane</i> .....	181
<i>wixela inhub</i> .....	301	XURIDEN.....	292	ZENPEP.....	229
<i>wymzya fe</i> .....	177	XYLOCAINE.....	14	<i>zenzedi</i> .....	165
XADAGO.....	104	XYLOCAINE-MPF.....	14, 139	ZEPATIER.....	119
XALATAN.....	295	<i>xylocaine-mpf</i> .....	15	ZEPOSIA.....	165
XALKORI.....	55	XYOSTED.....	252	ZEPOSIA STARTER KIT...	165
XANAX.....	19	XYREM.....	310	ZEPOSIA STARTER PACK	165
XANAX XR.....	19	XYWAV.....	310	ZEPZELCA.....	56
XARELTO.....	124	YASMIN (28).....	177	ZERBAXA.....	26
XARELTO DVT-PE TREAT		YAZ (28).....	177	ZESTORETIC.....	138
30D START.....	124	YERVOY.....	56	ZESTRIL.....	138
XATMEP.....	55	YF-VAX (PF).....	282	ZETIA.....	155
XCOPRI.....	66	YONDELIS.....	56	ZETONNA.....	238
XCOPRI MAINTENANCE		YONSA.....	56	ZIAC.....	142
PACK.....	66	YUPELRI.....	306	ZIAGEN.....	117
XCOPRI TITRATION		<i>yuvafem</i> .....	256	<i>zidovudine</i> .....	117
PACK.....	67	<i>zafemy</i> .....	177	ZIEXTENZO.....	127
XELJANZ.....	276	<i>zafirlukast</i> .....	302	ZIMHI.....	16
XELJANZ XR.....	276	<i>zaleplon</i> .....	310	<i>zingiber</i> .....	317
XELPROS.....	295	ZALTRAP.....	56	ZINPLAVA.....	276
XEMBIFY.....	276	ZANAFLEX.....	309	ZIOPTAN (PF).....	295
XENAZINE.....	165	ZANOSAR.....	56	<i>ziprasidone hcl</i> .....	111
XENLETA.....	24	<i>zarah</i> .....	177	<i>ziprasidone mesylate</i> .....	111
XEOMIN.....	292	ZARONTIN.....	67	ZIRABEV.....	56
XERMELO.....	245	ZARXIO.....	127	ZIRGAN.....	235
XGEVA.....	287	<i>zatean-pn dha</i> .....	317	ZITHROMAX.....	28
XIAFLEX.....	229	<i>zatean-pn plus</i> .....	317	ZITHROMAX TRI-PAK.....	28
XIFAXAN.....	24	ZAVESCA.....	229	ZITHROMAX Z-PAK.....	28
XIGDUO XR.....	78	<i>zebutal</i> .....	10	ZOCOR.....	155
XIIDRA.....	238	ZEGALOGUE		ZOFRAN.....	99
XOFLUZA.....	119	AUTOINJECTOR.....	292	ZOHYDRO ER.....	10
XOLAIR.....	308	ZEGALOGUE SYRINGE...	292	ZOKINVY.....	292
XOPENEX.....	306	ZEGERID.....	242	ZOLADEX.....	56
XOPENEX		ZEJULA.....	56	<i>zoledronic acid</i> .....	287
CONCENTRATE.....	306	ZELAPAR.....	104	<i>zoledronic acid-mannitol-water</i>	
XOSPATA.....	55	ZELBORAF.....	56	.....	287
XPOVIO.....	55	ZELNORM.....	245	ZOLINZA.....	56
XTAMPZA ER.....	10	ZEMAIRA.....	308	<i>zolmitriptan</i> .....	95
XTANDI.....	55, 56	ZEMDRI.....	20	ZOLOFT.....	73, 74
<i>xulane</i> .....	177	ZEMPLAR.....	287	<i>zolpidem</i> .....	311

ZOMACTON .....	263
ZOMIG .....	95
ZOMIG ZMT .....	95
ZONEGRAN .....	67
<i>zonisamide</i> .....	67
ZONTIVITY .....	128
ZORBTIVE .....	263
ZORTRESS .....	276
ZOSTAVAX (PF) .....	282
ZOSYN IN DEXTROSE (ISO-OSM) .....	31
<i>zovia 1-35 (28)</i> .....	177
ZOVIRAX .....	121
ZUBSOLV .....	16
ZULRESSO .....	74
<i>zumandimine (28)</i> .....	177
ZYDELIG .....	56
ZYKADIA .....	56
ZYLET .....	235
ZYLOPRIM .....	90
ZYMAXID .....	235
ZYNLONTA .....	56
ZYPITAMAG .....	155
ZYPREXA .....	111
ZYPREXA RELPREVV .....	111
ZYPREXA ZYDIS .....	111
ZYTIGA .....	57
ZYVOX .....	24

**This formulary was updated on 8/23/2022.** For more recent information on covered drugs or other prescription drug benefit questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <https://www.modot.org/medicare>.

*MoDOT/MSHP Medical and Life Insurance Plan is a Health plan with a Medicare contract*



**2022**