

ADDENDUM # 2

Ralls County Bridge Replacement

CDBG Project 2018-PF-06

Bridge #202002 1 on Indiana Lane

9/7/2021

Please replace the Bidding Form in your bid packet and utilize the attached Bidding Form. Note the change in quantity of Foundation Inspection Holes from 30 linear feet to 68 linear feet.

Foundation inspection holes are to be drilled to a depth of 10 feet below the bottom rock socket as per Section 701.4.11 of the Missouri Standard Specifications for Highway Construction. Also note in the General Special Provisions that television camera inspection and integrity testing will not be required.

Please acknowledge receipt of Addendum #2 on the bid form

BIDDING FORM

(work to be completed by contractor only)

RALLS COUNTY BRIDGE REPLACEMENT
BRIDGE #2020020 1 ON INDIANA LANE
CDBG PROJECT NO. 2018-PF-06

ROADWAY

ITEM NO.	ITEM	UNITS	QTY	UNIT PRICE	AMOUNT
201-99.01	CLEARING AND GRUBBING	L.S.	1		
203-50.00	UNCLASSIFIED EXCAVATION	C.Y.	1,020		
203-55.00	EMBANKMENT IN PLACE	C.Y.	3,400		
203-60.00	COMPACTED EMBANKMENT	C.Y.	920		
216-99.01	REMOVAL OF EXISTING CULVERT	L.S.	1		
305-05.04	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK) - SURFACE	S.Y.	1,125		
606-10.10	GUARDRAIL TYPE A	L.F.	137.5		
606-23.01A	TRANSITION SECTION, 7.5 FT. POSTS	EACH	3		
606-30.00	TERMINAL SECTION - GUARDRAIL	EACH	3		
606-99.02	THRIE BEAM FLARED END SHOE	EACH	1		
606-99.02	TYPE A (W-BEAM) FLARED END SHOE	EACH	2		
611-30.20	FURNINSHING TYPE II ROCK BLANKET	C.Y.	595		
611-30.40	PLACING TYPE II ROCK BLANKET	C.Y.	595		
616-10.05	CONSTRUCTION SIGNS	S.F.	45		
616-10.30	TYPE III TEMPORARY BARRICADES	EACH	2		

618-10.00	MOBILIZATION	L.S.	1		
624-1.04A	SEPARATION GEOTEXTILE CONTRACTOR FURNISHED	S.Y.	790		
627-40.00	SURVEYING AND STAKING	L.S.	1		
726-99.03	64 IN x 43 IN PIPE ARCH SEEDING - WARM SEASON	L.F.	105		
805-20.00A	MIXTURES	ACRE	1		
806-10.19	SILT FENCE	L.F.	80		
806-10.21	TYPE II (ROCK) DITCH CHECKS	EACH	3		
				SUBTOTAL:	

BRIDGE

ITEM NO.	ITEM	UNITS	QTY	UNIT PRICE	AMOUNT
206-10.00	CLASS 1 EXCAVATION	C.Y.	1000		
216-05.00	REMOVAL OF BRIDGE	L.S.	1		
606-10.10	THRIE-BEAM BRIDGE RAIL	L.F.	325		
701-11.05	DRILLED SHAFTS (5 FT. 0 IN. DIA.)	L.F.	14		
701-12.04	ROCK SOCKETS (4 FT. 6 IN. DIA.)	L.F.	20		
701-14.00	FOUNDATION INSPECTION HOLES	L.F.	68		
702-10.10	STRUCTURAL STEEL PILES (10 INCH)	L.F.	160		
703-40.01	CLASS B-1 CONCRETE	C.Y.	85		
703-42.10	CLASS B-2 CONCRETE	C.Y.	140		
705-99.04	PRESTRESSED DECK PANELS	S.F.	2,119		

706-10.60	REINFORCING STEEL (Gr. 60)	LB.	48,564	_____	_____
712-10.10	TYPE IV CONCRETE GIRDER (68.84')	EACH	3	_____	_____
712-10.10	TYPE III CONCRETE GIRDER (32.07')	EACH	6	_____	_____
716-10.00	PLAIN NEOPRENE BEARING PAD	EACH	6	_____	_____
716-10.02	LAMINATED NEOPRENE BEARING PAD	EACH	6	_____	_____
716-99.02	GIRDER CHAIR	EACH	6	_____	_____

SUBTOTAL: _____

TOTAL BASE BID: _____

(PLEASE PRINT OR TYPE BASE BID AMOUNT)

Contractor: _____

Representative: _____

(please print or type name and title along with signature of the individual that completed this bid)

Phone: _____

Address: _____

Fax: _____