



MoDOT/MSHP Medical and Life Insurance Plan

2022 Formulary

(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

This formulary was updated on 010/05/2021. For more recent information or other questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <https://www.modot.org/medicare>.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means MoDOT/MSHP Medical and Life Insurance Plan. When it refers to “plan” or “our plan,” it means MoDOT/MSHP Medical and Life Insurance Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of January 1, 2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022, and from time to time during the year.

What is the MoDOT/MSHP Medical and Life Insurance Plan Formulary?

A formulary is a list of covered drugs selected by MoDOT/MSHP Medical and Life Insurance Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MoDOT/MSHP Medical and Life Insurance Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MoDOT/MSHP Medical and Life Insurance Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of January 1, 2022. To get updated information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.”. If you know what your drug is used for, look for the category name in the list that begins on 3. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

MoDOT/MSHP Medical and Life Insurance Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MoDOT/MSHP Medical and Life Insurance Plan requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescriptions. If you don't get approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that MoDOT/MSHP Medical and Life Insurance Plan will cover. For example,

MoDOT/MSHP Medical and Life Insurance Plan provides 30 tablets per prescription for Zolpidem. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, MoDOT/MSHP Medical and Life Insurance Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MoDOT/MSHP Medical and Life Insurance Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MoDOT/MSHP Medical and Life Insurance Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan’s formulary?” on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MoDOT/MSHP Medical and Life Insurance Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MoDOT/MSHP Medical and Life Insurance Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MoDOT/MSHP Medical and Life Insurance Plan.
- You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan’s Formulary?

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at lower cost-sharing level, unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MoDOT/MSHP Medical and Life Insurance Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Note: Members with levels-of-care changes may contact MedImpact Customer Service (844) 513-6006 (or have their doctor or prescriber contact us) to request transitional supplies of medication during their transitions of care. MoDOT/MSHP Medical and Life Insurance Plan will not supply a transition fill for any drugs that are not Part D-approved drugs.

For more information

For more detailed information about your MoDOT/MSHP Medical and Life Insurance Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

MoDOT/MSHP Medical and Life Insurance Plan's Formulary

The formulary below provides coverage information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LOPRESSOR) and generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*).

The information in the Requirements/Limits column tells you if MoDOT/MSHP Medical and Life Insurance Plan has any special requirements for coverage of your drug.

Formulary Key

The first column of the drug list contains the drug name:

Brand name drugs are Capitalized (e.g., LOPRESSOR)

Generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*)

The second column shows the drug coverage tier. Each tier is described below.

Tier 1 = Generics. These drugs offer the most cost savings.

Tier 2 = Brand Name drugs with no generic equivalent. These drugs offer the most cost savings among brand-name drugs.

Tier 3 = Brand Name drugs with a generic equivalent. These drugs cost more because less expensive alternatives may exist.

A drug may display one or more of the following abbreviations:

Symbol	Definition
PA	Prior Authorization. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
PA BvD	Prior Authorization (PA) is required for Part B versus Part D Determinations (BvD). This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
PA NSO	Prior Authorization (PA) is required for New Starts Only (NSO). If this medication is new for you, you (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
QL	Quantity Limit Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
ST	Step Therapy Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
LA	Limited Access Drug. Due to limited manufacturers, this medication may be only available through limited pharmacies. See the <i>Pharmacy Directory</i> or call MedImpact Customer Service (844) 513-6006.
NM	Non-Mail Order. Drugs marked “NM” cannot be filled by mail order, though are available at retail/local pharmacies.
GC	Gap Coverage. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

The right-hand column of the Requirements/Limits section includes information about dosage forms (such as tablet, capsule, or spray) or dosage strengths.

- If no information is displayed in this column, it means that all dosage forms and strengths are covered on the same drug tier.
- If information is displayed, it means that only those dosage forms
- Strengths are covered on that tier.

Table of Contents

Analgesics	3
Anesthetics	13
Anti-Addiction/Substance Abuse Treatment Agents	14
Antianxiety Agents	16
Antibacterials	18
Anticancer Agents	32
Anticholinergic Agents	53
Anticonvulsants	53
Antidementia Agents	62
Antidepressants	63
Antidiabetic Agents	68
Antifungals	79
Antigout Agents	83
Antihistamines	84
Anti-Infectives (Skin And Mucous Membrane)	85
Antimigraine Agents	85
Antimycobacterials	88
Antinausea Agents	89
Antiparasite Agents	92
Antiparkinsonian Agents	93
Antipsychotic Agents	97
Antivirals (Systemic)	103
Blood Products/Modifiers/Volume Expanders	112
Caloric Agents	119
Cardiovascular Agents	122
Central Nervous System Agents	145
Contraceptives	153
Dental And Oral Agents	163
Dermatological Agents	163
Devices	171
Enzyme Replacement/Modifiers	172
Eye, Ear, Nose, Throat Agents	174
Gastrointestinal Agents	182
Genitourinary Agents	190
Heavy Metal Antagonists	192
Hormonal Agents, Stimulant/Replacement/Modifying	194

Immunological Agents.....	208
Inflammatory Bowel Disease Agents.....	223
Irrigating Solutions.....	225
Metabolic Bone Disease Agents.....	225
Miscellaneous Therapeutic Agents.....	228
Ophthalmic Agents.....	232
Replacement Preparations.....	235
Respiratory Tract Agents.....	237
Skeletal Muscle Relaxants.....	246
Sleep Disorder Agents.....	248
Vasodilating Agents.....	249
Vitamins And Minerals.....	251

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
acetaminophen intravenous solution (Ofirmev) 1,000 mg/100 ml (10 mg/ml)	1	GC
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	GC; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	1	GC; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	1	GC; QL (180 per 30 days)
ACTIQ BUCCAL LOZENGE ON A HANDLE 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; GC; QL (120 per 30 days)
ascomp with codeine oral capsule 30-50-325-40 mg	1	GC; QL (180 per 30 days)
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG	2	GC; QL (60 per 30 days)
BUPRENEX INJECTION SOLUTION 0.3 MG/ML	2	GC
buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml	1	GC
buprenorphine hcl injection syringe 0.3 mg/ml	1	GC
buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	1	GC; QL (4 per 28 days)
butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg	1	GC; QL (180 per 30 days)
butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg	1	GC; QL (180 per 30 days)
butalbital-acetaminophen oral tablet (Bupap) 50-300 mg	1	GC; QL (180 per 30 days)
butalbital-acetaminophen oral tablet (Tencon) 50-325 mg	1	GC; QL (180 per 30 days)
butalbital-acetaminophen-caff oral capsule 50-300-40 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Zebutal)	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butorphanol injection solution 1 mg/ml</i>	1	GC
<i>butorphanol nasal spray,non-aerosol 10 mg/ml</i>	1	GC; QL (5 per 28 days)
BUTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR	3	GC; QL (4 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	1	GC; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	1	GC; QL (180 per 30 days)
DEMEROL (PF) INJECTION SYRINGE 25 MG/ML	2	PA; GC; AGE (Max 64 Years)
DILAUDID (PF) INJECTION SYRINGE 2 MG/ML, 4 MG/ML	2	GC
DILAUDID ORAL LIQUID 1 MG/ML	3	GC; QL (1200 per 30 days)
DILAUDID ORAL TABLET 2 MG, 4 MG, 8 MG	3	GC; QL (180 per 30 days)
DISKETS ORAL TABLET,SOLUBLE 40 MG	3	GC; QL (30 per 30 days)
DURAGESIC TRANSDERMAL PATCH 72 HOUR 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR	3	GC; QL (10 per 30 days)
DURAMORPH (PF) INJECTION SOLUTION 0.5 MG/ML	2	GC
DURAMORPH (PF) INJECTION SOLUTION 1 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>endocet oral tablet 10-325 mg</i>	1	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	GC; QL (240 per 30 days)
<i>ESGIC ORAL CAPSULE 50-325-40 MG</i>	3	GC; QL (180 per 30 days)
<i>ESGIC ORAL TABLET 50-325-40 MG</i>	3	GC; QL (180 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	1	PA; GC; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i>	1	GC; QL (10 per 30 days)
<i>FIORICET WITH CODEINE ORAL CAPSULE 50-300-40-30 MG</i>	3	GC; QL (180 per 30 days)
<i>hydrocodone bitartrate oral capsule, oral only, er 12hr 50 mg</i> (Zohydro ER)	1	GC; QL (60 per 30 days)
<i>hydrocodone bitartrate oral tablet, oral only, ext. rel. 24 hr 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (Hysingla ER)	1	GC; QL (30 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	1	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	1	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	1	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydromorphone injection solution 1 mg/ml</i>	1	GC
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	1	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	1	GC; QL (180 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg</i>	1	PA; GC; QL (30 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 32 mg</i>	1	PA; GC; QL (60 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	1	GC; QL (28 per 30 days)
INFUMORPH P/F INJECTION SOLUTION 10 MG/ML, 25 MG/ML	2	GC
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	2	PA; GC; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>meperidine (pf) injection solution 25 mg/ml</i>	1	PA; GC; AGE (Max 64 Years)
<i>methadone injection solution 10 mg/ml</i>	1	GC
<i>methadone intensol oral concentrate 10 mg/ml</i>	1	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	1	GC; QL (180 per 30 days)
<i>methadone oral tablet, soluble 40 mg (Methadose)</i>	1	GC; QL (30 per 30 days)
METHADOSE ORAL CONCENTRATE 10 MG/ML	3	GC; QL (120 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mitigo (pf) injection solution 10 mg/ml, 25 mg/ml</i>	1	GC
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i>	1	GC
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	GC; QL (180 per 30 days)
MORPHINE INJECTION SOLUTION 2 MG/ML	1	GC
MORPHINE INJECTION SYRINGE 10 MG/ML	2	GC
<i>morphine intravenous solution 10 mg/ml</i>	1	GC
<i>morphine intravenous syringe 10 mg/ml</i>	1	GC
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	1	GC; QL (30 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	3	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	3	GC; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	1	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	1	GC; QL (90 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 100 MG, 200 MG, 60 MG	3	GC; QL (60 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 15 MG, 30 MG	3	GC; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	GC
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	2	GC; QL (181 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 7.5 MG	2	GC; QL (120 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	GC
<i>oxycodone oral solution 5 mg/5 ml</i>	1	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	GC; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	2	GC; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	GC; QL (60 per 30 days)
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>	1	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 10-325 MG	3	GC; QL (180 per 30 days)
PERCOCET ORAL TABLET 2.5-325 MG, 5-325 MG	3	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 7.5-325 MG	3	GC; QL (240 per 30 days)
ROXICODONE ORAL TABLET 15 MG, 30 MG	3	GC; QL (120 per 30 days)
ROXICODONE ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	1	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg (Ultram)</i>	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet (Ultracet) 37.5-325 mg</i>	1	GC; QL (240 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	1	GC; QL (180 per 30 days)
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	2	GC; QL (60 per 30 days)
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR(DONT CRUSH) 27 MG	2	GC; QL (120 per 30 days)
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR(DONT CRUSH) 36 MG	2	GC; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	2	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Nonsteroidal Anti-Inflammatory Agents		
ANAPROX DS ORAL TABLET 550 MG	3	GC
ARTHROTEC 50 ORAL TABLET,IR,DELAYED REL,BIPHASIC 50-200 MG- MCG	3	GC
ARTHROTEC 75 ORAL TABLET,IR,DELAYED REL,BIPHASIC 75-200 MG- MCG	3	GC
CATAFLAM ORAL TABLET 50 MG	3	GC; QL (120 per 30 days)
CELEBREX ORAL CAPSULE 100 MG, 200 MG, 400 MG, 50 MG	3	GC; QL (60 per 30 days)
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	GC; QL (60 per 30 days)
DAYPRO ORAL TABLET 600 MG	3	GC
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; GC
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	1	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	1	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; GC; QL (100 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i>	(Arthrotec 50)	1	GC
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i>	(Arthrotec 75)	1	GC
<i>disflunisal oral tablet 500 mg</i>		1	GC
EC-NAPROSYN ORAL TABLET,DELAYED RELEASE (DR/EC) 375 MG, 500 MG		3	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>		1	GC
<i>etodolac oral tablet 400 mg</i>	(Lodine)	1	GC
<i>etodolac oral tablet 500 mg</i>		1	GC
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>		1	GC
FELDENE ORAL CAPSULE 10 MG, 20 MG		3	GC
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %		3	PA; GC
<i>flurbiprofen oral tablet 100 mg</i>		1	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>		1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	(IBU)	1	GC
INDOCIN ORAL SUSPENSION 25 MG/5 ML		2	GC
<i>indomethacin oral capsule 25 mg</i>		1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>		1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>		1	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>		1	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>		1	GC
<i>ketorolac injection cartridge 15 mg/ml</i>		1	GC; QL (40 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac injection cartridge 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	1	GC; QL (20 per 30 days)
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	GC
<i>mefenamic acid oral capsule 250 mg</i>	1	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
MOBIC ORAL TABLET 15 MG, 7.5 MG	3	GC
<i>nabumetone oral tablet 500 mg, 750 mg (Relafen)</i>	1	GC
NAPROSYN ORAL TABLET 500 MG	3	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	1	GC
<i>naproxen sodium oral tablet 275 mg</i>	1	GC
<i>naproxen sodium oral tablet 550 mg (Anaprox DS)</i>	1	GC
<i>oxaprozin oral tablet 600 mg (Daypro)</i>	1	GC
<i>piroxicam oral capsule 10 mg, 20 mg (Feldene)</i>	1	GC
RELAFEN ORAL TABLET 500 MG, 750 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLARAZE TOPICAL GEL 3 %	3	PA; GC; QL (100 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	GC
<i>tolmetin oral capsule 400 mg</i>	1	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	GC
VOLTAREN TOPICAL GEL 1 %	3	GC; QL (1000 per 30 days)
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 1% 20 mg/2 ml vl latex-free, sdv, plf 10 mg/ml (1 %)</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i>	1	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; GC; QL (30 per 30 days)
LIDODERM TOPICAL ADHESIVE PATCH, MEDICATED 5 %	3	PA; GC; QL (90 per 30 days)
XYLOCAINE INJECTION SOLUTION 10 MG/ML (1 %), 20 MG/ML (2 %), 5 MG/ML (0.5 %)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XYLOCAINE-MPF 2% VIAL SUV, L/F, INNER 20 MG/ML (2 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 10 MG/ML (1 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 15 MG/ML (1.5 %)	2	GC
<i>xylocaine-mpf injection solution 20 mg/ml (2 %)</i>	3	GC
<i>xylocaine-mpf injection solution 5 mg/ml (0.5 %)</i>	2	GC
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	1	GC
BUNAVAIL BUCCAL FILM 2.1-0.3 MG	2	GC; QL (30 per 30 days)
BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG	2	GC; QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	1	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	1	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	2	GC; QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	2	GC; QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	GC; QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	2	GC; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	GC
<i>naltrexone oral tablet 50 mg</i>	1	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	2	GC; QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	2	GC; QL (1008 per 90 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	2	GC; QL (240 per 180 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	2	GC; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	2	GC; QL (1.5 per 30 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	GC; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	GC; QL (30 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG	2	GC
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	2	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg (Xanax)</i>	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg (Xanax XR)</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg (Xanax XR)</i>	1	GC; QL (90 per 30 days)
<i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (120 per 30 days)
ATIVAN INJECTION SOLUTION 2 MG/ML, 4 MG/ML	3	GC; QL (2 per 30 days)
ATIVAN ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (90 per 30 days)
ATIVAN ORAL TABLET 2 MG	3	GC; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg (Klonopin)</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)</i>	1	GC; QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml (Diazepam Intensol)</i>	1	GC; QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	1	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	1	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	1	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	1	GC; QL (30 per 30 days)
HALCION ORAL TABLET 0.25 MG	3	GC; QL (60 per 30 days)
KLONOPIN ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (90 per 30 days)
KLONOPIN ORAL TABLET 2 MG	3	GC; QL (300 per 30 days)
<i>lorazepam 2 mg/ml oral concnet 2 mg/ml</i> (Lorazepam Intensol)	1	GC; QL (150 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	1	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	GC
<i>midazolam (pf) injection solution 1 mg/ml, 5 mg/ml</i>	1	GC
<i>midazolam injection solution 1 mg/ml, 5 mg/ml</i>	1	GC
<i>midazolam oral syrup 2 mg/ml</i>	1	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG	3	GC; QL (30 per 30 days)
RESTORIL ORAL CAPSULE 7.5 MG	3	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	1	GC; QL (120 per 30 days)
TRANXENE T-TAB ORAL TABLET 7.5 MG	3	GC
<i>triazolam oral tablet 0.125 mg</i>	1	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	GC; QL (60 per 30 days)
VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 2 MG	3	GC; QL (150 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 0.5 MG, 1 MG, 2 MG	3	GC; QL (120 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 3 MG	3	GC; QL (90 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	GC
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	2	PA; GC; QL (235.2 per 28 days)
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	3	PA BvD; GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml	1	GC
neomycin oral tablet 500 mg	1	GC
streptomycin intramuscular recon soln 1 gram	1	GC
TOBI INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML	3	PA BvD; GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	GC; QL (224 per 28 days)
tobramycin in 0.225 % nacl (Tobi) inhalation solution for nebulization 300 mg/5 ml	1	PA BvD; GC
tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml	1	GC
tobramycin inhalation solution for nebulization 300 mg/4 ml (Bethkis)	1	PA BvD; GC
tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml	1	GC
ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML	2	GC
Antibacterials, Miscellaneous		
AEMCOLO ORAL TABLET,DELAYED RELEASE (DR/EC) 194 MG	2	GC; QL (12 per 3 days)
bacitracin intramuscular recon soln 50,000 unit	1	GC
chloramphenicol sod succinate intravenous recon soln 1 gram	1	GC
CLEOCIN HCL ORAL CAPSULE 150 MG, 300 MG, 75 MG	3	GC
CLEOCIN INJECTION SOLUTION 150 MG/ML	3	GC
clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin in 5% dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	1	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	GC
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	1	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1	GC
<i>colistin (colistimethate na) injection (Coly-Mycin M Parenteral) recon soln 150 mg</i>	1	PA BvD; GC
COLY-MYCIN M PARENTERAL INJECTION RECON SOLN 150 MG	3	PA BvD; GC
CUBICIN INTRAVENOUS RECON SOLN 500 MG	3	GC
DALVANCE INTRAVENOUS SOLUTION 500 MG	2	GC
<i>daptomycin intravenous recon soln 350 mg</i>	1	GC
<i>daptomycin intravenous recon soln (Cubicin) 500 mg</i>	1	GC
FIRVANQ ORAL RECON SOLN 25 MG/ML	2	GC
FIRVANQ ORAL RECON SOLN 50 MG/ML	3	GC
FLAGYL ORAL CAPSULE 375 MG	3	GC
FLAGYL ORAL TABLET 500 MG	3	GC
<i>fosfomycin tromethamine oral packet 3 gram</i>	1	GC
FURADANTIN ORAL SUSPENSION 25 MG/5 ML	3	GC; QL (2400 per 30 days)
HIPREX ORAL TABLET 1 GRAM	3	GC
KIMYRSA INTRAVENOUS RECON SOLN 1,200 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LINCOCIN INJECTION SOLUTION 300 MG/ML	3	GC
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	1	GC
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	GC
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	GC
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	GC
MACROBID ORAL CAPSULE 100 MG	3	GC; QL (60 per 30 days)
MACRODANTIN ORAL CAPSULE 100 MG, 25 MG, 50 MG	3	GC; QL (120 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	GC
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
MONUROL ORAL PACKET 3 GRAM	3	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrodantin)	1	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	GC; QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	1	GC
ORBACTIV INTRAVENOUS RECON SOLN 400 MG	2	GC
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	GC
PRIMSOL ORAL SOLUTION 50 MG/5 ML	2	GC
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIVEXTRO ORAL TABLET 200 MG	2	GC
SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
VANCOCIN ORAL CAPSULE 125 MG	3	GC; QL (40 per 30 days)
VANCOCIN ORAL CAPSULE 250 MG	3	GC; QL (80 per 30 days)
<i>vancomycin in dextrose 5 % intravenous piggyback 500 mg/100 ml</i>	1	PA BvD; GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1.5 gram</i>	2	GC
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	1	GC; QL (40 per 30 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	1	GC
<i>vancomycin oral recon soln 50 mg/ml (Firvanq)</i>	1	GC
<i>vancomycin-water inject (peg) intravenous piggyback 1 gram/200 ml, 750 mg/150 ml</i>	1	PA BvD; GC
VIBATIV INTRAVENOUS RECON SOLN 750 MG	2	GC
XENLETA INTRAVENOUS SOLUTION 150 MG/15 ML	2	GC; QL (210 per 7 days)
XENLETA ORAL TABLET 600 MG	2	PA; GC; QL (10 per 5 days)
XIFAXAN ORAL TABLET 200 MG	2	PA; GC; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	PA; GC; QL (90 per 30 days)
ZYVOX INTRAVENOUS PIGGYBACK 200 MG/100 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYVOX INTRAVENOUS PIGGYBACK 600 MG/300 ML	3	GC
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	3	GC
ZYVOX ORAL TABLET 600 MG	3	GC
Cephalosporins		
AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM	2	GC
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	GC
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	GC
<i>cefadroxil oral capsule 500 mg</i>	1	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
<i>cefadroxil oral tablet 1 gram</i>	1	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	GC
<i>cefdinir oral capsule 300 mg</i>	1	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	GC
<i>cefixime oral capsule 400 mg (Suprax)</i>	1	GC
<i>cefixime oral suspension for (Suprax) reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	GC
CEFOTAN INJECTION RECON SOLN 1 GRAM, 2 GRAM	3	GC
<i>cefotaxime injection recon soln 1 gram</i>	1	GC
<i>cefotetan injection recon soln 1 (Cefotan) gram, 2 gram</i>	1	GC
<i>cefotetan intravenous recon soln 10 gram</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	1	GC
<i>cefoxitin intravenous recon soln 1 gram</i>	1	GC
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	1	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)</i>	1	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg (Keflex)</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	GC
CLAFORAN INJECTION RECON SOLN 10 GRAM, 2 GRAM	2	GC
FETROJA INTRAVENOUS RECON SOLN 1 GRAM	2	PA BvD; GC
SUPRAX ORAL CAPSULE 400 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	2	GC
tazicef 2 gm add-vantage vial p/f, l/f, suv, outer 2 gram	1	GC
tazicef injection recon soln 1 gram, 6 gram	1	GC
tazicef injection recon soln 2 gram	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	GC
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	2	GC
Macrolides		
azithromycin intravenous recon soln (Zithromax) 500 mg	1	GC
azithromycin oral packet 1 gram (Zithromax)	1	GC
azithromycin oral suspension for (Zithromax) reconstitution 100 mg/5 ml, 200 mg/5 ml	1	GC
azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg	1	GC
azithromycin oral tablet 250 mg, (Zithromax) 500 mg	1	GC
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	1	GC
clarithromycin oral tablet 250 mg, 500 mg	1	GC
clarithromycin oral tablet extended release 24 hr 500 mg	1	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	ST; GC; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	2	ST; GC; QL (20 per 10 days)
e.e.s. 400 oral tablet 400 mg	1	GC
ery-tab oral tablet,delayed release (drlec) 250 mg	1	GC
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ery-tab oral tablet, delayed release (dr/lec) 500 mg</i>	2	GC
<i>erythrocin (as stearate) oral tablet 250 mg</i>	1	GC
ERYTHROGIN INTRAVENOUS RECON SOLN 1,000 MG	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	1	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	1	GC
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	1	GC
<i>erythromycin oral capsule, delayed release (dr/lec) 250 mg</i>	1	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>erythromycin oral tablet, delayed release (dr/lec) 250 mg, 333 mg, 500 mg</i>	1	GC
ZITHROMAX INTRAVENOUS RECON SOLN 500 MG	3	GC
ZITHROMAX ORAL PACKET 1 GRAM	3	GC
ZITHROMAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML	3	GC
ZITHROMAX ORAL TABLET 250 MG, 500 MG	3	GC
ZITHROMAX TRI-PAK ORAL TABLET 500 MG	3	GC
ZITHROMAX Z-PAK ORAL TABLET 250 MG	3	GC
Miscellaneous B-Lactam Antibiotics		
AZACTAM INJECTION RECON SOLN 1 GRAM, 2 GRAM	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	PA; GC
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	GC
INVANZ INJECTION RECON SOLN 1 GRAM	3	GC
<i>meropenem intravenous recon soln 1 gram</i>	1	GC
<i>meropenem intravenous recon soln 500 mg</i>	1	GC
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	1	GC
MERREM INTRAVENOUS RECON SOLN 500 MG	3	GC
PRIMAXIN IV INTRAVENOUS RECON SOLN 500 MG	3	GC
RECARBRIOTM INTRAVENOUS RECON SOLN 1.25 GRAM	2	GC
VABOMERE INTRAVENOUS RECON SOLN 2 GRAM	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	(Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>		1	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	(Augmentin XR)	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		1	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>		1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>		1	GC
<i>ampicillin-sulbactam injection recon soln 15 gram, 3 gram</i>	(Unasyn)	1	GC
AUGMENTIN ES-600 ORAL SUSPENSION FOR RECONSTITUTION 600-42.9 MG/5 ML		3	GC
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 250-62.5 MG/5 ML		3	GC
AUGMENTIN ORAL TABLET 500-125 MG, 875-125 MG		3	GC
AUGMENTIN XR ORAL TABLET EXTENDED RELEASE 12 HR 1,000-62.5 MG		3	GC
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	GC
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	1	GC
<i>nafcillin 2 gm/ 100 ml inj 2 gram/100 ml</i>	1	GC
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	1	GC
<i>nafcillin injection recon soln 10 gram</i>	1	GC
<i>oxacillin 1 gm add-vantage vl add- vantage, inner 1 gram</i>	1	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	1	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	GC
<i>penicillin g sodium injection recon soln 5 million unit</i>	1	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	1	GC
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	1	GC
UNASYN INJECTION RECON SOLN 1.5 GRAM, 15 GRAM, 3 GRAM	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML	2	GC
Quinolones		
AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML	3	GC
BAXDELA INTRAVENOUS RECON SOLN 300 MG	2	GC; QL (28 per 14 days)
BAXDELA ORAL TABLET 450 MG	2	PA; GC; QL (28 per 14 days)
CIPRO ORAL SUSPENSION,MICROCAPSULE RECON 250 MG/5 ML, 500 MG/5 ML	2	GC
CIPRO ORAL TABLET 250 MG, 500 MG	3	GC
CIPRO XR ORAL TABLET, ER MULTIPHASE 24 HR 1,000 MG, 500 MG	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	GC
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	1	GC
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	1	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	GC
Sulfonamides		
<i>BACTRIM DS ORAL TABLET 800-160 MG</i>	3	GC
<i>BACTRIM ORAL TABLET 400- 80 MG</i>	3	GC
<i>sulfadiazine oral tablet 500 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral (Bactrim DS) tablet 800-160 mg</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	GC
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	GC
<i>doxy-100 intravenous recon soln 100 mg</i>	1	GC
<i>doxycycline hyclate intravenous (Doxy-100) recon soln 100 mg</i>	1	GC
<i>doxycycline hyclate oral capsule 100 (Morgodox) mg, 50 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 150 (Acticlate) mg, 75 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 50 (Targadox) mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 150 mg, 75 mg</i>	1	GC	
<i>doxycycline monohydrate oral capsule 100 mg, 75 mg</i>	1	GC; QL (60 per 30 days)	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	GC; QL (60 per 30 days)	
<i>doxycycline monohydrate oral capsule 50 mg</i>	1	GC; QL (60 per 30 days)	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	1	GC	
<i>doxycycline monohydrate oral tablet 100 mg</i>	1	GC; QL (60 per 30 days)	
<i>doxycycline monohydrate oral tablet 150 mg</i>	1	GC	
<i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>	1	GC; QL (60 per 30 days)	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	GC	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	GC	
NUZYRA INTRAVENOUS RECON SOLN 100 MG	2	GC; QL (15 per 14 days)	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	GC	
<i>tigecycline intravenous recon soln 50 mg</i>	1	GC	
TYGACIL INTRAVENOUS RECON SOLN 50 MG	3	GC	
VIBRAMYCIN ORAL SUSPENSION FOR RECONSTITUTION 25 MG/5 ML	3	GC	
VIBRAMYCIN ORAL SYRUP 50 MG/5 ML	2	GC	
Anticancer Agents			
Anticancer Agents			
<i>abiraterone oral tablet 250 mg, 500 mg</i>	(Zytiga)	1	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	GC
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	2	PA NSO; GC
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	1	PA BvD; GC
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	1	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	2	PA NSO; GC; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	2	PA NSO; GC; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	3	PA NSO; GC; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	2	GC
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	2	PA NSO; GC; QL (3 per 28 days)
ALKERAN (AS HCL) INTRAVENOUS RECON SOLN 50 MG	3	GC
ALUNBRIG ORAL TABLET 180 MG, 90 MG	2	PA NSO; GC; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	2	PA NSO; GC; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	2	PA NSO; GC
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	1	GC
ARIMIDEX ORAL TABLET 1 MG	3	GC
AROMASIN ORAL TABLET 25 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	2	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	GC
<i>arsenic trioxide intravenous solution (Trisenox) 2 mg/ml</i>	1	GC
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	2	PA NSO; GC
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	2	PA NSO; GC
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 (Vidaza) mg</i>	1	GC
BALVERSA ORAL TABLET 3 MG	2	PA NSO; GC; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	2	PA NSO; GC; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	2	PA NSO; GC; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	2	PA NSO; GC
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	2	PA NSO; GC
<i>bexarotene oral capsule 75 mg (Targretin)</i>	1	PA NSO; GC; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg (Casodex)</i>	1	GC
BICNU INTRAVENOUS RECON SOLN 100 MG	3	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	2	PA NSO; GC; QL (140 per 365 days)
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; GC
BOSULIF ORAL TABLET 100 MG	2	PA NSO; GC; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	2	PA NSO; GC; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	2	PA NSO; GC; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	2	PA NSO; GC; QL (120 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	GC
BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML	3	GC
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	PA NSO; GC; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	2	PA NSO; GC; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML, 40 MG/2 ML	3	GC
CAMPTOSAR INTRAVENOUS SOLUTION 300 MG/15 ML	2	GC
CAPRELSA ORAL TABLET 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	GC
<i>carmustine intravenous recon soln 100 mg</i> (BiCNU)	1	GC
CASODEX ORAL TABLET 50 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cisplatin intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	1	GC
CLOLAR INTRAVENOUS SOLUTION 20 MG/20 ML	3	GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	2	PA NSO; GC; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	PA NSO; GC; QL (56 per 28 days)
COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG	3	GC
COTELLIC ORAL TABLET 20 MG	2	PA NSO; GC; LA; QL (63 per 28 days)
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD; ST; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	1	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD; GC
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD; GC
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	GC
DACOGEN INTRAVENOUS RECON SOLN 50 MG	3	GC
<i>dactinomycin intravenous recon soln (Cosmegen) 0.5 mg</i>	1	GC
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	PA NSO; GC; QL (120 per 28 days)
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	2	PA NSO; GC; LA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	PA NSO; GC
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	GC
DAURISMO ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 (Dacogen) mg</i>	1	GC
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	2	GC
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	1	GC
DOXIL INTRAVENOUS SUSPENSION 2 MG/ML	3	PA BvD; GC
<i>doxorubicin intravenous recon soln (Adriamycin) 10 mg, 50 mg</i>	1	PA BvD; GC
<i>doxorubicin intravenous solution 10 (Adriamycin) mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD; GC
<i>doxorubicin, peg-liposomal (Doxil) intravenous suspension 2 mg/ml</i>	1	PA BvD; GC
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	GC
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	GC
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	GC
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELLENCE INTRAVENOUS SOLUTION 200 MG/100 ML, 50 MG/25 ML	3	GC
EMCYT ORAL CAPSULE 140 MG	2	GC
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	2	PA NSO; GC
ENHERTU INTRAVENOUS RECON SOLN 100 MG	2	PA NSO; GC
<i>epirubicin intravenous recon soln</i> <i>200 mg, 50 mg</i>	1	GC
<i>epirubicin intravenous solution 200 (Ellence)</i> <i>mg/100 ml, 50 mg/25 ml</i>	1	GC
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	PA NSO; GC
ERIVEDGE ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	2	PA NSO; GC; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg (Tarceva)</i>	1	PA NSO; GC; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg (Tarceva)</i>	1	PA NSO; GC; QL (90 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	2	PA BvD; GC; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	GC
<i>etoposide intravenous solution 20 (Toposar)</i> <i>mg/ml</i>	1	GC
<i>everolimus (antineoplastic) oral</i> <i>tablet 2.5 mg, 5 mg, 7.5 mg (Afinitor)</i>	1	GC; QL (28 per 28 days)
EVOMELA INTRAVENOUS RECON SOLN 50 MG	2	GC
<i>exemestane oral tablet 25 mg (Aromasin)</i>	1	GC
FARESTON ORAL TABLET 60 MG	3	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	3	GC
FEMARA ORAL TABLET 2.5 MG	3	GC
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	2	GC
<i>flouxuridine injection recon soln 0.5 gram</i>	1	PA BvD; GC
<i>fludarabine intravenous recon soln 50 mg</i>	1	GC
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	1	GC
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	2	PA NSO; GC
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	PA NSO; GC; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe (Faslodex) 250 mg/5 ml</i>	1	GC
GAVRETO ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	2	PA NSO; GC
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	GC
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/52.6 ml (38 mg/ml)</i>	1	GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	PA NSO; GC; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG	3	PA NSO; GC; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG	3	PA NSO; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	2	PA NSO; GC
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	PA NSO; GC; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	2	PA NSO; GC
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
HYCAMTIN INTRAVENOUS RECON SOLN 4 MG	3	GC
HYDREA ORAL CAPSULE 500 MG	3	GC
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
ICLUSIG ORAL TABLET 15 MG	2	PA NSO; GC; QL (60 per 30 days)
IDAMYCIN PFS INTRAVENOUS SOLUTION 1 MG/ML	3	GC
<i>idarubicin intravenous solution 1</i> (Idamycin PFS) <i>mg/ml</i>	1	GC
IDHIFA ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
IFEX INTRAVENOUS RECON SOLN 1 GRAM, 3 GRAM	3	GC
<i>ifosfamide intravenous recon soln 1</i> (Ifex) <i>gram</i>	1	GC
<i>ifosfamide intravenous solution 1</i> <i>gram/20 ml, 3 gram/60 ml</i>	1	PA BvD; GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; GC; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMBRUICA ORAL CAPSULE 140 MG	2	PA NSO; GC; QL (120 per 30 days)
IMBRUICA ORAL CAPSULE 70 MG	2	PA NSO; GC; QL (28 per 28 days)
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	2	PA NSO; GC; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	PA NSO; GC; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	2	PA NSO; GC; QL (8 per 28 days)
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	2	GC
INLYTA ORAL TABLET 1 MG	2	PA NSO; GC; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	2	PA NSO; GC; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	2	PA NSO; GC; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML	2	PA NSO; GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	2	GC
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	2	GC
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	2	PA NSO; GC
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	PA NSO; GC; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	PA NSO; GC; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	PA NSO; GC; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	PA NSO; GC; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	PA NSO; GC; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	2	PA NSO; GC; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	2	PA NSO; GC
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	PA NSO; GC
<i>letrozole oral tablet 2.5 mg (Femara)</i>	1	GC
LEUKERAN ORAL TABLET 2 MG	2	GC
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	GC
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC; QL (7 per 21 days)
LONSURF ORAL TABLET 15- 6.14 MG	2	PA NSO; GC; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	2	PA NSO; GC; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	2	PA NSO; GC; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	GC
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	GC
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	2	PA BvD; GC
MATULANE ORAL CAPSULE 50 MG	2	GC
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	2	PA NSO; GC; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	2	PA NSO; GC; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln (Alkeran (as HCl)) 50 mg</i>	1	GC
<i>mercaptopurine oral tablet 50 mg</i>	1	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST; GC
<i>mitomycin intravenous recon soln 40 (Mutamycin) mg</i>	1	PA BvD; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	GC
MONJUVI INTRAVENOUS RECON SOLN 200 MG	2	PA NSO; GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	2	PA NSO; GC
NERLYNX ORAL TABLET 40 MG	2	PA NSO; GC; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
NILANDRON ORAL TABLET 150 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nilutamide oral tablet 150 mg (Nilandron)	1	GC
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	2	GC
NUBEQA ORAL TABLET 300 MG	2	PA NSO; GC; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	2	PA NSO; GC
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	2	PA NSO; GC
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	2	GC
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
ONUREG ORAL TABLET 200 MG, 300 MG	2	PA NSO; GC; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	PA NSO; GC
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	PA BvD; GC
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	2	PA NSO; GC
PARAPLATIN INTRAVENOUS SOLUTION 10 MG/ML	3	GC
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	PA NSO; GC; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	2	PA NSO; GC; QL (2 per 28 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	2	PA NSO; GC; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	2	PA NSO; GC; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	PA NSO; GC; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	2	PA NSO; GC
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	2	PA NSO; GC; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	2	GC
PURIXAN ORAL SUSPENSION 20 MG/ML	2	GC
QINLOCK ORAL TABLET 50 MG	2	PA NSO; GC; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	2	PA NSO; GC; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	PA NSO; GC
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>romidepsin intravenous solution 5 mg/ml</i>	1	PA NSO; GC
ROZLYTREK ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	2	PA NSO; GC; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	PA NSO; GC; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
RYDAPT ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (224 per 28 days)
RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5 ML	2	PA NSO; GC
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	GC
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	PA NSO; GC; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	2	PA NSO; GC; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	2	PA NSO; GC; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	PA NSO; GC; QL (30 per 30 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	2	PA NSO; GC
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	PA NSO; GC
TABLOID ORAL TABLET 40 MG	2	GC
TABRECTA ORAL TABLET 150 MG, 200 MG	2	PA NSO; GC; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	PA NSO; GC; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	2	PA NSO; GC; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	GC
TARCEVA ORAL TABLET 100 MG, 25 MG	3	PA NSO; GC; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	3	PA NSO; GC; QL (90 per 30 days)
TARGETIN ORAL CAPSULE 75 MG	3	PA NSO; GC; QL (420 per 30 days)
TARGETIN TOPICAL GEL 1 %	2	PA NSO; GC; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	PA NSO; GC; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	2	PA NSO; GC; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	PA NSO; GC
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	1	PA BvD; GC; QL (4 per 28 days)
TEPMETKO ORAL TABLET 225 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i>	1	GC
TIBSOVO ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
<i>toposar intravenous solution 20 mg/ml</i>	1	GC
<i>topotecan intravenous recon soln 4 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	GC
<i>toremifene oral tablet 60 mg (Fareston)</i>	1	GC
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	3	PA BvD; GC; QL (4 per 28 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	PA NSO; GC
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	2	PA NSO; GC
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	2	GC; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	2	GC
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	GC
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	2	GC
TRODELVY INTRAVENOUS RECON SOLN 180 MG	2	PA NSO; GC
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	2	PA NSO; GC
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
TUKYSA ORAL TABLET 150 MG	2	PA NSO; GC; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	2	PA NSO; GC; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYKERB ORAL TABLET 250 MG	3	PA NSO; GC
UKONIQ ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	2	PA NSO; GC
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	1	GC
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	2	GC
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	2	PA NSO; GC
VELCADE INJECTION RECON SOLN 3.5 MG	2	PA NSO; GC
VENCLEXTA ORAL TABLET 10 MG	2	PA NSO; GC; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	PA NSO; GC; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	2	PA NSO; GC; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	PA NSO; GC
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (56 per 28 days)
VIDAZA INJECTION RECON SOLN 100 MG	3	GC
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	GC
VITRAKVI ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VITRAKVI ORAL SOLUTION 20 MG/ML	2	PA NSO; GC; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	2	PA BvD; GC
WELIREG ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	PA NSO; GC; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	2	PA BvD; ST; GC
XOSPATA ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	2	PA NSO; GC; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	PA NSO; GC; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	PA NSO; GC; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	2	PA NSO; GC; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	2	PA NSO; GC; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	PA NSO; GC; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	PA NSO; GC; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	2	PA NSO; GC; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	2	PA NSO; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	PA NSO; GC
YONDELIS INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
YONSA ORAL TABLET 125 MG	2	PA NSO; GC; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	2	PA NSO; GC
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	2	GC
ZEJULA ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	2	PA NSO; GC; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	2	PA NSO; GC
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	2	GC; QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	2	GC; QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	2	GC
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	2	PA NSO; GC; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	PA NSO; GC
ZYTIGA ORAL TABLET 250 MG	3	PA NSO; GC; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
glycopyrrolate injection solution 0.2 mg/ml	1	GC
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	2	GC; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	2	GC; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	3	GC
BANZEL ORAL TABLET 200 MG, 400 MG	2	GC
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	GC; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	GC; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	GC; QL (60 per 30 days)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)	1	GC
carbamazepine oral suspension 100 mg/5 ml (Tegretol)	1	GC
carbamazepine oral tablet 200 mg (Epitol)	1	GC
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg (Tegretol XR)	1	GC
carbamazepine oral tablet, chewable 100 mg	1	GC
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	3	GC
CELONTIN ORAL CAPSULE 300 MG	2	GC
CEREBYX INJECTION SOLUTION 100 MG PE/2 ML, 500 MG PE/10 ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	PA NSO; GC; QL (60 per 30 days)
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	3	GC
DEPAKOTE ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	3	GC
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	3	GC
DIACOMIT ORAL CAPSULE 250 MG	2	PA NSO; GC; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	2	PA NSO; GC; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	PA NSO; GC; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	PA NSO; GC; QL (180 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	GC
DIASTAT RECTAL KIT 2.5 MG	3	GC
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	1	GC
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	GC
DILANTIN EXTENDED ORAL CAPSULE 100 MG	3	GC
DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG	3	GC
DILANTIN ORAL CAPSULE 30 MG	2	GC
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	3	GC
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	PA NSO; GC
<i>epitol oral tablet 200 mg</i>	1	GC
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	2	GC
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	GC
FELBATOL ORAL SUSPENSION 600 MG/5 ML	3	GC
FELBATOL ORAL TABLET 400 MG, 600 MG	3	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	PA NSO; GC
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	GC; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 8 MG	2	GC; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	GC; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	GC
<i> gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	GC; QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg</i> (Neurontin)	1	GC; QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg</i> (Neurontin)	1	GC; QL (120 per 30 days)
GABITRIL ORAL TABLET 12 MG, 16 MG, 2 MG, 4 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEPPRA INTRAVENOUS SOLUTION 500 MG/5 ML	3	GC
KEPPRA ORAL SOLUTION 100 MG/ML	3	GC
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG	3	GC
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC
LAMICTAL ODT ORAL TABLET,DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG	3	GC
LAMICTAL ODT STARTER (BLUE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG (21) -50 MG (7)	3	GC
LAMICTAL ODT STARTER (GREEN) ORAL TABLET DISINTEGRATING, DOSE PK 50 MG (42) -100 MG (14)	3	GC
LAMICTAL ODT STARTER (ORANGE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG(14)-50 MG (14)-100 MG (7)	3	GC
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG	3	GC
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG	3	GC
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35)	3	GC
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14)	3	GC
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG	3	GC
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	2	GC
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	2	GC
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	2	GC
lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Subvenite)	1	GC
lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (Blue) (Lamictal ODT Starter)	1	GC
lamotrigine oral tablet disintegrating, dose pk 25 mg(14)- 50 mg (14)-100 mg (Orange) (Lamictal ODT Starter)	1	GC
lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (Green) (Lamictal ODT Starter)	1	GC
lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg (Lamictal XR)	1	GC
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)	1	GC
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)	1	GC
lamotrigine oral tablets,dose pack 25 mg (35) (Subvenite Starter (Blue) Kit)	1	GC
lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7) (Subvenite Starter (Orange) Kit)	1	GC
lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14) (Subvenite Starter (Green) Kit)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam in nacl (iso-os)</i> <i>intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	1	GC
<i>levetiracetam intravenous solution (Keppra)</i> <i>500 mg/5 ml</i>	1	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG	3	GC; QL (90 per 30 days)
LYRICA ORAL CAPSULE 225 MG, 300 MG	3	GC; QL (60 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	3	GC; QL (900 per 30 days)
MYSOLINE ORAL TABLET 250 MG, 50 MG	3	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	2	GC; QL (10 per 30 days)
NEURONTIN ORAL CAPSULE 100 MG, 300 MG	3	GC; QL (360 per 30 days)
NEURONTIN ORAL CAPSULE 400 MG	3	GC; QL (270 per 30 days)
NEURONTIN ORAL SOLUTION 250 MG/5 ML	3	GC; QL (2160 per 30 days)
NEURONTIN ORAL TABLET 600 MG	3	GC; QL (180 per 30 days)
NEURONTIN ORAL TABLET 800 MG	3	GC; QL (120 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	3	PA NSO; GC; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	3	PA NSO; GC; QL (60 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	GC
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	3	GC
<i>phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>	1	GC
<i>phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>	1	GC
<i>phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)</i>	1	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)</i>	1	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg (Lyrica)</i>	1	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg (Lyrica)</i>	1	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml (Lyrica)</i>	1	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>	1	GC
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 25 MG, 50 MG	3	GC; QL (30 per 30 days)
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 150 MG, 200 MG	3	GC; QL (60 per 30 days)
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	3	GC
ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral suspension 40 mg/ml (Banzel)	1	GC
rufinamide oral tablet 200 mg, 400 mg (Banzel)	1	GC
SABRIL ORAL POWDER IN PACKET 500 MG	3	PA NSO; GC; QL (180 per 30 days)
SABRIL ORAL TABLET 500 MG	2	PA NSO; GC; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	ST; GC; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	ST; GC; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	1	GC
subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)	1	GC
subvenite starter (green) kit oral tablets, dose pack 25 mg (84) -100 mg (14)	1	GC
subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) -100 mg (7)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
TEGRETOL ORAL SUSPENSION 100 MG/5 ML	3	GC
TEGRETOL ORAL TABLET 200 MG	3	GC
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG	3	GC
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)	1	GC
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG	3	GC
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	3	GC
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	1	GC
topiramate oral capsule, sprinkle, er 24hr 100 mg, 25 mg, 50 mg (Qudexy XR)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>topiramate oral capsule,sprinkle,er 24hr 150 mg, 200 mg</i> (Qudexy XR)	1	GC; QL (60 per 30 days)
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML)	3	GC
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG	3	GC
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG	2	GC; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	GC
<i>valproic acid oral capsule 250 mg</i>	1	GC
VALTOCO NASAL SPRAY,NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	2	GC
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadron)	1	GC
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	PA NSO; GC; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg</i>	1	PA NSO; GC; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	2	GC; QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	2	GC; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1- 100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	PA NSO; GC; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	PA NSO; GC; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	PA NSO; GC
ZARONTIN ORAL CAPSULE 250 MG	3	GC
ZARONTIN ORAL SOLUTION 250 MG/5 ML	3	GC
ZONEGRAN ORAL CAPSULE 100 MG, 25 MG	3	GC
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	GC
<i>zonisamide oral capsule 50 mg</i>	1	GC
Antidementia Agents		
Antidementia Agents		
ARICEPT ORAL TABLET 10 MG, 23 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	GC
EXELON PATCH TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR	3	GC; QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	GC; QL (200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
galantamine oral tablet 12 mg, 4 mg, 8 mg	1	GC; QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg (Namenda XR)	1	GC; QL (30 per 30 days)
memantine oral solution 2 mg/ml	1	GC; QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg (Namenda)	1	GC; QL (60 per 30 days)
memantine oral tablets,dose pack 5-10 mg (Namenda Titration Pak)	1	GC
NAMENDA ORAL TABLET 10 MG, 5 MG	3	GC; QL (60 per 30 days)
NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7-14-21-28 MG	2	GC
NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR 14 MG, 21 MG, 28 MG, 7 MG	3	GC; QL (30 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	GC
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	GC; QL (30 per 30 days)
RAZADYNE ER ORAL CAPSULE,EXT REL. PELLETS 24 HR 16 MG, 24 MG, 8 MG	3	GC; QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	1	GC; QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour (Exelon Patch)	1	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	GC
amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	GC
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG	3	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	1	GC
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i>	1	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	1	GC
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG	3	GC; QL (30 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>	1	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	1	GC
CYMBALTA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG, 30 MG, 60 MG	3	GC; QL (60 per 30 days)
<i>desipramine oral tablet 10 mg, 25 mg</i>	1	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	GC
<i>desvenlafaxine oral tablet extended release 24 hr 100 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	1	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	GC; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	GC; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 40 mg</i>	1	GC; QL (30 per 30 days)
EFFEXOR XR ORAL CAPSULE, EXTENDED RELEASE 24HR 150 MG	3	GC; QL (30 per 30 days)
EFFEXOR XR ORAL CAPSULE, EXTENDED RELEASE 24HR 37.5 MG, 75 MG	3	GC; QL (90 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	GC; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	ST; GC
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>fluoxetine (pmdd) oral tablet 10 mg, 20 mg</i>	1	GC
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral capsule, delayed release (dr/ec) 90 mg</i>	1	GC; QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>fluoxetine oral tablet 10 mg, 20 mg, 60 mg</i>	1	GC
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	3	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	GC
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG	3	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
MARPLAN ORAL TABLET 10 MG	2	GC
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	1	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	1	GC
NARDIL ORAL TABLET 15 MG	3	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	GC
NORPRAMIN ORAL TABLET 10 MG, 25 MG	3	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg (Symbax)</i>	1	GC
PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG	3	GC
PARNATE ORAL TABLET 10 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i>	1	GC
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG	3	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	2	GC
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	3	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	GC
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	2	GC
<i>phenelzine oral tablet 15 mg (Nardil)</i>	1	GC
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 25 MG, 50 MG	3	ST; GC; QL (30 per 30 days)
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	GC
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG	3	GC
REMERON ORAL TABLET 15 MG, 30 MG	3	GC
REMERON SOLTAB ORAL TABLET,DISINTEGRATING 15 MG, 30 MG, 45 MG	3	GC
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	1	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	PA NSO; GC
SYMBYAX ORAL CAPSULE 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG	3	GC
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	1	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	1	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg</i>	1	GC; QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 225 mg</i>	1	GC
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	GC; QL (90 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	2	ST; GC
WELLBUTRIN SR ORAL TABLET SUSTAINED-RELEASE 12 HR 100 MG, 150 MG, 200 MG	3	GC
WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	3	GC
ZOLOFT ORAL CONCENTRATE 20 MG/ML	3	GC
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	2	GC
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)</i>	1	GC; QL (90 per 30 days)
ACTOPLUS MET ORAL TABLET 15-500 MG, 15-850 MG	3	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG	3	GC; QL (30 per 30 days)
ADLYXIN SUBCUTANEOUS PEN INJECTOR 10 MCG/0.2 ML- 20 MCG/0.2 ML	2	GC
ADLYXIN SUBCUTANEOUS PEN INJECTOR 20 MCG/0.2 ML	2	GC; QL (6 per 28 days)
<i>alogliptin oral tablet 12.5 mg, 25 mg, 6.25 mg</i> (Nesina)	1	GC
<i>alogliptin-metformin oral tablet 12.5-1,000 mg, 12.5-500 mg</i> (Kazano)	1	GC
<i>alogliptin-pioglitazone oral tablet 12.5-15 mg, 12.5-30 mg, 12.5-45 mg, 25-15 mg, 25-30 mg, 25-45 mg</i> (Oseni)	1	GC
AVANDIA ORAL TABLET 2 MG, 4 MG	2	GC; QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO- INJECTOR 2 MG/0.85 ML	2	GC; QL (3.4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	2	GC; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	2	GC; QL (1.2 per 28 days)
CYCLOSET ORAL TABLET 0.8 MG	2	GC; QL (180 per 30 days)
DUETACT ORAL TABLET 30-2 MG, 30-4 MG	3	GC; QL (30 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)
GLUCOPHAGE ORAL TABLET 1,000 MG	3	GC; QL (75 per 30 days)
GLUCOPHAGE ORAL TABLET 500 MG	3	GC; QL (150 per 30 days)
GLUCOPHAGE ORAL TABLET 850 MG	3	GC; QL (90 per 30 days)
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG	3	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 750 MG	3	GC; QL (60 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	GC; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	2	GC; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	GC; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	GC; QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 5-1,000 MG, 5-500 MG	2	GC; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	2	PA; GC; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	3	GC; QL (30 per 30 days)
ONGLYZA ORAL TABLET 2.5 MG, 5 MG	2	GC; QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	3	GC; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	GC; QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	2	GC; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pioglitazone-glimepiride oral tablet</i> (DUETACT) 30-2 mg, 30-4 mg	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet</i> (Actoplus MET) 15-500 mg, 15-850 mg	1	GC; QL (90 per 30 days)
PRECOSE ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC; QL (90 per 30 days)
QTERN ORAL TABLET 10-5 MG, 5-5 MG	2	GC; QL (30 per 30 days)
<i>repaglinide oral tablet</i> 0.5 mg, 1 mg, 2 mg	1	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet</i> 1-500 mg, 2-500 mg	1	GC; QL (150 per 30 days)
RIOMET ORAL SOLUTION 500 MG/5 ML	3	GC; QL (765 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	GC; QL (30 per 30 days)
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG	2	GC; QL (60 per 30 days)
SEGLUROMET ORAL TABLET 2.5-500 MG	2	GC; QL (120 per 30 days)
STARLIX ORAL TABLET 120 MG	3	GC; QL (90 per 30 days)
STEGLATRO ORAL TABLET 15 MG, 5 MG	2	GC; QL (30 per 30 days)
STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG	2	GC; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; GC; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; GC; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	GC; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	2	GC; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	2	GC; QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	GC; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	GC; QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	2	GC; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
Insulins		
ADMELOG SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
ADMELOG U-100 INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 4 UNIT, 4 UNIT (90)/ 8 UNIT (90), 8 UNIT	2	PA; GC; QL (180 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 4 UNIT/8 UNIT/ 12 UNIT (60)	2	PA; GC
AFREZZA INHALATION CARTRIDGE WITH INHALER 8 UNIT (90)/ 12 UNIT (90)	2	PA; GC; QL (360 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
BASAGLAR KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	GC; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMALOG MIX 50-50 INSULIN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	2	GC; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	2	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	2	GC; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	GC; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml 30FlexPen U-100 (70-30)</i>	1	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insulin)	1	GC; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog Flexpen U-100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	1	GC; QL (40 per 28 days)
<i>insulin lispro protamin-lispro subcutaneous insulin pen 100 unit/ml (75-25)</i>	(Humalog Mix 75-25 KwikPen)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous insulin pen 100 unit/ml</i>	(Admelog SoloStar U-100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous insulin pen, half-unit 100 unit/ml</i>	(Humalog Junior KwikPen U-100)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous solution 100 unit/ml</i>	(Admelog U-100 Insulin lispro)	1	GC; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	GC; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	GC; QL (40 per 28 days)
LEVEMIR FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		2	GC; QL (30 per 28 days)
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	GC; QL (40 per 28 days)
LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML		2	GC; QL (30 per 28 days)
LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)		2	GC; QL (30 per 28 days)
LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		2	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
SEMGLEE PEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEMLEE U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	GC; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	GC; QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	GC; QL (15 per 28 days)
Sulfonylureas		
AMARYL ORAL TABLET 1 MG, 2 MG	3	GC; QL (30 per 30 days)
AMARYL ORAL TABLET 4 MG	3	GC; QL (60 per 30 days)
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	1	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	1	GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	1	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG	3	GC; QL (60 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG, 5 MG	3	GC; QL (30 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	1	GC
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	1	GC
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	1	GC
GLYNASE ORAL TABLET 1.5 MG, 3 MG, 6 MG	3	GC
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	PA BvD; GC
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD; GC
amphotericin b injection recon soln 50 mg	1	PA BvD; GC
ANCOBON ORAL CAPSULE 250 MG, 500 MG	3	GC
CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG	3	GC
caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg	1	GC
ciclopirox topical cream 0.77% (Ciclodan)	1	GC; QL (180 per 30 days)
ciclopirox topical gel 0.77%	1	GC; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ciclopirox topical shampoo 1%</i> (Loprox)		1	GC
<i>ciclopirox topical solution 8%</i> (Ciclodan)		1	GC; QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77%</i> (Loprox (as olamine))		1	GC; QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>		1	GC
<i>clotrimazole topical cream 1%</i> (Antifungal (clotrimazole))		1	GC
<i>clotrimazole topical solution 1%</i>		1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05%</i>		1	GC; QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05%</i>		1	GC; QL (90 per 30 days)
CRESEMDA INTRAVENOUS RECON SOLN 372 MG		2	GC
CRESEMDA ORAL CAPSULE 186 MG		2	GC
DIFLUCAN ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML, 40 MG/ML		3	GC
DIFLUCAN ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG		3	GC
<i>econazole topical cream 1%</i>		1	GC
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG		2	GC
EXELDERM TOPICAL CREAM 1%		2	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i>		1	PA BvD; GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>		1	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)		1	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	1	GC
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	1	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	1	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	GC
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	1	GC
<i>ketoconazole oral tablet 200 mg</i>	1	GC
<i>ketoconazole topical cream 2 %</i>	1	GC
<i>ketoconazole topical shampoo 2 %</i>	1	GC; QL (360 per 30 days)
LOPROX (AS OLAMINE) TOPICAL SUSPENSION 0.77 %	3	GC; QL (180 per 30 days)
LOPROX TOPICAL SHAMPOO 1 %	3	GC
<i>luliconazole topical cream 1 %</i> (Luzu)	1	GC
LUZU TOPICAL CREAM 1 %	3	GC
MENTAX TOPICAL CREAM 1 %	3	GC
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	1	GC
<i>miconazole nitrate-zinc ox-pet topical ointment 0.25-15-81.35 %</i>	1	GC
<i>miconazole-3 vaginal suppository 200 mg</i>	1	GC
MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG	2	GC
<i>naftifine topical cream 1 %</i>	1	GC; QL (180 per 30 days)
<i>naftifine topical cream 2 %</i>	1	GC
<i>naftifine topical gel 1 %</i> (Naftin)	1	GC
NAFTIN TOPICAL GEL 1 %	3	GC; QL (360 per 30 days)
NAFTIN TOPICAL GEL 2 %	2	GC
NOXAFILE INTRAVENOUS SOLUTION 300 MG/16.7 ML	2	GC
NOXAFILE ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	3	GC
nyamyc topical powder 100,000 unit/gram	1	GC; QL (60 per 30 days)
nystatin oral suspension 100,000 unit/ml	1	GC; QL (900 per 30 days)
nystatin oral tablet 500,000 unit	1	GC
nystatin topical cream 100,000 unit/gram	1	GC; QL (60 per 30 days)
nystatin topical ointment 100,000 unit/gram	1	GC; QL (60 per 30 days)
nystatin topical powder 100,000 (Nyamyc) unit/gram	1	GC; QL (60 per 30 days)
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%	1	GC
nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%	1	GC
nystop topical powder 100,000 unit/gram	1	GC; QL (60 per 30 days)
ORAVIG BUCCAL MUCO- ADHESIVE BUCCAL TABLET 50 MG	2	GC; QL (14 per 30 days)
oxiconazole topical cream 1% (Oxistat)	1	GC; QL (270 per 30 days)
OXISTAT TOPICAL CREAM 1 %	3	GC; QL (270 per 30 days)
OXISTAT TOPICAL LOTION 1 %	2	GC; QL (270 per 30 days)
posaconazole oral tablet,delayed release (dr/ec) 100 mg (Noxafil)	1	GC
SPORANOX ORAL CAPSULE 100 MG	3	GC
SPORANOX ORAL SOLUTION 10 MG/ML	3	GC
sulconazole topical solution 1% (Exelderm)	1	GC
terbinafine hcl oral tablet 250 mg	1	GC
VFEND IV INTRAVENOUS RECON SOLN 200 MG	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML)	3	GC
VFEND ORAL TABLET 200 MG, 50 MG	3	GC
<i>voriconazole intravenous recon soln</i> (Vfend IV) 200 mg	1	PA BvD; GC
<i>voriconazole oral suspension for</i> (Vfend) <i>reconstitution 200 mg/5 ml (40</i> <i>mg/ml)</i>	1	GC
<i>voriconazole oral tablet 200 mg, 50</i> (Vfend) <i>mg</i>	1	GC
VUSION TOPICAL OINTMENT 0.25-15-81.35 %	3	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
ALOPRIM INTRAVENOUS RECON SOLN 500 MG	3	GC
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	GC; QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	1	GC
COLCRYS ORAL TABLET 0.6 MG	3	PA; GC; QL (120 per 30 days)
DUZALLO ORAL TABLET 200- 200 MG, 200-300 MG	2	ST; GC; QL (30 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	GC; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	GC
<i>probenecid-colchicine oral tablet</i> 500-0.5 mg	1	GC
ULORIC ORAL TABLET 40 MG, 80 MG	3	ST; GC; QL (30 per 30 days)
ZYLOPRIM ORAL TABLET 100 MG	3	GC
ZYLOPRIM ORAL TABLET 300 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	1	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	1	GC
<i>cetirizine oral solution 1 mg/ml (All Day Allergy (cetirizine))</i>	1	GC
CLARINEX ORAL TABLET 5 MG	3	GC
CLARINEX-D 12 HOUR ORAL TABLET, ER MULTIPHASE 12 HR 2.5-120 MG	2	GC
<i>clemastine oral syrup 0.5 mg/5 ml</i>	1	GC
<i>clemastine oral tablet 2.68 mg</i>	1	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	GC
<i>cyproheptadine oral tablet 4 mg</i>	1	GC
<i>desloratadine oral tablet 5 mg (Clarinex)</i>	1	GC
<i>desloratadine oral tablet,disintegrating 2.5 mg, 5 mg</i>	1	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Diphen)</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>	1	GC
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
CLEOCIN VAGINAL CREAM 2 %	3	GC
CLEOCIN VAGINAL SUPPOSITOR Y 100 MG	2	GC
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	GC
CLINDESSE VAGINAL CREAM, EXTENDED RELEASE 2 %	2	GC
METROGEL VAGINAL VAGINAL GEL 0.75 %	3	GC
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole)	1	GC
NUVESSA VAGINAL GEL 1.3 %	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	GC
<i>terconazole vaginal suppository 80 mg</i>	1	GC
VANDAZOLE VAGINAL GEL 0.75 %	2	GC
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	2	PA; GC; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	2	PA; GC; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	PA; GC; QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	GC; QL (12 per 30 days)
AMERGE ORAL TABLET 1 MG, 2.5 MG	3	ST; GC; QL (9 per 30 days)
D.H.E.45 INJECTION SOLUTION 1 MG/ML	3	GC; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
dihydroergotamine injection solution (D.H.E.45) 1 mg/ml	1	GC; QL (24 per 28 days)	
dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)	(Migranal)	1	GC; QL (8 per 28 days)
eletriptan oral tablet 20 mg	(Relpax)	1	GC; QL (6 per 30 days)
eletriptan oral tablet 40 mg	(Relpax)	1	GC; QL (12 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	PA; GC; QL (2 per 30 days)	
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	PA; GC; QL (2 per 30 days)	
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	PA; GC; QL (3 per 30 days)	
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (20 per 28 days)	
ergotamine-caffeine oral tablet 1-100 mg	(Casfergot)	1	GC; QL (40 per 28 days)
FROVA ORAL TABLET 2.5 MG	3	ST; GC; QL (18 per 30 days)	
frovatriptan oral tablet 2.5 mg	(Frova)	1	GC; QL (18 per 28 days)
IMITREX 6 MG/0.5 ML PEN INJECT 2 STAT DOSE SYR,SDV 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)	
IMITREX NASAL SPRAY, NON-AEROSOL 20 MG/ACTUATION	3	ST; GC; QL (12 per 30 days)	
IMITREX NASAL SPRAY, NON-AEROSOL 5 MG/ACTUATION	3	ST; GC; QL (18 per 30 days)	
IMITREX ORAL TABLET 100 MG	3	ST; GC; QL (9 per 30 days)	
IMITREX ORAL TABLET 25 MG, 50 MG	3	ST; GC; QL (18 per 30 days)	
IMITREX STATDOSE PEN SUBCUTANEOUS PEN INJECTOR 4 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMITREX STATDOSE REFILL SUBCUTANEOUS CARTRIDGE 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX SUBCUTANEOUS SOLUTION 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
MAXALT ORAL TABLET 10 MG	3	ST; GC; QL (12 per 30 days)
MAXALT-MLT ORAL TABLET,DISINTEGRATING 10 MG	3	ST; GC; QL (12 per 30 days)
MIGRANAL NASAL SPRAY,NON-AEROSOL 0.5 MG/PUMP ACT. (4 MG/ML)	3	GC; QL (8 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg (Amerge)</i>	1	GC; QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	2	PA; GC; QL (16 per 30 days)
RELPAX ORAL TABLET 20 MG, 40 MG	3	ST; GC; QL (6 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg (Maxalt)</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg (Maxalt-MLT)</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation (Imitrex)</i>	1	GC; QL (12 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation (Imitrex)</i>	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet (Imitrex) 100 mg, 25 mg, 50 mg</i>	1	GC; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous (Imitrex STATdose cartridge 4 mg/0.5 ml, 6 mg/0.5 ml Refill)</i>	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Pen)</i>	1	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	GC; QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	2	PA; GC; QL (1 per 30 days)
<i>zolmitriptan nasal spray,non-aerosol 2.5 mg, 5 mg</i> (Zomig)	1	GC; QL (12 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg</i>	1	GC; QL (6 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 5 mg</i>	1	GC; QL (12 per 28 days)
ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG, 5 MG	3	ST; GC; QL (12 per 30 days)
ZOMIG ORAL TABLET 2.5 MG, 5 MG	3	ST; GC; QL (6 per 30 days)
ZOMIG ZMT ORAL TABLET,DISINTEGRATING 2.5 MG, 5 MG	3	ST; GC; QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	2	GC
<i>cycloserine oral capsule 250 mg</i>	1	GC
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	GC
<i>ethambutol oral tablet 100 mg</i>	1	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	GC
<i>isoniazid injection solution 100 mg/ml</i>	1	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	1	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
MYAMBUTOL ORAL TABLET 400 MG	3	GC
MYCOBUTIN ORAL CAPSULE 150 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	2	GC
PRETOMANID ORAL TABLET 200 MG	2	GC; QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	2	GC
<i>pyrazinamide oral tablet 500 mg</i>	1	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	GC
RIFADIN INTRAVENOUS RECON SOLN 600 MG	3	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	2	PA; GC
TRECATOR ORAL TABLET 250 MG	2	GC
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	GC
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	2	GC
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	PA BvD; GC
ALOXI INTRAVENOUS SOLUTION 0.25 MG/5 ML	3	GC
<i>aprepitant oral capsule 125 mg</i>	1	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; GC; QL (6 per 28 days)
CESAMET ORAL CAPSULE 1 MG	2	PA BvD; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	2	GC; QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg</i> (Marinol)	1	PA; GC; QL (60 per 30 days)
<i>dronabinol oral capsule 5 mg</i> (Marinol)	1	PA; GC
<i>droperidol injection solution 2.5 mg/ml</i>	1	GC
EMEND ORAL CAPSULE 80 MG	3	PA BvD; GC; QL (4 per 28 days)
EMEND ORAL CAPSULE,DOSE PACK 125 MG (1)- 80 MG (2)	3	PA BvD; GC; QL (6 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	2	PA BvD; GC; QL (6 per 28 days)
<i>gransetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	1	GC
<i>gransetron hcl intravenous solution 1 mg/ml</i>	1	GC
<i>gransetron hcl oral tablet 1 mg</i>	1	PA BvD; GC
MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG	3	PA; GC; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD; GC
PALONOSETRON INTRAVENOUS SOLUTION 0.25 MG/2 ML	2	GC
<i>palonosetron intravenous solution (Aloxi) 0.25 mg/5 ml</i>	1	GC
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>	1	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	GC
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	1	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	1	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository (Promethegan) 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	GC
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR	2	GC; QL (4 per 28 days)
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	1	GC; QL (10 per 30 days)
SUSTOL SUBCUTANEOUS LIQUID, EXTENDED RELEASE SYRINGE 10 MG/0.4 ML	2	GC
SYNDROS ORAL SOLUTION 5 MG/ML	2	PA; GC
TIGAN INTRAMUSCULAR SOLUTION 100 MG/ML	2	GC
TIGAN ORAL CAPSULE 300 MG	3	GC
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	3	GC; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trimethobenzamide oral capsule 300 mg</i>	1	GC
VARUBI INTRAVENOUS EMULSION 166.5 MG/92.5 ML	2	GC
VARUBI ORAL TABLET 90 MG	2	PA BvD; GC
ZOFRAN ORAL TABLET 4 MG, 8 MG	3	PA BvD; GC
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg (Albenza)</i>	1	GC
ALBENZA ORAL TABLET 200 MG	3	GC
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	1	GC
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	1	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	1	GC
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	1	GC
BILTRICIDE ORAL TABLET 600 MG	3	GC
<i>chloroquine phosphate oral tablet 250 mg</i>	1	GC; QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	1	GC; QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	2	GC
DARAPRIM ORAL TABLET 25 MG	2	GC
EMVERM ORAL TABLET,CHEWABLE 100 MG	2	GC; QL (6 per 21 days)
HUMATIN ORAL CAPSULE 250 MG	3	GC
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	1	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	2	PA; GC; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	1	GC
KRINTAFEL ORAL TABLET 150 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMPIT ORAL TABLET 120 MG, 30 MG	2	GC
MALARONE ORAL TABLET 250-100 MG	3	GC
MALARONE PEDIATRIC ORAL TABLET 62.5-25 MG	3	GC
<i>mefloquine oral tablet 250 mg</i>	1	GC
MEPRON ORAL SUSPENSION 750 MG/5 ML	3	GC
NEBUPENT INHALATION RECON SOLN 300 MG	2	PA BvD; GC
<i>nitazoxanide oral tablet 500 mg (Alinia)</i>	1	GC
<i>paromomycin oral capsule 250 mg (Humatin)</i>	1	GC
PENTAM INJECTION RECON SOLN 300 MG	2	GC
<i>pentamidine inhalation recon soln 300 mg (Nebupent)</i>	1	PA BvD; GC
<i>pentamidine injection recon soln 300 mg (Pentam)</i>	1	GC
PLAQUENIL ORAL TABLET 200 MG	3	GC; QL (90 per 30 days)
<i>praziquantel oral tablet 600 mg (Biltricide)</i>	1	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>pyrimethamine oral tablet 25 mg (Daraprim)</i>	1	PA; GC
QUALAQUIN ORAL CAPSULE 324 MG	3	PA; GC
<i>quinine sulfate oral capsule 324 mg (Qualaquin)</i>	1	PA; GC; QL (42 per 7 days)
STROMECTOL ORAL TABLET 3 MG	3	GC
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	GC
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	2	PA; GC; QL (60 per 30 days)
AZILECT ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	1	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	GC
<i>cabergoline oral tablet 0.5 mg</i>	1	GC
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	1	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	GC
COGENTIN INJECTION SOLUTION 1 MG/ML	3	GC
COMTAN ORAL TABLET 200 MG	3	GC
ELDEPRYL ORAL CAPSULE 5 MG	3	GC
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	2	PA; GC; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	2	PA; GC; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	PA; GC; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	PA; GC; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	PA; GC
LODOSYN ORAL TABLET 25 MG	3	GC
MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HR 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG	3	GC
MIRAPEX ORAL TABLET 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG	3	GC
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	GC; QL (30 per 30 days)
NOURIANZ ORAL TABLET 20 MG, 40 MG	2	PA; GC; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	ST; GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	2	ST; GC; QL (60 per 30 days)
PARLODEL ORAL CAPSULE 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PARLODEL ORAL TABLET 2.5 MG	3	GC
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	GC
REQUIP ORAL TABLET 0.25 MG, 3 MG, 5 MG	3	GC
REQUIP XL ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 2 MG, 6 MG	3	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	GC
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG	2	GC; QL (300 per 30 days)
<i>selegiline hcl oral capsule 5 mg</i>	1	GC
<i>selegiline hcl oral tablet 5 mg</i>	1	GC
SINEMET ORAL TABLET 10-100 MG, 25-100 MG	3	GC
STALEVO 100 ORAL TABLET 25-100-200 MG	3	GC
STALEVO 150 ORAL TABLET 37.5-150-200 MG	3	GC
TASMAR ORAL TABLET 100 MG	3	GC
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZELAPAR ORAL TABLET,DISINTEGRATING 1.25 MG	2	GC; QL (60 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILITY ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ABILITY ORAL TABLET 2 MG	3	ST; GC; QL (60 per 30 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	2	GC
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	1	GC; QL (900 per 30 days)
<i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet 2 mg</i>	1	GC; QL (60 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 10 mg</i>	1	GC; QL (90 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 15 mg</i>	1	GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	2	GC; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	GC; QL (3.9 per 56 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	GC; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	GC; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	GC; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	1	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	2	GC; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	1	GC
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	1	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	1	GC
<i>clozapine oral tablet</i> 100 mg (Clozaril)	1	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	1	GC; QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	1	GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	1	GC; QL (120 per 30 days)
CLOZARIL ORAL TABLET 100 MG	3	GC; QL (270 per 30 days)
CLOZARIL ORAL TABLET 200 MG	3	GC; QL (135 per 30 days)
CLOZARIL ORAL TABLET 25 MG, 50 MG	3	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	ST; GC; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	2	ST; GC
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	3	GC; QL (6 per 28 days)
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG	3	ST; GC; QL (60 per 30 days)
HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML	3	GC
HALDOL INJECTION SOLUTION 5 MG/ML	3	GC
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	GC
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	1	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	1	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	GC
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG, 3 MG, 9 MG	3	ST; GC; QL (30 per 30 days)
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG	3	ST; GC; QL (60 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	ST; GC; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	ST; GC; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	ST; GC; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	ST; GC; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	ST; GC; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	2	GC; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	2	GC; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	GC; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	2	GC; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	2	ST; GC; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	2	ST; GC; QL (60 per 30 days)
<i>lozapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>molindone oral tablet 10 mg</i>	1	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	PA NSO; GC; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg (Zyprexa)</i>	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)</i>	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg (Zyprexa Zydis)</i>	1	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg (Invega)</i>	1	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg (Invega)</i>	1	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	2	GC; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 50 mg (Seroquel)</i>	1	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 400 mg (Seroquel)</i>	1	GC; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg (Seroquel XR)</i>	1	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg (Seroquel XR)</i>	1	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	2	ST; GC; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	2	ST; GC; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	2	GC; QL (2 per 28 days)
RISPERDAL ORAL SOLUTION 1 MG/ML	3	ST; GC; QL (480 per 30 days)
RISPERDAL ORAL TABLET 0.5 MG, 1 MG, 2 MG, 3 MG	3	ST; GC; QL (60 per 30 days)
RISPERDAL ORAL TABLET 4 MG	3	ST; GC; QL (120 per 30 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	GC; QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	1	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	3	ST; GC; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR	2	ST; GC
SECUADO TRANSDERMAL PATCH 24 HOUR 7.6 MG/24 HOUR	2	ST; GC; QL (30 per 30 days)
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	3	ST; GC; QL (90 per 30 days)
SEROQUEL ORAL TABLET 300 MG, 400 MG	3	ST; GC; QL (60 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 50 MG	3	ST; GC; QL (30 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 400 MG	3	ST; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	1	GC
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	1	GC
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	1	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	ST; GC; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	ST; GC; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	ST; GC
ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg	1	GC; QL (60 per 30 days)
ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)	1	GC; QL (6 per 28 days)
ZYPREXA INTRAMUSCULAR RECON SOLN 10 MG	3	GC; QL (30 per 30 days)
ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	3	ST; GC; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	2	GC; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	GC; QL (1 per 28 days)
ZYPREXA ZYDIS ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
Antivirals (Systemic)		
Antiretrovirals		
abacavir oral solution 20 mg/ml (Ziagen)	1	GC
abacavir oral tablet 300 mg (Ziagen)	1	GC
abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	GC
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	2	GC
APTIVUS ORAL CAPSULE 250 MG	2	GC
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	GC
ATRIPLA ORAL TABLET 600-200-300 MG	3	GC
BIKTARVY ORAL TABLET 50-200-25 MG	2	GC
CABENUSA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	GC
CIMDUO ORAL TABLET 300-300 MG	2	GC
COMBIVIR ORAL TABLET 150-300 MG	3	GC
COMPLERA ORAL TABLET 200-25-300 MG	2	GC
CRIXIVAN ORAL CAPSULE 200 MG	2	GC
DELSTRIGO ORAL TABLET 100-300-300 MG	2	GC
DESCOVY ORAL TABLET 200-25 MG	2	GC
<i>didanosine oral capsule, delayed release(dr/lec) 250 mg, 400 mg</i>	1	GC
DOVATO ORAL TABLET 50-300 MG	2	GC
EDURANT ORAL TABLET 25 MG	2	GC
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	1	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo)	1	GC
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi)	1	GC
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	1	GC
EMTRIVA ORAL CAPSULE 200 MG	3	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	2	GC
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	GC
EPIVIR HBV ORAL TABLET 100 MG	3	GC
EPIVIR ORAL SOLUTION 10 MG/ML	3	GC
EPIVIR ORAL TABLET 150 MG, 300 MG	3	GC
EPZICOM ORAL TABLET 600-300 MG	3	GC
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	GC
EVOTAZ ORAL TABLET 300-150 MG	2	GC
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	GC
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	GC
GENVOYA ORAL TABLET 150-150-200-10 MG	2	GC
INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG	2	GC
INVIRASE ORAL TABLET 500 MG	2	GC
ISENTRESS HD ORAL TABLET 600 MG	2	GC
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	GC
ISENTRESS ORAL TABLET 400 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	2	GC
JULUCA ORAL TABLET 50-25 MG	2	GC
KALETRA ORAL SOLUTION 400-100 MG/5 ML	3	GC; QL (480 per 30 days)
KALETRA ORAL TABLET 100-25 MG	2	GC; QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	2	GC; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	2	GC
LEXIVA ORAL TABLET 700 MG	3	GC
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i> (Kaletra)	1	GC
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	GC
<i>nevirapine oral tablet 200 mg</i>	1	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	GC
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	GC
NORVIR ORAL POWDER IN PACKET 100 MG	2	GC
NORVIR ORAL SOLUTION 80 MG/ML	2	GC
NORVIR ORAL TABLET 100 MG	3	GC
ODEFSEY ORAL TABLET 200-25-25 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PIFELTRO ORAL TABLET 100 MG	2	GC
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	GC
PREZISTA ORAL SUSPENSION 100 MG/ML	2	GC
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	2	GC
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	GC
RETROVIR ORAL CAPSULE 100 MG	3	GC
RETROVIR ORAL SYRUP 10 MG/ML	3	GC
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG	3	GC
REYATAZ ORAL POWDER IN PACKET 50 MG	2	GC
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	2	GC
SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG	2	GC
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	2	GC
SUSTIVA ORAL CAPSULE 200 MG, 50 MG	2	GC
SUSTIVA ORAL TABLET 600 MG	3	GC
SYMFLO ORAL TABLET 400-300-300 MG	3	GC
SYMFLO ORAL TABLET 600-300-300 MG	3	GC
SYMTUZA ORAL TABLET 800-150-200-10 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TEMIXYS ORAL TABLET 300-300 MG	2	GC
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	GC
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	2	GC
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	GC
TRIUMEQ ORAL TABLET 600-50-300 MG	2	GC
TRIZIVIR ORAL TABLET 300-150-300 MG	3	GC
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	GC
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG	2	GC
TRUVADA ORAL TABLET 200-300 MG	3	GC
VEMLIDY ORAL TABLET 25 MG	2	GC; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	GC
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	3	GC
VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG	3	GC
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	GC
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	GC
VIREAD ORAL TABLET 300 MG	3	GC
VOCABRIA ORAL TABLET 30 MG	2	GC
ZIAGEN ORAL SOLUTION 20 MG/ML	3	GC
ZIAGEN ORAL TABLET 300 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>zidovudine oral capsule 100 mg</i>	(Retrovir)	1	GC
<i>zidovudine oral syrup 10 mg/ml</i>	(Retrovir)	1	GC
<i>zidovudine oral tablet 300 mg</i>		1	GC
Antivirals, Miscellaneous			
FLUMADINE ORAL TABLET 100 MG		3	GC
<i>foscarnet intravenous solution 24 mg/ml</i>	(Foscavir)	1	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i>	(Tamiflu)	1	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	(Tamiflu)	1	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	(Tamiflu)	1	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	(Tamiflu)	1	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML		2	PA; GC; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML		2	PA; GC; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG		2	PA; GC; QL (28 per 28 days)
RAPIVAB (PF) INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)		2	GC
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		2	GC; QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i>	(Flumadine)	1	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML		2	PA; GC
TAMIFLU ORAL CAPSULE 30 MG		3	GC; QL (84 per 180 days)
TAMIFLU ORAL CAPSULE 45 MG		3	GC; QL (48 per 180 days)
TAMIFLU ORAL CAPSULE 75 MG		3	GC; QL (42 per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML		3	GC; QL (540 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XOFLUZA ORAL TABLET 20 MG, 40 MG, 80 MG	2	GC; QL (4 per 180 days)
Hcv Antivirals		
EPCLUSIA ORAL TABLET 200-50 MG	2	PA; GC; QL (28 per 28 days)
EPCLUSIA ORAL TABLET 400-100 MG	3	PA; GC; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	PA; GC; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	3	PA; GC; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i>	1	PA; GC; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	2	PA; GC; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	1	PA; GC; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	2	PA; GC; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	2	PA; GC; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	2	PA; GC; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS, DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	2	PA; GC
VOSEVI ORAL TABLET 400-100-100 MG	2	PA; GC; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	2	PA; GC; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	2	PA NSO; GC
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	GC
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	GC
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	2	GC
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	1	GC
acyclovir oral suspension 200 mg/5 ml (Zovirax)	1	GC
acyclovir oral tablet 400 mg, 800 mg	1	GC
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	1	PA BvD; GC
acyclovir sodium intravenous solution 50 mg/ml	1	PA BvD; GC
adefovir oral tablet 10 mg (Hepsera)	1	GC
BARACLUDE ORAL SOLUTION 0.05 MG/ML	2	GC
BARACLUDE ORAL TABLET 0.5 MG, 1 MG	3	GC
cidofovir intravenous solution 75 mg/ml	1	GC
CYTOVENE INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	1	GC
famciclovir oral tablet 125 mg, 250 mg, 500 mg	1	GC
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	1	PA BvD; GC
ganciclovir sodium intravenous solution 50 mg/ml	1	PA BvD; GC
HEPSERA ORAL TABLET 10 MG	3	GC
ribavirin inhalation recon soln 6 gram (Virazole)	1	PA BvD; GC
ribavirin oral capsule 200 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ribavirin oral tablet 200 mg	1	GC
SITAVIG BUCCAL MUCO-ADHESIVE BUCCAL TABLET 50 MG	2	GC
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	1	GC
VALCYTE ORAL RECON SOLN 50 MG/ML	3	GC
VALCYTE ORAL TABLET 450 MG	3	GC
valganciclovir oral recon soln 50 mg/ml (Valcyte)	1	GC
valganciclovir oral tablet 450 mg (Valcyte)	1	GC
VALTREX ORAL TABLET 1 GRAM, 500 MG	3	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG	2	PA BvD; GC
VIRAZOLE INHALATION RECON SOLN 6 GRAM	3	PA BvD; GC
ZOVIRAX ORAL SUSPENSION 200 MG/5 ML	3	GC
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ARIXTRA SUBCUTANEOUS SYRINGE 10 MG/0.8 ML	3	GC; QL (24 per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	3	GC; QL (15 per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE 5 MG/0.4 ML	3	GC; QL (12 per 30 days)
ARIXTRA SUBCUTANEOUS SYRINGE 7.5 MG/0.6 ML	3	GC
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	GC
ELIQUIS ORAL TABLET 2.5 MG	2	GC; QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	GC; QL (74 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	1	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	1	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	1	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) mg/0.3 ml	1	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) mg/0.4 ml	1	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) mg/0.6 ml	1	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	1	GC
FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML	2	GC; QL (15.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	2	GC; QL (17 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	2	GC; QL (8.5 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	2	GC; QL (10.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	2	GC; QL (21.6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML	2	GC; QL (6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	2	GC; QL (5.1 per 30 days)
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	GC
heparin (porcine) injection syringe 5,000 unit/ml	1	GC
heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml	1	GC
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	1	GC
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML	3	GC; QL (30 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 100 MG/ML, 150 MG/ML	3	GC; QL (60 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 120 MG/0.8 ML, 80 MG/0.8 ML	3	GC; QL (48 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 30 MG/0.3 ML	3	GC; QL (18 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	3	GC; QL (24 per 30 days)
LOVENOX SUBCUTANEOUS SYRINGE 60 MG/0.6 ML	3	GC; QL (36 per 30 days)
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	2	GC; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	2	GC; QL (30 per 30 days)
warfarin oral tablet 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	GC
XARELTO ORAL TABLET 10 MG, 20 MG	2	GC; QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	2	PA; GC
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 150 MCG/0.75 ML	2	PA; GC; QL (4 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	2	PA; GC
BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)	2	PA; GC; QL (24 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	PA; GC; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	PA; GC
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	PA; GC
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	PA; GC; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	2	GC
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	2	PA; GC; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	2	GC
MULPLETA ORAL TABLET 3 MG	2	PA; GC; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	PA; GC
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	PA; GC
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	2	PA; GC
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	2	PA; GC; QL (30 per 30 days)
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (4 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	PA; GC; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	2	PA; GC; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 25 MG	2	PA; GC; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
REBLOZYL SUBCUTANEOUS RECON SOLN 25 MG, 75 MG	2	PA; GC
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (4 per 28 days)
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	2	PA; GC; QL (8 per 30 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	PA; GC
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
AGRYLIN ORAL CAPSULE 0.5 MG	3	GC
AMICAR ORAL SOLUTION 250 MG/ML (25 %)	3	GC
AMICAR ORAL TABLET 1,000 MG, 500 MG	3	GC
<i>aminocaproic acid oral solution 250 mg/ml (25 %)</i>	1	GC
<i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i>	1	GC
<i>anagrelide oral capsule 0.5 mg</i>	1	GC
<i>anagrelide oral capsule 1 mg</i>	1	GC
CABLIVI INJECTION KIT 11 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYKLOKAPRON INTRAVENOUS SOLUTION 1,000 MG/10 ML (100 MG/ML)	3	GC
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	GC
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	2	PA; GC
LYSTEDA ORAL TABLET 650 MG	3	GC; QL (30 per 30 days)
OXBRYTA ORAL TABLET 500 MG	2	PA; GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	2	PA NSO; GC
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	1	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	GC; QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er</i> <i>multiphase 12 hr 25-200 mg</i>	1	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	GC
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	GC
<i>clopidogrel oral tablet 300 mg</i>	1	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50</i> <i>mg, 75 mg</i>	1	GC
EFFIENT ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>pentoxifylline oral tablet extended</i> <i>release 400 mg</i>	1	GC
PLAVIX ORAL TABLET 75 MG	3	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	GC; QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	2	PA BvD; GC
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	2	PA BvD; GC
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	2	PA BvD; GC
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	PA BvD; GC
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	PA BvD; GC
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	PA BvD; GC
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	PA BvD; GC
CLINOLIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	GC
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	2	PA BvD; GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	PA BvD; GC
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	2	PA BvD; GC
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	2	PA BvD; GC
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
OMEGAVEN INTRAVENOUS EMULSION 10 %	2	PA BvD; GC
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	2	PA BvD; GC
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	PA BvD; GC
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	PA BvD; GC
<i>smoflipid intravenous emulsion 20 %</i>	1	PA BvD; GC
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
Cardiovascular Agents		
Alpha-Adrenergic Agents		
CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	2	GC
CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24 HR	3	GC; QL (4 per 28 days)
CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24 HR	3	GC; QL (8 per 28 days)
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)</i>	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)</i>	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)</i>	1	GC; QL (8 per 28 days)
DIBENZYLINE ORAL CAPSULE 10 MG	3	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)</i>	1	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)</i>	1	PA; GC; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	GC
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	1	GC
<i>methyldopate intravenous solution 250 mg/5 ml</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
MINIPRESS ORAL CAPSULE 1 MG, 2 MG, 5 MG	3	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	2	PA; GC; QL (180 per 30 days)
<i>phenoxybenzamine oral capsule 10 mg (Dibenzyline)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenotolamine injection recon soln 5 mg</i>	1	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i>	1	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	GC
VAZCULEP INJECTION SOLUTION 10 MG/ML	3	GC
Angiotensin II Receptor Antagonists		
ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG	3	GC
ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	GC
AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG	3	GC
AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG	3	GC
BENICAR HCT ORAL TABLET 20-12.5 MG, 40-12.5 MG, 40-25 MG	3	GC
BENICAR ORAL TABLET 20 MG, 40 MG, 5 MG	3	GC
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	1	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	1	GC
COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG	3	GC
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG	3	GC
EDARBI ORAL TABLET 40 MG, 80 MG	2	GC
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	2	GC
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>eprosartan oral tablet 600 mg</i>	1	GC
HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG	3	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	1	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	1	GC
MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-12.5 MG, 80-25 MG	3	GC
MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	1	GC
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor)</i>	1	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)</i>	1	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)</i>	1	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg (Twynsta)</i>	1	GC; QL (30 per 30 days)
<i>telmisartan-amlodipine oral tablet 40-5 mg, 80-10 mg, 80-5 mg (Twynsta)</i>	1	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg (Micardis HCT)</i>	1	GC
TRIBENZOR ORAL TABLET 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG	3	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	GC
Angiotensin-Converting Enzyme Inhibitors		
ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC
ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG	3	GC
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	GC
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	GC; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC
EPANED ORAL SOLUTION 1 MG/ML	2	ST; GC; QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg (Zestril)</i>	1	GC
<i>lisinopril oral tablet 20 mg (Prinivil)</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)</i>	1	GC
LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG	3	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	GC
PRINIVIL ORAL TABLET 20 MG	3	GC
QBRELIS ORAL SOLUTION 1 MG/ML	2	ST; GC; QL (1200 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)</i>	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)</i>	1	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)</i>	1	GC
TARKA ORAL TABLET, IR - ER, BIPHASIC 24HR 2-180 MG, 2-240 MG, 4-240 MG	3	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	GC
VASERETIC ORAL TABLET 10-25 MG	3	GC
VASOTEC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZESTORETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG	3	GC
Antiarrhythmic Agents		
<i>amiodarone intravenous solution 50 mg/ml</i>	1	GC
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i>	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	1	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	1	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	GC
MULTAQ ORAL TABLET 400 MG	2	GC
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG, 150 MG	2	GC
NORPACE ORAL CAPSULE 100 MG, 150 MG	3	GC
<i>pacerone oral tablet 100 mg, 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	3	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	1	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	GC
RYTHMOL SR ORAL CAPSULE, EXTENDED RELEASE 12 HR 225 MG, 325 MG, 425 MG	3	GC
TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG	3	GC
XYLOCAINE-MPF 1% VIAL SUV, L/F, OUTER 10 MG/ML (1 %)	3	GC
XYLOCAINE-MPF 2% VIAL L/F, SUV, OUTER 20 MG/ML (2 %)	3	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	GC
<i>atenolol oral tablet 100 mg, 25 mg, (Tenormin) 50 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet (Tenoretic 100) 100-25 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet (Tenoretic 50) 50-25 mg</i>	1	GC
BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
BETAPACE ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COREG CR ORAL CAPSULE, ER MULTIPHASE 24 HR 10 MG, 20 MG, 40 MG, 80 MG	3	GC
COREG ORAL TABLET 12.5 MG, 25 MG, 3.125 MG, 6.25 MG	3	GC
CORGARD ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
INDERAL LA ORAL CAPSULE, EXTENDED RELEASE 24 HR 160 MG, 60 MG	3	GC
KAPSPARGO SPRINKLE ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 200 MG, 25 MG, 50 MG	2	GC
<i>labetalol intravenous solution 5 mg/ml</i>	1	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	GC
LEVATOL ORAL TABLET 20 MG	2	GC
LOPRESSOR HCT ORAL TABLET 50-25 MG	3	GC
LOPRESSOR ORAL TABLET 100 MG, 50 MG	3	GC
<i>metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral (Lopressor HCT) tablet 50-25 mg</i>	1	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	GC
<i>metoprolol tartrate oral tablet 100 (Lopressor) mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg (Corgard)</i>	1	GC
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)</i>	1	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	1	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i>	1	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Sorine)</i>	1	GC
SOTYLIZE ORAL SOLUTION 5 MG/ML	2	GC
TENORETIC 100 ORAL TABLET 100-25 MG	3	GC
TENORETIC 50 ORAL TABLET 50-25 MG	3	GC
TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 200 MG, 25 MG, 50 MG	3	GC
ZIAC ORAL TABLET 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Calcium-Channel Blocking Agents		
CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG, 180 MG, 240 MG	3	GC
CARDIZEM CD ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG	3	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 120 MG	2	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	3	GC
CARDIZEM ORAL TABLET 120 MG, 30 MG, 60 MG	3	GC
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	GC
<i>diltiazem hcl intravenous recon soln 100 mg</i>	1	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	GC
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	GC
<i>diltiazem hcl oral capsule, extended (Taztia XT) release 24 hr 360 mg</i>	1	GC
<i>diltiazem hcl oral capsule, extended (Tiadylt ER) release 24 hr 420 mg</i>	1	GC
<i>diltiazem hcl oral capsule, extended (Cartia XT) release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	GC
<i>diltiazem hcl oral tablet 120 mg, 30 (Cardizem) mg, 60 mg</i>	1	GC
<i>diltiazem hcl oral tablet 90 mg</i>	1	GC
<i>diltiazem hcl oral tablet extended (Matzim LA) release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	GC
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	GC
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	GC
TIAZAC ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	3	GC
<i>verapamil 5 mg/2 ml vial sdv 2.5 mg/ml</i>	1	PA BvD; GC
<i>verapamil intravenous solution 2.5 mg/ml</i>	1	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	GC
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	GC
VERELAN ORAL CAPSULE,EXT REL. PELLETS 24 HR 120 MG, 180 MG, 240 MG	3	GC
VERELAN PM ORAL CAPSULE, 24 HR ER PELLET CT 100 MG, 200 MG, 300 MG	3	GC
Cardiovascular Agents, Miscellaneous		
ADRENALIN INJECTION SOLUTION 1 MG/ML, 1 MG/ML (1 ML)	3	GC
AKOVAZ INTRAVENOUS SOLUTION 50 MG/ML	3	GC
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	GC; QL (560 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	GC; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	2	GC
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) (Digitek)</i>	1	GC
<i>epinephrine hcl (pf) injection solution 1 mg/ml (1 ml)</i>	1	GC
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml (Auvi-Q)</i>	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr 2-Pak)</i>	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml (EpiPen 2-Pak)</i>	1	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml (Adrenalin)</i>	1	GC
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	3	GC; QL (4 per 30 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	3	GC; QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	3	PA; GC; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml (Firazyr)</i>	1	PA; GC; QL (18 per 30 days)
LANOXIN INJECTION SOLUTION 250 MCG/ML (0.25 MG/ML)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LANOXIN ORAL TABLET 125 MCG (0.125 MG), 250 MCG (0.25 MG)	3	GC
LANOXIN ORAL TABLET 62.5 MCG (0.0625 MG)	2	GC
LANOXIN PEDIATRIC INJECTION SOLUTION 100 MCG/ML (0.1 MG/ML)	2	GC
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	GC
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG	3	GC; QL (60 per 30 days)
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 500 MG	3	GC; QL (120 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	1	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	1	GC
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	2	GC; QL (4 per 30 days)
VECAMYL ORAL TABLET 2.5 MG	2	GC
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	GC
VYNDAMAX ORAL CAPSULE 61 MG	2	PA; GC; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	2	PA; GC; QL (120 per 30 days)
Dihydropyridines		
ADALAT CC ORAL TABLET EXTENDED RELEASE 30 MG, 60 MG, 90 MG	3	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	1	GC
<i>amlodipine-valsartan oral tablet</i> 10- (Exforge) 160 mg, 10-320 mg, 5-160 mg, 5-320 mg	1	GC
<i>amlodipine-valsartan-hctiazid oral</i> (Exforge HCT) tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg	1	GC
AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG	3	GC
CARDENE IV IN DEXTROSE INTRAVENOUS PIGGYBACK 40 MG/200 ML (0.2 MG/ML)	2	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 20 MG/200 ML (0.1 MG/ML), 40 MG/200 ML (0.2 MG/ML)	2	GC
CARDENE IV INTRAVENOUS SOLUTION 25 MG/10 ML	3	GC
EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG	3	GC
EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG	3	GC
<i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg	1	GC
<i>isradipine oral capsule</i> 2.5 mg, 5 mg	1	GC
KATERZIA ORAL SUSPENSION 1 MG/ML	2	ST; GC; QL (300 per 30 days)
LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG	3	GC
<i>nicardipine intravenous solution</i> 25 mg/10 ml (Cardene IV)	1	GC
<i>nicardipine oral capsule</i> 20 mg, 30 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nifedipine oral capsule 10 mg, 20 mg	1	GC
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	1	GC
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg (Adalat CC)	1	GC
nimodipine oral capsule 30 mg	1	GC
nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg (Sular)	1	GC
nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg	1	GC
NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	GC
NYMALIZE 30 MG/5 ML ORAL SYRNG OUTER 30 MG/5 ML	2	GC
NYMALIZE ORAL SYRINGE 60 MG/10 ML	2	GC
PROCARDIA ORAL CAPSULE 10 MG	3	GC
PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG, 60 MG, 90 MG	3	GC
SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG, 34 MG, 8.5 MG	3	GC
Diuretics		
ALDACTAZIDE ORAL TABLET 25-25 MG	3	GC
ALDACTAZIDE ORAL TABLET 50-50 MG	2	GC
ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
amiloride oral tablet 5 mg	1	GC
amiloride-hydrochlorothiazide oral tablet 5-50 mg	1	GC
bumetanide injection solution 0.25 mg/ml	1	GC
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chlorothiazide sodium intravenous</i> (Diuril IV) <i>recon soln 500 mg</i>	1	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	GC
DIURIL IV INTRAVENOUS RECON SOLN 500 MG	3	GC
DIURIL ORAL SUSPENSION 250 MG/5 ML	2	GC
DYRENium ORAL CAPSULE 100 MG, 50 MG	3	GC
EDECRIN ORAL TABLET 25 MG	3	GC
<i>ethacrynic acid oral tablet 25 mg</i> (Edecrin)	1	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	PA; GC; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM)	2	PA; GC
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	PA; GC; QL (56 per 28 days)
LASIX ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
MAXZIDE ORAL TABLET 75-50 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAXZIDE-25MG ORAL TABLET 37.5-25 MG	3	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
SAMSCA ORAL TABLET 15 MG	3	GC; QL (30 per 30 days)
SAMSCA ORAL TABLET 30 MG	3	GC; QL (60 per 30 days)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)</i>	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg (Aldactazide)</i>	1	GC
<i>tolvaptan oral tablet 15 mg, 30 mg (Samsca)</i>	1	GC; QL (60 per 30 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene oral capsule 100 mg, 50 mg (Dyrenium)</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg (Maxzide-25mg)</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg (Maxzide)</i>	1	GC
Dyslipidemics		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	2	GC
<i>amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 10-20 mg, 10-80 mg, 5-10 mg</i>	1	GC
<i>amlodipine-atorvastatin oral tablet (Caduet) 10-40 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	1	GC; QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)</i>	1	GC; QL (30 per 30 days)
CADUET ORAL TABLET 10-10 MG, 5-10 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CADUET ORAL TABLET 10-20 MG, 10-40 MG, 10-80 MG, 5-20 MG, 5-40 MG, 5-80 MG	3	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	1	GC
<i>cholestyramine light oral powder in packet 4 gram</i>	1	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	1	GC
<i>colesevelam oral tablet 625 mg</i>	1	GC
COLESTID ORAL PACKET 5 GRAM	3	GC
COLESTID ORAL TABLET 1 GRAM	3	GC
<i>colestipol oral packet 5 gram</i>	1	GC
<i>colestipol oral tablet 1 gram</i>	1	GC
CRESTOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC; QL (30 per 30 days)
EVKEEZA INTRAVENOUS SOLUTION 150 MG/ML	2	PA; GC
<i>ezetimibe oral tablet 10 mg</i>	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	1	GC
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	1	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	1	GC
<i>fenofibrate oral capsule 150 mg, 50 mg</i>	1	GC
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	1	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg</i>	(Trilipix)	1	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	1	GC
FENOGLIDE ORAL TABLET 120 MG, 40 MG		3	GC
FIBRICOR ORAL TABLET 105 MG, 35 MG		3	GC
<i>fluvastatin oral capsule 20 mg</i>		1	GC; QL (60 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>		1	GC
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	1	GC
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
<i>icosapent ethyl oral capsule 1 gram</i>	(Vascepa)	1	GC
JUXTAPIID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG		2	PA; GC; QL (30 per 30 days)
JUXTAPIID ORAL CAPSULE 20 MG		2	PA; GC; QL (90 per 30 days)
JUXTAPIID ORAL CAPSULE 5 MG		2	PA; GC; QL (45 per 30 days)
LESCOL XL ORAL TABLET EXTENDED RELEASE 24 HR 80 MG		3	GC
LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG		3	GC; QL (30 per 30 days)
LIPOFEN ORAL CAPSULE 150 MG, 50 MG		3	GC
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG		2	GC; QL (30 per 30 days)
LOPID ORAL TABLET 600 MG		3	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC
LOVAZA ORAL CAPSULE 1 GRAM		3	GC; QL (120 per 30 days)
NEXLETOL ORAL TABLET 180 MG		2	PA; GC; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		2	PA; GC; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i>	(Niacor)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	(Niaspan Extended-Release)	1	GC
<i>niacor oral tablet 500 mg</i>		1	GC
NIASPAN EXTENDED-RELEASE ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG, 500 MG, 750 MG		3	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	1	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		2	PA; GC; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 40 mg, 80 mg</i>		1	GC
<i>pravastatin oral tablet 20 mg</i>		1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>		1	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		2	PA; GC; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		2	PA; GC; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		2	PA; GC; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	(Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>		1	GC; QL (30 per 30 days)
TRICOR ORAL TABLET 145 MG, 48 MG		3	GC
TRILIPIX ORAL CAPSULE,DELAYED RELEASE(DR/EC) 135 MG, 45 MG		3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	GC; QL (120 per 30 days)
VYTORIN 10-10 ORAL TABLET 10-10 MG	3	GC; QL (30 per 30 days)
VYTORIN 10-20 ORAL TABLET 10-20 MG	3	GC; QL (30 per 30 days)
VYTORIN 10-40 ORAL TABLET 10-40 MG	3	GC; QL (30 per 30 days)
VYTORIN 10-80 ORAL TABLET 10-80 MG	3	GC
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	GC
WELCHOL ORAL TABLET 625 MG	3	GC
ZETIA ORAL TABLET 10 MG	3	GC; QL (30 per 30 days)
ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG	3	GC; QL (30 per 30 days)
ZYPITAMAG ORAL TABLET 2 MG, 4 MG	2	GC; QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
aliskiren oral tablet 150 mg, 300 mg (Tekturna)	1	GC
eplerenone oral tablet 25 mg, 50 mg (Inspira)	1	GC
INSPRA ORAL TABLET 25 MG, 50 MG	3	GC
TEKTURNNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	2	GC
TEKTURNNA ORAL TABLET 150 MG, 300 MG	3	GC
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	2	GC
DILATRATE-SR ORAL CAPSULE, EXTENDED RELEASE 40 MG	2	GC
ISORDIL ORAL TABLET 40 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISORDIL TITRADOSE ORAL TABLET 5 MG	3	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	GC
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	1	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	GC
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR	3	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	GC
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i>	1	GC
NITROLINGUAL TRANSLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY	3	GC
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Central Nervous System Agents		
Central Nervous System Agents		
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 20 MG, 25 MG, 30 MG	3	ST; GC; QL (60 per 30 days)
<i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> (Evekeo)	1	GC; QL (180 per 30 days)
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	3	PA; GC; QL (60 per 30 days)
APTENSIO XR ORAL CAP,ER SPRINKLE,BIPHASIC 40-60 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	3	ST; GC; QL (30 per 30 days)
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	2	PA; GC; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	PA; GC; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	2	PA; GC; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
BAFIERTAM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 95 MG	2	PA; GC; QL (120 per 30 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	PA; GC; QL (15 per 30 days)
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> (Kapvay)	1	GC; QL (120 per 30 days)
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG	3	ST; GC; QL (30 per 30 days)
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 36 MG	3	ST; GC; QL (60 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	3	PA; GC; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	3	PA; GC; QL (12 per 28 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 17.3 MG, 25.9 MG	2	ST; GC; QL (60 per 30 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 8.6 MG	2	ST; GC; QL (30 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; GC; QL (60 per 30 days)
DAYTRANA TRANSDERMAL PATCH 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	2	ST; GC; QL (30 per 30 days)
DESOXYN ORAL TABLET 5 MG	3	PA; GC; QL (150 per 30 days)
DEXEDRINE SPANSULE ORAL CAPSULE, EXTENDED RELEASE 10 MG, 15 MG, 5 MG	3	GC; QL (120 per 30 days)
<i>dexamphetamine oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	GC; QL (30 per 30 days)
<i>dexamphetamine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	GC; QL (120 per 30 days)
<i>dextroamphetamine oral solution 5 mg/5 ml</i> (ProCentra)	1	GC; QL (1800 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Zeneddi)	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	1	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	1	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera)	1	PA; GC; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (44)- 240 mg (46)</i>	(Tecfidera)	1	PA; GC
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera)	1	PA; GC; QL (60 per 30 days)
DYANAVEL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML		2	GC; QL (240 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML		2	PA; GC
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		2	PA; GC; QL (15 per 30 days)
FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG		3	ST; GC; QL (60 per 30 days)
FOCALIN XR ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG		3	ST; GC; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		2	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Glatopa)	1	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Glatopa)	1	PA; GC; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		1	PA; GC; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		1	PA; GC; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER)	1	GC; QL (30 per 30 days)
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	2	PA; GC
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	PA; GC; QL (30 per 30 days)
INTUNIV ER ORAL TABLET EXTENDED RELEASE 24 HR 1 MG, 2 MG, 3 MG, 4 MG	3	GC; QL (30 per 30 days)
JORNAY PM ORAL CAPSULE,DEL REL,EXT REL SPRINK 100 MG, 20 MG, 40 MG, 60 MG, 80 MG	2	GC; QL (30 per 30 days)
KAPVAY ORAL TABLET EXTENDED RELEASE 12 HR 0.1 MG	3	GC; QL (120 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	PA; GC; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	2	PA; GC; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	1	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	GC
LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG	3	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAYZENT ORAL TABLET 0.25 MG	2	PA; GC; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	2	PA; GC; QL (30 per 30 days)
<i>metadate er oral tablet extended release 20 mg</i>	1	GC; QL (90 per 30 days)
<i>methamphetamine oral tablet 5 mg (Desoxyn)</i>	1	PA; GC; QL (150 per 30 days)
METHYLIN ORAL SOLUTION 10 MG/5 ML, 5 MG/5 ML	3	ST; GC; QL (900 per 30 days)
<i>methylphenidate hcl oral cap,er sprinkle,biphasic 40-60 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	1	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet (Concerta) extended release 24hr 18 mg, 27 mg, 54 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet (Concerta) extended release 24hr 36 mg</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 10 mg</i>	1	GC; QL (180 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 2.5 mg, 5 mg</i>	1	GC; QL (90 per 30 days)
MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	ST; GC; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	2	PA; GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	PA; GC; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	PA; GC; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
PONVORY 14-DAY STARTER PACK ORAL TABLETS, DOSE PACK 2 MG (2) - 10 MG (3)	2	PA; GC
PONVORY ORAL TABLET 20 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QUILLICHEW ER ORAL TABLET,CHEW,IR-ER.BIPHASIC24HR 20 MG, 30 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
QUILLIVANT XR ORAL SUSPENSION,EXT REL 24HR,RECON 5 MG/ML (25 MG/5 ML)	2	ST; GC; QL (360 per 30 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	2	PA; GC; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
RILUTEK ORAL TABLET 50 MG	3	GC; QL (60 per 30 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	GC; QL (60 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 20 MG, 40 MG	3	ST; GC; QL (30 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 30 MG	3	ST; GC; QL (60 per 30 days)
RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG	3	ST; GC; QL (90 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25 MG, 40 MG	3	GC; QL (60 per 30 days)
STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80 MG	3	GC; QL (30 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	3	PA; GC; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	3	PA; GC
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	3	PA; GC; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg</i>	1	PA; GC; QL (112 per 28 days)
VUMERTY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	2	PA; GC; QL (120 per 30 days)
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	2	PA; GC; QL (30 per 30 days)
VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
XENAZINE ORAL TABLET 12.5 MG, 25 MG	3	PA; GC; QL (112 per 28 days)
<i>zenzedi oral tablet 10 mg</i>	1	GC; QL (180 per 30 days)
<i>zenzedi oral tablet 5 mg</i>	1	GC; QL (90 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	2	PA; GC; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23- 0.46-0.92 MG	2	PA; GC
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
ANNOVERA VAGINAL RING 0.15-0.013 MG/24 HOUR	2	GC; QL (1 per 364 days)
<i>apri oral tablet 0.15-0.03 mg</i>	1	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	1	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
BALCOLTRA ORAL TABLET 0.1 MG-0.02 MG (21)/36.5 MG(7)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>brielllyn oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	GC
<i>charlotte 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	1	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	GC
<i>desog-e.estradiolle.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	1	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	1	GC
<i>dolishale oral tablet 90-20 mcg (28)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	GC
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	1	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	1	GC
<i>elinese oral tablet 0.3-30 mg-mcg</i>	1	GC
ELLA ORAL TABLET 30 MG	2	GC; QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	1	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	GC
<i>errin oral tablet 0.35 mg</i>	1	GC
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	1	GC
ESTROSTEP FE-28 ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	3	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	1	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	1	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	1	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
GENERESS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	3	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	GC
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
hailey oral tablet 1.5-30 mg-mcg	1	GC
heather oral tablet 0.35 mg	1	GC
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	1	GC; QL (91 per 84 days)
incassia oral tablet 0.35 mg	1	GC
introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	1	GC; QL (91 per 84 days)
isibloom oral tablet 0.15-0.03 mg	1	GC
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	GC; QL (91 per 84 days)
jasmiel (28) oral tablet 3-0.02 mg	1	GC
jencycla oral tablet 0.35 mg	1	GC
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	1	GC; QL (91 per 84 days)
juleber oral tablet 0.15-0.03 mg	1	GC
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	GC
junel 1/20 (21) oral tablet 1-20 mg-mcg	1	GC
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	GC
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	GC
kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)	1	GC
kalliga oral tablet 0.15-0.03 mg	1	GC
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	GC
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	1	GC
kelnor 1-50 (28) oral tablet 1-50 mg-mcg	1	GC
kurvelo (28) oral tablet 0.15-0.03 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
<i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	1	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2)	2	GC
<i>lojaimiess oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	GC
LOSEASONIQUE ORAL TABLETS, DOSE PACK, 3 MONTH 0.10 MG-20 MCG (84)/10 MCG (7)	3	GC; QL (91 per 84 days)
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>lo-zumandimine (28) oral tablet 3- 0.02 mg</i>	1	GC
<i>lulera (28) oral tablet 0.1-20 mg- mcg</i>	1	GC
<i>lyleq oral tablet 0.35 mg</i>	1	GC
<i>lyza oral tablet 0.35 mg</i>	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>melodetta 24 fe oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>mibelas 24 fe oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>microgestin 1/20 (21) oral tablet 1- 20 mg-mcg</i>	1	GC
<i>microgestin 24 fe oral tablet 1 mg- 20 mcg (24)/75 mg (4)</i>	3	GC
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>milki oral tablet 0.25-35 mg-mcg</i>	1	GC
MINASTRIN 24 FE ORAL TABLET, CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	1	GC	
NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG	2	GC	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC	
NEXTSTELLIS ORAL TABLET 3 MG- 14.2 MG (28)	2	GC	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	GC	
<i>nora-be oral tablet 0.35 mg</i>	1	GC	
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	(Wymzya Fe)	1	GC
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	(Kaitlib Fe)	1	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Eurovela 1.5/30 (21))	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Eurovela 1/20 (21))	1	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Eurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Eurovela Fe 1.5/30 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24)/75 mg (4)</i>	(Charlotte 24 Fe)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri Femynor)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norlyda oral tablet 0.35 mg</i>	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	3	GC; QL (1 per 28 days)
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>ocella oral tablet 3-0.03 mg</i>	1	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	GC
ORTHO MICRONOR ORAL TABLET 0.35 MG	3	GC
ORTHO TRI-CYCLEN (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	3	GC
ORTHO-NOVUM 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG-35 MCG	3	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	1	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	GC
QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG	3	GC; QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>rivilsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAFYRAL ORAL TABLET 3-0.03-0.451 MG (21) (7)	3	GC
SEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	3	GC; QL (91 per 84 days)
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)	2	GC
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>syeda oral tablet 3-0.03 mg</i>	1	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
TAYTULLA ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	3	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>	1	GC
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	1	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>viovere (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>vyfemla (28) oral tablet 0.4-35 mg- mcg</i>	1	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>wera (28) oral tablet 0.5-35 mg- mcg</i>	1	GC
<i>wymzyafe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
xulane transdermal patch weekly 150-35 mcg/24 hr	1	GC; QL (3 per 28 days)
YASMIN (28) ORAL TABLET 3-0.03 MG	3	GC
YAZ (28) ORAL TABLET 3-0.02 MG	3	GC
zafemy transdermal patch weekly 150-35 mcg/24 hr	1	GC; QL (3 per 28 days)
zarah oral tablet 3-0.03 mg	1	GC
zovia 1-35 (28) oral tablet 1-35 mg-mcg	1	GC
zovia 1-35e tablet outer 1-35 mg-mcg	1	GC
zumandimine (28) oral tablet 3-0.03 mg	1	GC

Dental And Oral Agents

Dental And Oral Agents

cevimeline oral capsule 30 mg (Evoxac)	1	GC
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	1	GC
denta 5000 plus dental cream 1.1 %	1	GC
dentagel dental gel 1.1 %	1	GC
EVOXAC ORAL CAPSULE 30 MG	3	GC
oralone dental paste 0.1 %	1	GC
paroex oral rinse mucous membrane mouthwash 0.12 %	1	GC
periogard mucous membrane mouthwash 0.12 %	1	GC
pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))	1	GC
SALAGEN (PILOCARPINE) ORAL TABLET 5 MG, 7.5 MG	3	GC
sf 5000 plus dental cream 1.1 %	1	GC
triamcinolone acetonide dental paste (Oralone) 0.1 %	1	GC

Dermatological Agents

Dermatological Agents, Other

accutane oral capsule 20 mg, 30 mg, 40 mg	1	GC
---	---	----

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>acitretin oral capsule 10 mg, 25 mg</i>	(Soriatane)	1	GC
<i>acitretin oral capsule 17.5 mg</i>		1	GC
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	GC; QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED		1	GC
<i>ammonium lactate topical cream 12 %</i>		1	GC
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	1	GC
<i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i>		1	GC
<i>azelaic acid topical gel 15 %</i>	(Finacea)	1	GC
BD SINGLE USE SWAB		1	GC
<i>calcipotriene scalp solution 0.005 %</i>		1	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	1	GC; QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>		1	GC; QL (120 per 30 days)
<i>calcipotriene-betamethasone topical suspension 0.005-0.064 %</i>	(Taclonex)	1	GC
<i>calcitriol topical ointment 3 mcg/gram</i>	(Vectical)	1	GC
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		1	GC
<i>dapsone topical gel 5 %</i>	(Aczone)	1	GC
DOVONEX TOPICAL CREAM 0.005 %		3	GC
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	1	GC
<i>fluorouracil topical cream 5 %</i>	(Efudex)	1	GC
<i>fluorouracil topical solution 2 %, 5 %</i>		1	GC
<i>imiquimod topical cream in packet 5 %</i>	(Aldara)	1	GC; QL (24 per 30 days)
<i>isotretinoin oral capsule 10 mg</i>	(Amnesteem)	1	GC
<i>isotretinoin oral capsule 20 mg, 30 mg, 40 mg</i>	(Accutane)	1	GC
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
OXSORALEN ULTRA ORAL CAPSULE,LIQD-FILLED,RAPID REL 10 MG	3	GC
PANRETIN TOPICAL GEL 0.1 %	2	GC; QL (180 per 30 days)
PICATO TOPICAL GEL 0.015 %	2	GC; QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	2	GC; QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	GC
REGRANEX TOPICAL GEL 0.01 %	2	PA; GC; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	GC; QL (180 per 30 days)
SORIATANE ORAL CAPSULE 10 MG, 25 MG	3	GC
TACLONEX TOPICAL OINTMENT 0.005-0.064 %	3	GC
UVADEX INJECTION SOLUTION 20 MCG/ML	2	GC
VALCHLOR TOPICAL GEL 0.016 %	2	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
Dermatological Antibacterials		
ALTABAX TOPICAL OINTMENT 1 %	2	GC
CENTANY AT TOPICAL OINTMENT KIT 2 %	3	GC
<i>clindamycin phosphate topical foam (Evoclin) 1 %</i>	1	GC; QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	1	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab (Clindacin ETZ) 1 %</i>	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i>	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	1	GC
<i>clindamycin-benzoyl peroxide topical gel with pump 1.2-2.5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ery pads topical swab 2 %</i>	1	GC
ERYGEL TOPICAL GEL 2 %	3	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical gel 2 %</i>	1	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	1	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	1	GC
<i>gentamicin topical cream 0.1 %</i>	1	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	1	GC
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	1	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	GC
<i>mupirocin calcium topical cream 2 %</i>	1	GC; QL (90 per 30 days)
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	GC
<i>rosadan topical cream 0.75 %</i>	1	GC
<i>selenium sulfide topical lotion 2.5 %</i>	1	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	1	GC
<i>ssd topical cream 1 %</i>	1	GC
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	1	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	1	GC
<i>alclometasone topical ointment 0.05 %</i>	1	GC
<i>amcinonide topical cream 0.1 %</i>	1	GC
<i>amcinonide topical lotion 0.1 %</i>	1	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>betamethasone dipropionate topical lotion 0.05 %</i>		1	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>		1	GC
<i>betamethasone valerate topical cream 0.1 %</i>		1	GC
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>		1	GC
<i>betamethasone valerate topical lotion 0.1 %</i>		1	GC
<i>betamethasone valerate topical ointment 0.1 %</i>		1	GC
<i>betamethasone, augmented topical cream 0.05 %</i>		1	GC
<i>betamethasone, augmented topical gel 0.05 %</i>		1	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>		1	GC
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene (augmented))	1	GC
<i>clobetasol scalp solution 0.05 %</i>		1	GC
<i>clobetasol topical cream 0.05 %</i>	(Temovate)	1	GC
<i>clobetasol topical foam 0.05 %</i>	(Olux)	1	GC
<i>clobetasol topical gel 0.05 %</i>		1	GC
<i>clobetasol topical lotion 0.05 %</i>	(Clobex)	1	GC
<i>clobetasol topical ointment 0.05 %</i>	(Temovate)	1	GC
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	1	GC
<i>clobetasol-emollient topical cream 0.05 %</i>		1	GC
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	1	GC
CLOBEX TOPICAL LOTION 0.05 %		3	GC
CLOBEX TOPICAL SPRAY, NON-AEROSOL 0.05 %		3	GC
<i>desonide topical cream 0.05 %</i>	(DesOwen)	1	GC
<i>desonide topical lotion 0.05 %</i>	(DesOwen)	1	GC
<i>desonide topical ointment 0.05 %</i>		1	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	1	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	1	GC
<i>desoximetasone topical spray,non-aerosol 0.25 %</i>	(Topicort)	1	GC
EPIFOAM TOPICAL FOAM 1-1 %		2	GC
EUCRISA TOPICAL OINTMENT 2 %		2	GC
<i>fluocinolone 0.01% body oil 0.01 %</i>	(Derma-Smoothe/FS Body Oil)	1	GC
<i>fluocinolone and shower cap scalp oil 0.01 %</i>	(Derma-Smoothe/FS Scalp Oil)	1	GC
<i>fluocinolone topical cream 0.01 %</i>		1	GC
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	1	GC
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	1	GC
<i>fluocinolone topical solution 0.01 %</i>	(Synalar)	1	GC
<i>fluocinonide topical cream 0.05 %</i>		1	GC
<i>fluocinonide topical cream 0.1 %</i>	(Vanos)	1	GC
<i>fluocinonide topical gel 0.05 %</i>		1	GC
<i>fluocinonide topical ointment 0.05 %</i>		1	GC
<i>fluocinonide topical solution 0.05 %</i>		1	GC
<i>fluocinonide-e topical cream 0.05 %</i>		1	GC
<i>flurandrenolide topical cream 0.05 %</i>	(Cordran)	1	GC
<i>flurandrenolide topical lotion 0.05 %</i>	(Cordran)	1	GC
<i>fluticasone propionate topical cream 0.05 %</i>	(Cutivate)	1	GC
<i>fluticasone propionate topical lotion 0.05 %</i>	(Beser)	1	GC
<i>fluticasone propionate topical ointment 0.005 %</i>		1	GC
<i>halobetasol propionate topical cream 0.05 %</i>		1	GC
<i>halobetasol propionate topical ointment 0.05 %</i>		1	GC
<i>hydrocortisone 2.5% cream 2.5 %</i>		1	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>		1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	(Locoid)	1	GC; QL (118 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		1	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>		1	GC; QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	(Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>		1	GC
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>		1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>		1	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>		1	GC
LOCOID LIPOCREAM TOPICAL CREAM 0.1 %		3	GC
LOCOID TOPICAL LOTION 0.1 %		3	ST; GC
<i>mometasone topical cream 0.1 %</i>		1	GC
<i>mometasone topical ointment 0.1 %</i>		1	GC
<i>mometasone topical solution 0.1 %</i>		1	GC
OLUX TOPICAL FOAM 0.05 %		3	GC
PANDEL TOPICAL CREAM 0.1 %		2	ST; GC
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	1	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>		1	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>		1	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>		1	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>		1	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>		1	GC
SERNIVO TOPICAL SPRAY WITH PUMP 0.05 %		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNALAR TOPICAL SOLUTION 0.01 %	3	GC
<i>tacrolimus topical ointment 0.03 %, (Protopic) 0.1 %</i>	1	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i>	1	GC
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i>	1	GC
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	GC
TRITOCIN TOPICAL OINTMENT 0.05 %	1	GC
VANOS TOPICAL CREAM 0.1 %	3	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 % (Differin)</i>	1	GC
<i>adapalene topical gel 0.1 %, 0.3 % (Differin)</i>	1	GC
ALTRENO TOPICAL LOTION 0.05 %	2	PA; GC
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	1	GC
TAZORAC TOPICAL CREAM 0.05 %	2	GC
TAZORAC TOPICAL GEL 0.1 %	2	GC
<i>tretinoin microspheres topical gel (Retin-A Micro) 0.1 %</i>	1	GC
<i>tretinoin topical cream 0.025 % (Avita)</i>	1	PA; GC
<i>tretinoin topical cream 0.05 % (Retin-A)</i>	1	PA; GC
<i>tretinoin topical cream 0.1 % (Retin-A)</i>	1	GC
<i>tretinoin topical gel 0.01 % (Retin-A)</i>	1	PA; GC
<i>tretinoin topical gel 0.025 % (Avita)</i>	1	PA; GC
<i>tretinoin topical gel 0.05 % (Atralin)</i>	1	PA; GC
Scabicides And Pediculicides		
<i>ivermectin topical cream 1 % (Soolantra)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	GC	
<i>permethrin topical cream 5 %</i> (Elimite)	1	GC	
Devices			
Devices			
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	GC
OMNIPOD DASH 5 PACK POD SUBCUTANEOUS CARTRIDGE	2	GC	
OMNIPOD DASH PDM KIT	2	GC	
OMNIPOD INSULIN MANAGEMENT	2	GC	
OMNIPOD INSULIN REFILL SUBCUTANEOUS CARTRIDGE	2	GC	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips)	2	GC
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	GC	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	GC
V-GO 20 DEVICE	2	GC
V-GO 30 DEVICE	2	GC
V-GO 40 DEVICE	2	GC
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	2	PA; GC
CERDELGA ORAL CAPSULE 84 MG	2	PA; GC
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	GC
CHENODAL ORAL TABLET 250 MG	2	PA; GC
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	GC
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	GC
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	GC
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	PA; GC
GALAFOLD ORAL CAPSULE 123 MG	2	PA; GC; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	PA NSO; GC
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	3	GC
KUVAN ORAL TABLET,SOLUBLE 100 MG	3	GC
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	GC; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	GC
NEXVIAZYME INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	1	PA; GC
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	2	PA; GC
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	2	PA; GC
ORFADIN ORAL SUSPENSION 4 MG/ML	2	PA; GC
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	PA; GC
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200- 24,600 UNIT	2	GC
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	2	GC
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	PA; GC
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	PA; GC
<i>sapropterin oral powder in packet</i> (Kuvan) <i>100 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sapropterin oral tablet,soluble 100 mg (Kuvan)	1	GC
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	PA; GC
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	2	GC
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	PA; GC
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT	2	GC
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	GC
XIAFLEX INJECTION RECON SOLN 0.9 MG	2	PA; GC; QL (2 per 28 days)
ZAVESCA ORAL CAPSULE 100 MG	3	PA; GC; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	2	GC
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	2	GC
alcaine ophthalmic (eye) drops 0.5 %	1	GC
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
apraclonidine ophthalmic (eye) drops 0.5 %	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	GC
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	GC; QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i>	1	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	GC
<i>azelastine-fluticasone nasal spray,non-aerosol 137-50 mcg/spray</i> (Dymista)	1	GC; QL (23 per 30 days)
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	1	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	2	GC
<i>ciprofloxacin-fluocinolone otic (ear) solution 0.3-0.025 % (0.25 ml)</i> (Otovel)	1	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	GC
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	2	GC
DYMISTA NASAL SPRAY,NON-AEROSOL 137-50 MCG/SPRAY	3	GC; QL (23 per 30 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	GC
IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 %	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	GC; QL (15 per 10 days)
ISOPTO ATROPINE OPHTHALMIC (EYE) DROPS 1 %	3	GC
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LASTACAF OPHTHALMIC (EYE) DROPS 0.25 %	2	GC
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	1	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	1	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	1	GC
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)	3	GC
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	2	PA; GC; QL (56 per 28 days)
PATANASE NASAL SPRAY,NON-AEROSOL 0.6 %	3	GC; QL (30.5 per 30 days)
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	1	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	2	PA; GC
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	1	GC
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydriacyl)	1	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	GC
AZASITE OPHTHALMIC (EYE) DROPS 1 %	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	2	ST; GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	2	GC
CETRAXAL OTIC (EAR) DROPPERETTE 0.2 %	3	GC
CILOXAN OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
CIPRO HC OTIC (EAR) DROPS,SUSPENSION 0.2-1 %	2	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	GC; QL (7.5 per 7 days)
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i>	1	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	1	GC
CORTISPORIN-TC OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	1	GC
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	GC
MAXITROL OPHTHALMIC (EYE) DROPS,SUSPENSION 3.5MG/ML-10,000 UNIT/ML-0.1 %	3	GC
MAXITROL OPHTHALMIC (EYE) OINTMENT 3.5 MG/G-10,000 UNIT/G-0.1 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOSUS 0.5 %	3	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	1	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	GC
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	1	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	GC
OCUFLOX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	GC
<i>polymyxin b sulf-trimethoprim (Polytrim) ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
POLYTRIM OPHTHALMIC (EYE) DROPS 10,000 UNIT- 1 MG/ML	3	GC
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	2	GC
PRED-G S.O.P. OPHTHALMIC (EYE) OINTMENT 0.3-0.6 %	2	GC
<i>sulfacetamide sodium ophthalmic (Bleph-10) (eye) drops 10 %</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	GC
TOBRADEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.1 %	3	GC
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	GC; QL (3.5 per 7 days)
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	2	GC
<i>tobramycin ophthalmic (eye) drops (Tobrex) 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone (TobraDex) ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	GC
TOBREX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	GC
VIGAMOX OPHTHALMIC (EYE) DROPS 0.5 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	GC
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	GC
ZYMAXID OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 %	3	GC; QL (10 per 25 days)
ACULAR OPHTHALMIC (EYE) DROPS 0.5 %	3	GC; QL (10 per 25 days)
ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 %	2	GC
ALOCRIL OPHTHALMIC (EYE) DROPS 2 %	2	GC
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	2	GC
BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %)	2	GC; QL (50 per 30 days)
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	GC
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	2	GC
DERMOTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	PA; GC; QL (8.3 per 14 days)
FLAC OTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) (DermOtic Oil) drops 0.01 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	1	GC
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	(24 Hour Allergy Relief)	1 GC; QL (16 per 30 days)
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	2	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	GC
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>ketorolac ophthalmic (eye) drops 0.4 %</i>	(Acular LS)	1 GC; QL (10 per 25 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	(Acular)	1 GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	2	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	GC
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	GC
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	GC
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	(Lotemax)	1 GC
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	(Lotemax)	1 GC
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	(Nasonex)	1 GC; QL (34 per 30 days)
NASONEX NASAL SPRAY,NON-AEROSOL 50 MCG/ACTUATION	3	GC; QL (34 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
OMNARIS NASAL SPRAY,NON-AEROSOL 50 MCG	2	GC; QL (13 per 30 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %	2	GC
<i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i>	1	GC
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	2	GC
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	2	GC; QL (9.8 per 28 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (8.7 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	2	GC
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	GC; QL (60 per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION	2	GC; QL (6.1 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
ACIPHEX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG	3	ST; GC; QL (30 per 30 days)
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	1	GC
CARAFATE ORAL SUSPENSION 100 MG/ML	3	GC
CARAFATE ORAL TABLET 1 GRAM	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
cimetidine hcl oral solution 300 mg/5 ml		1	GC
cimetidine oral tablet 200 mg	(Acid Reducer (cimetidine))	1	GC
cimetidine oral tablet 300 mg, 400 mg, 800 mg		1	GC
CYTOTEC ORAL TABLET 100 MCG, 200 MCG		3	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG, 60 MG		2	ST; GC; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	(Nexium)	1	GC; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	(Nexium)	1	GC; QL (60 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg	(Nexium Packet)	1	GC; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg	(Nexium Packet)	1	GC; QL (60 per 30 days)
esomeprazole sodium intravenous recon soln 20 mg		1	GC
esomeprazole sodium intravenous recon soln 40 mg	(Nexium IV)	1	GC
famotidine (pf) intravenous solution 20 mg/2 ml		1	GC
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml		1	GC
famotidine intravenous solution 10 mg/ml		1	GC
famotidine oral suspension 40 mg/5 ml (8 mg/ml)		1	GC
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Prevacid 24Hr)	1	GC; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lansoprazole oral tablet, disintegrat, delay rel 15 mg, 30 mg</i> (Prevacid SoluTab)	1	GC
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	GC
NEXIUM IV INTRAVENOUS RECON SOLN 40 MG	3	GC
NEXIUM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	3	ST; GC; QL (30 per 30 days)
NEXIUM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 40 MG	3	ST; GC; QL (60 per 30 days)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 20 MG	3	ST; GC; QL (30 per 30 days)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 2.5 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	3	ST; GC; QL (60 per 30 days)
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	1	GC
OMECLAMOX-PAK ORAL COMBO PACK 20 MG-500 MG-500 MG (40)	2	GC
<i>omeprazole oral capsule,delayed release(dr/lec) 10 mg, 40 mg</i>	1	GC
<i>omeprazole oral capsule,delayed release(dr/lec) 20 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	1	GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	GC
<i>pantoprazole oral granules dr for susp in packet 40 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (dr/lec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
pantoprazole oral tablet,delayed release (drlec) 40 mg	(Protonix)	1	GC; QL (60 per 30 days)
PREVACID ORAL CAPSULE,DELAYED RELEASE(DR/EC) 15 MG		3	ST; GC; QL (30 per 30 days)
PREVACID ORAL CAPSULE,DELAYED RELEASE(DR/EC) 30 MG		3	ST; GC; QL (60 per 30 days)
PREVACID SOLUTAB ORAL TABLET,DISINTEGRAT, DELAY REL 15 MG, 30 MG		3	ST; GC
PRILOSEC ORAL SUSP,DELAYED RELEASE FOR RECON 10 MG, 2.5 MG		2	GC
PROTONIX INTRAVENOUS RECON SOLN 40 MG		3	GC
PROTONIX ORAL GRANULES DR FOR SUSP IN PACKET 40 MG		2	ST; GC; QL (60 per 30 days)
PROTONIX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG		3	ST; GC; QL (30 per 30 days)
PROTONIX ORAL TABLET,DELAYED RELEASE (DR/EC) 40 MG		3	ST; GC; QL (60 per 30 days)
rabeprazole oral tablet,delayed release (drlec) 20 mg	(AcipHex)	1	GC; QL (30 per 30 days)
sucralfate oral suspension 100 mg/ml	(Carafate)	1	GC
sucralfate oral tablet 1 gram	(Carafate)	1	GC
TALICIA ORAL CAPSULE,IR - DELAY REL,BIPHASE 10-250- 12.5 MG		2	GC; QL (168 per 14 days)
ZEGERID ORAL CAPSULE 20- 1.1 MG-GRAM, 40-1.1 MG- GRAM		3	GC; QL (30 per 30 days)
Gastrointestinal Agents, Other			
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG		3	GC; QL (60 per 30 days)
BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BUPHENYL ORAL POWDER 0.94 GRAM/GRAM	3	GC
BUPHENYL ORAL TABLET 500 MG	3	GC
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	2	GC
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	2	GC
<i>constulose oral solution 10 gram/15 ml</i>	1	GC
<i>cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)</i>	1	GC
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML)	2	GC
<i>dicyclomine intramuscular solution (Bentyl) 10 mg/ml</i>	1	GC
<i>dicyclomine oral capsule 10 mg</i>	1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	GC
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	GC
<i>diphenoxylate-atropine oral tablet (Lomotil) 2.5-0.025 mg</i>	1	GC
<i>enulose oral solution 10 gram/15 ml</i>	1	GC
GASTROCROM ORAL CONCENTRATE 100 MG/5 ML	3	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	PA; GC
<i>generlac oral solution 10 gram/15 ml</i>	1	GC
GIMOTI NASAL SPRAY WITH PUMP 15 MG/SPRAY	2	PA; GC; QL (9.8 per 28 days)
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	GC
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	GC; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	2	GC; QL (34 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
LOKELMA ORAL POWDER IN PACKET 5 GRAM		2	GC; QL (30 per 30 days)
LOMOTIL ORAL TABLET 2.5- 0.025 MG		3	GC
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))		1	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)		1	GC; QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		1	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>		1	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		1	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)		1	GC
<i>metoclopramide hcl oral tablet,disintegrating 10 mg, 5 mg</i>		1	GC
MOTEGRITY ORAL TABLET 1 MG, 2 MG		2	GC; QL (30 per 30 days)
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		2	GC; QL (30 per 30 days)
MYTESI ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG		2	GC; QL (60 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG		2	PA; GC; QL (30 per 30 days)
PYLERA ORAL CAPSULE 140-125-125 MG		2	GC
RAVICTI ORAL LIQUID 1.1 GRAM/ML		2	PA; GC
REGLAN ORAL TABLET 10 MG, 5 MG		3	GC
RELISTOR ORAL TABLET 150 MG		2	PA; GC; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML		2	PA; GC; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML		2	PA; GC; QL (16.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	2	PA; GC; QL (11.2 per 28 days)
RELTONE ORAL CAPSULE 200 MG, 400 MG	2	PA; GC
<i>sodium phenylbutyrate oral powder</i> (Buphenyl) 0.94 gram/gram	1	GC
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	1	GC
<i>sodium polystyrene (sorb free) oral suspension</i> 15 gram/60 ml	1	GC
<i>sodium polystyrene sulfonate oral powder</i>	1	GC
<i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml	1	GC
SYMPROIC ORAL TABLET 0.2 MG	2	GC; QL (30 per 30 days)
TRULANCE ORAL TABLET 3 MG	2	GC; QL (30 per 30 days)
URSO 250 ORAL TABLET 250 MG	3	GC
URSO FORTE ORAL TABLET 500 MG	3	GC
<i>ursodiol oral capsule</i> 200 mg, 400 mg (Reltone)	1	GC
<i>ursodiol oral capsule</i> 300 mg	1	GC
<i>ursodiol oral tablet</i> 250 mg (URSO 250)	1	GC
<i>ursodiol oral tablet</i> 500 mg (URSO Forte)	1	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	GC; QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	2	PA; GC; QL (90 per 30 days)
ZELNORM ORAL TABLET 6 MG	2	GC; QL (60 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	GC
<i>gavilyte-n oral recon soln 420 gram</i>	1	GC
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	2	GC
GOLYTELY ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM	3	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	GC
NULYTELY LEMON-LIME ORAL RECON SOLN 420 GRAM	3	GC
OSMOPREP ORAL TABLET 1.5 GRAM	2	GC
<i>peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram</i>	1	GC
<i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet 100-7.5-2.691 gram</i>	1	GC
<i>peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram</i>	1	GC
PLENU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	2	GC
POLYETHYLENE GLYCOL 3350(BULK) POWDER	1	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	2	GC
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	2	GC
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	GC
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
calcium acetate(phosphat bind) oral capsule 667 mg	1	GC
calcium acetate(phosphat bind) oral tablet 667 mg	1	GC
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	GC
FOSRENOL ORAL TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG	3	GC
lanthanum oral tablet,chewable (Fosrenol) 1,000 mg, 500 mg, 750 mg	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	2	GC
RENAGEL ORAL TABLET 800 MG	3	GC
RENELA ORAL POWDER IN PACKET 0.8 GRAM, 2.4 GRAM	3	GC
RENELA ORAL TABLET 800 MG	3	GC
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)	1	GC
sevelamer carbonate oral tablet 800 mg (Renvela)	1	GC
sevelamer hcl oral tablet 400 mg	1	GC
sevelamer hcl oral tablet 800 mg (Renagel)	1	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	GC
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	1	GC
darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg	1	GC
DETROL LA ORAL CAPSULE,EXTENDED RELEASE 24HR 2 MG, 4 MG	3	GC
DETROL ORAL TABLET 1 MG, 2 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DITROPAN XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG, 5 MG	3	GC
<i>flavoxate oral tablet 100 mg</i>	1	GC
GELNIQUE TRANSDERMAL GEL IN PACKET 10 % (100 MG/GRAM)	2	GC; QL (30 per 30 days)
GEMTESA ORAL TABLET 75 MG	2	GC
MYRBETRIQ ORAL SUSPENSION, EXTENDED REL RECON 8 MG/ML	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	1	GC
<i>oxybutynin chloride oral tablet (Ditropan XL) extended release 24hr 10 mg, 5 mg</i>	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	GC
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR	2	GC; QL (8 per 28 days)
<i>solifenacin oral tablet 10 mg, 5 mg (Vesicare)</i>	1	GC
<i>tolterodine oral capsule, extended (Detrol LA) release 24hr 2 mg, 4 mg</i>	1	GC
<i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i>	1	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	2	GC
<i>trospium oral capsule, extended release 24hr 60 mg</i>	1	GC
<i>trospium oral tablet 20 mg</i>	1	GC
VESICARE LS ORAL SUSPENSION 1 MG/ML	2	GC
VESICARE ORAL TABLET 10 MG, 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
AVODART ORAL CAPSULE 0.5 MG	3	GC
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	2	GC
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
FLOMAX ORAL CAPSULE 0.4 MG	3	GC
JALYN ORAL CAPSULE, ER MULTIPHASE 24 HR 0.5-0.4 MG	3	GC; QL (30 per 30 days)
LITHOSTAT ORAL TABLET 250 MG	2	GC
RAPAFLO ORAL CAPSULE 4 MG, 8 MG	3	GC
<i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	2	PA; GC
THIOLA ORAL TABLET 100 MG	2	GC
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	GC
UROXATRAL ORAL TABLET EXTENDED RELEASE 24 HR 10 MG	3	GC; QL (30 per 30 days)
Heavy Metal Antagonists		
Heavy Metal Antagonists		
CHEMET ORAL CAPSULE 100 MG	2	GC
<i>clovique oral capsule 250 mg</i>	1	PA; GC; QL (240 per 30 days)
CUPRIMINE ORAL CAPSULE 250 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	1	PA; GC
<i>deferasirox oral tablet 180 mg</i>	(Jadenu)	1	GC
<i>deferasirox oral tablet 360 mg, 90 mg</i>	(Jadenu)	1	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i>	(Exjade)	1	PA; GC
<i>deferiprone oral tablet 500 mg</i>	(Ferriprox)	1	PA; GC
<i>deferoxamine injection recon soln 2 gram</i>		1	PA NSO; GC
<i>deferoxamine injection recon soln 500 mg</i>	(Desferal)	1	PA NSO; GC
DEPEN TITRATABS ORAL TABLET 250 MG		3	PA; GC
DESFERAL INJECTION RECON SOLN 500 MG		3	PA NSO; GC
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG		3	PA; GC
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG		2	GC
FERRIPROX ORAL SOLUTION 100 MG/ML		2	PA; GC
FERRIPROX ORAL TABLET 1,000 MG		2	GC
FERRIPROX ORAL TABLET 500 MG		2	PA; GC
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG		3	PA; GC
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG		3	PA; GC
<i>penicillamine oral capsule 250 mg</i>	(Cuprimine)	1	PA; GC
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	1	PA; GC
SYPRINE ORAL CAPSULE 250 MG		3	PA; GC; QL (240 per 30 days)
<i>trientine oral capsule 250 mg</i>	(Clovique)	1	PA; GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	2	PA; GC; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; GC; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; GC; QL (150 per 30 days)
ANDROID ORAL CAPSULE 10 MG	3	GC
AVEED INTRAMUSCULAR SOLUTION 750 MG/3 ML (250 MG/ML)	2	PA; GC
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	GC
<i>methyltestosterone oral capsule 10 mg</i>	1	GC
NATESTO NASAL GEL IN METERED-DOSE PUMP 5.5 MG/0.122 GRAM/ACTUATION	2	PA; GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg (Oxandrin)</i>	1	GC
TESTIM TRANSDERMAL GEL 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
<i>testosterone cypionate (Depo-Testosterone) intramuscular oil 100 mg/ml, 200 mg/ml</i>	1	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation (Fortesta)</i>	1	PA; GC; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %) (Vogelxo)</i>	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %) (AndroGel)</i>	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) (AndroGel)</i>	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram) (AndroGel)</i>	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	1	PA; GC; QL (180 per 30 days)
TESTRED ORAL CAPSULE 10 MG	3	GC
VOGELXO TRANSDERMAL GEL 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	PA; GC; QL (2 per 28 days)
Estrogens And Antiestrogens		
ACTIVELLA ORAL TABLET 1-0.5 MG	3	GC
ALORA TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (8 per 28 days)
amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG	2	GC
BIJUVA ORAL CAPSULE 1-100 MG	2	GC
CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR	2	GC; QL (4 per 28 days)
CLIMARA TRANSDERMAL PATCH WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	2	GC; QL (8 per 28 days)
DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML	2	GC
DELESTROGEN INTRAMUSCULAR OIL 20 MG/ML, 40 MG/ML	3	GC
DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML	2	GC
DIVIGEL 1 MG GEL PACKET OUTER 1 MG/GRAM (0.1 %)	2	GC; QL (30 per 30 days)
DIVIGEL TRANSDERMAL GEL IN PACKET 0.5 MG/0.5 GRAM (0.1 %)	2	GC; QL (30 per 30 days)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	2	GC
ELESTRIN TRANSDERMAL GEL IN METERED-DOSE PUMP 0.87 GRAM/ACTUATION	2	GC
ESTRACE VAGINAL CREAM 0.01 % (0.1 MG/GRAM)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvafem)	1	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Amabelz)	1	GC
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	2	GC; QL (1 per 84 days)
ESTROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 1.25 GRAM/ACTUATION	2	GC
EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%)	2	GC; QL (16.2 per 30 days)
EVISTA ORAL TABLET 60 MG	3	GC
FEMHRT LOW DOSE ORAL TABLET 0.5-2.5 MG-MCG	3	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	GC
IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG	2	GC; QL (18 per 28 days)
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG	2	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INTRAROSA VAGINAL INSERT 6.5 MG	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	2	GC
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR	2	GC; QL (4 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	1	GC
MINIVELLE TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>norethindrone ac-eth estradiol oral (Fyavolv) tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	GC
OSPHENA ORAL TABLET 60 MG	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	2	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	GC
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	GC
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)	2	GC
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	GC
<i>raloxifene oral tablet 60 mg (Evista)</i>	1	GC
VAGIFEM VAGINAL TABLET 10 MCG	3	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIVELLE-DOT TRANSDERMAL PATCH SEMIWEEKLY 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>yuvafem vaginal tablet 10 mcg</i>	1	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	GC
ARISTOSPIN INTRA-ARTICULAR INJECTION SUSPENSION 20 MG/ML	2	GC
ARISTOSPIN INTRALESIONAL INJECTION SUSPENSION 5 MG/ML	2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	GC
CELESTONE SOLUSPAN INJECTION SUSPENSION 6 MG/ML	3	GC
CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG	3	GC
<i>decadron oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	1	GC
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	2	GC
DEPO-MEDROL INJECTION SUSPENSION 40 MG/ML, 80 MG/ML	3	GC
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	1	GC
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	2	PA; GC; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	2	PA; GC; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	2	PA; GC; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
KENALOG INJECTION SUSPENSION 10 MG/ML	2	GC
KENALOG INJECTION SUSPENSION 40 MG/ML	3	GC
KENALOG-80 INJECTION SUSPENSION 80 MG/ML	2	GC
MEDROL (PAK) ORAL TABLETS, DOSE PACK 4 MG	3	GC
MEDROL ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	GC
MEDROL ORAL TABLET 2 MG	2	GC
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	1	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	1	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	1	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORAPRED ODT ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 30 MG	3	PA BvD; GC
<i>prednisolone 15 mg/5 ml soln alf, d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral (Veripred 20) solution 20 mg/5 ml (4 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral (Pediapred) solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral (Orapred ODT) tablet,disintegrating 10 mg, 15 mg, 30 mg</i>	1	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	GC
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 1,000 MG	3	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 2 GRAM	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	2	PA; GC; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	2	GC
DDAVP INJECTION SOLUTION 4 MCG/ML	3	GC
DDAVP NASAL SOLUTION 0.1 MG/ML (REFRIGERATE)	2	GC
DDAVP ORAL TABLET 0.1 MG, 0.2 MG	3	GC
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	GC
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG	2	PA; GC; QL (30 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	PA; GC; QL (30 per 30 days)
FENSOLVI SUBCUTANEOUS SYRINGE 45 MG	2	GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	2	PA; GC
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	2	PA; GC
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	2	PA; GC
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	PA; GC
LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET 3.75 MG -5 MG (30)	2	GC; QL (1 per 30 days)
LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET 11.25 MG -5 MG (90)	2	GC; QL (1 per 84 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	GC
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	GC
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	2	GC
MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	2	PA; GC; QL (120 per 30 days)
MYFEMBREE ORAL TABLET 40-1-0.5 MG	2	PA; GC; QL (28 per 28 days)
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	2	GC; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	2	PA; GC
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	1	GC
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	1	GC
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	1	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	2	PA; GC
ORGOVYX ORAL TABLET 120 MG	2	PA NSO; GC
ORIAHNN ORAL CAPSULE, SEQUENTIAL 300-1- 0.5MG(AM) /300 MG(PM)	2	PA; GC; QL (56 per 28 days)
ORILISSA ORAL TABLET 150 MG	2	PA; GC; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	2	PA; GC; QL (56 per 28 days)
SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	2	PA; GC
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	2	PA; GC
SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML	3	GC
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	2	GC
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	PA; GC
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	GC; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	2	PA NSO; GC; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	2	PA NSO; GC; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	2	PA NSO; GC; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 30 MG	2	PA; GC
SOMAVERT SUBCUTANEOUS RECON SOLN 25 MG	2	GC
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	GC; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	2	GC
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	2	PA; GC
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	2	PA; GC
Progestins		
CRINONE VAGINAL GEL 4 %	2	PA; GC
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML	3	GC; QL (1 per 84 days)
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	GC; QL (1 per 84 days)
<i>hydroxyprogesterone (pf) (preg presv) (Makena) intramuscular oil 250 mg/ml (1 ml)</i>	1	GC
<i>hydroxyprogesterone cap (ppres) (Makena) intramuscular oil 250 mg/ml</i>	1	GC
MAKENA (PF) SUBCUTANEOUS AUTO- INJECTOR 275 MG/1.1 ML	2	GC
MAKENA INTRAMUSCULAR OIL 250 MG/ML, 250 MG/ML (1 ML)	3	GC
<i>medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)</i>	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)</i>	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg (Aygestin)</i>	1	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	(Prometrium)	1	GC
PROMETRIUM ORAL CAPSULE 100 MG, 200 MG		3	GC
PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG		3	GC
Thyroid And Antithyroid Agents			
CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG		3	GC
<i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>		1	GC
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		3	GC
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>		1	GC
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>		1	GC
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i>	(Synthroid)	1	GC
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG		3	GC
<i>liothyronine intravenous solution 10 mcg/ml</i>	(Triostat)	1	GC
<i>liothyronine oral tablet 25 mcg, 50 mcg</i>	(Cytomel)	1	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	(Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	2	GC
THYQUIDITY ORAL SOLUTION 20 MCG/ML	2	GC
THYROLAR-1 ORAL TABLET 12.5-50 MCG	2	GC
THYROLAR-1/2 ORAL TABLET 6.25-25 MCG	2	GC
THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG	2	GC
THYROLAR-2 ORAL TABLET 25-100 MCG	2	GC
THYROLAR-3 ORAL TABLET 37.5-150 MCG	2	GC
TRIOSTAT INTRAVENOUS SOLUTION 10 MCG/ML	3	GC
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	PA; GC
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	PA; GC
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	PA; GC
ARAVA ORAL TABLET 10 MG, 20 MG	3	GC
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	PA BvD; GC
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	PA BvD; GC
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
<i>azathioprine oral tablet 50 mg (Imuran)</i>	1	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	PA; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	PA; GC; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	PA; GC; QL (8 per 28 days)
BIVIGAM INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
CELLCEPT ORAL CAPSULE 250 MG	3	PA BvD; GC
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML	3	PA BvD; GC
CELLCEPT ORAL TABLET 500 MG	3	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	2	PA; GC
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	2	PA; GC
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	PA; GC
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	2	PA BvD; GC
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	2	PA BvD; GC
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	PA BvD; GC
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	1	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	1	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	PA; GC
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	2	PA; GC
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	PA; GC
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	PA; GC
ENTYVIO INTRAVENOUS RECON SOLN 300 MG	2	PA; GC
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	2	PA BvD; GC
<i>everolimus (immunosuppressive) (Zortress) oral tablet 0.25 mg, 0.5 mg, 0.75 mg</i>	1	PA BvD; GC
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	2	PA BvD; GC
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	2	PA; GC
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	PA BvD; GC
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	PA BvD; GC
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	PA BvD; GC
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	PA BvD; GC
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD; GC
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	PA; GC
HYPERHEP B INTRAMUSCULAR SOLUTION 220 UNIT/ML, 220 UNIT/ML (5 ML)	2	GC
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	2	GC
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
HYPERRHO S/D INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG), 250 UNIT (50 MCG)	2	GC
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	PA BvD; GC
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	2	PA; GC
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	PA; GC
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
IMOGLAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
IMURAN ORAL TABLET 50 MG	3	PA BvD; GC
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	PA; GC
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	1	GC
LUPKYNIS ORAL CAPSULE 7.9 MG	2	PA; GC; QL (180 per 30 days)
MICRHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 250 UNIT (50 MCG)	2	GC
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD; GC
MYFORTIC ORAL TABLET,DELAYED RELEASE (DR/EC) 180 MG, 360 MG	3	PA BvD; GC
NABI-HB INTRAMUSCULAR SOLUTION GREATER THAN 1,560 UNIT/5 ML, GREATER THAN 312 UNIT/ML	2	GC
NEORAL ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
NEORAL ORAL SOLUTION 100 MG/ML	3	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
OLUMIANT ORAL TABLET 1 MG, 2 MG	2	PA; GC; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	PA; GC
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	PA; GC
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	PA; GC
OTEZLA ORAL TABLET 30 MG	2	PA; GC; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	PA; GC
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	2	GC
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	2	PA BvD; GC
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	PA BvD; GC
PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG	3	PA BvD; GC
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	PA BvD; ST; GC
RAPAMUNE ORAL SOLUTION 1 MG/ML	3	PA BvD; GC
RAPAMUNE ORAL TABLET 0.5 MG, 1 MG, 2 MG	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	GC
REDITREX (PF) SUBCUTANEOUS SYRINGE 10 MG/0.4 ML, 12.5 MG/0.5 ML, 15 MG/0.6 ML, 17.5 MG/0.7 ML, 20 MG/0.8 ML, 22.5 MG/0.9 ML, 25 MG/ML, 7.5 MG/0.3 ML	2	GC
REMICADE INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
REZUROCK ORAL TABLET 200 MG	2	PA NSO; GC
RHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG)	2	GC
RHOPHYLAC INJECTION SYRINGE 1,500 UNIT (300 MCG)/2 ML	2	GC
RIDAURA ORAL CAPSULE 3 MG	2	GC
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	2	PA; GC
SANDIMMUNE INTRAVENOUS SOLUTION 250 MG/5 ML	3	PA BvD; GC
SANDIMMUNE ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
SANDIMMUNE ORAL SOLUTION 100 MG/ML	2	PA BvD; GC
SAPHNELO INTRAVENOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	2	PA; GC
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	2	PA; GC
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	2	PA BvD; GC
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD; GC
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD; GC
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	2	PA; GC
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	PA; GC
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	PA; GC
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	PA; GC
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	2	PA; GC
TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	2	PA BvD; GC
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	PA; GC
ULTOMIRIS INTRAVENOUS SOLUTION 10 MG/ML, 100 MG/ML	2	PA; GC
WINRHO SDF INJECTION SOLUTION 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML	2	GC
XELJANZ ORAL SOLUTION 1 MG/ML	2	PA; GC
XELJANZ ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	PA; GC; QL (30 per 30 days)
XEMBIFY SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	2	GC
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	3	PA BvD; GC
ZORTRESS ORAL TABLET 1 MG	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	GC
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	2	GC
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD; GC
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD; GC
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	GC; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	GC; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD; GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	2	GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	GC
IPOV INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	GC
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	GC
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	GC
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	2	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	GC
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	2	GC
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 62 DU/0.5 ML	2	GC
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	2	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	GC; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	GC
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	GC
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	GC
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	GC
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	GC
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	GC; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	GC
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	GC; QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
alosetron oral tablet 0.5 mg, 1 mg (Lotronex)	1	GC
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	3	GC
AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	3	GC
AZULFIDINE ORAL TABLET 500 MG	3	GC
balsalazide oral capsule 750 mg (Colazal)	1	GC
budesonide oral capsule,delayed,extend.release 3 mg	1	GC
budesonide oral tablet,delayed and ext.release 9 mg	1	GC
CANASA RECTAL SUPPOSITORY 1,000 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COLAZAL ORAL CAPSULE 750 MG	3	GC
CORTENEMA RECTAL ENEMA 100 MG/60 ML	3	GC
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	3	GC
DIPENTUM ORAL CAPSULE 250 MG	2	GC
ENTOCORT EC ORAL CAPSULE,DELAYED,EXTEND .RELEASE 3 MG	3	GC
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	GC
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	GC
LOTRONEX ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	GC
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	1	GC
<i>mesalamine oral tablet,delayed release (dr/lec) 1.2 gram</i> (Lialda)	1	GC
<i>mesalamine oral tablet,delayed release (dr/lec) 800 mg</i> (Asacol HD)	1	GC
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	1	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	GC
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	2	GC
ROWASA RECTAL ENEMA KIT 4 GRAM/60 ML	3	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	GC
<i>sulfasalazine oral tablet,delayed release (dr/lec) 500 mg</i> (Azulfidine EN-tabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UCERIS ORAL TABLET,DELAYED AND EXT.RELEASE 9 MG	3	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	2	GC
Irrigating Solutions		
Irrigating Solutions		
glycine urologic solution irrigation solution 1.5 % (Glycine Urologic)	1	GC
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	GC
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	2	GC
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	2	GC
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
ACTONEL 35 MG TABLET F/C,DOSEPACK 35 MG	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 150 MG	3	GC; QL (1 per 28 days)
ACTONEL ORAL TABLET 35 MG	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 5 MG	3	GC; QL (30 per 30 days)
alendronate oral solution 70 mg/75 ml	1	GC; QL (300 per 28 days)
alendronate oral tablet 10 mg, 5 mg	1	GC; QL (30 per 30 days)
alendronate oral tablet 35 mg	1	GC; QL (4 per 28 days)
alendronate oral tablet 70 mg (Fosamax)	1	GC; QL (4 per 28 days)
ATELVIA ORAL TABLET,DELAYED RELEASE (DR/EC) 35 MG	3	GC; QL (4 per 28 days)
BONIVA INTRAVENOUS SYRINGE 3 MG/3 ML	3	GC; QL (3 per 84 days)
BONIVA ORAL TABLET 150 MG	3	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>calcitonin (salmon) injection solution 200 unit/ml</i>	(Miacalcin)	1	GC
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>		1	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>		1	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	(Rocaltrol)	1	GC
<i>calcitriol oral solution 1 mcg/ml</i>	(Rocaltrol)	1	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	(Sensipar)	1	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	(Sensipar)	1	GC; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	(Hectorol)	1	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>		1	GC
<i>etidronate disodium oral tablet 200 mg</i>		1	GC
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)		2	GC; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)		2	PA; GC; QL (2.4 per 28 days)
FOSAMAX ORAL TABLET 70 MG		3	GC; QL (4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT		2	GC; QL (4 per 28 days)
HECTOROL INTRAVENOUS SOLUTION 2 MCG/ML		2	GC
HECTOROL INTRAVENOUS SOLUTION 4 MCG/2 ML		3	GC
<i>ibandronate intravenous solution 3 mg/3 ml</i>		1	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>		1	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	(Boniva)	1	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	2	GC
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	PA; GC; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	GC
<i>paricalcitol 2 mcg/ml vial sdv, inner, latex-free 2 mcg/ml</i>	2	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	GC
<i>paricalcitol oral capsule 4 mcg</i>	1	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	GC; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	GC; QL (60 per 30 days)
RECLAST INTRAVENOUS PIGGYBACK 5 MG/100 ML	3	GC; QL (100 per 300 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	1	GC; QL (4 per 28 days)
ROCALTROL ORAL CAPSULE 0.25 MCG, 0.5 MCG	3	GC
ROCALTROL ORAL SOLUTION 1 MCG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SENSIPAR ORAL TABLET 30 MG, 60 MG	3	GC; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	3	GC; QL (120 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	1	PA; GC; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	PA; GC; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	PA; GC
ZEMPLAR INTRAVENOUS SOLUTION 2 MCG/ML, 5 MCG/ML	3	GC
ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG	3	GC
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	1	GC; QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	PA; GC
AMONDYS-45 INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	2	GC
BRISDELLE ORAL CAPSULE 7.5 MG	3	GC
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	GC
CARNITOR INTRAVENOUS SOLUTION 200 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARNITOR ORAL SOLUTION 100 MG/ML	2	GC
CARNITOR ORAL TABLET 330 MG	3	GC
CARNITOR SF 100 MG/ML ORAL SOL 100 MG/ML	2	GC
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	2	GC
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	GC
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	1	GC
ELMIRON ORAL CAPSULE 100 MG	2	GC; QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	PA; GC; QL (180 per 30 days)
ETHYOL INTRAVENOUS RECON SOLN 500 MG	2	GC
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	PA; GC
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
FIRDAPSE ORAL TABLET 10 MG	2	PA; GC; QL (240 per 30 days)
<i>fomepizole intravenous solution 1 gram/ml</i>	1	GC
FUSILEV INTRAVENOUS RECON SOLN 50 MG	3	GC
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	GC
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	2	GC
GRASTEK SUBLINGUAL TABLET 2,800 BAU	2	PA; GC; QL (30 per 30 days)
<i>guanidine oral tablet 125 mg</i>	1	GC
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	GC
<i>hydroxyzine pamoate oral capsule</i> 100 mg	1	GC
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	GC
ISTURISA ORAL TABLET 1 MG	2	PA; GC; QL (1800 per 30 days)
ISTURISA ORAL TABLET 10 MG	2	PA; GC; QL (180 per 30 days)
ISTURISA ORAL TABLET 5 MG	2	PA; GC; QL (360 per 30 days)
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	2	GC
KEVEYIS ORAL TABLET 50 MG	2	PA; GC; QL (120 per 30 days)
KHAPZORY INTRAVENOUS RECON SOLN 175 MG, 300 MG	2	GC
<i>leucovorin calcium injection recon</i> <i>soln 100 mg, 200 mg, 350 mg, 50</i> <i>mg, 500 mg</i>	1	GC
<i>leucovorin calcium injection solution</i> 10 mg/ml	1	GC
<i>leucovorin calcium oral tablet 10</i> mg, 15 mg, 25 mg, 5 mg	1	GC
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	1	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	GC
<i>levoleucovorin calcium intravenous</i> (Fusilev) <i>recon soln 50 mg</i>	1	GC
<i>levoleucovorin calcium intravenous</i> <i>solution 10 mg/ml</i>	1	GC
<i>mesna intravenous solution 100</i> (Mesnex) mg/ml	1	GC
MESNEX INTRAVENOUS SOLUTION 100 MG/ML	3	GC
MESNEX ORAL TABLET 400 MG	2	GC
MESTINON ORAL SYRUP 60 MG/5 ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MESTINON ORAL TABLET 60 MG	3	GC
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG	3	GC
METHERGINE ORAL TABLET 0.2 MG	3	GC
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	GC
<i>methylergonovine oral tablet 0.2 mg (Methergine)</i>	1	GC; QL (28 per 7 days)
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	2	GC
NULIBRY INTRAVENOUS RECON SOLN 9.5 MG	2	PA BvD; GC
ODACTRA SUBLINGUAL TABLET 12 SQ-HDM	2	PA; GC; QL (30 per 30 days)
ONPATRO INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY	2	PA; GC
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	2	PA; GC
<i>paroxetine mesylate(menop.sym) (Brisdelle) oral capsule 7.5 mg</i>	1	GC
PROGLYCEM ORAL SUSPENSION 50 MG/ML	3	GC
<i>pyridostigmine bromide oral syrup (Mestinon) 60 mg/5 ml</i>	1	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	1	GC
<i>pyridostigmine bromide oral tablet (Mestinon) 60 mg</i>	1	GC
<i>pyridostigmine bromide oral tablet (Mestinon Timespan) extended release 180 mg</i>	1	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	2	GC; QL (30 per 30 days)
REGONOL INJECTION SOLUTION 5 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RUZURGI ORAL TABLET 10 MG	2	PA; GC; QL (300 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC; QL (4 per 28 days)
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	2	PA; GC; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (60 per 30 days)
TYBOST ORAL TABLET 150 MG	2	GC; QL (30 per 30 days)
VILTEPSO INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
VISTARIL ORAL CAPSULE 25 MG, 50 MG	3	GC
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	GC; QL (24 per 14 days)
VYONDYS-53 INTRAVENOUS SOLUTION 50 MG/ML	2	PA; GC
XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 200 UNIT, 50 UNIT	2	PA; GC; QL (2 per 90 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	2	PA; GC; QL (120 per 30 days)
ZOKINVY ORAL CAPSULE 50 MG, 75 MG	2	PA; GC
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.15 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	GC
BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	2	GC
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.15 %</i>	1	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	2	GC
COSOPT (PF) OPHTHALMIC (EYE) DROPPERETTE 2-0.5 %	3	GC
COSOPT OPHTHALMIC (EYE) DROPS 22.3-6.8 MG/ML	3	GC
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	1	GC
<i>dorzolamide-timolol (pf) (Cosopt (PF)) ophthalmic (eye) dropperette 2-0.5 %</i>	1	GC
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	1	GC
ISOPTO CARPINE OPHTHALMIC (EYE) DROPS 1 %, 2 %, 4 %	3	GC
ISTALOL OPHTHALMIC (EYE) DROPS, ONCE DAILY 0.5 %	3	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	ST; GC; QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	GC
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	GC; QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	ST; GC; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	GC
<i>timolol maleate (pf) ophthalmic (eye) dropperette 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	1	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %, 0.5 %	2	GC
TIMOPTIC OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	3	GC
TIMOPTIC-XE OPHTHALMIC (EYE) GEL FORMING SOLUTION 0.25 %, 0.5 %	3	GC
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	ST; GC; QL (2.5 per 25 days)
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	1	GC; QL (2.5 per 25 days)
TRUSOPT OPHTHALMIC (EYE) DROPS 2 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	ST; GC; QL (5 per 30 days)
XALATAN OPHTHALMIC (EYE) DROPS 0.005 %	3	GC; QL (2.5 per 25 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	2	ST; GC; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	ST; GC; QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE S IV SOLUTION- EXCEL SINGLE USE	2	GC
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	GC
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	3	GC
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
K-TAB ORAL TABLET EXTENDED RELEASE 10 MEQ, 20 MEQ, 8 MEQ	3	GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD; GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	GC
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	2	GC
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	GC
<i>potassium chloride oral packet 20 (Klor-Con) meq</i>	1	GC
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 20 meq, 8 meq</i>	1	GC
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	1	GC
<i>potassium chloride oral tablet,er (Klor-Con M15) particles/crystals 15 meq</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/ll</i>	1	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	GC
<i>sodium chloride 0.9 % intravenous piggyback</i>	1	GC
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	1	GC
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	1	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml, 4 meq/ml</i>	1	GC
UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1,080 MG)	3	GC
UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ	3	GC
UROCIT-K 5 ORAL TABLET EXTENDED RELEASE 5 MEQ (540 MG)	3	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	GC; QL (12 per 30 days)
AIRDUO RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232- 14 MCG/ACTUATION, 55-14 MCG/ACTUATION	3	GC; QL (1 per 30 days)
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (12.2 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (30 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (30)	2	GC; QL (1 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (60)	2	GC; QL (1 per 14 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	GC; QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	1	PA BvD; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	1	PA BvD; GC; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Symbicort)	1	GC; QL (30.6 per 30 days)
DULERA 100 MCG-5 MCG INHALER 100-5 MCG/ACTUATION	2	GC; QL (39 per 30 days)
DULERA 200 MCG-5 MCG INHALER 200-5 MCG/ACTUATION	2	GC; QL (13 per 30 days)
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 50-5 MCG/ACTUATION	2	GC; QL (39 per 30 days)
DULERA INHALATION HFA AEROSOL INHALER 200-5 MCG/ACTUATION	2	GC; QL (13 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	2	GC; QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	2	GC; QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	2	GC; QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i>	(AirDuo RespiClick)	1	GC; QL (1 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	1	GC; QL (60 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION		2	GC; QL (1 per 30 days)
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 0.25 MG/2 ML, 0.5 MG/2 ML		3	PA BvD; GC; QL (120 per 30 days)
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 1 MG/2 ML		3	PA BvD; GC; QL (60 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION		2	GC; QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION		3	GC; QL (30.6 per 30 days)
<i>wixela inhau inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>		1	GC; QL (60 per 30 days)
Antileukotrienes			
ACCOLATE ORAL TABLET 10 MG, 20 MG		3	GC
montelukast oral granules in packet 4 mg	(Singulair)	1	GC
montelukast oral tablet 10 mg	(Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg	(Singulair)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SINGULAIR ORAL GRANULES IN PACKET 4 MG	3	GC
SINGULAIR ORAL TABLET 10 MG	3	GC
SINGULAIR ORAL TABLET,CHEWABLE 4 MG, 5 MG	3	GC
<i>zafirlukast oral tablet 10 mg, 20 mg (Accolate)</i>	1	GC
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa (ProAir HFA) aerosol inhaler 90 mcg/actuation</i>	1	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	1	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml</i>	1	PA BvD; GC
<i>albuterol sulfate inhalation solution for nebulization 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	1	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	GC
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG	2	GC; QL (30 per 30 days)
<i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i> (Brovana)	1	PA BvD; GC
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	GC; QL (25.8 per 28 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	2	GC; QL (10.7 per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	GC; QL (10.7 per 30 days)
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	2	PA BvD; GC; QL (120 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	GC; QL (8 per 30 days)
DUAKLIR PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400-12 MCG/ACTUATION	2	GC; QL (1 per 30 days)
<i>elioxophyllin oral elixir 80 mg/15 ml</i>	1	GC
<i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i> (Perforomist)	1	PA BvD; GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	GC; QL (30 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i>	1	PA BvD; GC; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levalbuterol hcl inhalation solution (Xopenex) for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i>	1	PA BvD; GC
<i>levalbuterol hcl inhalation solution (Xopenex Concentrate) for nebulization 1.25 mg/0.5 ml</i>	1	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa (Xopenex HFA) aerosol inhaler 45 mcg/actuation</i>	1	GC; QL (30 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	2	GC; QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	2	PA BvD; GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC; QL (17 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	GC; QL (2 per 30 days)
PROVENTIL HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC; QL (13.4 per 30 days)
SEEBRI NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 15.6 MCG	2	GC; QL (60 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	GC; QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	GC; QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	GC; QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	GC
<i>theophylline oral solution 80 mg/15 ml</i>	1	GC
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	1	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	2	GC; QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	2	GC; QL (1 per 30 days)
UTIBRON NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 27.5- 15.6 MCG	2	GC; QL (60 per 30 days)
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC; QL (36 per 30 days)
XOPENEX CONCENTRATE INHALATION SOLUTION FOR NEBULIZATION 1.25 MG/0.5 ML	3	PA BvD; GC
XOPENEX INHALATION SOLUTION FOR NEBULIZATION 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	2	PA BvD; GC; QL (90 per 30 days)
Respiratory Tract Agents, Other		
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	1	PA BvD; GC
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	GC; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
cromolyn inhalation solution for nebulization 20 mg/2 ml	1	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	2	GC; QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	2	GC; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	2	PA; GC; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	2	PA; GC; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	PA; GC; QL (1 per 28 days)
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	2	PA BvD; GC
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	2	PA; GC; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	2	PA; GC; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	2	PA; GC; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	PA; GC; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	2	PA BvD; GC
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	PA; GC; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	PA; GC; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	PA; GC
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	2	PA; GC
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
<i>carisoprodol oral tablet 250 mg, 350 mg (Soma)</i>	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carisoprodol-aspirin-codeine oral tablet 200-325-16 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
COMFORT PAC-CYCLOBENZAPRINE KIT 10 MG	1	PA NSO; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
DANTRIUM ORAL CAPSULE 25 MG, 50 MG	3	GC
<i>dantrolene oral capsule 100 mg</i>	1	GC
<i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i>	1	GC
<i>metaxalone oral tablet 400 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>metaxalone oral tablet 800 mg (Skelaxin)</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN-750 ORAL TABLET 750 MG	3	PA NSO; GC; AGE (Max 64 Years)
SKELAXIN ORAL TABLET 800 MG	3	PA NSO; GC; AGE (Max 64 Years)
SOMA ORAL TABLET 250 MG, 350 MG	3	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg (Zanaflex)</i>	1	GC
<i>tizanidine oral tablet 2 mg</i>	1	GC
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	1	GC
ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG	3	GC
ZANAFLEX ORAL TABLET 4 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Sleep Disorder Agents		
Sleep Disorder Agents		
AMBIEN CR ORAL TABLET,EXT RELEASE MULTIPHASE 12.5 MG, 6.25 MG	3	GC; QL (30 per 30 days)
AMBIEN ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>armodafinil oral tablet 150 mg</i> (Nuvigil)	1	PA; GC
<i>armodafinil oral tablet 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	GC; QL (30 per 30 days)
DAYVIGO ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)
<i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)	1	GC; QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	2	PA; GC; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	2	PA; GC; QL (30 per 30 days)
LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG	3	GC; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	PA; GC; QL (60 per 30 days)
NEMBUTAL SODIUM INJECTION SOLUTION 50 MG/ML	3	GC; QL (2 per 30 days)
NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG, 50 MG	3	PA; GC; QL (30 per 30 days)
<i>pentobarbital sodium injection solution 50 mg/ml</i> (Nembutal Sodium)	1	GC; QL (2 per 30 days)
PROVIGIL ORAL TABLET 100 MG	3	PA; GC; QL (30 per 30 days)
PROVIGIL ORAL TABLET 200 MG	3	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SILENOR ORAL TABLET 3 MG, 6 MG	3	GC; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	2	PA; GC; QL (30 per 30 days)
WAKIX ORAL TABLET 17.8 MG, 4.45 MG	2	PA; GC; QL (60 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	2	PA; GC; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	2	PA; GC; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg (Ambien)</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg (Ambien CR)</i>	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADCIRCA ORAL TABLET 20 MG	3	PA; GC; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	PA; GC; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	1	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg (Letairis)</i>	1	PA; GC; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg (Tracleer)</i>	1	PA; GC; QL (60 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	3	PA; GC; QL (30 per 30 days)
LETAIRIS ORAL TABLET 10 MG, 5 MG	3	PA; GC; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	2	PA; GC; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	3	PA; GC
REVATIO INTRAVENOUS SOLUTION 10 MG/12.5 ML	3	PA; GC; QL (37.5 per 1 day)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	3	PA; GC; QL (224 per 30 days)
REVATIO ORAL TABLET 20 MG	3	PA; GC; QL (90 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; GC; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> (Revatio)	1	PA; GC; QL (224 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	1	PA; GC; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	1	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	3	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	PA; GC; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	PA; GC
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	PA; GC
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	2	PA; GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	PA; GC
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	2	PA; GC
Vitamins And Minerals		
Vitamins And Minerals		
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	1	GC
<i>fluoride 1 mg tablet chewable (Ludent Fluoride) orange flavor (rx) 1 mg (2.2 mg sod. fluoride)</i>	1	GC
NESTABS ONE ORAL CAPSULE 38-1-225 MG	2	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	103	<i>acyclovir sodium</i>	111	AKYNZEO
<i>abacavir-lamivudine</i>	103	ADACEL(TDAP		(NETUPITANT)
<i>abacavir-lamivudine-</i>		ADOLESN/ADULT)(PF)	219	89
<i>zidovudine</i>	104	ADAKVEO	117	<i>ala-cort</i>
ABELCET	79	ADALAT CC	135	166
ABILIFY	97	<i>adapalene</i>	170	<i>ala-scalp</i>
ABILIFY MAINTENA	97	ADASUVE	97	166
<i>abiraterone</i>	32	ADCETRIS	33	<i>albendazole</i>
ABRAXANE	33	ADCIRCA	249	92
<i>acamprosate</i>	14	ADDERALL XR	145	ALBENZA
<i>acarbose</i>	68	<i>adefovir</i>	111	92
ACCOLATE	240	ADEMPAS	249	<i>albuterol sulfate</i>
ACCUPRIL	126	ADLYXIN	69	241
ACCURETIC	126	ADMELOG SOLOSTAR U-		<i>alcaíne</i>
<i>accutane</i>	163	100 INSULIN	73	174
<i>acebutolol</i>	129	ADMELOG U-100		<i>alclometasone</i>
<i>acetaminophen</i>	3	INSULIN LISPRO.....	73	166
<i>acetaminophen-codeine</i>	3	ADRENALIN.....	133	ALCOHOL PADS
<i>acetazolamide</i>	232	<i>adriamycin</i>	33	164
<i>acetazolamide sodium</i>	232	<i>adrucil</i>	33	ALDACTAZIDE
<i>acetic acid</i>	176	ADVAIR DISKUS.....	237	137
<i>acetylcysteine</i>	245	ADVAIR HFA.....	238	ALDURAZYME
ACIPHEX	182	AEMCOLO.....	19	172
<i>acitretin</i>	164	AFINITOR.....	33	ALECENSA
ACTEMRA	208	AFINITOR DISPERZ.....	33	33
ACTEMRA ACTPEN	208	<i>afirmelle</i>	153	<i>alendronate</i>
ACTHAR	202	AFREZZA.....	73	225
ACTHIB (PF)	219	AGRYLIN.....	117	<i>alfuzosin</i>
ACTIMMUNE	228	<i>a-hydrocort</i>	199	192
ACTIQ	3	AIMOVIG		ALIMTA
ACTIVELLA	195	AUTOINJECTOR.....	85	33
ACTONEL	225	AIRDUO RESPCLICK.....	238	ALIQOPA
ACTOPLUS MET	68	AJOVY AUTOINJECTOR....	85	33
ACTOS	69	AJOVY SYRINGE.....	85	<i>alogliptin</i>
ACULAR	180	AKOVAZ.....	133	69
ACULAR LS	180	AKTEN (PF).....	174	<i>alogliptin-metformin</i>
ACUVAIL (PF)	180	AKYNZEO		69
<i>acyclovir</i>	111, 164	(FOSNETUPITANT).....	89	<i>alogliptin Pioglitazone</i>

ALTRENO	170	amiodarone	128	apraclonidine	174
ALUNBRIG	33	AMITIZA	185	aprepitant	89
ALVESCO	238	amitriptyline	63	api	153
alyacen 1/35 (28)	153	amitriptyline-chlordiazepoxide	63	APRISO	223
alyacen 7/7/7 (28)	153	amlodipine	135	APTENSIO XR	145
alyq	249	amlodipine-atorvastatin	139	APTIOM	53
amabelz	195	amlodipine-benazepril	135	APTIVUS	104
amantadine hcl	93	amlodipine-olmesartan	136	APTIVUS (WITH VITAMIN E)	104
AMARYL	78	amlodipine-valsartan	136	ARALAST NP	245
AMBIEN	248	amlodipine-valsartan-hcthiazid	136	aranelle (28)	153
AMBIEN CR	248	136	ARANESP (IN POLYSORBATE)	115
AMBISOME	79	ammonium lactate	164	ARAVA	208
ambrisentan	249	amnesteem	164	ARCALYST	208
amcinonide	166	AMONDYS-45	228	ARCAPTA NEOHALER	242
AMERGE	85	amoxapine	64	arformoterol	242
amethia	153	amoxicil-clarithromy-	ARICEPT	62
AMICAR	117	lansopraz	182	ARIKAYCE	18
amikacin	18	amoxicillin	27	ARIMIDEX	33
amiloride	137	amoxicillin-pot clavulanate	27, 28	ariPIPRAZOLE	97
amiloride-hydrochlorothiazide	137	amphetamine sulfate	145	ARISTADA	97, 98
aminocaproic acid	117	amphotericin b	79	ARISTADA INITIO	97
aminophylline	241	ampicillin	28	ARISTOSPAN INTRA-
AMINOSYN 10 %	119	ampicillin sodium	28	ARTICULAR	199
AMINOSYN 7 % WITH ELECTROLYTES	119	ampicillin-sulbactam	28	ARISTOSPAN
AMINOSYN 8.5 %	119	AMPYRA	145	INTRALESIONAL	199
AMINOSYN 8.5 %- ELECTROLYTES	119	ANAFRANIL	64	ARIIXTRA	112
AMINOSYN II 10 %	119	anagrelide	117	armodafinil	248
AMINOSYN II 15 %	119	ANAPROX DS	10	ARNUITY ELLIPTA	238
AMINOSYN II 7 %	119	anastrozole	33	AROMASIN	33
AMINOSYN II 8.5 %	119	ANCOBON	79	ARRANON	34
AMINOSYN II 8.5 %- ELECTROLYTES	119	ANDRODERM	194	arsenic trioxide	34
AMINOSYN M 3.5 %	120	ANDROGEL	194	ARTHROTEC 50	10
AMINOSYN-HBC 7%	120	ANDROID	194	ARTHROTEC 75	10
AMINOSYN-PF 10 %	120	ANGELIQ	196	ARZERRA	34
AMINOSYN-PF 7 % (SULFITE-FREE)	120	ANNOVERA	153	ascomp with codeine	3
AMINOSYN-RF 5.2 %	120	ANORO ELLIPTA	241	asenapine maleate	98
		APIDRA SOLOSTAR U-100	ashlyna	153
		INSULIN	74	ASMANEX HFA	238
		APIDRA U-100 INSULIN	74		
		APOKYN	94		

ASMANEX TWISTHALER	238	<i>aviane</i>	153	BCG VACCINE, LIVE (PF)	219
ASPARLAS	34	AVODART	192	BD ALCOHOL SWABS	164
<i>aspirin-dipyridamole</i>	118	AVONEX	145	BD ULTRA-FINE NANO	
ASSURE ID INSULIN		AVSOLA	209	PEN NEEDLE	171
SAFETY	171	AVYCAZ	23	BD VEO INSULIN SYR	
ASTAGRAF XL	209	<i>ayuna</i>	153	(HALF UNIT)	171
ATACAND	124	AYVAKIT	34	BD VEO INSULIN	
ATACAND HCT	124	<i>azacitidine</i>	34	SYRINGE UF	171
<i>atazanavir</i>	104	AZACTAM	26	BECONASE AQ	180
ATELVIA	225	AZASITE	176	<i>bekyree</i> (28)	153
<i>atenolol</i>	129	<i>azathioprine</i>	209	BELBUCA	3
<i>atenolol-chlorthalidone</i>	129	<i>azathioprine sodium</i>	209	BELEODAQ	34
ATGAM	209	<i>azelaic acid</i>	164	BELSOMRA	248
ATIVAN	16	<i>azelastine</i>	175	<i>benazepril</i>	126
<i>atomoxetine</i>	145	<i>azelastine-fluticasone</i>	175	<i>benazepril-hydrochlorothiazide</i>	
<i>atorvastatin</i>	139	AZILECT	94	126
<i>atovaquone</i>	92	<i>azithromycin</i>	25	BENDEKA	34
<i>atovaquone-proguanil</i>	92	AZOPT	233	BENICAR	124
ATRIPLA	104	AZOR	136	BENICAR HCT	124
<i>atropine</i>	175	<i>aztreonam</i>	27	BENLYSTA	209
ATROVENT HFA	242	AZULFIDINE	223	BENTYL	185
AUBAGIO	145	AZULFIDINE EN-TABS	223	<i>benznidazole</i>	92
<i>aubra eq</i>	153	<i>azurette</i> (28)	153	<i>benztropine</i>	94
AUGMENTIN	28	<i>bacitracin</i>	19, 176	<i>bepotastine besilate</i>	175
AUGMENTIN ES-600	28	<i>bacitracin-polymyxin b</i>	176	BEPREVE	175
AUGMENTIN XR	28	<i>baclofen</i>	246	BERINERT	115
<i>aurovela 1.5/30 (21)</i>	153	BACTRIM	31	BESIVANCE	176
<i>aurovela 1/20 (21)</i>	153	BACTRIM DS	31	BESPONSA	34
<i>aurovela 24 fe</i>	153	BAFIERTAM	145	<i>betamethasone acet,sod phos..</i>	199
<i>aurovela fe 1.5/30 (28)</i>	153	BALCOLTRA	153	<i>betamethasone dipropionate</i>	
<i>aurovela fe 1-20 (28)</i>	153	<i>balsalazide</i>	223	166, 167
AURYXIA	189	BALVERSA	34	<i>betamethasone valerate</i>	167
AUSTEDO	145	<i>balziva</i> (28)	153	<i>betamethasone, augmented</i>	167
AVALIDE	124	BANZEL	53	BETAPACE	129
AVANDIA	69	BAQSIMI	228	BETAPACE AF	129
AVapro	124	BARACLUDE	111	BETASERON	145
AVASTIN	34	BASAGLAR KWIKPEN U-		<i>betaxolol</i>	129, 233
AVEED	194	100 INSULIN	74	<i>bethanechol chloride</i>	190
AVELOX IN NACL (ISO-OSMOTIC)	30	BAVENCIO	34	BETHKIS	18
		BAXDELA	30	BETIMOL	233

BETOPTIC S.....	233	BROMSITE.....	180	calcium acetate(phosphat bind)	190
BEVESPI AEROSPHERE ...	242	BRONCHITOL.....	245	CALQUENCE.....	35
<i>bexarotene</i>	34	BROVANA.....	242	<i>camila</i>	154
BEXSERO.....	219	BRUKINSA.....	35	CAMPTOSAR.....	35
<i>bicalutamide</i>	34	<i>budesonide</i>	223, 238, 239	<i>camrese</i>	154
BICILLIN C-R.....	28	<i>budesonide-formoterol</i>	239	<i>camrese lo</i>	154
BICILLIN L-A.....	29	<i>bumetanide</i>	137	CANASA.....	223
BICNU.....	34	BUNAVAIL.....	14	CANCIDAS.....	79
BIDIL.....	143	BUPHENYL.....	186	<i>candesartan</i>	124
BIJUVA.....	196	BUPRENEX.....	3	<i>candesartan-hydrochlorothiazid</i>	124
BIKTARVY.....	104	<i>buprenorphine</i>	3	CAPASTAT.....	88
BILTRICIDE.....	92	<i>buprenorphine hcl</i>	3, 14	CAPLYTA.....	98
<i>bimatoprost</i>	233	<i>buprenorphine-naloxone</i>	14	CAPRELSA.....	35
<i>bisoprolol fumarate</i>	129	<i>bupropion hcl</i>	64	<i>captopril</i>	126
<i>bisoprolol-hydrochlorothiazide</i>	129	<i>bupropion hcl (smoking deter)</i>	14	<i>captopril-hydrochlorothiazide</i>	126
BIVIGAM.....	209	<i>buspirone</i>	228	CARAFATE.....	182
BLENREP.....	34	<i>busulfan</i>	35	CARBAGLU.....	186
<i>bleomycin</i>	35	BUSULFEX.....	35	<i>carbamazepine</i>	53
<i>bleph-10</i>	176	<i>butalbital-acetaminop-caf-cod</i>	3	CARBATROL.....	53
BLEPHAMIDE.....	177	<i>butalbital-acetaminophen</i>	3	<i>carbidopa</i>	94
BLINCYTO.....	35	<i>butalbital-acetaminophen-caff</i> 3, 4		<i>carbidopa-levodopa</i>	94
<i>blisovi 24 fe</i>	154	<i>butalbital-aspirin-caffeine</i>	4	<i>carbidopa-levodopa-entacapone</i>	94
<i>blisovi fe 1.5/30 (28)</i>	154	<i>butorphanol</i>	4	<i>carbinoxamine maleate</i>	84
<i>blisovi fe 1/20 (28)</i>	154	BUTRANS.....	4	<i>carboplatin</i>	35
BONIVA.....	225	BYDUREON BCISE.....	69	CARDENE IV.....	136
BOOSTRIX TDAP.....	219	BYETTA.....	69	CARDENE IV IN	
BORTEZOMIB.....	35	BYNFEZIA.....	202	DEXTROSE.....	136
<i>bosentan</i>	249	BYSTOLIC.....	129	CARDENE IV IN SODIUM	
BOSULIF.....	35	CABENUVA.....	104	CHLORIDE.....	136
BRAFTOVI.....	35	<i>cabergoline</i>	94	CARDIZEM.....	132
BREO ELLIPTA.....	238	CABLIVI.....	117	CARDIZEM CD.....	132
BREZTRI AEROSPHERE..	242	CABOMETYX.....	35	CARDIZEM LA.....	132
<i>briellyn</i>	154	CADUET.....	139, 140	CARDURA.....	122
BRILINTA.....	118	<i>caffeine citrate</i>	145	CARDURA XL.....	123
<i>brimonidine</i>	233	CALAN SR.....	132	<i>carisoprodol</i>	246
<i>brinzolamide</i>	233	<i>calcipotriene</i>	164	<i>carisoprodol-aspirin</i>	246
BRISDELLE.....	228	<i>calcipotriene-betamethasone</i> ...	164	<i>carisoprodol-aspirin-codeine</i> ...	247
BRIVIACT.....	53	<i>calcitonin (salmon)</i>	226		
<i>bromfenac</i>	180	<i>calcitriol</i>	164, 226		
<i>bromocriptine</i>	94				

<i>carmustine</i>	35	CELONTIN	53	CIMZIA POWDER FOR	
CARNITOR	228, 229	CENTANY AT	165	RECONST	209
CARNITOR (SUGAR-FREE)	229	<i>cephalexin</i>	24	<i>cinacalcet</i>	226
carteolol	233	CERDELGA	172	CINQAIR	245
cartia xt	132	CEREBYX	53	CINRYZE	115
carvedilol	129	CEREZYME	172	CINVANTI	90
carvedilol phosphate	129	CESAMET	89	CIPRO	30
CASODEX	35	CETRAXAL	177	CIPRO HC	177
<i>caspofungin</i>	79	<i>cevimeline</i>	163	CIPRO XR	30
CATAFLAM	10	CHANTIX	14	CIPRODEX	177
CATAPRES-TTS-1	123	CHANTIX CONTINUING		<i>ciprofloxacin</i>	30
CATAPRES-TTS-2	123	MONTH BOX	14	<i>ciprofloxacin hcl</i>	30, 177
CATAPRES-TTS-3	123	CHANTIX STARTING		<i>ciprofloxacin in 5 % dextrose</i>	30
CAYSTON	27	MONTH BOX	14	<i>ciprofloxacin-dexamethasone</i>	177
<i>caziant (28)</i>	154	<i>charlotte 24 fe</i>	154	<i>ciprofloxacin-fluocinolone</i>	175
cefaclor	23	<i>chateal eq (28)</i>	154	<i>cisplatin</i>	36
cefadroxil	23	CHEMET	192	<i>citalopram</i>	64
cefazolin	23	CHENODAL	172	<i>cladribine</i>	36
cefdinir	23	<i>chloramphenicol sod succinate</i>	19	CLAFORAN	24
cefepime	23	<i>chlordiazepoxide hcl</i>	16	<i>claravis</i>	164
cefixime	23	<i>chlorhexidine gluconate</i>	163	CLARINEX	84
CEFOTAN	23	<i>chloroquine phosphate</i>	92	CLARINEX-D 12 HOUR	84
cefotaxime	23	<i>chlorothiazide sodium</i>	138	<i>clarithromycin</i>	25
cefotetan	23	<i>chlorpromazine</i>	98	<i>clemastine</i>	84
cefoxitin	24	<i>chlorthalidone</i>	138	CLENPIQ	188
cefoxitin in dextrose, iso-osm	24	<i>chlorzoxazone</i>	247	CLEOCIN	19, 85
cefpodoxime	24	CHOLBAM	186	CLEOCIN HCL	19
cefprozil	24	<i>cholestyramine (with sugar)</i>	140	CLIMARA	196
ceftazidime	24	<i>cholestyramine light</i>	140	CLIMARA PRO	196
ceftriaxone	24	CIALIS	249	<i>clindamycin hcl</i>	19
cefuroxime axetil	24	<i>ciclopirox</i>	79, 80	<i>clindamycin in 5 % dextrose</i>	20
cefuroxime sodium	24	<i>cidofovir</i>	111	<i>clindamycin pediatric</i>	20
CELEBREX	10	<i>cilostazol</i>	118	<i>clindamycin phosphate</i>	20, 85, 165
celecoxib	10	CILOXAN	177	<i>clindamycin-benzoyl peroxide</i>	165
CELESTONE SOLUSPAN	199	CIMDUO	104	CLINDESSE	85
CELEXA	64	<i>cimetidine</i>	183	CLINIMIX 5%/D15W	
CELLCEPT	209	<i>cimetidine hcl</i>	183	SULFITE FREE	120
CELLCEPT		CIMZIA	209	CLINIMIX 4.25%/D10W	
INTRAVENOUS	209			SULF FREE	120

CLINIMIX 4.25%/D5W	<i>clozapine</i>98	COSMEGEN.....36
SULFIT FREE.....120	CLOZARIL.....98	COSOPT.....233
CLINIMIX 5%- D20W(SULFITE-FREE).....120	COARTEM.....92	COSOPT (PF).....233
CLINIMIX 6%-D5W (SULFITE-FREE).....120	<i>codeine sulfate</i>4	COTELLIC.....36
CLINIMIX 8%- D10W(SULFITE-FREE).....120	<i>codeine-butalbital-asa-caff</i>4	COTEMPLA XR-ODT.....146
CLINIMIX 8%- D14W(SULFITE-FREE).....121	COGENTIN.....94	COZAAR.....124
CLINIMIX E 2.75%/D5W	COLAZAL.....224	CREON.....172
SULF FREE.....121	<i>colchicine</i>83	CRESEMBA.....80
CLINIMIX E 4.25%/D10W	COLCRYS.....83	CRESTOR.....140
SULF FREE.....121	<i>colesevelam</i>140	CRINONE.....206
CLINIMIX E 4.25%/D5W	COLESTID.....140	CRIXIVAN.....104
SULF FREE.....121	<i>colestipol</i>140	<i>cromolyn</i>175, 186, 245
CLINIMIX E 5%/D15W	<i>colistin (colistimethate na)</i>20	<i>cryselle</i> (28).....154
SULFIT FREE.....121	COLY-MYCIN M	CUBICIN.....20
CLINIMIX E 5%/D20W	PARENTERAL.....20	CUPRIMINE.....192
SULFIT FREE.....121	COMBIGAN.....233	CUTAQUIG.....210
CLINIMIX E 8%-D10W	COMBIPATCH.....196	CUVITRU.....210
SULFITEFREE.....121	COMBIVENT RESPIMAT ..242	CUVPOSA.....186
CLINIMIX E 8%-D14W	COMBIVIR.....104	<i>cyclafem 1/35 (28)</i>154
SULFITEFREE.....121	COMETRIQ.....36	<i>cyclafem 7/7/7 (28)</i>154
CLINOLIPID.....121	COMFORT PAC-	<i>cyclobenzaprine</i>247
<i>clobazam</i>54	CYCLOBENZAPRINE.....247	<i>cyclopentolate</i>175
<i>clobetasol</i>167	COMPLERA.....104	CYCLOPHOSPHAMIDE.....36
<i>clobetasol-emollient</i>167	<i>compro</i>90	<i>cyclophosphamide</i>36
CLOBEX.....167	COMTAN.....94	<i>cycloserine</i>88
<i>clofarabine</i>36	CONCERTA.....146	CYCLOSET.....69
CLOLAR.....36	<i>constulose</i>186	<i>cyclosporine</i>210
<i>clomipramine</i>64	COPAXONE.....146	<i>cyclosporine modified</i>210
<i>clonazepam</i>16	COPIKTRA.....36	CYKLOKAPRON.....118
<i>clonidine</i>123	COREG.....130	CYMBALTA.....64
<i>clonidine hcl</i>123, 146	COREG CR.....130	<i>cyroheptadine</i>84
<i>clopидогrel</i>118	CORGARD.....130	CYRAMZA.....36
<i>clorazepate dipotassium</i>16	CORLANOR.....133, 134	<i>cyled eq</i>154
<i>clotrimazole</i>80	CORTEF.....199	CYSTADANE.....229
<i>clotrimazole-betamethasone</i>80	CORTENEMA.....224	CYSTADROPS.....175
<i>clovique</i>192	CORTISPORIN-TC.....177	CYSTAGON.....192
	COSENTYX.....210	CYSTARAN.....175
	COSENTYX (2 SYRINGES)	<i>cytarabine</i>36
209	<i>cytarabine (pf)</i>36
	COSENTYX PEN (2 PENS) 210	CYTOMEL.....207

CYTOTEC	183	DELSTRIGO	104	<i>dexamethylphenidate</i>	146
CYTOVENE	111	DELZICOL	224	<i>dexrazoxane hcl</i>	229
D.H.E.45	85	<i>demecclocycline</i>	31	<i>dextroamphetamine</i>	146
<i>d5 % and 0.9 % sodium chloride</i>	235	DEMEROL (PF)	4	<i>dextroamphetamine-amphetamine</i>	147
<i>d5 %-0.45 % sodium chloride</i>	235	DEM SER	134	<i>dextrose 10 % in water (d10w)</i>	121
<i>dacarbazine</i>	36	<i>denta 5000 plus</i>	163	<i>dextrose 5 % in water (d5w)</i>	121
DACOGEN	36	<i>dentagel</i>	163	<i>dextrose 5 %-lactated ringers</i>	235
<i>dactinomycin</i>	36	DEPAKOTE	54	<i>dextrose 70 % in water (d70w)</i>	
<i>dalfampridine</i>	146	DEPAKOTE ER	54	DIACOMIT	54
DALIRESP	245	DEPAKOTE SPRINKLES....	54	DIASTAT	54
DALVANCE	20	DEPEN TITRATABS	193	DIASTAT ACUDIAL	54
<i>danazol</i>	194	DEPO-ESTRADIOL	196	<i>diazepam</i>	16, 17, 54
DANTRIUM	247	DEPO-MEDROL	199	<i>diazoxide</i>	229
<i>dantrolene</i>	247	DEPO-PROVERA	206	DIBENZYLINE	123
DANYELZA	36	DEPO-SUBQ PROVERA		<i>diclofenac epolamine</i>	10
<i>dapsone</i>	88, 164	104	206	<i>diclofenac potassium</i>	10
DAPTACEL (DTAP PEDIATRIC) (PF)	219	DERMOTIC OIL	180	<i>diclofenac sodium</i>	10, 180
<i>daptomycin</i>	20	DESCOVY	104	<i>diclofenac-misoprostol</i>	11
DARAPRIM	92	DESFERAL	193	<i>dicloxacillin</i>	29
<i>darifenacin</i>	190	<i>desipramine</i>	64	<i>dicyclomine</i>	186
DARZALEX	36, 37	<i>desloratadine</i>	84	<i>didanosine</i>	104
DARZALEX FASPRO	37	<i>desmopressin</i>	202	DIFICID	25
<i>dasetta 1/35 (28)</i>	154	<i>desog-e.estradiolle.estriadiol</i>	154	DIFLUCAN	80
<i>dasetta 7/7/7 (28)</i>	154	<i>desogestrel-ethinyl estradiol</i>	154	<i>diflunisal</i>	11
<i>daunorubicin</i>	37	<i>desonide</i>	167	<i>digitek</i>	134
DAURISMO	37	<i>desoximetasone</i>	167, 168	<i>digox</i>	134
DAYPRO	10	DESOXYN	146	<i>digoxin</i>	134
<i>daysee</i>	154	<i>desvenlafaxine</i>	64	DIGOXIN	134
DAYTRANA	146	<i>desvenlafaxine succinate</i>	64	<i>dihydroergotamine</i>	86
DAYVIGO	248	DETROL	190	DILANTIN	54
DDAVP	202	DETROL LA	190	DILANTIN EXTENDED	54
<i>deblitane</i>	154	<i>dexamethasone</i>	199	DILANTIN INFATABS	54
<i>decadron</i>	199	DEXAMETHASONE		DILANTIN-125	54
<i>decitabine</i>	37	INTENSOL	199	DILATRATE-SR	143
<i>deferasirox</i>	193	<i>dexamethasone sodium phos</i>		DILAUDID	4
<i>deferiprone</i>	193	(pf)	200	DILAUDID (PF)	4
<i>deferoxamine</i>	193	<i>dexamethasone sodium phosphate</i>	180, 200	<i>diltiazem hcl</i>	132
DELESTROGEN	196	DEXEDRINE SPANSULE.	146		
		DEXILANT	183		

<i>dilt-xr</i>	132	<i>doxy-100</i>	31	ELAPRASE	172
<i>dimenhydrinate</i>	90	<i>doxycycline hyclate</i>	31, 32	ELDEPRYL	94
<i>dimethyl fumarate</i>	147	<i>doxycycline monohydrate</i>	32	ELESTRIN	196
DIOVAN	124	DRIZALMA SPRINKLE	64, 65	<i>eletriptan</i>	86
DIOVAN HCT	124	<i>dronabinol</i>	90	ELIGARD	37
DIPENTUM	224	<i>droperidol</i>	90	ELIGARD (3 MONTH)	37
<i>diphenhydramine hcl</i>	84	<i>drospirenone-e.estradiol-lm.fa</i>	155	ELIGARD (4 MONTH)	37
<i>diphenoxylate-atropine</i>	186	<i>drospirenone-ethinyl estradiol</i>	155	ELIGARD (6 MONTH)	37
<i>dipyridamole</i>	118	DROXIA	118	<i>elinest</i>	155
DISKETS	4	<i>droxidopa</i>	123	ELIQUIS	112
<i>disopyramide phosphate</i>	128	DUAKLIR PRESSAIR	242	ELIQUIS DVT-PE TREAT	
<i>disulfiram</i>	14	DUAVEE	196	30D START	112
DITROPAN XL	191	DUETACT	69	ELITEK	172
DIURIL	138	DULERA	239	<i>elixophyllin</i>	242
DIURIL IV	138	<i>duloxetine</i>	65	ELLA	155
<i>divalproex</i>	54, 55	DUPIXENT PEN	210	ELLENCE	38
DIVIGEL	196	DUPIXENT SYRINGE	210	ELMIRON	229
DOCEFREZ	37	DURAGESIC	4	<i>eluryng</i>	155
<i>docetaxel</i>	37	DURAMORPH (PF)	4	EMCYT	38
<i>dofetilide</i>	128	DUREZOL	180	EMEND	90
<i>dolishale</i>	154	<i>dutasteride</i>	192	EMFLAZA	200
<i>donepezil</i>	62	<i>dutasteride-tamsulosin</i>	192	EMGALITY PEN	86
DOPTELET (10 TAB PACK)		DUZALLO	83	EMGALITY SYRINGE	86
	115	DYANAVEL XR	147	<i>emoquette</i>	155
DOPTELET (15 TAB PACK)		DYMISTA	175	EMPLICITI	38
	115	DYRENIUM	138	EMSAM	65
DOPTELET (30 TAB PACK)		<i>e.e.s. 400</i>	25	<i>emtricitabine</i>	105
	115	EC-NAPROSYN	11	<i>emtricitabine-tenofovir (tdf)</i>	105
<i>dorzolamide</i>	233	<i>econazole</i>	80	EMTRIVA	105
<i>dorzolamide-timolol</i>	233	EDARBI	124	EMVERM	92
<i>dorzolamide-timolol (pf)</i>	233	EDARBYCLOR	124	<i>enalapril maleate</i>	126
<i>dotti</i>	196	EDECIN	138	<i>enalapril-hydrochlorothiazide</i>	126
DOVATO	104	EDURANT	104	ENBREL	210
DOVONEX	164	<i>efavirenz</i>	104	ENBREL MINI	210
<i>doxazosin</i>	123	<i>efavirenz-emtricitabin-tenofov</i>	104	ENBREL SURECLICK	211
<i>doxepin</i>	64, 248	<i>efavirenz-lamivu-tenofov disop</i>	105	ENDARI	229
<i>doxercalciferol</i>	226	EFFEXOR XR	65	<i>endocet</i>	5
DOXIL	37	EFFIENT	118	ENGERIX-B (PF)	219
<i>doxorubicin</i>	37	EGRIFTA	202	ENGERIX-B PEDIATRIC	
<i>doxorubicin, peg-liposomal</i>	37	EGRIFTA SV	202	(PF)	219

ENHERTU	38	<i>ertapenem</i>	27	<i>euthyrox</i>	207
<i>enoxaparin</i>	113	ERWINAZE	38	EVAMIST	197
<i>enpresse</i>	155	<i>ery pads</i>	166	VENITY	226
<i>enskyce</i>	155	ERYGEL	166	<i>everolimus (antineoplastic)</i>	38
ENSPRYNG	147	<i>ery-tab</i>	25, 26	<i>everolimus</i>	
<i>entacapone</i>	94	ERY-TAB	25	(<i>immunosuppressive</i>)	211
<i>entecavir</i>	111	ERYTHROCIN	26	EVISTA	197
ENTOCORT EC	224	<i>erythrocin (as stearate)</i>	26	EVKEEZA	140
ENTRESTO	124	<i>erythromycin</i>	26, 177	EVOMELA	38
ENTYVIO	211	<i>erythromycin ethylsuccinate</i>	26	EVOTAZ	105
<i>enulose</i>	186	<i>erythromycin with ethanol</i>	166	EVOXAC	163
ENVARSUS XR	211	<i>erythromycin-benzoyl peroxide</i>		EVRYSDI	229
EPANED	126		166	EXELDERM	80
EPCLUSA	110	ESBRIET	245	EXELON PATCH	62
EPIDIOLEX	55	<i>escitalopram oxalate</i>	65	<i>exemestane</i>	38
EPIFOAM	168	ESGIC	5	EXFORGE	136
<i>epinastine</i>	175	<i>esomeprazole magnesium</i>	183	EXFORGE HCT	136
<i>epinephrine</i>	134	<i>esomeprazole sodium</i>	183	EXJADE	193
<i>epinephrine hcl (pf)</i>	134	<i>estarrylla</i>	155	EXONDYS-51	229
EPIPEN 2-PAK	134	<i>estazolam</i>	17	EXTAVIA	147
EPIPEN JR 2-PAK	134	ESTRACE	196	EYSUVIS	180
<i>epirubicin</i>	38	<i>estradiol</i>	197	<i>ezetimibe</i>	140
<i>epitol</i>	55	<i>estradiol valerate</i>	197	<i>ezetimibe-simvastatin</i>	140
EPIVIR	105	<i>estradiol-norethindrone acet</i>	197	FABRAZYME	172
EPIVIR HBV	105	ESTRING	197	<i>falmina (28)</i>	155
<i>eplerenone</i>	143	ESTROGEL	197	<i>famciclovir</i>	111
EPOGEN	115	ESTROSTEP FE-28	155	<i>famotidine</i>	183
<i>eprosartan</i>	125	<i>eszopiclone</i>	248	<i>famotidine (pf)</i>	183
EPZICOM	105	<i>ethacrylic acid</i>	138	<i>famotidine (pf)-nacl (iso-os)</i>	183
EQUETRO	55	<i>ethambutol</i>	88	FANAPT	99
ERAXIS(WATER DILUENT)	80	<i>ethosuximide</i>	55	FARESTON	38
ERBITUX	38	<i>ethynodiol diac-eth estradiol</i>	155	FARXIGA	69
<i>ergoloid</i>	62	ETHYOL	229	FARYDAK	38
ERGOMAR	86	<i>etidronate disodium</i>	226	FASENRA	245
<i>ergotamine-caffeine</i>	86	<i>etodolac</i>	11	FASENRA PEN	245
ERIVEDGE	38	<i>etonogestrel-ethinyl estradiol</i>	155	FASLODEX	39
ERLEADA	38	ETOPOPHOS	38	<i>fayosim</i>	155
<i>erlotinib</i>	38	<i>etoposide</i>	38	<i>febuxostat</i>	83
<i>errin</i>	155	<i>etravirine</i>	105	<i>felbamate</i>	55
		EUCRISA	168	FELBATOL	55

FELDENE	11	FLECTOR	11	FORFIVO XL	66
<i>felodipine</i>	136	FLOMAX	192	<i>formoterol fumarate</i>	242
FEMARA	39	FLOVENT DISKUS	239	FORTEO	226
FEMHRT LOW DOSE	197	FLOVENT HFA	239	FOSAMAX	226
FEMRING	197	<i>flouxuridine</i>	39	FOSAMAX PLUS D	226
<i>femynor</i>	155	<i>fluconazole</i>	80	<i>fosamprenavir</i>	105
<i>fenofibrate</i>	140	<i>fluconazole in nacl (iso-osm)</i>	80	<i>foscarnet</i>	109
<i>fenofibrate micronized</i>	140	<i>flucytosine</i>	81	<i>fosfomycin tromethamine</i>	20
<i>fenofibrate nanocrystallized</i>	140	<i>fludarabine</i>	39	<i>fosinopril</i>	127
<i>fenofibric acid</i>	141	<i>fludrocortisone</i>	200	<i>fosinopril-hydrochlorothiazide</i>	127
<i>fenofibric acid (choline)</i>	141	FLUMADINE	109	<i>fosphenytoin</i>	55
FENOGLIDE	141	<i>flunisolide</i>	180	FOSRENOL	190
FENSOLVI	202	<i>fluocinolone</i>	168	FOTIVDA	39
<i>fentanyl</i>	5	<i>fluocinolone acetonide oil</i>	180	FRAGMIN	113
<i>fentanyl citrate</i>	5	<i>fluocinolone and shower cap</i>	168	FREAMINE III 10 %	122
FERRIPROX	193	<i>fluocinonide</i>	168	FROVA	86
FERRIPROX (2 TIMES A DAY)	193	<i>fluocinonide-e</i>	168	<i>frovatriptan</i>	86
FETROJA	24	<i>fluoride (sodium)</i>	251	FULPHILA	115
FETZIMA	65	<i>fluorometholone</i>	181	<i>fulvestrant</i>	39
FIASP FLEXTOUCH U-100		<i>fluorouracil</i>	39, 164	FURADANTIN	20
INSULIN	74	<i>fluoxetine</i>	65	<i>furosemide</i>	138
FIASP PENFILL U-100		<i>fluoxetine (pmdd)</i>	65	FUSILEV	229
INSULIN	74	<i>fluphenazine decanoate</i>	99	FUZEON	105
FIASP U-100 INSULIN	74	<i>fluphenazine hcl</i>	99	<i>fyavolv</i>	197
FIBRICOR	141	<i>flurandrenolide</i>	168	FYCOMPA	55
<i>finasteride</i>	192	<i>flurazepam</i>	17	<i>gabapentin</i>	55
FINTEPLA	55	<i>flurbiprofen</i>	11	GABITRIL	55
FIORICET WITH CODEINE	5	<i>flurbiprofen sodium</i>	181	GALAFOLD	172
FIRAZYR	134	<i>flutamide</i>	39	<i>galantamine</i>	62, 63
FIRDAPSE	229	<i>fluticasone propionate</i>	168, 181	GAMASTAN	211
FIRMAGON KIT W		<i>fluticasone propion-salmeterol</i>	240	GAMIFANT	211
DILUENT SYRINGE	39	<i>fluvastatin</i>	141	GAMMAGARD LIQUID	211
FIRVANQ	20	<i>fluvoxamine</i>	65, 66	GAMMAGARD S-D (IGA < 1 MCG/ML)	211
FLAC OTIC OIL	180	FML FORTE	181	GAMMAKED	211
FLAGYL	20	FML S.O.P.	181	GAMMAPLEX	211
<i>flavoxate</i>	191	FOCALIN	147	GAMMAPLEX (WITH SORBITOL)	211
FLEBOGAMMA DIF	211	FOCALIN XR	147	GAMUNEX-C	211
<i>flecainide</i>	128	FOLOTYN	39	<i>ganciclovir sodium</i>	111
		<i>fomepizole</i>	229		
		<i>fondaparinux</i>	113		

GARDASIL 9 (PF).....	220	GLUCAGON	<i>haloperidol decanoate</i>	99
GASTROCROM.....	186	EMERGENCY KIT	<i>haloperidol lactate</i>	99
<i>gatifloxacin</i>	177	(HUMAN).....	HARVONI.....	110
GATTEX 30-VIAL.....	186	GLUCOPHAGE.....	HAVRIX (PF).....	220
GAUZE PAD.....	171	GLUCOPHAGE XR.....	<i>heather</i>	156
<i>gavilyte-c</i>	189	GLUCOTROL.....	HECTOROL.....	226
<i>gavilyte-g</i>	189	GLUCOTROL XL.....	<i>heparin (porcine)</i>	113, 114
<i>gavilyte-n</i>	189	glyburide.....	<i>heparin, porcine (pf)</i>	114
GAVRETO.....	39	glyburide micronized.....	HEPATAMINE 8%.....	122
GAZYVA.....	39	glyburide-metformin.....	HEPSERA.....	111
GELNIQUE.....	191	glycine urologic solution.....	HERCEPTIN.....	40
gemcitabine.....	39	glycopyrrolate.....	HERCEPTIN HYLECTA.....	40
gemfibrozil.....	141	glydo.....	HERZUMA.....	40
<i>gemmily</i>	155	GLYNASE.....	HETLIOZ.....	248
GEMTESA.....	191	GLYXAMBI.....	HETLIOZ LQ.....	248
GENERESS FE.....	155	GOCOVRI.....	HIBERIX (PF).....	220
<i>generlac</i>	186	GOLYTELY.....	HIPREX.....	20
<i>genograf</i>	212	granisetron (pf).....	HIZENTRA.....	212
GENOTROPIN.....	202	granisetron hcl.....	HUMALOG JUNIOR	
GENOTROPIN MINIQUICK.....	202	GRANIX.....	KWIKPEN U-100.....	74
<i>gentak</i>	177	GRASTEK.....	HUMALOG KWIKPEN	
gentamicin.....	18, 166, 177	griseofulvin microsize.....	INSULIN.....	74
gentamicin sulfate (ped) (pf)	18	griseofulvin ultramicrosize.....	HUMALOG MIX 50-50	
gentamicin sulfate (pf).....	19	guanfacine.....	INSULN U-100.....	74
GENVOYA.....	105	guanidine.....	HUMALOG MIX 50-50	
GEODON.....	99	GVOKE HYOPEN 2-PACK	KWIKPEN.....	74
GILENYA.....	147	GVOKE PFS 1-PACK	HUMALOG MIX 75-25	
GILOTRIF.....	39	SYRINGE.....	KWIKPEN.....	75
GIMOTI.....	186	HAEGARDA.....	HUMALOG MIX 75-25(U-100)INSULN.....	75
GIVLAARI.....	118	<i>hailey</i>	HUMALOG U-100	
GLASSIA.....	245	<i>hailey 24 fe</i>	INSULIN.....	75
<i>glatiramer</i>	147	<i>hailey fe 1.5/30 (28)</i>	HUMATIN.....	92
<i>glatopa</i>	147	<i>hailey fe 1/20 (28)</i>	HUMATROPE.....	203
GLEEVEC.....	39	HALAVEN.....	HUMIRA.....	212
<i>glimepiride</i>	78	HALCION.....	HUMIRA PEN.....	212
<i>glipizide</i>	78, 79	HALDOL.....	HUMIRA PEN CROHNS-UC-HS START.....	212
<i>glipizide-metformin</i>	79	HALDOL DECANOATE.....	HUMIRA PEN PSOR-UVEITS-ADOL HS.....	212
GLUCAGEN HYPOKIT.....	229	<i>halobetasol propionate</i>		
		<i>haloperidol</i>		

HUMIRA(CF).....	213	<i>hydroxyprogesterone cap (ppres)</i>	206	IMOGLAM RABIES-HT (PF)	213
HUMIRA(CF) PEDI		<i>hydroxyurea</i>	40	IMOVOX RABIES	
CROHNS STARTER	212	<i>hydroxyzine hcl</i>	84	VACCINE (PF).....	220
HUMIRA(CF) PEN	212	<i>hydroxyzine pamoate</i>	230	IMPAVIDO.....	92
HUMIRA(CF) PEN		HYPERRAB B	213	IMURAN	213
CROHNS-UC-HS.....	212	HYPERRAB S/D (PF)	213	IMVEXXY	
HUMIRA(CF) PEN		HYPERRHO S/D	213	MAINTENANCE PACK.....	197
PEDIATRIC UC.....	212	HYQVIA	213	IMVEXXY STARTER	
HUMIRA(CF) PEN PSOR-		HYZAAr	125	PACK	197
UV-ADOL HS.....	212	<i>ibandronate</i>	226	INBRIJA	95
HUMULIN 70/30 U-100		IBRANCE	40	<i>incassia</i>	156
INSULIN.....	75	<i>ibu</i>	11	INCRELEX	203
HUMULIN 70/30 U-100		<i>ibuprofen</i>	11	INCRUSE ELLIPTA	242
KWIKPEN.....	75	<i>ibuprofen-oxycodone</i>	6	<i>indapamide</i>	138
HUMULIN N NPH		<i>icatibant</i>	134	INDERAL LA	130
INSULIN KWIKPEN.....	75	<i>iclevia</i>	156	INDOCIN	11
HUMULIN N NPH U-100		ICLUSIG	40	<i>indomethacin</i>	11
INSULIN.....	75	<i>icosapent ethyl</i>	141	INFANRIX (DTAP) (PF)....	220
HUMULIN R REGULAR		IDAMYCIN PFS	40	INFLECTRA	213
U-100 INSULN.....	75	<i>idarubicin</i>	40	INFUGEM	41
HUMULIN R U-500		IDHIFA	40	INFUMORPH P/F	6
(CONC) INSULIN.....	75	IFEX	40	INGREZZA	148
HUMULIN R U-500		<i>ifosfamide</i>	40	INGREZZA INITIATION	
(CONC) KWIKPEN.....	75	ILARIS (PF)	213	PACK	148
HYCAMTIN.....	40	ILEVRO	181	INLYTA	41
<i>hydralazine</i>	134	ILUMYA	213	INQOVI	41
HYDREA.....	40	<i>imatinib</i>	40	INREBIC	41
<i>hydrochlorothiazide</i>	138	IMBRUVICA	41	INSPRA	143
<i>hydrocodone bitartrate</i>	5	IMFINZI	41	<i>insulin asp prt-insulin aspart</i> 75, 76	
<i>hydrocodone-acetaminophen</i>	5	<i>imipenem-cilastatin</i>	27	<i>insulin aspart u-100</i>	76
<i>hydrocodone-ibuprofen</i>	5	<i>imipramine hcl</i>	66	<i>insulin lispro</i>	76
<i>hydrocortisone</i>	168, 169, 200, 224	<i>imipramine pamoate</i>	66	<i>insulin lispro protamin-lispro</i>	76
<i>hydrocortisone butyrate</i> ..	168, 169	<i>imiquimod</i>	164	INSULIN SYRINGE-	
<i>hydrocortisone valerate</i>	169	IMITREX	86, 87	NEEDLE U-100.....	171
<i>hydrocortisone-acetic acid</i>	177	IMITREX STATDOSE PEN	86	INTELENCE	105
<i>hydromorphone</i>	6	IMITREX STATDOSE		INTRALIPID	122
<i>hydromorphone (pf)</i>	5	REFILL	87	INTRAROSA	198
<i>hydroxychloroquine</i>	92	IMLYGIC	41	INTRON A	110, 111
<i>hydroxyprogesterone (pf) (preg presv)</i>	206			<i>introvale</i>	156

INTUNIV ER	148	<i>itraconazole</i>	81	KAPSPARGO SPRINKLE..	130
INVANZ.....	27	<i>ivermectin</i>	92, 170	KAPVAY.....	148
INVEGA.....	100	IXEMPRA.....	42	<i>kariva</i> (28)	156
INVEGA SUSTENNA.....	100	IXIARO (PF).....	220	KATERZIA.....	136
INVEGA TRINZA.....	100	JADENU.....	193	KAZANO.....	70
INVELTYS.....	181	JADENU SPRINKLE.....	193	KEDRAB (PF).....	213
INVIRASE.....	105	<i>jaimiess</i>	156	<i>kelnor 1/35</i> (28)	156
INVOKAMET.....	70	JAKAFI.....	42	<i>kelnor 1-50</i> (28)	156
INVOKAMET XR.....	70	JALYN.....	192	KENALOG.....	200
INVOKANA.....	70	<i>jantoven</i>	114	KENALOG-80.....	200
IONOSOL-B IN D5W.....	235	JANUMET.....	70	KEPIVANCE.....	230
IONOSOL-MB IN D5W.....	235	JANUMET XR.....	70	KEPPRA.....	56
IOPIDINE.....	175	JANUVIA.....	70	KEPPRA XR.....	56
IPOL.....	220	JARDIANC.....	70	KESIMPTA PEN.....	148
<i>ipratropium bromide</i>	175, 242	<i>jasmiel</i> (28)	156	<i>ketoconazole</i>	81
<i>ipratropium-albuterol</i>	242	JEMPERLI.....	42	<i>ketoprofen</i>	11
<i>irbesartan</i>	125	<i>jencycla</i>	156	<i>ketorolac</i>	11, 12, 181
<i>irbesartan-hydrochlorothiazide</i>	125	JENTADUETO.....	70	KEVEYIS.....	230
IRESSA.....	41	JENTADUETO XR.....	70	KEVZARA.....	214
<i>irinotecan</i>	41	JEVTANA.....	42	KEYTRUDA.....	42
ISENTRESS.....	105, 106	<i>jinteli</i>	198	KHAPZORY.....	230
ISENTRESS HD.....	105	<i>jolessa</i>	156	KIMYRSA.....	20
<i>isibloom</i>	156	JORNAY PM.....	148	KINERET.....	214
ISOLYTE S PH 7.4.....	235	<i>juleber</i>	156	KINRIX (PF).....	220
ISOLYTE-P IN 5 %		JULUCA.....	106	<i>kionex (with sorbitol)</i>	186
DEXTROSE.....	235	<i>junel 1.5/30</i> (21)	156	KISQALI.....	42
ISOLYTE-S.....	235	<i>junel 1/20</i> (21)	156	KISQALI FEMARA CO-	
<i>isoniazid</i>	88	<i>junel fe 1.5/30</i> (28)	156	PACK.....	42
ISOPTO ATROPINE.....	175	<i>junel fe 24</i>	156	KLONOPIN.....	17
ISOPTO CARPINE.....	233	JUXTAPID.....	141	KLOR-CON 10.....	235
ISORDIL.....	143	JYNARQUE.....	138	KLOR-CON 8.....	235
ISORDIL TITRADOSE.....	144	KABIVEN.....	122	<i>klor-con m10</i>	235
<i>isosorbide dinitrate</i>	144	KADCYLA.....	42	<i>klor-con m15</i>	235
<i>isosorbide mononitrate</i>	144	<i>kaitlib fe</i>	156	<i>klor-con m20</i>	235
<i>isotretinoin</i>	164	KALETTRA.....	106	KLOXXADO.....	15
<i>isradipine</i>	136	<i>kalliga</i>	156	KOMBIGLYZE XR.....	71
ISTALOL.....	233	KALYDECO.....	245	KORLYM.....	71
ISTODAX.....	42	KANJINTI.....	42	KOSELUGO.....	42
ISTURISA.....	230	KANUMA.....	172	KRINTAFEL.....	92
				K-TAB.....	236

<i>kurvelo</i> (28)	156	<i>lapatinib</i>	42	<i>levoleucovorin calcium</i>	230
KUVAN	172	<i>larin 1.5/30</i> (21)	157	<i>levonest</i> (28)	157
KYNMOBI	95	<i>larin 1/20</i> (21)	157	<i>levonorgestrel-ethinyl estrad</i>	157
KYPROLIS	42	<i>larin 24 fe</i>	157	<i>levonorg-eth estrad triphasic</i>	157
<i>l norgestle.estradiol-e.estrad</i>	157	<i>larin fe 1.5/30</i> (28)	157	<i>levora-28</i>	157
<i>labetalol</i>	130	<i>larin fe 1/20</i> (28)	157	<i>levorphanol tartrate</i>	6
LACRISERT	175	<i>larissia</i>	157	LEVO-T	207
<i>lactulose</i>	186	LASIX	138	<i>levothyroxine</i>	207
LAMICTAL	56	LASTACAFT	176	LEVOXYL	207
LAMICTAL ODT	56	<i>latanoprost</i>	233	LEXAPRO	66
LAMICTAL ODT		LATUDA	100	LEXIVA	106
STARTER (BLUE)	56	<i>layolis fe</i>	157	LIALDA	224
LAMICTAL ODT		LAZANDA	6	LIBTAYO	43
STARTER (GREEN)	56	<i>ledipasvir-sofosbuvir</i>	110	<i>lidocaine</i>	13
LAMICTAL ODT		<i>leena 28</i>	157	<i>lidocaine (pf)</i>	13, 128
STARTER (ORANGE)	56	<i>leflunomide</i>	214	<i>lidocaine hcl</i>	13
LAMICTAL STARTER		LEMTRADA	148	<i>lidocaine viscous</i>	13
(BLUE) KIT	56	LENVIMA	43	<i>lidocaine-prilocaine</i>	13
LAMICTAL STARTER		LESCOL XL	141	LIDODERM	13
(GREEN) KIT	56	<i>lessina</i>	157	<i>lillow</i> (28)	157
LAMICTAL STARTER		LETAIRIS	249	LINCOCIN	21
(ORANGE) KIT	56	<i>letrozole</i>	43	<i>lincomycin</i>	21
LAMICTAL XR	57	<i>leucovorin calcium</i>	230	linezolid	21
LAMICTAL XR STARTER		LEUKERAN	43	<i>linezolid in dextrose 5%</i>	21
(BLUE)	57	LEUKINE	116	<i>linezolid-0.9% sodium chloride</i>	21
LAMICTAL XR STARTER		<i>leuprolide</i>	43	LINZESS	186
(GREEN)	57	<i>levalbuterol hcl</i>	243	<i>liothyronine</i>	207
LAMICTAL XR STARTER		<i>levalbuterol tartrate</i>	243	LIPITOR	141
(ORANGE)	57	LEVATOL	130	LIPOFEN	141
<i>lamivudine</i>	106	LEVEMIR FLEXTOUCH		<i>lisinopril</i>	127
<i>lamivudine-zidovudine</i>	106	U-100 INSULN	76	<i>lisinopril-hydrochlorothiazide</i>	127
<i>lamotrigine</i>	57	LEVEMIR U-100 INSULIN ..	76	<i>lithium carbonate</i>	148
LAMPIT	93	<i>levetiracetam</i>	58	<i>lithium citrate</i>	148
LANOXIN	134, 135	<i>levetiracetam in nacl (iso-os)</i> ..	58	LITHOBID	148
LANOXIN PEDIATRIC	135	<i>levobunolol</i>	233	LITHOSTAT	192
<i>lansoprazole</i>	183, 184	<i>levocarnitine</i>	230	LIVALO	141
<i>lanthanum</i>	190	<i>levocarnitine (with sugar)</i> ..	230	LO LOESTRIN FE	158
LANTUS SOLOSTAR U-100		<i>levocetirizine</i>	84	LOCOID	169
INSULIN	76	<i>levofloxacin</i>	30, 177	LOCOID LIPOCREAM	169
LANTUS U-100 INSULIN	76	<i>levofloxacin in d5w</i>	30	LODOSYN	95

<i>lojaimiess</i>	158	LUNESTA	248	<i>marlissa</i> (28)	158
LOKELMA	186, 187	LUPANETA PACK (1		MARPLAN	66
LOMOTIL	187	MONTH)	203	MARQIBO	44
LONHALA MAGNAIR		LUPANETA PACK (3		MATULANE	44
REFILL	243	MONTH)	203	<i>matzim la</i>	133
LONSURF	43	LUPKYNIS	214	MAVENCLAD (10 TABLET	
<i>loperamide</i>	187	LUPRON DEPOT	203	PACK)	148
LOPID	141	LUPRON DEPOT	(3	MAVENCLAD (4 TABLET	
<i>lopinavir-ritonavir</i>	106	MONTH)	43, 203	PACK)	148
LOPRESSOR	130	LUPRON DEPOT	(4	MAVENCLAD (5 TABLET	
LOPRESSOR HCT	130	MONTH)	43	PACK)	148
LOPROX	81	LUPRON DEPOT	(6	MAVENCLAD (6 TABLET	
LOPROX (AS OLAMINE)	81	MONTH)	43	PACK)	148
<i>lorazepam</i>	17	LUPRON DEPOT-PED	203	MAVENCLAD (7 TABLET	
<i>lorazepam intensol</i>	17	LUPRON DEPOT-PED	(3	PACK)	149
LORBRENA	43	MONTH)	203	MAVENCLAD (8 TABLET	
<i>loryna</i> (28)	158	<i>lutera</i> (28)	158	PACK)	149
<i>losartan</i>	125	LUZU	81	MAVENCLAD (9 TABLET	
<i>losartan-hydrochlorothiazide</i>	125	<i>lyeq</i>	158	PACK)	149
LOSEASONIQUE	158	<i>yllana</i>	198	MAVYRET	110
LOTEMAX	181	LYNPARZA	43	MAXALT	87
LOTEMAX SM	181	LYRICA	58	MAXALT-MLT	87
LOTENSIN	127	LYSODREN	43	MAXIDEX	181
LOTENSIN HCT	127	LYSTEDA	118	MAXITROL	177
<i>loteprednol etabonate</i>	181	LYUMJEV KWIKPEN U-		MAXZIDE	138
LOTREL	136	100 INSULIN	76	MAXZIDE-25MG	139
LOTRONEX	224	LYUMJEV KWIKPEN U-		MAYZENT	149
<i>lovastatin</i>	141	200 INSULIN	76	<i>meclizine</i>	90
LOVAZA	141	LYUMJEV U-100 INSULIN	76	<i>meclofenamate</i>	12
LOVENOX	114	<i>lyza</i>	158	MEDROL	200
<i>low-ogestrel</i> (28)	158	MACROBID	21	MEDROL (PAK)	200
<i>loxapine succinate</i>	100	MACRODANTIN	21	<i>medroxyprogesterone</i>	206
<i>lo-zumandimine</i> (28)	158	<i>magnesium sulfate</i>	236	<i>mefenamic acid</i>	12
<i>lubiprostone</i>	187	MAKENA	206	<i>mefloquine</i>	93
LUCEMYRA	15	MAKENA (PF)	206	<i>megestrol</i>	44, 206
<i>luliconazole</i>	81	MALARONE	93	MEKINIST	44
LUMAKRAS	43	MALARONE PEDIATRIC	93	MEKTOVI	44
LUMIGAN	234	<i>malathion</i>	171	<i>melodetta 24 fe</i>	158
LUMIZYME	172	<i>maprotiline</i>	66	<i>meloxicam</i>	12
LUMOXITI	43	MARINOL	90	<i>melphalan hcl</i>	44

<i>memantine</i>	63	<i>methyldopa</i>	123	<i>midodrine</i>	123
MENACTRA (PF)	220	<i>methyldopa-</i>		<i>miglitol</i>	71
MENEST	198	<i>hydrochlorothiazide</i>	123	<i>miglustat</i>	173
MENOSTAR	198	<i>methyldopate</i>	123	MIGRAL	87
MENQUADFI (PF)	220	<i>methylergonovine</i>	231	<i>ili</i>	158
MENTAX	81	METHYLIN	149	<i>mimvey</i>	198
MENVEO A-C-Y-W-135-DIP (PF)	221	<i>methylphenidate hcl</i>	149, 150	MINASTRIN 24 FE	158
<i>meperidine (pf)</i>	6	<i>methylprednisolone</i>	200	MINIPRESS	123
<i>meprobamate</i>	17	<i>methylprednisolone acetate</i>	200	<i>minitran</i>	144
MEPRON	93	<i>methylprednisolone sodium</i>		MINIVELLE	198
MEPSEVII	173	<i>succ</i>	200	<i>minocycline</i>	32
<i>mercaptopurine</i>	44	<i>methyltestosterone</i>	194	<i>minoxidil</i>	144
<i>meropenem</i>	27	<i>metipranolol</i>	234	MIRAPEX	95
<i>meropenem-0.9% sodium chloride</i>	27	<i>metoclopramide hcl</i>	187	MIRAPEX ER	95
MERREM	27	<i>metolazone</i>	139	MIRCERA	116
<i>mesalamine</i>	224	<i>metoprolol succinate</i>	130	<i>mirtazapine</i>	66
<i>mesna</i>	230	<i>metoprolol ta-hydrochlorothiaz</i>	130	<i>misoprostol</i>	184
MESNEX	230	<i>metoprolol tartrate</i>	130	<i>mitigo (pf)</i>	7
MESTINON	230, 231	METROGEL VAGINAL	85	<i>mitomycin</i>	44
MESTINON TIMESPAN	231	<i>metronidazole</i>	21, 85, 166	<i>mitoxantrone</i>	44
<i>metadate er</i>	149	<i>metronidazole in nacl (iso-os)</i>	21	M-M-R II (PF)	221
<i>metaproterenol</i>	243	<i>metyrosine</i>	135	MOBIC	12
<i>metaxalone</i>	247	<i>mexiletine</i>	128	<i>modafinil</i>	248
<i>metformin</i>	71	MIACALCIN	227	<i>moexipril</i>	127
<i>methadone</i>	6	<i>mibelas 24 fe</i>	158	<i>molindone</i>	101
<i>methadone intensol</i>	6	<i>micafungin</i>	81	<i>mometasone</i>	169, 181
METHADOSE	6	MICARDIS	125	MONJUVI	44
<i>methadose</i>	6	MICARDIS HCT	125	<i>mono-linyah</i>	159
<i>methamphetamine</i>	149	<i>miconazole nitrate-zinc ox-pet</i>	81	<i>montelukast</i>	240
<i>methazolamide</i>	234	<i>miconazole-3</i>	81	MONUROL	21
<i>methenamine hippurate</i>	21	MICRHOGAM ULTRA-FILTERED PLUS	214	MORPHINE	7
METHERGINE	231	<i>microgestin 1.5/30 (21)</i>	158	<i>morphine</i>	7
<i>methimazole</i>	207	<i>microgestin 1/20 (21)</i>	158	<i>morphine (pf)</i>	7
<i>methocarbamol</i>	247	<i>microgestin 24 fe</i>	158	<i>morphine concentrate</i>	7
<i>methotrexate sodium</i>	44	<i>microgestin fe 1.5/30 (28)</i>	158	MOTEGRITY	187
<i>methotrexate sodium (pf)</i>	44	<i>microgestin fe 1/20 (28)</i>	158	MOVANTIK	187
<i>methoxsalen</i>	164	<i>midazolam</i>	17	MOVIPREP	189
<i>methscopolamine</i>	187	<i>midazolam (pf)</i>	17	MOXEZA	178
				<i>moxifloxacin</i>	31, 178
				<i>moxifloxacin-sod.ace,sul-water</i>	31

<i>moxifloxacin-sod.chloride(iso)</i>	31	<i>naproxen</i>	12	NEXIUM	184
MOZOBIL	116	<i>naproxen sodium</i>	12	NEXIUM IV	184
MS CONTIN	7	<i>naratriptan</i>	87	NEXIUM PACKET	184
MULPLETA	116	NARCAN	15	NEXLETOL	141
MULTAQ	128	NARDIL	66	NEXLIZET	141
<i>mupirocin</i>	166	NASONEX	181	NEXTSTELLIS	159
<i>mupirocin calcium</i>	166	NATACYN	178	NEXVIAZYME	173
MVASI	44	NATAZIA	159	<i>niacin</i>	141, 142
MYALEPT	231	<i>nateglinide</i>	71	<i>niacor</i>	142
MYAMBUTOL	88	NATESTO	194	NIASPAN EXTENDED-	
MYCAMINE	81	NATPARA	227	RELEASE	142
MYCAPSSA	203	NAYZILAM	58	<i>nicardipine</i>	136
MYCOBUTIN	88	<i>nebivolol</i>	131	NICOTROL	15
<i>mycophenolate mofetil</i>	214	NEBUPENT	93	NICOTROL NS	15
<i>mycophenolate mofetil (hcl)</i>	214	<i>necon 0.5/35 (28)</i>	159	<i>nifedipine</i>	137
<i>mycophenolate sodium</i>	214	<i>nefazodone</i>	66	<i>nikki (28)</i>	159
MYDAYIS	150	NEMBUTAL SODIUM	248	NILANDRON	44
MYFEMBREE	203	<i>neomycin</i>	19	<i>nilutamide</i>	45
MYFORTIC	214	<i>neomycin-bacitracin-poly-hc</i>	178	<i>nimodipine</i>	137
MYLOTARG	44	<i>neomycin-bacitracin-</i>		NINLARO	45
<i>myorisan</i>	165	<i>polymyxin</i>	178	NIPENT	45
MYRBETRIQ	191	<i>neomycin-polymyxin b gu</i>	166	<i>nisoldipine</i>	137
mysoline	58	<i>neomycin-polymyxin b-</i>		<i>nitazoxanide</i>	93
MYTESI	187	<i>dexameth</i>	178	<i>nitisinone</i>	173
NABI-HB	214	<i>neomycin-polymyxin-</i>		NITRO-BID	144
<i>nabumetone</i>	12	<i>gramicidin</i>	178	NITRO-DUR	144
<i>nadolol</i>	131	<i>neomycin-polymyxin-hc</i>	178	<i>nitrofurantoin</i>	21
<i>nadolol-bendroflumethiazide</i>	131	<i>neo-polycin</i>	178	<i>nitrofurantoin macrocrystal</i>	21
<i>nafcillin</i>	29	<i>neo-polycin hc</i>	178	<i>nitrofurantoin monohyd/m-cryst</i>	21
<i>nafcillin in dextrose iso-osm</i>	29	NEORAL	214	<i>nitroglycerin</i>	144
<i>naftifine</i>	81	NEPHRAMINE 5.4 %	122	NITROLINGUAL	144
NAFTIN	81	NERLYNX	44	NITROSTAT	144
NAGLAZYME	173	NESINA	71	NITYR	173
<i>nalbuphine</i>	7	NESTABS ONE	251	NIVESTYM	116
<i>naloxone</i>	15	NEULASTA	116	<i>nizatidine</i>	184
<i>naltrexone</i>	15	NEUPRO	95	NOCDURNA (MEN)	203
NAMENDA	63	NEURONTIN	58	NOCDURNA (WOMEN)	203
NAMENDA XR	63	NEVANAC	182	<i>nora-be</i>	159
NAMZARIC	63	<i>nevirapine</i>	106		
NAPROSYN	12	NEXAVAR	44		

NORDITROPIN FLEXPRO		NOVOLOG MIX 70-30 U-		OCUFLOX	178
.....	204	100 INSULN	77	ODACTRA	231
<i>noreth-ethinyl estradiol-iron</i>	159	NOVOLOG MIX 70-		ODEFSEY	106
<i>norethindrone (contraceptive)</i>	159	30FLEXPEN U-100	77	ODOMZO	45
<i>norethindrone acetate</i>	206	NOVOLOG PENFILL U-100		OFEV	246
<i>norethindrone ac-eth estradiol</i>		INSULIN	77	<i>ofloxacin</i>	31, 178, 179
.....	159, 198	NOVOLOG U-100 INSULIN		OGIVRI	45
<i>norethindrone-e.estriadiol-iron.</i>	159	ASPART	77	<i>olanzapine</i>	101
<i>norgestimate-ethinyl estradiol</i>	159	NOXAFILE	81, 82	<i>olanzapine-fluoxetine</i>	66
<i>norlyda</i>	160	NPLATE	116	<i>olmesartan</i>	125
NORMOSOL-M IN 5 %		NUBEQA	45	<i>olmesartan-amldipin-</i>	
DEXTROSE	236	NUCALA	245, 246	<i>hcثiazid</i>	125
NORMOSOL-R IN 5 %		NUCYNTA	8	<i>olmesartan-</i>	
DEXTROSE	236	NUCYNTA ER	7	<i>hydrochlorothiazide</i>	125
NORMOSOL-R PH 7.4	236	NUEDEXTA	150	<i>olopatadine</i>	176
NORPACE	128	NULIBRY	231	OLUMIANT	215
NORPACE CR	128	NULOJIX	214	OLUX	169
NORPRAMIN	66	NULYTELY LEMON-		OMECLAMOX-PAK	184
NORTHERA	123	LIME	189	<i>omega-3 acid ethyl esters</i>	142
<i>nortrel 0.5/35 (28)</i>	160	NUPLAZID	101	OMEGAVEN	122
<i>nortrel 1/35 (21)</i>	160	NURTEC ODT	87	<i>omeprazole</i>	184
<i>nortrel 1/35 (28)</i>	160	NUTRILIPID	122	<i>omeprazole-sodium</i>	
<i>nortrel 7/7/7 (28)</i>	160	NUTROPIN AQ NUSPIN	204	<i>bicarbonate</i>	184
<i>nortriptyline</i>	66	NUVARING	160	OMNARIS	182
NORVASC	137	NUVESSA	85	OMNIPOD DASH 5 PACK	
NORVIR	106	NUVIGIL	248	POD	171
NOURIANZ	95	NUZYRA	32	OMNIPOD DASH PDM	
NOVOLIN 70/30 U-100		<i>nyamyc</i>	82	KIT	171
INSULIN	77	<i>nylia 7/7/7 (28)</i>	160	OMNIPOD INSULIN	
NOVOLIN 70-30 FLEXPEN		NYMALIZE	137	MANAGEMENT	171
U-100	77	<i>nymyo</i>	160	OMNIPOD INSULIN	
NOVOLIN N FLEXPEN	77	nystatin	82	REFILL	171
NOVOLIN N NPH U-100		nystatin-triamcinolone	82	OMNITROPE	204
INSULIN	77	nystop	82	ONCASPAR	45
NOVOLIN R FLEXPEN	77	NYVEPRIA	116	<i>ondansetron</i>	91
NOVOLIN R REGULAR U-		OCALIVA	187	<i>ondansetron hcl</i>	90
100 INSULN	77	<i>ocella</i>	160	<i>ondansetron hcl (pf)</i>	90
NOVOLOG FLEXPEN U-		OCREVUS	150	ONFI	58
100 INSULN	77	OCTAGAM	215	ONGENTYS	95
		<i>octreotide acetate</i>	204	ONGLYZA	71

ONIVYDE	45	OXAYDO	8
ONPATTRO	231	<i>oxazepam</i>	17
ONTRUZANT	45	OXBRYTA	118
ONUREG	45	<i>oxcarbazepine</i>	58
OPDIVO	45	OXERVATE	176
OPSUMIT	249	<i>oxiconazole</i>	82
ORALAIR	231	OXISTAT	82
<i>oralone</i>	163	OXLUMO	231
ORAPRED ODT	201	OXSORALEN ULTRA	165
ORAVIG	82	OXTELLAR XR	59
ORBACTIV	21	<i>oxybutynin chloride</i>	191
ORENCIA	215	<i>oxycodone</i>	8
ORENCIA (WITH MALTOSE)	215	<i>oxycodone-acetaminophen</i>	8
ORENCIA CLICKJECT	215	<i>oxycodone-aspirin</i>	8
ORENITRAM	249	OXYCONTIN	8
ORFADIN	173	<i>oxymorphone</i>	8, 9
ORGOVYX	204	OXYTROL	191
ORIAHNN	204	OZEMPIC	71
ORLISSA	204	<i>pacerone</i>	128
ORKAMBI	246	<i>paclitaxel</i>	45
ORLADEYO	116	PADCEV	45
<i>orphenadrine citrate</i>	247	<i>paliperidone</i>	101
<i>orsythia</i>	160	PALONOSETRON	91
ORTHO MICRONOR	160	<i>palonosetron</i>	91
ORTHO TRI-CYCLEN (28)	160	PALYNZIQ	173
ORTHO-NOVUM 7/7/7 (28)	160	PAMELOR	66
<i>oseltamivir</i>	109	<i>pamidronate</i>	227
OSENI	71	PANCREAZE	173
OSMOLEX ER	95	PANDEL	169
OSMOPREP	189	PANRETIN	165
OSPHENA	198	<i>pantoprazole</i>	184, 185
OTEZLA	215	PANZYGA	215
OTEZLA STARTER	215	PARAPLATIN	45
OTOVEL	176	<i>paricalcitol</i>	227
OTREXUP (PF)	215	PARICALCITOL	227
<i>oxacillin</i>	29	PARLODEL	95, 96
<i>oxaliplatin</i>	45	PARNATE	66
<i>oxandrolone</i>	194	<i>paroex oral rinse</i>	163
<i>oxaprozin</i>	12	<i>paramomycin</i>	93
		<i>paroxetine hcl</i>	67
		<i>paroxetine</i>	
		<i>mesylate(menop.sym)</i>	231
		PASER	89
		PATANASE	176
		PAXIL	67
		PAXIL CR	67
		PEDIATRIX (PF)	221
		PEDVAX HIB (PF)	221
		<i>peg 3350-electrolytes</i>	189
		<i>peg3350-sod sul-nacl-kcl-asb-c</i>	189
		PEGASYS	111
		<i>peg-electrolyte soln</i>	189
		PEGINTRON	111
		PEMAZYRE	45
		PEN NEEDLE, DIABETIC.	171
		<i>penicillamine</i>	193
		<i>penicillin g potassium</i>	29
		<i>penicillin g procaine</i>	29
		<i>penicillin g sodium</i>	29
		<i>penicillin v potassium</i>	29
		PENTACEL (PF)	221
		PENTACEL DTAP-IPV	
		COMPNT (PF)	221
		PENTAM	93
		<i>pentamidine</i>	93
		PENTASA	224
		<i>pentazocine-naloxone</i>	9
		<i>pentobarbital sodium</i>	248
		<i>pentoxifylline</i>	118
		PEPAXTO	45
		PERCOCET	9
		PERFOROMIST	243
		PERIKABIVEN	122
		<i>perindopril erbumine</i>	127
		<i>periogard</i>	163
		PERJETA	45
		<i>permethrin</i>	171
		<i>perphenazine</i>	101
		<i>perphenazine-amitriptyline</i>	67
		PERSERIS	101

PERTZYE	173	<i>polycin</i>	179	PRETOMANID	89
PEXEVA	67	POLYETHYLENE		PREVACID	185
<i>pfizerpen-g</i>	29	GLYCOL 3350(BULK)	189	PREVACID SOLUTAB	185
<i>phenelzine</i>	67	<i>polymyxin b sulfate</i>	21	<i>prevalite</i>	142
<i>phenobarbital</i>	59	<i>polymyxin b sulf-trimethoprim</i>	179	<i>previfem</i>	160
<i>phenoxybenzamine</i>	123	POLYTRIM	179	PREVYMIS	109
<i>phentolamine</i>	124	POMALYST	46	PREZCOBIX	107
<i>phenylephrine hcl</i>	124, 176	PONVORY	150	PREZISTA	107
PHENYTEK	59	PONVORY 14-DAY		PRIFTIN	89
<i>phenytoin</i>	59	STARTER PACK	150	PRILOSEC	185
<i>phenytoin sodium</i>	59	<i>portia 28</i>	160	PRIMAQUINE	93
<i>phenytoin sodium extended</i>	59	PORTRAZZA	46	PRIMAXIN IV	27
PHESGO	46	<i>posaconazole</i>	82	<i>primidone</i>	59
<i>philith</i>	160	<i>potassium chloride</i>	236, 237	PRIMSOL	21
PHOSLYRA	190	<i>potassium chloride in 5 % dex.</i>	236	PRINIVIL	127
PHOSPHOLINE IODIDE	234	<i>potassium chloride-0.45 % nacl</i>		PRISTIQ	67
PHYSIOLYTE	225	<i>.....</i>	237	PRIVIGEN	215
PHYSIOSOL IRRIGATION	225	<i>potassium citrate</i>	237	PROAIR HFA	243
PICATO	165	PRADAXA	114	PROAIR RESPICLICK	243
PIFELTRO	107	PRALUENT PEN	142	<i>probenecid</i>	83
<i>pilocarpine hcl</i>	163, 234	<i>pramipexole</i>	96	<i>probenecid-colchicine</i>	83
<i>pimecrolimus</i>	169	<i>prasugrel</i>	118	<i>procainamide</i>	128
<i>pimozide</i>	101	<i>pravastatin</i>	142	PROCALAMINE 3%	122
<i>pimtrea (28)</i>	160	<i>praziquantel</i>	93	PROCARDIA	137
<i>pindolol</i>	131	<i>prazosin</i>	124	PROCARDIA XL	137
<i>pioglitazone</i>	71	PRECOSE	72	<i>prochlorperazine</i>	91
<i>pioglitazone-glimepiride</i>	72	PRED MILD	182	<i>prochlorperazine edisylate</i>	91
<i>pioglitazone-metformin</i>	72	PRED-G	179	<i>prochlorperazine maleate</i>	91
<i>piperacillin-tazobactam</i>	29	PRED-G S.O.P.	179	PROCIT	116
PIQRAY	46	<i>prednicarbate</i>	169	<i>procto-med hc</i>	169
<i>pirmella</i>	160	<i>prednisolone</i>	201	<i>procto-pak</i>	169
<i>piroxicam</i>	12	<i>prednisolone acetate</i>	182	<i>proctosol hc</i>	169
PLAQUENIL	93	<i>prednisolone sodium phosphate</i>		<i>proctozone-hc</i>	169
PLASMA-LYTE 148	236	<i>prednisone</i>	201	<i>progesterone</i>	206
PLASMA-LYTE A	236	<i>pregabalin</i>	59	<i>progesterone micronized</i>	207
PLAVIX	118	PREMARIN	198	PROGLYCEM	231
PLEGRIDY	150	PREMPHASE	198	PROGRAF	215
PLENVU	189	PREMPRO	198	PROLASTIN-C	246
<i>podofilox</i>	165	<i>prenatal vitamin plus low iron.</i>	251	PROLENSA	182
POLIVY	46			PROLEUKIN	46

PROLIA	227	<i>quinapril-hydrochlorothiazide</i>	127	REMERON SOLTAB	67
PROMACTA	116, 117	<i>quinidine gluconate</i>	128	REMICADE	216
<i>promethazine</i>	84, 91	<i>quinidine sulfate</i>	129	REMODULIN	250
<i>promethegan</i>	91	<i>quinine sulfate</i>	93	RENACIDIN	225
PROMETRIUM	207	QVAR REDIHALER	240	RENAGEL	190
<i>propafenone</i>	128	RABAVERT (PF)	221	RENFLEXIS	216
<i>proparacaine</i>	176	<i>rabeprazole</i>	185	RENELA	190
<i>propranolol</i>	131	RADICAVA	151	<i>repaglinide</i>	72
<i>propranolol-hydrochlorothiazid</i>	131	<i>raloxifene</i>	198	<i>repaglinide-metformin</i>	72
<i>propylthiouracil</i>	207	<i>ramipril</i>	127	REPATHA PUSHTRONEX	142
PROQUAD (PF)	221	RANEXA	135	REPATHA SURECLICK	142
PROSOL 20 %	122	<i>ranolazine</i>	135	REPATHA SYRINGE	142
PROTOXIX	185	RAPAFLO	192	REQUIP	96
<i>protriptyline</i>	67	RAPAMUNE	215	REQUIP XL	96
PROVENTIL HFA	243	RAPIVAB (PF)	109	RESTASIS	182
PROVERA	207	<i>rasagiline</i>	96	RESTORIL	18
PROVIGIL	248	RASUVO (PF)	216	RETACRIT	117
PROZAC	67	RAVICTI	187	RETEVMO	46
PULMICORT	240	RAYALDEE	227	RETROVIR	107
PULMICORT FLEXHALER	240	RAZADYNE ER	63	REVATIO	250
PULMOZYME	173	REBIF (WITH ALBUMIN)	151	REVCORI	173
PURIXAN	46	REBIF REBIDOSE	151	REVLIMID	46
PYLERA	187	REBIF TITRATION PACK	151	REXULTI	101
<i>pyrazinamide</i>	89	REBLOZYL	117	REYATAZ	107
<i>pyridostigmine bromide</i>	231	RECARBARIO	27	REYVOW	87
<i>pyrimethamine</i>	93	RECLAST	227	REZUROCK	216
QBRELIS	127	<i>reclipsen (28)</i>	160	RHOGAM ULTRA-FILTERED PLUS	216
QINLOCK	46	RECOMBIVAX HB (PF)	221, 222	RHOPHYLAC	216
QNDSL	182	RECTIV	231	RHOPRESSA	234
QTERN	72	REDITREX (PF)	216	RIABNI	46
QUADRACEL (PF)	221	REGLAN	187	<i>ribavirin</i>	111, 112
QUALAQUIN	93	REGONOL	231	RIDAURA	216
QUARTETTE	160	REGRANEX	165	<i>rifabutin</i>	89
QUDEXY XR	59	RELAFEN	12	RIFADIN	89
<i>quetiapine</i>	101	RELENZA DISKHALER	109	<i>rifampin</i>	89
QUILLICHEW ER	151	RELISTOR	187, 188	RILUTEK	151
QUILLIVANT XR	151	RELPAX	87	<i>riluzole</i>	151
<i>quinapril</i>	127	RELTONE	188	<i>rimantadine</i>	109
		REMERON	67	RINVOQ	216

RIOMET	72	SABRIL	60	<i>sevelamer hcl</i>	190
<i>risedronate</i>	227	SAFYRAL	161	<i>sf 5000 plus</i>	163
RISPERDAL	102	SAIZEN	205	<i>sharobel</i>	161
RISPERDAL CONSTA	102	SAIZEN CLICK.EASY	204	SHINGRIX (PF)	222
<i>risperidone</i>	102	SAIZEN SAIZENPREP	205	SIGNIFOR	205
RITALIN	151	SALAGEN		SIKLOS	118
RITALIN LA	151	(PILOCARPINE)	163	<i>sildenafil (pulm.hypertension)</i>	250
ritonavir	107	SAMSCA	139	SILENOR	249
RITUXAN	46	SANCUSO	91	SILIQ	217
RITUXAN HYCELA	46	SANDIMMUNE	216	<i>silodosin</i>	192
<i>rivastigmine</i>	63	SANDOSTATIN	205	<i>silver sulfadiazine</i>	166
<i>rivastigmine tartrate</i>	63	SANDOSTATIN LAR		SIMBRINZA	234
<i>rivelsa</i>	160	DEPOT	205	<i>simliya (28)</i>	161
<i>rizatriptan</i>	87	SANTYL	165	<i>simpesse</i>	161
ROBAXIN-750	247	SAPHNELO	216	SIMPONI	217
ROCALTROL	227	SAPHRIS	102	SIMPONI ARIA	217
ROCKLATAN	234	<i>sapropterin</i>	173, 174	SIMULECT	217
<i>romidepsin</i>	47	SARCLISA	47	<i>simvastatin</i>	142
<i>ropinirole</i>	96	SAVAYSA	114	SINEMET	96
<i>rosadan</i>	166	SAVELLA	151	SINGULAIR	241
<i>rosuvastatin</i>	142	<i>scopolamine base</i>	91	<i>sirolimus</i>	217
ROTARIX	222	SEASONIQUE	161	SIRTURO	89
ROTATEQ VACCINE	222	SECUADO	102	SITAVIG	112
ROWASA	224	SEEBRI NEOHALER	243	SIVEXTRO	21, 22
ROWEEPRA	59	SEGLUROMET	72	SKELAXIN	247
ROWEEPRA XR	59	<i>selegiline hcl</i>	96	SKYRIZI	217
ROXICODONE	9	<i>selenium sulfide</i>	166	SLYND	161
ROZLYTREK	47	SELZENTRY	107	<i>smoflipid</i>	122
RUBRACA	47	SEMGLEE PEN U-100		<i>sodium chloride</i>	237
RUCONEST	117	INSULIN	77	<i>sodium chloride 0.45 %</i>	237
<i>rufinamide</i>	60	SEMGLEE U-100 INSULIN	78	<i>sodium chloride 0.9 %</i>	237
RUKOBIA	107	SENSIPAR	228	<i>sodium chloride 3 %</i>	237
RUXIENCE	47	SEREVENT DISKUS	243	<i>sodium chloride 5 %</i>	237
RUZURGI	232	SERNIVO	169	<i>sodium phenylbutyrate</i>	188
RYBELSUS	72	SEROQUEL	102	<i>sodium polystyrene (sorb free)</i>	
RYBREVANT	47	SEROQUEL XR	102	188
RYDAPT	47	SEROSTIM	205	<i>sodium polystyrene sulfonate</i>	188
RYLAZE	47	<i>sertraline</i>	67	<i>sofosbuvir-velpatasvir</i>	110
RYTARY	96	<i>setlakin</i>	161	SOLARAZE	13
RYTHMOL SR	129	<i>sevelamer carbonate</i>	190	<i>solifenacin</i>	191

SOLIQUA 100/33.....	78	STRATTERA.....	152	SYLVANT.....	47
SOLOSEC.....	22	STRENSIQ.....	174	SYMBICORT.....	240
SOLTAMOX.....	47	<i>streptomycin</i>	19	SYMBYAX.....	67
SOLU-CORTEF ACT-O-VIAL (PF).....	201	STRIBILD.....	107	SYMDEKO.....	246
SOLU-MEDROL.....	201	STRIVERDI RESPIMAT ..	244	SYMFI.....	107
SOLU-MEDROL (PF).....	201	STROMECTOL.....	93	SYMFI LO.....	107
SOMA.....	247	SUBLOCADE.....	15	SYMJEPI.....	135
SOMATULINE DEPOT	205	SUBOXONE.....	15	SYMLINPEN 120	72
SOMAVERT.....	205	<i>subvenite</i>	60	SYMLINPEN 60.....	72
SORIATANE.....	165	<i>subvenite starter (blue) kit</i>	60	SYMPAZAN.....	60
<i>sorine</i>	131	<i>subvenite starter (green) kit</i>	60	SYMPROIC.....	188
<i>sotalol</i>	131	<i>subvenite starter (orange) kit</i>	60	SYMTUZA.....	107
<i>sotalol af</i>	131	SUCRAID.....	174	SYNAGIS.....	109
SOTYLIZE.....	131	<i>sucralfate</i>	185	SYNALAR.....	170
SOVALDI.....	110	SULAR.....	137	SYNAREL.....	205
SPIRIVA RESPIMAT	243	<i>sulconazole</i>	82	SYNDROS.....	91
SPIRIVA WITH HANDIHALER.....	243	<i>sulfacetamide sodium</i>	179	SYNERCID.....	22
spironolactone.....	139	<i>sulfacetamide sodium (acne)</i> ..	166	SYNJARDY.....	72
spironolacton-hydrochlorothiaz		<i>sulfacetamide-prednisolone</i> ..	179	SYNJARDY XR.....	72, 73
.....	139	<i>sulfadiazine</i>	31	SYNRIBO.....	47
SPORANOX.....	82	<i>sulfamethoxazole-</i> <i>trimethoprim</i>	31	SYNTROID.....	208
SPRAVATO.....	67	<i>sulfasalazine</i>	224	SYPRINE.....	193
<i>sprintec (28)</i>	161	<i>sulfatrim</i>	31	TABLOID.....	47
SPRITAM.....	60	<i>sulindac</i>	13	TABRECTA.....	47
SPRYCEL.....	47	<i>sumatriptan</i>	87	TACLONEX.....	165
<i>sps (with sorbitol)</i>	188	<i>sumatriptan succinate</i> ..	87, 88	<i>tacrolimus</i>	170, 217
<i>sronyx</i>	161	<i>sunitinib</i>	47	<i>tadalafil</i>	250
<i>ssd</i>	166	SUNOSI.....	249	<i>tadalafil (pulm. hypertension)</i> ..	250
STALEVO 100.....	96	SUPPRELIN LA.....	205	TAFINLAR.....	47
STALEVO 150.....	96	SUPRAX.....	24, 25	TAGRISSO.....	48
STARLIX.....	72	SUPREP BOWEL PREP KIT.....	189	TAKHZYRO.....	232
<i>stavudine</i>	107	SURE COMFORT INS.		TALICIA.....	185
STEGLATRO.....	72	SYR. U-100.....	172	TALTZ AUTOINJECTOR ..	217
STEGLUJAN.....	72	SUSTIVA.....	107	TALTZ SYRINGE.....	218
STELARA.....	217	SUSTOL.....	91	TALTZ SYRINGE (2 PACK).....	217
STERILE PADS.....	171	SUTAB.....	189	TALTZ SYRINGE (3 PACK).....	218
STIOLTO RESPIMAT	244	SUTENT.....	47	TALZENNA.....	48
STIVARGA.....	47	<i>syeda</i>	161	TAMIFLU.....	109

<i>tamoxifen</i>	48	TEPMETKO	48	TIMOPTIC	234
<i>tamsulosin</i>	192	<i>terazosin</i>	192	TIMOPTIC OCUDOSE (PF)	
TARCEVA	48	<i>terbinafine hcl</i>	82		234
TARGRETIN	48	<i>terbutaline</i>	244	TIMOPTIC-XE	234
<i>tarina 24 fe</i>	161	<i>terconazole</i>	85	<i>timidazole</i>	93
<i>tarina fe 1-20 eq (28)</i>	161	<i>teriparatide</i>	228	<i>tiopronin</i>	192
TARKA	127	TESTIM	194	TIVICAY	108
TASIGNA	48	<i>testosterone</i>	195	TIVICAY PD	108
TASMAR	96	<i>testosterone cypionate</i>	194	<i>tizanidine</i>	247
TAVALISSE	118	<i>testosterone enanthate</i>	195	TOBI	19
<i>taysofy</i>	161	TESTRED	195	TOBI PODHALER	19
TAYTULLA	161	TETANUS,DIPHTHERIA		TOBRADEX	179
<i>tazarotene</i>	170	TOX PED(PF)	222	TOBRADEX ST	179
<i>tazicef</i>	25	<i>tetrabenazine</i>	152	<i>tobramycin</i>	19, 179
TAZORAC	170	<i>tetracycline</i>	32	<i>tobramycin in 0.225 % nacl</i>	19
<i>taztia xt</i>	133	THALOMID	232	<i>tobramycin in 0.9 % nacl</i>	19
TAZVERIK	48	<i>theophylline</i>	244	<i>tobramycin sulfate</i>	19
TDVAX	222	THIOLA	192	<i>tobramycin-dexamethasone</i>	179
TECENTRIQ	48	THIOLA EC	192	TOBREX	179
TECFIDERA	152	<i>thioridazine</i>	103	<i>tolcapone</i>	96
TEFLARO	25	<i>thiotepa</i>	48	<i>tolmetin</i>	13
TEGRETOL	60	<i>thiothixene</i>	103	<i>tolterodine</i>	191
TEGRETOL XR	60	THYMOGLOBULIN	218	<i>tolvaptan</i>	139
TEGSEDI	232	THYQUIDITY	208	TOPAMAX	60
TEKTURNA	143	THYROLAR-1	208	<i>topiramate</i>	60, 61
TEKTURNA HCT	143	THYROLAR-1/2	208	<i>toposar</i>	48
<i>telmisartan</i>	125	THYROLAR-1/4	208	<i>topotecan</i>	48, 49
<i>telmisartanamlodipine</i>	125	THYROLAR-2	208	TOPROL XL	131
<i>telmisartanhydrochlorothiazid</i>		THYROLAR-3	208	<i>toremifene</i>	49
	125	<i>tiadylt er</i>	133	TORISEL	49
<i>temazepam</i>	18	<i>tiagabine</i>	60	<i>torsemide</i>	139
TEMIXYS	108	TIAZAC	133	TOUJEO MAX U-300	
<i>temsirolimus</i>	48	TIBSOVO	48	SOLOSTAR	78
<i>tencon</i>	9	TICE BCG	48	TOUJEO SOLOSTAR U-300	
TENIVAC (PF)	222	TIGAN	91	INSULIN	78
<i>tenofovir disoproxil fumarate</i>	108	<i>tigecycline</i>	32	TOVIAZ	191
TENORETIC 100	131	TIKOSYN	129	TRACLEER	250
TENORETIC 50	131	<i>tilia fe</i>	161	TRADJENTA	73
TENORMIN	131	<i>timolol maleate</i>	131, 234	<i>tramadol</i>	9
TEPEZZA	176	<i>timolol maleate (pf)</i>	234	<i>tramadolacetaminophen</i>	9

<i>trandolapril</i>	127	TRIJARDY XR	73	TRUXIMA	49
<i>trandolapril-verapamil</i>	127	TRIKAFTA	246	TUDORZA PRESSAIR	244
<i>tranexamic acid</i>	118	<i>tri-legest fe</i>	161	TUKYSA	49
TRANSDERM-SCOP	91	TRILEPTAL	61	<i>tulana</i>	162
TRANXENE T-TAB	18	<i>tri-linyah</i>	161	TURALIO	49
<i>tranylcypromine</i>	67	TRILIPIX	142	TWINRIX (PF)	222
TRAVASOL 10 %	122	<i>tri-lo-estarrylla</i>	161	TWYNSTA	126
TRAVATAN Z	234	<i>tri-lo-marzia</i>	162	<i>tyblume</i>	162
<i>travoprost</i>	234	<i>tri-lo-mili</i>	162	TYBOST	232
TRAZIMERA	49	<i>tri-lo-sprintec</i>	162	<i>tydemy</i>	162
<i>trazodone</i>	67	<i>trilyte with flavor packets</i>	189	TYGACIL	32
TREANDA	49	trimethobenzamide	92	TYKERB	50
TRECATOR	89	trimethoprim	22	TYMLOS	228
TRELEGY ELLIPTA	244	<i>tri-mili</i>	162	TYPHIM VI	222
TRELSTAR	49	trimipramine	68	TYSABRI	218
TREMFYA	218	TRINTELLIX	68	TYVASO	250
<i>treprostinil sodium</i>	250	<i>tri-nymyo</i>	162	UBRELVY	88
TRESIBA FLEXTOUCH U-100	78	TRIOSTAT	208	UCERIS	225
TRESIBA FLEXTOUCH U-200	78	<i>tri-previfem (28)</i>	162	UDENYCA	117
TRESIBA U-100 INSULIN	78	TRIPTODUR	206	UKONIQ	50
<i>tretinoin</i>	170	TRISENOX	49	ULORIC	83
<i>tretinoin (antineoplastic)</i>	49	<i>tri-sprintec (28)</i>	162	ULTOMIRIS	218
<i>tretinoin microspheres</i>	170	TRITOCIN	170	UNASYN	29
<i>tri-femynor</i>	161	TRIUMEQ	108	UNITHROID	208
<i>triamcinolone acetonide</i>	163, 170, 202	<i>trivora (28)</i>	162	UNITUXIN	50
<i>triamterene</i>	139	<i>tri-vylibra</i>	162	UPTRAVI	250, 251
<i>triamterene-hydrochlorothiazid</i>	139	<i>tri-vylibra lo</i>	162	UROCIT-K 10	237
<i>triazolam</i>	18	TRIZIVIR	108	UROCIT-K 15	237
TRIBENZOR	125	TRODELVY	49	UROXATRAL	192
TRICOR	142	TROGARZO	108	URSO 250	188
<i>triderm</i>	170	TROKENDI XR	61	URSO FORTE	188
<i>trientine</i>	193	TROPHAMINE 10 %	122	<i>ursodiol</i>	188
<i>tri-estarrylla</i>	161	<i>tropicamide</i>	176	UTIBRON NEOHALER	244
<i>trifluoperazine</i>	103	<i>trospium</i>	191	UVADEX	165
<i>trifluridine</i>	179	TRULANCE	188	VABOMERE	27
<i>trihexyphenidyl</i>	96	TRULICITY	73	VAGIFEM	198
		TRUMENBA	222	<i>valacyclovir</i>	112
		TRUSELTIQ	49	VALCHLOR	165
		TRUSOPT	234	VALCYTE	112
		TRUVADA	108		

valganciclovir	112	VERELAN	133	VISTOGARD	232
VALIUM	18	VERELAN PM	133	VITRAKVI	50, 51
valproate sodium	61	VERQUVO	135	VIVELLE-DOT	199
valproic acid	61	VERSACLOZ	103	VIVITROL	15
valproic acid (as sodium salt)	61	VERZENIO	50	VIZIMPRO	51
valrubicin	50	VESICARE	191	VOCABRIA	108
valsartan	126	VESICARE LS	191	VOGELXO	195
valsartan-hydrochlorothiazide	126	vestura (28)	162	volnea (28)	162
VALSTAR	50	VFEND	83	VOLTAREN	13
VALTOCO	61	VFEND IV	82	voriconazole	83
VALTREX	112	V-GO 20	172	VOSEVI	110
VANCOCIN	22	V-GO 30	172	VOTRIENT	51
vancomycin	22	V-GO 40	172	VPRIV	174
vancomycin in dextrose 5 %	22	VIBATIV	22	VRAYLAR	103
vancomycin-water inject (peg)	22	VIBERZI	188	VUMERITY	152
VANDAZOLE	85	VIBRAMYCIN	32	VUSION	83
VANOS	170	vicodin hp	9	VYEPTI	88
VAQTA (PF)	223	VICTOZA	73	vyfemla (28)	162
VARIVAX (PF)	223	VIDAZA	50	vylibra	162
VARUBI	92	VIEKIRA PAK	110	VYNDAMAX	135
VASCEPA	143	vienna	162	VYNDAQEL	135
VASERETIC	127	vigabatrin	61	VYONDYS-53	232
VASOSTRICT	206	vigadron	61	VYTORIN 10-10	143
VASOTEC	127	VIGAMOX	179	VYTORIN 10-20	143
VAZCULEP	124	VIIBRYD	68	VYTORIN 10-40	143
VECAMYL	135	VILTEPSO	232	VYTORIN 10-80	143
VECTIBIX	50	VIMIZIM	174	VYVANSE	152
VEKLURY	112	VIMPAT	61	VYXEOS	51
VELCADE	50	vinblastine	50	VYZULTA	235
velivet triphasic regimen (28)	162	vincasar pfs	50	WAKIX	249
VELPHORO	190	vincristine	50	warfarin	114
VELTASSA	188	vinorelbine	50	WELCHOL	143
VEMLIDY	108	VIOKACE	174	WELIREG	51
VENCLEXTA	50	viorele (28)	162	WELLBUTRIN SR	68
VENCLEXTA STARTING PACK	50	VIRACEPT	108	WELLBUTRIN XL	68
venlafaxine	68	VIRAMUNE	108	wnera (28)	162
VENTAVIS	251	VIRAMUNE XR	108	WINRHO SDF	218
VENTOLIN HFA	244	VIRAZOLE	112	wixela inhub	240
verapamil	133	VIREAD	108	wymzyafe	162
		VISTARIL	232	XADAGO	96

XALATAN	235	<i>xylocaine-mpf</i>	14	ZESTORETIC	128
XALKORI	51	XYOSTED	195	ZESTRIL	128
XANAX	18	XYREM	249	ZETIA	143
XANAX XR	18	XYWAV	249	ZETONNA	182
XARELTO	114	YASMIN (28)	163	ZIAC	131
XARELTO DVT-PE TREAT		YAZ (28)	163	ZIAGEN	108
30D START	114	YERVOY	52	<i>zidovudine</i>	109
XATMEP	51	YF-VAX (PF)	223	ZIEXTENZO	117
XCOPRI	62	YONDELIS	52	ZINPLAVA	218
XCOPRI MAINTENANCE		YONSA	52	ZIOPTAN (PF)	235
PACK	62	YUPELRI	245	<i>ziprasidone hcl</i>	103
XCOPRI TITRATION		<i>yuvafem</i>	199	<i>ziprasidone mesylate</i>	103
PACK	62	<i>zafemy</i>	163	ZIRABEV	52
XELJANZ	218	<i>zafirlukast</i>	241	ZIRGAN	180
XELJANZ XR	218	<i>zaleplon</i>	249	ZITHROMAX	26
XELPROS	235	ZALTRAP	52	ZITHROMAX TRI-PAK	26
XEMBIFY	218	ZANAFLEx	247	ZITHROMAX Z-PAK	26
XENAZINE	152	ZANOSAR	52	ZOCOR	143
XENLETA	22	<i>zarah</i>	163	ZOFRAN	92
XEOMIN	232	ZARONTIN	62	ZOHYDRO ER	9
XERMELO	188	ZARXIO	117	ZOKINVY	232
XGEVA	228	ZAVESCA	174	ZOLADEX	52
XIAFLEX	174	<i>zebutal</i>	9	<i>zoledronic acid</i>	228
XIFAXAN	22	ZEGERID	185	<i>zoledronic acid-mannitol-water</i>	
XIGDUO XR	73	ZEJULA	52		228
XXIIDRA	182	ZELAPAR	97	ZOLINZA	52
XOFLUZA	110	ZELBORAF	52	<i>zolmitriptan</i>	88
XOLAIR	246	ZELNORM	188	ZOLOFT	68
XOPENEX	244	ZEMAIRA	246	<i>zolpidem</i>	249
XOPENEX		ZEMDRI	19	ZOMACTON	206
CONCENTRATE	244	ZEMPLAR	228	ZOMIG	88
XOSPATA	51	<i>zenatane</i>	165	ZOMIG ZMT	88
XPOVIO	51	ZENPEP	174	ZONEGRAN	62
XTAMPZA ER	9	<i>zenzedi</i>	152	<i>zonisamide</i>	62
XTANDI	51	ZEPATIER	110	ZONTIVITY	118
xulane	163	ZEPOSIA	152	ZORBTIVE	206
XULTOPHY 100/3.6	78	ZEPOSIA STARTER KIT	152	ZORTRESS	218
XURIDEN	232	ZEPOSIA STARTER PACK	152	ZOSTAVAX (PF)	223
XYLOCAINE	13	ZEPZELCA	52	ZOSYN IN DEXTROSE	
XYLOCAINE-MPF	14, 129	ZERBAXA	25	(ISO-OSM)	30

<i>zovia 1/35e</i> (28)	163
<i>zovia 1-35</i> (28)	163
ZOVIRAX.....	112
ZUBSOLV.....	15
ZULRESSO.....	68
<i>zumandimine</i> (28)	163
ZYDELIG.....	52
ZYKADIA.....	52
ZYLET.....	180
ZYLOPRIM.....	83
ZYMAXID.....	180
ZYNLONTA.....	52
ZYPITAMAG.....	143
ZYPREXA.....	103
ZYPREXA RELPREVV	103
ZYPREXA ZYDIS.....	103
ZYTIGA.....	52
ZYVOX.....	22, 23

This formulary was updated on 10/05/2021. For more recent information on covered drugs or other prescription drug benefit questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <http://www.modot.org/newsandinfo/Prescription.htm>.

MoDOT/MSHP Medical and Life Insurance Plan is a Health plan with a Medicare contract



2022