| 146 | | SECTION | V 1 | |
|------------|---------------------------------|--|--------------------------|--|
| 147 | | NOTICE TO B | | |
| | | Notice to b | IDDLK5 | |
| 148 149 | | Rosecrans Memoria | al Airport | |
| 149 | | St. Joseph, N | | |
| 150 | | State Block Grant Project | | |
| 151 | | State Dioek Ofain Project | 110.21-012/1-01 | |
| 152 | Sealed bids subject to the | ne conditions and provisions presente | d herein will be receive | d until 2:00 p.m. Thursday |
| 155 | , | en publicly opened and read at Purch | | 1 |
| 155 | | ing all labor, materials, equipment and | | |
| 156 | 110 0 1301, 101 10111311 | ing an abor, materiais, equipment and | i periorining an work i | necessary to |
| 157 | Schedule I - Reconstrue | ct Runway 17/35 | | |
| 158 | | Vehicle Service Outside Object Free | Area | |
| 159 | Schedule III - Rehabilit | , | | |
| 160 | | ew FAA NAVAID Equipment | | |
| 161 | | 1 1 | | |
| 162 | | | | |
| 163 | Contract Documents | The complete set of Specifications a | and Contract Documer | nts can be downloaded from |
| 164 | | http://bid.jviation.com) beginnin | | |
| 165 | | ctor and to receive all necessary ad | | |
| 166 | | iew all planholder documents (contra | | |
| 167 | | ated at (https://jviation.com/bid-rec | | |
| 168 | | ed on the bid site with your contact inf | | |
| 169 | It is the planholder's | responsibility to review the site for | or addendums and cl | nanges before submitting |
| 170 | their proposal. This | includes review for environmen | tal changes. Enviror | nmental changes during |
| 171 | | ke up to four weeks for approval. | For additional inform | ation, please contact us via |
| 172 | email at <u>bidinfo@Woo</u> | pert.com. | | |
| 173 | | | | |
| 174 | | will NOT be automatically added to r | | |
| 175 | | projects. Once granted access, addit | | |
| 176 | | n submitting the online request form | and allow up to 2 bus | iness days for approval and |
| 177 | access to projects. | | | |
| 178 | | | | |
| 179 | | The pre-bid conference for this pro | | |
| 180 | | norial Airport. All bidders are requi | red to examine the site | to become familiar with all |
| 181 | site conditions. | | | |
| 182 | | | C 11 · · · · | 1 1 |
| 183 | Contract Work Item | 1 / | 0 | 1 |
| 184 | | e hereby advised that the quantities in | dicated herein are app | roximate and are subject to |
| 185 | change. | | | |
| 186 187 | | | | |
| 188 | | | | |
| 189 | | | | |
| 190 | | | | |
| 191 | | | | |
| 192 | | | | |
| 193 | | | | |
| 194 | | | | |
| 195 | | | | |
| 196 | | | | |
| 197 | | | | |
| 198 | | | | |
| 199 | | | | |
| 200 | | | | |
| | Issued for Bid June 30, 2022 | Section 1-1 | | Jviation, a Woolpert Company Project No. 21-012A-01 |

| ITEM | ITEM DESCRIPTION | UNITS | SCHEDULE I | SCHEDULE II | SCHEDULE III | SCHEDULE IV |
|--------|--|-------|---------------|----------------|-----------------|----------------|
| NO. | | | ESTIMATE | ESTIMATE | ESTIMATE | ESTIMATE |
| C-100a | Contractor Quality Control Program (CQCP) | LS | 1 | 1 | 1 | 1 |
| C-102a | Temporary Air and Water Pollution, Soil Erosion, and Siltation Control | LS | 1 | 1 | 1 | 1 |
| C-105a | Mobilization (10% Maximum) | LS | 1 | 1 | 1 | 1 |
| P-101a | Full Depth Concrete Removal | SY | 152,000 | 0 | 0 | 0 |
| P-101b | Full Depth Asphalt Removal | SY | 5,500 | 3,500 | 4,650 | 0 |
| P-101c | Partial Depth Asphalt Removal (Profile Mill) | SY | 675 | 0 | 0 | 0 |
| P-101d | Remove Existing 30" Reinforced Concrete Pipe | LF | 1,200 | 0 | 0 | 0 |
| P-101e | Remove 4'x27' Concrete Pad Complete | LS | 1 | 0 | 0 | 0 |
| P-101f | Remove Miscellaneous Concrete Pad | EA | 4 | 0 | 0 | 0 |
| P-101f | Remove Existing 30" Reinforced Concrete Pipe | LF | 600 | 0 | 0 | 0 |
| P-152a | Embankment | CY | 35,000 | 0 | 0 | 0 |
| P-152b | Over excavation and Replacement | СҮ | 15,600 | 0 | 0 | 0 |
| P-156a | Cement-Treated Subgrade – 24 Inches | SY | 142,000 | 0 | 4,650 | 0 |
| P-156b | Cement-Treated Subgrade – 12 Inches | SY | 11,500 | 0 | 0 | 0 |
| P-156c | Class C Cement – 6% | TON | 12,400 | 0 | 400 | 0 |
| P-209a | 6-Inch Crushed Aggregate Base Course | СҮ | 25,600 | 575 | 800 | 0 |
| P-209b | Stabilization Fabric | SY | 153,500 | 3,300 | 4,650 | 0 |
| P-218a | Placement of Rubblized Recycled Concrete Section | СҮ | 0 | 46,600 | 0 | 0 |
| P-304a | Cement Treated Base Course | SY | 142,000 | 0 | 4,650 | 0 |
| P-304b | Bond Breaker Fabric | SY | 142,000 | 0 | 4,650 | 0 |
| P-403a | Bituminous Pavement | TON | 2,515 | 900 | 0 | 250 |
| P-501a | Portland Cement Concrete Pavement (12-Inches) | SY | 142,000 | 0 | 4,650 | 0 |
| P-603a | Emulsified Asphalt Tack Coat | GAL | 1,050 | 400 | 0 | 50 |
| P-620a | Permanent Pavement Markings | SF | 125,000 | 0 | 1,550 | 0 |
| P-620b | Temporary Pavement Markings | SF | 130,000 | 0 | 1,550 | 0 |
| P-620c | Pavement Marking Outline – Black Paint | SF | 130,000 | 0 | 2,000 | 0 |
| P-620d | Pavement Marking Obliteration | SF | 90,000 | 0 | 0 | 0 |

| ITEM | ITEM DESCRIPTION | UNITS | SCHEDULE I | SCHEDULE II | SCHEDULE III | SCHEDULE IV |
|--------|---|-------|---------------|----------------|-----------------|----------------|
| NO. | | | ESTIMATE | ESTIMATE | ESTIMATE | ESTIMATE |
| P-620e | Hold Position Sign – Thermoplastic | EA | 0 | 0 | 1 | 0 |
| P-621a | Runway Grooving | SY | 116,500 | 0 | 0 | 0 |
| F-162a | Chain-Link Fence with 3- Stranded Barbed Wire, 8 -Foot | LF | 1,200 | 0 | 0 | 0 |
| F-162b | Remove Wildlife Fence | LF | 1,160 | 0 | 0 | 0 |
| D-701a | Install 24" Reinforced Concrete Pipe, Class V | LF | 1,185 | 120 | 0 | 0 |
| D-701b | Install 30" Reinforced Concrete Pipe, Class V | LF | 600 | 0 | 0 | 0 |
| D-705a | Install 6-Inch Perforated Polyethylene Pipe | LF | 16,500 | 0 | 0 | 0 |
| D-705b | Install 6-Inch Non-Perforated Polyethylene Pipe | LF | 6,440 | 0 | 0 | 0 |
| D-751a | Install 6-Inch Underdrain Cleanout | EA | 9 | 0 | 0 | 0 |
| D-751b | Install New Inspection Pit | EA | 31 | 0 | 0 | 0 |
| D-751c | Install Aircraft Rated Double Inlet | EA | 6 | 0 | 0 | 0 |
| T-901a | Seeding with Hydromulch | AC | 115 | 0 | 0 | 0 |
| T-905a | Imported Top Soil | CY | 40,000 | 0 | 0 | 0 |
| L-107a | Remove L-806 Windcone, Complete | EA | 2 | 0 | 0 | 0 |
| L-107b | Install L-806 LED Windcone, Complete | EA | 2 | 0 | 0 | 0 |
| L-108a | Install #8 AWG, L-824C, 500 Volt Wire | LF | 32,000 | 0 | 0 | 0 |
| L-108b | Install #6 AWG Bare Copper Counterpoise, including Ground Rods AIRPORT UNDERGROUND | LF | 22,000 | 0 | 0 | 0 |
| | ELECTRICAL DUCT BANKS AND CONDUITS | | | | | |
| L-110a | Install 1-2" Sch. 40 PVC Conduit (DEB) | LF | 18,000 | 0 | 0 | 0 |
| L-110b | Install 1-2" Sch. 40 PVC Conduit (CE) | LF | 1,500 | 0 | 0 | 0 |
| L-110c | Install 4-3" Sch. 40 PVC Conduit (CE) ELECTRICAL MANHOLES AND | LF | 2,000 | 0 | 0 | 0 |
| L-115a | JUNCTION STRUCTURESRemoveJunctionBox, | EA | 6 | 0 | 0 | 0 |
| L-115b | CompleteRemoveElectricalPullbox,Complete | EA | 3 | 0 | 0 | 0 |
| L-115c | Install L-867B Junction Box, Complete | EA | 15 | 0 | 0 | 0 |

| ITEM | ITEM DESCRIPTION | UNITS | SCHEDULE I | SCHEDULE II | SCHEDULE III | SCHEDULE IV |
|--------|---|-------|---------------|----------------|-----------------|----------------|
| NO. | | | ESTIMATE | ESTIMATE | ESTIMTE | ESTIMATE |
| L-115d | Install Aircraft Rated Electrical Pullbox, Complete | EA | 3 | 0 | 0 | 0 |
| L-115e | Adjust Electrical Pullbox Complete | EA | 6 | 0 | 0 | 0 |
| L-125a | Remove Elevated Runway/Taxiway Edge Light, Complete | EA | 138 | 0 | 0 | 0 |
| L-125b | Remove and Reinstall Stake Mounted Solar Powered MOANG NVG Runway Light | EA | 11 | 0 | 0 | 0 |
| L-125c | Install LED L-861T Taxiway Edge Light, Complete | EA | 39 | 0 | 0 | 0 |
| L-125d | Install LED L-862 Runway Edge Light, Complete | EA | 79 | 0 | 0 | 0 |
| L-125e | Install LED L862E Runway Threshold Light, Complete | EA | 16 | 0 | 0 | 0 |
| L-125f | Install LED L-850C In- Pavement Runway Edge Light, Complete | EA | 1 | 0 | 0 | 0 |
| L-125g | Remove L-858 Guidance Sign, Complete | EA | 38 | 0 | 0 | 0 |
| L-125h | Install LED L-858 Guidance Sign, 2 Module, Size 1 Complete | EA | 19 | 0 | 0 | 0 |
| L-125i | Install LED L-858 Guidance Sign, 3 Module, Size 1 Complete | EA | 16 | 0 | 0 | 0 |
| L-125j | Install LED L-858 Guidance Sign, 4 Module, Size 1, Complete | EA | 3 | 0 | 0 | 0 |
| L-125k | Install LED L-858 Guidance Sign, RDR, Size 4, Complete | EA | 7 | 0 | 0 | 0 |
| L-1251 | Remove FAA REIL System, Complete | EA | 0 | 0 | 0 | 2 |
| L-125m | Install FAA Furnished REIL System, Complete | EA | 0 | 0 | 0 | 2 |
| L-125n | Remove FAA PAPI System, Complete | EA | 0 | 0 | 0 | 2 |
| L-1250 | Install FAA Furnished PAPI System, Complete | ΕA | 0 | 0 | 0 | 2 |
| L-125p | Spare Parts for Airport Visual Aids (Unit Cost Fixed at \$10,000.00) | LS | 1 | 0 | 0 | 0 |

201

202 203 204 <u>**Contract Time**</u>. The owner has established a contract perform time of 235 calendar day(s) from the date of 205 the Notice-to-Proceed. All project work shall be substantially completed within the stated timeframe. This 206 project is subject to liquidated damages as prescribed in the project manual.

208 Bid Security. No bid will be considered unless accompanied by a certified check or cashier's check on any 209 bank or trust company insured by the Federal Deposit Insurance Corporation, payable to the Owner, for not 210 less than five (5) percent of the total amount of the bid, or by a bid bond secured by an approved surety or 211 sureties, payable to the City of St. Joseph, for not less than five (5) percent of the total amount of the bid.

212

215

219 220

221

222

227

228

229

230

231 232

233 234

235

236 237

238

239

207

Bonding Requirements. The successful bidder will be required to furnish separate performance and payment
 bonds each in an amount equal to 100% of the contract price at the time of contract execution.

216 <u>Award of Contract</u>. The Owner intends to award a contract resulting from this solicitation to the lowest, 217 responsive, responsible bidder, whose offer, conforming to the solicitation, will be most advantageous to, and 218 in the best interest of, the Owner, cost or price and other factors considered.

- a. In addition to other factors, bid offers will be evaluated on the basis of advantages and disadvantages to the Owner that might result from offers received.
- 223b.The Owner reserves the right to reject any or all proposals and to waive informalities and/or224irregularities in the bid offer. Bids may be held by the owner for a period not to exceed 90225calendar days from the date of the bid opening for the purpose of conducting the bid226evaluation.
 - c. Total bid will be evaluated and awarded as follows: It is the Owner's intent to award this bid based on the **TOTAL BASE BID FOR ALL ITEMS, split awards will not be made.**
 - d. The Owner will determine which Schedules and/or Bid Alternates will be awarded based on the received bid prices and available funding. The project award will be based on the low bid sum of the Schedules and Bid Alternates awarded by the Owner. Not all Schedules and/or Bid Alternates may be awarded. A combination of Schedules and Bid Alternates may be awarded, including only a single Schedule. The numbering of the Schedules or Bid Alternates does not necessarily indicate the order of award.
 - e. The project award is contingent on the availability of funding.
- 240 **Federal Provision**. This project is subject to the following Federal provisions, statutes and regulations;

241 242 Equal Employment Opportunity - Executive Order 11246 and 41 CFR Part 60: The Bidder's attention is 243 called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Opportunity 244 Construction Contract Specifications" set forth within the supplementary provisions. The successful Bidder 245 shall not discriminate against any employee or applicant for employment because of race, color, religion, sex, 246 or national origin. The Contractor will take affirmative action to ensure the applicants are employed, and that 247 employees are treated during employment without regard to their race, color, religion, sex, or national origin.

248

249 Notice of Requirement for Affirmative Action to Ensure Equal Employment Opportunity:

- The Bidder's attention is called to the "Equal Opportunity Clause" and the "Standard Federal Equal Employment Opportunity Construction Contract Specifications" set forth within the supplementary provisions.
- The goals and timetables for minority and female participation, expressed in percentage terms for the contractor's aggregate workforce in each trade on all construction work in the covered area, are as follows:
- 256

253

257 258

259 Timetables

- 260 Goals for minority participation for each trade: 10%
- 261 Goals for female participation in each trade: 6.9%.
- 262

268

These goals are applicable to all of the contractor's construction work (whether or not it is Federal or federally-assisted) performed in the covered area. If the contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor is also subject to the goals for both its federally involved and non-federally involved construction.

- 3. The Contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs (OFCCP) within 10 working days of award of any construction subcontract in excess of \$10,000 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address, and telephone number of the subcontractor; employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed.
- 276

As used in this notice and in the contract resulting from this solicitation, the "covered area" is City of St. Joseph,
Buchanan County, and state of Missouri.

279

Disadvantaged Business Enteprise - 49 CFR Part 26: The requirements of 49 CFR Part 26, Regulations 280 of the U.S. Department of Transportation, apply to this contract. It is the policy of MoDOT and the City of 281 St. Joseph to practice nondiscrimination based on race, color, sex or national origin in the award or 282 283 performance of this contract. All firms qualifying under this solicitation are encouraged to submit bids/proposals regardless of their business size or ownership. Awards of this contract will be conditioned 284 upon satisfying the requirements of this section. These requirements apply to all bidders, including those who 285 qualify as a DBE. The owner's award of this contract is condition upon the bidder satisfying the good faith 286 effort requirements of 49 CFR §26.53. A DBE contract goal of 4.0 percent has been established for this 287 contract. The <u>non-DBE</u> bidder shall subcontract 4.0 percent of the dollar value of the base bid(s), excluding 288 any additive alternates, to disadvantaged business enteEngineerises (DBE) or make good faith efforts to meet 289 the DBE contract goal. The bidder and any subcontractor who qualifies as a DBE who subcontracts work to another non-290 291 DBE firm must subtract the amount of the non-DBE contract from the total DBE work counted toward the goal, as defined in 49 CFR Part 26.55. 292

The apparent successful competitor will be required to submit the following information as a condition of bid responsiveness: (1) the names and addresses of DBE firms that will participate in the contract; (2) a description of the work that each DBE firm will perform; (3) the dollar amount of the participation of each DBE firm participating; (4) written statement from bidder that attests their commitment to use the DBE firm(s) listed under (1) above to meet the owner's project goal; and (5) if the contract goal is not met, evidence of good faith efforts undertaken by the bidder, as described in Appendix A to 49 CFR Part 26.

- The apparent successful competitor must provide written confirmation of participation from each of the DBE
 firms listed in their commitment with the proposal documents as a condition of bid responsiveness.
- 303

293

- 304 Davis-Bacon Act, as amended 29 CFR Part 5: The Contractor is required to comply with wage and labor
 305 provisions and to pay minimum wages in accordance with the current schedule of wage rates established by the
 306 United States Department of Labor included in the supplementary provisions.
- 307

In addition, the contractor will also be required to comply with the wage and labor requirements and pay minimum wages in accordance with the schedule of wage rates established by the Missouri Division of Labor Standards included in the Supplementary Provisions.

- 311
- The highest rate between the two (Federal and State) for each job classification shall be considered the prevailing wage.

314

315 Debarment, Suspension, Ineligibility and Voluntary Exclusion - Title 2 CFR Part 180 (Subpart C) Title 2, CFR Part 1200: The bidder certifies, by submission of a proposal or acceptance of a contract, that neither 316 it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or 317 voluntarily excluded from participation in this transaction by any Federal department or agency. 318 319 Foreign Trade Restriction - 49 CFR Part 30: By submission of an offer, the Offeror certifies that with 320 321 respect to this solicitation and any resultant contract, the Offeror--322 a. is not owned or controlled by one or more citizens of a foreign country included in the list of countries 323 that discriminate against U.S. firms published by the Office of the United States Trade Representative 324 325 (USTR); 326 327 b. has not knowingly entered into any contract or subcontract for this project with a person that is a citizen or national of a foreign country included on the list of countries that discriminate against U.S. 328 firms as published by the USTR; and 329 330 331 c. has not entered into any subcontract for any product to be used on the Federal project that is produced 332 in a foreign country included on the list of countries that discriminate against U.S. firms published by the USTR. 333 334 Buy American Certificate - Aviation Safety and Capacity Act of 1990: This contract is subject to the "Buy 335 American Preferences" of the Aviation Safety and Capacity Act of 1990. Prospective Bidders are required to 336 certify that steel and manufactured products have been produced in the United States and to clearly identify 337 those items produced or manufactured outside of the United States. 338 339 Additional Provisions: Modification to the project documents may only be made by written addendum by 340 the Owner or Owner's authorized Representative. 341 342 343 The proposal must be made on the forms provided within the bound project manual. Bidders must supply all 344 required information prior to the time of bid opening.

345346 Additional Federal provisions can be found in Section 4 of this document.