Sam Page County Executive



Stephanie Leon Streeter, P.E. Director

Joseph W. Kulessa P.E. Acting Deputy Director

January 19, 2023

# ADDENDUM NO. 4

Notice to All Persons and Firms Proposing to Submit a Bid or Furnish Materials for Wyncrest Drive Bridge No. 266 St. Louis County Project No. CR-1292 Federal Project No. BRO-B096(007)

Two questions were received for the subject project, outlined below:

## Question No. 1

This project is extremely limited on any construction easement and/or laydown area. Can the County provide a location/direction as to where the intention of placing an Office for the Engineer?

Response – Contractor shall bid project based on the information provided. No further direction will be given on where the Contractor could/should locate the office.

### Question No. 2

The quantity of Type 5 aggregate base appears to include the aggregate associated with the bridge approach slab. The type 5 for this should be incidental to the bridge approach slab. Can you please check this and make adjustments to the bid items accordingly?

Response – The quantity for Item No. 304-05.04 Type 5 Aggregate Base (4" Thick) was correctly excluded from the Bridge Approach Slab area. However, the quantity was included in the Concrete Approach Pavement area. As such, the total has been reduced from 319 SY to 172 SY as indicated in the attached revised plan sheets and itemized bid sheets.

REVISED ITEMIZED BID SHEET NO. 1 OF 7 IS ATTACHED AND REFLECTS THE CHANGE NOTED IN ITEM NO. 2 ABOVE. FAILURE TO SUBSTITUTE THE ITEMIZED BID SHEET MAY RESULT IN REJECTION OF THE BID.

# ATTENTION BIDDERS: THE ADDENDUM ACKNOWLEDGEMENT IN THE BID DOCUMENTS MUST BE COMPLETED AND SUBMITTED WITH ALL BID PROPOSALS.

Dariel Howell

Daniel A. Howell, Ph.D., P.E. Supervisor of Project Managers - Bridge

JWK/DAH/dah

Attachments: Revised Plan Sheets 2 and 3 of 49 and Revised Itemized Bid Sheet 1 of 7

1   1   1   1   1   1   1   1   1   1	FEDERAL PROJECT NO. BRO-B096(007)	E-W GATEWAY TIP NO. 5204G-19	MSD:	20MSD-00207	MSD BASE MAP	S3	IIIN		3SV				ISI/		IdV		9 8:		1 1	, ,	76 ye	The first of to b short of to	R Oll shur shur shur shur shur shur shur shur	y pai y may y m ty for th for th th for th for th th for th for th for th for th for th for th for th for th for t	t sp. (apple of the course of	ID senting sen	sn op sg ue seu op ue op	OF Me		LINNEWAN	NUMBER S		NAME OF TAXABLE PARTY O	THIS SHEET HAS BEEN SIGNED, SEALED AND DATED KLEXTRONICALLY	DATE	1/18/2023		ngia as a	Des 021 100 100	Brii' ga ye ica o ic-set	199E W '81 W '81	ilgn. I trem Iod. 1	ы 8 3 Вэі	1325 CIA	°IM		N	OIT	TA: FA:	N TSI	DO DI JIC JIC JIC JIC JIC JIC JIC JIC JIC JI	ISN	IA!	AT I	١	یّا	_		35 37 38	S. IO	Or SE 40	71\ Z1\	3X	75 73	INI	_	ıs	DESIGNED:	R. POWLER	DRAWN:	J. ARCHIBALD	CHECKED: M BRIINS	m. Divole	SHEET SEQUENCE:	2 OF 49		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,																																																																									234 C.Y.	89 C.Y.	145 C.Y.		_
1.																																																																							TOTAL SAC SIGNAL FORT	TOT 11 OUT	IOIAL CUI:	TOTAL FILL=	APPARENT WASTE-		
1.   20   20   20   20   20   20   20   2	+																																																																											+	_
1.5   2010.00   Chronic Chro	<u>+</u>																													3	APPROAC																																														-
1.5   2027-20.0   CALCONATO CONTROL PROPERTY			TINOU CONT	ŝ∥	0,	6	6	9															i	EN						SIGNAL SYSTEM FOR	VEHICLE DETECTION																																														
	ROADWAY	201-20.10 CLEARING	L.S. 202-20.10 REMOVAL OF IMPROVEMENTS	C.1. 2021/0.00 ULR33 # EACHAPTION L.S. 2031/0.50   LAND DISTURBANCE PERMIT	C.Y. 203-60.00 COMPACTING EMBANKMENT	C.Y. 203-70.00 COMPACTING IN CUT	S.Y. 304-05.04 TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	TON 405-30-10 TYPE "C" BITUMINOUS CONCRETE (PAVEMENT)	GAL 407-10.2	S.Y. 412-10.02	S.Y. 502-11.10	S.Y. 504-10.20	S.Y. 608-50.9	L.F. 609-10.10	L.F.   609-20.2	S.Y. 611-50.30	EA. 612-10.30	612-30.10	EA. 612-70.20	MO. 615-10.00	S.F. 616-10.05	E.A. 616-10.25	L.F. 617-10:90 IEMPORARY CONORE I MEDIAN BARRIER, I TYPE "A" (INCLUDES END SECTIONS)	L.F. 617-10.99 MELUCARIE LEMPORARY TRAFFIC BARKIER	L.3. 619-00:00	1.5	L.F. 621-11.00	S.Y. 624-10.0	806-00.00 EROSION CONTROL MEASURES (SITES LESS THAN 1 ACRE)	994-93:10 TEMPORAY SIGNAL INSTALLATION	904-95.13 IEMPORANT DE ECTION 515.1EM	TO OTHER ITEMS IN THE			I ANDSCAPING LIFMS:	AC 802-10.00 TYPF	AC. 805-10.00 SEEDIN				L.S. 202-10.20	C.Y. 206-10.00	L.S. 206-40.10	S.Y. 503-10.00	L.F. 607-10.60	L.F. 702-10.12	L.F. 702-60.10	EA. 702-70.00	S F 703-0300	C.Y. 703-20:03	L.F. 703-42.15 SAFETY BARRIER CURB (BRIDGES, CAST-IN	FA 703-44 40 BRINGE PI AOUE	S V 203.45.01 CLASS B.2 CONCRETE (SUBERSTRUCTURE CONCRETE ON "MI!"	5.1. 703-40.01 CLASS B-Z CONCRETE ISOPERSTRUCTURE CONCRETE ON NO	C. 703-00.23 PRESIRESSED CONCRETE MEMBERS, NO	E.A. /U6-10./U MECH.	EA. /12-35.10 SLAB URAIN	CA 746-10-10 VERTICAL DRAINS AT END BENTS	EA. / 10-10.11 PLAIN NEOFRENE DEAKING FADS (FOLL																		

FEDERAL PROJECT NO	BRO-B096(007)	E-W GATEWAY TIP NO. 5204G-19	MSD: 20MSD-00207	MSD BASE MAP:	22P	83111		0 39 Olle		DES	S 3		.dı	d∀	B.V.	87.58 87.58		<b>↓</b>	90	O P	IBILI (Final my se main, sel, ny sel, oris o mstrui mstrui ende ende ende ende	UI JO	og Bu	meter	4	To the	CHIEF	TINNEWAY	A PE MODIFICAN	THOUSE STATE	THIS SHEET HAS BEEN	DATED ELECTRONICALLY	DATE: 1/18/2023		520 Ku	Jesij Sutte 15 10 10	1 gn , 70 v soca src-ss	Parin eerrin OM , 40 Of Au	ngu Pon Pon Pon Pon Pon Pon Pon Pon Pon Pon	64 18 18 89 13 11 E)	1325 CIA		l	ION	TA: IRC	MC MC	٦ľ	aule 1BI 'NZ	AЯ UA	ī			ЕК	35 35 30 10 10	S.C IO	_	∃; IA. ∃C	7 (S	R I	3/ 3/	0	าร	Π	DESIGNED: R. FOWLER	DRAWN	J. ARCHIBALD	CHECKED: M. BRUNS	M. Divolvo	SHEEI SEUDENCE:	3 OF 49	
																								L																																											I	I	I		
										#					Ollower		L							L																																											_		1		
S				S					S	BW RDR FOUR APPROACH					TWENTER FOR A 1956									L																																											1	_	1		
REMARKS				REMARKS					REMARK	ONE SIGNAL SYSTI				NO.	VEHO F DETECTO	-								L																																											1	_	1		
AC.	0.2	0.5		AC.	0.2	0.7			ā	-	-			i	ď -									L																				1																							1	_	1		
	LT&RT		+	Н	LT&RT	IOIAL		LATION	SIDE		TOTAL			劍	N N	TOTAL				1				ļ																																											1	_	1		
ULCH (VEGETATIVE)	13+50		+	STA.	+			AL INSTALLA	STA.				-	RY DETECTION SYST	S. A.									L																																											1	_	1		
MULCH (VE	11.00			STA.	11.00			ARY SIGNAL						MRY DETE	S. S.									L																																											1	1	1		
802-10.00 TYPE 1 M	. S.		00 SEEDING	N.	IS!	1		10 TEMPORA	z	TS.				15 TEMPORA	2 0	2				1	1	1		ļ								4		1		-	-	1				4		1								$\downarrow$	1	-	1												1	1	_		_
802-10.( LOCATIO	WYNCRES		805-10.0	LOCATION	WYNCRE	1		904-93.1	LOCATIO	WYNCRE				904-93.15	WYNCE	100				1	1	1		ļ								4		1	-	-	-	1				4		1								1	1	+	1												1	1	1	1	_
																				1				L																				1																							1	_	1		
																								L												FOTTONS	(SIO)									VAL	(1)	LLOW		YELLOW				-1													1	1	1		
(0				"						"									(0					ļ									(0)			FIS FND SE	D LIND O						(0)			DES REMOV	?	\$OLID YEL	SOLID	SOLID			DEMOVAL	S DEIMONE	BAR GO	BAR	BAR	BAR					6				1		1		
REMARKS				REMARKS						REMARKS	2. THICK	2. THICK	2. THCK	2. THICK	2. THICK	2	L		REMARKS			NTAI	REMARKS					REMARKS					REMARKS			NI (INCI II)	PEMARKS	NEMPINE					REMARKS			NT (INCLUDE	- 4-	DOUBLE	DOUBLE	DOUBLE			ad Sauli JONES	DEMADE	24" STC	24" STC	24" STC	24" STC			TON		REMARKS				1		1		
S.Y.	40.4	40.4		S.Y.	25.8	200.	80.8			S.Y.	40	40	4 .	47	24 00	240			E E	= :		ESS) RENT	1	2	2			S.F.	429	429			EA	30	30	TVPF "	ار	150	150			~	4			L OW PAIN		400	370	321	1091		TE TABE	1	13	5 12	20				D SEPARATION		S.Y.	09	59	29	99	65	84 2	322	
SIDE	R	TOTAL	(CHT)	SIDE	5 2	¥ -	TOTAL:	Ш	4	-	5	$\rightarrow$	-	LT&RT	1	TOTAL		(NDARD)	SIDE	LISKI	IOIAL	PD (NOISE	SIDE	LT&RT	TOTAL			SIDE	LT&RT	TOTAL		$\dashv$	-	LT&RT	+		SIDE	- T&RT	TOTAL			FIC BARR	SIDE	LT&RT	IO M	KINGS. YEL	S	R	RT	-	TOTAL		ď	3 5	ET E	R	5		TOTAL		ZATION AND		SIDE	LI	RT	LT&RT	LT&RT	_ b	- X	TOTAL	
STA.	11.56		(OVER 6" HE		11.56	13.58	3	$\overline{}$	ш	$\neg$	12+04	$\neg$	$\overline{}$	+	12.02	+		ADES (STA	STA.			AAGE BOAR	S				S		14 • 00			(INE)	STA.	14.00		ETE MEDIA		12.95	1			4	STA	12+95		MENT MARK	STA	10+85		15+23			MENT MAD	CTA DE	Š						G. STABILIZ		STA.	12+04	12+04		10.01	12+93	12+95		
STA.	11+23		CURB	STA.	11-23	13.53	2		STONE REVI	STA.	11.69	11.73	11.99	12.66	12.63	CO. 71	L	BAI	STA.			ARIEMES	STA				JCTION SIG	STA	11.00		$\rightarrow$	ZER (TRIM	STA.	11.00		AV CONCR	STA STA	11+64					STA.	11+64		ARY PAVE	STA	10+00	11+56	13+63			ADV DAVE	CTA	10.86	11.62	13.07	13.62			LE FABRI	EIGHT)	STA	11+69	11+73	11+99	12.66	12.63	12.65		
CONCRE	F		CONCRETE		-				HEAVY			<u> </u>		<u> </u>				MOVEABLE				CHANGE		Į.			CONSTRUC		-			CHANNEL				FMPORA	EN CONT	WYNCREST				RELOCATE				TEMPORARY		L	<u></u>	Ļ.			TEMBOD	ZO LIMIT I							GEOTEXT	MEAVY W		Ţ.	<u></u>	-	<u> </u>	<del>  </del>			
LOCATION	WYNCRES		609-20.21	LOCATION	WYNCREST	WYNCRES			611-50.30	LOCATION	WYNCRES	WYNCRES	WYNCRES	WYNCREST	WYNCRES	1 1 1 1 1		612-10.30	LOCATION	WYNCKES		612_70.20	LOCATION	WYNCREST			616-10.05	LOCATION	WYNCRES			616-10.25	LOCATION	WYNCRES		617_10 0	I OCATION	WYNCRES				617-10.95	LOCATION	WYNCRES		621-10.00	LOCATION	WYNCRES	WYNCRES	WYNCREST			624 44 00	I OCATION	WYNCRF	WYNCREST	WYNCRES	WYNCRES			624-10.01	CLASS 1	LOCATION	WYNCRES	WYNCRES	WYNCRES	WYNCREST	WYNCRES	WYNCKE		
		TERIAL)				TERIAI )																		L																																															
		DEPTH/MA		TION	NOI	DEPTH/MATERIAL)																		L																					T 101																										
	88	LF. SAWCUT (ANY	NE TREE	PROTECT	PROTEC	YNA) TI	AVEMENT		Ę,					LANCE												~					TRANCE \$	7	3					<u>خ</u>						/S.Y.	E OB ASP	REMARKS																		TRANCE							
REMARKS	LF. EX. C	LF. SAWC	51. EA. P	EA, SLOP	EA, SLOP	LA, IREE	SY. EX. P		INCLUSI.			REMARKS		EAST ENT			REMARKS				PEMARKS	NLIMAINN						REMARKS			EAST EN		3		DEMADIVE	REWARKS		2.0 TON/			REMARKS			0.06 GAL			NEWIZINI N					REMARKS					REMARKS						REMARKS	EAST EN							
L.S.		295.4	1.0	1.0	0:	185.6	151.2	-	NOT AL			۲.	234.2	0.01	244.2		STA.	89	83		>	; ; ;	5	98		1		S.Y.	12	30	114	156	~~~~		TOM	212	2.1.2 16.8	38.0			GAL	11.4	9.1	20.5	("C UL TO 2")	S.Y.	181.1	128.1	309.2		CED)	S.Y.	9.5	306	0.70		S.Y.	78.0	52.2	130.2		(L)			106.7						
SIDE	R	LT&RT	LT	LT&RT	LT&RT	1 T8.PT	LT&RT	TOTAL:	ONLY AND		1	SDE	LT&RT	LT			SIDE	LT&RT	TOTAL		SIDE	TRRT	LT&RT	TOTAL:			THICK)	SIDE	5			TOTAL	m		SIDE	TRRT	TA LA	TOTAL		S-1H)	SIDE	LT&RT	L.	TOTAL	SMINITA	SIDE	11-23 11-56 LT&RT 181.1	LT&RT	TOTAL		NON-REINFOR	SIDE	1	TOTAL	200	FNT	SDE	LT&RT	TRRT	TOTAL		APPROAG	SIDE S.Y.	1	TOTAL		Ī	Ī			
VEMENTS STA.	11-43	11.93			1	13.44			DRMATION		NO	STA.	13+50.00	1	T	NKMENT	STA.	13+50.00		1	ΔTΩ	1.90 71	3.50.00			Ę	ASE (4	STA.	11+54	13+57	13+53	1		10000	SCONCRE	11.56	13.22	77.0		PHALT (S	STA.	11+56	13.22	$\neg$	ALC AND TE	STA.	11.56	13.22			NT (10" NO	STA.	13.22	77.0	T	"H PAVEM	STA.	11.71	13+08			CE PAVED	STA.	13+44		1	T	Ī	T	1	
OF IMPRO	11+19	11.27	11.81	11.98	12.65	12.08	13.08		FOR INFO		EXCAVATION	STA STA	11.00.00	13+17.94		NG EMBAN	STA	11+00.00		1	NG IN CO	11.00 00	12-73.17				GREGATE	STA.	11-27	13+08	12+93			2	⊇I	11+23	13.08	2		SIFIED A	STA.	11+23	13.08		SIBEACH	STA.	11+23	13+08			E PAVEMENT (10" N	STA.	17.08	20.00		: APPROAL	STA.	11.56	12.93			ND REPLA	STA. STA.	12+93			T	Ī			
REMOVAL									S LIST IS		LASS "A					COMPACT			Ì	0.00	COMPAC	T		T		ξ.	ΥP							3	YPE "C"					ACK-EMU					AVEMENT						ONCRETE				T	CONCRETE			l			REMOVE A	П				T	Ť	T		
202-20 10 REMOVAL OF IMPROVEMENTS LOCATION STA STA	WYNCREST	WYNCREST	WYNCREST	WYNCREST	WYNCRESI	WYNCREST	WYNCREST		NOTE: THIS		203-10.00 C	LOCATION	WYNCRESI	WYNCRESI		203-60 00 00	LOCATION	WYNCREST		00.00	LOCATION STA	WYNCREST	WYNCREST			- L	304-05.04	LOCATION	WYNCREST	WYNCREST	WYNCREST		***************************************	0,00	405-30.10	WYNCREST	WYNCREST	2000		407-10.27	LOCATION	WYNCREST	WYNCRESI		112_10 02 E	OCATION	WYNCREST	WYNCREST			502-11.07 C	LOCATION	WYNCRES	- INCINE	1	504-10 20 CONCRETE APPROACH PAVEMENT	OCATION	WYNCREST	WYNCREST			308-50.97 F	LOCATION	WYNCREST			T	Ť	1		
Ť	_			_	1	-   5							1	1	1		ľ	_		ť	T	>		T		E	7	Ĺ		Ĺ		4	3	Ť	T	- >	>	1		1	ĺ			1			خو	-		Ħ	1	-13	-   5	Ť	T	44	ľ				İ	Ť	ĺ	_			†	†	1	1	ľ

REV. 4

# ITEMIZED BID BID OPTION 1 OF 1

FEDERAL PROJECT NO. BRO-B096(007) COUNTY PROJECT NO. CR-1292

			-			-			<del></del>	
AMOUNT									) ) ) )	
UNIT PRICE									) ) ) )	
QUANTITY		1	1	268.6	1	86	33	172	42	30
UNIT		L.S.	L.S.	C.Y.	L.S.	C.Y.	C.Y.	S.Y.	NOL	GAL.
ITEM DESCRIPTION	Y ITEMS	Clearing and Grubbing	Removal of Improvements	Class "A" Excavation	Land Disturbance Permits	Compacting Embankment	Compacting in Cut	Type 5 Aggregate Base (4" Thick)	Type "C" Bituminous Concrete (Pavement)	Tack-Emulsified Asphalt (SS-1H)
ITEM NO.	ROADWAY ITEMS	201-20.10	202-20.10	203-10.00	203-10.30	203-60.00	203-70.00	304-05.04	405-30.10	407-10.27

◆Revised Per Addendum No. 4