

Name: _____

Date: _____

Booster and Seat Belt Safety



P S S O G V R J E J A B A L T
S F E T M K Y W S A F E T Y M
A M A V A J F S P J N M Y K M
U N T R U V F C G M V R L Y E
P R B J O V S H O U L D E R L
B W E R P A S I G Y J F Y C C
U R L F L D D J W P G O R M J
D E T W A D K V E H I C L E B
B U C K L E T B W H B V I N R
M O C S O B J A V O V L A P R
H S P N H G A O O S E C U R E
R G L U G A B S F E P E V C G
J G W G B D T A Y Y J S T V O
P B S Y F E T R A F F I C P L
W J B O R V J B D C U P E W G

BUCKLE
SEATBELT
TRAFFIC

SAFETY
BOOSTER
SHOULDER

SECURE
ROAD

LAP
VEHICLE

- Children can stop using a booster seat when they are big enough to use the vehicle's lap and shoulder belts properly. They should be able to sit against the vehicle's back seat with their knees bent over the edge of the seat without slouching. This usually happens when a child reaches a height of at least 4 feet 9 inches.
- Never put the shoulder strap of the seat belt behind a child's back or under their arm. Never buckle more than one child or person in one seat belt, as their heads could collide in a crash.
- All children under 13 years of age should always ride in the back seat.

