#### APPENDIX E

# WATER RESOURCES AND FARMLAND SUPPORTING DOCUMENTATION

# Missouri Department of Transportation



105 West Capitol Avenue P.O. Box 270 Jefferson City, MO 65102 (573) 751-2551 Fax (573) 751-6555 www.modot.org

Pete K. Rahn, Director

September 18, 2007

Keith O. Davis, ARSS USDA-NRCS 1911 Boggs Creek Road Jefferson City, MO 65101

Dear Mr. Davis:

Subject:

Environmental Studies

Route 63, Osage, Maries and Phelps Counties Convert Route 63 to a Four-Lane Facility

Job No. J5P0950

Farmland Conversion Impact Rating

Enclosed, for the above referenced project, is one Farmland Conversion Impact Rating Form (CPA-106), and a map showing the project location. The project proposes to convert the Route 63 corridor to a four-lane facility from the Route 50/63 interchange north of Westphalia in Osage County to just north of Rolla in Phelps County. Included on the CPA-106 form are four acreage figures. One is for the proposed Alternate A, which is mostly west of Route 63. One is for Alternate B, which is primarily to the east. A third figure is for a series of connectors that may run from these alternates to existing Route 63 or to each other. A fourth figure is for new right of way that may be associated with widening along existing route 63. The project will cause the conversion of the recorded amount of acreage.

Please complete the applicable parts II, IV and V of the enclosed form and return it to me. You may make copies as needed. If you have any questions, please feel free to call me at 573-526-6683. Your assistance is greatly appreciated.

Sincerely,

Kevin McHugh

Agricultural/Land Use Specialist


Enclosures

	FAR	MLAND CON FOR CORRI							
TI (To be completed by F	Federal Agency)		3. Date of	Land Evaluation	Request	9/1	8 / 07	4. Sheet I of	
Name of Project			I	Agency Involved	1				
Osage, Maries, P.	helps Cos. J5P09	50			Federal F	Highway Ad	ministration		
2. Proposed Land Use			6. County	and State					
Convert to 4-lane	facility	_			Osage,		ps County, M	issouri	
PART II (To be completed by	SCS)		Date Request Recieved by SCS			2. Person Comp	leting Form		
3. Does the corridor contain prime,	unique, statewide or local	important farmland	?	Yes No		4. Acres Irrigated Average Farm			
(if no, the FPPA does not apply - do									
5. Major Crop(s)		6. Farmable Land	l in Govt. Juri				of Farmland As	Defined in FPPA	
8. Name of Land Evaluation System	Yland	Acres: 9. Name of Local	Cito Aggoogn	%		Acres:	and Evaluation	% Returned by SCS	
a. Name of Land Evaluation System	i Osed	9. Name of Local	SHE ASSESSII	ieni System		10. Date D	alla Lvatuation	Radified by 505	
					Altern	ative Corrido	r for Segment		
PART III (To be completed by	Federal Agency)			Corridor A		Corridor B	Connect	ors Along Existing	
A. Total Acres To Be Converted D	Directly		-	2609	2278		496	953	
B. Total Acres To Be Converted Ir	directly, Or To Receive S	Services							
C. Total Acres In Corridor				2609	2278		496	953	
PART IV (To be completed by	SCS) Land Evaluatio	n Information							
A. Total Acres Prime And Unique	Farmland								
B. Total Acres Statewide And Loca					-				
C. Percentage Of Farmland In Cou		To Be Converted							
D. Percentage Of Farmland In Gov			Value		-				
PART V (To be completed by S Of Farmland To Be Services			ilue						
PART VI (To be completed by Assessment Criteria (These criteria	Federal Agency) Corri	dor	Maximum Points						
ea In Nonurban Use			15.00						
zerimeter In Nonurban Use			10.00						
3. Percent Of Corridor Being Farm	ed		20.00		1				
4. Protection Provided By State Ar	nd Local Government		20.00						
5. Size Of Present Farm Unit Com			10.00						
6. Creation Of Nonfarmable Farml			25.00						
7. Availability Of Farm Support Se	ervices		5.00						
8. On-farm Investments			20.00						
9. Effect Of Conversion On Farm S			25.00						
10. Compatability With Existing A	gricultural Use		10.00						
TOTAL CORRIDOR ASSES	SMENT POINTS		160.00						
PART VII (To be competed by	Federal Agency)		-						
Relative Value Of Farmland (From			100.00						
Total Corridor Assessment (From site assessment)	Part VI above or a local		160.00						
TOTAL POINTS (Total of above	2 lines)		260.00						
1. Corndor Selected:	2. Total Acres of Farr Converted by Proje		Date of Selec	tion	4. W	as A Local Si	te Assessment	Jsed?	
					-	Yes	No		
						100			
5. Reason For Selection									
of Person Completing This	n- di					DAT	E		
of Person Completing This	Part:					DAI	_		
Y CHOOSE CO.			.1	A 14	G. 11				
NOTE: Complete a forr	n tor each segme	nt with more	than one	Alternative	Corrid	or.			

U.S. DEPARTMENT OF AGRICULTURE


Soil Conservation Service

SCS-CPA-106



### MEMORANDUM





#### Missouri Department of Transportation

		onmental
P.O.	Box 270,	Jefferso

7				
I	Section	Anit o	Copy	Assigned
	DIST ENGINEED -CK		45	
١	LASSI DAST ENGOGO	1 471	191	
_	OF - MAIN			
	OE - CONST/MILE		-	-
•	AE - COLUMBIA		and the same of th	
	AE - JEFF CITY			
	AE - CAMDENTUN		Lemma	
	PROJECT MGRS			L. V
	DESIGN		/	
	DI ALIMAIN		1	1

RIGHT OF WAY

PUBLIC AFFAIRS
GEN SERVICES
SUPPORT SERV

INFURMATION SYS

HUMAN RES BUS & BENEFITS

CIRCULATE

TRAFFIC

TO TRICE 5

CC:

Roger Schwartze - 5

FROM:

Kevin McHugh

Agricultural/Land Use Specialist-de

DATE:

October 23, 2007

SUBJECT:

Environmental Studies

Route 63, Osage, Maries and Phelps Counties

Just South of Route 50 to North of Rolla

Conversion to a Four Lane Facility
Job No. 1580929 JSP0950
Farmland Conversion Impact Rating

The project referenced above has been rated for farmland conversion impact. The recorded Part V Relative Value of Farmland to be converted totaled 63.1 points for Alternate A, 129.3 points for Alternate B, 113.2 points for the connecting segments, and 109.4 points for widening along existing right of way. The site assessment rating scored 64 points out of a possible 160 for Alternates A and B, 51 points for the connectors, and 52 points for widening along existing. The total conversion impact rating was 127.1 points for Alternate A, 129.3 points for Alternate B, 113.2 points for the connecting segments, and 109.4 points for those portions of the proposed project that propose to widen along existing right of way. These totals are well below the 160-point threshold established for consideration of farmland protection. The completed form is on file for review.

The following relates to the Part VI Site Assessment Criteria. The alignments are not known to be protected from conversion by any State, local government, or private non-profit policy or program. Impacts to on-farm investments will be minimized to the extent possible. After project completion, any remnants of the remaining land of the affected farms that becomes nonfarmable will be dealt with according to the provisions of the law. All farm support services are available to the area and will not be negatively impacted by the project. The project will be fully compatible with existing agriculture.

Attachment





Area Office, 1911 Boggs Creek Road, Jefferson City, Missouri 65101

Phone: 573 761-3105 E

October 22, 2007

Mr. Kevin McHugh Agricultural/Land Use Specialist Missouri Department of Transportation 105 West Capitol Avenue P.O. Box 270 Jefferson City, MO 65102 DCT 23 2007

ENV/HP SECTION
MO DEPARTMENT OF TRANSPORTATION

Dear Mr. McHugh,

Attached is the completed CPA-106 form per your request for a Farmland Conversion Impact Rating for road improvements along Highway 63 in Osage, Maries, and Phelps Counties. (Job No. J5P0950).

After you complete the form, please return one copy for our records.

Please feel free to contact me if I can be of further assistance.

Keith Davis

Area Resource Soil Scientist

# FARMLAND CONVERSION IMPACT RATING FOR CORRIDOR TYPE PROJECTS

			3. Date of Land Evaluation Request 9/18/07 4. Sheet 1 of							
1 (To be completed by Fe	ederal Agency)			Land Evaluation R	equest	9/18	3 / 0 /	4. Sheet I of		
1. Name of Project	1 0 75000		5. Federal	Agency Involved	odovol I	liah waw Adm	iniotration			
Osage, Maries, Ph	elps Cos. J5P09	50			ederai F	lighway Adm	inistration			
2. Proposed Land Use	C '11'		6. County		Occas N	Maries, Phelp	County Mi	nnoum		
Convert to 4-lane			1. Data Bassian	t Recieved by SCS	Osage, I			550011		
PART II (To be completed by S	CS)		1. Date Redues	22/07		2. Person Comple	Person Completing Form			
3. Does the corridor contain prime, u				Yes No		4. Acres Irriga	ited	Average Farm Size		
(if no, the FPPA does not apply - do	not complete additional		,					268		
5. Major Crop(s) Corn (Fo	o unday)		and in Govt. Juri	sdiction 99.	2		Farmland As 1	Defined in FPPA % 52.3		
8. Name of Land Evaluation System	Used	9. Name of L	0cal Site Assessm	nent System				Returned by SCS		
		2. Transcor	none	one System		X 01 2 410 2411	10/231	/_~		
Ogage, Maries	1 110/105		Proprie		Altern	ative Corridor	The same of the sa	0/		
PART III (To be completed by I	Federal Agency			Corridor A		orridor B	Connector	rs Along Existing		
A. Total Acres To Be Converted Dis				2609	2278		496	953		
B. Total Acres To Be Converted Ind	lirectly, Or To Receive S	Services								
C. Total Acres In Corridor				2609	2278		496	953		
PART IV (To be completed by S	CCS) Land Evaluatio	n Information				-				
Total Acres Prime And Unique F				182,5		116,4	.14	234		
B. Total Acres Statewide And Local					<del>  </del>	876.5	219	436		
C. Percentage Of Farmland In Coun		To Be Converted		964.2	+		104			
D. Percentage Of Farmland In Govt.				40		40	40	64.1		
PART V (To be completed by So								- '/		
Of Farmland To Be Serviced				63.1		65.3	62:	2 58.4		
PART VI (To be completed by F As: "nent Criteria (These criteria a			Maximum Points							
a In Nonurban Use	7	(-)/	15.00	12	-	17 /7		/3		
- L. rerimeter In Nonurban Use			10.00	1		- <del>'</del> à	9			
3. Percent Of Corridor Being Farme	d ·		20.00	10	++	16	15	15		
4. Protection Provided By State And			20.00	6.5	<del> </del>	6	, Ç	7.5		
5. Size Of Present Farm Unit Compa			10.00	10		16	10	10		
6. Creation Of Nonfarmable Farmla			25.00							
7. Availability Of Fann Support Ser			5.00	- 2		-05	7	5		
8. On-farm Investments		-	20.00	7	1	Ž	6			
ffect Of Conversion On Farm St	upport Services		25.00	<del>  }</del>	-	<del>-</del>	7	15		
Compatability With Existing Ag			10.00	b		Ь.	6	70		
TOTAL CORRIDOR ASSESS		,	160.00	671	1	('()	T-1	177		
				67		<b>b</b>	) [			
PART VII (To be competed by I Relative Value Of Farmland (From			100.00	[ 7 ]	-	( ( )	(1)	58.4		
Total Corridor Assessment (From )	•		160.00	\$3.1	ļl	621)	62.2	20.1		
site assessment)	-art vi above or a local		100.00	69		64	5)	) (		
TOTAL POINTS (Total of above	2 lines)		260.00	12.7.	1	29.3	713.7	109.4		
1. Corridor Selected:	2. Total Acres of Fam	nlands to be	3. Date of Selec	ction	4. Wa	as A Local Site	Assessment U			
·	Converted by Proje	ect:								
						Yes	No			
5. Reason For Selection										
			•							
						TO 4 mm				
S of Person Completing This	Part:					DATE	,			
	C 1	, •	,1	A 14	Q1					
NOTE: Complete a form	n for each segme	ent with mo	re than one	Alternative (	omd	or.				

# FARMLAND CONVERSION IMPACT RATING FOR CORRIDOR TYPE PROJECTS

Osage, Maries, Phelps Cos. J5P0950											
			5. Federal Agency Involved								
	Federal Highway Administration										
2. Proposed Land Use	6. County	and State									
Convert to 4-lane facility	1		Osage,	Maries, Ph <b>e</b> lp	s County, Misso	puri					
PART II (To be completed by SCS)	1. Date Reques	Recieved by SCS		2. Person Comple		VIS					
3. Does the corridor contain prime, unique, statewide or local important farmlar		Yes No		4. Acres Irriga		erage Farm Size					
(if no, the FPPA does not apply - do not complete additional parts of this form						268					
5. Major Cron(s) 6. Farmable La	and in Govt. Juri	sdiction	440		Farmland As Def	ined in FPPA					
5. Major Crop(s) Corn (For Index) 6. Farmable La Acres: //	52,702	% 99.	5		57,364	. % 52.3					
8. Name of Land Evaluation System Used 9. Name of Loc	cal Site Assessm	nent System		10. Date Lan	d Evaluation Retu	imed by SCS					
Ogage Maries Phelps	none				10/23/0	7					
				ative Corridor		_					
PART III (To be completed by Federal Agency)  A. Total Acres To Be Converted Directly		Corridor A	***	Corridor B	Connectors	Along Existing					
B. Total Acres To Be Converted Indirectly, Or To Receive Services		2609	2278		496	953					
C. Total Acres In Corridor		2600	20.70		10.5						
		2609	2278		496	953					
PART IV (To be completed by SCS) Land Evaluation Information											
A. Total Acres Prime And Unique Farmland		182,5		116.4	14	234					
B. Total Acres Statewide And Local Important Farmland		964.2		876.5	219	436					
C. Percentage Of Farmland In County Or Local Govt. Unit To Be Converted		.19		·ile	104	-11					
D. Percentage Of Farmland In Govt. Jurisdiction With Same Or Higher Relati	ve Value	40		40	40	41					
PART V (To be completed by SCS) Land Evaluation Criterion Relative	Value	1:21			1	-0 11					
Of Farmland To Be Serviced Or Converted (Scale of 0 to 100 Points)		63.1	-	65.3	62,2	58.4					
PART VI (To be completed by Federal Agency) Corridor Assessment Criteria (These criteria are explained in 7 CFR 658,5(c))	Maximum Points										
In Nonurban Use	15.00	10		17	13	/)					
	10.00	9		9	9	a					
3. Percent Of Corridor Being Farmed	20.00	15		15	15	15					
4. Protection Provided By State And Local Government	20.00	0	1	5	Ö	(5)					
5. Size Of Present Farm Unit Compared To Average	10.00	10		10	10	10					
6. Creation Of Nonfarmable Farmland	25.00	X		A.	0	()					
7. Availability Of Farm Support Services	5.00	3		5	1	5					
8. On-farm Investments	20.00	4		Č	Ó	1					
9. Effect Of Conversion On Farm Support Services	25.00	7)		9	6	12					
10. Compatability With Existing Agricultural Use	10.00	b .	-	Ь	6	1					
TOTAL CORRIDOR ASSESSMENT POINTS	160.00	ΓZI		14	51	17					
PART VII (To be competed by Federal Agency)		87		<u> </u>		7 ~					
Relative Value Of Farmland (From Part V)	100.00	[ 7 ]		100	733	58.4					
Total Corridor Assessment (From Part VI above or a local	160.00	63.1		631)	62,2	30-1					
site assessment)	100.00	69		64	51	> (					
TOTAL POINTS (Total of above 2 lines)	260.00	127	7	29.3	/13.7	109.4					
1. Corridor Selected: 2. Total Acres of Farmlands to be	3. Date of Selec	etion	4. W	as A Local Site	Assessment Used						
Converted by Project:											
				Yes	No						
5. Reason For Selection											
J. Reason for belowing											
•											
Si of Person Completing This Part:	DATE										
NOTE: Complete a form for each segment with mor	e than one	Alternative (	Corrid	or.							

## List of Abbreviations and Acronyms

Ac acre

COA Conservation Opportunity Area

CWA Clean Water Act

FHWA Federal Highway Administration

FEMA Federal Emergency Management Agency

FIRM Flood Insurance Rate Map HUC Hydrologic Unit Code

MSMM State of Missouri Stream Mitigation Method MDNR Missouri Department of Natural Resources

NWI National Wetland Inventory

NRCS Natural Resource Conservation Service NEPA National Environmental Policy Act

OHWM Ordinary High Water Mark

PEM Palustrine Emergent
PFO Palustrine Forested
PSS Palustrine Scrub-Shrub

PUB Palustrine Unconsolidated Bottom

SWPPP Soil and Water Pollution Prevention Plan USACE United States Army Corps of Engineers USFWS United States Fish and Wildlife Service


USGS United States Geological Survey WQC Water Quality Certification

#### LAWS AND REGULATIONS

- Northern Cook County (SWANCC) v. United States Army Corps of Engineers. The decision reduces the protection of isolated wetlands under Section 404 of the CWA. Prior to the SWANCC decision, the USACE had adopted a regulatory designation of "waters of the U.S." that afforded federal protection for almost all of the nations's wetlands. The Supreme Court also concluded that the use of migratory birds to assert jurisdiction over the site exceeded the authority that Congress had granted the USACE under the CWA. The Court interpreted that USACE jurisdiction is restricted to navigable waters, their tributaties, and wetlands that are adjacent to these navigable waterways and tributaries. The decision leaves "isolated" waters/wetlands unprotected by the CWA.
- As a result of the Supreme Court decision on **Rapanos** (June 2006), the agencies (USACE and EPA) jointly issued guidance on the determination of whether a particular water body is subject to CWA section 404 jurisdication. The Supreme Court decision requires that, in certain circumstances, a "significant nexus" evaluation be conducted to support jurisdictional and non-jurisdictional determinations. The guidance is consistent with the Supreme Court's decision in the consolidated cases Rapanos v. United States and Carabell v. United States regarding the scope of the agencies' jurisdiction under the CWA. Specifically, this guidance discusses the agencies' protection of three classes of waters through the following actions:
- 1) Continuing to regulate "traditionally navigable waters," including all rivers and other waters that are large enough to be used by boats that transport commerce and any wetlands adjacent to such waters;
- 2) Continuing to regulate "non-navigable tributaries that are relatively permanent and wetlands that are physically connected to these tributaries"; and
- 3) Continuing to regulate based on case-by-case determinations for other tributaries and adjacent wetlands that have certain characteristics that significantly affect traditionally navigable waters.
- Executive Order 11990 Protection of Wetlands issued in 1977 requires that federal activities (including federally funded projects) as a whole result in no net loss of wetlands.

#### **QUANTITATIVE ANAYLSIS**

For the DEIS and FEIS, estimates of stream impacts were quantified using the measure tool in ArcGIS 9.2 to measure along USGS mapped streams. The length was quantified within the corridor lines for each alternate. Also described along with the length of stream was the type of impact, for instance, *culvert*, *culvert extension*, *bridge*, *channel movement*, or a combination. The drawing below illustrates examples of how the impact lengths were determined (Figure 1). The first example, (a), exhibits how a stream was measured when the headwaters begin within the study corridor. This was described as a *channel movement* because it is assumed the channel will be moved into a MoDOT roadside ditch due to the small amount of drainage within the corridor limits. The second, (b), demonstrates how a stream that runs through the study corridor was measured. This type of stream was described as a *channel movement* because it is assumed



that a culvert will be placed relatively perpendicular to the roadway, thereby reducing the length of stream channel. The same method was used to measure the stream on each side of the existing alignment between corridor lines when the alternative was on existing alignment (c). This type of impact was described as a culvert extension. Example (d) demonstrates how a simple stream crossing was measured and assumed that the culvert would be at the

same or close to the same skew as the stream. Subsequent field reconnaissance was conducted for the preferred alternate where accessible by landowner permission to confirm mapped resources and identify additional resources (See Technical Report for details).

#### TYPES OF WETLANDS

#### **Palustrine Wetlands**

Palustrine wetlands cover less than 20 acres, lack active wave-formed or bedrock shoreline features, and have water depths at low water of less than six feet. Palustrine wetlands are subsequently classified according to dominant vegetation:

- Palustrine unconsolidated bottom (PUB) are characterized by particles smaller than stone and a vegetative cover less than 30 percent. This classification is typically applied to small "pond-like" wetlands.
- Palustrine emergent wetlands (PEM) are characterized by herbaceous (non-woody) plants. Emergent wetlands are also known as marshes, meadows, fens, etc.

- Palustrine scrub-shrub (PSS) wetlands are characterized by woody vegetation that is less than 20 feet tall.
- Palustrine forested wetlands (PFO) are characterized by woody vegetation that is 20 feet tall or taller.

#### Riverine Wetlands

Riverine wetlands are those contained within stream channels that are not dominated by trees, shrubs, or emergent vegetation. The USFWS riverine classification is typically used to describe perennial or intermittent streams/rivers and active (at least seasonally) side channels. This classification is not typically used in describing wetlands; rather these resources are classified as perennial or intermittent streams.

#### Miscellaneous

#### How will project impacts to water resources be avoided and/or minimized?

Impacts to water resources can be avoided and/or minimized through implementing MoDOT's SWPPP, placing rock blanket at culvert outlets to minimize velocities and minimizing the channelization of streams, etc. When the new alignment is collocated with the existing facility, impacts are limited to one locality. Design/construction methods used to minimize impacts include steepening the side slopes of the roadway to limit the footprint, compressing the median width, and adjusting the alignment to minimize overall project impacts. Additionally, impacts to first and second order streams will be minimized by using energy dissipators to reduce downstream velocities.

#### Are there locations in the study corridor where mitigation can occur?

MoDOT currently owns and maintains the MoDOT Mari-Osa Delta Region Mitigation Bank, a wetland and stream mitigation bank. It is located within the Osage/Ozark Ecological Drainage Unit (EDU). This drainage unit serves as the service area for the Bank. The drainage unit is composed of smaller basins, and the Lower Osage River Basin is a component of it. Impacts within the Route 63 corridor (within the same drainage unit/service area) can be debited from the Bank at a ratio of 1:1. Impacts outside the drainage unit (for instance, within the Gasconade or Bourbeuse River drainage units) will have an increased ratio in order to debit from the Bank. The ratio for outside the watershed is typically 2:1. Approximately half of the corridor falls within the service area for the Bank (Figure 2).

## MSMM Adverse Impact Worksheet (Preferred)

	171.0			ctors for Rive						
Stream Type Impacted		Ephemeral			Intermittent			Perennial		
Priority Area		0.1 Tertiary			0.4 Secondary			0.8 Primary		
		0.1			0.4			0.8		
Existing Condition	Fu	nctionally Impa 0.1	aired	Mod	derately functio 0.8	nal		Fully Functions 1.6	al 	
Duration		Temporary 0.05			Recurrent 0.1					
Activity	Clearing 0.05	Utility Crossing/ Bridge Footing 0.15	Below Grade Culvert 0.3	Armor 0.5	Detention 0.75	Morphologic Change 1.5	Impoundment (dam) 2.0	Pipe 2.2	Fill 2.5	
Linear Impact	<100' 0	100' - 200' 0.05	201' - 500' 0.1	501' - 1000' 0.2	0.1 reach 50	00 LF of impacts	00 linear feet (L (exhample: sc: impacts = 1.1		5,280 LF of	
Segment/Stream No.	S1/2-S2	S2/4-S3	S4-S4	S4-S5	S4/10-S6	\$10 <i>17</i> 6-\$2	S10/7b-S3	S18-S1	Groner-1	
Stream Type Інфасted	0.8	8.0	0.8	0.8	8.0	0.4	0.8	0.4	0.1	
Priority Area	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.8	0.8	
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	
Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
Linear Impact	0.5	0.01	0.20	0.10	0.80	0.30	0.10	0.10	0.20	
Sum of Factors	5.8	5.31	5.5	5.4	6.1	5.2	6.1	5.7	5.5	
LF Stream Impacted										
in Reach	5030	280	780	460	3,515	1,500	380	324	870	
M x LF	29,174	1,487	4,290	2,484	21,442	7,800	2,318	1,847	4785	
Segment/Stream No.	S18/19-S2	S19-S3	Winkelman-Sl	Winkelman-S2	Winkelman-S-	S23-S1	S23-S2	S23-S3	S23-S4	
Stream Type Impacted	0.4	0.4	0.4	0.1	0.1	0.4	0.4	0.4	0.4	
Priority Area	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	
Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
Linear Impact	0.20	0.20	0.05	0.10	0.10	0.20	0.20	0.30	0.20	
Sum of Factors	5.8	5.8	5.7	5.4	5.4	5.8	5.8	5.9	5.8	
LF Stream Impacted				_						
in Reach	810	800	101	312	348	715	854	2,280	790	
M x LF	4698	4640	571	1685	1879	4147	4953	13452	4582	
Segment/Stream No.	S23-S5	S24-S1	S24-S2	S25-S1	S25-S2	S25-S3	S25-S4	Hobein-S1	Hobein-S2	
Stream Type Impacted	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.1	
Priority Area	0.8	0.8	0.8	8.0	0.8	8.0	8.0	0.8	8.0	
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	
Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
Linear Impact	0.20	0.20	0.40	0.10	0.20	0.20	0.20	0.20	0.20	
Sum of Factors	5.8	5.8	6	5.7	5.8	5.8	5.8	5.8	5.5	
LF Stream Impacted										
in Reach	845	830	2,055	1,020	805	1,475	840	769	903	
M x LF	4901	4814	12330	5814	4669	8555	4872	4460	4967	

Segment/Stream No.	Hobein-S3	Hohein-S4	Hobein-S5	S34-S5	S34-S6	S34-S7	S34-S8	S34-S9	S34/39-S10
Siream Type	0.1	0.1	0.1	0.4	0.4	0.4	0.4	0.4	0.4
Impacted			- 0.0						
Priority Area	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Linear Impact	0.10	0.10	0.10	0.20	0.1	0.2	0.4	0.2	0.25
Sum of Factors	5.4	5.4	5.4	5.8	5.7	5.8	6	5.8	5.85
LF Stream Impacted				1000			3300	_	
in Reach	413	480	410	1,070	440	903	1910	870	1100
MxLF	2230	2592	2214	6206	2508	5237	11460	5046	6435
112.76.252	2230	22.2	221	0200		3.20			
Segment/Stream No.	S39-S11	S39-S12	S39-S12a	S39-S13	S39-S14	Berhorst-S1	Berhorst-S2	S41-S1	S41-S2
Stream Type Impacted	0.4	0.4	0.4	0.4	0.4	0.1	0.1	0.4	0.4
Priority Area	0.8	0.8	0.8	8.0	0.8	0.8	0.8	8.0	0.8
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Duration Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	0.2	0.4	0.25	0.20	0.10	0.20	0.20	0.60	0.20
Linear Impact	U.Z	0.4	0.25	0.20	0.10	0.20	0.20	0.60	0.20
Sum of Factors	5.8	6	5.85	5.8	5.7	5.5	5.5	6.2	5.8
LF Stream Impacted in Reach	570	1700	1,100	950	390	557	630	2,750	760
MxLF	3306	10200	6435	5510	2223	3064	3465	17050	4408
Segment/Stream No.	S43-S3	AcKinney-S	S36/45-S20	Ready-S1	S45/36a-S1	S48/36a-S1	S48-S1	548-S1 (trib1	S48-S1(trib2
Segment/Stream No. Stream Type Impacted	\$43-\$3 0.4	AcKinney-S	\$36/45-\$20 0.4	Ready-S1	S45/36a-S1	S48/36a-S1	S48-S1	548-S1 (trib1)	S48-S1(trib2
Stream Type	-	_			-				`
Stream Type Impacted Priority Area	0.4	0.1	0.4	0.1	0.4	0.4	0.4	0.4	0.1
Stream Type Impacted Priority Area Existing Condition	0.4 0.8 1.6	0.1 0.8 1.6	0.4 0.1 1.6	0.1 0.1 1.6	0.4 0.1 1.6	0.4 0.1 1.6	0.4 0.1 1.6	0.4 0.1 1.6	0.1 0.1 1.6
Stream Type Impacted Priority Area Existing Condition Duration	0.4 0.8 1.6 0.3	0.1 0.8 1.6 0.3	0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3
Stream Type Impacted Priority Area Existing Condition Duration Activity	0.4 0.8 1.6 0.3 2.5	0.1 0.8 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5
Stream Type Impacted Priority Area Existing Condition Duration	0.4 0.8 1.6 0.3	0.1 0.8 1.6 0.3	0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors	0.4 0.8 1.6 0.3 2.5	0.1 0.8 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors	0.4 0.8 1.6 0.3 2.5 0.20	0.1 0.8 1.6 0.3 2.5 0.20 5.5	0.4 0.1 1.6 0.3 2.5 0.20	0.1 0.1 1.6 0.3 2.5 0.20	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.2 5.1	0.1 0.1 1.6 0.3 2.5 0.1 4.7
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach	0.4 0.8 1.6 0.3 2.5 0.20 5.8	0.1 0.8 1.6 0.3 2.5 0.20 5.5	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.1 0.1 1.6 0.3 2.5 0.20 4.8	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.2 5.1	0.1 0.1 1.6 0.3 2.5 0.1 4.7
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted	0.4 0.8 1.6 0.3 2.5 0.20	0.1 0.8 1.6 0.3 2.5 0.20 5.5	0.4 0.1 1.6 0.3 2.5 0.20	0.1 0.1 1.6 0.3 2.5 0.20	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.2 5.1	0.1 0.1 1.6 0.3 2.5 0.1 4.7
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach MxLF	0.4 0.8 1.6 0.3 2.5 0.20 5.8 815 4727	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.1 0.1 1.6 0.3 2.5 0.20 4.8	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1	0.4 0.1 1.6 0.3 2.5 0.2 5.1	0.1 0.1 1.6 0.3 2.5 0.1 4.7
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach MxLF	0.4 0.8 1.6 0.3 2.5 0.20 5.8 815 4727	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088	0.4 0.1 1.6 0.3 2.5 0.20 5.1 672 3427	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606	0.4 0.1 1.6 0.3 2.5 0.20 5.1 980 4998	0.4 0.1 1.6 0.3 2.5 0.20 5.1 750 3825	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach MxLF Segment/Stream No. Stream Type	0.4 0.8 1.6 0.3 2.5 0.20 5.8 815 4727	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088	0.4 0.1 1.6 0.3 2.5 0.20 5.1 672 3427	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606	0.4 0.1 1.6 0.3 2.5 0.20 5.1 980 4998 S48-S5	0.4 0.1 1.6 0.3 2.5 0.20 5.1 750 3825	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 \$54\$1	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach Mx LF Segment/Stream No. Stream Type Impacted Priority Area	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  \$48-\$1(trib3)  0.1  0.1	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 \$48-\$2 0.4 0.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1 672 3427 \$48-\$3	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4	0.4 0.1 1.6 0.3 2.5 0.20 5.1 980 4998 \$48-\$5 0.4 0.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1 750 3825 \$48-\$6 0.4 0.1	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 \$54-\$1 0.4 0.1	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 \$54-\$2
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach Mx LF Segment/Stream No. Stream Type Impacted Priority Area Existing Condition	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  S48-S1(trib3)  0.1  0.1  1.6	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 \$48-\$2 0.4 0.1 1.6	0.4 0.1 1.6 0.3 2.5 0.20 5.1 672 3427 S48-S3 0.4 0.1 1.6	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$448-\$55  0.4  0.1  1.6	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 \$54-\$1 0.4 0.1 1.6	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 \$54-\$2 0.4 0.1 1.6
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach Mx LF Segment/Stream No. Stream Type Impacted Priority Area Existing Condition Duration	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  848-\$1(trib3)  0.1  0.1  1.6  0.3	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 \$48-\$2 0.4 0.1 1.6 0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  672  3427  S48-S3  0.4  0.1  1.6  0.3	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4 0.4 0.1 1.6 0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$48-\$5  0.4  0.1  1.6  0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6  0.3	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 854-\$1 0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 S54-S2 0.4 0.1 1.6 0.3
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach M x LF Segment/Stream No. Stream Type Impacted Priority Area Existing Condition Duration Activity	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  848-\$1(trib3)  0.1  0.1  1.6  0.3  2.5	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 S48-S2 0.4 0.1 1.6 0.3 2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  672  3427  S48-S3  0.4  0.1  1.6  0.3  2.5	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4 0.4 0.1 1.6 0.3 2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$48-\$5  0.4  0.1  1.6  0.3  2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6  0.3  2.5	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 854-81 0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 S54-S2 0.4 0.1 1.6 0.3 2.5
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach M x LF Segment/Stream No. Stream Type Impacted Priority Area Existing Condition Duration	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  848-\$1(trib3)  0.1  0.1  1.6  0.3	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 \$48-\$2 0.4 0.1 1.6 0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  672  3427  S48-S3  0.4  0.1  1.6  0.3	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4 0.4 0.1 1.6 0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$48-\$5  0.4  0.1  1.6  0.3	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6  0.3	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6 0.3	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 854-\$1 0.4 0.1 1.6 0.3	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 \$554-\$2 0.4 0.1 1.6 0.3
Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach M x LF Segment/Stream No. Stream Type Impacted Priority Area Existing Condition Duration Activity	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  848-\$1(trib3)  0.1  0.1  1.6  0.3  2.5	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 S48-S2 0.4 0.1 1.6 0.3 2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  672  3427  S48-S3  0.4  0.1  1.6  0.3  2.5	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 \$48-\$4 0.4 0.1 1.6 0.3 2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$48-\$5  0.4  0.1  1.6  0.3  2.5	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6  0.3  2.5	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6 0.3 2.5	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 854-81 0.4 0.1 1.6 0.3 2.5	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 S54-S2 0.4 0.1 1.6 0.3 2.5
Impacted Priority Area Existing Condition Duration Activity Linear Impact Sum of Factors LF Stream Impacted in Reach Mx LF  Segment/Stream No. Stream Type Impacted Priority Area Existing Condition Duration Activity Linear Impact	0.4  0.8  1.6  0.3  2.5  0.20  5.8  815  4727  848-\$1(trib3)  0.1  1.6  0.3  2.5  0.1	0.1 0.8 1.6 0.3 2.5 0.20 5.5 925 5088 S48-S2 0.4 0.1 1.6 0.3 2.5 0.20	0.4  0.1  1.6  0.3  2.5  0.20  5.1  672  3427  S43-S3  0.4  0.1  1.6  0.3  2.5  0.20	0.1 0.1 1.6 0.3 2.5 0.20 4.8 543 2606 S48-S4 0.4 0.1 1.6 0.3 2.5 0.40	0.4  0.1  1.6  0.3  2.5  0.20  5.1  980  4998  \$48-\$5  0.4  0.1  1.6  0.3  2.5  0.20	0.4  0.1  1.6  0.3  2.5  0.20  5.1  750  3825  S48-S6  0.4  0.1  1.6  0.3  2.5  0.20	0.4 0.1 1.6 0.3 2.5 0.20 5.1 880 4488 S48-S7 0.4 0.1 1.6 0.3 2.5 0.20	0.4 0.1 1.6 0.3 2.5 0.2 5.1 940 4794 854-81 0.4 0.1 1.6 0.3 2.5 0.10	0.1 0.1 1.6 0.3 2.5 0.1 4.7 297 1396 S54-S2 0.4 0.1 1.6 0.3 2.5 0.20

Segment/Stream No.	S54-S4	S54-S6	S54-S7	S54-S8	S54-S9	S54-S10	S55-S11	S61-S1	S61-S2
Stream Type Impacted	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Priority Area	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Duration	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Activity	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Linear Impact	0.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
Sum of Factors	5.3	5	5	5 .	5	5	5	5	5
LF Stream Impacted									
in Reach	0	360	360	290	285	420	350	370	310
M x LF	0	1800	1800	1450	1425	2100	1750	1850	1550

Segment/Stream No.	S61-S4	S61-S5	S61-S6	S61-S7	S61-S8	S61-S9
Stream Type Impacted	0.4	0.4	0.4	0.4	0.4	0.4
Priority Area	0.1	0.1	0.1	0.1	0.1	0.1
Existing Condition	1.6	1.6	1.6	1.6	1.6	1.6
Duration	0.3	0.3	0.3	0.3	0.3	0.3
Activity	2.5	2.5	2.5	2.5	2.5	2.5
Linear Impact	0.20	0.10	0.10	0.10	0.10	0.20
Sum of Factors	5.1	5	5	5	5	5.1
LF Stream Impacted						
in Reach	675	265	320	323	315	830
M x LF	3443	1325	1600	1615	1575	4233

Number of Stream Credits Needed:

373,155

Stream Table (Preferred and Field Verified)

Segment/Strea m No. from DEIS	Stream ID	Description	Jurisdictional	Stream Type	Fill Type	Width at OHWM (fi)	Depth at OHWM (fi)	Length est, from corridor limits (ft)	Area of Impact (ft2)	Volume of fill (cy)	Priority Area	Needed	Cost to Miligale at SSTF (\$25.00/credit)
S1/2-S2		Trib. Maries	JD JD	P	culvert/channel movement		cccss	5,030	4.000	200	T	29,174	\$729,350
52/4-S3 S4-S4	3	Trib. Maries	JD	P	channel movement culvert	5	0.5	290 780	1,400 4,680	26 87	T	1,487 4,290	\$37,175 \$107,250
S4-S5	4	Trib. Maries	JD	P	channel movement	1.5	0.5	460	690	13	<del>                                     </del>	2,484	\$62,100
S4/10-S6	5	Trib. Maries	JD	Р	channel movement	4	1	3,515	14,060	521	Ť	21,442	\$536,038
S10/7b-S2	7	Trib. Maries	JD		channel movement	10	2	1,500	15,000	1,111	Р	7,800	\$195,000
S10/7b-S3	8	Maries R. on	JD	P	Bridge	150	5	360	57,000	10,556	Р	2,318	\$57,950
S18-S1	9 10	Secondary Secondary	JD		culvert	1.5	0.5	324	486	9	P	1,847	\$46,170
Groner-1 S18/19-S2	11	Secondary	JD	E	culvert culvert	4 2	0.5	870 810	3,480 1,620	129	P	4,785 4,698	\$119,625 \$117,450
S19-S3	12	Trib. Maries	JD		culvert	2	0.5	600	1,600	30	P	4,640	\$116,000
Winkelman-S1	13	Trib. Maries	JD	1	culvert	4	1	101	404	15	P	571	\$14,275
Winkelman-S2	14	Trib. Maries	JD	E	culvert	2	0.5	312	624	12	P	1,685	\$42,125
Winkelman-S3	15	Trib Maries	IUD	E	culvert	1	0.5	302	302	6	P	0	\$0
Winkelman-S4 S23-S1	16 17	Trib Maries Secondary	JD	E	culvert channel movement	4	0.5	348 715	348 2,960	106	P	1,879	\$48,975
S23-S2	18	Trib. Deer	JD	<del></del>	culvert	2	1	854	1,708	63	P	4,147 4,953	\$103,675 \$123,830
S23-S3	19	Deer Creek	JD	<u> </u>	culvert/channel movement	20	1	2,280	45,600	1,689	р	13,452	\$336,300
S23-S4	20	Secondary		1	culvert			790			P	1,582	\$114,550
523-95	21	Secondary		1	culved		A	845			P	4,901	\$122,525
S24-S1	22	Trib. Manes		1	culvert	$\Omega \rightarrow$		C THE W			P	4,814	\$1,20,350
S24-S2 S25-S1	23 24	Trib Maries			culverticitismnel movement	U	10	1,020			P	12,330 5,814	\$308,250 \$145,350
325-S2	25	Trib. Maries	JD		channel movement	5	2	805	4,025	298	P	4,669	\$116,725
S25-S3	26	Trib. Maries	JD	T I	culvert	8	2	1,475	11,800	874	Р	8,555	\$213,875
S25-S4	27	Trib. Maries	JD	l	culvert	2	0.5	840	1,580	31	P	4,872	\$121,800
Hobein-S1	28	Trib. To S25-	JD		culvert	1.5	0.5	769	1,154	21	Р	4,460	\$111,505
Hobein-S2 Hobein-S3	29 30	Trib. To S25- Trib. Maries	JD JD	E	channel movement	2	0.5	903	903 826	17	P	4,967	\$124,163
Hobein-S4	31	Trib. Maries	JD	E	channel movement channel movement	1	0.5	480	480	15 9	P	2,230	\$55,755 \$64,800
Hobein-S5	32	Trib. Maries	JD	E	channel movement	1	0.5	410	410	8	P	2,332	\$55,350
S34-S5	33	Trib. School	JD	I	culvert	5	1	1,070	5,350	198	P	6,206	\$155,150
S34-S6	34	Trib. School		1	channel movement	No.A	CCCSS	440			P	2,508	\$62,700
S34-S7	36	Trib. School	JD	1	culvert	15	2	903	13,545	1,003	P	5,237	\$130,935
S34-S8 S34-S9	36 37	Trib School	JD	1	channel movement	No.	1212/26	1,910	1,910	71	P	11,460 5,046	\$296,500
S34/39-S10	38	Trib. School	JD	1	culvert	INO.A	Acces	1,100	5,500	204	P	6,435	\$160,875
S39-S11	39	Hollow	JD	1	channel movement	5	1	570	2,850	106	P	3,306	\$82,650
S39-S12	40	School Hollow	JD	1	culvert	5	1	1,700	8,500	315	Р	10,200	\$255,000
S39-S12a	41	School Hollow	JD		channel movement	5	1	1,100	5,500	204	Р	6,435	\$160,875
S39-S13 S39-S14	42 43	Wansing	JD		culvert	5	1.5	950	4,750	264	P	5,510	\$137,750
Berhorst-S1	45	Trib. Wansing Trib. Wansing	JD JD	E	channel movement channel movement	1	0.5	390 557	390 557	7	P	2,223 3,064	\$65,575 \$76,588
Berhorst-S2	45	Trib. Wansing	JD	E	channel movement	1	0.5	630	630	12	P	3,465	\$86,625
S41-S1	46	Secondary	JD	Ī	channel movement	6	2	2,750	16,500	1,222	P	17,050	\$426,250
S41-S2	47	Trib. Maries	JD		culvert	6	1	760	4,560	729	P	4,408	\$110,200
S43-S3	48	Trib. Maries	JD		culvert	8	15	815	6,520	362	P	4,727	\$118,175
McKinney-S1 S36/45-S20	49 50	Trib. Maries Trib Crumb	JD JD	E	channel movement culvert	3	1.5	925 672	1,850 2,016	69 112	Р	5,088 3,427	\$127,200
Ready-S1	51.	Trib. Crumb	JD	E	channel movement	2	n.5	543	1.086	20	<del> </del>	2,606	\$85,675 \$65,150
\$45/36a-\$1	52	Trib. Crumb		1	culven	18 1 8		-	980	36	T	4,990	\$124,950
S48/36a-S1	53	Trib. Crumb			culven	NOA	cces	1.000	750	28	T	3,825	\$95,625
546-51	54	Daggett	JD	ľ	culvert	5	1	860	4,400	163	T	4,488	\$112,200
S48-S1 (trib 1) S48-S1 (trib 2)	55 56	Daggett Daggett	JD JD	E	channel movement	2	0.5 0.5	940 297	1,880 297	35 6	T	4,794 1,396	\$119,850 \$34,900
348-S1 (trib 3)	57	Daggett	JD	E	channel movement	1	0.5	480	480	9	T	2,256	\$56,400
S48-S2	58	Trib. Indian	JD	Ī	culvert	8	1	1,030	8,240	305	T	5,253	\$131,325
S48-S3	59	Indian Creek	JD		culvert	25	1	810	20,250	750	Ţ	4,131	\$103,275
S48-S4	50	Trib. Indian	JD		culvert	5	0.5	2,080	10,400	193	T	11,024	\$275,600
S48-S5 S48-S6	61 62	Trib. Irish	JD JD	E	culvert	8	0.5	770	3,850	236	T	3,927 4,055	\$98,175
S48-S7	63	Irish Creek	JD		culvert	15	2	810	6,360 12,150	900	<u>-</u>	4,000	\$101,363 \$103,275
S54-S1	64	Trib. Jim	JD	1	culvert extension	2.5	0.5	250	625	12	T	1,250	\$31,250
S54-S2	65	Trib.	JD		channel movement	2	0.5	900	1,200	22	Т	3,060	\$76,500
S54-S4	66	Gasconade	JD	Р	None	300	Unk	Ð	0	0	T	0	\$0
S54-S6 S54-S7	67 68	Trib. Spring	JD		culvert extension	6	1	360	2,160	80	T	1,800	\$45,000
S54-S8	69	Trib. Spring Trib. Spring	JD_		culvert extension culvert extension	2	0.5	360 290	720 290	27 5	T	1,800	\$45,000 \$36,250
S54-S9	70	Trib. Little	JD	<del>                                     </del>	culvert extension	1	0.5	285	285	5	T	1,450	\$35,625
S54-S10	71	Trib. Little	JD	i	culvert extension	2	0.5	420	840	16	Ť	2,100	\$52,500
355-S11	72	Little Spring	JD		culvert extension	6	0.5-1	350	2,100	78	T	1,750	\$43,750
S61-S1	73	Trib.	JD		culvert extension	8	0.5	370	2,960	55	T	1,850	\$46,250
361-S2 361-S4	74 75	Trib. Spring	JD JD		culvert extension	2	0.5	310	620	11	T	1,550	\$38,750
S61-S5	76	Trib. Spring Trib. Spring	JD		culvert extension culvert extension	5 12	0.5	675 265	3,375 3,180	63 59	T	3,443 1,325	\$86,063 \$33,125
S61-S6	77	Trib. Spring	JD	i	culvent	20	0.5	320	6,400	119	T	1,600	\$40,000
S61-S7	78	Trib. Spring	JD :	i	culvert	4	0.5	323	1,292	24	Ť	1,615	\$40,375
S61-S8	79	Spring Creek	JD	<u> </u>	culvert	20	0.5-1	315	6,300	233	T	1,575	<b>\$</b> 39,375
S61-S9	90	Trib. Spring	JD		culvert extension/channel	15	0.5-1	830	12,450	461	Τ	4,233	\$105,825
Total		i						66,594				373,155	\$9,328,883

## Pond Table (Preferred and Field Verified)

Pond Table (Preferred and Field Verified)									
Pond ID*from DEIS	Pond ID	Description	'n	100 year floodplai	Size	Classificastion			
S2-P2	1	Pond	T .	No	0.55				
S2-P3	2	Pond	In A	nakaa	0.16				
S4-P1	3	Pond	MIA	NO	1.32				
Brendel-P1	4	Pond	TUTI	סטעטט	0.23				
S4-P2	5	Pond	NJD	No	0.13	PUBGh			
S10-P1	6	Pond	NJD	Yes	0.09	PUBFh			
S19-P1	7	nd-hilltop isolat	NJD	No	0.07	PUBFh			
Willibrand-P1	8	line w/ wetland	JD	No	1	not mapped			
S23-P1	9	Pond-instream	JD	No	1	PUBGh			
S23-P2	10	Pond-drained	NJD	No	0.16	not there			
S23-P3	11	Pond	A SHAPE TO	No	0.09				
S23-P4	12	Pond	VI.	No	0.14				
S23-P5	13	Pond	10 /	יוותר	0.14				
S24-P1	14	Pond		TURE	0.16				
S25-P1	15	Pond		No	0.16				
S34-P1	16	Pond	NJD	No	0.5	PUBGh			
S34-P2	17	Pond	NJD	No	0.18	PUBGh			
S34-P3	18	Pond	NJD	No	0.15	PUBFh			
S34-P4	19	Pond	NJD	No	0.15	Not there			
S34-P5	20	Pond	NJD	No	0.09	not there			
S34-P6	21	Pond - not there	NJD	No	0.16	not there			
Stratman-P1	22	Pond	NJD	No	PER LO PER SONO	unk			
S39a-P1	23	Pond	NJD	No	0.66	PUBGh			
Kyle-Pl	24	Pond	NJD	No	0.1	na			
S36-P15	25	Pond	NJD	No	0.2	PUBGh			
S39-P7	26	Pond	NJD	No	0.23	Not there			
Wieberg-P1	27	Pond	NJD	No	0.3	Not mapped			
S39-P8	28	Pond	MAA	a ariya	0.1				
S39-P9	29	Pond	NUTH	JUCAA	0.23				
S43-P10	30	Pond	NJD	No	0.19	PUBGh			
S45-P1	31	Pond	NJD	No	0,1	PUBFh			
		headwater							
S48-P1	32	streams above	JD	No	0.13	PUBGh			
S48-P2	33	Pond	NJD	No	0.09	2011 2011			
S55-P1	34	Pond	NJD	No	0.3	PUBGh			
S57-P1	35	Pond - not there	NJD	No	0.16	unk			
S56/60-P3	36	Pond	NJD	No	0.1	PUBFh			
S61-P1	37	Pond	NJD	No	0.44	PUBGh			
S61-P3	38	ond-non existan	NJD	No	0.14	not there			
S61-P4	39	nd -hole in grou		No	0.23	PUBFx			
Total					10.33				
Total impacted a	nd ID nauda				2.13				

## Wetlands Table (Preferred and Field Verified)

Wetland ID*	Wetland ID	Wetland Classification	Size (acres)	100-year floodplain	Jurisdictional
S10-W1	1	PEMC	0.25	Yes	does not exist
S10/7b-S2	2	PEM/PSS	0.2	Yes	Yes
S54-W1	3	PFO1A	16.35	Yes	No
S54-W2	4	PFO1A	3.26	Yes	no impact
S54-S5east	5	stream on topo	0.13	Yes	Yes
S54-S5west	6	stream on topo	0.33	Yes	Yes
S61-W1	7	PEMCh	0.1	No	No
S61-W2	8	PEMCh.	0.17	No	No
otal			20.06		
Acres of impacte	d and JD wetland	0.66			