EXHIBIT "I"

Job. No.	J9S3770	J9S3774
Scope	Replace S0712	Rehab S0924
Preliminary Survey		
Survey Pickup Work	Х	Х
Prel. Geotech Report	Х	Х
Foundation Investigation	Х	Х
Staking of Sounding Locations	Х	Х
Preliminary Bridge Design	Х	Х
Final Bridge PSE	Х	Х
Bridge Load Rating	Х	Х
Preliminary Roadway Design	Х	Х
ROW Plans	Х	Х
Final Roadway PSE	Х	Х
RR Coordination		
Utility Coordination	x	x
Environmental Services		
Construction Inspection		

SCOPE OF SERVICES

The consultant shall perform the following services, all in accordance with the standard practice of the Commission and the following:

AASHTO "A Policy on Geometric Design of Highways and Streets" (latest version)

AASHTO "Roadside Design Guide" (latest version)

AASHTO "LRFD Design methods" (latest version)

AASHTO "Highway Drainage Guidelines" (latest version)

"Manual on Uniform Traffic Control Devices" (latest version)

"Highway Capacity Manual" (latest version)

I Administration

CONSULTANT shall participate in the following as part of the Administration tasks:

1. Attend and document milestone project meetings with MoDOT (CORE Team meetings). Meetings will be held virtually except for the project kick off and final design field check

meetings.

- 2. Correspondence (emails, letters, meeting minutes, phone calls)
- 3. Set up the project and conduct Kick-Off Meeting.
- 4. Coordination with subconsultants.
- 5. Participate in one Public Meeting. Develop handouts and exhibits for meeting.
- 6. Provide monthly progress reports and invoices and review subconsultants invoices and reports.
- 7. Provide exhibits, sketches, and back-up data to MoDOT on an as-needed basis.
- 8. Provide information to support the SE District MoDOT staff in maintaining a public website for the project staff to inform the public and update impacts related to the project including timelines, changes to the project, meetings, comments. The website to be maintained through the construction phase.

II Surveys

CONSULTANT shall obtain topographic survey information required for the preparation of preliminary, right of way, and final roadway plans including:

- 1. Perform a thorough review of any existing surveys.
- 2. Coordinate available survey control and benchmarks with surveyors.
 - a. Translate control and benchmarks into sheet drawings to be used in construction plans, per EPG.
- 3. Complete remaining topographic surveys to develop preliminary plans, bridge survey, right-of-way plans and final roadway plans, including all improvements and existing topography within the limits of the project. Topographic surveys shall consist of all pertinent topographic features including, but not limited to:
 - a. existing drainage and sanitary structures (pipes, types, flowlines, sizes)
 - b. trees over 4 inches in diameter
 - c. additional existing retaining wall shots and type of wall
 - d. building front elevations and pertinent building features
 - e. pertinent parking lot features
 - f. driveway joints, pavement types and profiles
 - g. existing signal equipment surveys
 - h. drainage swales
 - i. sign posts, size, identification and photo log
 - j. pavement marking type
 - k. miscellaneous roadside identification and photo log
 - I. lighting
 - m. other
- 4. Field locate visible above ground evidence of utilities located within the project area. "Missouri One Call" and MoDOT will be contacted and a formal request will be submitted for marking the locations of member utilities. In the event that "Missouri One Call" fails to respond, in whole or in part, to the formal request, underground facilities, structures, and utilities will be plotted from surveys and/or available records. The locations of all utilities are to be considered approximate. There may be other utilities, whose existence may not be known at the time of the survey.
- 5. Coordinate with District Utility Engineer on underground utility one-call locates and have utilities located in identified areas of proposed project.
- 6. Complete utilities survey and verify completeness and accuracy of utility topographical survey.

7. As-needed punch list surveys due to design updates and/or new development.

CONSULTANT shall perform right-of-way surveys necessary for the preparation of preliminary, right of way and final roadway plans including:

- 1. Identify at the earliest opportunity, the title reports to be ordered by the COMMISSION. This will be coordinated during the preliminary design phase of the project.
- 2. Locate existing right of way, property lines and pertinent section lines for the entire project limits.
- 3. Clearly identify linework in drawing with text (i.e. property lines (PL), section lines, quarterquarter section lines, existing right-of-way, existing easements, etc.
- 4. Research impacted parcels. Each of these properties within the project limits shall include property owner name, assessor's map number, last deed book and page, and existing size of parcel in square feet.
- 5. All property lines shall have a bearing (to the nearest second) and a length (to the nearest hundredth of a foot) shown and the parcel closed within acceptable tolerances governed by the State of Missouri.
- 6. Incorporate all easements and identified information from the title work into the existing right-of-way drawing.
- 7. Provide a reference tie drawing with three-point ties.
- 8. Establish land corner ties.
- If necessary, the CONSULTANT shall provide a land survey plat that is compliant with the current standards for property boundary surveys to be recorded. The CONSULTANT shall also provide survey plats and legal descriptions as defined in Section 236.4.6 of MoDOT's Engineering Policy Guide.

III Utility Coordination

The CONSULTANT shall perform the following utility coordination tasks:

- 1. Obtain maps from utilities of their known locations and adjust survey limits as needed.
- 2. Coordinate submittal of preliminary plans to utility companies.
- 3. Coordinate with utility companies on the development of the plan of adjustment and obtain cost estimates for reimbursable utilities for the District Utility Engineer's approval.
- 4. Show the existing utility facilities and plan of adjustments for proposed utilities facilities in the contract plans. (plans sheets, cross sections, culvert sections)
- 5. Coordinate with utility owner the relocation of each impacted utility on the project during design and construction.
- 6. Prepare special utility sheets as necessary (including utility profile and exhibits).
- 7. Assist District Utility Engineer in the preparation of agreements (includes municipal agreements).
- 8. Identify locations for power service needs, prepare service request for submittal and coordinate with the power company to obtain estimated costs.
- 9. Coordinate with MoDOT (PM and District Utility Engineer) and to provide SUE test hole information at critical utility locations.
- 10. Prepare utility job special provision and information for the preparation of the Utility Status Letter for District Utility Engineer.
- 11. Provide assistance and answer utility related questions during the construction phase for

MoDOT staff and the roadway contractor.

IV Geotechnical Investigations

The CONSULTANT will perform all geotechnical work and provide the Preliminary Geotechnical Report and Foundation Investigation Report in accordance with section 320 of the MoDOT Engineering Policy Guide (EPG). Other chapters may be applicable.

Fertility samples will be collected by the CONSULTANT and sent to MoDOT's Central Laboratory for testing. The COMMISSION will provide the seeding report based on the fertility samples collected.

The CONSULTANT will provide staking for geotechnical boring locations.

- 1. Perform all geotechnical work necessary for the project including the Preliminary Geotechnical Report and the final bridge soundings.
- 2. Consultant is responsible for obtaining all necessary permits to perform the work.
- 3. Produce a preliminary geotechnical report which includes an initial geotechnical investigation of the site including recommended spill slopes. The site work for the preliminary geotechnical work and the final soundings may occur simultaneously.
- 4. Perform all necessary bridge soundings and testing and incorporate into a Foundation Investigation Report. The report shall include rock core photographs, recommended foundation types, recommended foundation capacities, applicable resistance factors and L-pile parameters for lateral load analysis of driven piles or drilled shafts.
- 5. All boring holes shall be filled with cuttings.
- 6. Public utilities shall be notified via Missouri One-Call before drilling begins.
- 7. The cores shall be handled and labeled following MoDOT procedures.
- 8. Laboratory testing will be performed to estimate pertinent engineering properties of the soil overburden and soil and rock properties for design. Consultant shall provide staking for boring locations.
- 9. The CONSULTANT shall provide the following information on their boring logs:
 - a. N value of blows per foot
 - b. N_{60} value of blows per foot (corrected for the energy efficiency of the autohammer)
 - c. Energy efficiency of the auto hammer
 - d. Drilling equipment identification
 - e. Boring locations (Stations and/or Coordinates, and Elevations with datums)

- 10. The consultant shall provide, at a minimum, a geologist registrant in training (GRIT) or an engineer in training (FE) to log the borings in the field per MoDOT's logging protocol. The engineer or geologist shall have at least 2 years of experience logging boreholes. Logs shall be reported in gINT format. MoDOT will provide preferred gINT templates when requested. At final submittal, please provide a copy of the electronic gINT file, in addition to the final report deliverables.
- 11. The consultant will perform standard penetration testing (SPT) and split-barrel sampling in accordance with ASTM D1586 using an automatic hammer in accordance with section 7.4.1 Method A. The automatic hammers shall be calibrated in accordance with ASTM D4633 at least every 2 years or sooner as required therein. The calibration report shall be prepared in accordance with ASTM D4633 and shall be signed and stamped by a professional engineer.
- 12. A draft copy of the final draft report should be submitted to the MODOT Geotechnical Section for review prior to signing and sealing the report.

V Preliminary Roadway Design

The CONSULTANT'S attention is directed to Chapter 235 of the MoDOT Engineering Policy Guide (EPG) for general guidelines and requirements for preliminary design. Other chapters may be applicable for preliminary design preparation.

- 1. Upon approval of the design criteria memorandum by COMMISSION, the CONSULTANT shall undertake the following to develop the preliminary design phase:
 - a. Prepare preliminary plans, as outlined in the MoDOT EPG.
 - i. The COMMISSION shall furnish the CONSULTANT traffic information for the construction and design years to be used in the preliminary plans.
 - ii. The COMMISSION shall furnish the CONSULTANT the latest accident data and traffic information used to calculate the project accident rate. The COMMISSION shall furnish the CONSULTANT the "statewide accident rate for a similar class of roadway" and any high hazard locations within the project limits.
 - iii. The CONSULTANT shall submit the preliminary plans to the COMMISSION for review and approval as shown in Exhibit IV.
 - b. The preliminary plans shall be prepared in accordance with the applicable sections of the MoDOT EPG, as to what shall be shown thereon, including proposed design features.
 - The plan view English scale shall be <u>1"=50</u> horizontal (or different scale as determined by MoDOT Project Manager for clarity) and extend 100 feet beyond project limits.

- ii. The profile view English scale shall be <u>1"=50</u>' horizontal, and <u>1"=10</u>' vertical.
- c. The CONSULTANT may have to review preliminary cross sections sufficiently to make a cost comparison between using retaining walls versus acquiring additional right of way for all proposed wall locations.
- d. The CONSULTANT shall prepare the construction estimate. The COMMISSION shall prepare the right of way estimate based on the right of way requirements furnished by the CONSULTANT.
- e. The preliminary plans shall be submitted to the COMMISSION for review and approval. A letter of transmittal shall be provided with the preliminary plan submittal. The COMMISSION shall furnish the template for the letter of transmittal. The construction cost estimate shall also be submitted with the preliminary plans.
- f. The preliminary plans shall include the tentative additional easement and right of way limits, property lines and ownerships, section lines, township and ranges, any U.S. Surveys, city limits, and a general outline of the construction staging, critical design items and other items as outlined in the EPG.
- g. Traffic assignments shall be shown on the respective roadways or on a line sketch of the roadways.
- h. Typical sections shall indicate heavy, medium or light duty pavement for new roadways, along with descriptions of the existing roadway types remaining in place.
- 2. A Preliminary Field Check will be arranged by the CONSULTANT with the COMMISSION to discuss design features in the project area.
- 3. The CONSULTANT shall provide the COMMISSION with information for proper environmental and cultural clearance including submittal of the preliminary stage RES, right of way stage RES (if needed) and final stage RES. Items that may need to be addressed include historical buildings, archaeological sites, historic bridges, conversion of farmland, endangered species, wetlands, parklands and historical sites.
- 4. The CONSULTANT shall prepare and submit the Bridge Survey Report, Bridge Survey Sheets, and Bridge Survey Checklist.
- 5. The CONSULTANT shall set horizontal and vertical control for the project and provide the COMMISSION the combined adjustment factor. All control furnished by the CONSULTANT shall use current datums and adjustments.
- 6. The CONSULTANT shall provide all land boundary work and legal descriptions to the COMMISSION for review and approval prior to right of way plans submittal.
- 7. The COMMISSION shall provide the pavement design and general Job Special Provisions related to the project including any special design elements.

8. The COMMISSION may hold a public meeting for this project either in person or virtually and the CONSULTANT will be required to attend and coordinate meeting. The CONSULTANT shall provide exhibits for MoDOT public meeting as requested and will refer to the sections of the EPG concerning public involvement.

VI Preliminary Bridge Design

- Perform the geometric analysis at the proposed bridge site necessary to develop type, size and location drawings consisting of a general plan and elevation plan of the structures, typical roadway sections and roadway profiles. This includes preparation of the Bridge Memorandum & Layout (including the itemized preliminary bridge estimate).
- 2. The structure and/or box culvert type and size (if applicable) shall be based on roadway alignments, geometric analysis, hydraulic analysis (if applicable), spill slope requirements, roadway overpass clearances, grades and/or clear zone requirements.
- 3. The superstructure type shall be dependent upon site constraints and a detailed cost analysis comparison.
- 4. All requirements of the Federal Emergency Management Agency's National Flood Insurance Program shall be met.
- 5. Discharges will be estimated using USGS Regression Equations and available stream gauge data (if applicable).
- 6. HEC-RAS shall be used to model of the natural, existing and proposed conditions (if applicable).
- 7. Scour calculations shall be performed in accordance with FHWA Hydraulic Engineering Circular No. 18 (if applicable).
- 8. The results of the hydrologic, hydraulic and scour analysis shall be documented in the Bridge Hydraulic and Scour Report (if applicable).
- 9. All requirements outlined in the MoDOT Engineering Policy Guide (EPG) shall be met. The CONSULTANT shall follow MoDOT's "practical design" philosophy and submit any design exceptions as necessary.
- 10. Develop final detailed design criteria in the form of Bridge Memorandum and Bridge Design Layout documents.

VII Section 404 Corps of Engineers Permit (if applicable)

The CONSULTANT shall provide the following information necessary to allow MoDOT staff to apply for any required Section 404 Corps of Engineer Permits. If the permit is required due to bridge construction, the application data shall be submitted no later than with the T.S.&L. drawings. All information should be provided to the MoDOT Project Manager who will forward the information to Central Office Design.

- 1. Provide the amount and type of excavation and material that will be used in streams, lakes, and wetlands below the Corps of Engineers' ordinary high water line (OHL) elevations.
- 2. Provide location and quantities of permanent berms and spill fills below OHL.
 - a. Earth fill, rock blanket (square feet and cubic yards)
 - b. Rock blanket along right descending bank and left descending bank (linear feet)
 - c. Rock ditch (square feet)
- 3. Provide location, excavation and size of pier below OHL.
 - a. Excavation (cubic yards)
 - b. Pier (square feet)
- 4. Provide channel realignment data.
 - a. Existing channel length of section to be modified (feet)
 - b. Average channel width of section to be modified (feet)
 - c. Realigned section, length and width (feet)
- 5. Provide temporary fill amounts in wetlands or below OHL in streams.
 - a. Earth fill (square feet and cubic yards)
 - b. Class C (square feet and cubic yards)
- 6. Provide information about temporary fills and shoring.
 - a. Location of temporary fills and shoring
 - b. Source of material
 - c. Final disposition of removed materials
- 7. Provide information about temporary culverts.
 - a. Number of culverts
 - b. Size (inches)
 - c. Length (feet)
- 8. Provide information on channel cleanout excavation below OHL.
 - a. Cleanout upstream and downstream of structure (linear feet)
 - b. Total quantity of material to be removed below OHL (square feet and cubic yards)
- 9. Provide 8 ½-inch by 11-inch copies of any plan or profile sheets required for the permit application.
- 10. Provide bridge elevation and plan views with OHL indicated.

VIII Right of Way Design (if applicable)

1. The CONSULTANT shall prepare right of way plans, which may be separate drawings from those used for design and construction details. The right of way plans shall show

alignment, geometric design, removal of improvements, drainage facilities, property lines and ownership, sub-division lot lines, other land survey information, street lines and existing right of way and easements. The CONSULTANT should also include any plan details, which will require additional right of way or permanent, temporary or utility easements during the construction phase of the project such as bypasses, temporary erosion control, etc. Right of way plans include title sheet, typical sections, profile sheets, and cross sections of the roadway, entrances and side roads. Areas of new right of way, permanent easements and/or temporary easements required from each individual property owner may be shown in tabular form on the respective sheets.

- a. The CONSULTANT shall finalize any previous review of the roadway cross sections sufficiently to determine the feasibility of constructing retaining walls versus obtaining additional right of way. This final review shall consist of construction estimates versus right of way estimates.
- b. Upon completion of the estimates by COMMISSION and CONSULTANT, the CONSULTANT shall recommend to the COMMISSION a choice at the various locations which warrant consideration of the alternate retaining wall versus right of way solutions. The COMMISSION shall make the final determination of purchasing right of way, or constructing retaining walls.
- 2. Right of way plans shall be submitted to the COMMISSION for review and approval. The right of way plans shall be at the same scale as the construction plans. The right of way plans shall include any design details that will control the width of right of way and necessary easements.
 - a. New right of way lines and all easements shall be dimensioned by station and offset distance from the centerline, or crossroad centerlines, if necessary. Bearings and distances on the right of way lines may be required.
 - b. The following minimum design features shall be included on the right of way plans:
 - i. Title sheet with appropriate project limits, access note and traffic data completed.
 - ii. Typical Sections
 - iii. Cross sections at 100' intervals, including additional sections at each entrance with new and existing entrance grades.
 - iv. Construction limits (slope lines); drainage facilities; entrances and their reference location, width and type along with their existing and future grade percentage; property owners, with areas of new right of way, easements and remaining property; centerline bearing, ties to legal land corners from centerline stations with notation for corner witness by a registered land surveyor; existing utility locations and easements, including replacement utility easements; horizontal curvature information; and proper right of way symbolization for new right of way (access

control) and easements, including areas which may be required to accommodate temporary erosion control.

- v. Township, Range, Section and/or U.S. Survey information broken down t ¼¼ section line level on each plan sheet near the title block or appropriate survey/section line.
- 3. The CONSULTANT shall provide an updated construction estimate for the Right of Way design stage.
- 4. The COMMISSION shall review, approve and certify the right of way plans as completed by the CONSULTANT. The CONSULTANT shall provide one (1) electronic set of fully signed and sealed right of way plans, for the COMMISSION'S use.
- 5. The CONSULTANT shall provide title insurance information for all parcels with new right of way acquisition and the last deed of record for any parcel with easements.
- 6. The COMMISSION will prepare right of way appraisals and secure the necessary right of way by negotiation or condemnation, if necessary, for construction of this project.
- 7. The CONSULTANT shall be responsible for staking and re-staking tentative right of way on individual properties, as required by MoDOT staff, during right of way negotiation and acquisition phase of the project. The CONSULTANT shall also set permanent monuments as shown on the recordable land survey.
- 8. The CONSULTANT shall be responsible for making all revisions to the right of way and construction plans due to negotiations with the property owners in an effort to acquire right of way.
- 9. The CONSULTANT shall write, sign and seal deed descriptions for all right of way acquisitions on MoDOT's approved Exhibit A form and submit to COMMISSION.
- 10. The CONSULTANT will provide the COMMISSION with information for proper environmental and cultural clearance including submittal of the Right of Way stage RES. Items that may need to be addressed include historical buildings, archaeological sites, historic bridges, conversion of farmland, endangered species, wetlands, parklands and historical sites.

IX Final Roadway Design

 The COMMISSION will secure execution of municipal agreements with the cities and/or county agreements. A copy of the executed agreements will be furnished to the CONSULTANT for his information. The CONSULTANT shall conform to all design provisions of these agreements.

- A final design field check shall be held with CONSULTANT and COMMISSION representatives prior to completing final design plan quantities. The CONSULTANT shall make any necessary revisions to the final plans as determined by this design field check.
- 3. The CONSULTANT shall prepare detailed temporary erosion control plans for review and approval before inclusion in the final design plans. The CONSULTANT will submit a Final Plans stage RES and help ensure previous RES items have been addressed.
- 4. The CONSULTANT shall prepare computations for all design plan quantities. All plan quantities shall be shown on the Quantity Sheets, by construction stage, if applicable. The format for these sheets shall be furnished by the COMMISSION. Specialty items may have separate sheets for quantity tabulations.
- 5. The CONSULTANT shall prepare for review and approval by the COMMISSION all General Job Special Provisions, which are to supersede the Missouri Standard Specification for Highway Construction. A brief reason for the deviation from the standard plans and specifications should also be provided. The CONSULTANT shall prepare only Job Special Provisions related to design elements shown in the plans.
- 6. The following list shall be considered the minimum requirements for a complete set of Final Design Plans.
 - a. Title Sheet
 - b. Typical Sections
 - c. Quantity Sheets
 - d. Plan Sheets at <u>1"=50'</u> horizontal (or different scale as determined by MoDOT Project Manager for clarity). Plan sheets shall include all necessary adjustments to signing and proposed pavement marking.
 - e. Profile Sheets at <u>1"=50'</u> horizontal and <u>1"=10'</u> vertical
 - f. Culvert Sections at 1"=10', if needed
 - g. Special Sheets for geometrics, referenced points, grading plan, traffic control plan, temporary erosion control plan and any other sheets for special design features.
 - h. Earthwork Quantities, Cross Sections at 25' intervals, <u>1"=10'</u> (1:100), horizontal and vertical, including entrance sections with existing and proposed grades
 - i. Tabulation of Quantity Sheets
 - j. Job Special Provisions in electronic format readable in COMMISSION'S current word processor
 - k. File with the bid items and quantities as generated by COMMISSION'S Estimate Program
 - I. Construction Workday Study
 - m. Transportation Management Plan
 - n. Final Plans Checklist Form D-12

- 7. Additional plans and information may be required to complete the Final Design Plans. With the submittal of the Final Design the CONSULTANT shall also provide the COMMISSION a statement that an internal quality control check has been conducted and to the best of the CONSULTANT'S knowledge the final design plans are free of gross errors, misleading or confusing typos, and includes adequate information to construct the project.
- The CONSULTANT shall prepare all plans through the use of a Computer Aided Drafting (CAD) program. The CONSULTANT shall conform to MoDOT's Specifications for Computer Deliverable Contract Plans as referenced in the MoDOT EPG.
- 9. The CONSULTANT shall furnish the COMMISSION the following completed sheets and documents, as applicable, for each separate construction project included in this contract, as follows:
 - a. Final Design Plans showing profile grades, geometric data, alignment data, etc.
 - b. One (1) electronic copy of the location sketch for Commission Approval submitted in electronic format.
 - c. Draft copy of the job special provisions related to design elements for review. After corrections, the job special provisions shall be furnished in electronic format utilizing the COMMISSION'S latest word processing program.
 - d. One (1) legible electronic copy of engineering calculations and analysis.
 - e. One (1) electronic copy of a complete summary of quantities and estimate of construction costs. The estimate shall be prepared using the latest version of MoDOT's ESTIMATE program.
 - f. One (1) electronic copy of Electronic Design Data.
 - g. One (1) electronic copy of a workday study showing the estimated number of workdays required to construct each project.
 - h. The CONSULTANT shall provide a 3D model of the project exported from Geopak Open Roads Designer software for the COMMISSION'S use.

X Final Bridge Design

Furnish to the COMMISSION fully checked design plans, job special provisions, design computations, quantity computations, final cost estimate, and a construction workday study for the structure(s). The CONSULTANT is expected to make the COMMISSION aware of more economical design alternatives that may become apparent during the preparation of the final design.

 The plans shall be complete and shall cover all parts of the structure they represent. The degree of detail shall be comparable to that furnished on typical plans prepared by the COMMISSION. High resolution final signed and sealed plans, will be submitted in Adobe Acrobat Reader format version 7 or higher. Final signed and sealed plans shall be in pdf full size (34" x 22") format. These deliverables shall use the file naming convention and be in accordance with the "Specifications of Computer Deliverable Contract Plans" requirement outlined in the Commission's Engineering Policy Guide, Section 237.13.3. The electronic plans in Microstation format cannot be signed and sealed. The electronic submittals shall be made in a method suitable to MoDOT.

- 2. All construction changes made to the plans during construction of the project shall also be submitted electronically in Adobe Acrobat and Microstation format.
- 3. The job special provisions shall be complete and describe all design features, construction procedures, or material requirements in the plans that are deviations from the latest edition of the Missouri Standard Plans for Highway Construction. Typical job special provisions that have been developed by MoDOT for previous jobs are posted on MoDOT's website and are available for use and modification as needed. The job special provisions shall include a table of contents sheet that is signed and sealed by a professional engineer registered in Missouri. The signed and sealed job special provisions shall also be submitted in Adobe Acrobat Reader format, version 7 or higher. Job Special Provisions shall also be submitted in Microstation Word format. The submittal letter shall explain the need for each provision.
- 4. The design computations and plans shall be acceptable to and will become the property of the Commission. The CONSULTANT shall submit design computations in Adobe Acrobat Reader version 7.0 format or greater. The files shall be transferred in a manner acceptable to MoDOT. The design computations shall contain an index file, with electronic links to the files contained within. Submittals shall include a set of design computations for each bridge. The design computations shall not be combined with the Microstation or the Adobe Acrobat Reader submittals.
- 5. The final estimate submitted by the CONSULTANT shall include backup material that supports the estimates made for non-standard or lump sum pay items.
- 6. The CONSULTANT shall submit the hours and cost summarizing the design effort for each bridge. The summary shall include separate amounts for: Number of Hours for Bridge Preliminary Design, Cost of Bridge Preliminary Design, Number of Hours for Bridge Final Design, Cost of Bridge Final Design. Generally, the above amounts should include all hours and costs invoiced that are attributable to bridge design and plans preparation up to the point of turning in the signed and sealed plans. It should not include hours attributable to preparing the bridge survey, final construction cost estimate, or workday study.
- 7. Bridge Load Rating: The CONSULTANT shall furnish to the COMMISSION fully checked load ratings for the structure(s) in accordance with EPG Section 753.15. The load rating files shall be acceptable to, and will become the property of, the COMMISSION. The CONSULTANT shall submit the load ratings in an acceptable electronic format (.xml or other approved method) created using AASHTOWare BrR Bridge Rating software version 6.8 or higher. The CONSULTANT shall verify the accuracy of any load rating files provided

by the COMMISSION prior to making modifications.

XI Construction Support

- 1. The CONSULTANT shall be available to the COMMISSION to discuss and interpret plans and specifications during the bidding and construction phase of the project as determined necessary by the Engineer.
- 2. The CONSULTANT shall be available to provide Shop Drawing review of CONTRACTOR submittals pertaining to essential structural components and review any contractor's Value Engineering Proposals.
- 3. The CONSULTANT may be required to attend a pre-construction meeting, and a post construction meeting via TEAMS.
- 4. If issues arise during construction, there will be a direct line of communication established between the MoDOT Construction Office and the CONSULTANT. The CONSULTANT will immediately inform the MoDOT Design Division or MoDOT Bridge Division of any recommendations or clarifications made to the Construction Office.

SERVICES PROVIDED BY THE COMMISSION

The Commission will furnish to the Consultant without charge the following information:

- 1. General design criteria.
- 2. Available standard detail sheets in Microstation format.
- 3. Traffic and accident data.
- 4. Pavement Design Selection
- 5. All necessary environment services identified through the Request for Environmental Services
- 6. Right of way and easement acquisition.

The Consultant shall proceed with the final design and detail plans in accordance with the data approved or furnished by the Commission which will meet with the general standards adopted by AASHTO and approved by the Department of Transportation as provided by Title 23, United States Code, Section 109(b).

J9S3770 & Period of Service J9S3774 10/1/2025 Letting PSE 8/1/2025 7/1/2025 100% Review Plans **Final RES** 5/30/2025 ROW Plans/ROW RES 1/3/2025 TSL Bridge Drawings 12/3/2024 Bridge Memo 11/15/2024 Preliminary Roadway Plans 11/8/2024 **Preliminary RES** 9/30/2024

PERIOD OF SERVICE

The Consultant shall make submittals in accordance with the schedule described below

Construction support as needed post award – Anticipated for 24 months

PERIOD OF SERVICE – The total period of service including construction services is expected to be completed by November 1, 2027.

PROJECT SUMMARY REPORT FOR 9S3770 AS OF May 24, 2024

Work District	SOUTHEAST	Status	ACCEPTED	Version	ANNUAL UPDATE	Project Manager	DONNA PHILPOT	Payment Project	N		
Award Month/Award Year	1 / 2026	Letting Date	Dec 01, 2025	Estimated Submittal Date	Feb 22, 2024	Let by	CENTRAL OFFICE	Letting Exclusion	Ν		
Primary Route	RTCS			County	PEMISCOT						
Description / Location	Bridge replacement over	r Drainage Ditch 4.									
Reason / Remarks	Project involves bridge \$	S0712.									
District Comments											
Project Amounts					Total Estimated Co	ost for the Project					
Typical Bridge	Major Bridge	Pavement	Safety	Mobility	Capital Improvement	Contingency	Other Non-Contractual	Right of Way	Preliminary Engineering	Construction Engineering	
740						8		2	Engineering 64	52	
Total Bridge	740		т	otal Contract Estimate	740	Total Construction	748	2	Total Engineering	116	
						Total Right of	Way and Construction	750	Total Project	866	
							•				
Yearly Program Amounts					Amount Progra	mmed by SFY					
	Prior to 2024	2024	2025	2026	2027	2028	2029	Future	Program Total	Project Total	
Preliminary Engineering	10	20	21	13					54	64	
Construction Engineering				52					52	52	
Right of Way Acquisition			2	740					2	2	
Construction	10	20	22	/48					/48	748	
1 0130	10	20	23	813					850	800	
How the District is Funding the Project											
Funding Category											
Asset Management - CN	0	0	0	748	0	0	0	0	748	748	
Asset Management - RW	0	0	2	0	0	0	0	0	2	2	
Total	0	0	2	748	0	0	0	0	750	750	
Funding From Other Sources								0			
1 0130	U	U	U	U	U	U	U	U	U	U	
Funds Transfer											
Total	0	0	0	0	0	0	0	0	0	0	
Total Right of Way and Construction	0	0	2	748	0	0	0	0	750	750	
Engineering	10	20	21	65	0	0	0	0	106	116	
Funding From Other Sources - Engineering Total	0	0	0	0	0	0	0	0	0	0	
Funds Transer - Engineering											
Total	0	0	0	0	0	0	0	0	0	0	
Total Engineering	10	20	21	65	0	0	0	0	106	116	
Tatal Project	10	20	23	813	0	0	n	n	856	866	
Total Popul	10	20	20	015	0		U	U U	0.0	000	
Bridge Count	1	Railroads Impacted	0	Improv	ement	Action	Detailed	Work	Federal Funds Category	Initiatives	
Bridges					BRIDGE		BRI	DGE REPLACEMENT	NHPP		
S0712,											

Route	Begin Log	End Log	Begin County	ТМА	Travelway ID	System	Functional NHS Class		AADT	Conflict of Interest
RT C S	7.820	8.020	PEMISCOT	N	826	SUPPLEMENTARY	MAJOR COLLECTOR	N	144	N
RT C N	2.956	3.156	PEMISCOT	N	827	SUPPLEMENTARY	MAJOR COLLECTOR	N	135	N

 Lane Miles
 0.4
 Centerline Miles
 0.2

PROJECT SUMMARY REPORT FOR 9S3770 AS OF May 24, 2024

TIP Number			
Planning Organization	Federal District	Senate District	House District
BOOTHEEL REG PLAN & ECON DEV	8	25	150

PROJECT SUMMARY REPORT FOR 9S3774 AS OF May 24, 2024

Work District	SOUTHEAST	Status	ACCEPTED	Version	ANNUAL UPDATE	Project Manager	DONNA PHILPOT	Payment Project	N		
Award Month/Award Year	1 / 2026	Letting Date	Dec 01, 2025	Estimated Submittal Date	Feb 22, 2024	Let by	CENTRAL OFFICE	Letting Exclusion	Ν		
Primary Route	RTZS			County	DUNKLIN						
Description / Location	Bridge replacement over	Main Drainage Ditch.									
Reason / Remarks	Project involves bridge S	50924.									
District Comments											
Dustant to south					Total Fatim at al C	and from the or Development					
Project Amounts					Total Estimated Co	ost for the Project		Right of Way	Preliminary	Construction	
Typical Bridge	Major Bridge	Pavement	Safety	Mobility	Capital Improvement	Contingency	Other Non-Contractual	Acquisition	Engineering	Engineering	
1,316						10		5	80	92	
Total Bridge	1,316		Т	otal Contract Estimate	1,316	Total Construction	1,326		Total Engineering	172	
						Total Right of	Way and Construction	1,331	Total Project	1,503	
Vearly Program Amounts					Amount Progra	mmed by SFY					
	Prior to 2024	2024	2025	2026	2027	2028	2029	Future	Program Total	Project Total	
Preliminary Engineering	18	20	22	20					62	80	
Construction Engineering				92					92	92	
Right of Way Acquisition			5						5	5	
Construction				1,326					1,326	1,326	
Total	18	20	27	1,438					1,485	1,503	
				How the District is Fur	wing the Project						
Funding Category											
Asset Management - CN	0	0	0	1,326	0	0	0	0	1,326	1,326	
A set Mana gement - P.W.	0	0	5	.,	0	0	0	0	5	5	
Total	0	0	5	1.326	0	0	0	0	1.331	1.331	
1 Office		Ū		1,020	Ŭ	Ŭ	Ŭ	Ŭ	1,001	1,001	
Funding From Other Sources		0		0	0	0	0				
1 0 tai	U	U	U	U	U	U	U	U	U	U	
Funds Transfer											
Total	0	0	0	0	0	0	0	0	0	0	
Total Right of Way and Construction	0	0	5	1,326	0	0	0	0	1,331	1,331	
Engineering	18	20	22	112	0	0	0	0	154	172	
Funding From Other Sources - Engineering											
Total	0	0	0	0	0	0	0	0	0	0	
Frank Transmission											
Funds Transer - Engineering	0	0	0	0	0	0	0	0	0	0	
1004	0	U	v	v	0	0	U	0	v	v	
Total Engineering	18	20	22	112	0	0	0	0	154	172	
	10			1 400					1.407	1 503	
Total Project	18	20	27	1,438	0	0	0	0	1,485	1,503	
Bridge Count	1	Railroads Impacted	n	Improv	ement	Action	Detailed	lWork	Federal Funds	Initiatives	
Ji tuge court	· · · ·	in the intervention	0	- Index of			2. Cuirea		Category		
Bridges					BRIDGE		BRI	DGE REPLACEMENT	NHPP		
80924,											

Rou	ıte	Begin Log	End Log	Begin County	ТМА	Travelway ID	System	Functional Class	NHS	AADT	Conflict of Interest
F	RTZS	0.950	1.150	DUNKLIN	Ν	576	SUPPLEMENTARY	MINOR COLLECTOR	Ν	11	Y
R	RTZN	1.494	1.694	DUNKLIN	N	577	SUPPLEMENTARY	MINOR COLLECTOR	N	16	Y

 Lane Miles
 0.4
 Centerline Miles
 0.2

PROJECT SUMMARY REPORT FOR 9S3774 AS OF May 24, 2024

	TIP Number			
	Planning Organization	Federal District	Senate District	House District
Ē	BOOTHEEL REG PLAN & ECON DEV	8	25	150

		Μίςςουτί Γ)enartment of 7	Transportation		
MoDOT		State	Rridge Inspecti	on Report		
COUNTY: PEMISCOT	DISTRICT: SE	CLASS	: STATBR	FED-ID: 8816	BRIDGE: SO	
	***CENERAL STRUCTI	IRF INFORMATION	***	122 121 0010	***B	
ROUTE: RTCS	# SPANS: 1	3	PLACE	CODE: 76372 VIRGINIA	DATE: 11/0	
FEATURE: DRAIN DTCH NO 4	LANES ON:	1	LEI	NGTH: 50 FT 0 IN	FREQUENCY: 12	
STATUS: P-POSTLOAD	LANES UNDER:	0	MAXIMUM	SPAN: 17 FT 0 IN	TEAM LEADER:	
LOG MILE: 7.923	COMPASS DIRECTION:	NORTH to SOUTH	APPROACH ROAL	DWAY: 20 FT 0 IN	INSPECTOR 2: STE	
DETOUR: 22.00 MILES	DIRECTION OF TRAFFIC:	1-LN/2-WAY	CURB TO	CURB: 20 FT 0 IN	INSPECTOR 3:	
NHS: NO	FUNCTIONAL CLASS:	RL-MAJOR COLLECTOR	OUT TO	OUT: 21 FT 0 IN	** When calculated inte	
BUILT: 1933	NBI OWNER:	MODOT		AAD1: 279		
KEHAB: LOCATION: S.7 T.17 R.11 F	NBI MAIN IAINED:	MODU I SF	AADI AADT TI	YEAR: 2023 RUCK: 11.8%		
LATITUDE: 36 7 57 14 (DMS)	MAINTENANCE COUNTY:	PEMISCOT	FUTURE	AADT: 419		
LONGITUDE: 89 54 52.55 (DMS)	SUB AREA:	7H25	FUTURE AADT	YEAR: 2043		
		,				
FRACTURE CRI	TICAL INSPECTION INFO	RMATION			***INDEPTH INSPEC	
DATE: RESPON	SIBILITY:	CATEGORY:		DATE:	RESPONSIBILITY:	
FREQUENCY: CALCULATED INT	`ERVAL**:	NBI:		FREQUENCY:	CALCULATED INTERVAL**:	
TEAM LEADER: INSP	PECTOR 3:	METHOD:		TEAM LEADER:	INSPECTOR 3:	
INSPECTOR 2: INSP	PECTOR 4:			INSPECTOR 2:	INSPECTOR 4:	
** When calculated interval exceeds the frequency, a just	ification comment per BIRM is requir	ed.		** When calculated interval exc	eeds the frequency, a justification cor	
FRACTURE C	RITICAL INSPECTION COM	IMENTS			INDEPTH INSPE	
SPECIAL	INSPECTION INFORMATION	ON			***UNDERWATER INSP	
DATE: 07/24/2023 RESPON	SIBILITY DISTRICT	CATEGORV CHANN	JEL CROSS SEC	DATE: 11/02/202	23 RESPONSIBILITY	
FREQUENCY: 120 CALCULATED INT TEAM LEADER: INSP INSPECTOR 2: JERROD JERNIGAN INSP	ERVAL**: 115 ECTOR 3: ECTOR 4:	NBI: NO METHOD: WT TAI	PE	FREQUENCY: 60 CALCULATED INTERVA TEAM LEADER: INSPECT INSPECTOR 2: STEVE RIGHTNOWAR INSPECT		
** When calculated interval exceeds the frequency, a justi	fication comment per BIRM is require	ed.		** When calculated interval ex	ceeds the frequency, a justification co	
SDECIA	I INCRECTION COMMENT	с С			UNINEDWATED INC	
SPECIA	LINSPECTION COMMENTS)			UNDERWATER INS	
ОТНЕ	R SPECIAL INSPECTIONS				OTHER UNDERW	
<u>DATE FREQUENCY CATEGORY</u>	NBI CALCULATED INTERVA	L <u>RESPONSIBILITY</u>	<u>METHOD</u>	<u>DATE</u> <u>FREQUENCY</u>	<u>CATEGORY NBI CA</u>	
Design No = S0712						

May 30, 2024 10:05:03AM

712

RIDGE INSPECTION INFORMATION* RESPONSIBILITY:** DISTRICT)2/2023 CALCULATED INTERVAL**: 12 ELEMENT: NO EVE RIGHTNOWAR **INSPECTOR 4:**

erval exceeds the frequency, a justification comment per BIRM is required. GENERAL INSPECTION COMMENTS

TION INFORMATION***

CATEGORY: NBI: **METHOD:**

mment per BIRM is required.

ECTION COMMENTS

ECTION INFORMATION***

Y: DISTRICT *: 12 3: 4:

CATEGORY: DRY NBI: NO METHOD: VISUAL

omment per BIRM is required.

SPECTION COMMENTS

ATER INSPECTIONS ALCULATED INTERVAL RESPONSIBILITY

METHOD

MODOT		Missou	ri Department	t of Transportation	1		May 30, 2024
		Sta	ate Bridge Insi	pection Report			10:05:03AM
COUNTY: PEMISCOT	DISTRICT: SF	CL	ASS: STATBR	FE	D-ID: 8816	BRIDGE: S0712	
			***STRII(TURF POSTINC**	*		
APPROVED CATEGORY: S-5	CENTERI INE OF BRIDGE AND	TRUCKS OVER 18 TO	NS 15 MPH ON BRI	DGE			
Ton 1: 18	Ton 2:			DOE.			
COMMENTS: (WILHOC1, 11/1	3/2019)LOAD POSTING LETTER.	11/13/2019. MODOT					
		TRUCKS OVER 19 TO		DOE			
Ton 1: 18	Ton 2:	TRUCKS OVER 18 TO Ton 3	NS 15 MPH ON BRI	PROBLEM:		PROBLEM DIRECTION:	
COMMENTS:							
		*** G EI	NERAL COMM	ENTS/MAJOR RAT	ED ITEMS***		
GENERAL COMMENTS: (BOWDEJ1, 09/15/20	008)(15'-17'-15') SMP WF GDR SPA	NS					
[ITEM 58] DECK: 6-SA	TISFACTORY CONDITION	COMMENTS: (SHE	RUBM1, 01/31/2012)	DELAMINATION W/ R	EBAR EXPOSED		
RATING : 05/1	8/2001						
UTEM 591 SUPER: 4-PC	OR CONDITION	COMMENTS: (SHE	NIBM1 01/31/2012)	INT SECTION LOSS B	OTTOM FLANGE		
RATING : 10/2	9/2019	(ROI	BINC3, 10/29/2019)-	-SIGNIFICANT DEADLC	AD DEFLECTION (@ BENT #1	
		(ROI	BINC3, 10/29/2019)-	-SUBSTANTIAL OUT OF	PLANE BENDING	IN WEBS @ BENT 1	
[ITEM 60] SUB: 5-FA BATING: 01/2	IR CONDITION	COMMENTS: (SHE	RUBM1, 01/31/2012)	TIMBER PILE SPLICES	5		
KATING. 01/5	1/2012						
[ITEM 61] BANK/CHANNEL: 6-W	IDESPREAD MINOR DAMAGE	COMMENTS: (ROI	BINC3, 10/30/2018)-	-BRUSHY CHANNEL			
RATING : 05/1	8/2001	BEA	VER DAMS				
[ITEM 113] SCOUR: 8-ST	ABLE FOR CALCULATED	COMMENTS:					
RATING : 05/1	8/2001						
EVALUATION TYPE :							
[ITEM 71] WATERWAY ADEQUACY: DEC	K ABOVE FLOOD ELEV	COMMENTS:					
RATING : 05/1	8/2001						
IITEM 721 APPRRDWY ALIGNMENT: 6-SA	TISFACTORY	COMMENTS:					
RATING : 05/1	8/2001	000000000000					
						ΓΙΝΙΩΩΦΦΦ	
IITEM 36 AL BRIDGE BAILING BATING	DOFSNT MEET CURRNT STND.0	<u>***KAILING AIND</u> RATI	$\frac{\mathbf{APPRUACH}}{\mathbf{NG}} \cdot \frac{02}{18} \frac{2004}{2004}$	COMMENTS:	ENISAND KAI	LINGS***	
IIILM JOAJ DRIDOL KAILING KAIING.	CONSTRUCTION	NALL	COMMENTS	comments.			
<u>MATERIAL</u> REINFORCED CONCRETE	CURB	BOTH	COMMENTS				
CONDITION	LOCATION	<u>LOC</u>	CATION 2	<u>SEVERITY</u>	<u>COMMENT</u>		
REBAR EXPOSED	THROUGHO	JT		MINOR			
VERTICAL CRACKS	S THROUGHO	JT JT		MINOR MINOR	(BLALOR1. 10/1	16/2014)& HORIZONTAL CRACKS	
STEEL	ANGLE-DOUBLE	BOTH					
<u>CONDITION</u> DUSTING	LOCATION	<u>LOC</u>	<u>CATION 2</u>	<u>SEVERITY</u> MINOP	<u>COMMENT</u>		
IITEM 36BI TPANSITION PAILING PATING		D ATI	NC • 05/18/2001				
[11LM 30D] IKANSITION KAILING KATING.	NOT I KOVIDED-0	KAII	VG . 05/18/2001	COMMENTS.			
[ITEM 36C] APPROACH RAILING RATING:	NOT PROVIDED-0	RATI	NG: 05/18/2001	COMMENTS:			
Design_No = S0712							
This report contains information that is n	rotected from disclosure by federal law 23 USC	Section 409 and the Missouri O	nen Records I aw (Sunchir	Page 2 ne Act) Section 610 021 RSMo	Please review MoDOT's no	licy and procedure manual on the Sunshine Act before releasing any o	of the information contained herein

May	30,	2024
10:0	5:0	3AM

MoDOT			Missouri Department of Transportation State Bridge Inspection Report						
	TY: PEMISCOT	DISTRICT: SE		CLASS: STATBR		FED-II): 8816	BRIDGE: S07	
[ITEM 36D] RAIL END TRE	ATMENT RATING: NOT PRO	VIDED-0		RATING : 05/18/2001	COMMEN	VTS:			
APPROAC	H PAVEMENT: *Overall condition	on assigned for each appr	oach pavemenet co	mponent is shown below.					
<u>MATERIAL</u> ASPHALT	<u>Constru</u> Bitumino	US MAT	RECTION BOTH	<u>CONDITION*</u> POOR	<u>COMMENT</u> (ROBINC3,	<u>75</u> 10/30/2018)RU	JTTING BOTH END	S	
		DRAINA	GE, EXPANSI	ON DEVICES, BAN	K/SLOPE, A	ND DECK PI	ROTECTIVE CO	DMPONENTS	
DECK PROTECTIVE COMPON SERIES TYPE-# MAIN SERIES-1 <u>COMMENT:</u>	<u>NENTS:</u> <u>COMPONENT</u> WEARING SURFACE	<u>MATER</u> ASPHA	<u>IAL</u> LT	<u>CONSTRUCTIC</u> BITUMINOUS SEAL	<u>DN</u> COAT	<u>THICKNESS</u> .4 IN	<u>YEAR APPLIED</u> 2014	<u>MANUFACTURE</u>	
<u>COMMENT:</u>	DECK PROTECTION	LIQUID SE	ALANT	INTERNALLY SEA	LED		2012	PAVON INDECK	
<u>COMMENT:</u>	MEMBRANE	NOTAPPLI	CABLE	NONE					
DRAINAGE COMPONENTS:	<u>COMPONENT</u> DRAINAGE	<u>MATER</u> REINFORCED	<u>IAL</u> CONCRETE	<u>Constructio</u> Curb Outle	<u>DN</u> T	<u>DIRECTION</u>	<u>COMMENTS</u>		
EXPANSION DEVICE COMPO <u>SUB UNIT-#</u> <u>SUB</u> ABUTMENT-1 COMMENT:	<u>NENTS:</u> L <u>ABEL</u> <u>COMPONE</u> CLOSED EXPANSI	<u>NT</u> ON JOINT	<u>MATERIAL</u> FELT	<u>C(</u>	<u>ONSTRUCTIO</u> FILLED JOINT	<u>v</u>	<u>GAP YEA</u>	<u>R APPLIED MANUF</u>	
ABUTMENT-4 <u>COMMENT:</u>	CLOSED EXPANSI	ON JOINT	FELT		FILLED JOINT				
BANK/SLOPE PROTECTION O	COMPONENTS:								
	<u>Component</u> Bank protection	<u>MATER</u> ROCI	<u>IAL</u> K	<u>CONSTRUCTIC</u> GROUTED	<u>DN</u>	<u>DIRECTION</u> BOTH	<u>COMMENTS</u> (REHAGM, 03	8/10/2004)SLOPE B	
				DECK	COMPONI	ENTS			
<u>SPAN TYPE-#</u> MAIN SPANS-1 DELAMI DETERIO PATC REBAR E SCAL	COMPONENT DECK TION L NATION TH RATION HES DRIV XPOSED TH ING TH	<u>MATER</u> REINFORCED (<u>OCATION 1</u> IROUGHOUT EDGE /ING SURFACE IROUGHOUT IROUGHOUT	<u>IAL</u> CONCRETE LOC	<u>CONSTRUCTIO</u> CAST-IN-PLAC ATION 2	<u>DN</u> E (K <u>SEVERITY</u> MINOR MINOR FEW MINOR LIGHT	<u>OMMENTS</u> ROBINC3, 11/01/2 <u>MEASURI</u>	2016)SEALED W/B. E <u>MENT COMME</u> (CHAPMI	4 <i>CKER 3-11-2004</i> E <u>NT</u> M1, 11/29/2021)W/EFFLO	
SPAI Design_No = S0712	LS TH	IROUGHOUT			MEDIUM		(BLALOF	R1, 11/02/2012)@ JOINTS	

Page 3 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

)712

OVERALL CONDITION FAIR

FACTURE

OVERALL CONDITION

BOTH ABUTMENTS ---- PARTIALLY GROUTED ROCK

MoDOT			Missouri Dej State Br	partment of Transpo idge Inspection Repo	rtation ort	
COUNTY: P	EMISCOT	DISTRICT: SE	CLASS: S	TATBR	FED-ID: 8816	BRIDGE: S071
TRANSVERSE CRA	CKS TH	IROUGHOUT		MINOR		
MAIN SPANS-2 <u>Condition</u> Delamination Deterioration Rebar expose Scaling Spalls	DECK N TH N D TH TH TH	<i>REINFORCED CONCRE</i> <u>OCATION 1</u> IROUGHOUT EDGE IROUGHOUT IROUGHOUT	TE CAS <u>LOCATION 2</u>	<i>T-IN-PLACE (RO.</i> <u>SEVERITY</u> MINOR MINOR LIGHT MEDU M	BINC3, 11/01/2016)SEA <u>MEASUREMENT</u>	ALED W/BACKER 3-11-2004 <u>COMMENT</u> (BLALOR1, 11/02/2012)-@ JOINTS
TRANSVERSE CRA	CKS TH	IROUGHOUT		MINOR		(CHAPMM1, 11/29/2021)W/EFFLO
<i>MAIN SPANS-3</i> <u>CONDITION</u> DELAMINATION DETERIORATIO REBAR EXPOSE SCALING SPALLS TRANSVERSE CRA	DECK N N D TH TH TH CKS TH	<i>REINFORCED CONCRE</i> <u>OCATION 1</u> RANDOM EDGE IROUGHOUT IROUGHOUT IROUGHOUT IROUGHOUT	TE CAS <u>LOCATION 2</u>	<i>T-IN-PLACE (RO.</i> <u>SEVERITY</u> MINOR MINOR LIGHT MEDIUM MINOR	BINC3, 11/01/2016)SE/ <u>MEASUREMENT</u>	ALED W/BACKER 3-11-2004 <u>COMMENT</u> (ROBINC3, 10/30/2019)@ JOINTS (BLALOR1, 11/02/2012)@ JOINTS
			SUP	ERSTRUCTURE COM	PONENTS	
SERIES TYPE-#	<u>SPAN TYPE</u>	<u>MATERIAL</u>	<u>CON</u>	STRUCTION	<u>LABEL</u>	<u>COMMENTS</u>
<u>SPAN</u> MAIN SPANS-1 <u>CONDITION</u> OTHER PACK RUST PACK RUST RUSTING RUSTING SECTION LOSS SECTION LOSS	COMPOSITE INDICATO NON-COMPOSITE INTE BOT TO BOT TO BOT TO BOT	<u>DR</u> <u>LENGTH</u> <u>WEATH</u> 15 FT 0 IN <u>OCATION 1</u> RIOR GIRDERS TOM FLANGE OP FLANGE TOM FLANGE TOM FLANGE TOM FLANGE OP FLANGE	ERING STEEL CON NO LOCATION 2	<u>MMENTS</u> <u>SEVERITY</u> NOT APPLICABLE MINOR MINOR MODERATE MODERATE MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u> (ROBINC3, 10/30/2019)MINOR I (ROBINC3, 10/30/2019)@ BENT (ROBINC3, 10/30/2019)@ BENT
MAIN SPANS-2 <u>CONDITION</u> OTHER PACK RUST PACK RUST RUSTING RUSTING SECTION LOSS	NON-COMPOSITE <u>L</u> BOT BOT TO BOT TO TO	17 FT 0 IN <u>OCATION 1</u> TOM FLANGE TOM FLANGE OP FLANGE OP FLANGE OP FLANGE	NO <i>LOCATION 2</i>	<u>SEVERITY</u> NOT APPLICABLE MINOR MINOR MINOR MODERATE MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u> (SHRUBM1, 01/31/2012)INT. SE (ROBINC3, 10/30/2019)GIRDER DEFLECTION GIRDER # 2 - 1/2"
MAIN SPANS-3 <u>CONDITION</u> PACK RUST PACK RUST PUMPING RUST	NON-COMPOSITE <u>L</u> BOT To To	15 FT 0 IN <u>OCATION 1</u> TOM FLANGE DP FLANGE DP FLANGE	NO <u>LOCATION 2</u>	<u>SEVERITY</u> MINOR MINOR MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>

Page 4

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

0712

ICKNESS & FLANGE THICKNESS 3/8"

DR DEADLOAD DEFLECTION @ BENT 1 W 1/2" DEFLECTION NT 2

ENT 2

SECTION LOSS AT INT. BENT ERS HAVE SIGNIFICANT WEB DEFLECTION @ BENT - 1" OF 2" GIRDER # 3 - 1/2" GIRDER #4 - 1/2" GIRDER #1

MODOT			Missouri Departmen	t of Transportation		
COUNTY: PI	FMISCOT	DISTRICT: SF	CLASS: STATER	FFD_ID	• 8816	BRIDCE: SA
RUSTING RUSTING SECTION LOSS	BOTT TC BOTT	COM FLANGE P FLANGE COM FLANGE		MINOR MODERATE MINOR		DRIDGE. SU
			***SUBSTRUC	TURE COMPONENTS**	*	
<u>SUBSTRUCTURE</u> <u>SK</u>	EW LENGTH	MATERIAL	CONSTRUCTION	<u>LABEL</u> <u>COMMENTS</u>	<u>S</u>	
ABUTMENT-1	20 FT 6 II	N TIMBER	NON-INTEGRAL	~~~~~~		~~~~~
ASSOCIATED COMPA	NDITION ONENT N	<u>LOCATION I</u>	LOCATION 2 CONSTRUCTION	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
ASSOCIATED COMPO BEAM CAP	<u>INENI</u> T	I <u>AIEKIAL</u> IMBER	BEAM			
<u><u>CO</u></u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
SPI	LITTING	THROUGHOUT		MINOR		
PILING	Τ	IMBER	OTHER		/	
	<u>NDITION</u>	<u>LOCATION 1</u>	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
REPLACE	E WITH H PILE	ALL		NOT APPLICABLE		(SHRUBM1, 01/31/20
STRAIGHT WINGS	T	INREE	PLANKS	MINOR		
<u>CO</u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
WING PILES	Т	IMBER	OTHER			
<u>C0</u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
R	OTTEN	THROUGHOUT		MODERATE		(ROBINC3, 11/15/20
BACKWALL	Ί	IMBER	PLANKS	<i>SEI/EDITV</i>	MEACUDEMENT	COMMENT
EIXED BEARING	<u>vDITION</u>	TEEI	ELOCATION 2 FLAT PLATE	<u>SEVERITT</u>	MEASUKEMENT	COMMENT
<u><u>CO</u></u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BENT-2	20 FT 6 II	N TIMBER	PILE CAP			
<u>C0</u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
ASSOCIATED COMPO	<u>DNENT</u> <u>M</u>	IATERIAL	<u>CONSTRUCTION</u>			
BEAM CAP	T	IMBER	BEAM	CEVEDITV	MEACUDEMENT	COMMENT
	<u>VDITION</u> USHING	ENDS	LOCATION 2	MINOR	MEASUKEMENT	COMMENT
C	OTHER	ENDS		NOT APPLICABLE		(SHRUBM1, 01/31/2
PILING	Т	IMBER	OTHER			
<u>CO</u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
DE	CAYING	THROUGHOUT		MINOR		
REPLACE	E WITH H PILE	I OF 4 Random		NOI APPLICABLE MINOR		
SPI	LITTING	THROUGHOUT		MODERATE		(CHAPMM1, 11/29/2
FIXED BEARING	S	TEEL	FLAT PLATE			(0111111111,1112)/2
<u>C0</u>	NDITION	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
PAC RI	CK RUST JSTING	THROUGHOUT THROUGHOUT		MODERATE MINOR		
BENT-3	20 FT 6 II	N TIMBER	PILE CAP			
<u></u>	NDITION	<u>LOCATION 1</u>	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
ASSOCIATED COMPO	<u>DNENT M</u>	ATERIAL	<u>CONSTRUCTION</u>			
BEAM CAP	Τ	IMBER	BEAM	QEI/EDITV	MEACUDEMENT	COMMENT
	<u>NDITION</u> OTTEN	<u>LUCATION I</u> Throughout	LUCATION 2	<u>SEVEKIIY</u> Miniod	MEASUKEMEN I	$\frac{\mathbf{U}_{\mathbf{M}}\mathbf{W}\mathbf{E}\mathbf{N}\mathbf{I}}{(\mathbf{R}\mathbf{I}\mathbf{A}\mathbf{I}\mathbf{O}\mathbf{R}\mathbf{I}10/16/20)}$
SPI	LITTING	THROUGHOUT		MINOR		(BLALOR1, 10/16/20
						、 ,, - .

Design_No = S0712

Page 5

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

712

2012)--(3 H-PILE, 1 STEEL PIPE)

017)--EAST PILE

2012)--MODERATE DETERIORATION ON EAST END.

2021)--PILE #1

014)--ON EDGE 014)--RANDOM

MoDOT			Missouri Department of State Bridge Inspect	Transportation		
COUNTY	: PEMISCOT	DISTRICT: SE	CLASS: STATBR	FED-ID): 8816	BRIDGE: S0
PILING	CONDITION LACE WITH H PILE RUSTING	TIMBER <u>LOCATION 1</u> ALL THROUGHOUT	OTHER <u>LOCATION 2</u>	<u>SEVERITY</u> NOT APPLICABLE MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
FIXED BEARING	CONDITION PACK RUST RUSTING	STEEL <i>LOCATION 1</i> THROUGHOUT THROUGHOUT	FLAT PLATE <i>LOCATION 2</i>	MINOR <u>SEVERITY</u> MODERATE MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
ABUTMENT-4 <u>ASSOCIATED CO</u>	20 <u>CONDITION</u> SHOVING <u>OMPONENT</u>	FT 6 IN TIMBER <u>Location 1</u> Throughout <u>Material</u>	NON-INTEGRAL <u>LOCATION 2</u> <u>CONSTRUCTION</u>	<u>Severity</u> Moderate	<u>MEASUREMENT</u>	<u>COMMENT</u>
BEAM CAP	<u>CONDITION</u> SPLITTING	TIMBER <u>LOCATION 1</u> THROUGHOUT	BEAM LOCATION 2	<u>SEVERITY</u> MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u> (BLALOR1, 10/16/2'
PILING	<u>CONDITION</u> LACE WITH H PILE RUSTING	TIMBER <u>LOCATION 1</u> ALL THROUGHOUT	OTHER <u>LOCATION 2</u>	<u>SEVERITY</u> NOT APPLICABLE MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
STRAIGHT WING	GS <u>CONDITION</u>	TIMBER <u>LOCATION 1</u> TIMBER	PLANKS <u>LOCATION 2</u> OTHER	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BACKWALL	<u>CONDITION</u>	<u>LOCATION 1</u> TIMBER	<u>LOCATION 2</u> PLANKS	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
FIXED BEARING	<u>CONDITION</u>	LOCATION 1 STEEL	LOCATION 2 FLAT PLATE	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
	<u>CONDITION</u> PACK RUST	<u>LOCATION I</u> THROUGHOUT	LOCATION 2	<u>SEVERITY</u> MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
			OVER/UNDER ROUTES C	LEARANCE INFOR	MATION	
<u>'LEARANCES OVER DECK</u> <u>VERTICAL CLEARANCE</u>	**NOTE <u>TYPE**</u> <u>VAL</u> I	: Vertical clearances for permitting purposes are taken <u>UE</u> <u>DIRECTION</u> <u>DATE</u>	as 2 inches less than the actual field measured clear <u>COMMENT</u>	rance.		
esign_No = S0712						

May 30, 2024 10:05:03AM

0712

2014)--RANDOM

MoDOT					Missouri Depa State Brid	rtment of Trai	nsportation Report	
	COUNTY: PEMISCO	ЭТ	DISTRICT: S	SE	CLASS: STA	TBR	FED-ID: 8816	BRIDGE: SO
CLEARANCES UNDER	<u>BRIDGE</u>	**NOTE: Vertical c	learances for permitting pu	rposes are taken as	2 inches less than the actual fi	eld measured clearance.		Did GL. St
RECORD #	ROUTE	<u># LANES</u>	DIRECTION O	FTRAFFIC	RIGHT LATERAL	CLEARANCE	LEFT LATERAL CLEARANCE	<u>UR-</u>
VERTICAL CLE	ARANCE TYPE**	VALUE	DIRECTION	DATE	COMMENT			
CONDITION		DUC			***STRUC	CTURE PAINT I	NFORMATION***	
CONDITION:	FAIR	RUST	$\mathbf{\Gamma}\mathbf{AMOUNT}: \ 8=.19$	% OF SURFAC	E RUSTED	STEEL TONS	S: 6	
	<u>ORIGINAL PAINT</u>			CONTR	ACT REPAINT			DEPARTME
PAIN	Г ТҮРЕ : NAME ·]	PAINT TYPE : NAME ·			PAINT TYPE : 1 SYSTEM NAME · CAL-ALIIM	I SULPH/SYS C
PAINT C	COLOR :		PA	INT COLOR :			PAINT COLOR : GRAY	100L111/010 C
PAINT	YEAR: 1974		I	PAINT YEAR : MILS -			PAINT YEAR : 2007	
	WIILS :			WILS:			WIILS: 12	
					RI	EQUESTED WO	ORK ITEMS	
GENERAL WORK (COMMENTS:							
RESPONSIBILIT	Y LOCATI	ON	ITEM		CATEGORY	PRIORITY	DATE WORK ITEM COMME	NT
					T to to to			
	0.001				***U		CHMENIS***	
	OWN	ER	METHOD	ME	ASUREMENT TYPE	VALUE	NUMBER UTILITY ATTA	ICHMENT COMMENT
					PROG	RAM NOTES I	NFORMATION	
<u>YEAR</u> <u>PROJ</u> 2026 983	ECT # MONTH LET 0	<u>YEAR LET</u> 2026	<u>ITEMS</u> REPLACE BRIDGI	F			<u>COMMENT</u>	
		2020		_				
Design No = S0712								
						Page 7		

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

0712

-ID

NT REPAINT

MANUFACTURE :WATSON SURFACE PREP :HAND CLEANED

MoDOT			Missouri Department of Transport State Bridge Inspection Report	ation t	
COUN	TY: PEMISCOT	DISTRICT: SE	CLASS: STATBR	FED-ID: 8816	BRIDGE: S07
:	***COMPUTER GE	NERATED RATINGS AND	DEFICIENCY ITEMS***		***ADVANCI
NOTE: The items listed in this	s section are updated when	ever computer edits are ran on a stru-	cture after the inspection updates have been entered in to TMS.	SIGN #	SIGN TYPE
Rated Item		Rating	Rating Date	1	
[Item 67] Structure Evaluation	n Rating: 2-BASI	CALLY INTOLRBLE REQ	1/17/2024		
[Item 68] Deck Geometry Rat	ing: 4-MEET	S MINIMUM TOLERABLE	2/8/2017		
[Item 69] Underclearance:	N	-NOT APPLICABLE	5/18/2001		
Sufficiency Rating:		37.4%	3/6/2024		
Deficiency:		STRUCTURAL	10/31/2019		
Funding Eligibility:		FULL			***OUTFALL IN
Estimated New Structure Len	gth:	72 FT.			
Estimated Structure Cost:		\$374,328		# OUTFALLS:	
Estimated Total Project Cost:		\$561,492		STATUS:	
Year of Cost Estimate:		2024		NOTES:	
NOTE: The above structure lengeneralized to use NBI items to square foot. The actual structure	gth and cost estimates are come up with a new struct e size and cost may vary si	computer generated using algorithim are length and width to calculate a no gnificantly from these numbers once	is in the TMS system. These algorithms are ew area which is taken times a representative cost per site specific engineering is done.		

Page 8 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

May 30, 2024 10:05:03AM

712

ED SIGN INFORMATION*** PROBLEM

PROBLEM DIRECTION

NSPECTION INFORMATION***

INSPECTOR: DATE:



Missouri Department of Transportation Bridge Inventory and Inspection System Structural Inventory & Appraisal Sheet

COUNTY : PEMISCOT BRIDGE : S0712 RECORD TYPE : ROUTE CARRIED 'ON' STRUCT	REVIEW STATUS :APPROVEDNBI STATUS :TRUN DATE :3/15/2024SUBMITTAL YEAR :2024				
GENERAL STRUCTURE INFORMATION	ROUTE DESIGNATION INFORMATION				
1StateMISSOURI2DistrictSE3CountyPEMISCOT8Federal ID No.881627Year Built1933106Year Reconstructed042AType of Service OnHIGHWAY21Structure MaintenanceSTATE HIGHWAY AGENCY22Structure OwnerSTATE HIGHWAY AGENCY33Br. Median CodeNO MEDIAN37Historical SignificanceNOT ELIGIBLE FOR NR OF HP101Parallel Struc DesgNONE EXISTS103Temporary StructureNOT TEMPORARY112NBIS Bridge LengthYES	5ARecord TypeROUTE CARRIED 'ON' STRUCT5BRoute Signing PrefixMO5CDesignated Level of ServiceMAINLINE5DRoute Number0000C5EDirectional SuffixNOT APPLICABLE7Facility CarriedRT C S12Base Hwy. NetworkNO13ALRS Inventory Route No.13BSubroute No.20Toll StatusON FREE ROAD26Functional Classification07-RURAL MAJOR COLLECTOR100STRAHNET DesignationRTE NOT A DEFENSE HWY104National Highway SystemNOT ON NHS105Eederal L ands HighwayNOT APPLICABLE				
	105 Federal Lands Highway 110 Designated Nat. Network				
STRUCTURE LOCATION INFORMATION	STRUCTURE TRAFFIC INFORMATION				
4PlaceVIRGINIACode763729LocationS 7 T 17 N R 11 E11Milepoint7.97 miles16Latitude36 D 7 M 57 S17Longitude89 D 54 M 53 S	29AADT27930AADT Year2023102Direction of TrafficONE LANE BRIDGE FOR 2-WAY109AADT Truck Percent12%114Future AADT419115Future AADT Year2043				
UNDERRECORD INFORMATION	STRUCTURE GEOMETRIC INFORMATION				
6 Features Intersected DRAIN DTCH NO 4 42B Type of Service Under WATERWAY 28B Lanes Under Structure 00 54A Vert. Clearance Ref. N/A 54B Vert. Clearance 0 Ft. 0 In. 55A Rt. Lat Clear Ref. N/A 55B Rt. Lat Clearance 0 Ft. 0 In. 56 Left Lat Clearance 0 Ft. 0 In. 38 Navigation Control PERMIT NOT REQ 39 Nav Vertical Clear 0 Ft. 0 In. 40 Nav Horizontal Clear 0 Ft. 0 In. 111 Nav. Pier Protection 111	10Inventory Rte. Vert. Clear99 Ft. 99 In.19By pass Detour Length21.88 miles32Approach Roadway Width20 Ft. 0 In.34Skew0.00 Degrees35Struct. FlaredNO47Total Horiz. Clear20 Ft. 0 In.48Maximum Span Length17 Ft. 1 In.49Structure Length49 Ft. 10 In.50ALeft Curb/Sidewalk Width0 Ft. 0 In.50BRight Curb/Sidewalk Width0 Ft. 0 In.51Curb to Curb Br. Width20 Ft. 0 In.52Deck Width (Out-Out)20 Ft. 12 In.53Vert Clearance Over Deck99 Ft. 99 In.				

Design_No = S0712 and Inventory_Appraisal_Submittal_Year = 2024

Page: 1

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.



Missouri Department of Transportation Bridge Inventory and Inspection System Structural Inventory & Appraisal Sheet

COUNTY: PEMISCOT BRIDGE: S0712 RECORD TYPE: ROUTE CARRIED 'ON' STRUCT	REVIEW STATUS :APPROVEDNBI STATUS :TRUN DATE :3/15/2024SUBMITTAL YEAR :2024
LOAD RATING AND POSTING INFORMATION	MATERIAL/CONSTRUCTION INFORMATION
31Design LoadH 1041Structure StatusPOSTED FOR LOAD63Oper. Rating Meth.ENG JUDGMNT64Operating Rating24 Tons.65Inventory Rating MethENG JUDGMNT66Inventory Rating11 Tons.70Bridge Posting Code20.0-29.9% BELOW	43AMain Struc. Mat typeSTEEL43BMain struc Constr. TypeSTRINGER/MULTIBEAM - GRD45# of Main Spans344AAppr Struc. Mat type00044BAppr Struc. Cnstr. type00046# of Approach Span0107Deck Mat/Constr.1 CONCRETE CIP
PROPOSED IMPROVEMENT INFORMATION	108A Wear Surf Mat/Constr. 6 BITUMINOUS
Sufficiency Rating 37.4 Percent Deficiency Rating STRUCTURAL	108B Membrane Mat/Constr. 0 NONE 108C Deck Protect Mat/Constr. 7 INTERNALLY SEALED
Funding Eligibility FULL 75A Proposed Work REPLACEMENT SUBSTND LOAD	
75B Work Done By Contract	58 Deck Cond. Rating 0 59 Superstructure Cond. Pating 4
76 New Struc Length 72 Ft. 2 In.	60 Substructure Cond. Rating 7
94 Struc Improve Cost \$ 374,000	61 Channel /Channel Protection Cond Rating 6
95 Roadway Improve Cost \$ 37,000	62 Culvert Cond. Rating N
96 Total Project Cost \$ 561,000	
97 Year of Cost Estimates 2024	
APPRAISAL RATING INFORMATION 36A Br. Rail App. Rating DOES NOT MEET ACCEPT STND 36B Transition Rail App. Rating DOES NOT MEET ACCEPT STND 36C Approach Rail App. Rating DOES NOT MEET ACCEPT STND	91Gen. Insp. Frequency12Months92AFrac. Critical InspectionNMonths93AFrac. Critical Insp. Date92BUnderwater InspectionNMonths
36D Rail End Treat. App. Rating DOES NOT MEET ACCEPT STND 67 Struc Eval App. Rating 2 68 Deck Geometry App. Rating 4 69 Undersloerenge App. Rating N	93B Underwater Insp. Date 92C Special Inspection N 93C Special Inspection Date
71 Waterway Adea App Rating 8	BORDER BRIDGE INFORMATION
72 Approach Road App. Rating 6 113 Scour Assess App. Rating 8	98 Neighboring State Code 98B Neighboring State % Respon 99 Neighboring State Struc. No.
APPROVED POSTING INFORMATION	FIELD POSTING INFORMATION
Approved Posting Category S-5	Field Posting Category S-5
Ton1 Ton2 Ton3	Ton1 Ton2 Ton3
Tonnage Values for Posting Sign 18	Tonnage Values for Posting Sign 18
General Text for Posting Sign	General Text for Posting Sign
CENTERLINE OF BRIDGE AND TRUCKS OVER 18 TONS 15 MPH ON BRIDGE.	CENTERLINE OF BRIDGE AND TRUCKS OVER 18 TONS 15 MPH ON BRIDGE.
Design_No = S0712 and Inventory_Appraisal_Submittal_Year = 2024 Page:	2

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

MODOT			Missouri I	Department of T	ransportation			
	COUNTY, DUNKLIN DISTRICT, SE CLASS, STATER EED ID, 2012							
	IY: DUNKLIN	DISTRICT: SE	CLASS	: SIAIBK	FED-1D: 8913	BRIDGE: SU		
DOUTE DTZS	**	*GENERAL STRUCTUP	<u>RE INFORMATION</u>		CODE: 24200 NIDEDENIDENIC	***B		
RUUIE: RIZS		# SPANS: 3		PLACE (CODE: 34390 INDEPENDENC	E DATE: 11/0		
FLAIUKE: MAIN DR		LAINES UN: 1 I ANES LINDED: 0			SPAN, 34 FT 0 IN	FREQUENCY: 12		
LOG MILE: 1 050	DAD	COMPASS DIRECTION: WI	EST to EAST	APPROACH ROAF	WAY: 20 FT 0 IN	TEAM LEADER: ED		
DETOUR: 99.00 MIL	ES DI	RECTION OF TRAFFIC: 1-I	LN/2-WAY	CURB TO C	CURB: 20 FT 0 IN	INSPECTOR 2: INSPECTOR 3:		
NHS: NO		FUNCTIONAL CLASS: RI	-MINOR COLLECTOR	OUT TO	OUT: 21 FT 0 IN	** When colculated into		
BUILT: 1933		NBI OWNER: MO	ODOT	A	AADT: 27	when calculated lifte		
REHAB:		NBI MAINTAINED: M	ODOT	AADT Y	YEAR: 2023			
LOCATION: S 7 T 18	R 10 E MA	INTENANCE DISTRICT: SE		AADT TF	RUCK: 18.2%			
LATITUDE: 36 13 19	0.21 (DMS) MA	INTENANCE COUNTY: DU	JNKLIN	FUTURE A	AADT: 38			
LONGITUDE: 90 1 4.4	9 (DMS)	SUB AREA: 7H	125	FUTURE AADT Y	YEAR: 2043			
*:	**FRACTURE CRITICA	L INSPECTION INFOR	MATION***			***INDEPTH INSPEC		
DATE	RESPONSIBILI	ГУ•	CATEGORY		DATE	RESPONSIBILITY		
FREQUENCY	CALCULATED INTERVAL	· · · · · · · · · · · · · · · · · · ·			FREQUENCY:	CALCULATED INTERVAL**		
TEAM LEADER:	INSPECTO	R 3:	METHOD:		TEAM LEADER:	INSPECTOR 3		
INSPECTOR 2:	INSPECTO	R 4:			INSPECTOR 2:	INSPECTOR 4		
** When calculated interval exce	eeds the frequency, a justification	comment per BIRM is required			** When calculated interval exce	eeds the frequency, a justification cor		
	FRACTURE CRITIC	AL INSPECTION COMM	IENTS			INDEPTH INSPE		
	SPECIAL INSPI	ECTION INFORMATIO	N			***UNDERWATER INSP		
DATE: 11/02/2022		V. DISTRICT	CATECODY, HANCI	D DI ATEC	DATE: 11/02/202			
FREQUENCY: 48 TEAM LEADER:	CALCULATED INTERVAL INSPECTOR	**: 12 X 3:	NBI: NO METHOD: LADDE	ERPLATES	FREQUENCY: 60 TEAM LEADER:	CALCULATED INTERVAL*		
INSPECTOR 2: ED HESS	INSPECTOR	R 4:			INSPECTOR 2: ED HESS	INSPECTOR		
** When calculated interval exce	eds the frequency, a justification	comment per BIRM is required.			** When calculated interval exc	ceeds the frequency, a justification co		
	SPECIAL INS	PECTION COMMENTS				UNDERWATER INS		
	OTHER SPE	CIAL INSPECTIONS				OTHER UNDERW		
DATE FREQUENCY 03/05/2019 999	CATEGORY NBI QUALITY NO	CALCULATED INTERVAL	RESPONSIBILITY BRIDGEDIV	<u>METHOD</u>	<u>DATE</u> <u>FREQUENCY</u>	<u>CATEGORY NBI CA</u>		
07/07/2015 120	ASSUKANCE CHANNEL CROSS NO SECTIONS		DISTRICT	WT TAPE				
Design_No = S0924								

Page 1

May 30, 2024 10:06:03AM

924

BRIDGE INSPECTION INFORMATION*** **RESPONSIBILITY:** DISTRICT 02/2023 CALCULATED INTERVAL**: 12 HESS ELEMENT: NO **INSPECTOR 4:**

erval exceeds the frequency, a justification comment per BIRM is required. **GENERAL INSPECTION COMMENTS**

TION INFORMATION***

CATEGORY: NBI: **METHOD:**

mment per BIRM is required.

ECTION COMMENTS

PECTION INFORMATION***

Y: DISTRICT **: 12 3: 4:

CATEGORY: DRY NBI: NO METHOD: VISUAL

comment per BIRM is required.

SPECTION COMMENTS

WATER INSPECTIONS ALCULATED INTERVAL RESPONSIBILITY

METHOD

MODOT		Misso Si	uri Department tate Bridge Inst	t of Transportation ection Report	n		May 30, 2024 10:06:03AM
COUNTY: DUNKLI	N DISTRICT:	SE CI	ASS: STATBR	F	ED-ID: 8913	BRIDGE: S0924	
			***STRUC	CTURE POSTING*	**		
APPROVED CATEGORY: S-5	CENTERLINE OF BRIDGE A	ND TRUCKS OVER 15 TO	ONS 15 MPH ON BRI	DGE.			
Ton 1: 15	Ton 2:	Ton	3:				
COMMENTS:							
FIELD CATEGORY: S-5 Ton 1: 15 COMMENTS:	CENTERLINE OF BRIDGE A Ton 2:	ND TRUCKS OVER 15 TO Ton 3	DNS 15 MPH ON BRI 3:	DGE. PROBLEM:		PROBLEM DIRECTION:	
		GF	NERAL COMM	ENTS/MAJOR RAT	'ED ITEMS		
GENERAL COMMENTS: (BOWDEJ1, 09/05	/2008)(21'-34'-21') SMP WF GDR	SPANS					
[ITEM 58] DECK: 4- RATING : 11	POOR CONDITION /14/2023	COMMENTS: (SH (BF	RUBM1, 11/22/2011) AWLK1, 11/14/2023)	T-CRACKS & EDGE I SATURATION	DETERIORATION		
[ITEM 59] SUPER: 5-	FAIR CONDITION	COMMENTS: (BR	AWLK1, 11/14/2023)	SECTION LOSS			
RATING: 11	/24/2020	×	,				
[ITEM 60] SUB: 5- RATING: 02	FAIR CONDITION 2/04/2010	COMMENTS: (BC	WDEJ1, 03/18/2010)-	-REPLACED ALL PILE	S		
[ITEM 61] BANK/CHANNEL: 6- RATING: 11	WIDESPREAD MINOR DAMAGE /20/2013	COMMENTS: (SH	UNAT1, 03/07/2019)-	-MINOR DAMAGE OV	ER WIDE AREA		
[ITEM 113] SCOUR: 8- RATING : 05 EVALUATION TYPE :	STABLE FOR CALCULATED 5/18/2001	COMMENTS:					
[ITEM 71] WATERWAY ADEQUACY: D RATING: 05	ECK ABOVE FLOOD ELEV 5/18/2001	COMMENTS:					
[ITEM 72] APPRRDWY ALIGNMENT: 6- RATING : 05	SATISFACTORY 5/18/2001	COMMENTS:					
		RAILING AND	APPROACH PA	VEMENT COMPO	NENTS AND RAT	TINGS	
[ITEM 36A] BRIDGE RAILING RATIN	G: DOESNT MEET CURRNT STNL	-0 RAT	ING: 02/18/2004	COMMENTS:			
<u>MATERIAL</u> REINEORCED CONCRETE	CURB	DIRECTION BOTH	<u>COMMENTS</u>				
LONGITUDINAL CR STEEL	ACKS THROUG ANGLE DOUBLE	<u>NI</u> <u>LO</u> IOUT IOUT	CATION 2	<u>SEVERITY</u> MINOR MINOR	<u>COMMENT</u>		
CONDITION COLLISION DAMA	AGE THROUG	<u>N1 L0</u> HOUT	CATION 2	<u>SEVERITY</u> MINOR	<u>COMMENT</u>		
[ITEM 36B] TRANSITION RAILING RATIN	<i>G:</i> NOT PROVIDED-0	RAT	ING: 05/18/2001	COMMENTS:			
[ITEM 36C] APPROACH RAILING RATIN	G: NOT PROVIDED-0	RAT	ING: 05/18/2001	COMMENTS:			
Design_No = S0924 This report contains information that i	s protected from disclosure by federal law, 23	USC Section 409 and the Missouri (Open Records Law (Sunshin	Page 2 te Act), Section 610.021 RSMo.	Please review MoDOT's po	licy and procedure manual on the Sunshine Act before relea	asing any of the information contained herein.

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

May	30,	2024
10:0	6:0	3AM

	TY: DUNKLIN	DISTRICT	SE	Missouri State CLAS	Department e Bridge Insp SS: STATBR	of Transpo ection Rep	ortation ort FED-II): 8913		BRI	DGE: 80
				02110							
[ITEM 36D] RAIL END TRE	ATMENT RATING: NOT I	PROVIDED-0		RATING	G: 05/18/2001	COMMENT	TS:				
APPROAC	H PAVEMENT: *Overall co	ondition assigned for each ap	pproach pavemer	net component i	s shown below.						
<u>MATERIAL</u> ASPHALT	<u>Cons</u> Bitum	T <u>TRUCTION</u> INOUS MAT	DIRECTION BOTH	<u>C01</u>	<u>NDITION*</u> POOR	<u>COMMENTS</u>	<u>'</u>				
		DRAI	NAGE, EXPA	NSION DE	VICES, BANK	/SLOPE, AN	D DECK P	ROTEC	FIVE CO	MPONEN	TS
DECK PROTECTIVE COMPON SERIES TYPE-# MAIN SERIES-1 <u>COMMENT:</u>	N <u>ENTS:</u> <u>Component</u> Wearing Surface	<u>MAT</u> ASP	<u>ERIAL</u> HALT	BIT	<u>CONSTRUCTION</u> UMINOUS SEAL C	<u>N</u> COAT	<u>HICKNESS</u>	<u>YEAR A</u>	<u>PPLIED</u>	<u>MANUFAC</u>	<u>TURE</u>
<u>COMMENT:</u>	DECK PROTECTION	NOTAPI	PLICABLE		NONE						
<u>COMMENT:</u>	MEMBRANE	NOTAPI	PLICABLE		NONE						
<u>DRAINAGE COMPONENTS:</u>	<u>COMPONENT</u> DRAINAGE	<u>MAT</u> REINFORCE	<u>ERIAL</u> D CONCRETE		<u>CONSTRUCTION</u> CURB OUTLET	<u>v</u>	<u>DIRECTION</u>	<u>CO</u>	<u>IMENTS</u>		
EXPANSION DEVICE COMPO SUB UNIT-# SUB <u>COMMENT:</u>	<u>NENTS:</u> LABEL <u>COMP</u>	<u>ONENT</u>	<u>MATE</u>	<u>RIAL</u>	<u>CO</u>	<u>NSTRUCTION</u>		<u>GAP</u>	<u>YEAI</u>	R APPLIED	<u>MANU</u>
BANK/SLOPE PROTECTION (C <u>OMPONENTS:</u> <u>COMPONENT</u> BANK PROTECTION	<u>MAT</u> EART	<u>ERIAL</u> TH FILL		<u>CONSTRUCTION</u> BERM	V	<u>DIRECTION</u> BOTH	<u>CON</u>	<u>IMENTS</u>		
					DECK	COMPONE	NTS				
<u>SPAN TYPE-#</u> M4IN SPANS-1	<u>COMPONENT</u> DFCK	<u>MAT</u> REINEORCE	<u>ERIAL</u> D CONCRETE		CONSTRUCTION	<u>v</u> <u>CO</u>	<u>MMENTS</u>				
DELAMI DELAMI DETERIO DETERIO SCAL SPAI	TION NATION RATION RATION ING I LLS	LOCATION 1 AT JOINTS AT JOINTS EDGE DRIVING SURFACE RANDOM	DCONCRETE	<u>LOCATION 2</u>	CASI-IIVI LACL	<u>SEVERITY</u> MODERATE MINOR MINOR MEDIUM MINOR	<u>MEASURI</u>	E <u>MENT</u>	<u>COMME</u> (WILSOJ,	<u>NT</u> 02/18/2004)5	SOME SATU
TRANSVERS	SE CRACKS	THROUGHOUT	D CONCRETE		CAST_IN_PI ACE	MANY			(ROBINC:	3, 11/30/2017)-	-W/EFFLO
CONDI	TION	LOCATION 1	DCUNCKEIE	LOCATION 2	CASI-IN-FLACE	<u>SEVERITY</u>	<u>MEASURI</u>	EMENT	<u>COMME</u>	<u>NT</u>	
Design_No = S0924						Page 3					

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

)924

OVERALL CONDITION FAIR

FACTURE

OVERALL CONDITION

URATION AT JOINTS

MoDOT				Missouri Depar State Bridg	tment of Transp	oortation		
COUNTY: D	UNKLIN	DISTRICT:	SE	CLASS: STAT	(BR	FED-ID: 8	8913	BRIDGE: S09
DELAMINATION DETERIORATION DETERIORATION	T N	HROUGHOUT AT JOINTS			MINOR MINOR MINOR		(WILSOJ, ()2/18/2004)SOME SATU
LONGITUDINAL CRA SATURATION	ACKS T	EDGE EDGE HROUGHOUT			MINOR MINOR MODERATE	50 %	(ROBINC3	, 11/30/2017)W/EFFLO
SCALING TRANSVERSE CRA	DRJ CKS T	VING SURFACE HROUGHOUT			MEDIUM MANY		(ROBINC3	, 11/30/2017)W/EFFLO
MAIN SPANS-3 <u>CONDITION</u>	DECK	REINFORC. L OCATION 1	ED CONCRETE	CAST-IN LOCATION 2	-PLACE <u>Severity</u>	<u>MEASUREM</u>	<u>ENT</u> <u>COMME</u>	<u>VT</u>
DELAMINATION DETERIORATION DETERIORATION	I T N I	HROUGHOUT AT JOINTS EDGE			MINOR MINOR MINOR		(WILSOJ, ()2/18/2004)SOME SATU!
SCALING TRANSVERSE CRA	CKS T	VING SURFACE HROUGHOUT			MEDIUM MANY		(ROBINC3	, 11/30/2017)W/EFFLO
				***SUPERS	STRUCTURE CO	MPONENTS**	*	
SERIES TYPE-#	<u>SPAN TYPE</u>	<u>MA1</u>	TERIAL	<u>CONSTR</u>	<u>UCTION</u>	<u>LABEL</u>	<u>COMMEN</u>	<u>TS</u>
MAIN SERIES-1 SPAN MAIN SPANS-1 <u>CONDITION</u> DECK LIFTING PACK RUST RUSTING SECTION LOSS	SIMPLE SPAN C <u>OMPOSITE INDICAT</u> NON-COMPOSITE	TOR <u>LENGTH</u> 21 FT 6 IN <u>LOCATION 1</u> TOP FLANGE TOP FLANGE WEB TOP FLANGE	<i>WEATHER</i> N	WIDE FLANC I <u>NG STEEL COMME</u> O LOCATION 2	<u>SEVERITY</u> MODERATE MODERATE MINOR MINOR	<u>MEASUREM</u>	<u>ENT</u> <u>COMME</u> (WILSOJ (WILSOJ (WILSOJ	<u>VT</u> 02/18/2004)AT JOINT 02/18/2004)AT JOINT 02/20/2004)MOSTLY
MAIN SPANS-2 <u>CONDITION</u> DECK LIFTING PACK RUST SECTION LOSS SECTION LOSS	NON-COMPOSITE	34 FT 0 IN LOCATION 1 COP FLANGE COP FLANGE COP FLANGE WEB	Ν	O <u>LOCATION 2</u>	<u>SEVERITY</u> MODERATE MODERATE MINOR MINOR	<u>MEASUREM.</u>	<u>ENT</u> <u>COMME</u> (WILSOJ (WILSOJ (WILSOJ	<u>VT</u> 02/18/2004)AT JOINT 02/18/2004)AT JOINT 02/20/2004)MOSTLY
MAIN SPANS-3 <u>CONDITION</u> DECK LIFTING PACK RUST SECTION LOSS	NON-COMPOSITE	21 FT 6 IN LOCATION 1 COP FLANGE COP FLANGE COP FLANGE	Ν	O <u>LOCATION 2</u>	<u>Severity</u> Moderate Moderate Minor	<u>MEASUREM</u>	ENT <u>COMME</u> (WILSOJ (WILSOJ (WILSOJ	<u>VT</u> 02/18/2004)AT JOINT 02/18/2004)AT JOINT 02/20/2004)MOSTLY
				SUBST	RUCTURE COM	PONENTS		
<u>SUBSTRUCTURE</u>	<u>KEW</u> <u>LENG</u>	<u>H MATE</u>	RIAL	CONSTRUCTION	<u>V LABEL</u>	<u>COMMENTS</u>		
ABUTMENT-1 <u>CO</u> <u>ASSOCIATED COMP</u>	21 FT 0 <u>NDITION</u> <u>ONENT</u>	IN TIMI LOCATIC MATERIAL	BER <u>DN 1</u>	NON-INTEGRAL LOCATION CONSTRUC	<u>N 2</u> 'TION	<u>SEVERITY</u> <u>N</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BEAM CAP <u>CO</u> DU INC	<u>NDITION</u>	IIWIBEK LOCATIC	<u>DN 1</u>	BEAM LOCATION	<u>N 2</u>	<u>SEVERITY</u> <u>N</u>	MEASUREMENT	<u>COMMENT</u>
riling <u>CO</u> REPLAC	<u>NDITION</u> E WITH H PILE	LOCATIC ALL	<u>DN 1</u>	п-эпаге <u>LOCATION</u>	<u>V 2</u> NOT	<u>SEVERITY</u> <u>M</u> FAPPLICABLE	MEASUREMENT	<u>COMMENT</u>
Design_No = S0924								

Page 4 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

May 30, 2024 10:06:03AM

924

RATION AT JOINTS

URATION AT JOINTS

TS TS

AT JOINTS

TS TS AT JOINTS

TS TS AT JOINTS

MoDOT		Missouri Department of T State Bridge Inspectio	ransportation n Report		
COUNTY: DUNKLIN	DISTRICT: SE	CLASS: STATBR	FED-ID	: 8913	BRIDGE: S0
STRAIGHT WINGS <u>CONDITION</u> WING PILES	TIMBER <u>LOCATION 1</u> TIMBEP	PLANKS <u>LOCATION 2</u> OTHE P	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BACKWALL	TIMBER LOCATION 1 TIMBER	DI ANKS	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
SHOVING	THROUGHOUT	LOCATION 2	<u>Severity</u> Moderate	<u>MEASUREMENT</u>	<u>COMMENT</u>
EXPANSION BEARING <u>Condition</u>	STEEL <u>LOCATION 1</u>	SLIDING FLAT PLATE <u>LOCATION 2</u>	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BENT-2 <u>CONDITION</u> <u>ASSOCIATED COMPONENT</u>	20 FT 6 IN TIMBER LOCATION 1 MATERIAL	PILE CAP LOCATION 2 CONSTRUCTION	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
BEAM CAP <u>CONDITION</u> SPLITTING	TIMBER <u>LOCATION 1</u> ENDS	BEAM <u>LOCATION 2</u>	<u>SEVERITY</u> MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
PILING <u>CONDITION</u> REPLACE WITH H P	ILE ALL	H-SHAPE <u>LOCATION 2</u>	<u>SEVERITY</u> NOT APPLICABLE	<u>MEASUREMENT</u>	<u>COMMENT</u>
EXED BEARING	INMBER <u>LOCATION 1</u> STEFL	PLANKS <u>LOCATION 2</u> HANGER PLATE	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
EXPANSION BEARING	STEEL LOCATION 1 STEEL	LOCATION 2 SLIDING FLAT PLATE	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
<u>CONDITION</u> PACK RUST	<u>LOCATION 1</u> THROUGHOUT	LOCATION 2	<u>SEVERITY</u> MINOR	<u>MEASUREMENT</u>	<u>COMMENT</u>
BENT-3 <u>CONDITION</u> <u>ASSOCIATED COMPONENT</u> BEAM CAP	20 FT 6 IN TIMBER LOCATION 1 MATERIAL TIMBER	PILE CAP <u>LOCATION 2</u> <u>CONSTRUCTION</u> BEAM	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
PILING	LOCATION 1 STEEL	LOCATION 2 H-SHAPE	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
CONDITION REPLACE WITH H P	ILE ALL	LOCATION 2	<u>SEVERITY</u> NOT APPLICABLE	<u>MEASUREMENT</u>	<u>COMMENT</u> (SHUNAT1, 03/07/20 TIMBER PILE
RUSTING CROSS BRACING <u>CONDITION</u> OTHER	THROUGHOUT STEEL <u>LOCATION 1</u> THROUGHOUT	ANGLE <u>LOCATION 2</u>	MINOR <u>SEVERITY</u> NOT APPLICABLE	<u>MEASUREMENT</u>	<u>COMMENT</u> (FINLEM, 02/23/201
FIXED BEARING <u> CONDITION</u>	STEEL LOCATION 1	HANGER PLATE LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
EXPANSION BEARING <u>CONDITION</u> PACK RUST	STEEL <u>LOCATION 1</u> THROUGHOUT	LOCATION 2	<u>SEVERITY</u> HEAVY	<u>MEASUREMENT</u>	<u>COMMENT</u>
ABUTMENT-4 <u>CONDITION</u> <u>ASSOCIATED COMPONENT</u> BEAM CAP	21 FT 0 IN TIMBER LOCATION 1 MATERIAL TIMBER	NON-INTEGRAL <u>LOCATION 2</u> <u>CONSTRUCTION</u> BEAM	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
<u>CONDITION</u>	LOCATION 1	LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>

Design_No = S0924

Page 5 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

0924

2019)--COLUMN 3 REPAIR HAS EROSION EXPOSING OLD

10)--MISSING

MoDO	от	Missouri Department of Transportation State Bridge Inspection Report						
	COUNTY: DUNKLI	N D	ISTRICT: SE		CLASS: STATBR	FED-ID	: 8913	BRIDGE: S0
	PILING <u> CONDITION</u> REPLACE WITH H	STEEL <u>V</u> H PILE	<u>LOCATION 1</u> All		H-SHAPE <u>LOCATION 2</u>	<u>SEVERITY</u> NOT APPLICABLE	<u>MEASUREMENT</u>	<u>COMMENT</u>
	STRAIGHT WINGS <u>CONDITION</u> WING PILES	TIMBER <u>V</u> TIMBER	R <u>LOCATION 1</u> R		PLANKS <u>LOCATION 2</u> OTHER	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
	<u>CONDITION</u> ROTTEN	<u>V</u>	LOCATION 1 THROUGHOU	Г	LOCATION 2	<u>Severity</u> Moderate	<u>MEASUREMENT</u>	<u>COMMENT</u> (RACKEM, 09/21/20
	EXPANSION BEARING	V STEEL	LOCATION 1		LAINKS <u>LOCATION 2</u> SLIDING FLAT PLATE	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
	<u>CONDITION</u>	<u>v</u>	<u>LOCATION 1</u>		LOCATION 2	<u>SEVERITY</u>	<u>MEASUREMENT</u>	<u>COMMENT</u>
				*	***OVER/UNDER ROUTES CLI	EARANCE INFOR	MATION***	
<u>CLEARANCES</u> <u>VERTICA</u>	<u>OVER DECK</u> AL CLEARANCE TYPE**	**NOTE: Vertical clearanc <u>VALUE</u> <u>DI</u>	tes for permitting purpo IRECTION	oses are taken as <u>DATE</u>	s 2 inches less than the actual field measured clearand <u>COMMENT</u>	ce.		
CLEARANCES RECORD #	<u>UNDER BRIDGE</u> <u>ROUTE</u>	**NOTE: Vertical clearanc <u># LANES</u> D	tes for permitting purpo IRECTION OF T	oses are taken a: F RAFFIC	s 2 inches less than the actual field measured clearand <u>RIGHT LATERAL CLEARANCE</u>	ce. <u>LEFT LATERA</u>	L CLEARANCE	<u>UR-</u>
VERTICA	AL CLEARANCE TYPE**	<u>VALUE</u> <u>DIR</u>	RECTION	<u>DATE</u>	<u>COMMENT</u>			
		STRUCTURE PAINT INFORMATION						
CONDITION	FAIR	RUST AMOUNT : 6=1.0% OF SURFACE RUSTED		CE RUSTED STEEL TO	DNS : 11			
ORIGINAL PAINT		CONTR			RACT REPAINT			DEPARTME
PAINT TYPE : NAME •		PAINT TYPE : NAME ·			:	PAINT TY NA	PE : A SYSTEM ME · RED LEAD	
PAINT COLOR :		PAINT COLOR :			•	PAINT COL	OR: ALUMINUM	
	PAINT YEAR : MILS :		PAINT YEAR : MILS :			PAINT YE M	AR: 1989 ILS: 9	
		REQUESTED WORK ITEMS						
Design_No = S0924								
	This report contains information that	is protected from disclosure b	y federal law, 23 USC	Section 409 an	Pag d the Missouri Open Records Law (Sunshine Act). So	r e 6 ection 610.021 RSMo. Please r	eview MoDOT's policy and	procedure manual on the Sun
<u>.</u>	•	-			• • • •		1 2	-

May 30, 2024 10:06:03AM

)924

004)--NORTHEAST

-ID

NT REPAINT

MANUFACTURE : SURFACE PREP :

shine Act before releasing any of the information contained herein.

MODOT			Missouri Department of Transportation State Bridge Inspection Report				
COUN	ΓY: DUNKLIN	DISTRICT: SE	CLASS: STAT	BR	F	E D-ID: 8913	BRIDGE: SO
GENERAL WORK COMMI	ENTS:						
RESPONSIBILITY DISTRICT SPECIAL REGIONAL	<i>LOCATION</i> ROADWAY SURFACE SEE COMMENT	<i>ITEM</i> REPAIR DECK JOINTS W/C REPAIR GIRDER ENDS	CATEGORY ONC DECK SUPERSTRUCTURE	PRIORITY 2 2	DATE 11/02/2023 11/02/2023	<i>WORK ITEM CO</i> . (BRAWLK1, 11/14	<i>MMENT</i> 4/2023)PLATE GIRDER ENDS
			***UT	TILITY ATTA	CHMENTS ³	***	
UTILITY	OWNER	METHOD	MEASUREMENT TYPE	VALUE	NUM	BER UTILITY	ATTACHMENT COMMENT
			PROGR	AM NOTES I	NFORMAT	'ION	
YEAR PROJECT # 2026 983774	MONTH LET 0YEAR LI 2026	ET <u>ITEMS</u> REPLACE BRIDGE				<u>COMMEN</u>	<u><u>r</u></u>
COMPUTER GENERATED RATINGS AND DEFICIENCY ITEMS						***ADVANC	
NOTE: The items listed in this section are updated whenever computer edits are ran on a structure after the inspection updates have been entered in to TMS.					SIGN #	SIGN TYPE	
<u>Rated Item</u> [Item 67] Structure Evaluation [Item 68] Deck Geometry Ratin [Item 69] Underclearance: Sufficiency Rating: Deficiency:	Rating: 2-BASICALL ng: 5-BETTER N-NOT STR	Rating Y INTOLRBLE REQ THAN MINIMUM APPLICABLE 46.6% UCTURAL	Rating Date 3/6/2024 4/10/2015 5/18/2001 11/15/2023 2/17/2022			1 2	YIELD TO ONCOMING TRAF B - ONE LANE BRIDGE
Funding Eligibility:		FULL					***OUTFALL IN
Estimated New Structure Leng	th: وروان	108 FT.				# OUTFALLS:	
Estimated Structure Cost: \$561,4 Estimated Total Project Cost: \$842.2		5301,492 5842.238				STATUS:	
Year of Cost Estimate: 2024		2024				NOTES:	
NOTE: The above structure leng generalized to use NBI items to c square foot. The actual structure	th and cost estimates are compu ome up with a new structure len size and cost may vary significa	ter generated using algorithims in gth and width to calculate a new untly from these numbers once sit	n the TMS system. These algorthe area which is taken times a represe e specific engineering is done.	ims are sentative cost per			

Page 7 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

PROBLEM DIRECTION

924

S @ SPAN 2 BENT 2

ED SIGN INFORMATION*** PROBLEM

FFIC

NSPECTION INFORMATION***

INSPECTOR:

DATE:

MODOT			Missouri Department of T	ransportation		
		State Bridge Inspection Report				
	COUNTY: DUNKLIN	DISTRICT: SE	CLASS: STATBR	FED-ID: 8913	BRIDGE: SO	

Page 8 This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.

May 30, 2024 10:06:03AM

0924



Missouri Department of Transportation Bridge Inventory and Inspection System Structural Inventory & Appraisal Sheet

COUNTY: DUNKLIN BRIDGE: S0924 RECORD TYPE - ROUTE CARRIED 'ON' STRUCT	REVIEW STATUS : APPROVED NBI STATUS : T BUN DATE · 3/15/2024 SUBMITTAL VEAR · 2024			
GENERAL STRUCTURE INFORMATION	ROUTE DESIGNATION INFORMATION			
IStateMISSOURI2DistrictSE3CountyDUNKLIN8Federal ID No.891327Year Built1933106Year Reconstructed042AType of Service OnHIGHWAY21Structure MaintenanceSTATE HIGHWAY AGENCY22Structure OwnerSTATE HIGHWAY AGENCY33Br. Median CodeNO MEDIAN37Historical SignificanceNOT ELIGIBLE FOR NR OF HP101Parallel Struc DesgNONE EXISTS103Temporary StructureNOT TEMPORARY112NBIS Bridge LengthYES	5ARecord TypeROUTE CARRIED 'ON' STRUCT5BRoute Signing PrefixMO5CDesignated Level of ServiceMAINLINE5DRoute Number0000Z5EDirectional SuffixNOT APPLICABLE7Facility CarriedRT Z S12Base Hwy. NetworkNO13ALRS Inventory Route No.13BSubroute No.20Toll StatusON FREE ROAD26Functional Classification08-RURAL MINOR COLLECTOR28ALanes on Structure01100STRAHNET DesignationRTE NOT A DEFENSE HWY104National Highway SystemNOT ON NHS105Functional Highway SystemNOT APPLICABLE			
	105 Federal Lands Highway NOTATELETABLE 110 Designated Nat. Network NO			
STRUCTURE LOCATION INFORMATION	STRUCTURE TRAFFIC INFORMATION			
4PlaceINDEPENDENCECode343909LocationS 7 T 18 N R 10 E11Milepoint1.06 miles16Latitude36 D 13 M 19 S17Longitude90 D 1 M 4 S	29AADT2730AADT Year2023102Direction of TrafficONE LANE BRIDGE FOR 2-WAY109AADT Truck Percent18%114Future AADT38115Future AADT Year2043			
UNDERRECORD INFORMATION	STRUCTURE GEOMETRIC INFORMATION			
6Features IntersectedMAIN DRAIN DTCH42BType of Service UnderWATERWAY28BLanes Under Structure0054AVert. Clearance Ref.N/A54BVert. Clearance0 Ft. 0 In.55ARt. Lat Clear Ref.N/A55BRt. Lat Clearance0 Ft. 0 In.56Left Lat Clearance0 Ft. 0 In.38Navigation ControlPERMIT NOT REQ39Nav Vertical Clear0 Ft. 0 In.40Nav Horizontal Clear0 Ft. 0 In.111Nav. Pier Protection116	10Inventory Rte. Vert. Clear99 Ft. 99 In.19By pass Detour Length124.38 miles32Approach Roadway Width20 Ft. 0 In.34Skew0.00 Degrees35Struct. FlaredNO47Total Horiz. Clear20 Ft. 0 In.48Maximum Span Length34 Ft. 1 In.49Structure Length80 Ft. 1 In.50ALeft Curb/Sidewalk Width0 Ft. 0 In.50BRight Curb/Sidewalk Width0 Ft. 0 In.51Curb to Curb Br. Width20 Ft. 0 In.52Deck Width (Out-Out)20 Ft. 12 In.53Vert Clearance Over Deck99 Ft. 99 In.			

Design_No = S0924 and Inventory_Appraisal_Submittal_Year = 2024

Page: 1

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.



Missouri Department of Transportation Bridge Inventory and Inspection System Structural Inventory & Appraisal Sheet

COUNTY: DUNKLIN BRIDGE: S0924	REVIEW STATUS : APPROVED NBI STATUS : T			
RECORD TYPE : ROUTE CARRIED 'ON' STRUCT	RUN DATE : 3/15/2024 SUBMITTAL YEAR : 2024			
LOAD RATING AND POSTING INFORMATION	MATERIAL/CONSTRUCTION INFORMATION			
31 Design Load H 10 41 Structure Status POSTED FOR LOAD 63 Oper. Rating Meth. ALLOWABLE STRESS 64 Operating Rating 22 Tons. 65 Inventory Rating Meth ALLOWABLE STRESS 66 Inventory Rating 11 Tons. 70 Bridge Posting Code 30.0-39.9% BELOW PROPOSED IMPROVEMENT INFORMATION Sufficiency Rating 46.6 Percent Deficiency Rating STRUCTURAL Funding Eligibility FULL 75A Proposed Work REPLACEMENT SUBSTND LOAD 75B Work Done By Contract 76 New Struc Length 108 Ft. 3 In.	43A Main Strue. Mat type STEEL 43B Main strue Constr. Type STRINGER/MULTIBEAM - GRD 45 # of Main Spans 3 44A Appr Strue. Mat type 000 44B Appr Strue. Cnstr. type 000 46 # of Approach Span 0 107 Deck Mat/Constr. 1 CONCRETE CIP 108A Wear Surf Mat/Constr. 6 BITUMINOUS 108B Membrane Mat/Constr. 0 NONE 108C Deck Protect Mat/Constr. 0 NONE 58 Deck Cond. Rating 4 59 Superstructure Cond. Rating 5			
94 Struc Improve Cost \$ 561,000	61 Channel /Channel Protection Cond. Rating 6			
95 Roadway Improve Cost \$ 56,000	62 Culvert Cond. Rating N			
96 Total Project Cost \$842,000	INSPECTION INFORMATION			
97 Year of Cost Estimates 2024	90 Gen Insp Date 11/23			
APPRAISAL RATING INFORMATION36ABr. Rail App. RatingDOES NOT MEET ACCEPT STND36BTransition Rail App. RatingDOES NOT MEET ACCEPT STND36CApproach Rail App. RatingDOES NOT MEET ACCEPT STND36DRail End Treat. App. RatingDOES NOT MEET ACCEPT STND67Struc Eval App. Rating268Deck Geometry App. Rating5	91Gen. Insp. Frequency12Months92AFrac. Critical InspectionNMonths93AFrac. Critical Insp. Date92BUnderwater InspectionNMonths93BUnderwater Insp. Date92CSpecial InspectionNMonths93CSpecial Inspection Date			
69 Underclearance App. Rating N	BORDER BRIDGE INFORMATION			
71 Waterway Adeq. App. Rating 8 72 Approach Road App. Rating 6 113 Scour Assess App. Rating 8	98 Neighboring State Code 98B Neighboring State % Respon 99 Neighboring State Struc. No.			
APPROVED POSTING INFORMATION	FIELD POSTING INFORMATION			
Approved Posting Category S-5 Ton1 Ton2 Ton3	Field Posting Category S-5 Ton1 Ton2 Ton3			
Tonnage Values for Posting Sign 15	Tonnage Values for Posting Sign 15			
General Text for Posting Sign	General Text for Posting Sign			
CENTERLINE OF BRIDGE AND TRUCKS OVER 15 TONS 15 MPH ON BRIDGE.	CENTERLINE OF BRIDGE AND TRUCKS OVER 15 TONS 15 MPH ON BRIDGE.			
Design_No = S0924 and Inventory_Appraisal_Submittal_Year = 2024 Page: 2				

This report contains information that is protected from disclosure by federal law, 23 USC Section 409 and the Missouri Open Records Law (Sunshine Act), Section 610.021 RSMo. Please review MoDOT's policy and procedure manual on the Sunshine Act before releasing any of the information contained herein.