



City of Jackson, Missouri
Department of Public Works

**Federal Project
U.S. 61 AND DEERWOOD IMPROVEMENTS
JACKSON, MISSOURI
STP-3005 (003)**

**ADDENDUM #2
Issued: August 26, 2025**

This addendum consists of:

1. **Addition of seeding quantity.** The quantities do not include “SEEDING – COOL SEASON GRASSES”. Accordingly, the following replace the original relevant documents in the plans and Request for Bid:
 - a. “QUANTITIES 3 OF 3”, is deleted in its entirety and replaced with the following sheet entitled “QUANTITIES 3 OF 3” noted Addendum 2 and dated August 26, 2025; and
 - b. Attached “ITEMIZED BID FORM” replaces the Itemized Bid Form Pages 1 and 2 of the Request for Bid.

End of Addendum #2.

The Contractor shall acknowledge this addendum on the Bid Form.

PREPARED BY




399 South Spring Ave, Suite 208B
St. Louis, Missouri 63110

LINE NO.	SPEC.	PAY ITEM	ITEM DESCRIPTION	UNIT	QUANTITY
ROADWAY					
1	MODOT	2022010	REMOVAL OF IMPROVEMENTS	LS	1
2	MODOT	2071000	LINEAR GRADING CLASS 1	STA	6.2
3	MODOT	3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	SQYD	3311
4	MODOT & JSP	5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	SQYD	2827
5	MODOT & JSP	6083006	6 IN. CONCRETE MEDIAN STRIP	SQYD	309
6	MODOT	6091041	CONCRETE GUTTER TYPE A	LF	51
7	MODOT	6091052	CURB AND GUTTER TYPE B	LF	1030
8	MODOT	6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	LF	189
9	MODOT	6092031	CONCRETE CURB LOW PROFILE TYPE E	LF	295
10	MODOT	6096020	FURNISHING TYPE 2 ROCK DITCH LINER	CUYD	23
11	MODOT	6096042	PLACING TYPE 2 ROCK DITCH LINER	CUYD	23
12	JSP-22-01A	6169901	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL	LS	1
13	JSP	6162000A	MISC. WORK ZONE TRAFFIC SIGNAL SYSTEM	LS	1
14	JSP	6162002	TEMPORARY LONG-TERM RUMBLE STRIPS	EA	2
15	MODOT	6191000	PAVEMENT EDGE TREATMENT	LF	1660
16	MODOT	6181000	MOBILIZATION	LS	1
17	MODOT	6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	LS	1
18	MODOT	8061006	ALTERNATE DITCH CHECK	LF	20
19	MODOT	8061007A	CURB INLET CHECK	EA	10
20	MODOT	8061016	SEDIMENT REMOVAL	CUYD	12
20A	MODOT	8051000A	SEEDING - COOL SEASON GRASSES	ACRE	0.5
UTILITIES					
21	MODOT	2031000	CLASS A EXCAVATION	CUYD	111
22	JSP	6042010	ADJUSTING MANHOLE	EA	1
23	JSP	6049902A	ADJUSTING WATER VALVE	EA	3
24	JSP	6049902B	ADJUSTING WATER METER	EA	1
25	JSP	6049902C	ADJUSTING PULL BOX	EA	1
26	MODOT	6214600A	FLOWABLE BACKFILL	CUYD	13
27	MODOT	6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EA	2
28	MODOT	6141120	CURVED VANE GRATE AND FRAME	EA	4
29	MODOT	7261012	12 IN. PIPE GROUP A	LF	134
30	MODOT	7261015	15 IN. PIPE GROUP A	LF	128
31	MODOT	7261018	18 IN. PIPE GROUP A	LF	41
32	MODOT	7261024	24 IN. PIPE GROUP A	LF	449
33	MODOT	7309903	POLYVINYL CHLORIDE (PVC) SANITARY SEWER PIPE	LF	68
34	MODOT	7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	LF	11
35	MODOT	7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	LF	18
36	MODOT	7319903	PRECAST CONCRETE DROP INLET 7.5 FT X 3 FT	LF	5
37	MODOT	7321014A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EA	1
38	MODOT	7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EA	2
39	MODOT	9019903	PVC CONDUIT 1 1/2 INCH	LF	153
40	RUS NO.	N 45-3W	POLE 45' CLASS 3 WOOD	EA	2
41	RUS NO.	N 50-2W	POLE 50' CLASS 2 WOOD	EA	2
42	RUS NO.	N A1.011L	SINGLE SUPPORT - PRIMARY (SADDLE PIN)	EA	1
43	RUS NO.	N C2.51L (C9-2)	DOUBLE SUPPORT, NEUTRAL ON CROSSARMS (LARGE CONDUCTORS)(C9-2)	EA	3
44	RUS NO.	N C2.52L (C2-2)	DOUBLE SUPPORT ON 10' CROSSARMS (LARGE CONDUCTORS)(C2-2)	EA	1
45	RUS NO.	N C6.52	DOUBLE DEADEND ON 10' CROSSARMS	EA	2
46	RUS NO.	N E1.1L (E1-3)	SINGLE DOWN GUY HEAVY DUTY (THROUGH BOLT TYPE)(E1-3)	EA	4
47	RUS NO.	N E1.5	GUY STRAIN INSULATOR	EA	4
48	RUS NO.	N E3-10	GUY MARKER, YELLOW	EA	2
49	RUS NO.	N TA-2H	POWER SCREW ANCHOR - DOUBLE HELIX (20,000#)	EA	2
50	RUS NO.	N H1.1 (M2-11)	GROUNDING ASSEMBLY - GROUND ROD TYPE(M2-11)	EA	4
51	RUS NO.	N K1.2 (K11C)	SERVICE ASSEMBLIES(K11C)	EA	3
52	RUS NO.	N M26-5S	SECURITY LIGHT - STREET	EA	1
53	RUS NO.	N UM5-2P	RISER, SECONDARY, CABLE TERMINAL POLE, 2 SCH 80 PVC"	EA	1
54	RUS NO.	N 2/0 ACSR	2/0 ACSR 6/1, QUAIL	LF	603
55	RUS NO.	N 336 ACSR	336.4 ACSR 18/1, MERLIN	LF	1808
56	RUS NO.	N 2 TPX	2 TPX, Conch	LF	396
57	RUS NO.	N UM50-P-2	CONDUIT, 2 SCH 40 PVC"	LF	30
58	RUS NO.	N UGTPX 2	CABLE, UG TPX, AL, 2 AWG, 4 AWG N., STEPHENS	LF	85

2

LINE NO.	SPEC.	PAY ITEM	ITEM DESCRIPTION	UNIT	QUANTITY
PEDESTRIAN FACILITIES					
59	MODOT	3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	SQYD	307
60	MODOT	6081010	CONCRETE CURB RAMP	SQYD	31
61	MODOT	6081012	TRUCATED DOMES	SQYD	80
62	MODOT	6086004	CONCRETE SIDEWALK , 4 IN.	SQYD	307
63	MODOT	6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	LF	49
SIGNALS/LIGHTING/SIGNING/STRIPING					
64	JSP	6161070	TUBULAR MARKER	EA	20
65	JSP	6169902	PRISMATIC CURB REFLECTOR	EA	98
66	MODOT	6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS	LF	1755
67	MODOT	6200015	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE	LF	60
68	MODOT	6200042	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN WHITE, YIELD LINE TRIANGLES	EA	20
69	MODOT	6205303B	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE	LF	2938
70	MODOT	6205309	TEMPORARY REMOVABLE MARKING TAPE, 24 IN., WHITE	LF	83
71	MODOT	6200018	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW	LF	90
72	MODOT	6209903A	4 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS	LF	1163
73	MODOT	6209903B	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 8 IN. WHITE	LF	39
74	MODOT	9031270A	2 IN. PSST POST -12 GA.	LF	459
75	MODOT	9031271A	DRIVEN POST ANCHOR FOR 2IN. PSST - 12GA.	EA	36
76	MODOT	9031280	2.5 IN. PSST POST -12 GA.	LF	89
77	MODOT	9031281A	DRIVEN POST ANCHOR FOR 2IN. PSST - 7GA.	EA	6
78	MODOT	9035004A	SH-FLAT SHEET	SF	322
79	MODOT	901-10.64	LIGHTING POLE, 45 FT., TYPE AT DESIGN 3	EA	5
80	MODOT	901-11.06	BRACKET ARM, 6 FT.	EA	5
81	MODOT	901-13.12	LUMINAIRE, LED-B	EA	5
82	MODOT	901-30.02	CONDUIT, 2 IN. RIGID, IN TRENCH	LF	420
83	MODOT	901-61.10	PULL BOX, PREFORMED CLASS 1	EA	7
84	MODOT	901-70.08	CABLE, 8 AWG 1 CONDUCTOR	LF	1510
85	MODOT	901-71.10	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	LF	540
86	MODOT	901-72.08	WIRE, 8 AWG, BARE NEUTRAL	LF	760
87	MODOT	901-82.45	POLE FOUNDATION (45 FT. MOUNTING HEIGHT)	EA	5
88	MODOT	901-99.02	POWER SUPPLY ASSEMBLY, TYPE-2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	EA	1
89	MODOT	902-72.00	CONDUIT, 2 IN., PUSHED	LF	280
90	DETAIL	902-91.00	BASE, CONCRETE	CY	2
91	DETAIL	902-99.02A	RRFB ASSEMBLY (2-SIDED)	EA	1
92	DETAIL	902-99.02B	RRFB ASSEMBLY (1-SIDED)	EA	2



DATE PREPARED
03/27/2025

ROUTE STATE
US 61 MO

DISTRICT SHEET NO.
SE 3

COUNTY
CAPE GIRARDEAU



JOB NO.
JSE0048

CONTRACT ID.

PROJECT NO.
STP - 3005 (003)

BRIDGE NO.

DATE	DESCRIPTION
2025/08/28	Addendum #2



US 61 &
DEERWOOD DRIVE

QUANTITIES

IF A SEAL IS PRESENT ON THIS SHEET, IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

ITEMIZED BID FORM

Route: U.S. 61 & Deerwood Drive Improvements
County: Cape Girardeau
Agency: City of Jackson
Project No.: STP-3005(003)

LINE NO.	PAYITEM	DESCRIPTION	UNIT	QUANTITY	UNIT COST	ITEM COST
ROADWAY						
1	2022010	REMOVAL OF IMPROVEMENTS	LS	1		
2	2071000	LINEAR GRADING CLASS 1	STA	6.2		
3	3040506	TYPE 5 AGGREGATE FOR BASE (6 IN. THICK)	SQYD	3311		
4	5021332	CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)	SQYD	2827		
5	6083006	6 IN. CONCRETE MEDIAN STRIP	SQYD	309		
6	6091041	CONCRETE GUTTER TYPE A	LF	51		
7	6091052	CURB AND GUTTER TYPE B	LF	1030		
8	6092021	INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A	LF	189		
9	6092031	CONCRETE CURB LOW PROFILE TYPE E	LF	295		
10	6096020	FURNISHING TYPE 2 ROCK DITCH LINER	CUYD	23		
11	6096042	PLACING TYPE 2 ROCK DITCH LINER	CUYD	23		
12	6169901	MISC. LUMP SUM TEMPORARY TRAFFIC CONTROL	LS	1		
13	6162000A	MISC. WORK ZONE TRAFFIC SIGNAL SYSTEM	LS	1		
14	6162002	TEMPORARY LONG-TERM RUMBLE STRIPS	EA	2		
15	6191000	PAVEMENT EDGE TREATMENT	LF	1660		
16	6181000	MOBILIZATION	LS	1		
17	6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	LS	1		
18	8061006	ALTERNATE DITCH CHECK	LF	20		
19	8061007A	CURB INLET CHECK	EA	10		
20	8061016	SEDIMENT REMOVAL	CUYD	12		
20A	8051000A	SEEDING - COOL SEASON GRASSES	ACRE	0.5		
					ROADWAY SUBTOTAL	
UTILITIES						
21	2031000	CLASS A EXCAVATION	CUYD	111		
22	6042010	ADJUSTING MANHOLE	EA	1		
23	6049902A	ADJUSTING WATER VALVE	EA	3		
24	6049902B	ADJUSTING WATER METER	EA	1		
25	6049902C	ADJUSTING PULL BOX	EA	1		
26	6214600A	FLOWABLE BACKFILL	CUYD	13		
27	6143010	MANHOLE FRAME AND COVER, TYPE 1-A	EA	2		
28	6141120	CURVED VANE GRATE AND FRAME	EA	4		
29	7261012	12 IN. PIPE GROUP A	LF	134		
30	7261015	15 IN. PIPE GROUP A	LF	128		
31	7261018	18 IN. PIPE GROUP A	LF	41		
32	7261024	24 IN. PIPE GROUP A	LF	449		
33	7309903	POLYVINYL CHLORIDE (PVC) SANITARY SEWER PIPE	LF	68		
34	7311022	PRECAST CONCRETE DROP INLET 2 FT X 2 FT	LF	11		
35	7311053	PRECAST CONCRETE DROP INLET 5 FT X 3 FT	LF	18		
36	7319903	PRECAST CONCRETE DROP INLET 7.5 FT X 3 FT	LF	5		
37	7321014A	18 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EA	1		
38	7320624A	24 IN. OR ALLOWED SUBSTITUTE GROUP A FLARED END SECTION	EA	2		
39	9019903	PVC CONDUIT 1 1/2 INCH	LF	153		
40	N 45-3W	POLE 45' CLASS 3 WOOD	EA	2		
41	N 50-2W	POLE 50' CLASS 2 WOOD	EA	2		
42	N A1.011L	SINGLE SUPPORT - PRIMARY (SADDLE PIN)	EA	1		
43	N C2.51L (C9-2)	DOUBLE SUPPORT, NEUTRAL ON CROSSARMS (LARGE CONDUCTORS)(C9-2)	EA	3		
44	N C2.52L (C2-2)	DOUBLE SUPPORT ON 10' CROSSARMS (LARGE CONDUCTORS)(C2-2)	EA	1		
45	N C6.52	DOUBLE DEADEND ON 10' CROSSARMS	EA	2		
46	N E1.1L (E1-3)	SINGLE DOWN GUY HEAVY DUTY (THROUGH BOLT TYPE)(E1-3)	EA	4		
47	N E1.5	GUY STRAIN INSULATOR	EA	4		
48	N E3-10	GUY MARKER, YELLOW	EA	2		
49	N TA-2H	POWER SCREW ANCHOR - DOUBLE HELIX (20,000#)	EA	2		
50	N H1.1 (M2-11)	GROUNDING ASSEMBLY - GROUND ROD TYPE(M2-11)	EA	4		
51	N K1.2 (K11C)	SERVICE ASSEMBLIES(K11C)	EA	3		
52	N M26-5S	SECURITY LIGHT - STREET	EA	1		
53	N UM5-2P	RISER, SECONDARY, CABLE TERMINAL POLE, 2 SCH 80 PVC"	EA	1		
54	N 2/O ACSR	2/O ACSR 6/1, QUAIL	LF	603		
55	N 336 ACSR	336.4 ACSR 18/1, MERLIN	LF	1808		
56	N 2 TPX	2 TPX, Conch	LF	396		
57	N UM50-P-2	CONDUIT, 2 SCH 40 PVC"	LF	30		
58	N UGTPX 2	CABLE, UG TPX, AL, 2 AWG, 4 AWG N., STEPHENS	LF	85		
					UTILITIES SUBTOTAL	
PEDESTRIAN FACILITIES						
59	3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	SQYD	307		
60	6081010	CONCRETE CURB RAMP	SQYD	31		
61	6081012	TRUCATED DOMES	SQYD	80		
62	6086004	CONCRETE SIDEWALK, 4 IN.	SQYD	307		
63	6091010	CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S	LF	49		
					DRAINAGE SUBTOTAL	

SIGNING/STRIPING/SIGNALS					
64	6161070	TUBULAR MARKER	EA	20	
65	6169902	PRISMATIC CURB REFLECTOR	EA	98	
66	6205901A	4 IN. YELLOW HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS	LF	1755	
67	6200015	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 30 IN. WHITE	LF	60	
68	6200042	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN WHITE, YIELD LINE TRIANGLES	EA	20	
69	6205303B	TEMPORARY REMOVABLE MARKING TAPE 4 IN., WHITE	LF	2938	
70	6205309	TEMPORARY REMOVABLE MARKING TAPE, 24 IN., WHITE	LF	83	
71	6200018	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 24 IN. YELLOW	LF	90	
72	6209903A	4 IN. WHITE HIGH BUILD WATERBORNE PAVEMENT MARKING PAINT, TYPE L BEADS	LF	1163	
73	6209903B	PREFORMED THERMOPLASTIC PAVEMENT MARKING, 8 IN. WHITE	LF	39	
74	9031270A	2 IN. PSST POST -12 GA.	LF	459	
75	9031271A	DRIVEN POST ANCHOR FOR 2IN. PSST - 12GA.	EA	36	
76	9031280	2.5 IN. PSST POST -12 GA.	LF	89	
77	9031281A	DRIVEN POST ANCHOR FOR 2IN. PSST - 7GA.	EA	6	
78	9035004A	SH-FLAT SHEET	SF	322	
79	901-10.64	LIGHTING POLE, 45 FT., TYPE AT DESIGN 3	EA	5	
80	901-11.06	BRACKET ARM, 6 FT.	EA	5	
81	901-13.12	LUMINAIRE, LED-B	EA	5	
82	901-30.02	CONDUIT, 2 IN. RIGID, IN TRENCH	LF	420	
83	901-61.10	PULL BOX, PREFORMED CLASS 1	EA	7	
84	901-70.08	CABLE, 8 AWG 1 CONDUCTOR	LF	1510	
85	901-71.10	CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET	LF	540	
86	901.72.08	WIRE, 8 AWG, BARE NEUTRAL	LF	760	
87	901-82.45	POLE FOUNDATION (45 FT. MOUNTING HEIGHT)	EA	5	
88	901-99.02	POWER SUPPLY ASSEMBLY, TYPE-2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS	EA	1	
89	902-72.00	CONDUIT, 2 IN., PUSHED	LF	280	
90	902-91.00	BASE, CONCRETE	CY	2	
91	902.99.02A	RRFB ASSEMBLY (2-SIDED)	EA	1	
92	902-99.02B	RRFB ASSEMBLY (1-SIDED)	EA	2	
				SIGNING/STRIPING/SIGNALS SUBTOTAL	
CONSTRUCTION TOTAL					