

THE POWERHOUSE AT UNION STATION ● 401 S. 18<sup>TH</sup> ST., STE. 400 ● SAINT LOUIS, MISSOURI 63103-2296

November 25, 2025

RE: Notice to Bidders

Project Name: Richardson Road at Old Lemay Ferry CMAQ-5445(609)

Addendum Number 01

This addendum is issued to provide responses to questions raised by prospective bidders, as well as to provide revisions to the Specifications.

All bidders are encouraged to carefully review and incorporate the information provided herein into their bid proposals:

## 1. Responses to questions:

## Question 1:

Can you confirm that the 7% DBE Goal is still required for this project?

## Response:

 Since the contract between the selected contractor and city was not signed prior to October 1st, when the new DBE Goal rule came into effect, the Construction DBE Goal will be set to 0%. All DBE requirements, Provisions, and Forms have been removed from the contract. See attached revised Notice to Contractors

## Question 2:


Just wondering how the time will work since the removal of trees can happen basically now (due to bats) but the closure of the road won't happen until the summer?

## Response:

The anticipated notice to proceed for this project will be on or around February 27, 2026. The City reserves the right to adjust this date as needed. See attached JSP Cover Page and JSP-P Anticipated Notice to Proceed.

The Contractor will need to prioritize tree removal to be completed in accordance with JSP-N: Tree Clearing Restriction.

Tree removal shall be conducted while maintaining all lanes open to traffic. The Contractor is responsible for providing the temporary traffic control necessary to perform the work safely. Additional signage and trim-line channelizers have been added to the quantities for traffic control. See attached revised Plans and Bid Form.





## 2. Revised Documents:

The following documents have been updated and should be included in your bid submission:

## **Revised Drawings/Plans:**

Revised drawings and plans have been included as part of this addendum. Bidders are advised to review these revised documents carefully and incorporate them into their bid submissions.

- C2A
- C2B.2

## **Revised Specifications:**

- Revised Notice to Contractors
- Revised Bid Form
- JSP Cover Page (Page JSP-1)
- JSP P Anticipated Notice to Proceed (Page JSP-23)

## 3. Conclusion:

Prospective bidders are advised to thoroughly review all documents, including this addendum, before submitting their bids. Failure to incorporate the clarifications and updated information into your bid submission may result in disqualification.

ADDENDUM NO. 1  (Please Sign and Include with Bid)  Addendum Received By:
(Signature of Authorized Representative)  Name:Title:
IPTINTPA NAMP OF AUTHORIZPA REDIPSENTATIVE)

	SUMMARY OF QUANTITIES									
LINE NO.	ITEM NUMBER	DESCRIPTION	UNIT	QUANTITY						
		ROADWAY ITEMS:								
001	2013000	CLEARING AND GRUBBING	ACRE	1						
002	2022010	REMOVAL OF IMPROVEMENTS	LS	1						
003	2031000	CLASS A EXCAVATION	CY	662						
004	2035500	EMBANKMENT IN PLACE	CY	451						
005	2036000	COMPACTING EMBANKMENT	CY	562						
006	2063300	CLASS 4 EXCAVATION	CY	372						
007	3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	SY	1243						
008	4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TON	125.9						
009	4013000	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BASE)	TON	545.1						
010	4071005	TACK COAT	GAL	59						
011	6096030A	FURNISHING TYPE 3 ROCK DITCH LINER	CY	164						
012	6096043	PLACING TYPE 3 ROCK DITCH LINER	CY	164						
013	6161005	CONSTRUCTION SIGNS	SF	260						
014	6161025	CHANNELIZER (TRIM-LINE)	EA	15						
015	6161030	TYPE III MOVEABLE BARRICADE	EA	***************************************						
016	6161098A	CHANGEABLE MESSAGE BOARD WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED, CONTRACTOR RETAINED	EA	2						
017	6181000	MOBILIZATION	LS	1						
018	6181020	ADDITIONAL MOBILIZATION FOR SEEDING	EA	4						
019	6240103A	PERMANENT EROSION CONTROL GEOTEXTILE	SY	197						
020	6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	LS	1						
021	7209906	WEATHERED REGIONAL LIMESTONE LEDGEROCK WING WALLS	CY	17						
022	7209907	WEATHERED REGIONAL LIMESTONE LEDGEROCK GRADE CONTROL STRUCTURE	CY	8						
023	7339903	PRECAST CONCRETE BOX CULVERT 10'W X 4'H	LF	121.00						
024	8025006	MULCHING	ACRE	0.5						
025	805200A	SEEDING - WARM SEASON GRASSES	ACRE	0.5						
026	8061005	ROCK DITCH CHECK	LF	40						
027	8061016	SEDIMENT REMOVAL	CY	5						
028	8061017	TEMPORARY SEEDING	ACRE	0.5						
029	8061019	SILT FENCE	LF	486						
030	8064128	TURF REINFORCEMENT MAT TYPE 1	SY	279						
		PAVEMENT MARKING, SIGNING, AND STRIPING ITEMS:								
031	6161010	RELOCATED SIGNS	SF	20						
032	6161047	TYPE 3 OBJECT MARKER	EA	1						
033	6200021	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW	EA	4						
034	6206000D	4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	958						
035	6206001D	4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	590						
036	6206124B	24 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	32						
037	9031280	2.5 IN. PSST POST - 12 GA.	LF	32						



# RICHARDSON ROAD IMPROVEMENTS CITY OF ARNOLD JEFFERSON COUNTY, MISSOURI

ADDENDUM 1

11/25/25

11/25/25

MUNICOLIS, MO 63103-2296

ANTITIES

QU

OF

SUMMARY

DATE: 05/30/2025

DESIGNED: DRAWN: CHECKED:

JOB NO. 2320200 FED. NO. CMAQ-5445(609)

SHEET NUMBER:

JWD RDA

				SEEDING			
ROAD	STATION	STATION	SEEDING - WARM SEASON GRASSES			TURF REINFORCEMENT MAT TYPE 1	REMARKS
			(ACRE)			(SY)	
RICHARDSON ROAD	100+00.00	103+13.95	0.5	0.5	0.5	279	
TOTALS			0.5	0.5	0.5	279	
USE			0.5	0.5	0.5	279	

		TI	EMPORAR	Y EROSION &	SEDIMENT CONTROL	<u> </u>	
STATION	STATION	LOCATION	SIDE	SILT FENCE (LF)	ROCK DITCH CHECK (LF)	SEDIMENT REMOVAL (CY)	REMARKS
100+00.00	101+01.99	RICHARDSON ROAD	LT	97.2		1.0	
101+39.80	102+42.13	RICHARDSON ROAD	LT	89.8	12	0.9	
100+00.00	101+44.71	RICHARDSON ROAD	RT		28		
102+18.91	103+09.47	RICHARDSON ROAD	RT	299.4		3.0	
		TOTAL		486	40	5	
		USE		486	40	5	

	PAVEMENT MARKING									
ROAD	STATION	STATION	4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	24 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW	REMARKS			
			LENGTH (LF)	LENGTH (LF)	LENGTH (LF)	EACH (EA)				
RICHARDSON ROAD	100+00.00	103+13.95	958	590	32	4	2 LEFT ARROWS, 2 RIGHT ARROWS			
		TOTALS	958	590	32	4				
		USE	958	590	32	4				

	SIGNS								
			RELOCATED	2.5 IN. PSST POST - 12 GA.	TYPE 3 OBJECT MARKER				
ROAD	STATION	SIDE	SIGNS			REMARKS			
			AREA (SF)	LENGTH (FT)	EACH (EA)				
RICHARDSON ROAD	102+12.10	LT	6	12		RELOCATED SPEED LIMIT AND POW SIGNS			
RICHARDSON ROAD	102+05.71	RT		8	1	OM3-R			
RICHARDSON ROAD	102+95.47	RT	14	12		RELOCATED STOP SIGN, CROSS TRAFFIC DOES NOT STOP, STREET SIGNS			
TOTALS			20	32					
USE			20	32					

RICHARDSON ROAD W020-1 48 X 30 10 4 40.0 ROAD WORK AHEAD							TRAFFIC CONTROL QU	JANTITIES			
RICHARDSON ROAD RICHARDSON ROA	LOCATION	SIGN	SI	ZE	QUANTITY	CONSTRUCTION SIGNS	DESCRIPTION	CHANNELIZER (TRIM-LINE)		WITHOUT COMMUNICATION INTERFACE, CONTRACTOR FURNISHED,	REMARKS
RICHARDSON ROAD W020-1 48 X 30 10 4 40.0 ROAD WORK AHEAD			AREA (IN)	AREA (SF)	EACH (EA)	AREA (SF)		EACH (EA)	EACH (EA)	EACH (EA)	
RICHARDSON ROAD W21-5	RICHARDSON ROAD							15	8	2	
RICHARDSON ROAD R48a 24 X 18 3 2 6.0 END DETOUR	RICHARDSON ROAD	W020-1	48 X 30	10	4	40.0	ROAD WORK AHEAD				
RICHARDSON ROAD ROAD	RICHARDSON ROAD	W21-5	48 X 30	10	4	40.0	SHOULDER WORK				
RICHARDSON ROAD W020-3 30 X 30 6.25 1 6.3 ROAD CLOSED 500 FT	RICHARDSON ROAD	R11-2	48 X 30	10	2	20.0	ROAD CLOSED				
RICHARDSON ROAD M04-8 24 X 12 2 16 32.0 DETOUR	RICHARDSON ROAD	R4-8a	24 X 18	3	2	6.0	END DETOUR				
RICHARDSON ROAD M3-3 24 X 12 2 5 10.0 SOUTH SICHARDSON ROAD M3-1 24 X 12 2 111 22.0 NORTH SICHARDSON ROAD M3-1 24 X 12 2 111 22.0 NORTH SICHARDSON ROAD M6-3 21 X 15 2.1875 8 17.5 STRAIGHT ARROW SICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 UP/LEFT ARROW SICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 LEFT ARROW SICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 LEFT ARROW SICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW SICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW SICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW SICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW SICHARDSON ROAD SICHA	RICHARDSON ROAD	W020-3	30 X 30	6.25	1	6.3	ROAD CLOSED 500 FT				
RICHARDSON ROAD M3-1 24 X 12 2 11 22.0 NORTH RICHARDSON ROAD M6-3 21 X 15 2.1875 8 17.5 STRAIGHT ARROW RICHARDSON ROAD M5-1L 21 X 15 2.1875 2 4.4 UP/LEFT ARROW RICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 LEFT ARROW RICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW RICHARDSON ROAD M5-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW RICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW RICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW RICHARDSON ROAD CUSTOM 54 X 30 11.25 1 11.3 RICHARDSON ROAD RICHARDSON ROAD CUSTOM 90 X 60 37.5 1 37.5 RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY  TOTAL 260 15 NORTH  NOR	RICHARDSON ROAD	M04-8	24 X 12	2	16	32.0	DETOUR				
RICHARDSON ROAD M6-3 21 X 15 2.1875 8 17.5 STRAIGHT ARROW	RICHARDSON ROAD	M3-3	24 X 12	2	5	10.0	SOUTH				
RICHARDSON ROAD M5-1L 21 X 15 2.1875 2 4.4 UP/LEFT ARROW RICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 LEFT ARROW RICHARDSON ROAD M5-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW RICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW RICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW RICHARDSON ROAD CUSTOM 54 X 30 11.25 1 11.3 RICHARDSON ROAD RICHARDSON ROAD CUSTOM 90 X 60 37.5 1 37.5 RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY RICHARDSON ROAD ROAD ROAD ROAD ROAD ROAD ROAD ROAD	RICHARDSON ROAD	M3-1	24 X 12	2	11	22.0	NORTH				
RICHARDSON ROAD M6-1L 21 X 15 2.1875 2 4.4 LEFT ARROW RICHARDSON ROAD M5-1R 21 X 15 2.1875 2 4.4 UP/RIGHT ARROW RICHARDSON ROAD M6-1R 21 X 15 2.1875 2 4.4 RIGHT ARROW RICHARDSON ROAD CUSTOM 54 X 30 11.25 1 11.3 RICHARDSON ROAD ROAD RICHARDSON ROAD CUSTOM 90 X 60 37.5 1 37.5 RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY RICHARDSON ROAD ROAD ROAD ROAD ROAD ROAD RICHARDSON ROAD ROAD ROAD ROAD ROAD ROAD ROAD ROAD	RICHARDSON ROAD	M6-3	21 X 15	2.1875	8	17.5	STRAIGHT ARROW				
RICHARDSON ROAD   M5-1R   21 X 15   2.1875   2   4.4   UP/RIGHT ARROW	RICHARDSON ROAD	M5-1L	21 X 15	2.1875	2	4.4	UP/LEFT ARROW				
RICHARDSON ROAD         M6-1R         21 X 15         2.1875         2         4.4         RIGHT ARROW         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY         STOTAL         RICHARDSON ROAD         STOTAL         RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY         STOTAL         RICHARDSON ROAD         RICHARDSON ROAD <td>RICHARDSON ROAD</td> <td>M6-1L</td> <td>21 X 15</td> <td>2.1875</td> <td>2</td> <td>4.4</td> <td>LEFT ARROW</td> <td></td> <td></td> <td></td> <td></td>	RICHARDSON ROAD	M6-1L	21 X 15	2.1875	2	4.4	LEFT ARROW				
RICHARDSON ROAD         CUSTOM         54 X 30         11.25         1         11.3         RICHARDSON ROAD           RICHARDSON ROAD         CUSTOM         90 X 60         37.5         1         37.5         RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY         Image: Custom of the properties of	RICHARDSON ROAD	M5-1R	21 X 15	2.1875	2	4.4	UP/RIGHT ARROW				
RICHARDSON ROAD CUSTOM 90 X 60 37.5 1 37.5 RICHARDSON ROAD CLOSED 3/4 MILES AHEAD NO ACCESS TO OLD LEMAY  TOTAL 260 15 8 2	RICHARDSON ROAD	M6-1R	21 X 15	2.1875	2	4.4	RIGHT ARROW				
RICHARDSON ROAD CUSTOM 90 X 60 37.5 1 37.5 MILES AHEAD NO ACCESS TO OLD LEMAY  TOTAL 260 15 8 2	RICHARDSON ROAD	CUSTOM	54 X 30	11.25	1	11.3	RICHARDSON ROAD				
	RICHARDSON ROAD	CUSTOM	90 X 60	37.5	1	37.5	MILES AHEAD NO ACCESS TO				
					TOTAL	260		15	8	2	
					USE	260		15	8	2	

HORNERSHERN, CONTESS EXPIRATION DATE: DECEMBER 31, 2026

EXPIRATION DATE: DECEMBER 31, 2026


FOR EXPIRATION DATE: SECRET SECRET

JANTITIES

Q

OF

## IMPROSON ROAD IMPROVEMENTS CITY OF ARNOLD FERSON COUNTY, MISSOURI



DATE: 05/30/2025

DESIGNED: JWD
DRAWN: JWD
CHECKED: RDA

JOB NO. 2320200 FED. NO. CMAQ-5445(609)

SHEET NUMBER:

C2B.2

May 30, 2025

ifrin.com\te\dms78560\2320200\_C2\_Quantities.dwg

## INVITATION TO BID – CITY OF ARNOLD, MISSOURI ROADWAY IMPROVEMENT PROJECT

## **Notice to Contractors**

Sealed bids for the <u>Richardson Road At Old Lemay Ferry Improvement Project—CMAQ-5445(609)</u>, will be received by the City Clerk, Arnold City Hall, 2101 Jeffco Blvd., Arnold, MO 63010, <u>until 10:00 AM</u>, on <u>December 3, 2025</u>. At said time and promptly thereafter, the bids will be publicly opened and read aloud. All bids shall be submitted in paper form.

The Scope of Work includes: The project includes the realignment of Richardson Road and the addition of a dedicated left-turn lane. In conjunction with these roadway improvements, a new precast concrete box culvert will be installed to replace the existing structure, the creek channel will be realigned, and a grade control structure installed. Pavement striping, traffic control, and other items are also included, as detailed in the Plans and Specifications.

Bid packages may be obtained from Drexel Technologies, 135A Weldon Parkway, Maryland Heights, MO 63043 / <a href="https://www.drexeltech.com/314-872-0900">https://www.drexeltech.com/314-872-0900</a>. A non- refundable fee will be charged.

All bidder questions must be received by 5:00 p.m. on Wednesday November 26, 2025. Any questions received after this time cannot be answered. Addenda will only be sent to plan holder and plan rooms.

All labor used in the construction of this public improvement shall be paid a wage no less than the prevailing hourly rate of wages of work of a similar character in this locality as established by the Department of Labor and Industrial Relations (Federal Wage Rate), or state wage rate, whichever is higher.

A bid security in the amount of five percent (5%) of the bid amount must accompany each bid, in accordance with the Bidders Checklist and Notice to Contractors.

The City of Arnold hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, businesses owned and controlled by socially and economically disadvantaged individuals will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry, or national origin in consideration for an award.

All bidders must be on MoDOT's Qualified Contractor List per Section 102.2 of the Missouri Standard Specifications for Highway Construction, 2024 Edition (<a href="https://www.modot.org/missouri-standard-specifications-highway-construction">https://www.modot.org/missouri-standard-specifications-highway-construction</a>) including all revisions. The contractor questionnaire must be on file 7 days prior to bid opening.

Contractors and sub-contractors who sign a contract to work on public works project provide a 10-Hour OSHA construction safety program, or similar program approved by the Department of Labor and Industrial Relations, to be completed by their on-site employees within sixty (60) days of beginning work on the construction project.

The DBE goal for this project is **0**%. There is no On the Job Trainee goal.

No 2<sup>nd</sup> tier subcontracting will be allowed on this project.

The City of Arnold reserves the right to reject any or all bids. The project will be awarded to the lowest, responsive, responsible bidder.

CMAQ-5445(609)

**ITEMIZED BID:** The bidder should complete the following section in accordance with Sec 102.7. The bidder proposes to furnish all labor, materials, equipment, services, etc. required for the performance and completion of the work, as follows:

### RICHARDSON ROAD AT OLD LEMAY FERRY IMPROVEMENT PROJECT - CMAQ-5445(609) **BID FORM** Item **Estimated** Line No. Description Unit **Unit Price** Total Quantity Number ROADWAY ITEMS: 001 2013000 CLEARING AND GRUBBING **ACRE** 1 2022010 REMOVAL OF IMPROVEMENTS LS 002 1 003 2031000 **CLASS A EXCAVATION** CY 662 2035500 EMBANKMENT IN PLACE 004 CY 451 2036000 005 COMPACTING EMBANKMENT CY 562 2063300 006 **CLASS 4 EXCAVATION** CY 372 007 3040504 TYPE 5 AGGREGATE FOR BASE (4 IN. THICK) 1243 SY 800 4011209 BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1) TON 125.9 4013000 BITUMINOUS PAVEMENT MIXTURE PG64-22, (BASE) TON 009 545.1 010 4071005 TACK COAT GAL 011 6096030A FURNISHING TYPE 3 ROCK DITCH LINER CY 164 6096043 012 PLACING TYPE 3 ROCK DITCH LINER CY 164 013 6161005 CONSTRUCTION SIGNS SF 260 014 6161025 CHANNELIZER (TRIM-LINE) EΑ 15 TYPE III MOVEABLE BARRICADE 015 6161030 EΑ 8 CHANGEABLE MESSAGE BOARD WITHOUT COMMUNICATION INTERFACE, CONTRACTOR 6161098A 016 EΑ 2 FURNISHED, CONTRACTOR RETAINED 017 6181000 MOBILIZATION LS 6181020 018 ADDITIONAL MOBILIZATION FOR SEEDING EΑ 019 6240103A PERMANENT EROSION CONTROL GEOTEXTILE SY 197 6274000 020 CONTRACTOR FURNISHED SURVEYING AND STAKING LS 1 WEATHERED REGIONAL LIMESTONE LEDGEROCK WING 021 7209906 CY 17 WALLS WEATHERED REGIONAL LIMESTONE LEDGEROCK GRADE 022 7209907 CY 8 CONTROL STRUCTURE 023 7339903 PRECAST CONCRETE BOX CULVERT 10'W X 4'H LF 121

ACRE

0.5

024

8025006


MULCHING

Line No.	Item Number	Description	Unit	Estimated Quantity	Unit Price	Total
025	805200A	SEEDING - WARM SEASON GRASSES	ACRE	0.5		
026	8061005	ROCK DITCH CHECK	LF	40		
027	8061016	SEDIMENT REMOVAL	CY	5		
028	8061017	TEMPORARY SEEDING	ACRE	0.5		
029	8061019	SILT FENCE	LF	486		
030	8064128	TURF REINFORCEMENT MAT TYPE 1	SY	279		
	T			T		
		PAVEMENT MARKING, SIGNING, AND STRIPING ITEMS:				
031	6161010	RELOCATED SIGNS	SF	20		
032	6161047	TYPE 3 OBJECT MARKER	EA	1		
033	6200021	PREFORMED THERMOPLASTIC PAVEMENT MARKING, LEFT/RIGHT ARROW	EA	4		
034	6206000D	4 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	958		
035	6206001D	4 IN. YELLOW CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	590		
036	6206124B	24 IN. WHITE CLASS 1 PAVEMENT MARKING PAINT (18-MIL, TYPE P BEADS)	LF	32		
037	9031280					
					TOTAL BID	

## JOB SPECIAL PROVISIONS TABLE OF CONTENTS

(Job Special Provisions shall prevail over General Special Provisions whenever in conflict therewith.)

Α.	General - Federal JSP-09-02L	1
B.	Emergency Provisions and Incident Management JSP-90-11A	1
C.	Project Contact for Contractor/Bidder Questions JSP-96-05	2
D.	Utilities LPA-15-13A	2
E.	Work Zone Traffic Management JSP-02-06A	4
F.	Liquidated Damages Specified for Road Closure JSP-93-28A	6
G.	Saw Cuts	6
H.	Traffic Control (During Construction)	7
I.	<b>Procedures For Environmental Clearance Of Borrow Sites And Other Disturbed</b>	
	Areas Outside Right Of Way	7
J.	Weathered Regional Limestone Ledgerock Wing Walls	11
K.	Weathered Regional Limestone Ledgerock Grade Control Structure	12
L.	Precast Concrete Box Culvert 10'W X 4'H	13
М.	Contractor Quality Control NJSP-15-42	14
N.	Tree Clearing Restriction JSP-07-05C	16
O. P.	Supplemental Revisions JSP-18-01KK	16 23
P. `	Anticipated Notice to Proceed	23
بببي		حدد



## Arnold, MO Richardson Road at Old Lemay Ferry Improvement Project

## Horner & Shifrin, Inc.

401 S. 18<sup>th</sup> St. St. Louis, MO 63103 314-531-4321 Certificate of Authority #000159

If a seal is present on this sheet, JSP's have been electronically sealed and dated.

Arnold, MO Project No. CMAQ-5545(609) Date Prepared: 11/4/2025

ADDENDUM DATE:11/25/2025

Only the following items of the Job Special Provisions are authenticated by this seal: All

CMAQ-5445(609) JSP-1

## P. <u>Anticipated Notice to Proceed</u>

**1.0 Description.** The anticipated notice to proceed for this project will be on or around February 27, 2026. The City reserves the right to adjust this date as needed. The Contractor will need to prioritize tree removal to be completed in accordance with JSP-N: Tree Clearing Restriction.

The Contractor shall have all necessary erosion control devices in place at completion of tree clearing.

2.0 Basis of Payment. No direct payment will be made for any labor, equipment, time, or materials required to comply with this provision. All costs necessary to fulfill the requirements of this JSP shall be considered incidental to the contract, except where payment for specific items is explicitly provided elsewhere in the contract.