



February 12, 2026

**ADDENDUM NO. 1**

Notice to All Persons and Firms Proposing  
to Submit a Bid or Furnish Materials for  
Laclede Station Road Resurfacing – Watson to Weil  
St. Louis County Project No. AR-1838  
Federal Project No. STP-4901(651)

The construction contract for this project has been revised as follows:

**No. 1**

**Replace** Plan Sheets 2 and 4 with the attached sheets **2A** and **4A**.

Please note that Item Nos. 621-10.10, 621-20.11, and 621-20.15 have been deleted.

**No. 2**

**Revised** Itemized Bid Sheet 3 of 10 with the attached Bid Sheet **3A** of 10.

Please note that Item Nos. 621-10.10, 621-20.11, and 621-20.15 have been deleted.

**No. 3**

**Include** the attached Job Special Provision 900.10.1 “Final Striping”.

**REVISED ITEMIZED BID SHEET NO. 3A OF 10 IS ATTACHED AND REFLECTS THE  
CHANGES NOTED IN ITEM NO. 2 ABOVE. FAILURE TO SUBSTITUTE THE  
ITEMIZED BID SHEETS MAY RESULT IN REJECTION OF THE BID.**

Laclede Station Road Resurfacing – Watson to Weil  
St. Louis County Project No. AR-1838  
Federal Project No. STP-4901(651)  
Addendum No. 1  
Page 2

**ATTENTION BIDDERS: THE ADDENDUM ACKNOWLEDGEMENT IN THE BID DOCUMENTS MUST BE COMPLETED AND SUBMITTED WITH ALL BID PROPOSALS.**

Regards,

A handwritten signature in blue ink, appearing to read "Jill Allen".

Jill Allen  
Contract Administrator, Department of Transportation and Public Works  
1050 North Lindbergh Boulevard  
Creve Coeur, MO 63132

### **900.10.1 FINAL STRIPING**

Final striping will be the responsibility of St. Louis County. The Contractor shall notify St. Louis County Traffic Operations at (314) 615-0233 a minimum of two (2) working days in advance so the work can be scheduled.


The Contractor shall have an adequate work force on the project site to move, replace, and/or remove any traffic control and/or lane markings as may be necessary for the final striping. All costs for this work shall be included in the contract lump sum price for 202-20.10 "Removal of Improvements".

**ITEMIZED BID  
 BID OPTION 1 OF 1**

**FEDERAL PROJECT NO. STP-4901(651)  
 COUNTY PROJECT NO. AR-1838**

ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
<b>ROADWAY ITEMS</b>					
612-60.92	Arrow Panel, Type "B" (Noiseless), Rental	EACH	2		
612-70.20	Changeable Message Board (Noiseless), Rental	EACH	2		
619-00.00	Mobilization	L.S.	1		
<del>621-20.10</del>	<del>Permanent Yellow Pavement Striping, Paint</del>	<del>L.F.</del>	<del>17190</del>		
<del>621-20.11</del>	<del>Permanent White Pavement Striping, Paint</del>	<del>L.F.</del>	<del>30730</del>		
<del>621-20.15</del>	<del>Permanent Pavement Marking Arrows, Paint</del>	<del>EACH</del>	<del>37</del>		
803-20.00	Strip Sodding	S.Y.	738		
806-00.00	Erosion Control Measures (Sites less than 1 acre)	L.S.	1		
806-45.00	Inlet Protection	L.S.	1		

Item Nos. 621-20.10,  
 621-20.11, and 621-20.15 are  
 deleted per Addendum No. 1



SUB-TOTALS	TOTAL	UNIT	ITEM NO.	DESCRIPTION	REMARKS
<b>ROADWAY ITEMS</b>					
1	1	LS	201-20.11	CLEARING VEGETATION FROM PEDESTRAIN ACCESS ROUTE	NOT SHOWN ON SCHEDULE OF QUANTITIES
1	1	LS	202-20.10	REMOVAL OF IMPROVEMENTS	NOT SHOWN ON SCHEDULE OF QUANTITIES
1217	1217	LF	202-22.95	SAWCUT (ANY DEPTH/MATERIAL)	ANY ADDITIONAL SAWCUTTING REQUIRED TO PROPERLY CONSTRUCT THE PROJECT CONSIDERED SUBSIDIARY TO THIS BID ITEM.
1	1	LS	203-10.30	LAND DISTURBANCE PERMITS	
322	322	SY	205-00.00	MODIFIED SUBGRADE (12" DEPTH)	NOT SHOWN ON SCHEDULE OF QUANTITIES. QUANTITY IS AN ASSUMPTION. ACTUAL QUANTITY TO BE VERIFIED IN THE FIELD BY THE ONSITE ENGINEER.
286.8	286.8	SY	304-05.04	TYPE 5 AGGREGATE BASE (4" THICK)	
6750.5	7088.0	TON	404-12.71	SUPERPAVE ASPHALTIC CONCRETE MIXTURE SP125 (PG70-22)CLP	INCLUDES 5% CONTINGENCY (2" LIFT)
3222.6	3383.7	SY	405-30.26	ASPHALT BASE REPAIR, (FULL DEPTH)	INCLUDES 5% CONTINGENCY
8830	9280	GAL	407-10.27	TACK-EMULSIFIED ASPHALT (55-1H)	INCLUDES 5% CONTINGENCY
58802	61742	SY	412-10.02	PAVEMENT SURFACING AND TEXTURING (0" TO 2" )(CONCRETE OR ASPHALT)	INCLUDES 5% CONTINGENCY
2	2	EACH	604-17.10	ADJUST SANITARY SEWER CLEANOUT TO GRADE	
2	2	EACH	604-20.26	ADJUST GRATE INLET TO GRADE	
33	33	EACH	604-20.34	ADJUSTING MANHOLE TO GRADE, RISER RING	
19	19	EACH	604-90.40	ADJUST INLET STONE TO GRADE	
22	22	EACH	604-90.50	REPLACE PRECAST INLET STONE AND ADJUST TO GRADE	
47.1	47.1	SY	608-15.20	CONCRETE ISLAND (MONOLITHIC)	
98.3	98.3	SY	608-50.96	REMOVE AND REPLACE PAVED DRIVEWAY APPROACH (6" THICK)	
1308	1308	LF	609-10.93	REMOVE AND REPLACE CURB AND GUTTER (VARIOUS WIDTHS), VERTICAL/MOUNTABLE	
1	1	LS	619-00.00	MOBILIZATION	NOT SHOWN ON SCHEDULE OF QUANTITIES
<del>17,190</del>	<del>17,190</del>	<del>LF</del>	<del>621-20.10</del>	<del>PERMANENT YELLOW PAVEMENT STRIPING, PAINT</del>	
<del>30,730</del>	<del>30,730</del>	<del>LF</del>	<del>621-20.11</del>	<del>PERMANENT WHITE PAVEMENT STRIPING, PAINT</del>	
<del>37</del>	<del>37</del>	<del>EACH</del>	<del>621-20.15</del>	<del>PERMANENT PAVEMENT MARKING ARROWS, PAINT</del>	
671	738	SY	803-20.00	STRIP SODDING	INCLUDES 10% CONTINGENCY
1	1	LS	806-00.00	EROSION CONTROL MEASURES (SITES LESS THAN 1 ACRE)	
1	1	LS	806-45.00	INLET PROTECTION	
<b>TRAFFIC CONTROL</b>					
1	1	LS	612-30.10	STANDARD TRAFFIC CONTROL DEVICES	
2	2	EACH	612-70.20	CHANGEABLE MESSAGE BOARD (NOISELESS), RENTAL	
2	2	EACH	612-60.92	ARROW PANEL, TYPE "B" (NOISELESS), RENTAL	
<b>PEDESTRIAN AND BICYCLE ITEMS</b>					
44.5	44.5	SY	608-60.06	CONCRETE SIDEWALK (6" THICK)	NOT SHOWN ON SCHEDULE OF QUANTITIES
63	63	EACH	608-60.93	REMOVE AND REPLACE CONCRETE CURB RAMP	INCLUDES SAWCUTTING, TRUNCATED DOMES, TYPE 5 AGGREGATE BASE, AND SEGMENTAL TRANSITION. (IF NECESSARY)
166.8	166.8	SY	608-60.94	REMOVE AND REPLACE CONCRETE SIDEWALK (4" THICK)	INCLUDES SAWCUTTING
20	20	EACH	412-20.00	SIDEWALK GRINDING	
<b>TRAFFIC SIGNAL ITEMS</b>					
1	1	EACH	902-32.55	POST, TYPE C, 55 FT. ARM	
3.2	3.2	CY	902-91.00	BASE, CONC.	
2	2	EACH	904-02.13	SIGNAL HEAD, TYPE 3S	
2	2	EACH	904-02.14	SIGNAL HEAD, TYPE 4S	
8	8	EACH	904-05.43	SIGNAL HEAD, TYPE 3B, TERMINAL COMPARTMENT, AND ASTRO BRACKET MOUNTING	
2	2	EACH	904-05.44	SIGNAL HEAD, TYPE 4B, TERMINAL COMPARTMENT, AND ASTRO BRACKET MOUNTING	
14	14	EACH	904-24.01	SIGNAL HEAD, TYPE 1S, PEDESTRIAN	
6	6	EACH	904-28.07	POST, SIGNAL, W/ SQ. PEDESTAL BASE AND POST CAP, 7" MAXIMUM TOTAL HEIGHT, ALUMINUM	
1	1	EACH	904-29.08	8" CAMERA MOUNTING ASSEMBLY, ASTRO BRACKET AND MOUNTING HARDWARE	
1	1	EACH	904-29.14	POST, EXTENSION, 4-1/2" O.D. x 14', ALUMINUM, W/ MOUNTING HARDWARE AND POST CAP	
1	1	EACH	904-32.22	19' POLE, W/22' MAST ARM, STEEL	
1	1	EACH	904-32.24	19' POLE, W/24' MAST ARM, STEEL	
1	1	EACH	904-32.40	19' POLE, W/40' MAST ARM, STEEL	
1	1	EACH	904-43.88	CONTROLLER, FULLY ACTUATED, (8 PHASE TIMER, IN ALUMINUM CABINET APPROX. 55"H X 44"W X 26"D, WIRED FOR 8 PHASE OPERATION) W/INTERNAL FIBER OPTIC MODEM AND TERMINATION HOUSING, TS2, TYPE 2, w/BATTERY BACKUP	
14	14	EACH	904-49.22	DETECTOR, PEDESTRIAN PUSH BUTTON, APS, FREEZEPROOF	
6	6	EACH	904-49.35	DETECTOR, VEHICLE INDUCTION LOOP, CARD RACK MTG., 2 CHANNEL, w/DELAY AND EXTENSION TIMING AND RELAY OUTPUTS	
1	1	EACH	904-49.50	PAN TILT ZOOM (PTZ) INTERNET PROTOCOL VIDEO SURVEILLANCE CAMERA SYSTEM (CAMERA W/ BRACKET)	
290	290	LF	904-51.00	CONDUIT, 1"	
81	81	LF	904-52.00	CONDUIT, 2"	
432	432	LF	904-54.00	CONDUIT, 4"	
350	350	LF	904-82.06	CABLE, POWER, #6 GAUGE, 1 CONDUCTOR	
1310	1310	LF	904-83.05	CABLE, SIGNAL, #14 GAUGE, 5 CONDUCTOR	
2560	2560	LF	904-83.07	CABLE, SIGNAL, #14 GAUGE, 7 CONDUCTOR	
170	170	LF	904-84.00	WIRE, STRANDED GROUND, #6 GAUGE	
400	400	LF	904-85.05	CABLE, DETECTOR LOOP, #14 GAUGE, 1 CONDUCTOR, W/TUBE JACKET (IN CONDUIT AND PULL BOXES)	
6130	6130	LF	904-85.06	CABLE, DETECTOR LOOP, #14 GAUGE, 1 CONDUCTOR, W/TUBE JACKET (IN SAWED SLOT)	
5380	5380	LF	904-85.18	CABLE, PUSH BUTTON AND/OR DETECTOR LOOP LEAD-IN, #18 GAUGE, 2 CONDUCTOR (SHIELDED)	
288	288	LF	904-85.34	CABLE, COMMUNICATION, #18 GAUGE, 4 CONDUCTOR (APS)	
110	110	LF	904-85.81	CABLE, COMMUNICATION, POWER, POWER OVER ETHERNET, #24 GAUGE, 4 PAIR (SHIELDED)	
1	1	EACH	904-86.01	POWER SUPPLY ASSEMBLY, ON WOOD UTILITY POLE, 120/240 VOLT	
3	3	EACH	904-88.01	PULL BOX, SINGLE, CONCRETE	
2	2	EACH	904-88.02	PULL BOX, DOUBLE, CONCRETE	
1	1	EACH	904-90.17	PREFORMED PULL BOX, (17"W x 30"L x 26" MIN. H) REINFORCED POLYMER CONCRETE W/ 1" CONCRETE APRON	
6	6	EACH	904-91.43	BASE, TYPE P-3, CONCRETE	
2	2	EACH	904-91.56	BASE, TYPE B-6, CONCRETE	
1	1	EACH	904-91.59	BASE, TYPE B-9, CONCRETE	
1	1	EACH	904-91.88	BASE, TYPE D-8PH, CONCRETE	
1	1	EACH	904-93.21	ROADSIDE UNIT	
16	16	EACH	904-95.10	OPENING DRILLED IN EXISTING CONCRETE PULL BOX	
3	3	EACH	904-95.20	REMOVAL OF CONCRETE SINGLE PULL BOX	
2	2	EACH	904-95.21	REMOVAL OF CONCRETE DOUBLE PULL BOX	
1	1	EACH	904-96.18	REMOVAL OF CONCRETE CONTROLLER BASE (FULL DEPTH)	
3	3	EACH	904-96.15	REMOVAL OF CONCRETE BASE, TYPE P, C, E, (FULL DEPTH)	
2	2	EACH	904-96.16	REMOVAL OF CONCRETE BASE, TYPE A, B, F, (FULL DEPTH, UNDER 3.0 CUBIC YARDS)	
2	2	EACH	904-97.20	REMOVAL OF SIGNAL EQUIPMENT (INTERSECTION)	
826	826	LF	904-98.81	RELOCATION OF EXISTING INTERCONNECT CABLE	
12	12	EACH	904-99.09	FIBER-OPTIC TERMINATION	
24	24	EACH	904-99.10	FIBER-OPTIC FUSION SPLICES	

Item Nos. 621-20.10, 621-20.11, and 621-20.15 are deleted per Addendum No. 1

COUNTY PROJECT NO. <b>AR-1838</b>
FEDERAL PROJECT NO. STP-490(651)
E-W GATEWAY TIP NO. 7196F-23
MSD: 23MSD-00410
MSD BASE MAP: 23K2, 23K3, 24K2, 24K3
REVISIONS
REV. DATE BY APP.

DISCLAIMER OF LIABILITY  
 I hereby specify that the documents intended to be limited to the project and I hereby disclaim any responsibility for all other documents or instruments relating to or intended to be engineering project or survey.



DATE: 10/15/2025



LACLEDE STATION  
 ROAD RESURFACING  
 WATSON TO WELL  
 SUMMARY OF QUANTITIES  
 SHEET 1 OF 1

DESIGNED: H. SULLENS
DRAWN: H. SULLENS
CHECKED: M. GRAVIETT
SHEET SEQUENCE: <b>2A OF 65</b>

