



February 28, 2025

To: Plan Holders for Improvements to the
Creve Coeur Airport
St. Louis, Missouri
MoDOT Project No. 25-113P-1

Transmitted herewith is **Addendum No. 4** to the Issued for Bid Contract Documents, Specifications and Plans dated January 30, 2025 for Improvements to the Creve Coeur Airport.

Schedule I
Reconstruct TWY A (TWY A2 to A3)

Schedule II
Rehabilitate RWY, TWY, and Apron (Airfield Marking Maintenance)


Schedule III
Rehabilitate RWY 16/34 (Pavement Joint Maintenance)

Sincerely,

Woolpert, Inc.

A handwritten signature in blue ink, appearing to read 'R. Gerdeman III', written over the printed name.

Richard F. Gerdeman III, P.E.
Project Manager



Woolpert, Inc.
931 Wildwood Drive, Suite 101
Jefferson City, MO 65109
+1 303.524.3030

**ADDENDUM NO. 4
TO
PROJECT MANUAL, SPECIFICATIONS AND PLANS
FOR IMPROVEMENTS TO THE
CREVE COEUR AIRPORT
ST. LOUIS, MISSOURI
MODOT PROJECT NO. 25-113P-1**

To All Bidders: You are requested to make all changes and/or additions contained in this addendum to the Bidding Documents. Failure to acknowledge this Addendum in Proposal shall result in rejection of bid. Bidders are informed that the above referenced Project Manual, Specifications and Plans are modified as follows as of February 28, 2025:

1. PROJECT MANUAL/SPECIFICATIONS

Project Manual. Part 2: Bidding Documents

Revision: The Bid Bond/Security form has been updated.

Justification: The Bid Bond/Security form has been updated to show 2025 as the year associated with the various fields to be filled in by the Contractor.

2. PLANS

No Updates

3. QUESTIONS

Question: After reviewing the specs regarding the concrete placement, I wanted to confirm the option to use fix form concrete placement is an acceptable method. We plan to set fix forms with the use of a vibra strike and hand finish since this is a small qty job. Wanted to just make sure a slip form paving machine is not 100% required.

Answer: In accordance with Section 501-4.2b.(2) Fixed-form of the P-501 specification, concrete pavement can be placed with equipment specifically designed for placement and finishing using stationary side forms since the project requires less than 10,000 cubic yards of concrete pavement. However, the methods and equipment to be used shall be reviewed and accepted by the RPR prior to concrete placement. Hand screeding and float finishing may only be used on small irregular areas as allowed by the RPR. All methods and equipment to be used for concrete placement shall meet the requirements set forth in the P-501 specification. This includes, but is not limited to, vibrators, concrete placement, consolidation, finishing, and curing.

**** END OF ADDENDUM NO. 4 ***



BID BOND/SECURITY

KNOW ALL MEN BY THESE PRESENTS, that _____

as Principal, hereinafter called Contractor, and _____,

licensed to do business as such in the State of Missouri, as Surety, hereby bind themselves and their respective heirs, executors, administrators, successors, and assigns, unto Sponsor, State, as Obligee, in the penal sum of

_____ Dollars

(\$ _____)

for the payment whereof Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, by these presents.

WHEREAS,

The Contractor has submitted to the Obligee, a contract bid dated the _____ day of _____, 2025 for the following contract:

Creve Coeur Airport
St. Louis, Missouri
MoDOT Project No. 25-113P-1
Pavement Maintenance

NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that, if the Contractor bid is accepted by the Obligee and the Contractor is awarded the contract in whole or in part, the Contractor shall enter into the Contract with the Obligee in accordance with the terms of such bid, give such Payment and Performance Bonds as may be specified in the Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and materials furnished in the prosecution thereof, or in the event of failure of the Contractor to enter such Contract and give such bond or bonds, if the Contractor shall promptly pay the Obligee the amount of this bond as set forth herein above, then the obligation shall be null and void, otherwise this obligation will remain in full force and effect.



IN WITNESS WHEREOF, the above parties have executed this instrument, the ____ day of _____, 2025.

SIGNATURE OF PRINCIPAL (as applicable)

A. Individual, partnership or joint venture:
partner)

(Signature of sole proprietor or general

B. Corporation

Name of Corporate Principal

Attest: _____
Secretary (affix seal)

By

SIGNATURE OF SURETY

Name and address of Corporate Surety

By

(seal)

Attorney in Fact (attach power of attorney)

ACCEPTANCE BY

The foregoing bond is approved.

Date: _____

By:

The foregoing bond is in due form according to law and is approved.

Date: _____

By:
