



MoDOT/MSHP Medical and Life Insurance Plan

2020 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 08/27/2019. For more recent information or other questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <https://www.modot.org/medicare>.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means MoDOT/MSHP Medical and Life Insurance Plan. When it refers to “plan” or “our plan,” it means MoDOT/MSHP Medical and Life Insurance Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of January 01, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on February 1, 2020, and from time to time during the year.

What is the MoDOT/MSHP Medical and Life Insurance Plan Formulary?

A formulary is a list of covered drugs selected by MoDOT/MSHP Medical and Life Insurance Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MoDOT/MSHP Medical and Life Insurance Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MoDOT/MSHP Medical and Life Insurance Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change

becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan’s Formulary?”

The enclosed formulary is current as of 08/27/2019. To get updated information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

MoDOT/MSHP Medical and Life Insurance Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MoDOT/MSHP Medical and Life Insurance Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescriptions. If you don't get approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that MoDOT/MSHP Medical and Life Insurance Plan will cover. For example, MoDOT/MSHP Medical and Life Insurance Plan provides 30 tablets per prescription for Zolpidem. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, MoDOT/MSHP Medical and Life Insurance Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MoDOT/MSHP Medical and Life Insurance Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MoDOT/MSHP Medical and Life Insurance Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan's formulary?" on page 6 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MoDOT/MSHP Medical and Life Insurance Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MoDOT/MSHP Medical and Life Insurance Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MoDOT/MSHP Medical and Life Insurance Plan.
- You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan's Formulary?

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MoDOT/MSHP Medical and Life Insurance Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Note: Members with levels-of-care changes may contact MedImpact Customer Service (844) 513-6006 (or have their doctor or prescriber contact us) to request transitional supplies of medication during their transitions of care. MoDOT/MSHP Medical and Life Insurance Plan will not supply a transition fill for any drugs that are not Part D-approved drugs.

For more information

For more detailed information about your MoDOT/MSHP Medical and Life Insurance Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

MoDOT/MSHP Medical and Life Insurance Plan's Formulary

The formulary below provides coverage information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LOPRESSOR) and generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*).

The information in the Requirements/Limits column tells you if MoDOT/MSHP Medical and Life Insurance Plan has any special requirements for coverage of your drug.

Formulary Key

The first column of the drug list contains the drug name:

Brand name drugs are Capitalized (e.g., LOPRESSOR)

Generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*)

The second column shows the drug coverage tier. Each tier is described below.

Tier 1 = Generics. These drugs offer the most cost savings.

Tier 2 = Brand Name drugs with no generic equivalent. These drugs offer the most cost savings among brand-name drugs.

Tier 3 = Brand Name drugs with a generic equivalent. These drugs cost more because less expensive alternatives may exist.

A drug may display one or more of the following abbreviations:

Symbol	Definition
PA	Prior Authorization. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
PA BvD	Prior Authorization (PA) is required for Part B versus Part D Determinations (BvD). This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
PA NSO	Prior Authorization (PA) is required for New Starts Only (NSO). If this medication is new for you, you (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
QL	Quantity Limit Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
ST	Step Therapy Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
LA	Limited Access Drug. Due to limited manufacturers, this medication may be only available through limited pharmacies. See the <i>Pharmacy Directory</i> or call MedImpact Customer Service (844) 513-6006.
NM	Non-Mail Order. Drugs marked “NM” cannot be filled by mail order, though are available at retail/local pharmacies.
GC	Gap Coverage. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

The right-hand column of the Requirements/Limits section includes information about dosage forms (such as tablet, capsule, or spray) or dosage strengths.

- If no information is displayed in this column, it means that all dosage forms and strengths are covered on the same drug tier.
- If information is displayed, it means that only those dosage forms
- Strengths are covered on that tier.

Table of Contents

Analgesics.....	3
Anesthetics.....	14
Anti-Addiction/Substance Abuse Treatment Agents.....	15
Antianxiety Agents.....	17
Antibacterials.....	19
Anticancer Agents.....	32
Anticholinergic Agents.....	48
Anticonvulsants.....	48
Antidementia Agents.....	56
Antidepressants.....	57
Antidiabetic Agents.....	62
Antifungals.....	71
Antigout Agents.....	75
Antihistamines.....	75
Anti-Infectives (Skin And Mucous Membrane).....	76
Antimigraine Agents.....	77
Antimycobacterials.....	79
Antinausea Agents.....	80
Antiparasite Agents.....	82
Antiparkinsonian Agents.....	84
Antipsychotic Agents.....	86
Antivirals (Systemic).....	92
Blood Products/Modifiers/Volume Expanders.....	100
Caloric Agents.....	106
Cardiovascular Agents.....	109
Central Nervous System Agents.....	129
Contraceptives.....	136
Dental And Oral Agents.....	144
Dermatological Agents.....	145
Devices.....	155
Enzyme Replacement/Modifiers.....	156
Eye, Ear, Nose, Throat Agents.....	158
Gastrointestinal Agents.....	165
Genitourinary Agents.....	172
Heavy Metal Antagonists.....	174
Hormonal Agents, Stimulant/Replacement/Modifying.....	175

Immunological Agents.....	187
Inflammatory Bowel Disease Agents.....	199
Irrigating Solutions.....	200
Metabolic Bone Disease Agents.....	201
Miscellaneous Therapeutic Agents.....	204
Ophthalmic Agents.....	207
Replacement Preparations.....	210
Respiratory Tract Agents.....	213
Skeletal Muscle Relaxants.....	221
Sleep Disorder Agents.....	222
Vasodilating Agents.....	223
Vitamins And Minerals.....	225

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 (Tylenol-Codeine #3) mg</i>	1	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 (Tylenol-Codeine #4) mg</i>	1	GC; QL (180 per 30 days)
ACTIQ BUCCAL LOZENGE ON A HANDLE 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; GC; QL (120 per 30 days)
ARYMO ER ORAL TABLET,ORAL ONLY,EXTND RELEASE 15 MG, 30 MG	2	GC; QL (90 per 30 days)
ARYMO ER ORAL TABLET,ORAL ONLY,EXTND RELEASE 60 MG	2	GC; QL (60 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>astramorph-pf 10 mg/10 ml vial 5's, sdv, plf,llf 1 mg/ml</i>	1	GC
<i>astramorph-pf 5 mg/10 ml vial 5's, plf, llf, suv 0.5 mg/ml</i>	1	GC
<i>astramorph-pf injection solution 0.5 mg/ml, 1 mg/ml</i>	1	GC
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG	2	GC; QL (60 per 30 days)
BUPRENEX INJECTION SOLUTION 0.3 MG/ML	2	GC
<i>buprenorphine hcl injection solution 0.3 mg/ml (Buprenex)</i>	1	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour (Butrans)</i>	1	GC; QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-300 mg</i> (Bupap)	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	1	GC
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Esgic)	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> (Fiorinal)	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml</i>	1	GC
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	1	GC; QL (5 per 28 days)
BUTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR	3	GC; QL (4 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	1	GC; QL (180 per 30 days)
DEMEROL (PF) INJECTION SOLUTION 100 MG/ML, 75 MG/1.5 ML	2	GC
DEMEROL (PF) INJECTION SYRINGE 100 MG/ML, 50 MG/ML, 75 MG/ML	2	GC
DEMEROL (PF) INJECTION SYRINGE 25 MG/ML	2	PA; GC; AGE (Max 64 Years)
DEMEROL INJECTION SOLUTION 100 MG/ML	3	GC
DEMEROL INJECTION SOLUTION 50 MG/ML	3	PA; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DEMEROL ORAL TABLET 100 MG	3	GC; QL (180 per 30 days)
DILAUDID (PF) INJECTION SYRINGE 2 MG/ML, 4 MG/ML	3	GC
DILAUDID ORAL LIQUID 1 MG/ML	3	GC; QL (1200 per 30 days)
DILAUDID ORAL TABLET 2 MG, 4 MG, 8 MG	3	GC; QL (180 per 30 days)
DISKETS ORAL TABLET,SOLUBLE 40 MG	3	GC; QL (30 per 30 days)
DOLOPHINE ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
DOLOPHINE ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
DURAGESIC TRANSDERMAL PATCH 72 HOUR 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR	3	GC; QL (10 per 30 days)
DURAMORPH (PF) INJECTION SOLUTION 0.5 MG/ML, 1 MG/ML	3	GC
EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG	2	GC; QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	1	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	GC; QL (240 per 30 days)
ESGIC ORAL CAPSULE 50-325-40 MG	3	GC; QL (180 per 30 days)
ESGIC ORAL TABLET 50-325-40 MG	3	GC; QL (180 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	1	PA; GC; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	1	GC; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl transdermal patch 72 hour 37.5 mcg/hour, 62.5 mcg/hour, 87.5 mcg/hour</i>	1	GC; QL (10 per 30 days)
FIORINAL ORAL CAPSULE 50-325-40 MG	3	GC; QL (180 per 30 days)
FIORINAL-CODEINE #3 ORAL CAPSULE 30-50-325-40 MG	3	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	1	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>	1	GC; QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	1	GC; QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	1	GC; QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	1	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	1	GC; QL (180 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	1	GC; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	1	GC
<i>hydromorphone injection solution 1 mg/ml</i>	1	GC
<i>hydromorphone injection syringe 0.5 mg/0.5 ml, 1 mg/ml</i>	1	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	1	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	GC; QL (180 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg</i>	1	PA; GC; QL (30 per 30 days)
<i>hydromorphone oral tablet extended release 24 hr 32 mg</i>	1	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYSINGLA ER ORAL TABLET, ORAL ONLY, EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	2	GC; QL (30 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	1	GC; QL (28 per 30 days)
INFUMORPH P/F INJECTION SOLUTION 10 MG/ML, 25 MG/ML	2	GC
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	2	PA; GC; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg, 3 mg</i>	1	GC; QL (150 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	1	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	1	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	1	GC; QL (180 per 30 days)
<i>mepерidine (pf) injection solution 100 mg/ml, 50 mg/ml</i> (Demerol (PF))	1	PA; GC; AGE (Max 64 Years)
<i>mepерidine (pf) injection solution 25 mg/ml</i>	1	PA; GC; AGE (Max 64 Years)
<i>mepерidine injection cartridge 10 mg/ml</i>	1	GC
<i>mepерidine oral solution 50 mg/5 ml</i>	1	GC; QL (900 per 30 days)
<i>mepерidine oral tablet 100 mg</i> (Demerol)	1	GC; QL (180 per 30 days)
<i>mepерidine oral tablet 50 mg</i>	1	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	GC
<i>methadone oral concentrate 10 mg/ml</i> (Methadone Intensol)	1	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	1	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methadone oral tablet, soluble 40 mg</i> (Diskets)	3	GC; QL (30 per 30 days)
METHADOSE ORAL CONCENTRATE 10 MG/ML	3	GC; QL (120 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	1	GC; QL (30 per 30 days)
<i>mitigo (pf) injection solution 10 mg/ml, 25 mg/ml</i>	1	GC
MORPHABOND ER ORAL TABLET, ORAL ONLY, EXT. REL. 12 HR 100 MG, 15 MG, 30 MG, 60 MG	2	GC; QL (60 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> (Astramorph-PF)	1	GC
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	GC
MORPHINE INJECTION SOLUTION 2 MG/ML	1	GC
<i>morphine injection solution 5 mg/ml</i>	1	PA BvD; GC
<i>morphine injection syringe 10 mg/ml</i>	1	GC
<i>morphine intravenous solution 10 mg/ml</i>	1	GC
<i>morphine intravenous syringe 10 mg/ml</i>	1	GC
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	1	GC; QL (30 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	2	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	2	GC; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	GC; QL (90 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 100 MG, 200 MG, 60 MG	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MS CONTIN ORAL TABLET EXTENDED RELEASE 15 MG, 30 MG	3	GC; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	GC
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	2	GC; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	2	GC; QL (181 per 30 days)
OPANA ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
OPANA ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 7.5 MG	2	GC; QL (120 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	GC
<i>oxycodone oral solution 5 mg/5 ml</i>	1	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12</i> (OxyContin) <i>hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg,</i> <i>60 mg, 80 mg</i>	1	GC; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-</i> (Endocet) <i>325 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) <i>2.5-325 mg, 5-325 mg</i>	1	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) <i>7.5-325 mg</i>	1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 10 MG, 20 MG, 40 MG, 80 MG	3	GC; QL (60 per 30 days)
OXYCONTIN ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 15 MG, 30 MG, 60 MG	2	GC; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i> (Opana)	1	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i> (Opana)	1	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	GC; QL (60 per 30 days)
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>	1	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 10-325 MG	3	GC; QL (180 per 30 days)
PERCOCET ORAL TABLET 2.5-325 MG, 5-325 MG	3	GC; QL (360 per 30 days)
PERCOCET ORAL TABLET 7.5-325 MG	3	GC; QL (240 per 30 days)
<i>phrenilin forte (with caffeine) oral capsule 50-300-40 mg</i>	1	GC
ROXICODONE ORAL TABLET 15 MG, 30 MG	3	GC; QL (120 per 30 days)
ROXICODONE ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 15 MG, 30 MG	2	GC; QL (120 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
TALWIN INJECTION SOLUTION 30 MG/ML	2	GC; QL (360 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	1	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tramadol oral tablet, er multiphase 24 hr 100 mg, 200 mg, 300 mg</i>	1	GC; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5- (Ultracet) 325 mg</i>	1	GC; QL (240 per 30 days)
ULTRACET ORAL TABLET 37.5-325 MG	3	GC; QL (240 per 30 days)
ULTRAM ORAL TABLET 50 MG	3	GC; QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	1	GC; QL (180 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	1	GC; QL (180 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	1	GC; QL (240 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	2	GC; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	2	GC; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	2	GC; QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	1	GC; QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	2	GC; QL (60 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
ANAPROX DS ORAL TABLET 550 MG	3	GC
ARTHROTEC 50 ORAL TABLET,IR,DELAYED REL,BIPHASIC 50-200 MG-MCG	3	GC
ARTHROTEC 75 ORAL TABLET,IR,DELAYED REL,BIPHASIC 75-200 MG-MCG	3	GC
CAMBIA ORAL POWDER IN PACKET 50 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CELEBREX ORAL CAPSULE 100 MG, 200 MG, 400 MG, 50 MG	3	GC; QL (60 per 30 days)
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	GC; QL (60 per 30 days)
DAYPRO ORAL TABLET 600 MG	3	GC
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; GC
<i>diclofenac potassium oral tablet 50 mg</i>	1	GC
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	GC
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	1	GC
<i>diclofenac sodium topical drops 1.5 %</i>	1	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	GC
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	GC
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	GC
<i>diflunisal oral tablet 500 mg</i>	1	GC
EC-NAPROSYN ORAL TABLET, DELAYED RELEASE (DR/EC) 375 MG, 500 MG	3	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	GC
<i>etodolac oral tablet 500 mg</i>	1	GC
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	GC
FELDENE ORAL CAPSULE 10 MG, 20 MG	3	GC
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	GC
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	3	PA; GC
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
INDOCIN ORAL SUSPENSION 25 MG/5 ML	2	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	1	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	1	GC; QL (20 per 30 days)
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	GC
<i>mefenamic acid oral capsule 250 mg</i>	1	GC
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	1	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	GC
MOBIC ORAL TABLET 15 MG, 7.5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	GC
NAPROSYN ORAL TABLET 500 MG	3	GC
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	1	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	GC
<i>naproxen sodium oral tablet 275 mg</i>	1	GC
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	GC
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	GC
SOLARAZE TOPICAL GEL 3 %	3	PA; GC; QL (100 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	GC
<i>tolmetin oral capsule 400 mg</i>	1	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	GC
VOLTAREN TOPICAL GEL 1 %	3	GC
VOLTAREN-XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG	3	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	GC
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	GC
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	1	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; GC
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; GC
LIDODERM TOPICAL ADHESIVE PATCH, MEDICATED 5 %	3	PA; GC; QL (90 per 30 days)
LIDOTREX TOPICAL GEL 2 %-1 %-1.2 %	1	GC
SYNERA TOPICAL PATCH, MEDICATED SELF-HEATING 70-70 MG	2	GC
XYLOCAINE INJECTION SOLUTION 10 MG/ML (1 %), 20 MG/ML (2 %), 5 MG/ML (0.5 %)	3	GC
XYLOCAINE-MPF 2% VIAL 25'S, SDV, LATEX-FREE 20 MG/ML (2 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 10 MG/ML (1 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 15 MG/ML (1.5 %)	2	GC
<i>xylocaine-mpf injection solution 20 mg/ml (2 %)</i>	3	GC
<i>xylocaine-mpf injection solution 5 mg/ml (0.5 %)</i>	2	GC
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	1	GC
BUNAVAIL BUCCAL FILM 2.1-0.3 MG	2	GC; QL (30 per 30 days)
BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG	2	GC; QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film (Suboxone) 12-3 mg, 8-2 mg</i>	1	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film (Suboxone) 2-0.5 mg, 4-1 mg</i>	1	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	2	GC; QL (168 per 84 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	2	GC; QL (168 per 84 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	GC
EVZIO INJECTION AUTO-INJECTOR 2 MG/0.4 ML	2	GC; QL (1.6 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	2	GC; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	GC
<i>naltrexone oral tablet 50 mg</i>	1	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	2	GC; QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	2	GC; QL (1008 per 90 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	2	GC; QL (240 per 180 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	2	GC
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	GC; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	GC; QL (30 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG	2	GC
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	2	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYBAN ORAL TABLET EXTENDED RELEASE 12 HR 150 MG	3	GC
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	GC; QL (90 per 30 days)
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (120 per 30 days)
ATIVAN INJECTION SOLUTION 2 MG/ML, 4 MG/ML	3	GC; QL (2 per 30 days)
ATIVAN ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (90 per 30 days)
ATIVAN ORAL TABLET 2 MG	3	GC; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	1	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	GC; QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam injection syringe 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	1	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	1	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	1	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	1	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	1	GC; QL (30 per 30 days)
HALCION ORAL TABLET 0.25 MG	3	GC; QL (60 per 30 days)
KLONOPIN ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (90 per 30 days)
KLONOPIN ORAL TABLET 2 MG	3	GC; QL (300 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	1	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	GC
<i>midazolam (pf) injection cartridge 2 mg/2 ml (1 mg/ml), 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam (pf) injection solution 1 mg/ml, 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam (pf) injection syringe 2 mg/2 ml (1 mg/ml), 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam injection solution 1 mg/ml, 5 mg/ml</i>	1	GC; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>midazolam oral syrup 2 mg/ml</i>	1	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	GC; QL (120 per 30 days)
RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG	3	GC; QL (30 per 30 days)
RESTORIL ORAL CAPSULE 7.5 MG	3	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	1	GC; QL (120 per 30 days)
TRANXENE T-TAB ORAL TABLET 7.5 MG	3	GC
<i>triazolam oral tablet 0.125 mg</i>	1	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	GC; QL (60 per 30 days)
VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 2 MG	3	GC; QL (150 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 0.5 MG, 1 MG, 2 MG	3	GC; QL (120 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 3 MG	3	GC; QL (90 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	GC
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	2	PA; GC; QL (235.2 per 28 days)
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	1	GC
TOBI INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML	3	PA BvD; GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	GC; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	PA BvD; GC
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	1	GC
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	GC
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i> (Kitabis Pak)	1	PA BvD; GC
ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML	2	GC
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	1	GC
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiiM)	1	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	GC
CLEOCIN HCL ORAL CAPSULE 150 MG, 300 MG, 75 MG	3	GC
CLEOCIN INJECTION SOLUTION 150 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin 75 mg/5 ml soln 75 mg/5 ml</i> (Cleocin Pediatric)	1	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	1	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	1	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	PA BvD; GC
COLY-MYCIN M PARENTERAL INJECTION RECON SOLN 150 MG	3	PA BvD; GC
CUBICIN INTRAVENOUS RECON SOLN 500 MG	3	GC
DALVANCE INTRAVENOUS SOLUTION 500 MG	2	GC
<i>daptomycin intravenous recon soln 350 mg</i>	1	GC
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	1	GC
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	2	GC
FLAGYL ORAL CAPSULE 375 MG	3	GC
FLAGYL ORAL TABLET 250 MG, 500 MG	3	GC
FURADANTIN ORAL SUSPENSION 25 MG/5 ML	3	GC; QL (2400 per 30 days)
HIPREX ORAL TABLET 1 GRAM	3	GC
LINCOCIN INJECTION SOLUTION 300 MG/ML	3	GC
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	1	GC
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	GC
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	1	GC
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	GC
MACROBID ORAL CAPSULE 100 MG	3	GC; QL (60 per 30 days)
MACRODANTIN ORAL CAPSULE 100 MG, 25 MG, 50 MG	3	GC; QL (120 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	GC
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	1	GC
MONUROL ORAL PACKET 3 GRAM	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrodantin)	1	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	1	GC; QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	1	GC; QL (2400 per 30 days)
ORBACTIV INTRAVENOUS RECON SOLN 400 MG	2	GC
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	GC
PRIMSOL ORAL SOLUTION 50 MG/5 ML	2	GC
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	2	GC
SIVEXTRO ORAL TABLET 200 MG	2	GC
SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
TRIMPEX ORAL SOLUTION 50 MG/5 ML	2	GC
VANCOCIN ORAL CAPSULE 125 MG, 250 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin in dextrose 5% intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	PA BvD; GC
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	PA BvD; GC
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	1	PA BvD; GC
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	1	GC
VIBATIV INTRAVENOUS RECON SOLN 750 MG	2	GC
XIFAXAN ORAL TABLET 200 MG	2	PA; GC; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	PA; GC
ZYVOX INTRAVENOUS PIGGYBACK 200 MG/100 ML, 600 MG/300 ML	3	GC
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	3	GC
ZYVOX ORAL TABLET 600 MG	3	GC
Cephalosporins		
AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM	2	GC
<i>cefactor oral capsule 250 mg, 500 mg</i>	1	GC
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	GC
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	1	GC
<i>cefadroxil oral capsule 500 mg</i>	1	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
<i>cefadroxil oral tablet 1 gram</i>	1	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	GC
<i>cefdinir oral capsule 300 mg</i>	1	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	GC
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefixime oral capsule 400 mg</i> (Suprax)	1	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Suprax)	1	GC
CEFOTAN INJECTION RECON SOLN 1 GRAM, 2 GRAM	3	GC
<i>cefotaxime injection recon soln 1 gram</i>	1	GC
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	1	GC
<i>cefotetan intravenous recon soln 10 gram</i>	1	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	GC
<i>ceftazidime injection recon soln 1 gram</i> (Fortaz)	2	GC
<i>ceftazidime injection recon soln 2 gram, 6 gram</i> (Tazicef)	1	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	GC
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> (Keflex)	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	GC
CLAFORAN INJECTION RECON SOLN 10 GRAM, 2 GRAM	3	GC
FORTAZ INJECTION RECON SOLN 500 MG	2	GC
FORTAZ INTRAVENOUS RECON SOLN 2 GRAM	3	GC
KEFLEX ORAL CAPSULE 250 MG, 500 MG, 750 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAXIPIME 1 GM ADD-VANTAGE VL OUTER, LATEX-FREE 1 GRAM	3	GC
MAXIPIME 2 GRAM VIAL OUTER,SDV,LATEX-FREE 2 GRAM	3	GC
MAXIPIME INJECTION RECON SOLN 1 GRAM	3	GC
MAXIPIME INTRAVENOUS RECON SOLN 2 GRAM	3	GC
SUPRAX ORAL CAPSULE 400 MG	2	GC
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	2	GC
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	GC
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	2	GC
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	GC
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	GC
DIFICID ORAL TABLET 200 MG	2	ST; GC; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i>	1	GC
<i>ery-tab oral tablet, delayed release (drlec) 250 mg, 500 mg</i>	2	GC
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	GC
ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	GC
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	1	GC
<i>erythromycin oral capsule, delayed release(drlec) 250 mg</i>	1	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>erythromycin oral tablet, delayed release (drlec) 250 mg, 333 mg, 500 mg</i> (Ery-Tab)	1	GC
ZITHROMAX INTRAVENOUS RECON SOLN 500 MG	3	GC
ZITHROMAX ORAL PACKET 1 GRAM	3	GC
ZITHROMAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML	3	GC
ZITHROMAX ORAL TABLET 250 MG, 500 MG	3	GC
ZITHROMAX TRI-PAK ORAL TABLET 500 MG	3	GC
ZITHROMAX Z-PAK ORAL TABLET 250 MG	3	GC
Miscellaneous B-Lactam Antibiotics		
AZACTAM INJECTION RECON SOLN 1 GRAM	3	GC
AZACTAM INJECTION RECON SOLN 2 GRAM	3	PA BvD; GC
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	GC
<i>doripenem intravenous recon soln 250 mg, 500 mg</i>	1	GC
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	GC
INVANZ INJECTION RECON SOLN 1 GRAM	3	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	1	GC
MERREM INTRAVENOUS RECON SOLN 1 GRAM, 500 MG	3	GC
PRIMAXIN IV INTRAVENOUS RECON SOLN 500 MG	3	GC
VABOMERE INTRAVENOUS RECON SOLN 2 GRAM	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>ampicillin-sulbactam injection recon soln (Unasyn) 15 gram, 3 gram</i>	1	GC
AUGMENTIN ES-600 ORAL SUSPENSION FOR RECONSTITUTION 600-42.9 MG/5 ML	3	GC
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 250-62.5 MG/5 ML	3	GC
AUGMENTIN ORAL TABLET 500-125 MG, 875-125 MG	3	GC
AUGMENTIN XR ORAL TABLET EXTENDED RELEASE 12 HR 1,000-62.5 MG	3	GC
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	GC
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	GC
MOXATAG ORAL TABLET, ER MULTIPHASE 24 HR 775 MG	3	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	1	GC
<i>nafcillin injection recon soln 1 gram</i>	1	GC
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	GC
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	1	GC
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	1	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	1	GC
<i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>	1	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	GC
<i>penicillin g sodium injection recon soln 5 million unit</i>	1	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram (Zosyn)</i>	1	PA BvD; GC
UNASYN INJECTION RECON SOLN 1.5 GRAM, 15 GRAM, 3 GRAM	3	GC
ZOSYN 2.25 GRAM VIAL P/F,LTX-FR,INNER,SUV 2.25 GRAM	3	PA BvD; GC
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML	3	PA BvD; GC
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 3.375 GRAM/50 ML, 4.5 GRAM/100 ML	2	PA BvD; GC
ZOSYN INTRAVENOUS RECON SOLN 40.5 GRAM	3	PA BvD; GC
Quinolones		
AVELOX IN NAACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML	3	GC
AVELOX ORAL TABLET 400 MG	3	GC
BAXDELA INTRAVENOUS RECON SOLN 300 MG	2	GC
BAXDELA ORAL TABLET 450 MG	2	PA; GC; QL (28 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIPRO IN D5W INTRAVENOUS PIGGYBACK 400 MG/200 ML	3	GC
CIPRO ORAL SUSPENSION, MICROCAPSULE RECON 250 MG/5 ML, 500 MG/5 ML	3	GC
CIPRO ORAL TABLET 250 MG, 500 MG	3	GC
CIPRO XR ORAL TABLET, ER MULTIPHASE 24 HR 1,000 MG, 500 MG	3	GC
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i> (Cipro XR)	1	GC
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> (Cipro in D5W)	1	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	GC
LEVAQUIN ORAL TABLET 500 MG, 750 MG	3	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	GC
<i>levofloxacin oral tablet 250 mg</i>	1	GC
<i>levofloxacin oral tablet 500 mg, 750 mg</i> (Levaquin)	1	GC
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	1	GC
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Sulfonamides		
BACTRIM DS ORAL TABLET 800-160 MG	3	GC
BACTRIM ORAL TABLET 400-80 MG	3	GC
<i>sulfadiazine oral tablet 500 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	GC
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	GC
<i>doxy-100 intravenous recon soln 100 mg</i>	1	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> (Acticlate)	1	GC
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	1	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 75 mg</i>	1	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 150 mg</i> (Soloxide)	1	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg, 50 mg</i> (Doryx)	1	GC
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i> (Mondoxyne NL)	1	GC
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	GC
<i>doxycycline monohydrate oral capsule, ir - delay rel, biphase 40 mg</i> (Oracea)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral suspension</i> (Vibramycin) <i>for reconstitution 25 mg/5 ml</i>	1	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	GC
MINOCIN ORAL CAPSULE 50 MG	3	GC
<i>minocycline oral capsule 100 mg, 75 mg</i>	1	GC
<i>minocycline oral capsule 50 mg</i> (Minocin)	1	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	GC
<i>minocycline oral tablet extended release 24 hr 115 mg</i> (Solodyn)	1	GC
NUZYRA (7 DAY WITH LOAD DOSE) ORAL TABLET 150 MG	2	GC; QL (30 per 14 days)
NUZYRA (7 DAY) ORAL TABLET 150 MG	2	GC; QL (30 per 14 days)
NUZYRA INTRAVENOUS RECON SOLN 100 MG	2	GC; QL (15 per 14 days)
NUZYRA ORAL TABLET 150 MG	2	GC; QL (30 per 14 days)
<i>okebo oral capsule 75 mg</i>	1	GC
<i>soloxide oral tablet, delayed release (drlec) 150 mg</i>	1	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	1	GC
TYGACIL INTRAVENOUS RECON SOLN 50 MG	3	GC
VIBRAMYCIN ORAL SUSPENSION FOR RECONSTITUTION 25 MG/5 ML	3	GC
VIBRAMYCIN ORAL SYRUP 50 MG/5 ML	2	GC
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	1	PA NSO; GC; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	1	PA BvD; GC
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	2	PA NSO; GC; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	2	PA NSO; GC; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	2	PA NSO; GC; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	2	GC
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	2	PA NSO; GC; QL (3 per 28 days)
ALKERAN (AS HCL) INTRAVENOUS RECON SOLN 50 MG	3	GC
ALUNBRIG ORAL TABLET 180 MG, 90 MG	2	PA NSO; GC; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	2	PA NSO; GC; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	2	PA NSO; GC
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
ARIMIDEX ORAL TABLET 1 MG	3	GC
AROMASIN ORAL TABLET 25 MG	3	GC
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	2	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	PA BvD; GC
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	2	PA NSO; GC
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 3 MG	2	PA NSO; GC; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	2	PA NSO; GC; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	2	PA NSO; GC; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	2	PA NSO; GC
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	2	PA NSO; GC
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; GC; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	GC
BICNU INTRAVENOUS RECON SOLN 100 MG	3	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	2	PA NSO; GC; QL (140 per 365 days)
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; GC
BOSULIF ORAL TABLET 100 MG	2	PA NSO; GC; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	2	PA NSO; GC; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	GC
BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML	3	GC
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	PA NSO; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 40 MG	2	PA NSO; GC; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML	3	GC
CAPRELSA ORAL TABLET 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	1	GC
<i>carmustine intravenous recon soln 100 mg (BiCNU)</i>	1	GC
CASODEX ORAL TABLET 50 MG	3	GC
<i>cisplatin intravenous recon soln 50 mg</i>	1	PA BvD; GC
<i>cisplatin intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 (Clolar) ml</i>	1	GC
CLOLAR INTRAVENOUS SOLUTION 20 MG/20 ML	3	GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	2	PA NSO; GC; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	PA NSO; GC; QL (56 per 28 days)
COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG	3	GC
COTELLIC ORAL TABLET 20 MG	2	PA NSO; GC; LA; QL (63 per 28 days)
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD; GC
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	GC
DACOGEN INTRAVENOUS RECON SOLN 50 MG	3	GC
<i>dactinomycin intravenous recon soln 0.5 mg</i> (Cosmegen)	1	GC
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	2	PA NSO; GC; LA
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
<i>daunorubicin 50 mg/10 ml vial latex-free,plf,sdv 5 mg/ml</i>	1	PA BvD; GC
<i>daunorubicin intravenous recon soln 20 mg</i>	1	PA BvD; GC
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	GC
DAURISMO ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	GC
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	2	GC
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	1	GC
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	1	GC
DOXIL INTRAVENOUS SUSPENSION 2 MG/ML	3	PA BvD; GC
<i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> (Adriamycin)	1	PA BvD; GC
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	PA BvD; GC
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	GC
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	GC
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	GC
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	GC
ELLECE INTRAVENOUS SOLUTION 200 MG/100 ML, 50 MG/25 ML	3	GC
EMCYT ORAL CAPSULE 140 MG	2	GC
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	2	PA NSO; GC
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	1	GC
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> (Ellence)	1	GC
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	PA NSO; GC
ERIVEDGE ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	2	PA NSO; GC; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	PA NSO; GC; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	PA NSO; GC; QL (90 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	2	PA BvD; GC; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	GC
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	GC
EVOMELA INTRAVENOUS RECON SOLN 50 MG	3	GC
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	GC
FARESTON ORAL TABLET 60 MG	3	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	PA NSO; GC
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	2	GC
FEMARA ORAL TABLET 2.5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	2	GC
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD; GC
<i>fludarabine intravenous recon soln 50 mg</i>	1	GC
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	GC
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	1	PA BvD; GC
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Atracuril)	1	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	1	GC
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	2	PA NSO; GC
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	GC
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	2	PA NSO; GC
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	GC
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	PA NSO; GC; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG	3	PA NSO; GC; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG	3	PA NSO; GC; QL (60 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	3	GC
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	2	PA NSO; GC
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	PA NSO; GC; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYCAMTIN INTRAVENOUS RECON SOLN 4 MG	3	GC
HYDREA ORAL CAPSULE 500 MG	3	GC
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	2	PA NSO; GC; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	2	PA NSO; GC; QL (30 per 30 days)
IDAMYCIN PFS INTRAVENOUS SOLUTION 1 MG/ML	3	GC
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	GC
IDHIFA ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
IFEX INTRAVENOUS RECON SOLN 1 GRAM, 3 GRAM	3	PA BvD; GC
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> (Ifex)	1	PA BvD; GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD; GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; GC; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	PA NSO; GC; QL (28 per 28 days)
IMBRUVICA ORAL CAPSULE 70 MG	2	GC; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	2	GC; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	PA NSO; GC; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	2	PA NSO; GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	2	PA BvD; GC
INLYTA ORAL TABLET 1 MG	2	PA NSO; GC; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	2	PA NSO; GC; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	1	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	GC
ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML	3	PA NSO; GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	2	GC
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	2	GC
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	2	PA NSO; GC
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	PA NSO; GC; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	PA NSO; GC; QL (70 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	PA NSO; GC; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	PA NSO; GC; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	PA NSO; GC; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	2	PA NSO; GC
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	PA NSO; GC
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	2	GC
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	GC
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	2	PA NSO; GC; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	2	PA NSO; GC; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	GC
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	GC
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	2	GC
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	GC
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	2	PA BvD; GC; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	2	GC
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	2	PA NSO; GC; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	2	PA NSO; GC; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran (as HCl))	1	GC
<i>mercaptapurine oral tablet 50 mg</i>	1	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST; GC
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> (Mutamycin)	1	PA BvD; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	GC
<i>mutamycin intravenous recon soln 20 mg, 40 mg, 5 mg</i>	1	PA BvD; GC
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NERLYNX ORAL TABLET 40 MG	2	PA NSO; GC; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
NILANDRON ORAL TABLET 150 MG	3	GC
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	GC
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	2	GC
ODOMZO ORAL CAPSULE 200 MG	2	PA NSO; GC
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	2	PA NSO; GC
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	2	PA BvD; GC
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	2	PA NSO; GC
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	PA BvD; GC
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	2	PA NSO; GC
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	PA NSO; GC; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	PA NSO; GC; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	2	PA NSO; GC
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	2	PA NSO; GC; QL (100 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	2	GC
PURIXAN ORAL SUSPENSION 20 MG/ML	2	GC
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	PA NSO; GC
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	2	PA NSO; GC
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	1	PA NSO; GC
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	PA NSO; GC; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	2	GC
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	PA NSO; GC; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	2	PA NSO; GC; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	2	PA NSO; GC; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	2	PA NSO; GC
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	PA NSO; GC; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	2	GC
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	PA NSO; GC; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	PA NSO; GC; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	2	PA NSO; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TALZENNA ORAL CAPSULE 1 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	GC
TARCEVA ORAL TABLET 100 MG, 25 MG	3	PA NSO; GC; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	3	PA NSO; GC; QL (90 per 30 days)
TARGRETIN ORAL CAPSULE 75 MG	3	PA NSO; GC; QL (420 per 30 days)
TARGRETIN TOPICAL GEL 1 %	2	PA NSO; GC; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	PA NSO; GC; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)
TAXOTERE INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 80 MG/4 ML (20 MG/ML)	3	GC
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	PA NSO; GC
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	1	PA BvD; GC; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	1	GC
TIBSOVO ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	GC
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	1	GC
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	GC
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	3	PA BvD; GC; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	2	GC
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	2	GC; QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	2	GC
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	1	GC
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	2	GC
TYKERB ORAL TABLET 250 MG	2	GC
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	2	PA NSO; GC
<i>valrubicin intravesical solution 40 mg/ml (Valstar)</i>	1	GC
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	2	GC
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	2	PA NSO; GC
VELCADE INJECTION RECON SOLN 3.5 MG	2	PA NSO; GC
VENCLEXTA ORAL TABLET 10 MG	2	PA NSO; GC; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	PA NSO; GC; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	2	PA NSO; GC; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	PA NSO; GC
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (56 per 28 days)
VIDAZA INJECTION RECON SOLN 100 MG	3	GC
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	GC
VITRAKVI ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	2	PA NSO; GC; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	2	PA BvD; GC
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	PA NSO; GC; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	2	PA BvD; ST; GC
XOSPATA ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	2	PA NSO; GC; QL (20 per 28 days)
XPOVIO ORAL TABLET 160 MG/WEEK (20 MG X 8)	2	PA NSO; GC; QL (32 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	2	PA NSO; GC; QL (12 per 28 days)
XPOVIO ORAL TABLET 80 MG/WEEK (20 MG X 4)	2	PA NSO; GC; QL (16 per 28 days)
XTANDI ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	PA NSO; GC
YONDELIS INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
YONSA ORAL TABLET 125 MG	2	PA NSO; GC; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	2	GC
ZEJULA ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	2	PA NSO; GC; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	2	GC; QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	2	GC; QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	2	GC
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	2	PA NSO; GC; QL (90 per 30 days)
ZYTIGA ORAL TABLET 250 MG	3	PA NSO; GC; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG	2	PA NSO; GC; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	GC
<i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i> (Librax (with clidinium))	1	GC
LIBRAX (WITH CLIDINIUM) ORAL CAPSULE 5-2.5 MG	3	GC
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	2	GC
BANZEL ORAL SUSPENSION 40 MG/ML	2	GC
BANZEL ORAL TABLET 200 MG, 400 MG	2	GC
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	GC; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	GC; QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	GC; QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	1	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	GC
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	GC
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	3	GC
CELONTIN ORAL CAPSULE 300 MG	2	GC
CEREBYX INJECTION SOLUTION 100 MG PE/2 ML, 500 MG PE/10 ML	3	GC
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	GC; QL (60 per 30 days)
DEPAACON INTRAVENOUS SOLUTION 500 MG/5 ML (100 MG/ML)	3	GC
DEPAKENE ORAL CAPSULE 250 MG	3	GC
DEPAKENE ORAL SOLUTION 250 MG/5 ML	3	GC
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	3	GC
DEPAKOTE ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	3	GC
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	3	GC
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	GC
DIASTAT RECTAL KIT 2.5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	1	GC
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	GC
DILANTIN EXTENDED ORAL CAPSULE 100 MG	3	GC
DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG	3	GC
DILANTIN ORAL CAPSULE 30 MG	2	GC
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	3	GC
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	PA NSO; GC
<i>epitol oral tablet 200 mg</i>	1	GC
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	2	GC
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	GC
FELBATOL ORAL SUSPENSION 600 MG/5 ML	3	GC
FELBATOL ORAL TABLET 400 MG, 600 MG	3	GC
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	1	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	GC
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	GC
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	GC
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	GC
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GABITRIL ORAL TABLET 12 MG, 16 MG, 2 MG, 4 MG	3	GC
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	2	PA; GC
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	2	PA; GC; QL (90 per 30 days)
KEPPRA INTRAVENOUS SOLUTION 500 MG/5 ML	3	GC
KEPPRA ORAL SOLUTION 100 MG/ML	3	GC
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG	3	GC
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC
LAMICTAL ODT ORAL TABLET,DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG	3	GC
LAMICTAL ODT STARTER (BLUE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG (21) -50 MG (7)	3	GC
LAMICTAL ODT STARTER (GREEN) ORAL TABLET DISINTEGRATING, DOSE PK 50 MG (42) -100 MG (14)	3	GC
LAMICTAL ODT STARTER (ORANGE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG(14)-50 MG (14)-100 MG (7)	3	GC
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG	3	GC
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG	3	GC
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14)	3	GC
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7)	3	GC
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG	3	GC
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	2	GC
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	2	GC
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	2	GC
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i> (Lamictal ODT Starter (Green))	1	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	GC
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	GC
<i>lamotrigine oral tablets,dose pack 25 mg (35)</i> (Lamictal Starter (Blue) Kit)	1	GC
<i>lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7)</i> (Lamictal Starter (Orange) Kit)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14)</i> (Lamictal Starter (Green) Kit)	1	GC
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	1	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	2	GC; QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	2	GC; QL (900 per 30 days)
MYSOLINE ORAL TABLET 250 MG, 50 MG	3	GC
NEURONTIN ORAL CAPSULE 100 MG, 300 MG, 400 MG	3	GC
NEURONTIN ORAL SOLUTION 250 MG/5 ML	3	GC
NEURONTIN ORAL TABLET 600 MG, 800 MG	3	GC
ONFI ORAL SUSPENSION 2.5 MG/ML	3	PA NSO; GC; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	3	PA NSO; GC; QL (60 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	2	GC
PEGANONE ORAL TABLET 250 MG	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	GC
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	3	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	GC; QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	GC
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 150 MG, 200 MG, 25 MG, 50 MG	3	GC
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	3	GC
ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC
SABRIL ORAL POWDER IN PACKET 500 MG	3	GC
SABRIL ORAL TABLET 500 MG	2	GC
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	GC; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	GC; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>subvenite starter (green) kit oral tablets,dose pack 25 mg (84) -100 mg (14)</i>	1	GC
<i>subvenite starter (orange) kit oral tablets,dose pack 25 mg (42) -100 mg (7)</i>	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
TEGRETOL ORAL SUSPENSION 100 MG/5 ML	3	GC
TEGRETOL ORAL TABLET 200 MG	3	GC
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG	3	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)</i>	1	GC
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG	3	GC
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	3	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>	1	GC
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)</i>	1	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>	1	GC
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML)	3	GC
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG	3	GC
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG	2	GC; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml) (Depacon)</i>	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	GC
<i>valproic acid oral capsule 250 mg (Depakene)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	1	GC
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	GC
<i>vigadrone oral powder in packet 500 mg</i>	1	GC
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	2	GC; QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	2	GC; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	GC; QL (60 per 30 days)
ZARONTIN ORAL CAPSULE 250 MG	3	GC
ZARONTIN ORAL SOLUTION 250 MG/5 ML	3	GC
ZONEGRAN ORAL CAPSULE 100 MG, 25 MG	3	GC
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	GC
<i>zonisamide oral capsule 50 mg</i>	1	GC
Antidementia Agents		
Antidementia Agents		
ARICEPT ORAL TABLET 10 MG, 23 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
EXELON TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HR, 9.5 MG/24 HR	3	GC; QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	1	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>memantine oral tablets, dose pack 5-10 mg</i> (Namenda Titration Pak)	1	GC
NAMENDA ORAL TABLET 10 MG, 5 MG	3	GC; QL (60 per 30 days)
NAMENDA XR ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7-14-21-28 MG	2	GC
NAMENDA XR ORAL CAPSULE, SPRINKLE, ER 24HR 14 MG, 21 MG, 28 MG, 7 MG	3	GC; QL (30 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	GC
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	GC; QL (30 per 30 days)
RAZADYNE ER ORAL CAPSULE, EXT REL. PELLETS 24 HR 16 MG, 24 MG, 8 MG	3	GC; QL (30 per 30 days)
RAZADYNE ORAL TABLET 12 MG, 4 MG, 8 MG	3	GC; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	1	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	GC
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG	3	GC
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	2	ST; GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl oral tablet extended release</i> (Wellbutrin XL) 24 hr 150 mg, 300 mg	1	GC
<i>bupropion hcl oral tablet extended release</i> (Forfivo XL) 24 hr 450 mg	1	GC
<i>bupropion hcl oral tablet sustained-release</i> 12 hr 100 mg, 150 mg, 200 mg (Wellbutrin SR)	1	GC
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG	3	GC; QL (30 per 30 days)
<i>citalopram oral solution</i> 10 mg/5 ml	1	GC; QL (600 per 30 days)
<i>citalopram oral tablet</i> 10 mg, 20 mg, 40 mg (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule</i> 25 mg, 50 mg, 75 mg (Anafranil)	1	GC
CYMBALTA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 20 MG, 60 MG	3	GC; QL (60 per 30 days)
CYMBALTA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 30 MG	3	GC; QL (30 per 30 days)
<i>desipramine oral tablet</i> 10 mg, 25 mg (Norpramin)	1	GC
<i>desipramine oral tablet</i> 100 mg, 150 mg, 50 mg, 75 mg	1	GC
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	2	GC
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG	2	GC
<i>desvenlafaxine succinate oral tablet extended release</i> 24 hr 100 mg, 25 mg, 50 mg (Pristiq)	1	GC; QL (30 per 30 days)
<i>doxepin oral capsule</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	GC
<i>doxepin oral concentrate</i> 10 mg/ml	1	GC
<i>duloxetine oral capsule, delayed release(drlec)</i> 20 mg, 60 mg (Cymbalta)	1	GC; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec)</i> 30 mg (Cymbalta)	1	GC; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec)</i> 40 mg	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EFFEXOR XR ORAL CAPSULE,EXTENDED RELEASE 24HR 150 MG	3	GC; QL (30 per 30 days)
EFFEXOR XR ORAL CAPSULE,EXTENDED RELEASE 24HR 37.5 MG, 75 MG	3	GC; QL (90 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	GC; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	ST; GC
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral capsule, delayed release(drlec) 90 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>fluoxetine oral tablet 10 mg, 20 mg</i> (Sarafem)	1	GC
FLUOXETINE ORAL TABLET 60 MG	3	GC
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	1	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	3	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	1	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	3	GC; QL (30 per 30 days)
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG	3	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
MARPLAN ORAL TABLET 10 MG	2	GC
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	GC
<i>mirtazapine oral tablet, disintegrating 15</i> (Remeron SolTab) <i>mg, 30 mg, 45 mg</i>	1	GC
NARDIL ORAL TABLET 15 MG	3	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	GC
NORPRAMIN ORAL TABLET 10 MG, 25 MG	3	GC
<i>nortriptyline oral capsule 10 mg, 25 mg,</i> (Pamelor) <i>50 mg, 75 mg</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>	1	GC
<i>olanzapine-fluoxetine oral capsule 12-50</i> (Symbyax) <i>mg, 3-25 mg, 6-25 mg, 6-50 mg</i>	1	GC
PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG	3	GC
PARNATE ORAL TABLET 10 MG	3	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg,</i> (Paxil) <i>30 mg, 40 mg</i>	1	GC
<i>paroxetine hcl oral tablet extended</i> (Paxil CR) <i>release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	1	GC
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG	3	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	2	GC
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	3	GC
<i>perphenazine-amitriptyline oral tablet 2- 10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	GC
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 25 MG, 50 MG	3	ST; GC; QL (30 per 30 days)
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	GC
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG	3	GC
REMERON ORAL TABLET 15 MG, 30 MG	3	GC
REMERON SOLTAB ORAL TABLET,DISINTEGRATING 15 MG, 30 MG, 45 MG	3	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	PA NSO; GC
SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG	3	GC
SYMBYAX ORAL CAPSULE 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG	3	GC
TOFRANIL ORAL TABLET 10 MG, 25 MG, 50 MG	3	GC
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	1	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	2	ST; GC
WELLBUTRIN SR ORAL TABLET SUSTAINED-RELEASE 12 HR 100 MG, 150 MG, 200 MG	3	GC
WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	3	GC
ZOLOFT ORAL CONCENTRATE 20 MG/ML	3	GC
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	2	GC
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	GC; QL (90 per 30 days)
ACTOPLUS MET ORAL TABLET 15-500 MG, 15-850 MG	3	GC; QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG, 30-1,000 MG	2	GC; QL (60 per 30 days)
ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG	3	GC; QL (30 per 30 days)
ADLYXIN SUBCUTANEOUS PEN INJECTOR 10 MCG/0.2 ML- 20 MCG/0.2 ML	2	ST; GC
ADLYXIN SUBCUTANEOUS PEN INJECTOR 20 MCG/0.2 ML	2	ST; GC; QL (6 per 28 days)
<i>alogliptin oral tablet 12.5 mg, 25 mg, 6.25 mg</i> (Nesina)	2	GC; QL (30 per 30 days)
<i>alogliptin-metformin oral tablet 12.5-1,000 mg, 12.5-500 mg</i> (Kazano)	2	GC; QL (60 per 30 days)
<i>alogliptin-pioglitazone oral tablet 12.5-15 mg, 12.5-30 mg, 12.5-45 mg, 25-15 mg, 25-30 mg, 25-45 mg</i> (Oseni)	2	GC; QL (30 per 30 days)
AVANDIA ORAL TABLET 2 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVANDIA ORAL TABLET 4 MG	2	GC; QL (60 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO- INJECTOR 2 MG/0.85 ML	2	ST; GC; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	2	ST; GC; QL (4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	2	ST; GC; QL (2.4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	2	ST; GC; QL (1.2 per 28 days)
CYCLOSET ORAL TABLET 0.8 MG	2	GC; QL (180 per 30 days)
DUETACT ORAL TABLET 30-2 MG, 30-4 MG	3	GC; QL (30 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)
FORTAMET ORAL TABLET EXTENDED RELEASE 24HR 1,000 MG	3	GC; QL (60 per 30 days)
FORTAMET ORAL TABLET EXTENDED RELEASE 24HR 500 MG	3	GC; QL (150 per 30 days)
GLUCOPHAGE ORAL TABLET 1,000 MG	3	GC; QL (75 per 30 days)
GLUCOPHAGE ORAL TABLET 500 MG	3	GC; QL (150 per 30 days)
GLUCOPHAGE ORAL TABLET 850 MG	3	GC; QL (90 per 30 days)
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG	3	GC; QL (120 per 30 days)
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 750 MG	3	GC; QL (60 per 30 days)
GLYSET ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC; QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	2	GC; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	2	GC; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	2	GC; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	GC; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	GC; QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	3	GC; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	2	PA; GC; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	GC; QL (75 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	GC; QL (60 per 30 days)
<i>metformin oral tablet extended release 24hr 1,000 mg</i> (Fortamet)	1	GC; QL (60 per 30 days)
<i>metformin oral tablet extended release 24hr 500 mg</i> (Fortamet)	1	GC; QL (150 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	1	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	1	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	3	GC; QL (30 per 30 days)
ONGLYZA ORAL TABLET 2.5 MG, 5 MG	2	GC; QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	3	GC; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	2	GC; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> (DUETACT)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	1	GC; QL (90 per 30 days)
PRECOSE ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC; QL (90 per 30 days)
QTERN ORAL TABLET 10-5 MG, 5-5 MG	2	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	GC; QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i> (Prandin)	1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	1	GC; QL (150 per 30 days)
RIOMET ORAL SOLUTION 500 MG/5 ML	2	GC; QL (765 per 30 days)
SEGLUOMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG	2	GC; QL (60 per 30 days)
SEGLUOMET ORAL TABLET 2.5-500 MG	2	GC; QL (120 per 30 days)
STARLIX ORAL TABLET 120 MG, 60 MG	3	GC; QL (90 per 30 days)
STEGLATRO ORAL TABLET 15 MG	2	GC; QL (30 per 30 days)
STEGLATRO ORAL TABLET 5 MG	2	GC; QL (60 per 30 days)
STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG	2	GC; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; GC; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; GC; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	GC; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	GC; QL (60 per 30 days)
TANZEUM SUBCUTANEOUS PEN INJECTOR 30 MG/0.5 ML, 50 MG/0.5 ML	2	ST; GC; QL (4 per 28 days)
TRADJENTA ORAL TABLET 5 MG	2	GC; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	2	ST; GC; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	ST; GC; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	2	GC; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
Insulins		
ADMELOG SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
ADMELOG U-100 INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 4 UNIT, 4 UNIT (60)/ 8 UNIT (30), 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT, 8 UNIT (90)/ 12 UNIT (90)	2	PA; GC
APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
BASAGLAR KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	2	GC; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	2	GC; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	GC; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>insulin lispro subcutaneous insulin pen 100 unit/ml</i> (Admelog SoloStar U-100 Insulin)	1	GC; QL (30 per 28 days)
<i>insulin lispro subcutaneous solution 100 unit/ml</i> (Admelog U-100 Insulin lispro)	1	GC; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	GC; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	GC; QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	GC; QL (15 per 28 days)
Sulfonylureas		
AMARYL ORAL TABLET 1 MG, 2 MG	3	GC; QL (30 per 30 days)
AMARYL ORAL TABLET 4 MG	3	GC; QL (60 per 30 days)
<i>chlorpropamide oral tablet 100 mg, 250 mg</i>	1	GC
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glipizide oral tablet extended release 24hr</i> (Glucotrol XL) 10 mg	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr</i> (Glucotrol XL) 2.5 mg, 5 mg	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 5 MG	3	GC; QL (60 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG	3	GC; QL (60 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	1	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
GLYNASE ORAL TABLET 1.5 MG, 3 MG, 6 MG	3	GC
<i>tolazamide oral tablet 250 mg</i>	1	GC; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	1	GC; QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	GC; QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	PA BvD; GC
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD; GC
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD; GC
ANCOBON ORAL CAPSULE 250 MG, 500 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG	3	GC
<i>casposfungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	1	GC
<i>ciclopirox topical cream 0.77%</i> (Ciclodan)	1	GC
<i>ciclopirox topical gel 0.77%</i>	1	GC
<i>ciclopirox topical shampoo 1%</i> (Loprox)	1	GC
<i>ciclopirox topical solution 8%</i> (Ciclodan)	1	GC
<i>ciclopirox topical suspension 0.77%</i> (Loprox (as olamine))	1	GC
<i>clotrimazole mucous membrane troche 10 mg</i>	1	GC
<i>clotrimazole topical cream 1%</i> (Antifungal (clotrimazole))	1	GC
<i>clotrimazole topical solution 1%</i>	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05%</i> (Lotrisone)	1	GC
<i>clotrimazole-betamethasone topical lotion 1-0.05%</i>	1	GC
CRESEMBA INTRAVENOUS RECON SOLN 372 MG	2	GC
CRESEMBA ORAL CAPSULE 186 MG	2	GC
DIFLUCAN ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML, 40 MG/ML	3	GC
DIFLUCAN ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	GC
<i>econazole topical cream 1%</i>	1	GC
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	2	GC
EXELDERM TOPICAL CREAM 1%	2	GC
EXELDERM TOPICAL SOLUTION 1%	2	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml</i>	1	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	1	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	1	GC
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	1	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	1	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	GC
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	1	GC
JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 %	2	PA; GC
<i>ketoconazole oral tablet 200 mg</i>	1	GC
<i>ketoconazole topical cream 2 %</i>	1	GC
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)	1	GC
LOPROX (AS OLAMINE) TOPICAL SUSPENSION 0.77 %	3	GC
LOPROX TOPICAL SHAMPOO 1 %	3	GC
LOTRISONE TOPICAL CREAM 1-0.05 %	3	GC
<i>luliconazole topical cream 1 %</i> (Luzu)	1	GC
LUZU TOPICAL CREAM 1 %	3	GC
MENTAX TOPICAL CREAM 1 %	3	GC
<i>miconazole nitrate-zinc ox-pet topical ointment 0.25-15-81.35 %</i> (Vusion)	1	GC
<i>miconazole-3 vaginal suppository 200 mg</i>	1	GC
MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG	2	GC
<i>naftifine topical cream 1 %</i>	1	GC
<i>naftifine topical cream 2 %</i> (Naftin)	1	GC
<i>naftifine topical gel 1 %</i> (Naftin)	1	GC
NAFTIN TOPICAL CREAM 2 %	3	GC
NAFTIN TOPICAL GEL 1 %, 2 %	2	GC
NIZORAL TOPICAL SHAMPOO 2 %	3	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	2	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	2	GC
<i>nyamyc topical powder 100,000 unit/gram</i>	1	GC
<i>nystatin oral suspension 100,000 unit/ml</i>	1	GC
<i>nystatin oral tablet 500,000 unit</i>	1	GC
<i>nystatin topical cream 100,000 unit/gram</i>	1	GC
<i>nystatin topical ointment 100,000 unit/gram</i>	1	GC
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	GC
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	GC
<i>nystop topical powder 100,000 unit/gram</i>	1	GC
ONMEL ORAL TABLET 200 MG	2	PA; GC
ORAVIG BUCCAL MUCO- ADHESIVE BUCCAL TABLET 50 MG	2	GC
<i>oxiconazole topical cream 1 %</i> (Oxistat)	1	GC
OXISTAT TOPICAL CREAM 1 %	3	GC
OXISTAT TOPICAL LOTION 1 %	2	GC
SPORANOX ORAL CAPSULE 100 MG	3	GC
SPORANOX ORAL SOLUTION 10 MG/ML	3	GC
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
VFEND IV INTRAVENOUS RECON SOLN 200 MG	3	PA BvD; GC
VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML)	3	GC
VFEND ORAL TABLET 200 MG, 50 MG	3	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	1	PA BvD; GC
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	1	GC
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VUSION TOPICAL OINTMENT 0.25-15-81.35 %	3	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	GC
ALOPRIM INTRAVENOUS RECON SOLN 500 MG	3	GC
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	1	GC
COLCRYS ORAL TABLET 0.6 MG	3	GC
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	2	ST; GC; QL (30 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	GC; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	GC
ULORIC ORAL TABLET 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
ZYLOPRIM ORAL TABLET 100 MG, 300 MG	3	GC
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	1	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	1	GC
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	GC
CLARINEX ORAL SYRUP 2.5 MG/5 ML (0.5 MG/ML)	2	GC
CLARINEX ORAL TABLET 5 MG	3	GC
CLARINEX-D 12 HOUR ORAL TABLET, ER MULTIPHASE 12 HR 2.5-120 MG	2	GC
<i>clemastine oral tablet 2.68 mg</i>	1	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	GC
<i>cyproheptadine oral tablet 4 mg</i>	1	GC
<i>desloratadine oral tablet 5 mg</i> (Clarinet)	1	GC
<i>desloratadine oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
KARBINAL ER ORAL SUSPENSION,EXTENDED REL 12 HR 4 MG/5 ML	2	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i> (Promethazine VC)	1	GC
SEMPREX-D ORAL CAPSULE 8-60 MG	2	GC
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
AVC VAGINAL VAGINAL CREAM 15 %	2	GC
CLEOCIN VAGINAL CREAM 2 %	3	GC
CLEOCIN VAGINAL SUPPOSITORY 100 MG	2	GC
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	GC
CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %	2	GC
METROGEL VAGINAL VAGINAL GEL 0.75 %	3	GC
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	GC
NUVESSA VAGINAL GEL 1.3 %	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	GC
<i>terconazole vaginal suppository 80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VANDAZOLE VAGINAL GEL 0.75 %	2	GC
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	2	PA; GC; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	2	PA; GC; QL (1 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	PA; GC; QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	GC; QL (12 per 28 days)
AMERGE ORAL TABLET 1 MG, 2.5 MG	3	ST; GC; QL (18 per 28 days)
D.H.E.45 INJECTION SOLUTION 1 MG/ML	3	GC; QL (24 per 28 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	1	GC; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	1	GC; QL (8 per 28 days)
<i>eletriptan oral tablet 20 mg, 40 mg</i> (Relpax)	1	GC; QL (12 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	PA; GC; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	PA; GC; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	PA; GC; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (40 per 28 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i> (Cafergot)	1	GC; QL (40 per 28 days)
FROVA ORAL TABLET 2.5 MG	3	ST; GC; QL (18 per 28 days)
<i>frovatriptan oral tablet 2.5 mg</i> (Frova)	1	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMITREX 4 MG/0.5 ML CARTRIDGES 4 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX 6 MG/0.5 ML PEN INJECT 2 STAT DOSE SYR,SDV 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX NASAL SPRAY, NON- AEROSOL 20 MG/ACTUATION, 5 MG/ACTUATION	3	ST; GC; QL (12 per 28 days)
IMITREX ORAL TABLET 100 MG, 25 MG, 50 MG	3	ST; GC; QL (18 per 28 days)
IMITREX STATDOSE PEN SUBCUTANEOUS PEN INJECTOR 4 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX STATDOSE REFILL SUBCUTANEOUS CARTRIDGE 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX SUBCUTANEOUS SOLUTION 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
MAXALT ORAL TABLET 10 MG	3	ST; GC; QL (18 per 28 days)
MAXALT-MLT ORAL TABLET, DISINTEGRATING 10 MG, 5 MG	3	ST; GC; QL (18 per 28 days)
MIGRANAL NASAL SPRAY, NON- AEROSOL 0.5 MG/PUMP ACT. (4 MG/ML)	3	GC; QL (8 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	1	GC; QL (18 per 28 days)
RELPAK ORAL TABLET 20 MG, 40 MG	3	ST; GC; QL (12 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i> (Maxalt-MLT)	1	GC; QL (18 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	1	GC; QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	GC; QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	GC; QL (12 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	1	GC; QL (12 per 28 days)
ZOMIG NASAL SPRAY, NON-AEROSOL 2.5 MG, 5 MG	2	ST; GC; QL (12 per 28 days)
ZOMIG ORAL TABLET 2.5 MG, 5 MG	3	ST; GC; QL (12 per 28 days)
ZOMIG ZMT ORAL TABLET, DISINTEGRATING 2.5 MG, 5 MG	3	ST; GC; QL (12 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	2	GC
<i>cycloserine oral capsule 250 mg</i>	1	GC
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	GC
<i>ethambutol oral tablet 100 mg</i>	1	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	GC
<i>isoniazid injection solution 100 mg/ml</i>	1	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	1	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
MYAMBUTOL ORAL TABLET 400 MG	3	GC
MYCOBUTIN ORAL CAPSULE 150 MG	3	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	2	GC
PRIFTIN ORAL TABLET 150 MG	2	GC
<i>pyrazinamide oral tablet 500 mg</i>	1	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RIFADIN INTRAVENOUS RECON SOLN 600 MG	3	GC
RIFADIN ORAL CAPSULE 150 MG, 300 MG	3	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	GC
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	GC
RIFATER ORAL TABLET 50-120-300 MG	2	GC
SIRTURO ORAL TABLET 100 MG	2	PA; GC; QL (188 per 168 days)
TRECTOR ORAL TABLET 250 MG	2	GC
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	GC
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	PA BvD; GC
ALOXI INTRAVENOUS SOLUTION 0.25 MG/5 ML	3	GC
<i>aprepitant oral capsule 125 mg</i> (Emend)	1	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	1	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; GC
CESAMET ORAL CAPSULE 1 MG	2	PA BvD; GC; QL (180 per 30 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	2	GC; QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; GC
EMEND ORAL CAPSULE 125 MG	3	PA BvD; GC; QL (2 per 28 days)
EMEND ORAL CAPSULE 40 MG	3	PA BvD; GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMEND ORAL CAPSULE 80 MG	3	PA BvD; GC; QL (4 per 28 days)
EMEND ORAL CAPSULE,DOSE PACK 125 MG (1)- 80 MG (2)	3	PA BvD; GC; QL (6 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	2	PA BvD; GC; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	GC
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD; GC
MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG	3	PA; GC
<i>meclizine oral tablet 12.5 mg</i>	1	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD; GC
PALONOSETRON INTRAVENOUS SOLUTION 0.25 MG/2 ML	1	GC
<i>palonosetron intravenous solution 0.25 mg/5 ml</i> (Aloxi)	1	GC
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>	1	GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	1	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	1	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	1	GC
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	1	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	GC
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR	2	GC; QL (4 per 28 days)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	GC; QL (10 per 30 days)
SUSTOL SUBCUTANEOUS LIQUID,EXTENDED RELEASE SYRING 10 MG/0.4 ML	2	GC
SYNDROS ORAL SOLUTION 5 MG/ML	2	PA; GC
TIGAN INTRAMUSCULAR SOLUTION 100 MG/ML	2	GC
TIGAN ORAL CAPSULE 300 MG	3	GC
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	3	GC; QL (10 per 30 days)
<i>trimethobenzamide oral capsule 300 mg</i> (Tigan)	1	GC
VARUBI INTRAVENOUS EMULSION 166.5 MG/92.5 ML	2	GC
VARUBI ORAL TABLET 90 MG	2	PA BvD; GC
ZOFRAN ORAL SOLUTION 4 MG/5 ML	3	PA BvD; GC
ZOFRAN ORAL TABLET 4 MG, 8 MG	3	PA BvD; GC
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i> (Albenza)	1	GC
ALBENZA ORAL TABLET 200 MG	3	GC
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	2	GC
ALINIA ORAL TABLET 500 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	1	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	GC
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	1	GC
BILTRICIDE ORAL TABLET 600 MG	3	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	GC
COARTEM ORAL TABLET 20-120 MG	2	GC
DARAPRIM ORAL TABLET 25 MG	2	GC
EMVERM ORAL TABLET,CHEWABLE 100 MG	2	GC
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	GC
IMPAVIDO ORAL CAPSULE 50 MG	2	PA; GC; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	GC
KRINTAFEL ORAL TABLET 150 MG	2	GC
MALARONE ORAL TABLET 250-100 MG	3	GC
MALARONE PEDIATRIC ORAL TABLET 62.5-25 MG	3	GC
<i>mefloquine oral tablet 250 mg</i>	1	GC
MEPRON ORAL SUSPENSION 750 MG/5 ML	3	GC
NEBUPENT INHALATION RECON SOLN 300 MG	2	PA BvD; GC
<i>paromomycin oral capsule 250 mg</i>	1	GC
PENTAM INJECTION RECON SOLN 300 MG	2	GC
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	GC
PLAQUENIL ORAL TABLET 200 MG	3	GC
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
QUALAQUIN ORAL CAPSULE 324 MG	3	PA; GC; QL (42 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	PA; GC; QL (42 per 7 days)
STROMEKTOL ORAL TABLET 3 MG	3	GC
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	GC
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	1	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	2	GC; QL (60 per 30 days)
AZILECT ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>benztropine injection solution 2 mg/2 ml</i> (Cogentin)	1	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	GC
<i>cabergoline oral tablet 0.5 mg</i>	1	GC
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	1	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COGENTIN INJECTION SOLUTION 2 MG/2 ML	3	GC
COMTAN ORAL TABLET 200 MG	3	GC
ELDEPRYL ORAL CAPSULE 5 MG	3	GC
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	GC
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	2	PA; GC; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	2	PA; GC; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	2	PA; GC; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	PA; GC; QL (300 per 30 days)
LODOSYN ORAL TABLET 25 MG	3	GC
MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HR 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG	3	GC
MIRAPEX ORAL TABLET 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG	3	GC
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	ST; GC; QL (30 per 30 days)
PARLODEL ORAL CAPSULE 5 MG	3	GC
PARLODEL ORAL TABLET 2.5 MG	3	GC
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> (Mirapex ER)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	GC
REQUIP ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 3 MG, 4 MG, 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REQUIP XL ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	GC
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg (Requip)</i>	1	GC
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	GC
<i>ropinirole oral tablet extended release 24 (Requip XL) hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	GC
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25- 245 MG	2	GC; QL (300 per 30 days)
<i>selegiline hcl oral capsule 5 mg</i>	1	GC
<i>selegiline hcl oral tablet 5 mg</i>	1	GC
SINEMET CR ORAL TABLET EXTENDED RELEASE 25-100 MG, 50-200 MG	3	GC
SINEMET ORAL TABLET 10-100 MG, 25-100 MG, 25-250 MG	3	GC
STALEVO 100 ORAL TABLET 25- 100-200 MG	3	GC
STALEVO 150 ORAL TABLET 37.5- 150-200 MG	3	GC
TASMAR ORAL TABLET 100 MG	3	GC
<i>tolcapone oral tablet 100 mg (Tasmar)</i>	1	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
ZELAPAR ORAL TABLET,DISINTEGRATING 1.25 MG	2	GC
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILIFY ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ABILIFY ORAL TABLET 2 MG	3	ST; GC; QL (60 per 30 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	2	GC
<i>aripiprazole oral solution 1 mg/ml</i>	1	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	GC; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	2	GC; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	GC; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	GC; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	GC; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	GC; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet 100 mg</i> (Clozaril)	1	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	1	GC; QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i> (FazaClo)	1	GC; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i> (FazaClo)	1	GC; QL (120 per 30 days)
CLOZARIL ORAL TABLET 100 MG	3	GC; QL (270 per 30 days)
CLOZARIL ORAL TABLET 25 MG	3	GC; QL (90 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	ST; GC; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	2	ST; GC
FAZACLO ORAL TABLET, DISINTEGRATING 100 MG, 12.5 MG, 25 MG	3	GC; QL (90 per 30 days)
FAZACLO ORAL TABLET, DISINTEGRATING 150 MG	3	GC; QL (180 per 30 days)
FAZACLO ORAL TABLET, DISINTEGRATING 200 MG	3	GC; QL (120 per 30 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	2	GC; QL (6 per 28 days)
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG	3	ST; GC; QL (60 per 30 days)
HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML	3	GC
HALDOL INJECTION SOLUTION 5 MG/ML	3	GC
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	1	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	GC
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG, 3 MG, 9 MG	3	ST; GC; QL (30 per 30 days)
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG	3	ST; GC; QL (60 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	ST; GC; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	ST; GC; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	ST; GC; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	ST; GC; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	ST; GC; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	2	GC; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	2	GC; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	GC; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	2	GC; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC
<i>molindone oral tablet 10 mg</i>	1	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	GC; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	GC; QL (30 per 30 days)
ORAP ORAL TABLET 1 MG, 2 MG	3	GC
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paliperidone oral tablet extended release</i> (Invega) 24hr 6 mg	1	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	2	GC; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	1	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 250 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	GC; QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	1	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	1	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	2	ST; GC; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	2	ST; GC; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	ST; GC; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	2	GC; QL (4 per 28 days)
RISPERDAL ORAL SOLUTION 1 MG/ML	3	ST; GC; QL (480 per 30 days)
RISPERDAL ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	3	ST; GC; QL (60 per 30 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	1	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	2	ST; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG	3	ST; GC; QL (90 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 50 MG	3	ST; GC; QL (30 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 400 MG	3	ST; GC; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	GC; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	GC; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	GC
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	GC; QL (60 per 30 days)
ZYPREXA INTRAMUSCULAR RECON SOLN 10 MG	3	GC; QL (30 per 30 days)
ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	3	ST; GC; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	2	GC; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	GC; QL (1 per 28 days)
ZYPREXA ZYDIS ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	GC
APTIVUS ORAL CAPSULE 250 MG	2	GC
APTIVUS ORAL SOLUTION 100 MG/ML	2	GC
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	GC
ATRIPLA ORAL TABLET 600-200-300 MG	2	GC
BIKTARVY ORAL TABLET 50-200-25 MG	2	GC
CIMDUO ORAL TABLET 300-300 MG	2	GC
COMBIVIR ORAL TABLET 150-300 MG	3	GC
COMPLERA ORAL TABLET 200-25-300 MG	2	GC
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	2	GC
DELSTRIGO ORAL TABLET 100-300-300 MG	2	GC
DESCOVY ORAL TABLET 200-25 MG	2	GC
<i>didanosine oral capsule, delayed release(drlec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	1	GC
DOVATO ORAL TABLET 50-300 MG	2	GC
EDURANT ORAL TABLET 25 MG	2	GC
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	1	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	GC
EMTRIVA ORAL CAPSULE 200 MG	2	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	2	GC
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	GC
EPIVIR HBV ORAL TABLET 100 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIVIR ORAL SOLUTION 10 MG/ML	3	GC
EPIVIR ORAL TABLET 150 MG, 300 MG	3	GC
EPZICOM ORAL TABLET 600-300 MG	3	GC
EVOTAZ ORAL TABLET 300-150 MG	2	GC
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	GC
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	GC
GENVOYA ORAL TABLET 150-150-200-10 MG	2	GC
INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG	2	GC
INVIRASE ORAL TABLET 500 MG	2	GC
ISENTRESS HD ORAL TABLET 600 MG	2	GC
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	GC
ISENTRESS ORAL TABLET 400 MG	2	GC
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	2	GC
JULUCA ORAL TABLET 50-25 MG	2	GC
KALETRA ORAL SOLUTION 400-100 MG/5 ML	3	GC
KALETRA ORAL TABLET 100-25 MG, 200-50 MG	2	GC
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	2	GC
LEXIVA ORAL TABLET 700 MG	3	GC
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	GC
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	GC
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	1	GC
NORVIR ORAL CAPSULE 100 MG	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	2	GC
NORVIR ORAL SOLUTION 80 MG/ML	2	GC
NORVIR ORAL TABLET 100 MG	3	GC
ODEFSEY ORAL TABLET 200-25-25 MG	2	GC
PIFELTRO ORAL TABLET 100 MG	2	GC
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	GC
PREZISTA ORAL SUSPENSION 100 MG/ML	2	GC
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	2	GC
RESCRIPTOR ORAL TABLET 200 MG	2	GC
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	2	GC
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	GC
RETROVIR ORAL CAPSULE 100 MG	3	GC
RETROVIR ORAL SYRUP 10 MG/ML	3	GC
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG	3	GC
REYATAZ ORAL POWDER IN PACKET 50 MG	2	GC
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	2	GC
SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG	2	GC
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUSTIVA ORAL CAPSULE 200 MG, 50 MG	3	GC
SUSTIVA ORAL TABLET 600 MG	3	GC
SYMFI LO ORAL TABLET 400-300-300 MG	2	GC
SYMFI ORAL TABLET 600-300-300 MG	2	GC
SYMTUZA ORAL TABLET 800-150-200-10 MG	2	GC
<i>tenofovir disoproxil fumarate oral tablet</i> (Viread) 300 mg	1	GC
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	2	GC
TRIUMEQ ORAL TABLET 600-50-300 MG	2	GC
TRIZIVIR ORAL TABLET 300-150-300 MG	3	GC
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	GC
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	2	GC
VEMLIDY ORAL TABLET 25 MG	2	GC; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	2	GC
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	2	GC
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG, 200 MG, 250 MG, 400 MG	3	GC
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	GC
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	3	GC
VIRAMUNE ORAL TABLET 200 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 400 MG	3	GC
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	GC
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	GC
VIREAD ORAL TABLET 300 MG	3	GC
ZIAGEN ORAL SOLUTION 20 MG/ML	3	GC
ZIAGEN ORAL TABLET 300 MG	3	GC
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	GC
<i>zidovudine oral tablet 300 mg</i>	1	GC
Antivirals, Miscellaneous		
FLUMADINE ORAL TABLET 100 MG	3	GC
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	PA; GC; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	PA; GC; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	PA; GC; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	GC
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
TAMIFLU ORAL CAPSULE 30 MG	3	GC; QL (84 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TAMIFLU ORAL CAPSULE 45 MG	3	GC; QL (48 per 180 days)
TAMIFLU ORAL CAPSULE 75 MG	3	GC; QL (42 per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML	3	GC; QL (540 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	2	GC; QL (4 per 180 days)
Hcv Antivirals		
DAKLINZA ORAL TABLET 30 MG, 60 MG	2	PA; GC; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	2	PA; GC; QL (30 per 30 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	1	PA; GC; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	2	PA; GC; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	1	PA; GC; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	2	PA; GC; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	2	PA; GC; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	2	PA; GC
VOSEVI ORAL TABLET 400-100-100 MG	2	PA; GC; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	2	PA; GC; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	2	PA NSO; GC
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	2	GC
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	GC
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	GC
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	2	GC
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	2	PA NSO; GC; QL (4 per 28 days)
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i> (Zovirax)	1	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Zovirax)	1	GC
<i>acyclovir sodium intravenous recon soln 500 mg</i>	1	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	GC
BARACLUDE ORAL SOLUTION 0.05 MG/ML	2	GC
BARACLUDE ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>cidofovir intravenous solution 75 mg/ml</i>	1	GC
CYTOVENE INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	1	PA BvD; GC
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD; GC
HEPSERA ORAL TABLET 10 MG	3	GC
MODERIBA DOSE PACK ORAL TABLETS,DOSE PACK 600 MG (7)- 600 MG (7)	3	GC
REBETOL ORAL SOLUTION 40 MG/ML	2	GC
<i>ribasphere oral capsule 200 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ribasphere oral tablet 600 mg</i>	3	GC
<i>ribasphere ribapak 600-400 mg 600 mg (7)- 400 mg (7)</i>	3	GC
<i>ribasphere ribapak 600-600 mg 600 mg (7)- 600 mg (7)</i>	3	GC
<i>ribasphere ribapak oral tablets,dose pack 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	3	GC
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA BvD; GC
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	1	GC
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	1	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	GC
VALCYTE ORAL RECON SOLN 50 MG/ML	3	GC
VALCYTE ORAL TABLET 450 MG	3	GC
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	GC
VALTREX ORAL TABLET 1 GRAM, 500 MG	3	GC
VIRAZOLE INHALATION RECON SOLN 6 GRAM	3	PA BvD; GC
ZOVIRAX ORAL CAPSULE 200 MG	3	GC
ZOVIRAX ORAL SUSPENSION 200 MG/5 ML	3	GC
ZOVIRAX ORAL TABLET 400 MG, 800 MG	3	GC
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ARIXTRA SUBCUTANEOUS SYRINGE 10 MG/0.8 ML, 2.5 MG/0.5 ML, 5 MG/0.4 ML, 7.5 MG/0.6 ML	3	GC
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	2	GC; QL (43 per 42 days)
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	GC
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	GC
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	GC
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	1	GC
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	1	GC
FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML	2	GC; QL (15.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	2	GC; QL (17 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	2	GC; QL (8.5 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	2	GC; QL (10.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	2	GC; QL (12.24 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML	2	GC; QL (12 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 5,000 ANTI-XA UNIT/0.2 ML	2	GC; QL (6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	2	GC; QL (5.1 per 30 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	1	PA BvD; GC
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	GC
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>	1	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML	3	GC
LOVENOX SUBCUTANEOUS SYRINGE 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML	3	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	2	GC; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	2	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG	2	GC
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	GC
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	2	PA; GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 200 MCG/0.4 ML, 40 MCG/0.4 ML	2	PA; GC; QL (1.6 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML	2	PA; GC; QL (2 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 150 MCG/0.3 ML, 60 MCG/0.3 ML	2	PA; GC; QL (1.2 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 25 MCG/0.42 ML	2	PA; GC; QL (1.68 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 300 MCG/0.6 ML	2	PA; GC; QL (2.4 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 500 MCG/ML	2	PA; GC; QL (4 per 28 days)
BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)	2	PA; GC
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	PA; GC
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	PA; GC
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	PA; GC
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	GC
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	GC
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	2	PA; GC
LEUKINE INJECTION RECON SOLN 250 MCG	2	GC
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	2	PA; GC; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	2	GC
MULPLETA ORAL TABLET 3 MG	2	PA; GC
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	2	PA; GC
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	GC
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	GC
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	PA; GC; QL (360 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	2	PA; GC; QL (30 per 30 days)
PROMACTA ORAL TABLET 25 MG	2	PA; GC; QL (120 per 30 days)
PROMACTA ORAL TABLET 50 MG	2	PA; GC; QL (90 per 30 days)
PROMACTA ORAL TABLET 75 MG	2	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	2	PA; GC
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	GC
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
Hematologic Agents, Miscellaneous		
AGRYLIN ORAL CAPSULE 0.5 MG	3	GC
AMICAR ORAL SOLUTION 250 MG/ML (25 %)	3	GC
AMICAR ORAL TABLET 1,000 MG, 500 MG	3	GC
<i>aminocaproic acid oral tablet 1,000 mg,</i> (Amicar) <i>500 mg</i>	1	GC
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	GC
<i>anagrelide oral capsule 1 mg</i>	1	GC
CYKLOKAPRON INTRAVENOUS SOLUTION 1,000 MG/10 ML (100 MG/ML)	3	GC
LYSTEDA ORAL TABLET 650 MG	3	GC; QL (30 per 30 days)
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	1	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	GC; QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
AGGRENEX ORAL CAPSULE, ER MULTIPHASE 12 HR 25-200 MG	3	GC; QL (60 per 30 days)
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) <i>multiphase 12 hr 25-200 mg</i>	1	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	GC
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	GC
<i>clopidogrel oral tablet 300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
EFFIENT ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	GC
PLAVIX ORAL TABLET 75 MG	3	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	GC; QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	2	GC
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	2	PA BvD; GC
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	2	PA BvD; GC
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	1	PA BvD; GC
<i>dextrose 20 % in water (d20w)</i> <i>intravenous parenteral solution 20 %</i>	1	PA BvD; GC
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	1	PA BvD; GC
<i>dextrose 30 % in water (d30w)</i> <i>intravenous parenteral solution</i>	1	PA BvD; GC
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	1	PA BvD; GC
<i>dextrose 5 % in ringer's intravenous</i> <i>parenteral solution 5 %</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous</i> <i>parenteral solution</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous</i> <i>piggyback 5 %</i>	1	GC
<i>dextrose 50 % in water (d50w)</i> <i>intravenous parenteral solution</i>	1	PA BvD; GC
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	1	PA BvD; GC
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	1	PA BvD; GC
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	2	PA BvD; GC
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	2	PA BvD; GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	PA BvD; GC
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	2	PA BvD; GC
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	2	PA BvD; GC
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
OMEGAVEN INTRAVENOUS EMULSION 10 %	2	PA BvD; GC
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	2	PA BvD; GC
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	PA BvD; GC
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	PA BvD; GC
<i>smoflipid intravenous emulsion 20 %</i>	1	PA BvD; GC
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	2	PA BvD; GC
Cardiovascular Agents		
Alpha-Adrenergic Agents		
CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG	3	GC
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	2	GC
CATAPRES ORAL TABLET 0.1 MG, 0.2 MG, 0.3 MG	3	GC
CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24 HR	3	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24 HR	3	GC; QL (8 per 28 days)
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	GC; QL (8 per 28 days)
DIBENZYLINE ORAL CAPSULE 10 MG	3	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	GC
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>methyl dopa oral tablet 250 mg, 500 mg</i>	1	GC
<i>methyl dopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	1	GC
<i>methyl dopate intravenous solution 250 mg/5 ml</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
MINIPRESS ORAL CAPSULE 1 MG, 2 MG, 5 MG	3	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	2	PA; GC; QL (180 per 30 days)
<i>phenoxybenzamine oral capsule 10 mg</i> (Dibenzylidine)	1	GC
<i>phentolamine injection recon soln 5 mg</i>	1	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	GC
VAZCULEP INJECTION SOLUTION 10 MG/ML	3	GC
Angiotensin II Receptor Antagonists		
ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG	3	GC
ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	GC
AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG	3	GC
BENICAR HCT ORAL TABLET 20- 12.5 MG, 40-12.5 MG, 40-25 MG	3	GC
BENICAR ORAL TABLET 20 MG, 40 MG, 5 MG	3	GC
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	GC
COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
DIOVAN HCT ORAL TABLET 160- 12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG	3	GC
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG	3	GC
EDARBI ORAL TABLET 40 MG, 80 MG	2	GC
EDARBYCLOR ORAL TABLET 40- 12.5 MG, 40-25 MG	2	GC
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	GC; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	GC
HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG	3	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
MICARDIS HCT ORAL TABLET 40- 12.5 MG, 80-12.5 MG, 80-25 MG	3	GC
MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	1	GC; QL (30 per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	GC
TRIBENZOR ORAL TABLET 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG	3	GC
TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG	3	GC; QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	GC
Angiotensin-Converting Enzyme Inhibitors		
ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC
ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG	3	GC
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enalapril-hydrochlorothiazide oral tablet</i> (Vaseretic) 10-25 mg	1	GC
<i>enalapril-hydrochlorothiazide oral tablet</i> 5-12.5 mg	1	GC
EPANED ORAL SOLUTION 1 MG/ML	2	GC
<i>fosinopril oral tablet</i> 10 mg, 20 mg, 40 mg	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet</i> 10-12.5 mg, 20-12.5 mg	1	GC
<i>lisinopril oral tablet</i> 10 mg, 20 mg, 5 mg (Prinivil)	1	GC
<i>lisinopril oral tablet</i> 2.5 mg, 30 mg, 40 (Zestril) mg	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet</i> (Zestoretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	GC
LOTENSIN HCT ORAL TABLET 10- 12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG	3	GC
<i>moexipril oral tablet</i> 15 mg, 7.5 mg	1	GC
<i>perindopril erbumine oral tablet</i> 2 mg, 4 mg, 8 mg	1	GC
PRINIVIL 5 MG TABLET 5 MG	3	GC
PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG	3	GC
QBRELIS ORAL SOLUTION 1 MG/ML	2	ST; GC
<i>quinapril oral tablet</i> 10 mg, 20 mg, 40 (Accupril) mg, 5 mg	1	GC
<i>quinapril-hydrochlorothiazide oral tablet</i> (Accuretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	GC
<i>ramipril oral capsule</i> 1.25 mg, 10 mg, 2.5 (Altace) mg, 5 mg	1	GC
TARKA ORAL TABLET, IR - ER, BIPHASIC 24HR 2-180 MG, 2-240 MG, 4-240 MG	3	GC
<i>trandolapril oral tablet</i> 1 mg, 2 mg, 4 mg	1	GC
<i>trandolapril-verapamil oral tablet, ir - er,</i> <i>biphasic 24hr</i> 1-240 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trandolapril-verapamil oral tablet, ir - er, (Tarka)</i> <i>biphasic 24hr 2-180 mg, 2-240 mg, 4-240 mg</i>	1	GC
VASERETIC ORAL TABLET 10-25 MG	3	GC
VASOTEC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	GC
ZESTORETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG	3	GC
Antiarrhythmic Agents		
<i>amiodarone 900 mg/18 ml vial latex-free, mdy 50 mg/ml</i>	1	PA BvD; GC
<i>amiodarone intravenous solution 50 mg/ml</i>	1	GC
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg (Pacerone)</i>	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)</i>	1	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	1	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	GC
MULTAQ ORAL TABLET 400 MG	2	GC
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG, 150 MG	2	GC
NORPACE ORAL CAPSULE 100 MG, 150 MG	3	GC
<i>pacerone oral tablet 100 mg, 400 mg</i>	3	GC
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	1	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg (Rythmol SR)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	GC
RYTHMOL SR ORAL CAPSULE,EXTENDED RELEASE 12 HR 225 MG, 325 MG, 425 MG	3	GC
TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG	3	GC
XYLOCAINE-MPF 2% VIAL 25'S,SDV, LATEX-FREE 20 MG/ML (2 %)	3	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	1	GC
BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
BETAPACE ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	GC
<i>bisoprolol-hydrochlorothiazide oral tablet (Ziac) 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	2	GC
BYVALSON ORAL TABLET 5-80 MG	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC
<i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg (Coreg CR)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COREG CR ORAL CAPSULE, ER MULTIPHASE 24 HR 10 MG, 20 MG, 40 MG, 80 MG	3	GC
COREG ORAL TABLET 12.5 MG, 25 MG, 3.125 MG, 6.25 MG	3	GC
CORGARD ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
CORZIDE ORAL TABLET 40-5 MG, 80-5 MG	3	GC
INDERAL LA ORAL CAPSULE,EXTENDED RELEASE 24 HR 160 MG, 60 MG, 80 MG	3	GC
INNOPRAN XL ORAL CAPSULE,EXTENDED RELEASE 24HR 80 MG	2	GC
KAPSPARGO SPRINKLE ORAL CAPSULE,SPRINKLE,ER 24HR 100 MG, 200 MG, 25 MG, 50 MG	2	GC
<i>labetalol intravenous solution 5 mg/ml</i>	1	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	GC
LEVATOL ORAL TABLET 20 MG	2	GC
LOPRESSOR HCT ORAL TABLET 50-25 MG	3	GC
LOPRESSOR INTRAVENOUS SOLUTION 5 MG/5 ML	3	GC
LOPRESSOR ORAL TABLET 100 MG, 50 MG	3	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	1	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	1	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	GC
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i>	1	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	1	GC
<i>propranolol oral capsule, extended release</i> (Inderal LA) 24 hr 120 mg, 160 mg, 60 mg, 80 mg	1	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	GC
SOTALOL INTRAVENOUS SOLUTION 150 MG/10 ML (15 MG/ML)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Betapace)	1	GC
SOTYLIZE ORAL SOLUTION 5 MG/ML	2	GC
TENORETIC 100 ORAL TABLET 100-25 MG	3	GC
TENORETIC 50 ORAL TABLET 50-25 MG	3	GC
TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 200 MG, 25 MG, 50 MG	3	GC
ZIAC ORAL TABLET 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Calcium-Channel Blocking Agents		
CALAN ORAL TABLET 120 MG, 80 MG	3	GC
CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG, 180 MG, 240 MG	3	GC
CARDIZEM CD ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG	3	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 120 MG	2	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	3	GC
CARDIZEM ORAL TABLET 120 MG, 30 MG, 60 MG	3	GC
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	GC
<i>diltiazem hcl intravenous recon soln 100 mg</i>	1	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	1	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiazac)	1	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cardizem CD)	1	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	GC
<i>diltiazem hcl oral tablet 90 mg</i>	1	GC
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Cardizem LA)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	GC
TIAZAC ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	3	GC
<i>verapamil 10 mg/4 ml vial plf, llf, suv, outer 2.5 mg/ml</i>	1	GC
<i>verapamil intravenous solution 2.5 mg/ml</i>	1	PA BvD; GC
<i>verapamil oral capsule, 24 hr er pellet ct (Verelan PM) 100 mg, 200 mg, 300 mg</i>	1	GC
<i>verapamil oral capsule,ext rel. pellets 24 (Verelan) hr 120 mg, 180 mg, 240 mg, 360 mg</i>	1	GC
<i>verapamil oral tablet 120 mg, 80 mg (Calan)</i>	1	GC
<i>verapamil oral tablet 40 mg</i>	1	GC
<i>verapamil oral tablet extended release (Calan SR) 120 mg, 180 mg, 240 mg</i>	1	GC
VERELAN ORAL CAPSULE,EXT REL. PELLETS 24 HR 120 MG, 180 MG, 240 MG	3	GC
VERELAN PM ORAL CAPSULE, 24 HR ER PELLETT CT 100 MG, 200 MG, 300 MG	3	GC
Cardiovascular Agents, Miscellaneous		
ADRENALIN INJECTION SOLUTION 1 MG/ML, 1 MG/ML (1 ML)	3	GC
AKOVAZ INTRAVENOUS SOLUTION 50 MG/ML	3	GC
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	GC; QL (60 per 30 days)
DEMSEER ORAL CAPSULE 250 MG	2	GC
<i>digitek oral tablet 125 mcg, 250 mcg</i>	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>digox oral tablet 125 mcg, 250 mcg</i>	1	GC; QL (30 per 30 days)
<i>digoxin injection syringe 250 mcg/ml</i>	1	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML	2	GC
<i>digoxin oral tablet 125 mcg, 250 mcg</i> (Digitek)	1	GC; QL (30 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	1	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	1	GC
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	GC; QL (4 per 30 days)
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	3	GC; QL (4 per 30 days)
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	3	GC; QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	2	GC; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	1	GC; QL (18 per 30 days)
LANOXIN INJECTION SOLUTION 250 MCG/ML	3	GC
LANOXIN ORAL TABLET 125 MCG, 250 MCG	3	GC; QL (30 per 30 days)
LANOXIN ORAL TABLET 187.5 MCG	2	GC; QL (30 per 30 days)
LANOXIN ORAL TABLET 62.5 MCG	2	GC; QL (60 per 30 days)
LANOXIN PEDIATRIC INJECTION SOLUTION 100 MCG/ML	2	GC
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	3	GC
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML	2	GC; QL (4 per 30 days)
VECAMYL ORAL TABLET 2.5 MG	2	GC
VYNDAQEL ORAL CAPSULE 20 MG	2	PA; GC; QL (120 per 30 days)
Dihydropyridines		
ADALAT CC ORAL TABLET EXTENDED RELEASE 30 MG, 60 MG, 90 MG	3	GC
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	1	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	GC
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	GC
AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG	3	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 20 MG/200 ML	3	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 40 MG/200 ML	2	GC
CARDENE IV INTRAVENOUS SOLUTION 25 MG/10 ML	3	GC
EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG	3	GC
EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	GC
LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG, 5-40 MG	3	GC
<i>nicardipine intravenous solution 25 mg/10 ml (Cardene IV)</i>	1	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	GC
<i>nifedipine oral capsule 10 mg (Procardia)</i>	1	GC
<i>nifedipine oral capsule 20 mg</i>	1	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	1	GC
<i>nifedipine oral tablet extended release 30 mg (Adalat CC)</i>	1	GC
<i>nifedipine oral tablet extended release 60 mg, 90 mg (Adalat CC)</i>	1	GC
<i>nimodipine oral capsule 30 mg</i>	1	GC
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg (Sular)</i>	1	GC
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	1	GC
NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	GC
NYMALIZE ORAL SOLUTION 60 MG/20 ML	2	GC
PROCARDIA ORAL CAPSULE 10 MG	3	GC
PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG, 60 MG, 90 MG	3	GC
SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG, 34 MG, 8.5 MG	3	GC
Diuretics		
ALDACTAZIDE ORAL TABLET 25-25 MG	3	GC
ALDACTAZIDE ORAL TABLET 50-50 MG	2	GC
ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amiloride oral tablet 5 mg</i>	1	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	1	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	GC
DEMADEX ORAL TABLET 10 MG, 20 MG	3	GC
DIURIL IV INTRAVENOUS RECON SOLN 500 MG	3	GC
DIURIL ORAL SUSPENSION 250 MG/5 ML	2	GC
DYAZIDE ORAL CAPSULE 37.5-25 MG	3	GC
DYRENIUM ORAL CAPSULE 100 MG, 50 MG	2	GC
EDECRIIN ORAL TABLET 25 MG	3	GC
<i>ethacrynic acid oral tablet 25 mg</i> (Edecrin)	1	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	PA; GC; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	PA; GC
LASIX ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAXZIDE ORAL TABLET 75-50 MG	3	GC
MAXZIDE-25MG ORAL TABLET 37.5-25 MG	3	GC
<i>methyclothiazide oral tablet 5 mg</i>	1	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
MICROZIDE ORAL CAPSULE 12.5 MG	3	GC
SAMSCA ORAL TABLET 15 MG	2	GC; QL (30 per 30 days)
SAMSCA ORAL TABLET 30 MG	2	GC; QL (60 per 30 days)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	1	GC
<i>toremide oral tablet 20 mg</i> (Demadex)	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
Dyslipidemics		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	2	GC
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	GC
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CADUET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG	3	GC
<i>cholestyramine (with sugar) oral powder (Questran)</i> <i>in packet 4 gram</i>	1	GC
<i>cholestyramine light oral powder 4 gram</i>	1	GC
<i>cholestyramine light packet 4 gram</i>	1	GC
<i>colesevelam oral powder in packet 3.75 (WelChol)</i> <i>gram</i>	1	GC
<i>colesevelam oral tablet 625 mg (WelChol)</i>	1	GC
COLESTID FLAVORED GRANULES 7.5 GRAM	3	GC
COLESTID ORAL PACKET 5 GRAM	3	GC
COLESTID ORAL TABLET 1 GRAM	3	GC
<i>colestipol oral packet 5 gram (Colestid)</i>	1	GC
<i>colestipol oral tablet 1 gram (Colestid)</i>	1	GC
CRESTOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC
<i>ezetimibe oral tablet 10 mg (Zetia)</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-10 (Vytorin 10-10)</i> <i>mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-20 (Vytorin 10-20)</i> <i>mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-40 (Vytorin 10-40)</i> <i>mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-80 (Vytorin 10-80)</i> <i>mg</i>	1	PA NSO; GC
<i>fenofibrate micronized oral capsule 130</i> <i>mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	GC
<i>fenofibrate nanocrystallized oral tablet (Tricor)</i> <i>145 mg, 48 mg</i>	1	GC
<i>fenofibrate oral capsule 150 mg, 50 mg (Lipofen)</i>	1	GC
<i>fenofibrate oral tablet 120 mg, 40 mg (Fenoglide)</i>	1	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	GC
<i>fenofibric acid (choline) oral (Trilipix)</i> <i>capsule, delayed release(drlec) 135 mg,</i> <i>45 mg</i>	1	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg (Fibricor)</i>	1	GC
FENOGLIDE ORAL TABLET 120 MG, 40 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FIBRICOR ORAL TABLET 105 MG, 35 MG	3	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	1	GC
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	1	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	2	PA; GC; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	2	PA; GC; QL (45 per 30 days)
LESCOL ORAL CAPSULE 20 MG, 40 MG	3	GC
LESCOL XL ORAL TABLET EXTENDED RELEASE 24 HR 80 MG	3	GC
LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG	3	GC
LIPOFEN ORAL CAPSULE 150 MG, 50 MG	3	GC
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	2	GC; QL (30 per 30 days)
LOPID ORAL TABLET 600 MG	3	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
LOVAZA ORAL CAPSULE 1 GRAM	3	GC; QL (120 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	GC
<i>niacor oral tablet 500 mg</i>	1	GC
NIASPAN EXTENDED-RELEASE ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG, 500 MG, 750 MG	3	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	PA; GC; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRAVACHOL ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
<i>pravastatin oral tablet 10 mg</i>	1	GC
<i>pravastatin oral tablet 20 mg, 40 mg, 80 mg</i> (Pravachol)	1	GC
<i>prevalite oral powder in packet 4 gram</i>	1	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	PA; GC; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	PA; GC; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	PA; GC; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	GC
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	GC
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	PA NSO; GC; QL (30 per 30 days)
TRICOR ORAL TABLET 145 MG, 48 MG	3	GC
TRIGLIDE ORAL TABLET 160 MG	2	GC
TRILIPIX ORAL CAPSULE, DELAYED RELEASE (DR/EC) 135 MG, 45 MG	3	GC
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	GC; QL (120 per 30 days)
VYTORIN 10-10 ORAL TABLET 10-10 MG	3	GC
VYTORIN 10-20 ORAL TABLET 10-20 MG	3	GC
VYTORIN 10-40 ORAL TABLET 10-40 MG	3	GC
VYTORIN 10-80 ORAL TABLET 10-80 MG	3	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	GC
WELCHOL ORAL TABLET 625 MG	3	GC
ZETIA ORAL TABLET 10 MG	3	GC
ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG	3	GC; QL (30 per 30 days)
ZOCOR ORAL TABLET 80 MG	3	PA NSO; GC; QL (30 per 30 days)
ZYPITAMAG ORAL TABLET 1 MG, 2 MG, 4 MG	2	GC; QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	GC
INSPIRA ORAL TABLET 25 MG, 50 MG	3	GC
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	2	GC
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	GC
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	2	GC
DILATRATE-SR ORAL CAPSULE, EXTENDED RELEASE 40 MG	2	GC
ISORDIL ORAL TABLET 40 MG	2	GC
ISORDIL TITRADOSE ORAL TABLET 5 MG	3	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoso)	1	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i>	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.6 MG/HR	3	GC; QL (30 per 30 days)
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	2	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.4 MG/HR	3	GC; QL (60 per 30 days)
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.6 mg/1hr</i> (Minitran)	1	GC; QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/1hr</i> (Minitran)	1	GC; QL (60 per 30 days)
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	GC
NITROLINGUAL TRANSLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY	3	GC
NITROMIST TRANSLINGUAL AEROSOL, SPRAY 400 MCG/SPRAY	3	GC
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	3	GC
Central Nervous System Agents		
Central Nervous System Agents		
ADDERALL XR ORAL CAPSULE, EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ADDERALL XR ORAL CAPSULE, EXTENDED RELEASE 24HR 20 MG, 25 MG, 30 MG	3	ST; GC; QL (60 per 30 days)
<i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> (Evekeo)	1	GC; QL (180 per 30 days)
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	3	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
APTENSIO XR ORAL CAP,ER SPRINKLE,BIPHASIC 40-60 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	ST; GC; QL (30 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg,</i> (Strattera) <i>18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
AUBAGIO ORAL TABLET 14 MG, 7 MG	2	PA; GC; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	PA; GC; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	2	PA; GC; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	2	PA; GC
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	PA; GC
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	PA; GC
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	PA; GC
<i>caffeine citrate oral solution 60 mg/3 ml</i> <i>(20 mg/ml)</i>	1	GC
<i>clonidine hcl oral tablet extended release</i> (Kapvay) <i>12 hr 0.1 mg</i>	1	GC
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG	3	ST; GC; QL (30 per 30 days)
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 36 MG	3	ST; GC; QL (60 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	3	PA; GC; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	3	PA; GC; QL (12 per 28 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 17.3 MG, 25.9 MG	2	ST; GC; QL (60 per 30 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 8.6 MG	2	ST; GC; QL (120 per 30 days)
<i>dalfampridine oral tablet extended</i> <i>release 12 hr 10 mg</i> (Ampyra)	1	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DAYTRANA TRANSDERMAL PATCH 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	2	ST; GC; QL (30 per 30 days)
DESOXYN ORAL TABLET 5 MG	3	PA; GC; QL (150 per 30 days)
DEXEDRINE SPANSULE ORAL CAPSULE, EXTENDED RELEASE 10 MG, 15 MG, 5 MG	3	GC; QL (120 per 30 days)
<i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	GC; QL (30 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	GC; QL (120 per 30 days)
<i>dextroamphetamine oral solution 5 mg/5 ml</i> (ProCentra)	1	GC; QL (1800 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenzedi)	1	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	GC; QL (60 per 30 days)
DYANAVAL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML	2	GC; QL (240 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	2	PA; GC
FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	ST; GC; QL (60 per 30 days)
FOCALIN XR ORAL CAPSULE, ER BIPHASIC 50-50 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	1	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	1	PA; GC; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	1	PA; GC; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	1	PA; GC; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	GC; QL (30 per 30 days)
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	2	PA; GC
INGREZZA ORAL CAPSULE 40 MG, 80 MG	2	PA; GC; QL (30 per 30 days)
INTUNIV ER ORAL TABLET EXTENDED RELEASE 24 HR 1 MG, 2 MG, 3 MG, 4 MG	3	GC; QL (30 per 30 days)
KAPVAY ORAL TABLET EXTENDED RELEASE 12 HR 0.1 MG	3	GC
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	2	PA; GC
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	GC
LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG	3	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC; QL (20 per 336 days)
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC; QL (20 per 336 days)
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC; QL (20 per 336 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC; QL (20 per 336 days)
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	PA; GC; QL (20 per 336 days)
MAYZENT ORAL TABLET 0.25 MG	2	PA; GC; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	2	PA; GC; QL (30 per 30 days)
<i>metadate er oral tablet extended release 20 mg</i>	3	GC; QL (90 per 30 days)
<i>methamphetamine oral tablet 5 mg</i> (Desoxyn)	1	PA; GC; QL (150 per 30 days)
METHYLIN ORAL SOLUTION 10 MG/5 ML, 5 MG/5 ML	3	ST; GC; QL (900 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 10 mg</i>	1	GC; QL (180 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 2.5 mg, 5 mg</i>	1	GC; QL (90 per 30 days)
MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	ST; GC; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	2	PA; GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	PA; GC; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
QUILLICHEW ER ORAL TABLET,CHEW,IR-ER.BIPHASIC24HR 20 MG, 30 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
QUILLIVANT XR ORAL SUSPENSION,EXT REL 24HR,RECON 5 MG/ML (25 MG/5 ML)	2	ST; GC
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	2	PA; GC; QL (2800 per 30 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 72 MG	2	ST; GC; QL (30 per 30 days)
RILUTEK ORAL TABLET 50 MG	3	GC
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	GC
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 20 MG, 40 MG	3	ST; GC; QL (30 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 30 MG	3	ST; GC; QL (60 per 30 days)
RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG	3	ST; GC; QL (90 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	GC
STRATTERA ORAL CAPSULE 10 MG, 100 MG, 18 MG, 25 MG, 40 MG, 60 MG, 80 MG	3	GC
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	2	PA; GC; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	2	PA; GC
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	2	PA; GC; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	GC; QL (112 per 28 days)
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	2	GC
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
XENAZINE ORAL TABLET 12.5 MG, 25 MG	3	GC; QL (112 per 28 days)
<i>zenzedi oral tablet 10 mg, 5 mg</i>	1	GC; QL (180 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg- mcg</i>	1	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	1	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	1	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg- mcg</i>	1	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	1	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>brevicon (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>caziant (28) oral tablet 0.11.125/.15-25 mg-mcg</i>	1	GC
<i>chateal (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
CYCLESSA (28) ORAL TABLET 0.1/.125/.15-25 MG-MCG	3	GC
<i>cyred oral tablet 0.15-0.03 mg</i>	1	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	GC
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>desog-e.estradiolle.estradiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>desogestrel-ethinyl estradiol oral tablet (Apri) 0.15-0.03 mg</i>	1	GC
<i>drospirenone-e.estradiol-lm.fa oral tablet (Beyaz) 3-0.02-0.451 mg (24) (4)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>drospirenone-e.estradiol-lm.fa oral tablet</i> (Safyral) 3-0.03-0.451 mg (21) (7)	1	GC
<i>drospirenone-ethinyl estradiol oral tablet</i> (Gianvi (28)) 3-0.02 mg	1	GC
<i>drospirenone-ethinyl estradiol oral tablet</i> (Ocella) 3-0.03 mg	1	GC
<i>elimest oral tablet 0.3-30 mg-mcg</i>	1	GC
ELLA ORAL TABLET 30 MG	2	GC; QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	GC
<i>errin oral tablet 0.35 mg</i>	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	GC
ESTROSTEP FE-28 ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	3	GC
<i>ethynodiol diac-eth estradiol oral tablet</i> (Kelnor 1/35 (28)) 1-35 mg-mcg	1	GC
<i>ethynodiol diac-eth estradiol oral tablet</i> (Kelnor 1-50) 1-50 mg-mcg	1	GC
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	GC
GENERESS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	3	GC
<i>gianvi (28) oral tablet 3-0.02 mg</i>	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>heather oral tablet 0.35 mg</i>	1	GC
<i>incassia oral tablet 0.35 mg</i>	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	GC
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	1	GC
<i>jencycla oral tablet 0.35 mg</i>	1	GC
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>jolivette oral tablet 0.35 mg</i>	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	1	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>kaitlib fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	1	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	1	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	1	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	3	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> (Amethyst (28))	1	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Introvale)	1	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	GC
LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2)	2	GC
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	GC
LOSEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.10 MG-20 MCG (84)/10 MCG (7)	3	GC; QL (91 per 84 days)
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	1	GC
<i>lutura (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>lyza oral tablet 0.35 mg</i>	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>melodetta 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>mibelas 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	3	GC
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	GC
MINASTRIN 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	3	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	GC
<i>nora-be oral tablet 0.35 mg</i>	1	GC
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> (Wymzya Fe)	1	GC
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i> (Generess Fe)	1	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	1	GC
<i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i> (Melodetta 24 Fe)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Ortho Tri-Cyclen (28))	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	GC
<i>norlyda oral tablet 0.35 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norlyroc oral tablet 0.35 mg</i>	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	2	GC; QL (1 per 28 days)
<i>ocella oral tablet 3-0.03 mg</i>	1	GC
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	GC
ORTHO MICRONOR ORAL TABLET 0.35 MG	3	GC
ORTHO TRI-CYCLEN (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	3	GC
ORTHO TRI-CYCLEN LO (28) ORAL TABLET 0.18/0.215/0.25 MG-25 MCG	3	GC
ORTHO-CYCLEN (28) ORAL TABLET 0.25-35 MG-MCG	3	GC
ORTHO-NOVUM 1/35 (28) ORAL TABLET 1-35 MG-MCG	3	GC
ORTHO-NOVUM 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG	3	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	1	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	GC
QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG	3	GC; QL (91 per 84 days)
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
SAFYRAL ORAL TABLET 3-0.03-0.451 MG (21) (7)	3	GC
SEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	3	GC; QL (91 per 84 days)
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>syeda oral tablet 3-0.03 mg</i>	1	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
TAYTULLA ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4)	2	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg- 35mcg (9)</i>	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg- 35 mcg (28)</i>	1	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg- 25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
TRI-NORINYL (28) ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	GC
<i>velivet triphasic regimen (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>	1	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	1	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	GC; QL (3 per 28 days)
YASMIN (28) ORAL TABLET 3-0.03 MG	3	GC
YAZ (28) ORAL TABLET 3-0.02 MG	3	GC
<i>zarah oral tablet 3-0.03 mg</i>	1	GC
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	1	GC
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	1	GC
<i>dentagel dental gel 1.1 %</i>	1	GC
EVOXAC ORAL CAPSULE 30 MG	3	GC
<i>oralone dental paste 0.1 %</i>	3	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>perio gard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	1	GC
SALAGEN (PILOCARPINE) ORAL TABLET 5 MG, 7.5 MG	3	GC
<i>sf 5000 plus dental cream 1.1 %</i>	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralene)	1	GC
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Soriatane)	1	GC
<i>acyclovir topical cream 5 %</i> (Zovirax)	1	GC; QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	1	GC; QL (30 per 30 days)
ACZONE TOPICAL GEL 5 %	3	GC
ACZONE TOPICAL GEL WITH PUMP 7.5 %	2	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
ALDARA TOPICAL CREAM IN PACKET 5 %	3	PA NSO; GC; QL (24 per 30 days)
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	GC
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	GC
<i>amnestem oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>azelaic acid topical gel 15 %</i> (Finacea)	1	GC
AZELEX TOPICAL CREAM 20 %	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	1	GC
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	GC
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i> (Taclonex)	1	GC
<i>calcitrene topical ointment 0.005 %</i>	1	GC
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	GC
CARAC TOPICAL CREAM 0.5 %	3	GC
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
CONDYLOX TOPICAL GEL 0.5 %	2	GC
<i>dapsone topical gel 5 %</i> (Aczone)	1	GC
DENAVIR TOPICAL CREAM 1 %	2	GC
DOVONEX TOPICAL CREAM 0.005 %	3	GC
EFUDEX TOPICAL CREAM 5 %	3	GC
ENSTILAR TOPICAL FOAM 0.005-0.064 %	3	GC
FINACEA TOPICAL FOAM 15 %	2	GC
FINACEA TOPICAL GEL 15 %	3	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	GC
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	1	GC
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	PA NSO; GC; QL (24 per 30 days)
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Absorica)	1	GC
LEVULAN TOPICAL SOLUTION 20 %	2	GC
<i>mafenide acetate topical packet 50 gram</i> (Sulfamylon)	1	GC
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	1	GC
MIRVASO TOPICAL GEL WITH PUMP 0.33 %	2	GC
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
OXSORALEN ULTRA ORAL CAPSULE, LIQD-FILLED, RAPID REL 10 MG	3	GC
PANRETIN TOPICAL GEL 0.1 %	2	GC
PICATO TOPICAL GEL 0.015 %	2	GC; QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	2	GC; QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REGRANEX TOPICAL GEL 0.01 %	2	PA; GC; QL (30 per 30 days)
RHOFADE TOPICAL CREAM 1 %	2	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	GC
SORIATANE ORAL CAPSULE 10 MG, 17.5 MG, 25 MG	3	GC
SORILUX TOPICAL FOAM 0.005 %	2	GC
SULFAMYLON TOPICAL CREAM 85 MG/G	2	GC
SULFAMYLON TOPICAL PACKET 50 GRAM	3	GC
TACLONEX TOPICAL OINTMENT 0.005-0.064 %	3	GC
TACLONEX TOPICAL SUSPENSION 0.005-0.064 %	2	ST; GC
TOLAK TOPICAL CREAM 4 %	2	GC
UVADEX INJECTION SOLUTION 20 MCG/ML	2	GC
VALCHLOR TOPICAL GEL 0.016 %	2	GC
VECTICAL TOPICAL OINTMENT 3 MCG/GRAM	3	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	3	GC
ZOVIRAX TOPICAL CREAM 5 %	3	GC; QL (5 per 4 days)
ZOVIRAX TOPICAL OINTMENT 5 %	3	GC; QL (30 per 30 days)
Dermatological Antibacterials		
ACANYA TOPICAL GEL WITH PUMP 1.2-2.5 %	3	GC
AKTIPAK TOPICAL GEL 3-5 %	3	GC
ALTABAX TOPICAL OINTMENT 1 %	2	GC
BACTROBAN NASAL NASAL OINTMENT 2 %	2	GC
BACTROBAN TOPICAL CREAM 2 %	3	GC
BENZAMYCIN TOPICAL GEL 3-5 %	3	GC
CENTANY TOPICAL OINTMENT 2 %	3	GC
CLEOCIN T TOPICAL GEL 1 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLEOCIN T TOPICAL LOTION 1 %	3	GC
CLEOCIN T TOPICAL SOLUTION 1 %	3	GC
CLINDAGEL TOPICAL GEL, ONCE DAILY 1 %	3	GC
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	1	GC
<i>clindamycin phosphate topical gel 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Duac)	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclin)	1	GC
<i>clindamycin-benzoyl peroxide topical gel with pump 1.2-2.5 %</i> (Acanya)	1	GC
CORTISPORIN TOPICAL CREAM 3.5-10,000-0.5 MG/G-UNIT/G-%	2	GC
CORTISPORIN TOPICAL OINTMENT 1 %	2	GC
<i>ery pads topical swab 2 %</i>	1	GC
ERYGEL TOPICAL GEL 2 %	3	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	GC
<i>erythromycin with ethanol topical solution 2 %</i>	1	GC
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Aktipak)	1	GC
EVOCLIN TOPICAL FOAM 1 %	3	GC
<i>gentamicin topical cream 0.1 %</i>	1	GC
<i>gentamicin topical ointment 0.1 %</i>	1	GC
KLARON TOPICAL SUSPENSION 10 %	3	GC
METROCREAM TOPICAL CREAM 0.75 %	3	GC
METROGEL TOPICAL GEL 1 %	3	GC
METROLOTION TOPICAL LOTION 0.75 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	1	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	GC
<i>mupirocin calcium topical cream 2 %</i>	1	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	GC
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	1	GC
ONEXTON TOPICAL GEL WITH PUMP 1.2 %(1 % BASE) -3.75 %	2	GC
<i>rosadan topical cream 0.75 %</i>	1	GC
<i>selenium sulfide topical lotion 2.5 %</i>	1	GC
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	1	GC
<i>ssd topical cream 1 %</i>	1	GC
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	GC
XEPI TOPICAL CREAM 1 %	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	1	GC
<i>alclometasone topical ointment 0.05 %</i>	1	GC
<i>amcinonide topical cream 0.1 %</i>	1	GC
<i>amcinonide topical lotion 0.1 %</i>	1	GC
<i>amcinonide topical ointment 0.1 %</i>	1	GC
APEXICON E TOPICAL CREAM 0.05 %	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	GC
<i>betamethasone valerate topical cream 0.1 %</i>	1	GC
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical ointment 0.1 %</i>	1	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	1	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	1	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	1	GC
CAPEX TOPICAL SHAMPOO 0.01 %	2	ST; GC
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	1	GC
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	GC
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	GC
<i>clobetasol topical gel 0.05 %</i>	1	GC
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	GC
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	GC
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	GC
<i>clobetasol topical spray, non-aerosol 0.05 %</i> (Clobex)	1	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	1	GC
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	GC
CLOBEX TOPICAL LOTION 0.05 %	3	GC
CLOBEX TOPICAL SPRAY, NON-AEROSOL 0.05 %	3	GC
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	GC
CORDRAN TAPE LARGE ROLL TOPICAL TAPE 4 MCG/CM2	2	ST; GC
<i>cormax scalp solution 0.05 %</i>	1	GC
CUTIVATE TOPICAL CREAM 0.05 %	3	GC
CUTIVATE TOPICAL LOTION 0.05 %	3	GC
DERMA-SMOOTHIE/FS BODY OIL TOPICAL OIL 0.01 %	3	GC
DESONATE TOPICAL GEL 0.05 %	2	ST; GC
<i>desonide topical cream 0.05 %</i> (DesOwen)	1	GC
<i>desonide topical lotion 0.05 %</i> (DesOwen)	1	GC
<i>desonide topical ointment 0.05 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desoximetasone topical cream 0.05 %,</i> (Topicort) <i>0.25 %</i>	1	GC
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	GC
<i>desoximetasone topical ointment 0.05 %,</i> (Topicort) <i>0.25 %</i>	1	GC
<i>desoximetasone topical spray,non-aerosol</i> (Topicort) <i>0.25 %</i>	1	GC
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	1	GC
<i>diflorasone topical ointment 0.05 %</i>	1	GC
DIPROLENE TOPICAL OINTMENT 0.05 %	3	GC
ELIDEL TOPICAL CREAM 1 %	3	ST; GC
ELOCON TOPICAL CREAM 0.1 %	3	GC
ELOCON TOPICAL OINTMENT 0.1 %	3	GC
EPIFOAM TOPICAL FOAM 1-1 %	2	GC
EUCRISA TOPICAL OINTMENT 2 %	2	GC
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	1	GC
<i>fluocinolone and shower cap scalp oil 0.01</i> (Derma-Smoothe/FS <i>%</i> Scalp Oil)	1	GC
<i>fluocinolone topical cream 0.01 %</i>	1	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	GC
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	1	GC
<i>fluocinonide topical cream 0.05 %</i>	1	GC
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	1	GC
<i>fluocinonide topical gel 0.05 %</i>	1	GC
<i>fluocinonide topical ointment 0.05 %</i>	1	GC
<i>fluocinonide topical solution 0.05 %</i>	1	GC
<i>fluocinonide-e topical cream 0.05 %</i>	1	GC
<i>flurandrenolide topical cream 0.05 %</i> (Cordran)	1	GC
<i>flurandrenolide topical lotion 0.05 %</i> (Cordran)	1	GC
<i>flurandrenolide topical ointment 0.05 %</i> (Cordran)	1	GC
<i>fluticasone propionate topical cream 0.05</i> (Cutivate) <i>%</i>	1	GC
<i>fluticasone propionate topical lotion 0.05</i> (Beser) <i>%</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluticasone propionate topical ointment</i> 0.005 %	1	GC
<i>halobetasol propionate topical cream</i> 0.05 %	1	GC
<i>halobetasol propionate topical ointment</i> 0.05 %	1	GC
HALOG TOPICAL CREAM 0.1 %	2	ST; GC
HALOG TOPICAL OINTMENT 0.1 %	2	ST; GC
<i>hydrocort buty 0.1% lipo cream</i> 0.1 % (Locoid Lipocream)	1	GC
<i>hydrocortisone butyrate topical cream</i> 0.1 % (Locoid)	1	GC
<i>hydrocortisone butyrate topical lotion</i> 0.1 % (Locoid)	1	GC
<i>hydrocortisone butyrate topical ointment</i> 0.1 %	1	GC
<i>hydrocortisone butyrate topical solution</i> (Locoid) 0.1 %	1	GC
<i>hydrocortisone topical cream</i> 1 % (Ala-Cort)	1	GC
<i>hydrocortisone topical cream</i> 2.5 %	1	GC
<i>hydrocortisone topical lotion</i> 2.5 %	1	GC
<i>hydrocortisone topical ointment</i> 1 % (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment</i> 2.5 %	1	GC
<i>hydrocortisone valerate topical cream</i> 0.2 %	1	GC
<i>hydrocortisone valerate topical ointment</i> 0.2 %	1	GC
KENALOG TOPICAL AEROSOL 0.147 MG/GRAM	3	ST; GC
LOCOID 0.1% CREAM 0.1 %	3	GC
LOCOID LIPOCREAM TOPICAL CREAM 0.1 %	3	GC
LOCOID TOPICAL LOTION 0.1 %	3	ST; GC
LOCOID TOPICAL SOLUTION 0.1 %	3	GC
LUXIQ TOPICAL FOAM 0.12 %	3	GC
<i>mometasone topical cream</i> 0.1 % (Elocon)	1	GC
<i>mometasone topical ointment</i> 0.1 %	1	GC
<i>mometasone topical solution</i> 0.1 %	1	GC
NOLIX TOPICAL CREAM 0.05 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOLIX TOPICAL LOTION 0.05 %	3	ST; GC
OLUX TOPICAL FOAM 0.05 %	3	GC
OLUX-E TOPICAL FOAM 0.05 %	3	GC
PANDEL TOPICAL CREAM 0.1 %	2	ST; GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	GC
<i>prednicarbate topical cream 0.1 %</i>	1	GC
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	1	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>	1	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	GC
PROTOPIC TOPICAL OINTMENT 0.03 %, 0.1 %	3	ST; GC
SERNIVO TOPICAL SPRAY WITH PUMP 0.05 %	2	GC
SYNALAR TOPICAL OINTMENT 0.025 %	3	GC
SYNALAR TOPICAL SOLUTION 0.01 %	3	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	ST; GC
TOPICORT TOPICAL SPRAY, NON-AEROSOL 0.25 %	3	ST; GC
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i> (Kenalog)	1	GC
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	GC
TRIDESILON TOPICAL CREAM 0.05 %	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ULTRAVATE TOPICAL CREAM 0.05 %	3	GC
ULTRAVATE TOPICAL OINTMENT 0.05 %	3	GC
VANOS TOPICAL CREAM 0.1 %	3	GC
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 %</i> (Differin)	1	GC
<i>adapalene topical cream 0.1 %</i> (Differin)	1	GC
<i>adapalene topical gel 0.1 %, 0.3 %</i> (Differin)	1	GC
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> (Epiduo)	1	GC
ALTRENO TOPICAL LOTION 0.05 %	2	PA; GC
ATRALIN TOPICAL GEL 0.05 %	3	PA; GC
<i>avita topical cream 0.025 %</i>	1	PA; GC
<i>avita topical gel 0.025 %</i>	1	PA; GC
DIFFERIN TOPICAL CREAM 0.1 %	3	GC
DIFFERIN TOPICAL GEL 0.1 %	3	GC
DIFFERIN TOPICAL GEL WITH PUMP 0.3 %	3	GC
DIFFERIN TOPICAL LOTION 0.1 %	3	GC
EPIDUO FORTE TOPICAL GEL WITH PUMP 0.3-2.5 %	2	GC
EPIDUO TOPICAL GEL WITH PUMP 0.1-2.5 %	3	GC
FABIOR TOPICAL FOAM 0.1 %	2	GC
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %, 0.08 %	2	PA; GC
RETIN-A MICRO TOPICAL GEL 0.04 %, 0.1 %	3	PA; GC
RETIN-A TOPICAL CREAM 0.025 %, 0.05 %, 0.1 %	3	PA; GC
RETIN-A TOPICAL GEL 0.01 %, 0.025 %	3	PA; GC
<i>tazarotene topical cream 0.1 %</i> (Avage)	1	GC
TAZORAC TOPICAL CREAM 0.05 %	2	GC
TAZORAC TOPICAL CREAM 0.1 %	3	GC
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin (emollient) topical cream 0.05 %</i> (Refissa)	1	PA; GC
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	1	PA; GC
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA; GC
Scabicides And Pediculicides		
ELIMITE TOPICAL CREAM 5 %	3	GC
<i>lindane topical shampoo 1 %</i>	1	GC
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	GC
<i>permethrin topical cream 5 %</i> (Elimite)	1	GC
SKLICE TOPICAL LOTION 0.5 %	2	GC
SOOLANTRA TOPICAL CREAM 1 %	2	GC
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
V-GO 40 DISPOSABLE DEVICE	2	GC
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	2	GC
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	2	PA; GC
CERDELGA ORAL CAPSULE 84 MG	2	PA; GC
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	GC
CHENODAL ORAL TABLET 250 MG	2	PA; GC
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	GC
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	GC
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	GC
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	GC
GALAFOLD ORAL CAPSULE 123 MG	2	PA; GC; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	2	GC
KUVAN ORAL TABLET,SOLUBLE 100 MG	2	GC
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	2	GC
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	GC
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	2	PA; GC
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	2	PA; GC
ORFADIN ORAL SUSPENSION 4 MG/ML	2	PA; GC
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	PA; GC
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500-61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-6,200- 10,850 UNIT, 21,000-54,700- 83,900 UNIT, 4,200-14,200- 24,600 UNIT	2	GC
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500-60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	2	GC
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	PA; GC
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	PA; GC
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	2	PA; GC
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	2	GC
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	PA; GC
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT, 20,880-78,300-78,300 UNIT	2	GC
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	GC
XIAFLEX INJECTION RECON SOLN 0.9 MG	2	PA; GC; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZAVESCA ORAL CAPSULE 100 MG	3	GC; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT	2	GC
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	2	GC
<i>alcaïne ophthalmic (eye) drops 0.5 %</i>	1	GC
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	GC
ASTEPRO NASAL SPRAY, NON-AEROSOL 0.15 % (205.5 MCG)	3	GC; QL (30 per 25 days)
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	GC
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	1	GC; QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 0.15 %</i> (Astepro) (205.5 mcg)	1	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	2	GC
DYMISTA NASAL SPRAY, NON-AEROSOL 137-50 MCG/SPRAY	2	GC; QL (23 per 30 days)
ELESTAT OPHTHALMIC (EYE) DROPS 0.05 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMADINE OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	GC
IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 %	2	GC
IOPIDINE OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	1	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	GC; QL (15 per 10 days)
ISOPTO ATROPINE OPHTHALMIC (EYE) DROPS 1 %	3	GC
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	2	GC
LASTACAFT OPHTHALMIC (EYE) DROPS 0.25 %	2	GC
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	1	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	1	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	1	GC
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)	2	GC
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	2	PA; GC; QL (56 per 28 days)
PATADAY OPHTHALMIC (EYE) DROPS 0.2 %	3	GC
PATANASE NASAL SPRAY, NON-AEROSOL 0.6 %	3	GC; QL (30.5 per 30 days)
PATANOL OPHTHALMIC (EYE) DROPS 0.1 %	3	GC
PAZEO OPHTHALMIC (EYE) DROPS 0.7 %	2	GC
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	1	GC
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydracyl)	1	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	GC
AZASITE OPHTHALMIC (EYE) DROPS 1 %	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (AK-Poly-Bac)	1	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	GC
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	2	GC
CETRAXAL OTIC (EAR) DROPPERETTE 0.2 %	3	GC
CILOXAN OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
CIPRO HC OTIC (EAR) DROPS,SUSPENSION 0.2-1 %	2	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	1	GC
COLY-MYCIN S OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	2	GC
CORTISPORIN-TC OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	GC
MAXITROL OPHTHALMIC (EYE) DROPS,SUSPENSION 3.5MG/ML- 10,000 UNIT/ML-0.1 %	3	GC
MAXITROL OPHTHALMIC (EYE) OINTMENT 3.5 MG/G-10,000 UNIT/G-0.1 %	3	GC
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	2	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 % (Vigamox)</i>	1	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	GC
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	GC
OCUFLOX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)</i>	1	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml (Polytrim)</i>	1	GC
POLYTRIM OPHTHALMIC (EYE) DROPS 10,000 UNIT- 1 MG/ML	3	GC
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	2	GC
PRED-G S.O.P. OPHTHALMIC (EYE) OINTMENT 0.3-0.6 %	2	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 % (Bleph-10)</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	GC
TOBRADEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.1 %	3	GC
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	GC
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	1	GC
TOBREX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	GC
VIGAMOX OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
VIROPTIC OPHTHALMIC (EYE) DROPS 1 %	3	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	GC
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	GC
ZYMAXID OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 %	3	GC
ACULAR OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 %	2	GC
ALOCRIAL OPHTHALMIC (EYE) DROPS 2 %	2	GC
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	2	GC
BECONASE AQ NASAL SPRAY, NON-AEROSOL 42 MCG (0.042 %)	2	GC; QL (50 per 28 days)
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	GC
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	2	GC
CEQUA OPHTHALMIC (EYE) DROPPERETTE 0.09 %	2	GC; QL (60 per 30 days)
DERMOTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
FLAC OTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	GC
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	GC
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/lactuation</i> (24 Hour Allergy Relief)	1	GC
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	2	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	GC
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	GC
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	2	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	GC
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	GC
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	GC
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	1	GC
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/lactuation</i> (Nasonex)	1	GC; QL (34 per 28 days)
NASONEX NASAL SPRAY,NON-AEROSOL 50 MCG/ACTUATION	3	GC; QL (34 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
OMNARIS NASAL SPRAY, NON- AEROSOL 50 MCG	2	GC; QL (13 per 30 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %	2	GC
<i>prednisolone acetate ophthalmic (eye)</i> (Pred Forte) <i>drops,suspension 1 %</i>	1	GC
<i>prednisolone sodium phosphate</i> <i>ophthalmic (eye) drops 1 %</i>	1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	2	GC
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	2	GC; QL (9.8 per 28 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (8.7 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	2	GC
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	GC; QL (60 per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION	2	GC; QL (6.1 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
ACIPHEX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG	3	ST; GC; QL (30 per 30 days)
ACIPHEX SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 10 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>amoxicil-clarithromy-lansopraz oral</i> <i>combo pack 500-500-30 mg</i>	1	GC
CARAFATE ORAL SUSPENSION 100 MG/ML	2	GC
CARAFATE ORAL TABLET 1 GRAM	3	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	GC
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	GC
<i>cimetidine oral tablet 300 mg, 400 mg,</i> <i>800 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYTOTEC ORAL TABLET 100 MCG, 200 MCG	3	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	2	ST; GC
<i>esomeprazole magnesium oral capsule, delayed release(drlec) 20 mg</i> (Heartburn Treatment)	1	GC
<i>esomeprazole magnesium oral capsule, delayed release(drlec) 40 mg</i> (Nexium)	1	GC
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	GC
<i>famotidine intravenous solution 10 mg/ml</i>	1	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Heartburn Treatment 24 Hour)	1	GC
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	1	GC
<i>lansoprazole oral tablet, disintegrat, delay rel 15 mg, 30 mg</i> (Prevacid SoluTab)	1	GC
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	GC
NEXIUM IV INTRAVENOUS RECON SOLN 40 MG	3	GC
NEXIUM ORAL CAPSULE, DELAYED RELEASE(DR/EC) 20 MG, 40 MG	3	ST; GC
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG	2	ST; GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OMECLAMOX-PAK ORAL COMBO PACK 20 MG-500 MG- 500 MG (40)	2	GC
<i>omeprazole oral capsule, delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (OmePPi)	1	GC; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral packet 20-1,680 mg, 40-1,680 mg</i> (Zegerid)	1	GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	GC
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg, 40 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
PREVACID ORAL CAPSULE, DELAYED RELEASE(DR/EC) 15 MG, 30 MG	3	ST; GC
PREVACID SOLUTAB ORAL TABLET, DISINTEGRAT, DELAY REL 15 MG, 30 MG	3	ST; GC
PRILOSEC ORAL SUSP, DELAYED RELEASE FOR RECON 10 MG, 2.5 MG	2	GC
PROTONIX INTRAVENOUS RECON SOLN 40 MG	3	GC
PROTONIX ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	2	ST; GC; QL (30 per 30 days)
PROTONIX ORAL TABLET, DELAYED RELEASE (DR/EC) 20 MG, 40 MG	3	ST; GC; QL (30 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	1	GC; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i> (Zantac)	1	GC
<i>ranitidine hcl oral capsule 150 mg, 300 mg</i>	1	GC
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	GC
<i>ranitidine hcl oral tablet 150 mg</i> (Acid Control (ranitidine))	1	GC
<i>ranitidine hcl oral tablet 300 mg</i> (Zantac)	1	GC
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	GC
ZANTAC INJECTION SOLUTION 25 MG/ML, 50 MG/2 ML (25 MG/ML)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZANTAC ORAL TABLET 300 MG	3	GC
ZEGERID ORAL CAPSULE 20-1.1 MG-GRAM, 40-1.1 MG-GRAM	3	GC; QL (30 per 30 days)
ZEGERID ORAL PACKET 20-1,680 MG, 40-1,680 MG	3	GC; QL (30 per 30 days)
Gastrointestinal Agents, Other		
ACTIGALL ORAL CAPSULE 300 MG	3	GC
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	2	GC; QL (60 per 30 days)
BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML	2	GC
BUPHENYL ORAL POWDER 0.94 GRAM/GRAM	3	GC
BUPHENYL ORAL TABLET 500 MG	3	GC
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	2	GC
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	2	GC
<i>constulose oral solution 10 gram/15 ml</i>	1	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	GC
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML)	2	GC
<i>dicyclomine intramuscular solution 10 mg/ml</i> (Bentyl)	1	GC
<i>dicyclomine oral capsule 10 mg</i>	1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	GC
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	GC
<i>enulose oral solution 10 gram/15 ml</i>	1	GC
GASTROCROM ORAL CONCENTRATE 100 MG/5 ML	3	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	PA; GC
<i>generlac oral solution 10 gram/15 ml</i>	1	GC
<i>glycopyrrolate (pf) in water injection syringe 0.2 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	1	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	GC; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	2	GC; QL (90 per 30 days)
LOMOTIL ORAL TABLET 2.5-0.025 MG	3	GC
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	GC
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
<i>metoclopramide hcl oral tablet, disintegrating 10 mg, 5 mg</i>	1	GC
MOTEGRITY ORAL TABLET 1 MG, 2 MG	2	GC; QL (30 per 30 days)
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	GC; QL (30 per 30 days)
MYTESI ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG	2	GC; QL (60 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
<i>propantheline oral tablet 15 mg</i>	1	GC
PYLERA ORAL CAPSULE 140-125-125 MG	2	GC
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REGLAN ORAL TABLET 10 MG, 5 MG	3	GC
RELISTOR ORAL TABLET 150 MG	2	PA; GC; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	PA; GC; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	2	PA; GC; QL (28 per 28 days)
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	1	GC
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	GC
<i>sodium polystyrene sulfonate oral powder</i>	1	GC
<i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>	1	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	GC
SYMPROIC ORAL TABLET 0.2 MG	2	GC; QL (30 per 30 days)
TRULANCE ORAL TABLET 3 MG	2	GC
URSO 250 ORAL TABLET 250 MG	3	GC
URSO FORTE ORAL TABLET 500 MG	3	GC
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	GC; QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	2	PA; GC; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	2	GC
COLYTE WITH FLAVOR PACKS ORAL RECON SOLN 240-22.72-6.72 - 5.84 GRAM	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	GC
<i>gavilyte-n oral recon soln 420 gram</i>	1	GC
GIALAX ORAL KIT 17 GRAM/ SCOOP	2	GC
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	2	GC
GOLYTELY ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM	3	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	2	GC
NULYTELY WITH FLAVOR PACKS ORAL RECON SOLN 420 GRAM	3	GC
OSMOPREP ORAL TABLET 1.5 GRAM	2	GC
<i>peg 3350-electrolytes oral recon soln 236- 22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	GC
<i>peg 3350-electrolytes oral recon soln 240- 22.72-6.72 -5.84 gram</i> (Colyte with Flavor Packs)	1	GC
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	GC
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	2	GC
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	2	GC
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	GC
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	2	PA; GC
<i>calcium acetate oral capsule 667 mg</i>	1	GC
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	1	GC
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FOSRENOL ORAL TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG	3	GC
<i>lanthanum oral tablet,chewable 1,000 mg,</i> (Fosrenol) <i>500 mg, 750 mg</i>	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	2	GC
RENAGEL ORAL TABLET 800 MG	2	GC
REVELA ORAL POWDER IN PACKET 0.8 GRAM, 2.4 GRAM	3	GC
REVELA ORAL TABLET 800 MG	3	GC
<i>sevelamer carbonate oral powder in</i> (Renvela) <i>packet 0.8 gram, 2.4 gram</i>	1	GC
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	GC
<i>sevelamer hcl oral tablet 400 mg</i>	1	GC
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	1	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	GC
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg,</i> (Urecholine) <i>25 mg, 5 mg, 50 mg</i>	1	GC
<i>darifenacin oral tablet extended release</i> (Enablex) <i>24 hr 15 mg, 7.5 mg</i>	1	GC
DETROL LA ORAL CAPSULE,EXTENDED RELEASE 24HR 2 MG, 4 MG	3	GC
DETROL ORAL TABLET 1 MG, 2 MG	3	GC
DITROPAN XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG, 5 MG	3	GC
ENABLEX ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 7.5 MG	3	GC
<i>flavoxate oral tablet 100 mg</i>	1	GC
GELNIQUE TRANSDERMAL GEL IN METERED-DOSE PUMP 100 MG/GRAM (10 %)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	GC
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR	2	GC; QL (8 per 28 days)
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	GC
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	2	GC
<i>tropium oral capsule, extended release 24hr 60 mg</i>	1	GC
<i>tropium oral tablet 20 mg</i>	1	GC
VESICARE ORAL TABLET 10 MG, 5 MG	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC
AVODART ORAL CAPSULE 0.5 MG	3	GC
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	2	GC
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
FLOMAX ORAL CAPSULE 0.4 MG	3	GC
JALYN ORAL CAPSULE, ER MULTIPHASE 24 HR 0.5-0.4 MG	3	GC; QL (30 per 30 days)
LITHOSTAT ORAL TABLET 250 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	2	GC
RAPAFLO ORAL CAPSULE 4 MG, 8 MG	3	GC
<i>silodosin oral capsule 4 mg, 8 mg</i> (Rapaflo)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	2	GC
THIOLA ORAL TABLET 100 MG	2	GC
UROXATRAL ORAL TABLET EXTENDED RELEASE 24 HR 10 MG	3	GC
Heavy Metal Antagonists		
Heavy Metal Antagonists		
CHEMET ORAL CAPSULE 100 MG	2	GC
CUPRIMINE ORAL CAPSULE 250 MG	3	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	1	PA; GC
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA NSO; GC
DEPEN TITRATABS ORAL TABLET 250 MG	2	PA; GC
DESFERAL INJECTION RECON SOLN 2 GRAM, 500 MG	3	PA NSO; GC
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	2	PA; GC
FERRIPROX ORAL SOLUTION 100 MG/ML	2	PA; GC
FERRIPROX ORAL TABLET 500 MG	2	PA; GC
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	2	PA; GC
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	1	PA; GC
SYPRINE ORAL CAPSULE 250 MG	3	PA; GC
<i>trientine oral capsule 250 mg</i> (Syprine)	1	PA; GC; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	2	PA; GC
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	2	PA; GC; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; GC; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; GC; QL (150 per 30 days)
ANDROID ORAL CAPSULE 10 MG	3	GC
AVEED INTRAMUSCULAR SOLUTION 750 MG/3 ML (250 MG/ML)	2	PA; GC
AXIRON TRANSDERMAL SOLUTION IN METERED PUMP W/APP 30 MG/ACTUATION (1.5 ML)	3	PA; GC; QL (180 per 28 days)
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	GC
<i>methyltestosterone oral capsule 10 mg</i> (Android)	1	GC
NATESTO NASAL GEL IN METERED-DOSE PUMP 5.5 MG/0.122 GRAM/ACTUATION	2	PA; GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	GC
STRIANT BUCCAL MUCOADHESIVE SYSTEM ER 12 HR 30 MG	2	PA; GC; QL (60 per 30 days)
TESTIM TRANSDERMAL GEL 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone cypionate intramuscular oil</i> (Depo-Testosterone) 100 mg/ml, 200 mg/ml	1	PA; GC
<i>testosterone cypionate intramuscular oil</i> 200 mg/ml (1 ml)	1	PA; GC
<i>testosterone enanthate intramuscular oil</i> 200 mg/ml	1	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump</i> 10 mg/0.5 gram lactuation (Fortesta)	1	PA; GC; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump</i> 12.5 mg/ 1.25 gram (1 %) (Vogelxo)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump</i> 20.25 mg/1.25 gram (1.62 %) (AndroGel)	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet</i> 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) (AndroGel)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in packet</i> 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram) (AndroGel)	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp</i> 30 mg/lactuation (1.5 ml)	1	PA; GC; QL (180 per 28 days)
TESTRED ORAL CAPSULE 10 MG	3	GC
VOGELXO 50 MG/5 GRAM GEL OUTER 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN PACKET 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	PA; GC; QL (4 per 28 days)
Estrogens And Antiestrogens		
ACTIVELLA ORAL TABLET 0.5-0.1 MG, 1-0.5 MG	3	GC
ALORA TRANSDERMAL PATCH SEMI-WEEKLY 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (8 per 28 days)
<i>amabelz oral tablet</i> 0.5-0.1 mg, 1-0.5 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG	2	GC
BIJUVA ORAL CAPSULE 1-100 MG	2	GC
CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR	2	GC; QL (4 per 28 days)
CLIMARA TRANSDERMAL PATCH WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	2	GC; QL (8 per 28 days)
DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML	2	GC
DELESTROGEN INTRAMUSCULAR OIL 20 MG/ML, 40 MG/ML	3	GC
DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML	2	GC
DIVIGEL TRANSDERMAL GEL IN PACKET 1 MG/GRAM (0.1 %)	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	2	GC
ELESTRIN TRANSDERMAL GEL IN METERED-DOSE PUMP 0.87 GRAM/ACTUATION	2	GC
ESTRACE VAGINAL CREAM 0.01 % (0.1 MG/GRAM)	3	GC
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	1	GC; QL (8 per 28 days)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Dotti)	1	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	GC
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	1	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	1	GC
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	2	GC; QL (1 per 84 days)
EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%)	2	GC
EVISTA ORAL TABLET 60 MG	3	GC
FEMHRT LOW DOSE ORAL TABLET 0.5-2.5 MG-MCG	3	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	GC
IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG	2	GC; QL (18 per 28 days)
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG	2	GC
INTRAROSA VAGINAL INSERT 6.5 MG	2	GC; QL (28 per 28 days)
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	GC
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	2	GC
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR	2	GC; QL (4 per 28 days)
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	GC
<i>mimvey oral tablet 1-0.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MINIVELLE TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>norethindrone ac-eth estradiol oral tablet</i> (Femhrt Low Dose) <i>0.5-2.5 mg-mcg</i>	1	GC
<i>norethindrone ac-eth estradiol oral tablet</i> (Fyavolv) <i>1-5 mg-mcg</i>	1	GC
OSPHENA ORAL TABLET 60 MG	2	GC; QL (30 per 30 days)
PREMARIN INJECTION RECON SOLN 25 MG	2	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	GC
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	GC
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	GC
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	GC
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	GC
VAGIFEM VAGINAL TABLET 10 MCG	3	GC; QL (18 per 28 days)
VIVELLE-DOT TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>yuvafem vaginal tablet 10 mcg</i>	1	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	GC
ARISTOSPAN INTRA-ARTICULAR INJECTION SUSPENSION 20 MG/ML	2	GC
ARISTOSPAN INTRALESIONAL INJECTION SUSPENSION 5 MG/ML	2	GC
<i>betamethasone acet,sod phos injection</i> (Celestone Soluspan) <i>suspension 6 mg/ml</i>	1	GC
CELESTONE SOLUSPAN INJECTION SUSPENSION 6 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG	3	PA BvD; GC
<i>cortisone oral tablet 25 mg</i>	1	GC
<i>decadron oral elixir 0.5 mg/5 ml</i>	3	PA BvD; GC
<i>decadron oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	3	PA BvD; GC
<i>deltasone oral tablet 20 mg</i>	1	PA BvD; GC
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	2	GC
DEPO-MEDROL INJECTION SUSPENSION 40 MG/ML, 80 MG/ML	3	GC
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	1	PA BvD; GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD; GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD; GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	2	PA; GC; QL (104 per 30 days)
EMFLAZA ORAL TABLET 18 MG	2	PA; GC; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	2	PA; GC; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	GC
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML	3	GC
KENALOG-80 INJECTION SUSPENSION 80 MG/ML	2	GC
MEDROL (PAK) ORAL TABLETS,DOSE PACK 4 MG	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MEDROL ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	PA BvD; GC
MEDROL ORAL TABLET 2 MG	2	PA BvD; GC
<i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 40 mg/ml, 80 mg/ml</i>	1	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	PA BvD; GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	GC
<i>methylprednisolone sodium succ recon soln 125 mg, 40 mg</i>	1	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	GC
ORAPRED ODT ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 30 MG	3	PA BvD; GC
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml)</i> (Veripred 20)	1	PA BvD; GC
<i>prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	1	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD; GC
<i>prednisone oral tablet 1 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 20 mg</i> (Deltasone)	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	GC
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 1,000 MG	3	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 2 GRAM	2	GC
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	1	GC
Pituitary		
DDAVP INJECTION SOLUTION 4 MCG/ML	3	GC
DDAVP NASAL SOLUTION 0.1 MG/ML (REFRIGERATE)	3	GC
DDAVP NASAL SPRAY WITH PUMP 10 MCG/SPRAY (0.1 ML)	3	GC
DDAVP ORAL TABLET 0.1 MG, 0.2 MG	3	GC
<i>desmopressin 10 mcg/0.1 ml spr 10</i> (DDAVP) <i>mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	GC
<i>desmopressin nasal spray, non-aerosol 10</i> <i>mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	2	PA; GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	2	PA; GC
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	2	PA; GC
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	2	PA; GC
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	PA; GC
LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET 3.75 MG -5 MG (30)	2	GC; QL (1 per 30 days)
LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET 11.25 MG - 5 MG (90)	2	GC; QL (1 per 84 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	GC
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	2	GC
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	GC
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	2	GC
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	2	GC; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	2	GC; QL (30 per 30 days)
NOCTIVA NASAL SPRAY, NON-AEROSOL 0.83 MCG/SPRAY (0.1 ML), 1.66 MCG/SPRAY (0.1 ML)	2	GC; QL (3.8 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	1	GC
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)	1	GC
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	2	PA; GC
ORILISSA ORAL TABLET 150 MG	2	PA; GC; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	2	PA; GC; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	2	PA; GC
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	2	PA; GC
SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML	3	GC
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	2	GC
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	PA; GC
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG	2	GC
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	GC; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	2	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	GC
STIMATE NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	2	GC
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	GC; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	GC
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	2	GC; QL (1 per 360 days)
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	2	GC
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	2	PA; GC
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	2	PA; GC
Progestins		
CRINONE VAGINAL GEL 4 %	2	PA; GC
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML	3	GC; QL (1 per 84 days)
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	2	GC; QL (10 per 28 days)
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	GC; QL (1 per 84 days)
<i>hydroxyprogesterone (pf) (preg preserv) intramuscular oil 250 mg/ml (1 ml)</i> (Makena)	1	PA; GC
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	PA NSO; GC
MAKENA (PF) SUBCUTANEOUS AUTO-INJECTOR 275 MG/1.1 ML	2	GC
MAKENA INTRAMUSCULAR OIL 250 MG/ML	3	PA; GC; QL (25 per 140 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAKENA INTRAMUSCULAR OIL 250 MG/ML (1 ML)	3	PA; GC
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>megestrol oral suspension 625 mg/5 ml</i> (Megace ES)	1	PA NSO; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	GC
<i>progesterone intramuscular oil 50 mg/ml</i>	1	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	GC
PROMETRIUM ORAL CAPSULE 100 MG, 200 MG	3	GC
PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	GC
Thyroid And Antithyroid Agents		
CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG	3	GC
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	GC
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>	1	GC
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	GC
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	1	GC
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	2	GC
THYROLAR-1 ORAL TABLET 12.5-50 MCG	2	GC
THYROLAR-1/2 ORAL TABLET 6.25-25 MCG	2	GC
THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG	2	GC
THYROLAR-2 ORAL TABLET 25-100 MCG	2	GC
THYROLAR-3 ORAL TABLET 37.5-150 MCG	2	GC
TRIOSTAT INTRAVENOUS SOLUTION 10 MCG/ML	3	GC
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	PA; GC
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	PA; GC
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	PA; GC
ARAVA ORAL TABLET 10 MG, 20 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	GC
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	PA BvD; GC
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	PA BvD; GC
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD; GC
BIVIGAM INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
CELLCEPT ORAL CAPSULE 250 MG	3	PA BvD; GC
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML	3	PA BvD; GC
CELLCEPT ORAL TABLET 500 MG	3	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	2	PA; GC
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	2	PA; GC
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	2	PA BvD; GC
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	1	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	1	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD; GC
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	2	PA; GC
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	PA; GC
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	PA; GC
ENTYVIO INTRAVENOUS RECON SOLN 300 MG	2	PA; GC
ENVARUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	2	PA BvD; GC
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	2	PA BvD; GC
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	PA BvD; GC
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	PA BvD; GC
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	PA BvD; GC
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD; GC
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK)	2	PA; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	PA; GC
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML, 220 UNIT/ML (5 ML)	2	GC
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	2	GC
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
HYPERRHO S/D INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG), 250 UNIT (50 MCG)	2	GC
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	PA BvD; GC
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	2	PA; GC
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	PA; GC
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
IMURAN ORAL TABLET 50 MG	3	PA BvD; GC
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	PA; GC; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	GC
MICRHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 250 UNIT (50 MCG)	2	GC
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (drlec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD; GC
MYFORTIC ORAL TABLET, DELAYED RELEASE (DR/EC) 180 MG, 360 MG	3	PA BvD; GC
NABI-HB INTRAMUSCULAR SOLUTION GREATER THAN 1,560 UNIT/5 ML, GREATER THAN 312 UNIT/ML	2	GC
NEORAL ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
NEORAL ORAL SOLUTION 100 MG/ML	3	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	PA BvD; GC
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
OLUMIANT ORAL TABLET 2 MG	2	PA; GC; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	PA; GC
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	PA; GC
OTEZLA ORAL TABLET 30 MG	2	PA; GC; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	PA; GC
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	2	GC
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	2	PA BvD; GC
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	PA BvD; GC
PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG	3	PA BvD; GC
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	PA BvD; GC
RAPAMUNE ORAL SOLUTION 1 MG/ML	3	PA BvD; GC
RAPAMUNE ORAL TABLET 0.5 MG, 1 MG, 2 MG	3	PA BvD; GC
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	GC
REMICADE INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG)	2	GC
RHOPHYLAC INJECTION SYRINGE 1,500 UNIT (300 MCG)/2 ML	2	GC
RIDAURA ORAL CAPSULE 3 MG	2	GC
SANDIMMUNE INTRAVENOUS SOLUTION 250 MG/5 ML	3	PA BvD; GC
SANDIMMUNE ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
SANDIMMUNE ORAL SOLUTION 100 MG/ML	2	PA BvD; GC
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	2	PA; GC
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	2	PA; GC
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	2	PA BvD; GC
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD; GC
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD; GC
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	PA; GC
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	PA; GC
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	PA; GC
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	2	PA; GC
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	2	PA BvD; GC
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	PA; GC; QL (15 per 28 days)
ULTOMIRIS INTRAVENOUS SOLUTION 300 MG/30 ML (10 MG/ML)	2	PA; GC
WINRHO SDF INJECTION SOLUTION 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML	2	GC
XELJANZ ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	2	PA; GC; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	2	GC
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	2	PA BvD; GC
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF- (2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD; GC
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	2	GC
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	2	GC
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD; GC
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD; GC
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD; GC
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	GC; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	GC; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	2	GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	2	GC
IPOL INJECTION SUSPENSION 40- 8-32 UNIT/0.5 ML	2	GC
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	2	GC
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	GC
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	GC
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	GC
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	2	GC
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	GC; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	GC
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	GC
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	GC
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	GC
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	GC; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	GC
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	GC; QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosectron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	GC
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	2	GC
AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	3	GC
AZULFIDINE ORAL TABLET 500 MG	3	GC
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	1	GC
<i>budesonide oral tablet, delayed and ext. release 9 mg</i> (Uceris)	1	GC
CANASA RECTAL SUPPOSITORY 1,000 MG	3	GC
COLAZAL ORAL CAPSULE 750 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>colocort rectal enema 100 mg/60 ml</i>	1	GC
CORTENEMA RECTAL ENEMA 100 MG/60 ML	3	GC
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	3	GC
DIPENTUM ORAL CAPSULE 250 MG	2	GC
ENTOCORT EC ORAL CAPSULE,DELAYED,EXTEND.RE LEASE 3 MG	3	GC
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	GC
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	GC
LOTRONEX ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	GC
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda)	1	GC
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	1	GC
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	1	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	GC
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	2	GC
ROWASA RECTAL ENEMA KIT 4 GRAM/60 ML	3	GC
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	GC
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	1	GC
UCERIS ORAL TABLET,DELAYED AND EXT.RELEASE 9 MG	3	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	2	GC
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	1	GC
<i>glycine urologic solution irrigation solution 1.5 %</i> (Glycine Urologic)	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LACTATED RINGERS IRRIGATION SOLUTION	2	GC
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	3	GC
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	3	GC
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	2	GC
RESECTISOL TRANSURETHRAL SOLUTION 5 %	2	GC
<i>ringer's irrigation solution</i>	1	GC
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	1	GC
<i>sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml</i>	1	GC
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	1	GC
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
ACTONEL 35 MG TABLET F/C,DOSEPACK 35 MG	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 150 MG	3	GC; QL (1 per 28 days)
ACTONEL ORAL TABLET 35 MG	3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 5 MG	3	GC; QL (30 per 30 days)
<i>alendronate oral solution 70 mg/75 ml</i>	1	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 40 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
ATELVIA ORAL TABLET,DELAYED RELEASE (DR/EC) 35 MG	3	GC; QL (4 per 28 days)
BONIVA INTRAVENOUS SYRINGE 3 MG/3 ML	3	GC; QL (3 per 84 days)
BONIVA ORAL TABLET 150 MG	3	GC; QL (1 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/lactuation</i>	1	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	1	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	GC; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	1	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	GC
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	1	GC
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	2	PA; GC; QL (2.34 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	2	PA; GC; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	2	PA; GC; QL (2.4 per 28 days)
FOSAMAX ORAL TABLET 70 MG	3	GC; QL (4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	2	GC; QL (4 per 28 days)
HECTOROL INTRAVENOUS SOLUTION 2 MCG/ML, 4 MCG/2 ML	3	GC
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	1	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	2	GC
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	PA; GC; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	GC
<i>paricalcitol oral capsule 4 mcg</i>	1	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	GC; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	2	GC; QL (60 per 30 days)
RECLAST INTRAVENOUS PIGGYBACK 5 MG/100 ML	3	GC; QL (100 per 300 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	1	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	GC; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	1	GC; QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	1	GC; QL (4 per 28 days)
ROCALTROL ORAL CAPSULE 0.25 MCG, 0.5 MCG	3	GC
ROCALTROL ORAL SOLUTION 1 MCG/ML	3	GC
SENSIPAR ORAL TABLET 30 MG, 60 MG	3	GC; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	3	GC; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	PA; GC; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEMPLAR INTRAVENOUS SOLUTION 2 MCG/ML, 5 MCG/ML	3	GC
ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG	3	GC
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	GC; QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	1	GC; QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTHAR INJECTION GEL 80 UNIT/ML	2	PA; GC; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	GC
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	PA; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	PA; GC; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	PA; GC; QL (4 per 28 days)
BRISDELLE ORAL CAPSULE 7.5 MG	3	GC
CABLIVI INJECTION KIT 11 MG	2	PA; GC
CARNITOR INTRAVENOUS SOLUTION 200 MG/ML	3	GC
CARNITOR ORAL SOLUTION 100 MG/ML	3	GC
CARNITOR ORAL TABLET 330 MG	3	GC
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	2	GC
CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML, 20 MG/ML, 30 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	2	GC
<i>dexrazoxane hcl intravenous recon soln</i> (Zinecard (as HCl)) 250 mg, 500 mg	1	GC
<i>droperidol injection solution 2.5 mg/ml</i>	1	GC
ELMIRON ORAL CAPSULE 100 MG	2	GC
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	GC; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	GC
ETHYOL INTRAVENOUS RECON SOLN 500 MG	3	GC
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
FIRDAPSE ORAL TABLET 10 MG	2	PA; GC; QL (240 per 30 days)
<i>fomepizole intravenous solution 1 gram/ml</i>	1	GC
FUSILEV INTRAVENOUS RECON SOLN 50 MG	3	GC
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	GC
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	2	GC
GRASTEK SUBLINGUAL TABLET 2,800 BAU	2	PA; GC; QL (30 per 30 days)
<i>guanidine oral tablet 125 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	GC
KALBITOR SUBCUTANEOUS SOLUTION 10 MG/ML (1 ML)	2	GC
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	2	GC
KEVEYIS ORAL TABLET 50 MG	2	PA; GC; QL (120 per 30 days)
KHAPZORY INTRAVENOUS RECON SOLN 175 MG, 300 MG	2	GC
<i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	GC
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	2	GC
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	1	GC
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	1	GC
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	GC
MESNEX INTRAVENOUS SOLUTION 100 MG/ML	3	GC
MESNEX ORAL TABLET 400 MG	2	GC
MESTINON ORAL SYRUP 60 MG/5 ML	2	GC
MESTINON ORAL TABLET 60 MG	3	GC
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG	3	GC
METHERGINE ORAL TABLET 0.2 MG	3	GC
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	GC
<i>methylergonovine oral tablet 0.2 mg</i> (Methergine)	1	GC
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	2	GC
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	2	PA; GC; QL (8 per 28 days)
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
ORALAIR SUBLINGUAL TABLET 100 INDX REACTIVITY, 300 INDX REACTIVITY	2	PA; GC
<i>paroxetine mesylate(menop.sym) oral capsule 7.5 mg</i> (Brisdelle)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROGLYCEM ORAL SUSPENSION 50 MG/ML	2	GC
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	1	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	1	GC
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	1	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	2	GC; QL (30 per 30 days)
REGONOL INJECTION SOLUTION 5 MG/ML	2	GC
SARAFEM ORAL TABLET 10 MG, 20 MG	3	GC
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	2	PA; GC; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (60 per 30 days)
TYBOST ORAL TABLET 150 MG	2	GC; QL (30 per 30 days)
VISTARIL ORAL CAPSULE 25 MG, 50 MG	3	GC
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	GC; QL (24 per 14 days)
XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 200 UNIT, 50 UNIT	2	PA; GC; QL (2 per 90 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	2	PA; GC; QL (120 per 30 days)
ZINECARD (AS HCL) INTRAVENOUS RECON SOLN 250 MG, 500 MG	3	GC
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.15 %	3	GC
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	GC
BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	2	GC
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	1	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	2	GC
COSOPT (PF) OPHTHALMIC (EYE) DROPPERETTE 2-0.5 %	3	GC
COSOPT OPHTHALMIC (EYE) DROPS 22.3-6.8 MG/ML	3	GC
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	1	GC
<i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette 2-0.5 %</i> (Cosopt (PF))	1	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	GC
ISOPTO CARPINE OPHTHALMIC (EYE) DROPS 1 %, 2 %, 4 %	3	GC
ISTALOL OPHTHALMIC (EYE) DROPS, ONCE DAILY 0.5 %	3	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	ST; GC; QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	GC
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 % (Isopto Carpine), 2 %, 4 %</i>	1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	GC; QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	GC; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	GC
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	GC
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 % (Istalol)</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 % (Timoptic-XE)</i>	1	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %	2	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.5 %	3	GC
TIMOPTIC OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	3	GC
TIMOPTIC-XE OPHTHALMIC (EYE) GEL FORMING SOLUTION 0.25 %, 0.5 %	3	GC
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	2	ST; GC; QL (2.5 per 25 days)
TRUSOPT OPHTHALMIC (EYE) DROPS 2 %	3	GC
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	ST; GC; QL (5 per 30 days)
XALATAN OPHTHALMIC (EYE) DROPS 0.005 %	3	GC; QL (2.5 per 25 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	2	GC; QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	ST; GC; QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-0.2 % sod chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-0.3 % sod.chloride intravenous parenteral solution</i>	1	GC
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	1	GC
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	2	GC
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	GC
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	3	GC
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>klor-con m15 oral tablet, er particles/crystals 15 meq</i>	1	GC
<i>klor-con m20 oral tablet, er particles/crystals 20 meq</i>	1	GC
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	1	GC
K-TAB ORAL TABLET EXTENDED RELEASE 10 MEQ, 20 MEQ, 8 MEQ	3	GC
LACTATED RINGERS INTRAVENOUS PARENTERAL SOLUTION	3	GC
<i>magnesium sulfate injection solution 4 meq/ml (50%)</i>	1	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD; GC
NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	GC
NORMOSOL-R IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5%	2	GC
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	2	GC
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	2	GC
<i>potassium acetate intravenous solution 2 meq/ml</i>	1	GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	PA BvD; GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	PA BvD; GC
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	PA BvD; GC
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq</i>	1	GC
<i>potassium chloride oral capsule, extended release 8 meq</i> (Klor-Con Sprinkle)	1	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	GC
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	1	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	1	GC
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	1	GC
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	1	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	GC
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	GC
<i>ringer's intravenous parenteral solution</i>	1	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>	1	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	GC
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	1	GC
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	1	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	GC
<i>sodium lactate intravenous solution 5 meq/ml</i>	1	GC
TPN ELECTROLYTES II IV SOLN 25'S,20ML/50ML FTV 18-18-5-4.5-35 MEQ/20 ML	2	GC
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	2	GC
UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1,080 MG)	3	GC
UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ	3	GC
UROCIT-K 5 ORAL TABLET EXTENDED RELEASE 5 MEQ (540 MG)	3	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500- 50 MCG/DOSE	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	GC; QL (12 per 28 days)
AEROSPAN INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (17.8 per 30 days)
AIRDUO RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION	3	GC
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (12.2 per 25 days)
ARMONAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION	2	GC; QL (1 per 30 days)
ARNUTY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (30 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION	2	GC; QL (13 per 25 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120)	2	GC; QL (1 per 25 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (30)	2	GC; QL (1 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (60)	2	GC; QL (1 per 14 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	GC; QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD; GC
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	2	GC; QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	2	GC; QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	2	GC; QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	2	GC; QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	2	GC; QL (21.2 per 28 days)
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcglactuation, 232-14 mcglactuation, 55-14 mcglactuation</i> (AirDuo RespiClick)	1	GC
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcgl/dose, 250-50 mcgl/dose, 500-50 mcgl/dose</i> (Advair Diskus)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	2	GC; QL (1 per 25 days)
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML	3	PA BvD; GC
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (21.2 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	2	GC; QL (12 per 25 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	2	GC; QL (11 per 25 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500- 50 mcg/dose</i>	1	GC; QL (60 per 30 days)
Antileukotrienes		
ACCOLATE ORAL TABLET 10 MG, 20 MG	3	GC
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
SINGULAIR ORAL GRANULES IN PACKET 4 MG	3	GC
SINGULAIR ORAL TABLET 10 MG	3	GC
SINGULAIR ORAL TABLET, CHEWABLE 4 MG, 5 MG	3	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	GC
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD; GC
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i>	1	GC
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD; GC
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	GC
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	GC; QL (60 per 30 days)
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG	2	GC; QL (30 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	GC; QL (25.8 per 28 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	2	GC; QL (10.7 per 30 days)
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	2	PA BvD; GC
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	GC; QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	GC
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; GC
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> (Xopenex)	1	PA BvD; GC
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> (Xopenex Concentrate)	1	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	1	GC; QL (30 per 30 days)
LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML	2	GC
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	2	GC
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	GC
PERFORMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	2	PA BvD; GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	GC
PROVENTIL HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	GC; QL (13.4 per 25 days)
SEEBRI NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 15.6 MCG	2	GC; QL (60 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	GC; QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	GC
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	GC
<i>theophylline oral solution 80 mg/15 ml</i>	1	GC
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	1	GC
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	1	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	2	GC
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	2	GC; QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	2	GC; QL (2 per 30 days)
UTIBRON NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 27.5-15.6 MCG	2	GC; QL (60 per 30 days)
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC
XOPENEX CONCENTRATE INHALATION SOLUTION FOR NEBULIZATION 1.25 MG/0.5 ML	3	PA BvD; GC
XOPENEX INHALATION SOLUTION FOR NEBULIZATION 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	2	PA BvD; GC; QL (90 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD; GC
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG, 500 MCG	2	GC; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	2	PA; GC; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	PA; GC; QL (1 per 28 days)
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	2	PA BvD; GC
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	2	PA; GC; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	2	PA; GC; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	PA; GC; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	2	PA; GC; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	PA; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	PA; GC; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	PA; GC
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	2	PA; GC
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
<i>carisoprodol oral tablet 250 mg, 350 mg</i> (Soma)	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-asa-codeine oral tablet 200-325-16 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral capsule, extended release 24hr 15 mg, 30 mg</i> (Amrix)	1	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
DANTRIUM ORAL CAPSULE 25 MG, 50 MG	3	GC
<i>dantrolene oral capsule 100 mg</i>	1	GC
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	GC
<i>metaxall oral tablet 800 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>metaxalone oral tablet 400 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	1	PA NSO; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methocarbamol oral tablet 500 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate injection solution 30 mg/ml</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN ORAL TABLET 500 MG	3	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN-750 ORAL TABLET 750 MG	3	PA NSO; GC; AGE (Max 64 Years)
SKELAXIN ORAL TABLET 800 MG	3	PA NSO; GC; AGE (Max 64 Years)
SOMA ORAL TABLET 250 MG, 350 MG	3	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	GC
<i>tizanidine oral tablet 2 mg</i>	1	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	GC
ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG	3	GC
ZANAFLEX ORAL TABLET 4 MG	3	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
AMBIEN CR ORAL TABLET,EXT RELEASE MULTIPHASE 12.5 MG, 6.25 MG	3	GC; QL (30 per 30 days)
AMBIEN ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; GC
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	GC; QL (30 per 30 days)
BUTISOL ORAL TABLET 30 MG	2	GC; QL (120 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	GC; QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG	3	GC; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	1	PA; GC; QL (60 per 30 days)
NEMBUTAL SODIUM INJECTION SOLUTION 50 MG/ML	3	GC; QL (2 per 30 days)
NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG, 50 MG	3	PA; GC
<i>pentobarbital sodium injection solution 50 mg/ml</i> (Nembutal Sodium)	1	GC; QL (2 per 30 days)
PROVIGIL ORAL TABLET 100 MG, 200 MG	3	PA; GC; QL (60 per 30 days)
<i>ramelteon oral tablet 8 mg</i> (Rozerem)	1	GC
SILENOR ORAL TABLET 3 MG, 6 MG	2	GC; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	2	PA; GC; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	GC; QL (60 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADCIRCA ORAL TABLET 20 MG	3	PA; GC; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	PA; GC; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	2	PA; GC; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	PA; GC; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	1	PA; GC; QL (60 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	3	PA; GC; QL (30 per 30 days)
LETAIRIS ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	2	PA; GC
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	2	PA; GC
REVATIO INTRAVENOUS SOLUTION 10 MG/12.5 ML	3	PA; GC; QL (37.5 per 1 day)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	3	PA; GC; QL (224 per 30 days)
REVATIO ORAL TABLET 20 MG	3	PA; GC; QL (90 per 30 days)
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; GC; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral suspension for reconstitution 10 mg/ml</i> (Revatio)	1	PA; GC; QL (224 per 30 days)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	1	PA; GC; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	1	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	3	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	PA; GC; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	PA; GC
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	PA; GC
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	2	PA; GC; QL (240 per 30 days)
UPTRAVI ORAL TABLETS, DOSE PACK 200 MCG (140)- 800 MCG (60)	2	PA; GC
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	1	GC
LUDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (OTC) 1 MG (2.2 MG SOD. FLUORIDE)	1	GC
<i>pnv prenatal plus multivit tab slf, gluten- free 27 mg iron- 1 mg</i>	1	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	92, 93	<i>acyclovir</i>	99, 145	AJOVY.....	77
<i>abacavir-lamivudine</i>	93	<i>acyclovir sodium</i>	99	AKOVAZ.....	119
<i>abacavir-lamivudine-zidovudine</i>	93	ACZONE.....	145	AKTEN (PF).....	158
ABELCET.....	71	ADACEL(TDAP		AKTIPAK.....	147
ABILIFY.....	87	ADOLESN/ADULT)(PF)....	195	AKYNZEO	
ABILIFY MAINTENA....	86, 87	ADAGEN.....	156	(FOSNETUPITANT).....	80
<i>abiraterone</i>	32	ADALAT CC.....	121	AKYNZEO (NETUPITANT)	80
ABRAXANE.....	32	<i>adapalene</i>	154	<i>ala-cort</i>	149
<i>acamprosate</i>	15	<i>adapalene-benzoyl peroxide</i>	154	<i>ala-scalp</i>	149
ACANYA.....	147	ADASUVE.....	87	<i>albendazole</i>	82
<i>acarbose</i>	62	ADCIRCA.....	223	ALBENZA.....	82
ACCOLATE.....	216	ADDERALL XR.....	129	<i>albuterol sulfate</i>	216, 217
ACCUPRIL.....	112	<i>adefovir</i>	99	<i>alcaine</i>	158
ACCURETIC.....	112	ADEMPAS.....	223	<i>alclometasone</i>	149
<i>acebutolol</i>	115	ADLYXIN.....	62	ALCOHOL PADS.....	145
<i>acetaminophen-codeine</i>	3	ADMELOG SOLOSTAR U-		ALDACTAZIDE.....	122
<i>acetazolamide</i>	207	100 INSULIN.....	67	ALDACTONE.....	122
<i>acetazolamide sodium</i>	208	ADMELOG U-100 INSULIN		ALDARA.....	145
<i>acetic acid</i>	160, 200	LISPRO.....	67	ALDURAZYME.....	156
<i>acetylcysteine</i>	220	ADRENALIN.....	119	ALECENSA.....	33
ACIPHEX.....	165	<i>adriamycin</i>	33	<i>alendronate</i>	201
ACIPHEX SPRINKLE.....	165	<i>adrucil</i>	33	<i>alfuzosin</i>	173
<i>acitretin</i>	145	ADVAIR DISKUS.....	213	ALIMTA.....	33
ACTEMRA.....	187	ADVAIR HFA.....	214	ALINIA.....	82
ACTEMRA ACTPEN.....	187	AEROSPAN.....	214	ALIQOPA.....	33
ACTHAR.....	204	<i>afeditab cr</i>	121	<i>aliskiren</i>	128
ACTHIB (PF).....	195	AFINITOR.....	33	ALKERAN (AS HCL).....	33
ACTIGALL.....	168	AFINITOR DISPERZ.....	33	<i>allopurinol</i>	75
ACTIMMUNE.....	204	<i>afirmelle</i>	136	<i>almotriptan malate</i>	77
ACTIQ.....	3	AFREZZA.....	67	ALOCRIIL.....	163
ACTIVELLA.....	176	AGGRENEX.....	105	<i>alogliptin</i>	62
ACTONEL.....	201	AGRYLIN.....	105	<i>alogliptin-metformin</i>	62
ACTOPLUS MET.....	62	<i>a-hydrocort</i>	179	<i>alogliptin-pioglitazone</i>	62
ACTOPLUS MET XR.....	62	AIMOVIG		ALOMIDE.....	158
ACTOS.....	62	AUTOINJECTOR.....	77	ALOPRIM.....	75
ACULAR.....	163	AIMOVIG		ALORA.....	176
ACULAR LS.....	163	AUTOINJECTOR (2 PACK)	77	<i>alose tron</i>	199
ACUVAIL (PF).....	163	AIRDUO RESPICLICK.....	214	ALOXI.....	80

ALPHAGAN P.....	208	AMINOSYN II 8.5 %.....	106	ANDROGEL.....	175
<i>alprazolam</i>	17	AMINOSYN II 8.5 %-		ANDROID.....	175
ALREX.....	163	ELECTROLYTES.....	106	ANGELIQ.....	177
ALTABAX.....	147	AMINOSYN M 3.5 %.....	106	ANORO ELLIPTA.....	217
ALTACE.....	112	AMINOSYN-HBC 7%.....	107	APEXICON E.....	149
<i>altavera (28)</i>	136	AMINOSYN-PF 10 %.....	107	APIDRA SOLOSTAR U-100	
ALTOPREV.....	124	AMINOSYN-PF 7 %		INSULIN.....	67
ALTRENO.....	154	(SULFITE-FREE).....	107	APIDRA U-100 INSULIN....	67
ALUNBRIG.....	33	AMINOSYN-RF 5.2 %.....	107	ALENZIN.....	57
ALVESCO.....	214	<i>amiodarone</i>	114	APOKYN.....	84
<i>alyacen 1/35 (28)</i>	136	AMITIZA.....	168	<i>apraclonidine</i>	158
<i>alyacen 7/7/7 (28)</i>	136	<i>amitriptyline</i>	57	<i>aprepitant</i>	80
<i>alyq</i>	223	<i>amitriptyline-chlordiazepoxide</i>	57	<i>apri</i>	136
<i>amabelz</i>	176	<i>amlodipine</i>	121	APRISO.....	199
<i>amantadine hcl</i>	84	<i>amlodipine-atorvastatin</i>	124	APTENSIO XR.....	130
AMARYL.....	70	<i>amlodipine-benazepril</i>	121	APTIOM.....	48
AMBIEN.....	222	<i>amlodipine-olmesartan</i>	121	APTIVUS.....	93
AMBIEN CR.....	222	<i>amlodipine-valsartan</i>	121	ARALAST NP.....	220
AMBISOME.....	71	<i>amlodipine-valsartan-hcthiazid</i>		<i>aranelle (28)</i>	136
<i>ambrisentan</i>	223	121	ARANESP (IN	
<i>amcinonide</i>	149	<i>ammonium lactate</i>	145	POLYSORBATE).....	102, 103
AMERGE.....	77	<i>amnesteem</i>	145	ARAVA.....	187
<i>amethia</i>	136	<i>amoxapine</i>	57	ARCALYST.....	188
<i>amethia lo</i>	136	<i>amoxicil-clarithromy-lansopraz</i>		ARCAPTA NEOHALER....	217
AMICAR.....	105	165	ARICEPT.....	56
<i>amifostine crystalline</i>	204	<i>amoxicillin</i>	27	ARIKAYCE.....	19
<i>amikacin</i>	19	<i>amoxicillin-pot clavulanate</i>	27	ARIMIDEX.....	33
<i>amiloride</i>	123	<i>amphetamine sulfate</i>	129	<i>aripiprazole</i>	87
<i>amiloride-hydrochlorothiazide</i>	123	<i>amphotericin b</i>	71	ARISTADA.....	87
<i>aminocaproic acid</i>	105	<i>ampicillin</i>	27	ARISTADA INITIO.....	87
<i>aminophylline</i>	217	<i>ampicillin sodium</i>	28	ARISTOSPAN INTRA-	
AMINOSYN 10 %.....	106	<i>ampicillin-sulbactam</i>	28	ARTICULAR.....	179
AMINOSYN 7 % WITH		AMPYRA.....	129	ARISTOSPAN	
ELECTROLYTES.....	106	ANADROL-50.....	175	INTRALESIONAL.....	179
AMINOSYN 8.5 %.....	106	ANAFRANIL.....	57	ARIXTRA.....	100
AMINOSYN 8.5 %-		<i>anagrelide</i>	105	<i>armodafinil</i>	222
ELECTROLYTES.....	106	ANAPROX DS.....	11	ARMONAIR RESPICLICK.....	214
AMINOSYN II 10 %.....	106	<i>anastrozole</i>	33	ARNUITY ELLIPTA.....	214
AMINOSYN II 15 %.....	106	ANCOBON.....	71	AROMASIN.....	33
AMINOSYN II 7 %.....	106	ANDRODERM.....	175	ARRANON.....	33

<i>arsenic trioxide</i>	33	<i>aurovela fe 1.5/30 (28)</i>	136	<i>bacitracin-polymyxin b</i>	160
ARTHROTEC 50.....	11	<i>aurovela fe 1-20 (28)</i>	136	<i>baclofen</i>	221
ARTHROTEC 75.....	11	AURYXIA.....	171	BACTRIM.....	31
ARYMO ER.....	3	AUSTEDO.....	130	BACTRIM DS.....	31
ARZERRA.....	33	AVALIDE.....	110	BACTROBAN.....	147
<i>ascomp with codeine</i>	3	AVANDIA.....	62, 63	BACTROBAN NASAL.....	147
<i>ashlyna</i>	136	AVAPRO.....	111	<i>balsalazide</i>	199
ASMANEX HFA.....	214	AVASTIN.....	33	BALVERSA.....	34
ASMANEX TWISTHALER		AVC VAGINAL.....	76	<i>balziva (28)</i>	136
.....	214, 215	AVEED.....	175	BANZEL.....	48
<i>aspirin-dipyridamole</i>	105	AVELOX.....	29	BARACLUDGE.....	99
ASSURE ID INSULIN		AVELOX IN NACL (ISO-		BASAGLAR KWIKPEN U-	
SAFETY.....	155	OSMOTIC).....	29	100 INSULIN.....	67
ASTAGRAF XL.....	188	<i>aviane</i>	136	BAVENCIO.....	34
ASTEPRO.....	158	<i>avita</i>	154	BAXDELA.....	29
<i>astramorph-pf</i>	3	AVODART.....	173	BCG VACCINE, LIVE (PF)	196
ATACAND.....	110	AVONEX.....	130	BD ULTRA-FINE NANO	
ATACAND HCT.....	110	AVONEX (WITH		PEN NEEDLE.....	155
<i>atazanavir</i>	93	ALBUMIN).....	130	BD VEO INSULIN SYR	
ATELVIA.....	201	AVYCAZ.....	23	HALF UNIT.....	155
<i>atenolol</i>	115	AXIRON.....	175	BD VEO INSULIN	
<i>atenolol-chlorthalidone</i>	115	<i>ayuna</i>	136	SYRINGE UF.....	155
ATGAM.....	188	<i>azacitidine</i>	33	BECONASE AQ.....	163
ATIVAN.....	17	AZACTAM.....	26	<i>bekyree (28)</i>	137
<i>atomoxetine</i>	130	AZASITE.....	160	BELBUCA.....	3
<i>atorvastatin</i>	124	<i>azathioprine</i>	188	BELEODAQ.....	34
<i>atovaquone</i>	83	<i>azathioprine sodium</i>	188	BELSOMRA.....	222
<i>atovaquone-proguanil</i>	83	<i>azelaic acid</i>	145	<i>benazepril</i>	112
ATRALIN.....	154	<i>azelastine</i>	158	<i>benazepril-hydrochlorothiazide</i>	
ATRIPLA.....	93	AZELEX.....	145	112
<i>atropine</i>	48, 158	AZILECT.....	84	BENDEKA.....	34
ATROVENT HFA.....	217	<i>azithromycin</i>	25	BENICAR.....	111
AUBAGIO.....	130	AZOPT.....	208	BENICAR HCT.....	111
<i>aubra</i>	136	AZOR.....	121	BENLYSTA.....	204
AUGMENTIN.....	28	<i>aztreonam</i>	26	BENTYL.....	168
AUGMENTIN ES-600.....	28	AZULFIDINE.....	199	BENZAMYCIN.....	147
AUGMENTIN XR.....	28	AZULFIDINE EN-TABS....	199	<i>benznidazole</i>	83
<i>aurovela 1.5/30 (21)</i>	136	<i>azurette (28)</i>	136	<i>benztropine</i>	84
<i>aurovela 1/20 (21)</i>	136	<i>baciim</i>	20	BEPREVE.....	158
<i>aurovela 24 fe</i>	136	<i>bacitracin</i>	20, 160	BERINERT.....	103

BESIVANCE.....	160	<i>bosentan</i>	223	<i>cabergoline</i>	84
BESPONSA.....	34	BOSULIF.....	34	CABLIVI.....	204
<i>betamethasone acet,sod phos</i> ..	179	BRAFTOVI.....	34	CABOMETYX.....	34, 35
<i>betamethasone dipropionate</i> ...	149	BREO ELLIPTA.....	215	CADUET.....	125
<i>betamethasone valerate</i> ...	149, 150	<i>brevicon (28)</i>	137	<i>caffeine citrate</i>	130
<i>betamethasone, augmented</i>	150	<i>briellyn</i>	137	CALAN.....	118
BETAPACE.....	115	BRILINTA.....	105	CALAN SR.....	118
BETAPACE AF.....	115	<i>brimonidine</i>	208	<i>calcipotriene</i>	145
BETASERON.....	130	BRISDELLE.....	204	<i>calcipotriene-betamethasone</i> ...	146
<i>betaxolol</i>	115, 208	BRIVIACT.....	48, 49	<i>calcitonin (salmon)</i>	201
<i>bethanechol chloride</i>	172	<i>bromfenac</i>	163	<i>calcitrene</i>	146
BETHKIS.....	19	<i>bromocriptine</i>	84	<i>calcitriol</i>	146, 201, 202
BETIMOL.....	208	BROMSITE.....	163	<i>calcium acetate</i>	171
BETOPTIC S.....	208	BROVANA.....	217	CALQUENCE.....	35
BEVESPI AEROSPHERE...	217	<i>budesonide</i>	199, 215	CAMBIA.....	11
BEVYXXA.....	100	<i>bumetanide</i>	123	<i>camila</i>	137
<i>bexarotene</i>	34	BUNAVAIL.....	15	CAMPTOSAR.....	35
BEXSERO.....	196	BUPHENYL.....	168	<i>camrese</i>	137
<i>bicalutamide</i>	34	BUPRENEX.....	3	<i>camrese lo</i>	137
BICILLIN C-R.....	28	<i>buprenorphine</i>	3	CANASA.....	199
BICILLIN L-A.....	28	<i>buprenorphine hcl</i>	3, 15	CANCIDAS.....	72
BICNU.....	34	<i>buprenorphine-naloxone</i>	15	<i>candesartan</i>	111
BIDIL.....	128	<i>bupropion hcl</i>	57, 58	<i>candesartan-hydrochlorothiazid</i>	
BIJUVA.....	177	<i>bupropion hcl (smoking deter)</i> .	16	111
BIKTARVY.....	93	<i>buspirone</i>	17	<i>capacet</i>	4
BILTRICIDE.....	83	<i>busulfan</i>	34	CAPASTAT.....	79
<i>bimatoprost</i>	208	BUSULFEX.....	34	CAPEX.....	150
<i>bisoprolol fumarate</i>	115	<i>butalbital compound w/codeine</i> ...	3	CAPRELSA.....	35
<i>bisoprolol-hydrochlorothiazide</i>	115	<i>butalbital-acetaminop-caf-cod</i> ...	4	<i>captopril</i>	112
BIVIGAM.....	188	<i>butalbital-acetaminophen</i>	4	<i>captopril-hydrochlorothiazide</i> .	112
<i>bleomycin</i>	34	<i>butalbital-acetaminophen-caff</i> ...	4	CARAC.....	146
<i>bleph-10</i>	160	<i>butalbital-aspirin-caffeine</i>	4	CARAFATE.....	165
BLEPHAMIDE.....	160	BUTISOL.....	222	CARBAGLU.....	168
BLINCYTO.....	34	<i>butorphanol tartrate</i>	4	<i>carbamazepine</i>	49
<i>blisovi 24 fe</i>	137	BUTRANS.....	4	CARBATROL.....	49
<i>blisovi fe 1.5/30 (28)</i>	137	BYDUREON.....	63	<i>carbidopa</i>	84
<i>blisovi fe 1/20 (28)</i>	137	BYDUREON BCISE.....	63	<i>carbidopa-levodopa</i>	84
BONIVA.....	201	BYETTA.....	63	<i>carbidopa-levodopa-entacapone</i>	84
BOOSTRIX TDAP.....	196	BYSTOLIC.....	115	<i>carbinoxamine maleate</i>	75
BORTEZOMIB.....	34	BYVALSON.....	115	<i>carboplatin</i>	35

CARDENE IV.....	121	<i>cefuroxime axetil</i>	24	CHOLBAM.....	168
CARDENE IV IN SODIUM		<i>cefuroxime sodium</i>	24	<i>cholestyramine (with sugar)</i> ..	125
CHLORIDE.....	121	CELEBREX.....	12	<i>cholestyramine light</i>	125
CARDIZEM.....	118	<i>celecoxib</i>	12	CIALIS.....	223
CARDIZEM CD.....	118	CELESTONE SOLUSPAN..	179	<i>ciclopirox</i>	72
CARDIZEM LA.....	118	CELEXA.....	58	<i>cidofovir</i>	99
CARDURA.....	109	CELLCEPT.....	188	<i>cilostazol</i>	105
CARDURA XL.....	109	CELLCEPT		CILOXAN.....	160
<i>carisoprodol</i>	221	INTRAVENOUS.....	188	CIMDUO.....	93
<i>carisoprodol-asa-codeine</i>	221	CELONTIN.....	49	<i>cimetidine</i>	165
<i>carisoprodol-aspirin</i>	221	CENTANY.....	147	<i>cimetidine hcl</i>	165
<i>carmustine</i>	35	<i>cephalexin</i>	24	CIMZIA.....	188
CARNITOR.....	204	CEQUA.....	163	CIMZIA POWDER FOR	
<i>carteolol</i>	208	CERDELGA.....	156	RECONST.....	188
<i>cartia xt</i>	118	CEREBYX.....	49	<i>cinacalcet</i>	202
<i>carvedilol</i>	115	CEREZYME.....	156	CINQAIR.....	220
<i>carvedilol phosphate</i>	115	CESAMET.....	80	CINRYZE.....	103
CASODEX.....	35	<i>cetirizine</i>	75	CINVANTI.....	80
<i>caspofungin</i>	72	CETRAXAL.....	160	CIPRO.....	30
CATAPRES.....	109	CETYLEV.....	204	CIPRO HC.....	160
CATAPRES-TTS-1.....	109	<i>cevimeline</i>	144	CIPRO IN D5W.....	30
CATAPRES-TTS-2.....	109	CHANTIX.....	16	CIPRO XR.....	30
CATAPRES-TTS-3.....	110	CHANTIX CONTINUING		CIPRODEX.....	160
CAYSTON.....	26	MONTH BOX.....	16	<i>ciprofloxacin</i>	30
<i>caziant (28)</i>	137	CHANTIX STARTING		<i>ciprofloxacin (mixture)</i>	30
<i>cefaclor</i>	23	MONTH BOX.....	16	<i>ciprofloxacin hcl</i>	30, 160
<i>cefadroxil</i>	23	<i>chateal (28)</i>	137	<i>ciprofloxacin in 5 % dextrose</i> ...	30
<i>cefazolin</i>	23	CHEMET.....	174	<i>cisplatin</i>	35
<i>cefazolin in dextrose (iso-os)</i> ...	23	CHENODAL.....	156	<i>citalopram</i>	58
<i>cefdinir</i>	23	<i>chloramphenicol sod succinate</i> ..	20	<i>cladribine</i>	35
<i>cefditoren pivoxil</i>	23	<i>chlordiazepoxide hcl</i>	17	CLAFORAN.....	24
<i>cefixime</i>	24	<i>chlordiazepoxide-clidinium</i>	48	<i>claravis</i>	146
CEFOTAN.....	24	<i>chlorhexidine gluconate</i>	145	CLARINEX.....	75
<i>cefotaxime</i>	24	<i>chloroquine phosphate</i>	83	CLARINEX-D 12 HOUR.....	75
<i>cefotetan</i>	24	<i>chlorothiazide</i>	123	<i>clarithromycin</i>	25
<i>cefoxitin</i>	24	<i>chlorothiazide sodium</i>	123	<i>clemastine</i>	75
<i>cefpodoxime</i>	24	<i>chlorpromazine</i>	87	CLENPIQ.....	170
<i>cefprozil</i>	24	<i>chlorpropamide</i>	70	CLEOCIN.....	20, 76
<i>ceftazidime</i>	24	<i>chlorthalidone</i>	123	CLEOCIN HCL.....	20
<i>ceftriaxone</i>	24	<i>chlorzoxazone</i>	221	CLEOCIN T.....	147, 148

CLIMARA.....	177	<i>clobetasol-emollient</i>	150	CONCERTA.....	130
CLIMARA PRO.....	177	CLOBEX.....	150	CONDYLOX.....	146
CLINDAGEL.....	148	<i>clocortolone pivalate</i>	150	<i>constulose</i>	168
<i>clindamycin hcl</i>	21	<i>clofarabine</i>	35	COPAXONE.....	130
<i>clindamycin in 5 % dextrose</i>	21	CLOLAR.....	35	COPIKTRA.....	35
<i>clindamycin palmitate hcl</i>	21	<i>clomipramine</i>	58	CORDRAN TAPE LARGE	
<i>clindamycin pediatric</i>	21	<i>clonazepam</i>	17	ROLL.....	150
<i>clindamycin phosphate</i> 21, 76, 148		<i>clonidine</i>	110	COREG.....	116
<i>clindamycin-benzoyl peroxide</i>	148	<i>clonidine hcl</i>	110, 130	COREG CR.....	116
CLINDESSE.....	76	<i>clopidogrel</i>	105, 106	CORGARD.....	116
CLINIMIX 5%/D15W		<i>clorazepate dipotassium</i>	17	CORLANOR.....	119
SULFITE FREE.....	107	<i>clotrimazole</i>	72	<i>cormax</i>	150
CLINIMIX 5%/D25W		<i>clotrimazole-betamethasone</i>	72	CORTEF.....	180
SULFITE-FREE.....	107	<i>clozapine</i>	88	CORTENEMA.....	200
CLINIMIX 4.25%/D10W		CLOZARIL.....	88	<i>cortisone</i>	180
SULF FREE.....	107	COARTEM.....	83	CORTISPORIN.....	148
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i>	4	CORTISPORIN-TC.....	160
SULFIT FREE.....	107	COGENTIN.....	85	CORZIDE.....	116
CLINIMIX 4.25%-D25W		COLAZAL.....	199	COSENTYX (2 SYRINGES)	
SULF-FREE.....	107	<i>colchicine</i>	75	188
CLINIMIX 5%-		COLCRYS.....	75	COSENTYX PEN (2 PENS)	188
D20W(SULFITE-FREE).....	107	<i>colesevelam</i>	125	COSMEGEN.....	35
CLINIMIX E 2.75%/D10W		COLESTID.....	125	COSOPT.....	208
SUL FREE.....	107	COLESTID FLAVORED....	125	COSOPT (PF).....	208
CLINIMIX E 2.75%/D5W		<i>colestipol</i>	125	COTELLIC.....	35
SULF FREE.....	107	<i>colistin (colistimethate na)</i>	21	COTEMPLA XR-ODT.....	130
CLINIMIX E 4.25%/D10W		<i>colocort</i>	200	COUMADIN.....	100
SUL FREE.....	107	COLY-MYCIN M		COZAAR.....	111
CLINIMIX E 4.25%/D25W		PARENTERAL.....	21	CREON.....	156
SUL FREE.....	107	COLY-MYCIN S.....	160	CRESEMBA.....	72
CLINIMIX E 4.25%/D5W		COLYTE WITH FLAVOR		CRESTOR.....	125
SULF FREE.....	108	PACKS.....	170	CRINONE.....	185
CLINIMIX E 5%/D15W		COMBIGAN.....	208	CRIXIVAN.....	93
SULFIT FREE.....	108	COMBIPATCH.....	177	<i>cromolyn</i>	158, 168, 220
CLINIMIX E 5%/D20W		COMBIVENT RESPIMAT.....	217	<i>cryselle (28)</i>	137
SULFIT FREE.....	108	COMBIVIR.....	93	CRYSVITA.....	204
CLINIMIX E 5%/D25W		COMETRIQ.....	35	CUBICIN.....	21
SULFIT FREE.....	108	COMPLERA.....	93	CUPRIMINE.....	174
<i>clobazam</i>	49	<i>compro</i>	80	CUTIVATE.....	150
<i>clobetasol</i>	150	COMTAN.....	85	CUVITRU.....	188

CUVPOSA.....	168	<i>dantrolene</i>	221	DEPO-ESTRADIOL.....	177
<i>cyclafem 1/35 (28)</i>	137	<i>dapsone</i>	79, 146	DEPO-MEDROL.....	180
<i>cyclafem 7/7/7 (28)</i>	137	DAPTACEL (DTAP		DEPO-PROVERA.....	185
CYCLESSA (28).....	137	PEDIATRIC) (PF).....	196	DEPO-SUBQ PROVERA	104
<i>cyclobenzaprine</i>	221	<i>daptomycin</i>	21	185
<i>cyclopentolate</i>	158	DARAPRIM.....	83	DERMA-SMOOTH/FS	
CYCLOPHOSPHAMIDE.....	35	<i>darifenacin</i>	172	BODY OIL.....	150
<i>cycloserine</i>	79	DARZALEX.....	36	DERMOTIC OIL.....	163
CYCLOSET.....	63	<i>dasetta 1/35 (28)</i>	137	DESCOVY.....	93
<i>cyclosporine</i>	188, 189	<i>dasetta 7/7/7 (28)</i>	137	DESFERAL.....	174
<i>cyclosporine modified</i>	188, 189	<i>daunorubicin</i>	36	<i>desipramine</i>	58
CYKLOKAPRON.....	105	DAURISMO.....	36	<i>desloratadine</i>	75
CYMBALTA.....	58	DAYPRO.....	12	<i>desmopressin</i>	182
<i>cyproheptadine</i>	75	<i>daysee</i>	137	<i>desog-e.estradiolle.estradiol</i> ...	137
CYRAMZA.....	35	DAYTRANA.....	131	<i>desogestrel-ethinyl estradiol</i> ...	137
<i>cyred</i>	137	DDAVP.....	182	DESONATE.....	150
CYSTADANE.....	205	<i>deblitane</i>	137	<i>desonide</i>	150
CYSTAGON.....	173	<i>decadron</i>	180	<i>desoximetasone</i>	151
CYSTARAN.....	158	<i>decitabine</i>	36	DESOXYN.....	131
<i>cytarabine</i>	35	<i>deferasirox</i>	174	DESVENLAFAXINE.....	58
<i>cytarabine (pf)</i>	35	<i>deferoxamine</i>	174	DESVENLAFAXINE	
CYTOMEL.....	186	DELESTROGEN.....	177	FUMARATE.....	58
CYTOTEC.....	166	DELSTRIGO.....	93	<i>desvenlafaxine succinate</i>	58
CYTOVENE.....	99	<i>deltasone</i>	180	DETROL.....	172
D.H.E.45.....	77	<i>delyla (28)</i>	137	DETROL LA.....	172
<i>d10 %-0.45 % sodium chloride</i>	210	DELZICOL.....	200	<i>dexamethasone</i>	180
<i>d2.5 %-0.45 % sodium chloride</i>	210	DEMADEX.....	123	DEXAMETHASONE	
.....	210	<i>demeclocycline</i>	31	INTENSOL.....	180
<i>d5 % and 0.9 % sodium chloride</i>	210	DEMEROL.....	4, 5	<i>dexamethasone sodium phos</i>	
.....	210	DEMEROL (PF).....	4	<i>(pf)</i>	180
<i>d5 %-0.45 % sodium chloride</i> ..	210	DEMSEK.....	119	<i>dexamethasone sodium</i>	
<i>dacarbazine</i>	36	DENAVIR.....	146	<i>phosphate</i>	163, 180
DACOGEN.....	36	<i>denta 5000 plus</i>	145	DEXEDRINE SPANSULE. 131	
<i>dactinomycin</i>	36	<i>dentagel</i>	145	DEXILANT.....	166
DAKLINZA.....	98	DEPACON.....	49	<i>dexmethylphenidate</i>	131
<i>dalfampridine</i>	130	DEPAKENE.....	49	<i>dexrazoxane hcl</i>	205
DALIRESP.....	220	DEPAKOTE.....	49	<i>dextroamphetamine</i>	131
DALVANCE.....	21	DEPAKOTE ER.....	49	<i>dextroamphetamine-</i>	
<i>danazol</i>	175	DEPAKOTE SPRINKLES... 49		<i>amphetamine</i>	131
DANTRIUM.....	221	DEPEN TITRATABS.....	174	<i>dextrose 10 % and 0.2 % nacl.</i>	210

<i>dextrose 10 % in water (d10w)</i>	<i>digox</i>	120	<i>dorzolamide-timolol</i>	208
.....	<i>digoxin</i>	120	<i>dorzolamide-timolol (pf)</i>	208
<i>dextrose 20 % in water (d20w)</i>	DIGOXIN.....	120	<i>dotti</i>	177
.....	<i>dihydroergotamine</i>	77	DOVATO.....	93
<i>dextrose 25 % in water (d25w)</i>	DILANTIN.....	50	DOVONEX.....	146
.....	DILANTIN EXTENDED.....	50	<i>doxazosin</i>	110
<i>dextrose 30 % in water (d30w)</i>	DILANTIN INFATABS.....	50	<i>doxepin</i>	58
.....	DILANTIN-125.....	50	<i>doxercalciferol</i>	202
<i>dextrose 40 % in water (d40w)</i>	DILATRATE-SR.....	128	DOXIL.....	36
.....	DILAUDID.....	5	<i>doxorubicin</i>	36
<i>dextrose 5 % in ringer's</i>	DILAUDID (PF).....	5	<i>doxorubicin, peg-liposomal</i>	36
<i>dextrose 5 % in water (d5w)</i> ..	<i>diltiazem hcl</i>	118	<i>doxy-100</i>	31
<i>dextrose 5%-lactated ringers</i> ..	<i>dilt-xr</i>	119	<i>doxycycline hyclate</i>	31
<i>dextrose 5%-0.2 % sod chloride</i>	<i>dimenhydrinate</i>	80	<i>doxycycline monohydrate</i> ... 31, 32	
.....	DIOVAN.....	111	<i>dronabinol</i>	80
<i>dextrose 5%-0.3 % sod.chloride</i>	DIOVAN HCT.....	111	<i>droperidol</i>	205
.....	DIPENTUM.....	200	<i>drospirenone-e.estradiol-lm.fa</i>	
<i>dextrose 50 % in water (d50w)</i>	<i>diphenhydramine hcl</i>	76	137, 138
.....	<i>diphenoxylate-atropine</i>	168	<i>drospirenone-ethinyl estradiol</i> ..	138
<i>dextrose 70 % in water (d70w)</i>	DIPROLENE.....	151	DROXIA.....	36
.....	<i>dipyridamole</i>	106	DUAVEE.....	177
<i>dextrose with sodium chloride</i> ..	DISKETS.....	5	DUETACT.....	63
DIASTAT.....	<i>disopyramide phosphate</i>	114	DULERA.....	215
DIASTAT ACUDIAL.....	<i>disulfiram</i>	16	<i>duloxetine</i>	58
<i>diazepam</i>	DITROPAN XL.....	172	DUPIXENT.....	189
<i>diazepam intensol</i>	DIURIL.....	123	DURAGESIC.....	5
DIBENZYLINE.....	DIURIL IV.....	123	DURAMORPH (PF).....	5
<i>diclofenac epolamine</i>	<i>divalproex</i>	50	DUREZOL.....	164
<i>diclofenac potassium</i>	DIVIGEL.....	177	<i>dutasteride</i>	173
<i>diclofenac sodium</i>	DOCEFREZ.....	36	<i>dutasteride-tamsulosin</i>	173
<i>diclofenac-misoprostol</i>	<i>docetaxel</i>	36	DUZALLO.....	75
<i>dicloxacillin</i>	<i>dofetilide</i>	114	DYANAVEL XR.....	131
<i>dicyclomine</i>	DOLOPHINE.....	5	DYAZIDE.....	123
<i>didanosine</i>	<i>donepezil</i>	56	DYMISTA.....	158
DIFFERIN.....	DOPTELET (10 TAB PACK)		DYRENIUM.....	123
DIFICID.....	103	<i>e.e.s. 400</i>	25
<i>diflorasone</i>	DOPTELET (15 TAB PACK)		EC-NAPROSYN.....	12
DIFLUCAN.....	103	<i>econazole</i>	72
<i>diflunisal</i>	<i>doripenem</i>	26	EDARBI.....	111
<i>digitek</i>	<i>dorzolamide</i>	208	EDARBYCLOR.....	111

EDECIN.....	123	<i>enalapril maleate</i>	112	ERAXIS(WATER	
EDURANT.....	93	<i>enalapril-hydrochlorothiazide</i>	113	DILUENT).....	72
<i>efavirenz</i>	93	ENBREL.....	189	ERBITUX.....	37
EFFEXOR XR.....	59	ENBREL SURECLICK.....	189	<i>ergoloid</i>	205
EFFIENT.....	106	ENDARI.....	205	ERGOMAR.....	77
EFUDEX.....	146	<i>endocet</i>	5	<i>ergotamine-caffeine</i>	77
EGRIFTA.....	182	ENGERIX-B (PF).....	196	ERIVEDGE.....	37
ELAPRASE.....	156	ENGERIX-B PEDIATRIC		ERLEADA.....	37
ELDEPRYL.....	85	(PF).....	196	<i>erlotinib</i>	37
<i>electrolyte-48 in d5w</i>	210	<i>enoxaparin</i>	101	<i>errin</i>	138
ELESTAT.....	158	<i>enpresse</i>	138	<i>ertapenem</i>	26
ELESTRIN.....	177	<i>enskyce</i>	138	ERWINAZE.....	37
<i>eletriptan</i>	77	ENSTILAR.....	146	<i>ery pads</i>	148
ELIDEL.....	151	<i>entacapone</i>	85	ERYGEL.....	148
ELIGARD.....	37	<i>entecavir</i>	99	<i>ery-tab</i>	25
ELIGARD (3 MONTH).....	36	ENTOCORT EC.....	200	ERY-TAB.....	25
ELIGARD (4 MONTH).....	37	ENTRESTO.....	111	ERYTHROCIN.....	26
ELIGARD (6 MONTH).....	37	ENTYVIO.....	189	<i>erythrocin (as stearate)</i>	26
ELIMITE.....	155	<i>enulose</i>	168	<i>erythromycin</i>	26, 160
<i>elinest</i>	138	ENVARBUS XR.....	189	<i>erythromycin ethylsuccinate</i>	26
ELIQUIS.....	100, 101	EPANED.....	113	<i>erythromycin with ethanol</i>	148
ELITEK.....	156	EPCLUSA.....	98	<i>erythromycin-benzoyl peroxide</i>	
<i>elixophyllin</i>	217	EPIDIOLEX.....	50	148
ELLA.....	138	EPIDUO.....	154	ESBRIET.....	220
ELLECE.....	37	EPIDUO FORTE.....	154	<i>escitalopram oxalate</i>	59
ELMIRON.....	205	EPIFOAM.....	151	ESGIC.....	5
ELOCON.....	151	<i>epinastine</i>	159	<i>esomeprazole magnesium</i>	166
EMADINE.....	159	<i>epinephrine</i>	120	<i>esomeprazole sodium</i>	166
EMBEDA.....	5	EPIPEN 2-PAK.....	120	<i>estarylla</i>	138
EMCYT.....	37	EPIPEN JR 2-PAK.....	120	<i>estazolam</i>	18
EMEND.....	80, 81	<i>epirubicin</i>	37	ESTRACE.....	177
EMFLAZA.....	180	<i>epitol</i>	50	<i>estradiol</i>	177, 178
EMGALITY PEN.....	77	EPIVIR.....	94	<i>estradiol valerate</i>	178
EMGALITY SYRINGE.....	77	EPIVIR HBV.....	93	<i>estradiol-norethindrone acet...</i>	178
<i>emoquette</i>	138	<i>eplerenone</i>	128	ESTRING.....	178
EMPLICITI.....	37	EPOGEN.....	103	ESTROSTEP FE-28.....	138
EMSAM.....	59	<i>eprosartan</i>	111	<i>eszopiclone</i>	222
EMTRIVA.....	93	EPZICOM.....	94	<i>ethacrynic acid</i>	123
EMVERM.....	83	EQUETRO.....	50	<i>ethambutol</i>	79
ENABLEX.....	172			<i>ethosuximide</i>	50

<i>ethynodiol diac-eth estradiol</i> ...	138	<i>febuxostat</i>	75	FLOVENT DISKUS.....	215
ETHYOL.....	205	<i>felbamate</i>	50	FLOVENT HFA.....	215
<i>etidronate disodium</i>	202	FELBATOL.....	50	<i>floxuridine</i>	38
<i>etodolac</i>	12	FELDENE.....	12	<i>fluconazole</i>	72, 73
ETOPOPHOS.....	37	<i>felodipine</i>	122	<i>fluconazole in nacl (iso-osm)</i> ...	72
<i>etoposide</i>	37	FEMARA.....	37	<i>flucytosine</i>	73
EUCRISA.....	151	FEMHRT LOW DOSE.....	178	<i>fludarabine</i>	38
EVAMIST.....	178	FEMRING.....	178	<i>fludrocortisone</i>	180
EVENITY.....	202	<i>femynor</i>	138	FLUMADINE.....	97
EVISTA.....	178	<i>fenofibrate</i>	125	<i>flunisolide</i>	164
EVOCLIN.....	148	<i>fenofibrate micronized</i>	125	<i>fluocinolone</i>	151
EVOMELA.....	37	<i>fenofibrate nanocrystallized</i> ...	125	<i>fluocinolone acetonide oil</i>	164
EVOTAZ.....	94	<i>fenofibric acid</i>	125	<i>fluocinolone and shower cap</i> ...	151
EVOXAC.....	145	<i>fenofibric acid (choline)</i>	125	<i>fluocinonide</i>	151
EVZIO.....	16	FENOGLIDE.....	125	<i>fluocinonide-e</i>	151
EXELDERM.....	72	<i>fenoprofen</i>	12	FLUORIDE (SODIUM).....	225
EXELON.....	56	<i>fentanyl</i>	5, 6	<i>fluorometholone</i>	164
<i>exemestane</i>	37	<i>fentanyl citrate</i>	5	<i>fluorouracil</i>	38, 146
EXFORGE.....	121	FERRIPROX.....	174	<i>fluoxetine</i>	59
EXFORGE HCT.....	121	FETZIMA.....	59	FLUOXETINE.....	59
EXJADE.....	174	FIASP FLEXTOUCH U-100		<i>fluphenazine decanoate</i>	88
EXONDYS 51.....	205	INSULIN.....	67	<i>fluphenazine hcl</i>	88
EXTAVIA.....	131	FIASP U-100 INSULIN.....	67	<i>flurandrenolide</i>	151
<i>ezetimibe</i>	125	FIBRICOR.....	126	<i>flurazepam</i>	18
<i>ezetimibe-simvastatin</i>	125	FINACEA.....	146	<i>flurbiprofen</i>	12
FABIOR.....	154	<i>finasteride</i>	173	<i>flurbiprofen sodium</i>	164
FABRAZYME.....	156	FIORINAL.....	6	<i>flutamide</i>	38
<i>falmina (28)</i>	138	FIORINAL-CODEINE #3.....	6	<i>fluticasone propionate</i>	
<i>famciclovir</i>	99	FIRAZYR.....	120	151, 152, 164
<i>famotidine</i>	166	FIRDAPSE.....	205	<i>fluticasone propion-salmeterol</i>	215
<i>famotidine (pf)</i>	166	FIRMAGON KIT W		<i>fluvastatin</i>	126
<i>famotidine (pf)-nacl (iso-os)</i>	166	DILUENT SYRINGE.....	38	<i>fluvoxamine</i>	59
FANAPT.....	88	FIRVANQ.....	21	FML FORTE.....	164
FARESTON.....	37	FLAC OTIC OIL.....	164	FML S.O.P.....	164
FARXIGA.....	63	FLAGYL.....	21	FOCALIN.....	131
FARYDAK.....	37	<i>flavoxate</i>	172	FOCALIN XR.....	131
FASENRA.....	220	FLEBOGAMMA DIF.....	189	FOLOTYN.....	38
FASLODEX.....	37	<i>flecainide</i>	114	<i>fomepizole</i>	205
<i>fayosim</i>	138	FLECTOR.....	12	<i>fondaparinux</i>	101
FAZACLO.....	88	FLOMAX.....	173	FORFIVO XL.....	59

FORTAMET.....	63	<i>gatifloxacin</i>	160	GLUCOPHAGE XR.....	63
FORTAZ.....	24	GATTEX 30-VIAL.....	168	GLUCOTROL.....	71
FORTEO.....	202	GAUZE PAD.....	155	GLUCOTROL XL.....	71
FOSAMAX.....	202	<i>gavilyte-c</i>	171	<i>glyburide</i>	71
FOSAMAX PLUS D.....	202	<i>gavilyte-g</i>	171	<i>glyburide micronized</i>	71
<i>fosamprenavir</i>	94	<i>gavilyte-n</i>	171	<i>glyburide-metformin</i>	71
<i>foscarnet</i>	97	GAZYVA.....	38	<i>glycine urologic solution</i>	200
<i>fosinopril</i>	113	GELNIQUE.....	172	<i>glycopyrrolate</i>	169
<i>fosinopril-hydrochlorothiazide</i>	113	<i>gemcitabine</i>	38	<i>glycopyrrolate (pf) in water</i>	
<i>fosphenytoin</i>	50	<i>gemfibrozil</i>	126	168, 169
FOSRENOL.....	171, 172	GENERESS FE.....	138	<i>glydo</i>	14
FRAGMIN.....	101	<i>generlac</i>	168	GLYNASE.....	71
FREAMINE HBC 6.9 %.....	108	<i>gengraf</i>	190	GLYSET.....	63
FREAMINE III 10 %.....	108	GENOTROPIN.....	182	GLYXAMBI.....	63
FROVA.....	77	GENOTROPIN		GOCOVRI.....	85
<i>frovatriptan</i>	77	MINIQUICK.....	182	GOLYTELY.....	171
FULPHILA.....	103	<i>gentak</i>	161	GRALISE.....	51
<i>fulvestrant</i>	38	<i>gentamicin</i>	20, 148, 161	GRALISE 30-DAY	
FURADANTIN.....	21	<i>gentamicin in nacl (iso-osm)</i> ..	20	STARTER PACK.....	51
<i>furosemide</i>	123	<i>gentamicin sulfate (ped) (pf)</i> ..	20	<i>granisetron (pf)</i>	81
FUSILEV.....	205	<i>gentamicin sulfate (pf)</i>	20	<i>granisetron hcl</i>	81
FUZEON.....	94	GENVOYA.....	94	GRANIX.....	103
<i>fyavolv</i>	178	GEODON.....	89	GRASTEK.....	205
FYCOMPA.....	50	GIALAX.....	171	<i>griseofulvin microsize</i>	73
<i>gabapentin</i>	50	<i>gianvi (28)</i>	138	<i>griseofulvin ultramicrosize</i>	73
GABITRIL.....	51	GILENYA.....	131	<i>guanfacine</i>	110, 132
GALAFOLD.....	156	GILOTRIF.....	38	<i>guanidine</i>	205
<i>galantamine</i>	56	GLASSIA.....	220	HAEGARDA.....	104
GAMASTAN.....	189	<i>glatiramer</i>	132	<i>hailey 24 fe</i>	138
GAMMAGARD LIQUID... 189		<i>glatopa</i>	132	HALAVEN.....	38
GAMMAGARD S-D (IGA <		GLEEVEC.....	38	HALCION.....	18
1 MCG/ML).....	189	GLEOSTINE.....	38	HALDOL.....	89
GAMMAKED.....	189	<i>glimepiride</i>	70	HALDOL DECANOATE.....	89
GAMMAPLEX.....	189	<i>glipizide</i>	70, 71	<i>halobetasol propionate</i>	152
GAMMAPLEX (WITH		<i>glipizide-metformin</i>	71	HALOG.....	152
SORBITOL).....	189	GLUCAGEN HYPOKIT	205	<i>haloperidol</i>	89
GAMUNEX-C.....	190	GLUCAGON		<i>haloperidol decanoate</i>	89
<i>ganciclovir sodium</i>	99	EMERGENCY KIT		<i>haloperidol lactate</i>	89
GARDASIL 9 (PF).....	196	(HUMAN).....	205	HARVONI.....	98
GASTROCROM.....	168	GLUCOPHAGE.....	63	HAVRIX (PF).....	196

<i>heather</i>	138	HUMIRA(CF) PEN.....	190	HYPERHEP B S/D.....	191
HECTOROL.....	202	HUMIRA(CF) PEN		HYPERRAB (PF).....	191
<i>heparin (porcine)</i>	102	CROHNS-UC-HS.....	190	HYPERRAB S/D (PF).....	191
<i>heparin (porcine) in 5% dex.</i>	101	HUMIRA(CF) PEN PSOR-		HYPERRHO S/D.....	191
<i>heparin (porcine) in nacl (pf)</i>	101	UV-ADOL HS.....	190	HYQVIA.....	191
<i>heparin, porcine (pf)</i>	102	HUMULIN 70/30 U-100		HYSINGLA ER.....	7
HEPATAMINE 8%.....	109	INSULIN.....	68	HYZAAR.....	111
HEPSERA.....	99	HUMULIN 70/30 U-100		<i>ibandronate</i>	202
HERCEPTIN.....	38	KWIKPEN.....	68	IBRANCE.....	39
HERCEPTIN HYLECTA.....	38	HUMULIN N NPH		<i>ibu</i>	12
HETLIOZ.....	222	INSULIN KWIKPEN.....	68	<i>ibuprofen</i>	12, 13
HIBERIX (PF).....	196	HUMULIN N NPH U-100		<i>ibuprofen-oxycodone</i>	7
HIPREX.....	21	INSULIN.....	68	<i>icatibant</i>	120
HIZENTRA.....	190	HUMULIN R REGULAR		ICLUSIG.....	39
HUMALOG JUNIOR		U-100 INSULN.....	68	IDAMYCIN PFS.....	39
KWIKPEN U-100.....	67	HUMULIN R U-500		<i>idarubicin</i>	39
HUMALOG KWIKPEN		(CONC) INSULIN.....	68	IDHIFA.....	39
INSULIN.....	67, 68	HUMULIN R U-500		IFEX.....	39
HUMALOG MIX 50-50		(CONC) KWIKPEN.....	68	<i>ifosfamide</i>	39
INSULN U-100.....	68	HYCAMTIN.....	39	ILARIS (PF).....	191
HUMALOG MIX 50-50		<i>hydralazine</i>	120	ILEVRO.....	164
KWIKPEN.....	68	HYDREA.....	39	ILUMYA.....	191
HUMALOG MIX 75-25		<i>hydrochlorothiazide</i>	123	<i>imatinib</i>	39
KWIKPEN.....	68	<i>hydrocodone-acetaminophen</i>	6	IMBRUVICA.....	39
HUMALOG MIX 75-25(U-		<i>hydrocodone-ibuprofen</i>	6	IMFINZI.....	39
100)INSULN.....	68	<i>hydrocortisone</i>	152, 180, 200	<i>imipenem-cilastatin</i>	27
HUMALOG U-100		<i>hydrocortisone butyrate</i>	152	<i>imipramine hcl</i>	59
INSULIN.....	68	<i>hydrocortisone butyr-emollient</i>		<i>imipramine pamoate</i>	59
HUMATROPE.....	182	152	<i>imiquimod</i>	146
HUMIRA.....	190	<i>hydrocortisone valerate</i>	152	IMITREX.....	78
HUMIRA PEDIATRIC		<i>hydrocortisone-acetic acid</i>	161	IMITREX STATDOSE PEN.	78
CROHNS START.....	190	<i>hydromorphone</i>	6	IMITREX STATDOSE	
HUMIRA PEN.....	190	<i>hydromorphone (pf)</i>	6	REFILL.....	78
HUMIRA PEN CROHNS-		<i>hydroxychloroquine</i>	83	IMLYGIC.....	39
UC-HS START.....	190	<i>hydroxyproggest(pf) (preg</i>		IMOGAM RABIES-HT (PF)	
HUMIRA PEN PSOR-		<i>presv)</i>	185	191
UVEITS-ADOL HS.....	190	<i>hydroxyprogesterone caproate</i>	185	IMOVAX RABIES	
HUMIRA(CF).....	191	<i>hydroxyurea</i>	39	VACCINE (PF).....	196
HUMIRA(CF) PEDI		<i>hydroxyzine hcl</i>	76	IMPAVIDO.....	83
CROHNS STARTER.....	190	<i>hydroxyzine pamoate</i>	205	IMURAN.....	191

IMVEXXY	IONOSOL-B IN D5W	210	JARDIANCE	64
MAINTENANCE PACK	IONOSOL-MB IN D5W	210	<i>jasmiel (28)</i>	138
IMVEXXY STARTER	IOPIDINE	159	<i>jencycla</i>	138
PACK	IPOL	197	JENTADUETO	64
INBRIJA	<i>ipratropium bromide</i>	159, 217	JENTADUETO XR	64
<i>incassia</i>	<i>ipratropium-albuterol</i>	217	JEVTANA	40
INCRELEX	<i>irbesartan</i>	111	<i>jinteli</i>	178
INCRUSE ELLIPTA	<i>irbesartan-hydrochlorothiazide</i>	111	<i>jolessa</i>	138
<i>indapamide</i>	IRESSA	40	<i>jolivette</i>	139
INDERAL LA	<i>irinotecan</i>	40	JUBLIA	73
INDOCIN	ISENTRESS	94	<i>juleber</i>	139
<i>indomethacin</i>	ISENTRESS HD	94	JULUCA	94
INFANRIX (DTAP) (PF)	<i>isibloom</i>	138	<i>junel 1.5/30 (21)</i>	139
INFLECTRA	ISOLYTE-P IN 5 %		<i>junel 1/20 (21)</i>	139
INFUGEM	DEXTROSE	210	<i>junel fe 1.5/30 (28)</i>	139
INFUMORPH P/F	ISOLYTE-S	210	<i>junel fe 1/20 (28)</i>	139
INGREZZA	<i>isoniazid</i>	79	<i>junel fe 24</i>	139
INGREZZA INITIATION	ISOPTO ATROPINE	159	JUXTAPID	126
PACK	ISOPTO CARPINE	208	JYNARQUE	123
INLYTA	ISORDIL	128	KABIVEN	109
INNOPRAN XL	ISORDIL TITRADOSE	128	KADCYLA	40
INSPIRA	<i>isosorbide dinitrate</i>	128	<i>kaitlib fe</i>	139
<i>insulin lispro</i>	<i>isosorbide mononitrate</i>	128	KALBITOR	205
INSULIN SYRINGE-	<i>isotretinoin</i>	146	KALETRA	94
NEEDLE U-100	<i>isradipine</i>	122	<i>kalliga</i>	139
INTELENCE	ISTALOL	208	KALYDECO	220
INTRALIPID	ISTODAX	40	KANUMA	156
INTRAROSA	<i>itraconazole</i>	73	KAPSPARGO SPRINKLE	116
INTRON A	<i>ivermectin</i>	83	KAPVAY	132
<i>introvale</i>	IXEMPRA	40	KARBINAL ER	76
INTUNIV ER	IXIARO (PF)	197	<i>kariva (28)</i>	139
INVANZ	JADENU	174	KAZANO	64
INVEGA	JADENU SPRINKLE	174	KEDRAB (PF)	191
INVEGA SUSTENNA	JAKAFI	40	KEFLEX	24
INVEGA TRINZA	JALYN	173	<i>kelnor 1/35 (28)</i>	139
INVELTYS	<i>jantoven</i>	102	<i>kelnor 1-50</i>	139
INVIRASE	JANUMET	64	KENALOG	152, 180
INVOKAMET	JANUMET XR	64	KENALOG-80	180
INVOKAMET XR	JANUVIA	64	KEPIVANCE	205
INVOKANA			KEPPRA	51

KEPPRA XR.....	51	LAMICTAL ODT		<i>leena 28</i>	139
<i>ketoconazole</i>	73	STARTER (GREEN).....	51	<i>leflunomide</i>	192
<i>ketoprofen</i>	13	LAMICTAL ODT		LEMTRADA.....	132
<i>ketorolac</i>	13, 164	STARTER (ORANGE).....	51	LENVIMA.....	41
KEVEYIS.....	205	LAMICTAL STARTER		LESCOL.....	126
KEVZARA.....	191	(BLUE) KIT.....	51	LESCOL XL.....	126
KEYTRUDA.....	40	LAMICTAL STARTER		<i>lessina</i>	140
KHAPZORY.....	205	(GREEN) KIT.....	52	LETAIRIS.....	223
KHEDEZLA.....	60	LAMICTAL STARTER		<i>letrozole</i>	41
KINERET.....	192	(ORANGE) KIT.....	52	<i>leucovorin calcium</i>	205, 206
KINRIX (PF).....	197	LAMICTAL XR.....	52	LEUKERAN.....	41
<i>kionex (with sorbitol)</i>	169	LAMICTAL XR STARTER		LEUKINE.....	104
KISQALI.....	41	(BLUE).....	52	<i>leuprolide</i>	41
KISQALI FEMARA CO-		LAMICTAL XR STARTER		<i>levabuterol hcl</i>	218
PACK.....	40, 41	(GREEN).....	52	<i>levabuterol tartrate</i>	218
KLARON.....	148	LAMICTAL XR STARTER		LEVAQUIN.....	30
KLONOPIN.....	18	(ORANGE).....	52	LEVATOL.....	116
KLOR-CON 10.....	210	<i>lamivudine</i>	94	LEVEMIR FLEXTOUCH U-	
KLOR-CON 8.....	210	<i>lamivudine-zidovudine</i>	94	100 INSULN.....	69
<i>klor-con m10</i>	210	<i>lamotrigine</i>	52, 53	LEVEMIR U-100 INSULIN..	69
<i>klor-con m15</i>	211	LANOXIN.....	120	<i>levetiracetam</i>	53
<i>klor-con m20</i>	211	LANOXIN PEDIATRIC....	120	<i>levetiracetam in nacl (iso-os)</i> ...	53
<i>klor-con sprinkle</i>	211	<i>lansoprazole</i>	166	<i>levobunolol</i>	208
KOMBIGLYZE XR.....	64	<i>lanthanum</i>	172	<i>levocarnitine</i>	206
KORLYM.....	64	LANTUS SOLOSTAR U-100		<i>levocarnitine (with sugar)</i>	206
KRINTAFEL.....	83	INSULIN.....	69	<i>levocetirizine</i>	76
K-TAB.....	211	LANTUS U-100 INSULIN...	69	<i>levofloxacin</i>	30, 161
<i>kurvelo (28)</i>	139	<i>larin 1.5/30 (21)</i>	139	<i>levofloxacin in d5w</i>	30
KUVAN.....	156	<i>larin 1/20 (21)</i>	139	LEVOLEUCOVORIN	
KYPROLIS.....	41	<i>larin 24 fe</i>	139	CALCIUM.....	206
<i>l norgestle.estradiol-e.estrad</i> ...	139	<i>larin fe 1.5/30 (28)</i>	139	<i>levoleucovorin calcium</i>	206
<i>labetalol</i>	116	<i>larin fe 1/20 (28)</i>	139	<i>levonest (28)</i>	140
LACRISERT.....	159	<i>larissia</i>	139	<i>levonorgestrel-ethinyl estrad</i> ...	140
LACTATED RINGERS		LASIX.....	123	<i>levonorg-eth estrad triphasic</i> ...	140
.....	201, 211	LASTACAFT.....	159	<i>levora-28</i>	140
<i>lactulose</i>	169	<i>latanoprost</i>	208	<i>levorphanol tartrate</i>	7
LAMICTAL.....	51	LATUDA.....	90	LEVO-T.....	186
LAMICTAL ODT.....	51	<i>layolis fe</i>	139	<i>levothyroxine</i>	186
LAMICTAL ODT		LAZANDA.....	7	LEVOXYL.....	186
STARTER (BLUE).....	51	<i>ledipasvir-sofosbuvir</i>	98	LEVULAN.....	146

LEXAPRO.....	60	LONHALA MAGNAIR		LUNESTA.....	223
LEXIVA.....	94	STARTER.....	218	LUPANETA PACK (1	
LIALDA.....	200	LONSURF.....	41	MONTH).....	183
LIBRAX (WITH		<i>loperamide</i>	169	LUPANETA PACK (3	
CLIDINIUM).....	48	LOPID.....	126	MONTH).....	183
LIBTAYO.....	41	<i>lopinavir-ritonavir</i>	94	LUPRON DEPOT.....	42, 183
<i>lidocaine</i>	14	<i>lopreeza</i>	178	LUPRON DEPOT (3	
<i>lidocaine (pf)</i>	14	LOPRESSOR.....	116	MONTH).....	41, 183
<i>lidocaine hcl</i>	14	LOPRESSOR HCT.....	116	LUPRON DEPOT (4	
<i>lidocaine viscous</i>	14	LOPROX.....	73	MONTH).....	41
<i>lidocaine-prilocaine</i>	15	LOPROX (AS OLAMINE)....	73	LUPRON DEPOT (6	
LIDODERM.....	15	<i>lorazepam</i>	18	MONTH).....	42
LIDOTREX.....	15	LORBRENA.....	41	LUPRON DEPOT-PED.....	183
<i>lillow (28)</i>	140	<i>lorcet (hydrocodone)</i>	7	LUPRON DEPOT-PED (3	
LINCOCIN.....	21	<i>lorcet hd</i>	7	MONTH).....	183
<i>lincomycin</i>	21	<i>lorcet plus</i>	7	<i>lutura (28)</i>	140
<i>lindane</i>	155	<i>loryna (28)</i>	140	LUXIQ.....	152
<i>linezolid</i>	22	<i>losartan</i>	111	LUZU.....	73
<i>linezolid in dextrose 5%</i>	21	<i>losartan-hydrochlorothiazide</i> ..	111	LYNPARZA.....	42
<i>linezolid-0.9% sodium chloride</i> ..	21	LOSEASONIQUE.....	140	LYRICA.....	53
LINZESS.....	169	LOTEMAX.....	164	LYSODREN.....	42
<i>liothyronine</i>	187	LOTEMAX SM.....	164	LYSTEDA.....	105
LIPITOR.....	126	LOTENSIN.....	113	<i>lyza</i>	140
LIPOFEN.....	126	LOTENSIN HCT.....	113	MACROBID.....	22
<i>lisinopril</i>	113	<i>loteprednol etabonate</i>	164	MACRODANTIN.....	22
<i>lisinopril-hydrochlorothiazide</i> ..	113	LOTREL.....	122	<i>mafenide acetate</i>	146
<i>lithium carbonate</i>	132	LOTRISONE.....	73	<i>magnesium sulfate</i>	211
<i>lithium citrate</i>	132	LOTRONEX.....	200	MAKENA.....	185, 186
LITHOBID.....	132	<i>lovastatin</i>	126	MAKENA (PF).....	185
LITHOSTAT.....	173	LOVAZA.....	126	MALARONE.....	83
LIVALO.....	126	LOVENOX.....	102	MALARONE PEDIATRIC..	83
LO LOESTRIN FE.....	140	<i>low-ogestrel (28)</i>	140	<i>malathion</i>	155
LOCOID.....	152	<i>loxapine succinate</i>	90	<i>maprotiline</i>	60
LOCOID LIPOCREAM.....	152	<i>lo-zumandimine (28)</i>	140	MARINOL.....	81
LODOSYN.....	85	LUCEMYRA.....	16	<i>marlissa (28)</i>	140
LOKELMA.....	169	LUDENT FLUORIDE.....	225	MARPLAN.....	60
LOMOTIL.....	169	<i>luliconazole</i>	73	MARQIBO.....	42
LONHALA MAGNAIR		LUMIGAN.....	208	MATULANE.....	42
REFILL.....	218	LUMIZYME.....	156	<i>matzim la</i>	119
		LUMOXITI.....	41		

MAVENCLAD (10 TABLET PACK).....	132	MENTAX.....	73	METHYLIN.....	133
MAVENCLAD (4 TABLET PACK).....	132	MENVEO A-C-Y-W-135-DIP (PF).....	197	<i>methylphenidate hcl</i>	133, 134
MAVENCLAD (5 TABLET PACK).....	132	<i>mepерidine</i>	7	<i>methylprednisolone</i>	181
MAVENCLAD (6 TABLET PACK).....	132	<i>mepерidine (pf)</i>	7	<i>methylprednisolone acetate</i>	181
MAVENCLAD (7 TABLET PACK).....	133	<i>meprobamate</i>	18	<i>methylprednisolone sodium succ</i>	181
MAVENCLAD (8 TABLET PACK).....	133	MEPRON.....	83	<i>methyltestosterone</i>	175
MAVENCLAD (9 TABLET PACK).....	133	MEPSEVII.....	156	<i>metipranolol</i>	209
MAVYRET.....	98	<i>mercaptapurine</i>	42	<i>metoclopramide hcl</i>	169
MAXALT.....	78	<i>meropenem</i>	27	<i>metolazone</i>	124
MAXALT-MLT.....	78	MERREM.....	27	<i>metoprolol succinate</i>	116
MAXIDEX.....	164	<i>mesalamine</i>	200	<i>metoprolol ta-hydrochlorothiaz</i>	116
MAXIPIME.....	25	<i>mesna</i>	206	<i>metoprolol tartrate</i>	116, 117
MAXITROL.....	161	MESNEX.....	206	METROCREAM.....	148
MAXZIDE.....	124	MESTINON.....	206	METROGEL.....	148
MAXZIDE-25MG.....	124	MESTINON TIMESPAN....	206	METROGEL VAGINAL.....	76
MAYZENT.....	133	<i>metadate er</i>	133	METROLOTION.....	148
<i>meclizine</i>	81	<i>metaproterenol</i>	218	<i>metronidazole</i>	22, 76, 149
<i>meclofenamate</i>	13	<i>metaxall</i>	221	<i>metronidazole in nacl (iso-os)</i> ..	22
MEDROL.....	181	<i>metaxalone</i>	221	<i>mexiletine</i>	114
MEDROL (PAK).....	180	<i>metformin</i>	64, 65	MIACALCIN.....	202
<i>medroxyprogesterone</i>	186	<i>methadone</i>	7, 8	<i>mibelas 24 fe</i>	140
<i>mefenamic acid</i>	13	METHADOSE.....	8	MICARDIS.....	111
<i>mefloquine</i>	83	<i>methadose</i>	8	MICARDIS HCT.....	111
<i>megestrol</i>	42, 186	<i>methamphetamine</i>	133	<i>miconazole nitrate-zinc ox-pet</i> ..	73
MEKINIST.....	42	<i>methazolamide</i>	209	<i>miconazole-3</i>	73
MEKTOVI.....	42	<i>methenamine hippurate</i>	22	MICRHOGAM ULTRA-FILTERED PLUS.....	192
<i>melodetta 24 fe</i>	140	METHERGINE.....	206	<i>microgestin 1.5/30 (21)</i>	140
<i>meloxicam</i>	13	<i>methimazole</i>	187	<i>microgestin 1/20 (21)</i>	140
<i>melfhalan hcl</i>	42	<i>methocarbamol</i>	222	<i>microgestin 24 fe</i>	140
<i>memantine</i>	56, 57	<i>methocarbamol</i>	222	<i>microgestin fe 1.5/30 (28)</i>	140
MENACTRA (PF).....	197	<i>methotrexate sodium</i>	42	<i>microgestin fe 1/20 (28)</i>	141
MENEST.....	178	<i>methotrexate sodium (pf)</i>	42	MICROZIDE.....	124
MENOSTAR.....	178	<i>methoxsalen</i>	146	<i>midazolam</i>	18, 19
		<i>methscopolamine</i>	169	<i>midazolam (pf)</i>	18
		<i>methyclothiazide</i>	124	<i>midodrine</i>	110
		<i>methyldopa</i>	110	<i>miglitol</i>	65
		<i>methyldopa-hydrochlorothiazide</i>	110	<i>miglustat</i>	156
		<i>methyldopate</i>	110		
		<i>methylergonovine</i>	206		

MIGRANAL.....	78	MOXEZA.....	161	NAMZARIC.....	57
<i>mili</i>	141	<i>moxifloxacin</i>	30, 161	NAPROSYN.....	14
<i>mimvey</i>	178	<i>moxifloxacin-sod.ace,sul-water</i>	30	<i>naproxen</i>	14
<i>mimvey lo</i>	178	<i>moxifloxacin-sod.chloride(iso)</i>	30	<i>naproxen sodium</i>	14
MINASTRIN 24 FE.....	141	MOZOBIL.....	104	<i>naratriptan</i>	78
MINIPRESS.....	110	MS CONTIN.....	8, 9	NARCAN.....	16
<i>minitran</i>	128	MULPLETA.....	104	NARDIL.....	60
MINIVELLE.....	179	MULTAQ.....	114	NASONEX.....	164
MINOCIN.....	32	<i>mupirocin</i>	149	NATACYN.....	161
<i>minocycline</i>	32	<i>mupirocin calcium</i>	149	NATAZIA.....	141
<i>minoxidil</i>	128	<i>mutamycin</i>	42	<i>nateglinide</i>	65
MIRAPEX.....	85	MYALEPT.....	206	NATESTO.....	175
MIRAPEX ER.....	85	MYAMBUTOL.....	79	NATPARA.....	202
MIRCERA.....	104	MYCAMINE.....	73	NEBUPENT.....	83
<i>mirtazapine</i>	60	MYCOBUTIN.....	79	<i>necon 0.5/35 (28)</i>	141
MIRVASO.....	146	<i>mycophenolate mofetil</i>	192	<i>nefazodone</i>	60
<i>misoprostol</i>	166	<i>mycophenolate mofetil hcl</i>	192	NEMBUTAL SODIUM.....	223
<i>mitigo (pf)</i>	8	<i>mycophenolate sodium</i>	192	<i>neomycin</i>	20
<i>mitomycin</i>	42	MYDAYIS.....	134	<i>neomycin-bacitracin-poly-hc</i> ...	161
<i>mitoxantrone</i>	42	MYFORTIC.....	192	<i>neomycin-bacitracin-polymyxin</i>	
M-M-R II (PF).....	197	MYLOTARG.....	42	161
MOBIC.....	13	<i>myrisan</i>	146	<i>neomycin-polymyxin b gu</i>	149
<i>modafinil</i>	223	MYRBETRIQ.....	173	<i>neomycin-polymyxin b-</i>	
MODERIBA DOSE PACK... 99		MYSOLINE.....	53	<i>dexameth</i>	161
<i>moexipril</i>	113	MYTESI.....	169	<i>neomycin-polymyxin-</i>	
<i>molindone</i>	90	<i>myzilra</i>	141	<i>gramicidin</i>	161
<i>mometasone</i>	152, 164	NABI-HB.....	192	<i>neomycin-polymyxin-hc</i> ..	161, 162
<i>mono-linyah</i>	141	<i>nabumetone</i>	14	<i>neo-polycin</i>	162
<i>mononessa (28)</i>	141	<i>nadolol</i>	117	<i>neo-polycin hc</i>	162
<i>montelukast</i>	216	<i>nadolol-bendroflumethiazide</i> ...	117	NEORAL.....	192
MONUROL.....	22	<i>nafcillin</i>	28	NEPHRAMINE 5.4 %.....	109
MORPHABOND ER.....	8	<i>nafcillin in dextrose iso-osm</i>	28	NERLYNX.....	43
MORPHINE.....	8	<i>naftifine</i>	73	NESINA.....	65
<i>morphine</i>	8	NAFTIN.....	73	<i>neuac</i>	149
<i>morphine (pf)</i>	8	NAGLAZYME.....	157	NEULASTA.....	104
<i>morphine concentrate</i>	8	<i>nalbuphine</i>	9	NEUPOGEN.....	104
MOTEGRITY.....	169	<i>naloxone</i>	16	NEUPRO.....	85
MOVANTIK.....	169	<i>naltrexone</i>	16	NEURONTIN.....	53
MOVIPREP.....	171	NAMENDA.....	57	NEVANAC.....	165
MOXATAG.....	28	NAMENDA XR.....	57	<i>nevirapine</i>	94, 95

NEXAVAR.....	43	<i>noreth-ethinyl estradiol-iron</i> ...	141	NOVOLOG PENFILL U-100	
NEXIUM.....	166	<i>norethindrone (contraceptive)</i>	141	INSULIN.....	69
NEXIUM IV.....	166	<i>norethindrone acetate</i>	186	NOVOLOG U-100 INSULIN	
NEXIUM PACKET.....	166	<i>norethindrone ac-eth estradiol</i>		ASPART.....	70
<i>niacin</i>	126	141, 179	NOXAFIL.....	73, 74
<i>niacor</i>	126	<i>norethindrone-e.estradiol-iron</i>	141	NPLATE.....	206
NIASPAN EXTENDED-		<i>norgestimate-ethinyl estradiol</i>	141	NUCALA.....	220
RELEASE.....	126	<i>norlyda</i>	141	NUCYNTA.....	9
<i>nicardipine</i>	122	<i>norlyroc</i>	142	NUCYNTA ER.....	9
NICOTROL.....	16	NORMOSOL-M IN 5 %		NUEDEXTA.....	134
NICOTROL NS.....	16	DEXTROSE.....	211	NULOJIX.....	192
<i>nifedipine</i>	122	NORMOSOL-R.....	211	NULYTELY WITH	
<i>nikki (28)</i>	141	NORMOSOL-R IN 5 %		FLAVOR PACKS.....	171
NILANDRON.....	43	DEXTROSE.....	211	NUPLAZID.....	90
<i>nilutamide</i>	43	NORMOSOL-R PH 7.4.....	211	NUTRILIPID.....	109
<i>nimodipine</i>	122	NORPACE.....	114	NUTROPIN AQ NUSPIN... 183	
NINLARO.....	43	NORPACE CR.....	114	NUVARING.....	142
NIPENT.....	43	NORPRAMIN.....	60	NUVESSA.....	76
<i>nisoldipine</i>	122	NORTHERA.....	110	NUVIGIL.....	223
NITRO-BID.....	129	<i>nortrel 0.5/35 (28)</i>	142	NUZYRA.....	32
NITRO-DUR.....	129	<i>nortrel 1/35 (21)</i>	142	NUZYRA (7 DAY WITH	
<i>nitrofurantoin</i>	22	<i>nortrel 1/35 (28)</i>	142	LOAD DOSE).....	32
<i>nitrofurantoin macrocrystal</i>	22	<i>nortrel 7/7/7 (28)</i>	142	NUZYRA (7 DAY).....	32
<i>nitrofurantoin monohydlm-</i>		<i>nortriptyline</i>	60	<i>nyamyc</i>	74
<i>cryst</i>	22	NORVASC.....	122	NYMALIZE.....	122
<i>nitroglycerin</i>	129	NORVIR.....	95	<i>nystatin</i>	74
NITROLINGUAL.....	129	NOVOLIN 70/30 U-100		<i>nystatin-triamcinolone</i>	74
NITROMIST.....	129	INSULIN.....	69	<i>nystop</i>	74
NITROSTAT.....	129	NOVOLIN 70-30 FLEXPEN		OALIVA.....	169
NITYR.....	157	U-100.....	69	<i>ocella</i>	142
NIVESTYM.....	104	NOVOLIN N NPH U-100		OCREVUS.....	134
<i>nizatidine</i>	166	INSULIN.....	69	OCTAGAM.....	192
NIZORAL.....	73	NOVOLIN R REGULAR U-		<i>octreotide acetate</i>	184
NOCDURNA (MEN).....	183	100 INSULN.....	69	OCUFLOX.....	162
NOCDURNA (WOMEN)... 183		NOVOLOG FLEXPEN U-		ODEFSEY.....	95
NOCTIVA.....	183	100 INSULIN.....	69	ODOMZO.....	43
NOLIX.....	152, 153	NOVOLOG MIX 70-30 U-		OFEV.....	220
<i>nora-be</i>	141	100 INSULN.....	69	<i>ofloxacin</i>	30, 162
NORDITROPIN FLEXPRO		NOVOLOG MIX 70-		<i>ogestrel (28)</i>	142
.....	183	30FLEXPEN U-100.....	69	<i>okebo</i>	32

<i>olanzapine</i>	90	ORENCIA (WITH	<i>oxycodone-acetaminophen</i>	9
<i>olanzapine-fluoxetine</i>	60	MALTOSE).....	<i>oxycodone-aspirin</i>	10
<i>olmesartan</i>	111	ORENCIA CLICKJECT.....	OXYCONTIN.....	10
<i>olmesartan-amlodipin-hcthiiazid</i>		ORENITRAM.....	<i>oxymorphone</i>	10
.....	112	ORFADIN.....	OXYTROL.....	173
<i>olmesartan-hydrochlorothiazide</i>		ORILISSA.....	OZEMPIC.....	65
.....	112	ORKAMBI.....	<i>pacerone</i>	114
<i>olopatadine</i>	159	<i>orphenadrine citrate</i>	<i>paclitaxel</i>	43
OLUMIANT.....	192	<i>orsythia</i>	<i>paliperidone</i>	90, 91
OLUX.....	153	ORTHO MICRONOR.....	PALONOSETRON.....	81
OLUX-E.....	153	ORTHO TRI-CYCLEN (28).....	<i>palonosetron</i>	81
OMECLAMOX-PAK.....	167	ORTHO TRI-CYCLEN LO	PALYNZIQ.....	157
<i>omega-3 acid ethyl esters</i>	126	(28).....	PAMELOR.....	60
OMEGAVEN.....	109	ORTHO-CYCLEN (28).....	<i>pamidronate</i>	202, 203
<i>omeprazole</i>	167	ORTHO-NOVUM 1/35 (28).....	PANCREAZE.....	157
<i>omeprazole-sodium bicarbonate</i>		ORTHO-NOVUM 7/7/7 (28).....	PANDEL.....	153
.....	167	<i>oseltamivir</i>	PANRETIN.....	146
OMNARIS.....	165	OSENI.....	<i>pantoprazole</i>	167
OMNITROPE.....	184	OSMOLEX ER.....	PANZYGA.....	193
ONCASPAR.....	43	OSMOPREP.....	<i>paricalcitol</i>	203
<i>ondansetron</i>	81	OSPHENA.....	PARICALCITOL.....	203
<i>ondansetron hcl</i>	81	OTEZLA.....	PARLODEL.....	85
<i>ondansetron hcl (pf)</i>	81	OTEZLA STARTER.....	PARNATE.....	60
ONEXTON.....	149	OTOVEL.....	<i>paroex oral rinse</i>	145
ONFI.....	53	OTREXUP (PF).....	<i>paromomycin</i>	83
ONGLYZA.....	65	<i>oxacillin</i>	<i>paroxetine hcl</i>	60
ONIVYDE.....	43	<i>oxacillin in dextrose (iso-osm)</i> ..	<i>paroxetine</i>	
ONMEL.....	74	<i>oxaliplatin</i>	<i>mesylate (menop.sym)</i>	206
ONPATTRO.....	206	<i>oxandrolone</i>	PASER.....	79
OPANA.....	9	<i>oxaprozin</i>	PATADAY.....	159
OPDIVO.....	43	OXAYDO.....	PATANASE.....	159
OPSUMIT.....	223	<i>oxazepam</i>	PATANOL.....	159
ORALAIR.....	206	<i>oxcarbazepine</i>	PAXIL.....	60
<i>oralone</i>	145	OXERVATE.....	PAXIL CR.....	60
ORAP.....	90	<i>oxiconazole</i>	PAZEO.....	159
ORAPRED ODT.....	181	OXISTAT.....	PEDIARIX (PF).....	197
ORAVIG.....	74	OXSORALEN ULTRA.....	PEDVAX HIB (PF).....	197
ORBACTIV.....	22	OXTELLAR XR.....	<i>peg 3350-electrolytes</i>	171
ORENCIA.....	193	<i>oxybutynin chloride</i>	PEGANONE.....	53
		<i>oxycodone</i>	PEGASYS.....	99

PEGASYS PROCLICK.....	99	<i>phenytoin sodium</i>	54	<i>potassium chlorid-d5-</i>	
<i>peg-electrolyte soln</i>	171	<i>phenytoin sodium extended</i>	54	<i>0.45%nacl</i>	211
PEGINTRON.....	99	<i>philith</i>	142	<i>potassium chloride</i>	212
PEN NEEDLE, DIABETIC.	155	PHOSLYRA.....	172	<i>potassium chloride in 0.9%nacl</i>	
<i>penicillamine</i>	175	PHOSPHOLINE IODIDE...	209	211
<i>penicillin g pot in dextrose</i>	29	<i>phrenilin forte(with caffeine)</i> ...	10	<i>potassium chloride in 5 % dex</i> .	212
<i>penicillin g potassium</i>	29	PHYSIOLYTE.....	201	<i>potassium chloride in lr-d5</i>	212
<i>penicillin g procaine</i>	29	PHYSIOSOL IRRIGATION		<i>potassium chloride in water</i>	212
<i>penicillin g sodium</i>	29	201	<i>potassium chloride-0.45 % nacl</i>	
<i>penicillin v potassium</i>	29	PICATO.....	146	212
PENTACEL (PF).....	197	PIFELTRO.....	95	<i>potassium chloride-d5-</i>	
PENTACEL DTAP-IPV		<i>pilocarpine hcl</i>	145, 209	<i>0.2%nacl</i>	212
COMPNT (PF).....	197	<i>pimecrolimus</i>	153	<i>potassium chloride-d5-</i>	
PENTAM.....	83	<i>pimozide</i>	91	<i>0.3%nacl</i>	212
<i>pentamidine</i>	83	<i>pimtrea (28)</i>	142	<i>potassium chloride-d5-</i>	
PENTASA.....	200	<i>pindolol</i>	117	<i>0.9%nacl</i>	212
<i>pentazocine-naloxone</i>	10	<i>pioglitazone</i>	65	<i>potassium citrate</i>	212, 213
<i>pentobarbital sodium</i>	223	<i>pioglitazone-glimepiride</i>	65	PRADAXA.....	102
<i>pentoxifylline</i>	106	<i>pioglitazone-metformin</i>	65	PRALUENT PEN.....	126
PERCOCET.....	10	<i>piperacillin-tazobactam</i>	29	<i>pramipexole</i>	85
PERFOROMIST.....	218	PIQRAY.....	43	<i>prasugrel</i>	106
PERIKABIVEN.....	109	<i>pirmella</i>	142	PRAVACHOL.....	127
<i>perindopril erbumine</i>	113	<i>piroxicam</i>	14	<i>pravastatin</i>	127
<i>periogard</i>	145	PLAQUENIL.....	83	<i>praziquantel</i>	83
PERJETA.....	43	PLASMA-LYTE 148.....	211	<i>prazosin</i>	110
<i>permethrin</i>	155	PLASMA-LYTE A.....	211	PRECOSE.....	65
<i>perphenazine</i>	91	PLAVIX.....	106	PRED MILD.....	165
<i>perphenazine-amitriptyline</i>	60	PLEGRIDY.....	134	PRED-G.....	162
PERSERIS.....	91	PLENVU.....	171	PRED-G S.O.P.....	162
PERTZYE.....	157	<i>podofilox</i>	146	<i>prednicarbate</i>	153
PEXEVA.....	61	POLIVY.....	43	<i>prednisolone</i>	181
<i>pfizerpen-g</i>	29	<i>polycin</i>	162	<i>prednisolone acetate</i>	165
<i>phenadoz</i>	81	<i>polymyxin b sulfate</i>	22	<i>prednisolone sodium phosphate</i>	
<i>phenelzine</i>	61	<i>polymyxin b sulf-trimethoprim</i>	162	165, 181
<i>phenobarbital</i>	53, 54	POLYTRIM.....	162	<i>prednisone</i>	181
<i>phenoxybenzamine</i>	110	POMALYST.....	43	<i>pregabalin</i>	54
<i>phentolamine</i>	110	<i>portia 28</i>	142	PREMARIN.....	179
<i>phenylephrine hcl</i>	110, 159	PORTRAZZA.....	43	PREMPHASE.....	179
PHENYTEK.....	54	<i>potassium acetate</i>	211	PREMPRO.....	179
<i>phenytoin</i>	54			<i>prenatal plus (calcium carb)</i> ..	225

<i>prenatal vitamin plus low iron</i>	225	PROLENSA.....	165	QUILLICHEW ER.....	134
PREPOPIK.....	171	PROLEUKIN.....	44	QUILLIVANT XR.....	134
PREVACID.....	167	PROLIA.....	203	<i>quinapril</i>	113
PREVACID SOLUTAB.....	167	PROMACTA.....	104	<i>quinapril-hydrochlorothiazide</i>	113
<i>prevalite</i>	127	<i>promethazine</i>	76, 82	<i>quinidine gluconate</i>	115
<i>previfem</i>	142	<i>promethazine-phenylephrine</i>	76	<i>quinidine sulfate</i>	115
PREVYMIS.....	97	<i>promethegan</i>	82	<i>quinine sulfate</i>	84
PREZCOBIX.....	95	PROMETRIUM.....	186	QVAR REDIHALER.....	216
PREZISTA.....	95	<i>propafenone</i>	114, 115	RABAVERT (PF).....	198
PRIFTIN.....	79	<i>propantheline</i>	169	<i>rabeprazole</i>	167
PRILOSEC.....	167	<i>proparacaine</i>	159	RADICAVA.....	134
PRIMAQUINE.....	83	<i>propranolol</i>	117	<i>rajani</i>	142
PRIMAXIN IV.....	27	<i>propranolol-hydrochlorothiazid</i>	117	<i>raloxifene</i>	179
<i>primidone</i>	54	117	<i>ramelteon</i>	223
PRIMSOL.....	22	<i>propylthiouracil</i>	187	<i>ramipril</i>	113
PRINIVIL.....	113	PROQUAD (PF).....	198	RANEXA.....	120
PRISTIQ.....	61	PROSOL 20 %.....	109	<i>ranitidine hcl</i>	167
PRIVIGEN.....	193	PROTONIX.....	167	<i>ranolazine</i>	120
PROAIR HFA.....	218	PROTOPIC.....	153	RAPAFLO.....	174
PROAIR RESPICLICK.....	218	<i>protriptyline</i>	61	RAPAMUNE.....	193
<i>probenecid</i>	75	PROVENTIL HFA.....	218	<i>rasagiline</i>	85
<i>probenecid-colchicine</i>	75	PROVERA.....	186	RASUVO (PF).....	193
<i>procainamide</i>	114	PROVIGIL.....	223	RAVICTI.....	169
PROCALAMINE 3%.....	109	PROZAC.....	61	RAYALDEE.....	203
PROCARDIA.....	122	PULMICORT.....	216	RAZADYNE.....	57
PROCARDIA XL.....	122	PULMICORT FLEXHALER	216	RAZADYNE ER.....	57
<i>prochlorperazine</i>	82	216	REBETOL.....	99
<i>prochlorperazine edisylate</i>	81	PULMOZYME.....	157	REBIF (WITH ALBUMIN).....	134
<i>prochlorperazine maleate</i>	81	PURIXAN.....	44	REBIF REBIDOSE.....	134
PROCRIT.....	104	PYLERA.....	169	REBIF TITRATION PACK.....	135
<i>procto-med hc</i>	153	<i>pyrazinamide</i>	79	RECLAST.....	203
<i>procto-pak</i>	153	<i>pyridostigmine bromide</i>	207	<i>reclipsen (28)</i>	142
<i>proctosol hc</i>	153	QBRELIS.....	113	RECOMBIVAX HB (PF).....	198
<i>proctozone-hc</i>	153	QNASL.....	165	RECTIV.....	207
PROCYSBI.....	174	QTERN.....	65	REGLAN.....	170
<i>progesterone</i>	186	QUADRACEL (PF).....	198	REGONOL.....	207
<i>progesterone micronized</i>	186	QUALAQUIN.....	83	REGRANEX.....	147
PROGLYCEM.....	207	QUARTETTE.....	142	RELENZA DISKHALER.....	97
PROGRAF.....	193	QUDEXY XR.....	54	RELEXXII.....	135
PROLASTIN-C.....	221	<i>quetiapine</i>	91	RELISTOR.....	170

RELPAK.....	78	RIFADIN.....	80	RYTHMOL SR.....	115
REMERON.....	61	<i>rifampin</i>	80	SABRIL.....	54
REMERON SOLTAB.....	61	RIFATER.....	80	SAFYRAL.....	143
REMICADE.....	193	RILUTEK.....	135	SAIZEN.....	184
REMODULIN.....	224	<i>riluzole</i>	135	SAIZEN SAIZENPREP.....	184
RENACIDIN.....	201	<i>rimantadine</i>	97	SALAGEN (PILOCARPINE)	
RENAGEL.....	172	<i>ringer's</i>	201, 213	145
RENFLEXIS.....	193	RIOMET.....	66	SAMSCA.....	124
REVELA.....	172	<i>risedronate</i>	203	SANCUSO.....	82
<i>repaglinide</i>	65	RISPERDAL.....	91	SANDIMMUNE.....	194
<i>repaglinide-metformin</i>	66	RISPERDAL CONSTA.....	91	SANDOSTATIN.....	184
REPATHA PUSHTRONEX.....	127	<i>risperidone</i>	91	SANDOSTATIN LAR	
REPATHA SURECLICK.....	127	RITALIN.....	135	DEPOT.....	184
REPATHA SYRINGE.....	127	RITALIN LA.....	135	SANTYL.....	147
REQUIP.....	85	<i>ritonavir</i>	95	SAPHRIS.....	91
REQUIP XL.....	86	RITUXAN.....	44	SARAFEM.....	207
RESCRIPTOR.....	95	RITUXAN HYCELA.....	44	SAVAYSA.....	102
RESECTISOL.....	201	<i>rivastigmine</i>	57	SAVELLA.....	135
RESTASIS.....	165	<i>rivastigmine tartrate</i>	57	<i>scopolamine base</i>	82
RESTORIL.....	19	<i>rivelsa</i>	143	SEASONIQUE.....	143
RETACRIT.....	105	<i>rizatriptan</i>	78	SEEBRI NEOHALER.....	218
RETIN-A.....	154	ROBAXIN.....	222	SEGLUROMET.....	66
RETIN-A MICRO.....	154	ROBAXIN-750.....	222	<i>selegiline hcl</i>	86
RETIN-A MICRO PUMP... ..	154	ROCALTROL.....	203	<i>selenium sulfide</i>	149
RETROVIR.....	95	ROCKLATAN.....	209	SELZENTRY.....	95
REVATIO.....	224	<i>romidepsin</i>	44	SEMPREX-D.....	76
REVCOLI.....	157	<i>ropinirole</i>	86	SENSIPAR.....	203
REVLIMID.....	44	<i>rosadan</i>	149	SEREVENT DISKUS.....	218
REXULTI.....	91	<i>rosuvastatin</i>	127	SERNIVO.....	153
REYATAZ.....	95	ROTARIX.....	198	SEROQUEL.....	92
RHOFADE.....	147	ROTATEQ VACCINE.....	198	SEROQUEL XR.....	92
RHOGAM ULTRA-		ROWASA.....	200	SEROSTIM.....	184
FILTERED PLUS.....	194	ROWEEPRA.....	54	<i>sertraline</i>	61
RHOPHYLAC.....	194	ROWEEPRA XR.....	54	<i>setlakin</i>	143
RHOPRESSA.....	209	ROXICODONE.....	10	<i>sevelamer carbonate</i>	172
<i>ribasphere</i>	99, 100	ROXYBOND.....	10	<i>sevelamer hcl</i>	172
<i>ribasphere ribapak</i>	100	RUBRACA.....	44	<i>sf 5000 plus</i>	145
<i>ribavirin</i>	100	RUCONEST.....	105	<i>sharobel</i>	143
RIDAURA.....	194	RYDAPT.....	44	SHINGRIX (PF).....	198
<i>rifabutin</i>	79	RYTARY.....	86	SIGNIFOR.....	184

SIGNIFOR LAR.....	184	SOMA.....	222	<i>streptomycin</i>	20
<i>sildenafil (antihypertensive)</i> ...	224	SOMATULINE DEPOT.....	184	STRIANT.....	175
SILENOR.....	223	SOMAVERT.....	185	STRIBILD.....	95
SILIQ.....	194	SOOLANTRA.....	155	STRIVERDI RESPIMAT ...	219
<i>silodosin</i>	174	<i>sorbitol</i>	201	STROMECTOL.....	84
<i>silver sulfadiazine</i>	149	<i>sorbitol-mannitol</i>	201	SUBLOCADE.....	16
SIMBRINZA.....	209	SORIATANE.....	147	SUBOXONE.....	16
<i>simliya (28)</i>	143	SORILUX.....	147	<i>subvenite</i>	54
<i>simpesse</i>	143	<i>sorine</i>	117	<i>subvenite starter (blue) kit</i>	54
SIMPONI.....	194	SOTALOL.....	117	<i>subvenite starter (green) kit</i>	55
SIMPONI ARIA.....	194	<i>sotalol</i>	117	<i>subvenite starter (orange) kit</i>	55
SIMULECT.....	194	<i>sotalol af</i>	117	SUCRAID.....	157
<i>simvastatin</i>	127	SOTYLIZE.....	117	<i>sucralfate</i>	167
SINEMET.....	86	SOVALDI.....	98	SULAR.....	122
SINEMET CR.....	86	SPIRIVA RESPIMAT.....	218	<i>sulfacetamide sodium</i>	162
SINGULAIR.....	216	SPIRIVA WITH		<i>sulfacetamide sodium (acne)</i> ..	149
<i>sirolimus</i>	194	HANDIHALER.....	218	<i>sulfacetamide-prednisolone</i>	162
SIRTURO.....	80	<i>spironolactone</i>	124	<i>sulfadiazine</i>	31
SIVEXTRO.....	22	<i>spironolacton-hydrochlorothiaz</i>		<i>sulfamethoxazole-trimethoprim</i>	31
SKELAXIN.....	222	124	SULFAMYLON.....	147
SKLICE.....	155	SPORANOX.....	74	<i>sulfasalazine</i>	200
<i>smoflipid</i>	109	SPRAVATO.....	61	<i>sulfatrim</i>	31
<i>sodium chloride</i>	213	<i>sprintec (28)</i>	143	<i>sulindac</i>	14
<i>sodium chloride 0.45 %</i>	213	SPRITAM.....	54	<i>sumatriptan</i>	78
<i>sodium chloride 0.9 %</i>	213	SPRYCEL.....	44	<i>sumatriptan succinate</i>	78, 79
<i>sodium chloride 3 %</i>	213	<i>sps (with sorbitol)</i>	170	SUPPRELIN LA.....	185
<i>sodium chloride 5 %</i>	213	<i>sronyx</i>	143	SUPRAX.....	25
<i>sodium lactate</i>	213	<i>ssd</i>	149	SUPREP BOWEL PREP KIT	
<i>sodium phenylbutyrate</i>	170	STALEVO 100.....	86	171
<i>sodium polystyrene sulfonate</i> ..	170	STALEVO 150.....	86	SURMONTIL.....	61
<i>sofosbuvir-velpatasvir</i>	98	STARLIX.....	66	SUSTIVA.....	96
SOLARAZE.....	14	<i>stavudine</i>	95	SUSTOL.....	82
<i>solifenacin</i>	173	STEGLATRO.....	66	SUTENT.....	44
SOLIQUA 100/33.....	70	STEGLUJAN.....	66	<i>syeda</i>	143
SOLOSEC.....	22	STELARA.....	194	SYLATRON.....	99
<i>soloxide</i>	32	STIMATE.....	185	SYLVANT.....	44
SOLTAMOX.....	44	STIOLTO RESPIMAT.....	219	SYMBICORT.....	216
SOLU-CORTEF (PF).....	181	STIVARGA.....	44	SYMBYAX.....	61
SOLU-MEDROL.....	182	STRATTERA.....	135	SYMDEKO.....	221
SOLU-MEDROL (PF). 181, 182		STRENSIQ.....	157	SYMFI.....	96

SYMFI LO.....	96	TASMAR.....	86	TETANUS,DIPHTHERIA
SYMJEPI.....	121	TAVALISSE.....	105	TOX PED(PF).....
SYMLINPEN 120.....	66	TAXOTERE.....	45	<i>tetrabenazine</i>
SYMLINPEN 60.....	66	TAYTULLA.....	143	<i>tetracycline</i>
SYMPAZAN.....	55	<i>tazarotene</i>	154	THALOMID.....
SYMPROIC.....	170	<i>tazicef</i>	25	<i>theophylline</i>
SYMTUZA.....	96	TAZORAC.....	154	THIOLA.....
SYNAGIS.....	97	<i>taztia xt</i>	119	THIOLA EC.....
SYNALAR.....	153	TDVAX.....	198	<i>thioridazine</i>
SYNAREL.....	185	TECENTRIQ.....	45	<i>thiotepa</i>
SYNDROS.....	82	TECFIDERA.....	135	<i>thiothixene</i>
SYNERA.....	15	TECHNIVIE.....	98	THYMOGLOBULIN.....
SYNERCID.....	22	TEFLARO.....	25	THYROLAR-1.....
SYNJARDY.....	66	TEGRETOL.....	55	THYROLAR-1/2.....
SYNJARDY XR.....	66	TEGRETOL XR.....	55	THYROLAR-1/4.....
SYNRIBO.....	44	TEGSEDI.....	207	THYROLAR-2.....
SYNTHROID.....	187	TEKTURNA.....	128	THYROLAR-3.....
SYPRINE.....	175	TEKTURNA HCT.....	128	<i>tiagabine</i>
TABLOID.....	44	<i>telmisartan</i>	112	TIAZAC.....
TACLONEX.....	147	<i>telmisartan-amlodipine</i>	112	TIBSOVO.....
<i>tacrolimus</i>	153, 194	<i>telmisartan-hydrochlorothiazid</i>	112	TICE BCG.....
<i>tadalafil</i>	224	112	TIGAN.....
<i>tadalafil (antihypertensive)</i>	224	<i>temazepam</i>	19	<i>tigecycline</i>
TAFINLAR.....	44	<i>temsirolimus</i>	45	TIGLUTIK.....
TAGRISSE.....	44	<i>tencon</i>	10	TIKOSYN.....
TAKHZYRO.....	207	TENIVAC (PF).....	198	<i>tilia fe</i>
TALTZ AUTOINJECTOR..	194	<i>tenofovir disoproxil fumarate</i> ..	96	<i>timolol maleate</i>
TALTZ SYRINGE.....	194	TENORETIC 100.....	117	TIMOPTIC.....
TALWIN.....	10	TENORETIC 50.....	117	TIMOPTIC OCUDOSE (PF)
TALZENNA.....	44, 45	TENORMIN.....	117
TAMIFLU.....	97, 98	<i>terazosin</i>	174	TIMOPTIC-XE.....
<i>tamoxifen</i>	45	<i>terbinafine hcl</i>	74	<i>tinidazole</i>
<i>tamsulosin</i>	174	<i>terbutaline</i>	219	TIVICAY.....
TANZEUM.....	66	<i>terconazole</i>	76	<i>tizanidine</i>
TARCEVA.....	45	TESTIM.....	175	TOBI.....
TARGRETIN.....	45	<i>testosterone</i>	176	TOBI PODHALER.....
<i>tarina 24 fe</i>	143	<i>testosterone cypionate</i>	176	TOBRADEX.....
<i>tarina fe 1/20 (28)</i>	143	<i>testosterone enanthate</i>	176	TOBRADEX ST.....
TARKA.....	113	TESTRED.....	176	<i>tobramycin</i>
TASIGNA.....	45			<i>tobramycin in 0.225 % nacl</i>

<i>tobramycin in 0.9 % nacl</i>	20	<i>trazodone</i>	61	<i>trilyte with flavor packets</i>	171
<i>tobramycin sulfate</i>	20	TREANDA	45	<i>trimethobenzamide</i>	82
<i>tobramycin with nebulizer</i>	20	TREATOR	80	<i>trimethoprim</i>	22
<i>tobramycin-dexamethasone</i>	162	TRELEGY ELLIPTA.....	219	<i>tri-mili</i>	144
TOBREX.....	162, 163	TRELSTAR.....	45, 46	<i>trimipramine</i>	61
TOFRANIL.....	61	TREMFYA.....	195	TRIMPEX.....	22
TOLAK.....	147	<i>treprostinil sodium</i>	224	TRI-NORINYL (28).....	144
<i>tolazamide</i>	71	TRESIBA FLEXTOUCH U-		TRINTELLIX.....	61
<i>tolbutamide</i>	71	100.....	70	TRIOSTAT.....	187
<i>tolcapone</i>	86	TRESIBA FLEXTOUCH U-		<i>tri-previfem (28)</i>	144
<i>tolmetin</i>	14	200.....	70	TRIPTODUR.....	185
<i>tolterodine</i>	173	TRESIBA U-100 INSULIN..	70	TRISENOX.....	46
TOPAMAX.....	55	<i>tretinoin</i>	155	<i>tri-sprintec (28)</i>	144
TOPICORT.....	153	<i>tretinoin (chemotherapy)</i>	46	TRIUMEQ.....	96
<i>topiramate</i>	55	<i>tretinoin (emollient)</i>	155	<i>trivora (28)</i>	144
<i>toposar</i>	45	<i>tretinoin microspheres</i>	155	<i>tri-vylibra</i>	144
<i>topotecan</i>	45	<i>tri femynor</i>	143	<i>tri-vylibra lo</i>	144
TOPROL XL.....	117	<i>triamcinolone acetonide</i>		TRIZIVIR.....	96
<i>toremifene</i>	45	145, 153, 182	TROGARZO.....	96
TORISEL.....	45	<i>triamterene-hydrochlorothiazid</i>		TROKENDI XR.....	55
<i>torseamide</i>	124	124	TROPHAMINE 10 %.....	109
TOUJEO MAX U-300		<i>triazolam</i>	19	TROPHAMINE 6%.....	109
SOLOSTAR.....	70	TRIBENZOR.....	112	<i>tropicamide</i>	159, 160
TOUJEO SOLOSTAR U-300		TRICOR.....	127	<i>trospium</i>	173
INSULIN.....	70	<i>triderm</i>	153	TRULANCE.....	170
TOVIAZ.....	173	TRIDESILON.....	153	TRULICITY	66
TPN ELECTROLYTES.....	213	<i>trientine</i>	175	TRUMENBA.....	198
TPN ELECTROLYTES II... 213		<i>tri-estarylla</i>	143	TRUSOPT	209
TRACLEER.....	224	<i>trifluoperazine</i>	92	TRUVADA.....	96
TRADJENTA.....	66	<i>trifluridine</i>	163	TUDORZA PRESSAIR.....	219
<i>tramadol</i>	10, 11	TRIGLIDE.....	127	<i>tulana</i>	144
<i>tramadol-acetaminophen</i>	11	<i>trihexyphenidyl</i>	86	TWINRIX (PF).....	198
<i>trandolapril</i>	113	<i>tri-legest fe</i>	143	TWYNSTA.....	112
<i>trandolapril-verapamil</i>	113, 114	TRILEPTAL.....	55	TYBOST.....	207
<i>tranexamic acid</i>	105	<i>tri-linyah</i>	143	<i>tydemy</i>	144
TRANSDERM-SCOP.....	82	TRILIPIX.....	127	TYGACIL.....	32
TRANXENE T-TAB.....	19	<i>tri-lo-estarylla</i>	143	TYKERB.....	46
<i>tranlycypromine</i>	61	<i>tri-lo-marzia</i>	143	TYMLOS.....	203
TRAVASOL 10 %.....	109	<i>tri-lo-mili</i>	143	TYPHIM VI.....	199
TRAVATAN Z.....	209	<i>tri-lo-sprintec</i>	143	TYSABRI.....	195

TYVASO.....	224	VANOS.....	154	VICTOZA.....	66
UCERIS.....	200	VANTAS.....	185	VIDAZA.....	46
UDENYCA.....	105	VAQTA (PF).....	199	VIDEX 2 GRAM	
ULORIC.....	75	VARIVAX (PF).....	199	PEDIATRIC.....	96
ULTOMIRIS.....	195	VARUBI.....	82	VIDEX 4 GRAM	
ULTRACET.....	11	VASCEPA.....	127	PEDIATRIC.....	96
ULTRAM.....	11	VASERETIC.....	114	VIDEX EC.....	96
ULTRAVATE.....	154	VASOSTRICT.....	185	VIEKIRA PAK.....	98
UNASYN.....	29	VASOTEC.....	114	<i>vienna</i>	144
UNITHROID.....	187	VAZCULEP.....	110	<i>vigabatrin</i>	56
UNITUXIN.....	46	VECAMEYL.....	121	<i>vigadrone</i>	56
UPTRAVI.....	224	VECTIBIX.....	46	VIGAMOX.....	163
UROCIT-K 10.....	213	VECTICAL.....	147	VIIBRYD.....	62
UROCIT-K 15.....	213	VELCADE.....	46	VIMIZIM.....	157
UROCIT-K 5.....	213	<i>velivet triphasic regimen (28)</i>	144	VIMPAT.....	56
UROXATRAL.....	174	VELPHORO.....	172	<i>vinblastine</i>	46
URSO 250.....	170	VELTASSA.....	170	<i>vincasar pfs</i>	46
URSO FORTE.....	170	VEMLIDY.....	96	<i>vincristine</i>	46
<i>ursodiol</i>	170	VENCLEXTA.....	46	<i>vinorelbine</i>	47
UTIBRON NEOHALER.....	219	VENCLEXTA STARTING		VIOKACE.....	157
UVADEX.....	147	PACK.....	46	<i>viorele (28)</i>	144
VABOMERE.....	27	<i>venlafaxine</i>	61	VIRACEPT.....	96
VAGIFEM.....	179	VENTAVIS.....	224	VIRAMUNE.....	96
<i>valacyclovir</i>	100	VENTOLIN HFA.....	219	VIRAMUNE XR.....	97
VALCHLOR.....	147	<i>verapamil</i>	119	VIRAZOLE.....	100
VALCYTE.....	100	VERELAN.....	119	VIREAD.....	97
<i>valganciclovir</i>	100	VERELAN PM.....	119	VIROPTIC.....	163
VALIUM.....	19	VERSACLOZ.....	92	VISTARIL.....	207
<i>valproate sodium</i>	55	VERZENIO.....	46	VISTOGARD.....	207
<i>valproic acid</i>	55	VESICARE.....	173	VITRAKVI.....	47
<i>valproic acid (as sodium salt)</i>	55	VFEND.....	74	VIVELLE-DOT.....	179
<i>valrubicin</i>	46	VFEND IV.....	74	VIVITROL.....	16
<i>valsartan</i>	112	V-GO 40.....	156	VIZIMPRO.....	47
<i>valsartan-hydrochlorothiazide</i>	112	VIBATIV.....	23	VOGELXO.....	176
VALSTAR.....	46	VIBERZI.....	170	VOLTAREN.....	14
VALTRESX.....	100	VIBRAMYCIN.....	32	VOLTAREN-XR.....	14
VANCOCIN.....	22	<i>vicodin</i>	11	<i>voriconazole</i>	74
<i>vancomycin</i>	23	<i>vicodin es</i>	11	VOSEVI.....	98
VANCOMYCIN.....	23	<i>vicodin hp</i>	11	VOTRIENT.....	47
<i>vancomycin in dextrose 5%</i>	23			VPRIV.....	157

VRAYLAR.....	92	XOFLUZA.....	98	ZELBORAF.....	48
VUSION.....	75	XOLAIR.....	221	ZEMAIRA.....	221
<i>vyfemla (28)</i>	144	XOPENEX.....	219	ZEMDRI.....	20
<i>vylibra</i>	144	XOPENEX CONCENTRATE.....	219	ZEMPLAR.....	204
VYENDAQEL.....	121	XOSPATA.....	47	<i>zenatane</i>	147
VYTORIN 10-10.....	127	XPOVIO.....	47	<i>zenchent (28)</i>	144
VYTORIN 10-20.....	127	XTAMPZA ER.....	11	ZENPEP.....	158
VYTORIN 10-40.....	127	XTANDI.....	47	<i>zenzedi</i>	136
VYTORIN 10-80.....	127	<i>xulane</i>	144	ZEPATIER.....	98
VYVANSE.....	135, 136	XULTOPHY 100/3.6.....	70	ZERBAXA.....	25
VYXEOS.....	47	XURIDEN.....	207	ZESTORETIC.....	114
VYZULTA.....	209	XYLOCAINE.....	15	ZESTRIL.....	114
<i>warfarin</i>	102	XYLOCAINE-MPF.....	15, 115	ZETIA.....	128
<i>water for irrigation, sterile</i>	201	<i>xylocaine-mpf</i>	15	ZETONNA.....	165
WELCHOL.....	128	<i>xylon 10</i>	11	ZIAC.....	117
WELLBUTRIN SR.....	62	XYOSTED.....	176	ZIAGEN.....	97
WELLBUTRIN XL.....	62	XYREM.....	223	<i>zidovudine</i>	97
<i>wera (28)</i>	144	YASMIN (28).....	144	ZINECARD (AS HCL).....	207
WINRHO SDF.....	195	YAZ (28).....	144	ZINPLAVA.....	195
<i>wixela inhub</i>	216	YERVOY.....	47	ZIOPTAN (PF).....	210
<i>wymzya fe</i>	144	YF-VAX (PF).....	199	<i>ziprasidone hcl</i>	92
XADAGO.....	86	YONDELIS.....	47	ZIRGAN.....	163
XALATAN.....	209	YONSA.....	47	ZITHROMAX.....	26
XALKORI.....	47	YUPELRI.....	220	ZITHROMAX TRI-PAK.....	26
XANAX.....	19	<i>yuvaferm</i>	179	ZITHROMAX Z-PAK.....	26
XANAX XR.....	19	<i>zafirlukast</i>	216	ZOCOR.....	128
XARELTO.....	102	<i>zaleplon</i>	223	ZOFRAN.....	82
XATMEP.....	47	ZALTRAP.....	47	ZOHYDRO ER.....	11
XELJANZ.....	195	ZANAFLEX.....	222	ZOLADEX.....	48
XELJANZ XR.....	195	ZANOSAR.....	48	<i>zoledronic acid</i>	204
XELPROS.....	209	ZANTAC.....	167, 168	<i>zoledronic acid-mannitol-water</i>	204
XENAZINE.....	136	<i>zarah</i>	144	<i>zoledronic ac-mannitol-0.9nacl</i>	204
XEOMIN.....	207	ZARONTIN.....	56	ZOLINZA.....	48
XEPI.....	149	ZARXIO.....	105	<i>zolmitriptan</i>	79
XERMELO.....	170	ZAVESCA.....	158	ZOLOFT.....	62
XGEVA.....	203	<i>zebutal</i>	11	<i>zolpidem</i>	223
XIAFLEX.....	157	ZEGERID.....	168	ZOMACTON.....	185
XIFAXAN.....	23	ZEJULA.....	48	ZOMIG.....	79
XIGDUO XR.....	67	ZELAPAR.....	86		
XIIDRA.....	165				

ZOMIG ZMT.....	79
ZONEGRAN.....	56
<i>zonisamide</i>	56
ZONTIVITY.....	106
ZORBTIVE.....	185
ZORTRESS.....	195
ZOSTAVAX (PF).....	199
ZOSYN.....	29
ZOSYN IN DEXTROSE (ISO-OSM).....	29
<i>zovia 1/35e (28)</i>	144
ZOVIRAX.....	100, 147
ZUBSOLV.....	16
ZULRESSO.....	62
<i>zumandimine (28)</i>	144
ZYBAN.....	17
ZYDELIG.....	48
ZYKADIA.....	48
ZYLET.....	163
ZYLOPRIM.....	75
ZYMAXID.....	163
ZYPITAMAG.....	128
ZYPREXA.....	92
ZYPREXA RELPREVV.....	92
ZYPREXA ZYDIS.....	92
ZYTIGA.....	48
ZYVOX.....	23

This formulary was updated on 08/27/2019. For more recent information on covered drugs or other prescription drug benefit questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <http://www.modot.org/newsandinfo/Prescription.htm>.

MoDOT/MSHP Medical and Life Insurance Plan is a Health plan with a Medicare contract



2020