

Traffic Operations

APPROVED PRODUCTS LIST

TRAFFIC SIGNALS, HIGHWAY LIGHTING, AND HIGHWAY SIGNING EQUIPMENT

TRAFFIC SIGNALS AND HIGHWAY LIGHTING EQUIPMENT

I. GENERAL

This Approved Products List (APL) is based on equipment meeting department specifications and being tested for the specified test period with satisfactory performance. All models shall conform to the latest revision of the Missouri Standard Specifications for Highway Construction unless otherwise indicated. The models indicated on the list are approved, but are subject to final field inspection before acceptance.

The department frequently tests new products and equipment for traffic signals and highway lighting. These new products may be installed on a construction project, purchased on parts orders, or with controller orders. Vendors may also submit a device, at no cost to the department, for the test period. MoDOT will determine the methods and needs of the product for test. Only a limited number of units will be accepted for test statewide until an item is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form - Signal and Lighting Equipment. Copies of this form can be obtained from our website at http://contribute.modot.mo.gov/business/contractor_resources/traffic.htm. Minor model changes do not require an evaluation period; however the vendor shall submit specification sheets, a summary of changes from the current to former model, and a sample of the product for the Department to inspect.

All equipment evaluations are coordinated through MoDOT Traffic Operations. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified in the APL. Products not performing satisfactorily or falls below established standards will be replaced with an approved product if the vendor cannot provide timely correction of the problem or if unsatisfactory operation of the intersection results.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Traffic Operations. If approved, the product may be tested for the specified period noted in the APL. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Any modification to the device must be reviewed and approved by MoDOT prior to sale/use of the modified device. Products will not be added to the Approved Products List that does not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include, but limited to:

Significant change in product specifications or design without notification to the department.

Failure to correct or replace products that are defective in manufacturing or workmanship.

Repeated patterns of malfunctions of a product not adequately corrected by the vendor.

Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.

Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However, the product will be removed from the list if it is not revised to meet specifications.

II. TRAFFIC SIGNAL EQUIPMENT

All traffic signal equipment requires a one-year evaluation period.

CONTROLLERS

NEMA TS1 CONTROLLERS

MODEL

MODEI

Econolite	ASC/3-2100
Econolite	Cobalt Series
Intelight	X-3 Series
McCain	ATC eX2 NEMA
Siemens	
Trafficware	

	MODEL	
Econolite	ASC/2M	

SOLID STATE PRETIMED CONTROLLERS (ALL TYPES) No currently accepted models.	MODEL
170 CONTROLLERS	MODEL

McCain	170E
Phillips/Sisson Industries, Inc.	
Safetran	170E

CABINETS AND BACK PANELS (NEMA & S.S. PRETIMED)

NEMA ON-STREET MASTER CONTROLLER

NOTE: Cabinets and Back panels that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

NEMA CABINET AND BACK PANEL ASSEMBLIES

Control Technology Econolite Henke/Bison IDC/Gibbons Trafficware Eagle

SOLID STATE PRETIMED CABINET AND BACK PANEL ASSEMBLIES

Eagle

CABINETS AND RACKS (TYPE 170 CONTROLLERS)

NOTE: Cabinets and Racks that meet MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide a model that meets specifications and complete a satisfactory one-year evaluation as described above to be added to the list.

332 AND 336S CABINET AND RACK ASSEMBLIES

McCain Phillips/Sisson Industries, Inc. Safetran Eagle

CONFLICT MONITORS

NEMA CONFLICT MONITORS

Eberle Design Incorporated (EDI)	
Eberle Design Incorporated (EDI)	NSM-12E
Eberle Design Incorporated (EDI)	SSM-12LE Series
Eberle Design Incorporated (EDI)	MMU-16E
Eberle Design Incorporated (EDI)	
Trafficware	
Power Distribution & Control (PDC)	CM82-03
Power Distribution & Control (PDC)	CM82-06
Power Distribution & Control (PDC)	CM82-12
Reno A&E	MMU-1600 Series
Solid State Devices	NM-6
Solid State Devices	NM-12
Solid State Devices	LCD-6P
Solid State Devices	

170 CONFLICT MONITORS

MODEL

MODEL

Eberle Design Incorporated (EDI)	2010ECLip
Eberle Design Incorporated (EDI)	2018ECLip
Reno A & E	

CABINET ACCESSORIES

AUXILIARY TIME CLOCK

MODEL

MODEL

MODEL

Eltec	NTC-17E
Eltec	TC-14
RTC	AP41
Applied Information	Al-500-070

EXTERNAL T.B.C. COORDINATORS

FLASHERS (NEMA & 170)

Eberle Design Incorporated (EDI)	810
Power Distribution & Control (PDC)	
Power Distribution & Control (PDC)	
Reno A & E	FL-200

Traffic Sensor Corp	204
Traffic Sensor Corp	204-15
Traffic Sensor Corp	
Traffic Sensor Corp	

FLASH TRANSFER RELAYS

AMECO	
Struthers-Dunn	
Mid-Tex	
Power Distribution & Control (PDC)	
Reno	

LOAD SWITCHES (NEMA & 170)

Eberle Design Incorporated (EDI).510Power Distribution & Control (PDC).SSS-86Power Distribution & Control (PDC).SSS-88Reno A & E.LS-200Traffic Sensor Corp.200Traffic Sensor Corp.200-15Traffic Sensor Corp.300Traffic Sensor Corp.300-15

ISOLATORS (170 only) (242=DC, 252=AC)

Eberle Design Incorporated	
GDI	
GDI	
Power Distribution & Control (PDC)	242
Power Distribution & Control (PDC)	
RENO A&E	
Safetran	
Safetran	

SURGE PROTECTORS

ASCO	258120NF015ATBN0
TONE RECEIVERS	MODEL
Iniven	IR30M-05-30
TONE TRANSMITTERS	MODEL

TONE TRANSMITTERS MODEL

InivenIT30

DETECTORS

MICROWAVE DETECTORS	MODEL
Microwave Sensors	TC-26B

MODEL

MODEL

MODEL

Electronic Integrated Systems, Inc. (EIS)	RTMS X-2
MICROLOOP, PROBE	MODEL
3M	Canoga 701
PEDESTRIAN PUSH BUTTONS Campbell Pelco Polara Engineering, Inc.	SE-2178-Pxx
POWER SUPPLY FOR CARD RACK DETECTORS - NEMA	MODEL
ICC EDI	
SINGLE CHANNEL SHELF MOUNT DETECTORS, STANDARD	MODEL
Eberle Design Incorporated (EDI)	
SINGLE CHANNEL SHELF MOUNT DETECTORS, TIME DELAY	MODEL
Eberle Design Incorporated (EDI) Sarasota	
ULTRASONIC DETECTORS	MODEL
Microwave Sensors	TC-30
2-CHANNEL CARD RACK COUNTING DETECTORS, DUAL OUTPUT	
Eberle Design Incorporated (EDI)	LMD632
2-CHANNEL CARD RACK COUNTING DETECTORS, SINGLE OUTPUT PULSE MODE (NEMA)	MODEL
Eberle Design Incorporated (EDI) ICC Reno A & E	S27B
2-CHANNEL CARD RACK DETECTORS, STANDARD (170)	MODEL
Eberle Design Incorporated (EDI) Eberle Design Incorporated (EDI) Reno A & E Sarasota Sarasota	LMD222 222 222-GP5
2-CHANNEL CARD RACK DETECTORS, STANDARD (NEMA)	MODEL

Eberle Design Incorporated (EDI)	LMD602R
Reno A & E	
Reno A & E	G

2-CHANNEL CARD RACK DETECTORS, TIME DELAYMODEL (NEMA)

Eberle Design Incorporated (EDI)	LMD602TR
Reno A & E	C
Reno A & E	GT

SIGNAL HEADS

BACKPLATES

MODEL

MODEL

MODEL

MODEL

Chapel Hill	44xx Series
Intelight	BP INTLIT Series
Pelco	
Neodesia Plastics	

LOUVERS

Pelco	GPL
POLYCARBONATE SIDE-MOUNT BRACKETS WITH RELATED HARDWARE	MODEL
Component Products	Δηγ

Component ProductsAn	iy
EagleUk	<s1452ab< td=""></s1452ab<>

SIGNAL HEADS - OPTICALLY LIMITED

Intelight, Inc.	ESB Series
intengrit, iner intengrit	ECD Conce
McCain	HPTS Series

SIGNAL HEADS - POLY CONVENTIONAL

PEDESTRIAN HEAD – POLY 1-SECTION

McCain	M32258 w/ M27164
General Traffic Equipment	P8-CDLED-SAMx-GV-B
Eagle	

PEDESTRIAN LED SIGNAL INDICATION

Pedestrian LED signal indications must be ETL verified. The ETL verified listing is located at: <u>http://www.intertek.com/lighting/infrastructure/traffic-signals/</u>

HARDWARE

NOTE: Hardware that meets MoDOT specifications from the following manufacturers will be accepted. ALL other manufacturers must provide equipment that meets specifications and complete a satisfactory six-month evaluation as described above to be added to the list.

SIGNAL HARDWARE

Pelco

STRANDVISE

MODEL

Reliable 3/8" Strandvise	.5202
Reliable 1/4" Strandvise	.5200

POSTS AND MAST ARMS

Note: Posts and Mast Arms do not require an evaluation period. Posts and Mast Arms shall be fabricated in accordance with MoDOT specifications and standards. Posts and Mast Arms shall be pre-approved as required by the MoDOT standards and specifications to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Posts and Mast Arms are subject to field inspection before acceptance.

STEEL POSTS AND MAST ARMS

DRAWING NUMBER

Ameron Pole Products	MO13TR11 - Rev. B (Type C)
Ameron Pole Products	MO13TR12 - Rev. B (Type CL)
Ameron Pole Products	
Ameron Pole Products	MO13TR14 - Rev. B (Type BL)
JEM Engineering & Manufacturing	MODOT1-4 Rev. 2 (Types C, CL, B & BL)

Maico Industries, Inc	MOMAST 1-5A Rev. 1-6 (Types C, CL, B & BL)
Millerbernd Manufacturing Company	1005022 (Type B)
Millerbernd Manufacturing Company	1003534 (Type BL)
Millerbernd Manufacturing Company	1005004 (Type C)
Millerbernd Manufacturing Company	1003523 (Type CL)
Millerbernd Manufacturing Company	500A971
Pelco Structural, LLC	MODMA1001 & 1002 (Type B)
Pelco Structural, LLC	MODMAL1001 & 1002 (Type BL)
Pelco Structural, LLC	MOSMA1001 & 1002 (Type C)
Pelco Structural, LLC	MOSMAL1001 & 1002 (Type CL)
Union Metal Industries Corp	30443-B202 - Rev. 19 (Types C, CL, B & BL)

Valmont.....DB00408 - Rev. H (Types B, BL, C, & CL)

MISCELLANEOUS

LOOP SEALANTS

(Loop sealants do not require material certification)

3M	5000
Bondo	575
Bondo	P606
Chemque	290S
Chemque	296-06
Durant Paints	Stat-A-Flex Polyseal
Pecora	
RAI Products	Pro-Seal 6006

PEDESTAL BASES

MODEL

MODEL

Akron Foundry	TS-1000-L-P
Akron Foundry	TS-1000-L-WP
Component Products	CPI-BAS-1
Pelco	PB5336
Pelco	PB5337
Pelco	PB5340
Pelco	PB5341
Traffic Parts	TP 289 X

SPLICE KITS (DETECTOR LEAD-IN)

MODEL

3M	DBY Series
HOMAC HMC Industries	RAB 1/0 Series

METER SERVICE PEDESTAL (SIGNALS/SIGNALS & LIGHTING) MODEL

Milbank 120V Signal Only (Ameren)	CP3B51C1PAAOMO1
Milbank 120V Signal with 2-Circuit 240V Lighting (Ameren)	CP3B51C1PBAOMO2
Milbank 120V Signal with 2-Circuit 240V Lighting Dual Meter	CP3B62C2NBAOMO1
Myers 120V Signal with 2-Circuit 240V Lighting	MEUGLA-M100-MDOT
Myers 120V Signal with 2-Circuit 240V Lighting	MEUG 20
Pacific Utility Products 120V Signal Only	USP16-M2100-112C-MODOT6-TS

Pacific Utility Products 120V Signal with 2-Circuit 240V LightingUSPAR-100-100-MODOT Note: -- (Pacific Utility Products - product listed with "R" is ring less meter sockets, other utilities requiring ring type meter socket, have the "6" at the end of the catalog number)

Pacific Utility Products 120V Signal with 2-Circuit 240V LightingUSP16R-M2100-112C-MODOT Note: -- (Pacific Utility Products - product listed with "R" is ring less meter sockets, other utilities requiring ring type meter socket, have the "6" at the end of the catalog number)

LIGHT EMITTING DIODES (LED)

LEDs (circular and arrow) must be ETL verified. The ETL verified listing is located at: http://www.intertek.com/lighting/infrastructure/traffic-signals/

PROGRAMMABLE VIEW

MODEL

MODEL

Dialight	P46-3R33-003 (Red Ball)
Dialight	
Dialight	P46-3G33-003 (Green Ball)
GELcore	DR3-RCFB-01A (Red Ball)
GELcore	
GELcore	

VIDEO DETECTION SYSTEMS

VIDEO DETECTOR

Cubic.....Gridsmart Econolite....Autoscope RackVision Econolite....Autoscope RackVision Terra Econolite....Autoscope Vision Iteris....Vantage Edge2 Iteris...Vantage Next Iteris...Vantage Vector Peek Traffic Corp...VideoTrak IQ-P Peek Traffic Corp...VideoTrak IQ-P Peek Traffic Corp...VideoTrak IQ-P

III. HIGHWAY LIGHTING

All highway lighting equipment require a one-year evaluation period except for items noted requiring a sixmonth evaluation.

LIGHTING POLES

Note: Poles do not require an evaluation period. Poles shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Lighting poles are subject to field inspection before acceptance.

STEEL POLES

DRAWING NUMBER

Ameron Pole Products	MO98AT3 – Rev. 4 (Type AT45) Design 1 & 2
Ameron Pole Products	
Ameron Pole Products	MO98AT4 – Rev. 3 (Type AT30)
Ameron Pole Products	MO98B2 – Rev. 3 (Type B45 & MB45)
Ameron Pole Products	MO98B4 – Rev. 2 (Type B30)
JEM Engineering and Manufacturing	MO-AT30 – Rev. 3 (Type AT30)
JEM Engineering and Manufacturing	MO-AT45 – Rev. 3 (Type AT45)
Millerbernd Manufacturing Co.	730B907 (Type AT30)
Millerbernd Manufacturing Co.	730B653 (Type AT45)
Millerbernd Manufacturing Co.	730B908 (Type B30)
Millerbernd Manufacturing Co.	730B909 (Type B45)
Millerbernd Manufacturing Co.	730B910 (Type MB45)
Union Metal Industries Corp.	71020-B2 - Rev. 5 (Type AT30)
Union Metal Industries Corp.	71020-B3 - Rev. 4 (Type B30)
Union Metal Industries Corp.	71019-B6 - Rev. 7 (Type AT45)
Union Metal Industries Corp.	71019-B7 - Rev .4 (Types B45 & MB45)
Union Metal Industries Corp	71019-B8 – Rev. 3 (Type B30)
Union Metal Industries Corp.	71019-B9 – Rev. 3 (Type B45)
Union Metal Industries Corp.	
Union Metal Industries Corp.	
Union Metal Industries Corp.	71020-B104 – Rev. 4 (Type AT45)
Valmont	DB00019 – Rev. N (Types AT30 & B30)
Valmont	DB00020 – Rev. N (Types AT45, B45 & MB45)

ALUMINUM POLES

DRAWING NUMBER

Valmont.....MO-051707 (Type AT-30)

FOUNDATIONS

Note: Screw anchor foundations do not require an evaluation period. Screw anchor foundations shall be fabricated in accordance with MoDOT specifications and standards. They shall be pre-approved as required by the MoDOT standards and specifications in order to be added to the list. The following manufacturers have pre-approved fabrication details and documentation on file with the department. Screw anchor foundations are subject to field inspection before acceptance.

SCREW ANCHOR FOUNDATIONS

DRAWING NUMBER

Component Products, Inc.	SLSF 8-5 (Type AT30)
Component Products, Inc.	SLSF 10-7 (Type AT45)
Hubbell Chance	SA112-0696 – Rev. H (Type AT30)
Hubbell Chance	SA112-0786 - Rev. E (Type AT45)
Integrated Traffic Solutions, Inc.	ITS AT30 (Type AT30)
Integrated Traffic Solutions, Inc.	ITS AT45 (Type AT45)
J. H. Botts	JHB MOH 30 – Rev. C (Type AT30)
J. H. Botts	JHB MOH 45 – Rev. D (Type AT45)

LED LUMINAIRES

NOTE: LED Luminaires do not require a field evaluation period. LED Luminaires shall be pre-approved by submittal of documents as required by the MoDOT standards and specifications in order to be added to the list. LED Luminaires shall be fabricated in accordance with MoDOT specifications and standards. Because there is no evaluation period MoDOT reserves the right to deny a product due to evaluations or experiences with a product by other agencies.

BRACKET ARM MOUNT (120/277V)

LED-A MODEL

American Electric Lighting (AEL)	ATB0-20BLEDE10-MVOLT-R3-3K-NL-NR
American Electric Lighting (AEL)	ATB0-20BLEDE10-MVOLT-R3-3K-NL-P7-SH**
Cree	BXSP1-HO-HT-3ME-100W-30K-UL-SV-UTL
Cree	BXSP1-HO-HT-3ME-100W-30K-UL-SV-R-UTL*
Eaton	ARCH-AF24-70-D-U-T3-7030-10K-K-AP
Eaton	ARCH-AF24-70-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**
LeoTek	GCJ2-20H-MV-WW-3-GY-1A-PCR7-WL-4B-SC
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-72WIE-NV-LV2-00-3070-T302-P-10**
* ANSI C136.41 7-pin receptacle	included
** ANSI C136 41 7-pin receptacle with shorting cap included	

ANSI C136.41 7-pin receptacle with shorting cap included

LED-B

American Electric Lighting (AEL)ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-NR
American Electric Lighting (AEL)ATBM-P30-MVOLT-R3-4 BOLT-3K-GRAY-NL-P7-SH**
American Electric Lighting (AEL)ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-NR

American Electric Lighting (AEL)	ATB2-40BLEDE10-MVOLT-R3-3K-NL-HK-P7-SH**
Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-UTL
Cree	BXSP2-HO-HT-3ME-165W-30K-UL-SV-R-UTL*
Eaton	ARCH-M-AF48-130-D-U-T3-7030-10K-K-AP
Eaton	ARCH-M-AF48-130-D-U-T3-7030-4N7-10K-K-AP-OA/RA1013**
GE	ERLH-0-15-C3-30-D-GRAY-G-R**
Philips/Lumec	RFL-145W64LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3
Philips/Lumec	RFL-145W64LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**
Solar Max	SMX-115WIE-NV-LV2-00-3070-T302-P-10**
* ANSI C136.41 7-pin receptacle	included
** ANOLO126 11 7 pip recented with charting can included	

** ANSI C136.41 7-pin receptacle with shorting cap included

LED-C

MODEL

American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-NR	
American Electric Lighting (AEL)	ATB2-60BLEDE10-MVOLT-R3-3K-NL-P7-SH**	
GE	ERL2-0-21-C3-30-D-GRAY-G-R**	
Holophane	MGLEDM P2 30K MVOLT NR VH GRSD NL	
Holophane	MGLEDM P2 30K MVOLT NR VH GRSD NL PR7 SH**	
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-SP1-API-GY3	
Philips/Lumec	RFL-180W80LED-3K-G2-R3M-UNV-DMG-RCD7-PH9-SP1-API-GY3**	
Solar Max	SMX-190WIE-NV-LV2-00-3070-T302-P-10**	
* ANSI C136.41 7-pin receptacle included		
** ANSI C136.41 7-pin receptacle with shorting cap included		

BRACKET ARM MOUNT (480V)

LED-A

MODEL

American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-NR	
American Electric Lighting (AEL)	ATB0-20BLEDE10-480-R3-3K-NL-P7-SH**	
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-UTL	
Cree	BXSP1-HO-HT-3ME-100W-30K-UH-SV-R-UTL*	
Eaton	ARCH-AF24-70-D-8-T3-7030-10K-K-AP	
Eaton	ARCH-AF24-70-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**	
Leotek	GCJ2-20H-HV-WW-3-GY-1A-PCR7-WL-4B-SC	
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3	
Philips/Lumec	RFM-72W32LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**	
Solar Max	SMX-72WIE-HV-LV2-00-3070-T302-P-10**	
* ANSI C136.41 7-pin receptacle included		
** ANSI C136.41 7-pin receptacle with shorting cap included		

LED–B MODEL

American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-NR American Electric Lighting (AEL)ATBM-P30-480-R3-4 BOLT-3K-GRAY-NL-P7-SH**

Revised March 2021

Holophane Mongoose Series BRACKET ARM MOUNT - 250 WATT MODEL American Electric Lighting 115 Series American Electric Lighting Durastar 2000, Series 30

American Electric Lighting	115 Series
American Electric Lighting	
Crouse-Hinds/Cooper	
Crouse-Hinds/Cooper	
General Electric (GE)	
Holophane	
·····F	

place of cell. Multi-tap ballast for 120 Volt and 240 Volt fixtures is permissible.

HIGH PRESSURE SODIUM LUMINAIRES

BRACKET ARM MOUNT - 150 WATT

NOTE: Luminaires will not be furnished with photoelectric cells. Receptacles will have a shorting plug in

LED-C

Cree Cree

Eaton Eaton

GE

** ANSI C136.41 7-pin receptacle with shorting cap included —C MODEL

American Electric Lighting (AEL)ATB2-60BLEDE10-480-R3-3K-NL-NR

.....ERLH-5-15-C3-30-D-GRAY-G-R**

Solar MaxSMX-115WIE-HV-LV2-00-3070-T302-P-10**

* ANSI C136.41 7-pin receptacle included

American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-NR American Electric Lighting (AEL)ATB2-40BLEDE10-480-R3-3K-NL-P7-SH**

.....BXSP2-HO-HT-3ME-165W-30K-UH-SV-UTL

.....BXSP2-HO-HT-3ME-165W-30K-UH-SV-R-UTL*ARCH-M-AF48-130-D-8-T3-7030-10K-K-AP

Philips/Lumec......RFL-145W64LED-3K-G2-R3M-HVU-DMG-SP1-API-GY3

MISSOURI DEPARTMENT OF TRANSPORTATION APPROVED PRODUCTS LIST

.....ARCH-M-AF48-130-D-8-T3-7030-4N7-10K-K-AP-OA/RA1013**

Philips/Lumec......RFL-145W64LED-3K-G2-R3M-HVU-DMG-RCD7-PH9-SP1-API-GY3**

 American Electric Lighting
 115 Series

 American Electric Lighting
 Durastar 2000, Series

 Crouse-Hinds/Cooper
 OVZ Series

 Crouse-Hinds/Cooper
 OVX Series

 General Electric (GE)
 MSRL Series

 Holophane
 Mongoose Series

15 Corid

BRACKET ARM MOUNT - 400 WATT

American Electric Lighting125 Series American Electric LightingDurastar 2000, Series 30 Crouse-Hinds/CooperOVX Series General Electric (GE).....MSRL Series Holophane......Mongoose Series

HIGH MAST LIGHTING

NOTE: High mast lighting is custom designed for the location. Fixtures from the following manufacturer's series are considered pre-approved.

Cooper	HMC Series
General Electric (GE)	HMA Series
Holophane	HMAO Series
Holophane	
Metrolux	VA Series

POLE TOP MOUNTING

Holophane	HL2A Series
Holophane	Mongoose Series

SIGN LIGHTING - 250 WATT

General Electric (GE)......V2FN Series Guth

SIGN LIGHTING - 400 WATT

Holophane	PANL	Series
Holophane	SNVW	/ Series

UNDERPASS (WALLPACKS)

General Electric (GE).....WAL Series Holophane......MDWP Series Holophane......WL2K Series HubbellPGM-150S Series

CONTROL EQUIPMENT

CONTACTORS-ELECTROMECHANICAL	MODEL
Square D Westinghouse/Cutler-Hammer	

CONTACTORS-MERCURY

MODEL

MODEL

MODEL

MODEL

MODEL

MODEL

BASE MOUNTED CONTROL CABINETS

NOTE: Cabinets that meet MoDOT specifications from the following manufacturers will be accepted. All other manufacturers must provide a model that meets specifications and complete a satisfactory sixmonth evaluation as described above to be added to the list.

Cleveland Switchboard Coxline Hoffman Shallbetter Inland Technologies

MOUNTING SOCKET FOR PHOTOELECTRIC CONTROL MODEL

NOTE: Mounting sockets require a six-month evaluation.

American Electric Lighting	DUR
Fischer-Pierce	
General Electric (GE)	MB-PECTL

PHOTOELECTRIC CONTROL

TE Connectivity	SST-120 (120 volt)
TE Connectivity	
TE Connectivity	
American Electric Lighting	
American Electric Lighting	D124-1.0-STJ (120/240 volt)
American Electric Lighting	D240-1.0-STJ (240 volt)
American Electric Lighting	DE480-1.0-TJ (480 volt)
Fischer-Pierce	
Fischer-Pierce	
Fischer-Pierce	
Fischer-Pierce	
General Electric (GE)	
General Electric (GE)	
General Electric (GE)	
ITT	
Тусо	6190 VPS

TYPE A CIRCUIT BREAKERS

MODEL

MODEL

Square D	BDL Series
Westinghouse/Cutler-Hammer	
Westinghouse/Cutler-Hammer	FDB Series (2-Pole)

MISCELLANEOUS

AVIATION LIGHTING

MODEL

Hughey & Philips......KG114

FUSED SLIP CONNECTORS

MODEL

MODEL

MODEL

MODEL

NOTE: Slip connectors require a six-month evaluation.

Bussma	ann	HEB-JW-RYC
IDEAL		30-S2212

METER SERVICE PEDESTAL (LIGHTING)

Milbank 4-Circuit 240V Lighting	CP3B51C1PBAOMO3
Milbank 4-Circuit 480V Lighting	CP3B51D1PBAOMO1
Milbank 4-Circuit 480V Lighting (used for Ameren cold sequ	
Pacific Utility Products 4-Circuit 240V Lighting	USP24-M2100-100-MODOT6
Pacific Utility Products 4-Circuit 480V Lighting	USP16-M2100-100-MODOT
Pacific Utility Products 4-Circuit 480V Lighting	USP24-M2100-100-MODOT6-480

NAVIGATION LIGHTING

Tideland	ML-140 with TF-3AC Lamp Changer
Pharos Marine Automatic Power, Inc	FA-143

SPLICE KITS

TRANSFORMER BASES

Akron Foundry	TB1-17H (for AT30)
Akron Foundry	TB3-17H (for AT45)

IV. POWER SUPPLY EQUIPMENT AND PULL BOXES

All items require a six-month evaluation period.

MAIN SERVICE DISCONNECT ENCLOSURE WITH SAFETY SWITCH (NEMA 4)

General Electric (GE).....TE 100 CS Square DFA-100-DS Series E2 WestinghouseWFDN 100

PREFORMED PULL BOX-CLASS 1 **O 1 1 1 1 1**

Straight	
Armorcast Products Company	
Carson Industries	H1730-24 (Box)
CDR	
Composite Industries	CI183024PB1P
Highline	PHA173024HO1R
Martin Enterprises	
Strongwell/Quazite	PG1730B532 (Box)
,	PG1730H511 (Lid)
	PG1730BA Series
Synertech	S1730B24AA (Box)

Flared

Armorcast Products Company	A6001640TAX24 (Box & Lid)
CDR	
Highline	
Martin Enterprises	
NewBasis	
NewBasis	FCA173022CC4749-61 (Box & Lid)
NewBasis	FCA173024T Series (Box & Lid)
Pencell Plastics	PEM-1830-PCX (Box & Lid)

PREFORMED PULL BOX-CLASS 2

Straight Armorcast Products CompanyA6001974TAPCX26 (Box & Lid) CDR Composite IndustriesCI243624PB1P HighlinePHA243624HO1R Strongwell/QuazitePG2436B539 (Box) PG2436H508 (Lid) PG2436BA Series S2436HCB0A (Lid)

MODEL

S1730HBB0A (Lid)

MODEL

PREFORMED PULL BOX-CLASS 2 Flared

MODEL

MODEL

Armorcast Products Company	A6001974TAX26 (Box & Lid)
Armorcast Products Company	A6001974TAX24
CDR	A12-2436 series-24" (Box & Lid)
Highline	
Martin Enterprises	2436/24 FRP
NewBasis	FCA243630CC4126-61 (Box & Lid)
NewBasis	FCA243630CC4749-61 (Box & Lid)
NewBasis	FCA243624T Series (Box & Lid)
Pencell Plastics	PEM-2436-36 (Box & Lid)
Pencell Plastics	PEM-2436-PCX-24 (Box & Lid)
Synertech	· · · · · · · · · · · · · · · · · · ·
	()

PREFORMED PULL BOX-CLASS 3

Straight

onaight	
Armorcast Products Company	
Carson Industries	H3048-36 (Box)
	H3048-P1 (Lid)
CDR	A14-3048 series-36" (Box & Lid)
Composite Industries	Cl304836PB1P
Highline	
Martin Enterprises	
Strongwell/Quazite	PG3048B560 (Box)
C C C C C C C C C C C C C C C C C C C	PG3048H517 (Lid)
	PG3048BA Series
Synertech	S3048B36AA (Box)
	S3048HCB0A (Lid)

Flared

Armorcast Products Company	
Highline	
Martin Enterprises	
NewBasis	FCA304836EE4749-61 (Box & Lid)
NewBasis	
Pencell Plastics	PEM-3048-36-PCX-SPLIT (Box & Lid)

PREFORMED PULL BOX-CLASS 5 Flared

Fiareu	
Armorcast Products Company	A6001466TA (Box & Lid)
Armorcast Products Company	A6000172TAX36 (Box & Lid)
CDR	A12-3200 series-36" (Box & Lid)
Highline Products	· · · · · · · · · · · · · · · · · · ·
Martin Enterprises	
NewBasis	
NewBasis	FCA540036C4800 (Box & Lid)
NewBasis	FCA540036C40336 (Box & Lid)
NewBasis	FCA540036-MODOT
Quazite	PR3944Z504

HIGHWAY SIGNING EQUIPMENT

V. GENERAL

This Approved Products List (APL) for highway signing equipment contains current pre-approved products for highway signing. This list is applicable to department purchases and construction contracts. The list includes products that have been approved for use based on satisfactory performance during a specified test period. Products listed have undergone sufficient field testing to be considered acceptable for use at any time. All field tests of new products or pending products should be arranged with Central Office Traffic.

The department frequently tests new products and equipment for highway signing. These new products may be installed on a construction project or used for normal department installations and maintenance. Vendors may also submit items, at no cost to the department, for the test period. Only a limited number of units will be accepted for test statewide until the product is added to the Approved Products List. A vendor wishing to initiate a test on a new product shall submit a Product Evaluation Request Form. Copies of this form can be obtained from our website at <u>www.modot.state.mo.us</u> or contact MoDOT Central Office Traffic. Minor model changes of previously approved products do not require a new evaluation period, although the vendor shall submit specification sheets and a sample of the product for the Department to inspect. Any modifications determined to potentially alter the performance of the product may require the product to undergo additional field testing and evaluation.

All product evaluations are coordinated through MoDOT Central Office Traffic. The vendor supplying the equipment shall provide equipment specifications and a certification that the equipment meets department specifications before the test is performed. The equipment is tested for the period specified by Central Office Traffic (typically one year). Products that are not performing satisfactorily will be left off of the list. Products that were previously approved that begin to perform unsatisfactorily will be removed or replaced with an approved product if the vendor cannot provide timely correction of the problem.

If a vendor is proposing a product that does not meet department specifications, an explanation of why the product meets or exceeds the current specifications must be provided by the vendor in writing to Central Office Traffic. If approved, the product may be tested for the specified period as described above. If the product is satisfactory, the Department will consider a revision to the applicable specifications. Products will not be added to the Approved Products List that does not meet department specifications.

Products on the APL shall continue to perform satisfactorily. In addition, the vendors shall support the products. Products not performing as required or not supported are subject to removal from the APL.

Grounds for removal of products include but are not limited to:

- Significant change in product specifications or design without notification to the department.
- Failure to correct or replace products that are defective in manufacturing or workmanship.
- Repeated patterns of malfunctions of a product not adequately corrected by the vendor.
- Unreasonable pricing of repair parts or repair work. Repair work not completed in a reasonable time frame.
- Excessive delivery times for new purchases or replacement parts.

Changes in standard specifications may also necessitate removal of specific products from the APL. If this occurs, there will be a grace period where the product will be retained on the list after the specifications are changed. However the product will eventually be removed from the list if it is not revised to meet specifications.

VI. HIGWAY SIGNING EQUIPMENT

BREAKAWAY DEVICES

MANUFACTURER	DESCRIPTION, MODEL
Ultimate Highway Products Xcessories Squared Xcessories Squared	Kleen Break 425 for 2" PSST, XKB42520-G
Xcessories Squared Xcessories Squared	Redi-Torque 280 for 2.5" PSST, SB8C-250A-G Redi-Torque 280 Pre-Assembled Slip Base for 2.5" PSST, RT8UX-25C25-G
Xcessories Squared	Redi-Torque Triangular Surface Mount Base, SMSB9-10-G
Xcessories Squared Northwest Pipe Company Designovations, Inc Dent Breakaway Industries, Inc	S-Q 8" Square Slipbase for 2.5" PSST, 31209 Snap n Safe S200 and S200S (2") Snap n Safe S250 and S250 S (2.5") 3/4" Dent Bolt, #6882 5/8" Dent Bolt, #6878 1/2" Dent Bolt, #6874 5/8" Ground Anchors (Galvanized) 5/8" Modified Dent Bolt, #6220

FOUNDATIONS/ANCHORS

MANUFACTURER

DESCRIPTION, MODEL

None..... None

SIGN HARDWARE

MANUFACTURER

DESCRIPTION, MODEL

Xcessories Squared	Aluminum Post Clamp for 2.5" Pipe, XAPC278RD
Xcessories Squared	Aluminum Post Clamp for 3" Pipe, XAPC350RD
Xcessories Squared	Aluminum Post Clamp for 4" Pipe, XAPC450RD
Xcessories Squared	Aluminum Bar for Post Clamps, XAB750
Xcessories Squared	Aluminum Sign Backer Bar, ASB200P1
Xcessories Squared	Extruded Panel Clamp for 2" PSST, EPPCS200SQ
Xcessories Squared	Extruded Panel Clamp for 2.5" PSST, EPPCS250SQ
Xcessories Squared	Extruded Panel Clamp for 2.5" Pipe, EPPCS250RD
Xcessories Squared	Extruded Panel Clamp for 3" Pipe, EPPCS300RD
Xcessories Squared	Extruded Panel Clamp for 4" Pipe, EPPCS400RD
Xcessories Squared	Extruded Panel Clamp for 4x4 Wood, EPPCS44W
Xcessories Squared	Extruded Panel Clamp for 4x6 Wood, EPPCS46W
Xcessories Squared	Extruded Panel Clamp for 6x6 Wood, EPPCS66W

<u>SIGNS</u>

MANUFACTURER

DESCRIPTION, MODEL

Tapco Blinkersigns

MISSOURI DEPARTMENT OF TRANSPORTATION APPROVED PRODUCTS LIST – REVISION LOG

TRAFFIC SIGNALS AND HIGHWAY LIGHTING EQUIPMENT

ADDED:

CONTROLLERS

NEMA TS1 CONTROLLERS	MODEL
McCain (Added March 2021)	ATC eX2 NEMA
SIGNAL HEADS	
SIGNAL HEADS - POLY CONVENTIONAL	MODEL
North American Signal	. PTXOOBB_0CB
MISCELLANEOUS	
LOOP SEALANTS	MODEL
Pecora (Added March 2021)	NR-201

MISSOURI DEPARTMENT OF TRANSPORTATION APPROVED PRODUCTS LIST – REVISION LOG

DELETED:

MISSOURI DEPARTMENT OF TRANSPORTATION APPROVED PRODUCTS LIST – REVISION LOG

REVISED:

CONTROL EQUIPMENT

PHOTOELECTRIC CONTROL	MODEL
Area Lighting Research	
Area Lighting Research	SST-240 (240 volt)
Area Lighting Research	SST-PV (120/240 volt)
Changed to:	
TE Connectivity	SST-120 (120 volt)
TE Connectivity	
TE Connectivity	
(TE Connectivity purchased Area Lighting Research	

TYPE A CIRCUIT BREAKERS

Square D	FAL Series
Changed to:	
Square D.	BDL Series
(FAL Series is obsolete – March 2021)	