

**From:** [Debra M. Beckwith](#)  
**To:** [BROffice](#)  
**Subject:** Bridge Advertisement (DSI 20-034) MSE Wall coping detail note  
**Date:** Tuesday, September 29, 2020 11:03:53 AM

---

The [EPG](#) & [Std. Drawings](#) have been updated as described below:

**Implementation Statement: For all jobs not yet through the Review process.**

Revision Date	Items Revised	Description of Change
Sept. 2020	EPG: <a href="#">751.50</a>	Note J1.21a was updated to clarify dowel requirements for inverted U-shape precast coping for large block (panel) MSE walls.  (J1.21a) Inverted U-shape reinforced capstone may be used in lieu of coping. Panel dowels for level-up concrete shall be required, and provided by manufacturer. The dowels shall be field trimmed to clear the capstone by a minimum of 1 1/2 inches and a maximum of 2 1/2 inches.
	Bridge Standard Drawings: <a href="#">MSEW02, 03 &amp; 04</a>	
	MicroStation Cells: NA	
	Std. Specifications: NA	
	Standard Plans: NA	

Follow links above for more information, or to view more details about this (or any) revision, use the [Revision Index Database](#).

Instructions:

1. Select the Revision Index Database.
2. Select "Read Only" and Click "O.K."
3. Under Tables (left-hand side) double-click on Table1.
4. Scroll down to the bottom of the list to find the latest Revision.
5. Click on the link under the Effective Date to open the storage location for the Completed Revision.

*Debbie M. Beckwith*

Structural Specialist  
Development Section  
Bridge Division  
MoDOT  
(573)522-8718