



MoDOT/MSHP Medical and Life Insurance Plan

2019 Formulary

List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 1/23/2019. For more recent information or other questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <http://www.modot.org/newsandinfo/Prescription.htm>.

MoDOT/MSHP Medical and Life Insurance Plan is a Health plan with a Medicare contract

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means MoDOT/MSHP Medical and Life Insurance Plan. When it refers to “plan” or “our plan,” it means MoDOT/MSHP Medical and Life Insurance Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of February 1, 2019. For *an* updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on March 1, 2019, and from time to time during the year.

What is the MoDOT/MSHP Medical and Life Insurance Plan Formulary?

A formulary is a list of covered drugs selected by MoDOT/MSHP Medical and Life Insurance Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MoDOT/MSHP Medical and Life Insurance Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MoDOT/MSHP Medical and Life Insurance Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher

cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of February 1, 2019. To get updated information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information appears on the front and back cover pages.

If we make any mid-year non-maintenance formulary changes, we will mail you an errata sheet showing those changes. Non-maintenance formulary changes are when we:

- Remove a Part D drug from our formulary,
- Move covered Part D drugs to a less preferred tier status, or
- Add utilization management requirements.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.”. If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

MoDOT/MSHP Medical and Life Insurance Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MoDOT/MSHP Medical and Life Insurance Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescriptions. If you don't get approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that MoDOT/MSHP Medical and Life Insurance Plan will cover. For example, MoDOT/MSHP Medical and Life Insurance Plan provides 30 per prescription for Zolpidem. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, MoDOT/MSHP Medical and Life Insurance Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MoDOT/MSHP Medical and Life Insurance Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MoDOT/MSHP Medical and Life Insurance Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan's formulary?" on page 6 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact MedImpact Customer Services and ask if your drug is covered.

If you learn that MoDOT/MSHP Medical and Life Insurance Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MoDOT/MSHP Medical and Life Insurance Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MoDOT/MSHP Medical and Life Insurance Plan.
- You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MoDOT/MSHP Medical and Life Insurance Plan Formulary?

You can ask MoDOT/MSHP Medical and Life Insurance Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MoDOT/MSHP Medical and Life Insurance Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MoDOT/MSHP Medical and Life Insurance Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will

cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members with levels-of-care changes may contact MedImpact Customer Service (844) 513-6006 (or have their doctor or prescriber contact us) to request transitional supplies of medication during their transitions of care. MoDOT/MSHP Medical and Life Insurance Plan will not supply a transition fill for any drugs that are not Part D-approved drugs.

For more information

For more detailed information about your MoDOT/MSHP Medical and Life Insurance Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MoDOT/MSHP Medical and Life Insurance Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

MoDOT/MSHP Medical and Life Insurance Plan's Formulary

The formulary below provides coverage information about the drugs covered by MoDOT/MSHP Medical and Life Insurance Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LOPRESSOR) and generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*).

The information in the Requirements/Limits column tells you if MoDOT/MSHP Medical and Life Insurance Plan has any special requirements for coverage of your drug.

Formulary Key

The first column of the drug list contains the drug name:

Brand name drugs are Capitalized (e.g., LOPRESSOR)

Generic drugs are listed in lower-case italics (e.g., *metoprolol tartrate*)

The second column shows the drug coverage tier. Each tier is described below.

Tier 1 = Generics. These drugs offer the most cost savings.

Tier 2 = Brand Name drugs with no generic equivalent. These drugs offer the most cost savings among brand-name drugs.

Tier 3 = Brand Name drugs with a generic equivalent. These drugs cost more because less expensive alternatives may exist.

The Requirements/Limits section of the drug list tells you if MoDOT/MSHP Medical and Life Insurance Plan has restrictions, special requirements, or limitations for coverage of the drug.

A drug may display one or more of the following abbreviations:

Symbol	Definition
PA	Prior Authorization. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
PA BvD	Prior Authorization (PA) is required for Part B versus Part D Determinations (BvD). This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
PA NSO	Prior Authorization (PA) is required for New Starts Only (NSO). If this medication is new for you, you (or your physician) are required to get prior authorization from MoDOT/MSHP Medical and Life Insurance Plan before you fill your prescription for this drug. Without prior approval, MoDOT/MSHP Medical and Life Insurance Plan may not cover this drug.
QL	Quantity Limit Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
ST	Step Therapy Restriction. There may be restrictions on this medication. See “ <i>Are there any restrictions on my coverage?</i> ”.
LA	Limited Access Drug. Due to limited manufacturers, this medication may be only available through limited pharmacies. See the <i>Pharmacy Directory</i> or call MedImpact Customer Service (844) 513-6006.
NM	Non-Mail Order. Drugs marked “NM” cannot be filled by mail order, though are available at retail/local pharmacies.
GC	Gap Coverage. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

The right-hand column of the Requirements/Limits section includes information about dosage forms (such as tablet, capsule, or spray) or dosage strengths.

- If no information is displayed in this column, it means that all dosage forms and strengths are covered on the same drug tier.
- If information is displayed, it means that only those dosage forms/s#
- Strengths are covered on that tier.

Table of Contents

Analgesics	3
Anesthetics	15
Anti-Addiction/Substance Abuse Treatment Agents	16
Antianxiety Agents	18
Antibacterials	21
Anticancer Agents	34
Anticholinergic Agents	48
Anticonvulsants	49
Antidementia Agents	56
Antidepressants	57
Antidiabetic Agents	62
Antifungals	71
Antigout Agents	74
Antihistamines	75
Anti-Infectives (Skin And Mucous Membrane)	76
Antimigraine Agents	77
Antimycobacterials	79
Antinausea Agents	80
Antiparasite Agents	82
Antiparkinsonian Agents	84
Antipsychotic Agents	86
Antivirals (Systemic)	93
Blood Products/Modifiers/Volume Expanders	101
Caloric Agents	106
Cardiovascular Agents	109
Central Nervous System Agents	130
Contraceptives	135
Dental And Oral Agents	144
Dermatological Agents	144
Devices	155
Enzyme Replacement/Modifiers	156
Eye, Ear, Nose, Throat Agents	159
Gastrointestinal Agents	165
Genitourinary Agents	173
Heavy Metal Antagonists	174
Hormonal Agents, Stimulant/Replacement/Modifying	175

Immunological Agents.....	188
Inflammatory Bowel Disease Agents.....	199
Irrigating Solutions.....	200
Metabolic Bone Disease Agents.....	201
Miscellaneous Therapeutic Agents.....	204
Ophthalmic Agents.....	207
Replacement Preparations.....	209
Respiratory Tract Agents.....	213
Skeletal Muscle Relaxants.....	219
Sleep Disorder Agents.....	221
Vasodilating Agents.....	222
Vitamins And Minerals.....	223

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg (Tylenol-Codeine #3)</i>	1	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg (Tylenol-Codeine #4)</i>	1	GC; QL (180 per 30 days)
ACTIQ BUCCAL LOZENGE ON A HANDLE 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; GC; QL (120 per 30 days)
ARYMO ER ORAL TABLET,ORAL ONLY,EXTND RELEASE 15 MG, 30 MG	2	GC; QL (90 per 30 days)
ARYMO ER ORAL TABLET,ORAL ONLY,EXTND RELEASE 60 MG	2	GC; QL (60 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>astramorph-pf 10 mg/10 ml vial 5's, sdv, p/f,l/f 1 mg/ml</i>	1	GC
<i>astramorph-pf 5 mg/10 ml vial 5's, p/f, l/f, suv 0.5 mg/ml</i>	1	GC
<i>astramorph-pf injection solution 0.5 mg/ml, 1 mg/ml</i>	1	GC
BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG	2	GC; QL (60 per 30 days)
BUPRENEX INJECTION SOLUTION 0.3 MG/ML	2	GC
<i>buprenorphine hcl injection solution 0.3 mg/ml (Buprenex)</i>	1	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	1	GC; QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral capsule 50-300 mg</i>	1	GC
<i>butalbital-acetaminophen oral tablet 50-300 mg (Bupap)</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg (Tencon)</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg (Fioricet)</i>	1	GC
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg (Capacet)</i>	1	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)</i>	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)</i>	1	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml</i>	1	GC
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	1	GC; QL (5 per 28 days)
BUTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR	3	GC; QL (4 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	1	GC; QL (180 per 30 days)
DEMEROL (PF) INJECTION SOLUTION 100 MG/ML, 75 MG/1.5 ML	2	GC
DEMEROL (PF) INJECTION SYRINGE 100 MG/ML, 50 MG/ML, 75 MG/ML	2	GC
DEMEROL (PF) INJECTION SYRINGE 25 MG/ML	2	PA; GC; AGE (Max 64 Years)
DEMEROL INJECTION SOLUTION 100 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DEMEROL INJECTION SOLUTION 50 MG/ML	2	PA; GC; AGE (Max 64 Years)
DEMEROL ORAL TABLET 100 MG	3	GC; QL (180 per 30 days)
DILAUDID (PF) INJECTION SOLUTION 2 MG/ML, 4 MG/ML	3	GC
DILAUDID (PF) INJECTION SYRINGE 2 MG/ML, 4 MG/ML	3	GC
DILAUDID ORAL LIQUID 1 MG/ML	3	GC; QL (1200 per 30 days)
DILAUDID ORAL TABLET 2 MG, 4 MG, 8 MG	3	GC; QL (180 per 30 days)
DISKETS ORAL TABLET,SOLUBLE 40 MG	3	GC; QL (90 per 30 days)
DOLOPHINE ORAL TABLET 10 MG	3	GC; QL (360 per 30 days)
DOLOPHINE ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
DURAGESIC TRANSDERMAL PATCH 72 HOUR 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR	3	GC; QL (10 per 30 days)
DURAMORPH (PF) INJECTION SOLUTION 0.5 MG/ML, 1 MG/ML	3	GC
EMBEDA ORAL CAPSULE,ORAL ONLY,EXT.REL PELL 100-4 MG, 20- 0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG	2	GC; QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	1	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	GC; QL (240 per 30 days)
ESGIC ORAL CAPSULE 50-325-40 MG	3	GC; QL (180 per 30 days)
ESGIC ORAL TABLET 50-325-40 MG	3	GC; QL (180 per 30 days)
EXALGO ER ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 16 MG, 8 MG	3	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EXALGO ER ORAL TABLET EXTENDED RELEASE 24 HR 32 MG	3	PA; GC; QL (60 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	1	PA; GC; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	1	GC; QL (10 per 30 days)
fentanyl transdermal patch 72 hour 37.5 mcg/hour, 62.5 mcg/hour, 87.5 mcg/hour	1	GC; QL (10 per 30 days)
FIORINAL ORAL CAPSULE 50-325-40 MG	3	GC; QL (180 per 30 days)
FIORINAL-CODEINE #3 ORAL CAPSULE 30-50-325-40 MG	3	GC; QL (180 per 30 days)
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)	1	GC; QL (2700 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	1	GC; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-300 mg (Vicodin HP)	1	GC; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg (Lorcet HD)	1	GC; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg (Verdrocet)	1	GC; QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 5-300 mg (Vicodin)	1	GC; QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg (Lorcet (hydrocodone))	1	GC; QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 7.5-300 mg (Vicodin ES)	1	GC; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 7.5-325 mg (Lorcet Plus)	1	GC; QL (180 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg (Ibudone)	1	GC; QL (150 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	1	GC; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	1	GC
hydromorphone injection solution 1 mg/ml	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydromorphone injection syringe 0.5 mg/0.5 ml, 1 mg/ml	1	GC
hydromorphone oral liquid 1 mg/ml (Dilaudid)	1	GC; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	1	GC; QL (180 per 30 days)
hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 8 mg (Exalgo ER)	1	PA; GC; QL (30 per 30 days)
hydromorphone oral tablet extended release 24 hr 32 mg (Exalgo ER)	1	PA; GC; QL (60 per 30 days)
HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	2	GC; QL (30 per 30 days)
ibuprofen-oxycodone oral tablet 400-5 mg	1	GC; QL (28 per 30 days)
INFUMORPH P/F INJECTION SOLUTION 10 MG/ML, 25 MG/ML	2	GC
LAZANDA NASAL SPRAY,NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	2	PA; GC; QL (30 per 30 days)
levorphanol tartrate oral tablet 2 mg	1	GC; QL (150 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	1	GC; QL (240 per 30 days)
lorcet hd oral tablet 10-325 mg	1	GC; QL (180 per 30 days)
lorcet plus oral tablet 7.5-325 mg	1	GC; QL (180 per 30 days)
marten-tab oral tablet 50-325 mg	1	GC
meperidine (pf) injection solution 100 mg/ml, 50 mg/ml (Demerol (PF))	1	PA; GC; AGE (Max 64 Years)
meperidine (pf) injection solution 25 mg/ml	1	PA; GC; AGE (Max 64 Years)
meperidine injection cartridge 10 mg/ml	1	GC
meperidine oral solution 50 mg/5 ml	1	GC; QL (900 per 30 days)
meperidine oral tablet 100 mg (Demerol)	1	GC; QL (180 per 30 days)
meperidine oral tablet 50 mg	1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>methadone injection solution 10 mg/ml</i>		1	GC
<i>methadone oral concentrate 10 mg/ml</i>	(Methadone Intensol)	1	GC; QL (1080 per 30 days)
<i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i>		1	GC; QL (1800 per 30 days)
<i>methadone oral tablet 10 mg</i>	(Dolophine)	1	GC; QL (360 per 30 days)
<i>methadone oral tablet 5 mg</i>	(Dolophine)	1	GC; QL (180 per 30 days)
<i>methadone oral tablet, soluble 40 mg</i>	(Diskets)	3	GC; QL (90 per 30 days)
METHADOSE ORAL CONCENTRATE 10 MG/ML		3	GC; QL (1080 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>		1	GC; QL (90 per 30 days)
<i>mitigo (pf) injection solution 10 mg/ml, 25 mg/ml</i>		1	GC
MORPHABOND ER ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 100 MG, 60 MG		2	GC; QL (60 per 30 days)
MORPHABOND ER ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 15 MG		2	GC; QL (180 per 30 days)
MORPHABOND ER ORAL TABLET, ORAL ONLY, EXT.REL.12 HR 30 MG		2	GC; QL (120 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i>	(Astramorph-PF)	1	GC
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>		1	GC; QL (180 per 30 days)
<i>morphine injection solution 10 mg/ml</i>		1	GC
MORPHINE INJECTION SOLUTION 2 MG/ML		1	GC
<i>morphine injection solution 5 mg/ml</i>		1	PA BvD; GC
<i>morphine injection syringe 10 mg/ml</i>		1	GC
<i>morphine intravenous solution 10 mg/ml</i>		1	GC
<i>morphine intravenous syringe 10 mg/ml</i>		1	GC
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>		1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral solution 10 mg/5 ml</i>	1	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	2	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	2	GC; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	1	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	1	GC; QL (90 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 100 MG, 200 MG, 60 MG	3	GC; QL (60 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 15 MG	3	GC; QL (180 per 30 days)
MS CONTIN ORAL TABLET EXTENDED RELEASE 30 MG	3	GC; QL (120 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	GC
<i>nalocet oral tablet 2.5-300 mg</i>	1	GC; QL (360 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	2	GC; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	2	GC; QL (181 per 30 days)
OPANA ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
OPANA ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
OXAYDO ORAL TABLET, ORAL ONLY 7.5 MG	2	GC; QL (120 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral solution 5 mg/5 ml</i>	1	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg (Roxicodone)</i>	1	GC; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>	1	GC; QL (60 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 80 mg</i>	1	GC; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	1	GC; QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10- 325 mg (Endocet)</i>	1	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg (Endocet)</i>	1	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg (Endocet)</i>	1	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 20 MG, 40 MG	3	GC; QL (60 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 15 MG, 30 MG, 60 MG	2	GC; QL (60 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG	3	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 10 mg (Opana)</i>	1	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg (Opana)</i>	1	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>panlor(acetam-caff-dihydrocod) oral tablet 325-30-16 mg</i>	1	GC
<i>pentazocine-naloxone oral tablet 50-0.5 mg</i>	1	GC; QL (360 per 30 days)
PERCO CET ORAL TABLET 10-325 MG	3	GC; QL (240 per 30 days)
PERCO CET ORAL TABLET 2.5-325 MG, 5-325 MG	3	GC; QL (360 per 30 days)
PERCO CET ORAL TABLET 7.5-325 MG	3	GC; QL (300 per 30 days)
<i>phrenilin forte(with caffeine) oral capsule 50-300-40 mg</i>	1	GC
ROXICODONE ORAL TABLET 15 MG, 30 MG	3	GC; QL (120 per 30 days)
ROXICODONE ORAL TABLET 5 MG	3	GC; QL (180 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 15 MG, 30 MG	2	GC; QL (120 per 30 days)
ROXYBOND ORAL TABLET, ORAL ONLY 5 MG	2	GC; QL (180 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	2	GC
TALWIN INJECTION SOLUTION 30 MG/ML	2	GC
<i>tencon oral tablet 50-325 mg</i>	1	GC; QL (180 per 30 days)
<i>tramadol oral capsule,er biphasic 24 hr (ConZip) 17-83 300 mg</i>	1	GC; QL (30 per 30 days)
<i>tramadol oral capsule,er biphasic 24 hr (ConZip) 25-75 100 mg, 200 mg</i>	1	GC; QL (30 per 30 days)
<i>tramadol oral tablet 50 mg (Ultram)</i>	1	GC; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg</i>	1	GC; QL (90 per 30 days)
<i>tramadol oral tablet extended release 24 hr 200 mg, 300 mg</i>	1	GC; QL (30 per 30 days)
<i>tramadol oral tablet, er multiphasic 24 hr 100 mg</i>	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tramadol oral tablet, er multiphase 24 hr 200 mg, 300 mg</i>	1	GC; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5- 325 mg (Ultracet)</i>	1	GC; QL (240 per 30 days)
ULTRACET ORAL TABLET 37.5-325 MG	3	GC; QL (240 per 30 days)
ULTRAM ORAL TABLET 50 MG	3	GC; QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	1	GC; QL (180 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	1	GC; QL (180 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	1	GC; QL (240 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	2	GC; QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	2	GC; QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	2	GC; QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	1	GC; QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	1	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	2	GC; QL (60 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
ANAPROX DS ORAL TABLET 550 MG	3	GC
ARTHROTEC 50 ORAL TABLET,IR,DELAYED REL,BIPHASIC 50-200 MG-MCG	3	GC
ARTHROTEC 75 ORAL TABLET,IR,DELAYED REL,BIPHASIC 75-200 MG-MCG	3	GC
CAMBIA ORAL POWDER IN PACKET 50 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CELEBREX ORAL CAPSULE 100 MG, 200 MG, 400 MG, 50 MG	3	GC; QL (60 per 30 days)
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	GC; QL (60 per 30 days)
DAYPRO ORAL TABLET 600 MG	3	GC
<i>diclofenac potassium oral tablet 50 mg</i>	1	GC
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	GC
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	GC
<i>diclofenac sodium topical drops 1.5 %</i>	1	GC
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	GC
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	GC
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	GC
<i>diflunisal oral tablet 500 mg</i>	1	GC
EC-NAPROSYN ORAL TABLET,DELAYED RELEASE (DR/EC) 375 MG, 500 MG	3	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	GC
<i>etodolac oral tablet 500 mg</i>	1	GC
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	GC
FELDENE ORAL CAPSULE 10 MG, 20 MG	3	GC
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	GC
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	2	PA; GC
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
INDOCIN ORAL SUSPENSION 25 MG/5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INDOCIN RECTAL SUPPOSITORY 50 MG	2	GC; QL (120 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	1	GC; QL (60 per 30 days)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	1	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	1	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	1	GC; QL (20 per 30 days)
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	GC
<i>mefenamic acid oral capsule 250 mg</i>	1	GC
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	1	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
MOBIC ORAL TABLET 15 MG, 7.5 MG	3	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	GC
NALFON ORAL CAPSULE 400 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NALFON ORAL TABLET 600 MG	3	GC
NAPROSYN ORAL TABLET 500 MG	3	GC
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	1	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	GC
<i>naproxen sodium oral tablet 275 mg</i>	1	GC
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	GC
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	GC
PROFENO ORAL TABLET 600 MG	3	GC
SOLARAZE TOPICAL GEL 3 %	3	PA; GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	GC
<i>tolmetin oral capsule 400 mg</i>	1	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	GC
VOLTAREN TOPICAL GEL 1 %	3	GC
VOLTAREN-XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG	3	GC
Anesthetics		
Local Anesthetics		
ACCUCAINE KIT KIT 10 MG/ML (1 %)	1	GC
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	GC
<i>lidocaine (pf) injection solution 10 mg/ml (Xylocaine-MPF) (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (Xylocaine) (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	GC
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	GC
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	1	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine topical ointment 5 %</i>	1	GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	GC
LIDODERM TOPICAL ADHESIVE PATCH, MEDICATED 5 %	3	PA; GC
PLIAGLIS TOPICAL CREAM 7-7 %	3	GC
SYNERA TOPICAL PATCH, MEDICATED SELF-HEATING 70-70 MG	2	GC
XYLOCAINE INJECTION SOLUTION 10 MG/ML (1 %), 20 MG/ML (2 %), 5 MG/ML (0.5 %)	3	GC
XYLOCAINE-MPF 2% VIAL 25'S, SDV, LATEX-FREE 20 MG/ML (2 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 10 MG/ML (1 %)	3	GC
XYLOCAINE-MPF INJECTION SOLUTION 15 MG/ML (1.5 %)	2	GC
<i>xylocaine-mpf injection solution 20 mg/ml (2 %)</i>	3	GC
<i>xylocaine-mpf injection solution 5 mg/ml (0.5 %)</i>	2	GC
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	1	GC
BUNAVAIL BUCCAL FILM 2.1-0.3 MG	2	GC; QL (90 per 30 days)
BUNAVAIL BUCCAL FILM 4.2-0.7 MG, 6.3-1 MG	2	GC; QL (60 per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film (Suboxone) 8-2 mg</i>	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg	1	GC; QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet (Zyban) extended release 12 hr 150 mg	1	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	2	GC; QL (168 per 84 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	2	GC; QL (168 per 84 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	2	GC; QL (53 per 28 days)
disulfiram oral tablet 250 mg, 500 mg (Antabuse)	1	GC
EVZIO INJECTION AUTO- INJECTOR 2 MG/0.4 ML	2	GC; QL (1.6 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	2	GC; QL (228 per 14 days)
naloxone injection solution 0.4 mg/ml	1	GC
naloxone injection syringe 0.4 mg/ml, 1 mg/ml	1	GC
naltrexone oral tablet 50 mg	1	GC
NARCAN NASAL SPRAY,NON-AEROSOL 4 MG/ACTUATION	2	GC; QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	2	GC; QL (1008 per 90 days)
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML	2	GC; QL (240 per 180 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	2	GC; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	2	GC; QL (30 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 380 MG	2	GC
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	2	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	2	GC; QL (60 per 30 days)
ZYBAN ORAL TABLET EXTENDED RELEASE 12 HR 150 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	GC; QL (90 per 30 days)
<i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (150 per 30 days)
ATIVAN INJECTION SOLUTION 2 MG/ML, 4 MG/ML	3	GC; QL (2 per 30 days)
ATIVAN ORAL TABLET 0.5 MG, 1 MG, 2 MG	3	GC; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	GC; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	GC; QL (180 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	GC
DIASTAT RECTAL KIT 2.5 MG	3	GC
<i>diazepam injection solution 5 mg/ml</i>	1	GC; QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam injection syringe 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	GC; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg (Diastat AcuDial)</i>	1	GC
<i>diazepam rectal kit 2.5 mg (Diastat)</i>	1	GC
<i>estazolam oral tablet 1 mg</i>	1	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)
<i>estazolam oral tablet 2 mg</i>	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
<i>flurazepam oral capsule 15 mg</i>	1	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)
<i>flurazepam oral capsule 30 mg</i>	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
HALCION ORAL TABLET 0.25 MG	3	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)
KLONOPIN ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (90 per 30 days)
KLONOPIN ORAL TABLET 2 MG	3	GC; QL (300 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml (Ativan)</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml (Lorazepam Intensol)</i>	1	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; QL (150 per 30 days)
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>midazolam (pf) injection cartridge 2 mg/2 ml (1 mg/ml), 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam (pf) injection solution 1 mg/ml, 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam (pf) injection syringe 2 mg/2 ml (1 mg/ml), 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam injection solution 1 mg/ml, 5 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	1	GC; QL (10 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	2	PA NSO; GC; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	GC; QL (120 per 30 days)
RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG	3	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
RESTORIL ORAL CAPSULE 7.5 MG	3	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg (Restoril)</i>	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
<i>temazepam oral capsule 7.5 mg (Restoril)</i>	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
TRANXENE T-TAB ORAL TABLET 7.5 MG	3	GC; QL (360 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>triazolam oral tablet 0.25 mg (Halcion)</i>	1	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)
VALIUM ORAL TABLET 10 MG, 2 MG, 5 MG	3	GC; QL (120 per 30 days)
XANAX ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG	3	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 0.5 MG, 1 MG, 2 MG	3	GC; QL (120 per 30 days)
XANAX XR ORAL TABLET EXTENDED RELEASE 24 HR 3 MG	3	GC; QL (90 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	GC
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	2	PA BvD; GC
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	1	GC
TOBI INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML	3	PA BvD; GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	GC; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	PA BvD; GC
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	1	GC
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	GC
ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	1	GC
<i>bacitracin intramuscular recon soln 50,000 unit (BACiiM)</i>	1	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	GC
CLEOCIN HCL ORAL CAPSULE 150 MG, 300 MG, 75 MG	3	GC
CLEOCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 300 MG/50 ML, 600 MG/50 ML, 900 MG/50 ML	3	GC
CLEOCIN INJECTION SOLUTION 150 MG/ML	3	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl)</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	GC
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml (Cleocin Pediatric)</i>	1	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	GC
<i>clindamycin phosphate injection solution 150 mg/ml (Cleocin)</i>	1	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml (Cleocin)</i>	1	GC
<i>colistin (colistimethate na) injection recon soln 150 mg (Coly-Mycin M Parenteral)</i>	1	GC
COLY-MYCIN M PARENTERAL INJECTION RECON SOLN 150 MG	3	GC
CUBICIN INTRAVENOUS RECON SOLN 500 MG	3	GC
DALVANCE INTRAVENOUS SOLUTION 500 MG	2	GC
<i>daptomycin intravenous recon soln 350 mg</i>	1	GC
<i>daptomycin intravenous recon soln 500 mg (Cubicin)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	2	GC
FLAGYL ORAL CAPSULE 375 MG	3	GC
FLAGYL ORAL TABLET 250 MG, 500 MG	3	GC
FURADANTIN ORAL SUSPENSION 25 MG/5 ML	3	GC; QL (2400 per 30 days)
HIPREX ORAL TABLET 1 GRAM	3	GC
LINCOCIN INJECTION SOLUTION 300 MG/ML	3	GC
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	1	GC
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	GC
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	1	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	1	GC
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	GC
MACROBID ORAL CAPSULE 100 MG	3	GC; QL (60 per 30 days)
MACRODANTIN ORAL CAPSULE 100 MG, 25 MG, 50 MG	3	GC; QL (120 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	1	GC
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	1	GC
MONUROL ORAL PACKET 3 GRAM	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	1	GC; QL (60 per 30 days)
<i>nitrofurantoin oral suspension 25 mg/5 ml</i> (Furadantin)	1	GC; QL (2400 per 30 days)
ORBACTIV INTRAVENOUS RECON SOLN 400 MG	2	GC
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRIMSOL ORAL SOLUTION 50 MG/5 ML	2	GC
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	2	GC
SIVEXTRO ORAL TABLET 200 MG	2	GC
SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	2	GC
<i>trimethoprim oral tablet 100 mg</i>	1	GC
TRIMPEX ORAL SOLUTION 50 MG/5 ML	2	GC
VANCOCIN ORAL CAPSULE 125 MG, 250 MG	3	GC
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	GC
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	1	PA BvD; GC
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	1	GC
VIBATIV INTRAVENOUS RECON SOLN 750 MG	2	GC
XIFAXAN ORAL TABLET 200 MG	2	PA; GC; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	PA; GC
ZYVOX INTRAVENOUS PIGGYBACK 200 MG/100 ML, 600 MG/300 ML	3	GC
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	3	GC
ZYVOX ORAL TABLET 600 MG	3	GC
Cephalosporins		
AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM	2	GC
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	GC
<i>cefadroxil oral capsule 500 mg</i>	1	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
<i>cefadroxil oral tablet 1 gram</i>	1	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	GC
<i>cefdinir oral capsule 300 mg</i>	1	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	GC
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	1	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	GC
CEFOTAN INJECTION RECON SOLN 1 GRAM, 2 GRAM	3	GC
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	1	GC
<i>cefotaxime injection recon soln 10 gram, 2 gram (Claforan)</i>	1	GC
<i>cefotetan injection recon soln 1 gram, 2 gram (Cefotan)</i>	1	GC
<i>cefotetan intravenous recon soln 10 gram</i>	1	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	GC
<i>ceftazidime injection recon soln 1 gram (Fortaz)</i>	2	GC
<i>ceftazidime injection recon soln 2 gram, 6 gram (TAZICEF)</i>	1	GC
CEFTIN ORAL SUSPENSION FOR RECONSTITUTION 125 MG/5 ML, 250 MG/5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	GC
<i>cephalexin oral capsule 250 mg, 500 mg, (Keflex) 750 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	GC
CLAFORAN INJECTION RECON SOLN 10 GRAM, 2 GRAM	3	GC
FORTAZ INJECTION RECON SOLN 500 MG	2	GC
FORTAZ INTRAVENOUS RECON SOLN 2 GRAM	3	GC
KEFLEX ORAL CAPSULE 250 MG, 500 MG, 750 MG	3	GC
MAXIPIME 1 GM ADD-VANTAGE VL OUTER, LATEX-FREE 1 GRAM	3	GC
MAXIPIME INJECTION RECON SOLN 1 GRAM, 2 GRAM	3	GC
SUPRAX ORAL CAPSULE 400 MG	2	GC
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	2	GC
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	GC
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	2	GC
Macrolides		
<i>azithromycin intravenous recon soln 500 (Zithromax) mg</i>	1	GC
<i>azithromycin oral packet 1 gram (Zithromax)</i>	1	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	GC
DIFICID ORAL TABLET 200 MG	2	ST; GC; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i>	1	GC
<i>ery-tab oral tablet, delayed release (dr/lec) 250 mg, 500 mg</i>	2	GC
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	2	GC
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	GC
ERYTHROCIN INTRAVENOUS RECON SOLN 1,000 MG	2	PA BvD; GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	1	GC
<i>erythromycin ethylsuccinate oral tablet (E.E.S. 400) 400 mg</i>	1	GC
<i>erythromycin oral capsule, delayed release(dr/lec) 250 mg</i>	1	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	GC
PCE ORAL TABLET, PARTICLES/CRYSTALS 333 MG, 500 MG	2	GC
ZITHROMAX INTRAVENOUS RECON SOLN 500 MG	3	GC
ZITHROMAX ORAL PACKET 1 GRAM	3	GC
ZITHROMAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML	3	GC
ZITHROMAX ORAL TABLET 250 MG, 500 MG, 600 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZITHROMAX TRI-PAK ORAL TABLET 500 MG	3	GC
ZITHROMAX Z-PAK ORAL TABLET 250 MG	3	GC
ZMAX ORAL SUSPENSION,EXTENDED REL RECON 2 GRAM/60 ML	2	GC
Miscellaneous B-Lactam Antibiotics		
AZACTAM INJECTION RECON SOLN 1 GRAM	3	GC
AZACTAM INJECTION RECON SOLN 2 GRAM	2	PA BvD; GC
AZACTAM-ISO-OSMOT 1 GM/50 ML 24'S,SINGLE USE 1 GRAM/50 ML	3	GC
<i>aztreonam injection recon soln 1 gram, 2 (Azactam)</i> <i>gram</i>	1	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	GC
<i>doripenem intravenous recon soln 250</i> <i>mg, 500 mg</i>	1	GC
<i>ertapenem injection recon soln 1 gram (Invanz)</i>	1	PA BvD; GC
<i>imipenem-cilastatin intravenous recon</i> <i>soln 250 mg</i>	1	GC
<i>imipenem-cilastatin intravenous recon (Primaxin IV)</i> <i>soln 500 mg</i>	1	GC
INVANZ INJECTION RECON SOLN 1 GRAM	2	GC
<i>meropenem intravenous recon soln 1 (Merrem)</i> <i>gram, 500 mg</i>	1	GC
MERREM INTRAVENOUS RECON SOLN 1 GRAM, 500 MG	3	GC
PRIMAXIN IV INTRAVENOUS RECON SOLN 500 MG	3	GC
VABOMERE INTRAVENOUS RECON SOLN 2 GRAM	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	GC
<i>ampicillin-sulbactam injection recon soln 15 gram, 3 gram</i>	1	GC
AUGMENTIN ES-600 ORAL SUSPENSION FOR RECONSTITUTION 600-42.9 MG/5 ML	3	GC
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	2	GC
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 250-62.5 MG/5 ML	3	GC
AUGMENTIN ORAL TABLET 500-125 MG, 875-125 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AUGMENTIN XR ORAL TABLET EXTENDED RELEASE 12 HR 1,000- 62.5 MG	3	GC
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	GC
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	GC
MOXATAG ORAL TABLET, ER MULTIPHASE 24 HR 775 MG	3	GC
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>	1	GC
<i>nafcillin injection recon soln 1 gram</i>	1	GC
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	GC
<i>nafcillin intravenous recon soln 2 gram</i>	1	GC
<i>oxacillin 1 gm add-vantage vl add- vantage, inner 1 gram</i>	1	GC
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	1	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	GC
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	1	GC
<i>penicillin g potassium injection recon soln (Pfizerpen-G) 20 million unit</i>	1	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	GC
<i>penicillin g sodium injection recon soln 5 million unit</i>	1	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>p</i> fizerpen-g injection recon soln 20 million unit	1	GC
<i>p</i> pacerillin-tazobactam intravenous (Zosyn) recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	1	GC
UNASYN INJECTION RECON SOLN 1.5 GRAM, 15 GRAM, 3 GRAM	3	GC
ZOSYN 2.25 GRAM VIAL P/F,LTX-FR,INNER,SUV 2.25 GRAM	2	GC
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML	2	GC
ZOSYN INTRAVENOUS RECON SOLN 40.5 GRAM	3	GC
Quinolones		
AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML	3	GC
AVELOX ORAL TABLET 400 MG	3	GC
BAXDELA INTRAVENOUS RECON SOLN 300 MG	2	GC
BAXDELA ORAL TABLET 450 MG	2	PA; GC; QL (28 per 14 days)
CIPRO IN D5W INTRAVENOUS PIGGYBACK 400 MG/200 ML	3	GC
CIPRO ORAL SUSPENSION,MICROCAPSULE RECON 250 MG/5 ML, 500 MG/5 ML	3	GC
CIPRO ORAL TABLET 250 MG, 500 MG	3	GC
CIPRO XR ORAL TABLET, ER MULTIPHASE 24 HR 1,000 MG, 500 MG	3	GC
<i>ciprofloxacin (mixture) oral tablet, er (Cipro XR) multiphase 24 hr 1,000 mg, 500 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous (Cipro in D5W) piggyback 400 mg/200 ml</i>	1	GC
<i>ciprofloxacin oral (Cipro) suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	1	GC
LEVAQUIN ORAL TABLET 250 MG, 500 MG, 750 MG	3	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	GC
<i>levofloxacin oral tablet 250 mg</i>	1	GC
<i>levofloxacin oral tablet 500 mg, 750 mg (Levaquin)</i>	1	GC
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	1	GC
<i>moxifloxacin in nacl (iso-osm) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	GC
<i>moxifloxacin oral tablet 400 mg</i> (Avelox)	1	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	GC
Sulfonamides		
BACTRIM DS ORAL TABLET 800-160 MG	3	GC
BACTRIM ORAL TABLET 400-80 MG	3	GC
<i>sulfadiazine oral tablet 500 mg</i>	1	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	GC
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxy-100 intravenous recon soln 100 mg</i>	1	GC
<i>doxycycline hyclate intravenous recon (Doxy-100) soln 100 mg</i>	1	GC
<i>doxycycline hyclate oral capsule 100 mg, (Morgidox) 50 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 150 mg, (Acticlate) 75 mg</i>	1	GC
<i>doxycycline hyclate oral tablet 50 mg (Targadox)</i>	1	GC
<i>doxycycline hyclate oral tablet,delayed release (drlec) 100 mg, 75 mg</i>	1	GC
<i>doxycycline hyclate oral tablet,delayed release (drlec) 150 mg</i>	1	GC
<i>doxycycline hyclate oral tablet,delayed release (drlec) 200 mg, 50 mg</i>	1	GC
<i>doxycycline monohydrate oral capsule (Mondoxyne NL) 100 mg, 50 mg, 75 mg</i>	1	GC
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	GC
<i>doxycycline monohydrate oral capsule,ir - delay rel,biphase 40 mg</i>	1	GC
<i>doxycycline monohydrate oral suspension (Vibramycin) for reconstitution 25 mg/5 ml</i>	1	GC
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	1	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	GC
MINOCIN ORAL CAPSULE 100 MG, 50 MG, 75 MG	3	GC
<i>minocycline oral capsule 100 mg, 75 mg</i>	1	GC
<i>minocycline oral capsule 50 mg (Minocin)</i>	1	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	GC
<i>minocycline oral tablet extended release (Solodyn) 24 hr 115 mg, 55 mg, 65 mg</i>	1	GC
<i>minocycline oral tablet extended release (CoreMino) 24 hr 135 mg, 45 mg, 90 mg</i>	1	GC
<i>okebo oral capsule 100 mg, 75 mg</i>	1	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	GC
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYGACIL INTRAVENOUS RECON SOLN 50 MG	3	GC
VIBRAMYCIN ORAL SUSPENSION FOR RECONSTITUTION 25 MG/5 ML	3	GC
VIBRAMYCIN ORAL SYRUP 50 MG/5 ML	2	GC
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	1	PA NSO; GC; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	GC
<i>adriamycin intravenous recon soln 10 mg, 50 mg</i>	1	PA BvD; GC
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	2	PA NSO; GC; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	2	PA NSO; GC; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	2	PA NSO; GC; QL (28 per 28 days)
ALECensa ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	2	GC
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	2	PA NSO; GC; QL (3 per 28 days)
ALKERAN (AS HCL) INTRAVENOUS RECON SOLN 50 MG	3	GC
ALUNBRIG ORAL TABLET 180 MG, 90 MG	2	PA NSO; GC; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	2	PA NSO; GC; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
ARIMIDEX ORAL TABLET 1 MG	3	GC
AROMASIN ORAL TABLET 25 MG	3	GC
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	2	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	PA BvD; GC
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	2	PA NSO; GC
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	GC
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	2	PA NSO; GC
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	2	PA NSO; GC
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; GC; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	GC
BICNU INTRAVENOUS RECON SOLN 100 MG	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	2	PA NSO; GC; QL (140 per 365 days)
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; GC
BOSULIF ORAL TABLET 100 MG	2	PA NSO; GC; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	2	PA NSO; GC; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRAFTOVI ORAL CAPSULE 75 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	GC
BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML	3	GC
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	PA NSO; GC; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	2	PA NSO; GC; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML	3	GC
CAPRELSA ORAL TABLET 100 MG	2	PA NSO; GC; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	1	GC
<i>carmustine intravenous recon soln 100 mg</i> (BiCNU)	1	GC
CASODEX ORAL TABLET 50 MG	3	GC
<i>cisplatin intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	1	GC
CLOLAR INTRAVENOUS SOLUTION 20 MG/20 ML	3	GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	2	PA NSO; GC; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	PA NSO; GC; QL (56 per 28 days)
COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG	3	GC
COTELLIC ORAL TABLET 20 MG	2	PA NSO; GC; LA; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD; GC
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD; GC
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	GC
DACOGEN INTRAVENOUS RECON SOLN 50 MG	3	GC
<i>dactinomycin intravenous recon soln 0.5 mg</i> (Cosmegen)	1	GC
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	2	PA NSO; GC; LA
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	PA NSO; GC
<i>daunorubicin 50 mg/10 ml vial latex-free,p/f,svd 5 mg/ml</i>	1	PA BvD; GC
<i>daunorubicin intravenous recon soln 20 mg</i>	1	PA BvD; GC
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	GC
DAURISMO ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	1	GC
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	2	GC
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	1	GC
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	1	GC
DOXIL INTRAVENOUS SUSPENSION 2 MG/ML	3	PA BvD; GC
<i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> (Adriamycin)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	PA BvD; GC
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	GC
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	PA NSO; GC
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	PA NSO; GC
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	PA NSO; GC
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	PA NSO; GC
ELLENCE INTRAVENOUS SOLUTION 200 MG/100 ML, 50 MG/25 ML	3	GC
EMCYT ORAL CAPSULE 140 MG	2	GC
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	2	PA NSO; GC
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	1	GC
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> (Ellence)	1	GC
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	PA NSO; GC
ERIVEDGE ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	2	PA NSO; GC; QL (120 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	2	PA BvD; GC; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	GC
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	GC
EVOMELA INTRAVENOUS RECON SOLN 50 MG	3	GC
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	GC
FARESTON ORAL TABLET 60 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	PA NSO; GC
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	2	GC
FEMARA ORAL TABLET 2.5 MG	3	GC
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	2	GC
<i>flouxuridine injection recon soln 0.5 gram</i>	1	PA BvD; GC
<i>fludarabine intravenous recon soln 50 mg</i>	1	GC
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	GC
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	1	PA BvD; GC
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	1	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	1	GC
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	2	PA NSO; GC
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	2	PA NSO; GC
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	GC
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	GC
GEMZAR INTRAVENOUS RECON SOLN 1 GRAM, 200 MG	3	GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	PA NSO; GC; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG	3	PA NSO; GC; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG	3	PA NSO; GC; QL (60 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	3	GC
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	2	PA NSO; GC
HEXALEN ORAL CAPSULE 50 MG	2	GC
HYCAMTIN INTRAVENOUS RECON SOLN 4 MG	3	GC
HYDREA ORAL CAPSULE 500 MG	3	GC
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	PA NSO; GC; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	2	PA NSO; GC; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	2	PA NSO; GC; QL (30 per 30 days)
IDAMYCIN PFS INTRAVENOUS SOLUTION 1 MG/ML	3	GC
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	GC
IDHIFA ORAL TABLET 100 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
IFEX INTRAVENOUS RECON SOLN 1 GRAM, 3 GRAM	3	PA BvD; GC
<i>ifosfamide intravenous recon soln 1 gram,</i> (Ifex) <i>3 gram</i>	1	PA BvD; GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD; GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; GC; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	PA NSO; GC
IMBRUVICA ORAL CAPSULE 70 MG	2	GC
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	2	GC
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	PA NSO; GC; QL (4 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	2	PA NSO; GC; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	2	PA NSO; GC; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	2	PA NSO; GC; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	1	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	GC
ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML	3	PA NSO; GC
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	2	GC
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	2	GC
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	2	PA NSO; GC
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	PA NSO; GC; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	PA NSO; GC; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	PA NSO; GC; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	PA NSO; GC; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	2	PA NSO; GC; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	2	PA NSO; GC
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	2	PA NSO; GC
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	PA NSO; GC
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	2	GC
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	PA NSO; GC
LIBTAYO INTRAVENOUS SOLUTION 350 MG/7 ML (50 MG/ML)	2	PA NSO; GC; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	2	PA NSO; GC; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	2	PA NSO; GC; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	2	PA NSO; GC; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	2	PA NSO; GC; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	2	PA NSO; GC
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	PA NSO; GC
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	PA NSO; GC
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYNPARZA ORAL CAPSULE 50 MG	2	PA NSO; GC; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	GC
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	2	PA BvD; GC; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	2	GC
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	2	PA NSO; GC; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	2	PA NSO; GC; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	2	PA NSO; GC; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran (as HCl))	1	GC
<i>mercaptopurine oral tablet 50 mg</i>	1	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST; GC
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> (Mutamycin)	1	PA BvD; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	GC
MUSTARGEN INJECTION RECON SOLN 10 MG	2	GC
<i>mutamycin intravenous recon soln 20 mg, 40 mg, 5 mg</i>	1	PA BvD; GC
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	2	PA NSO; GC
NERLYNX ORAL TABLET 40 MG	2	PA NSO; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEXAVAR ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
NILANDRON ORAL TABLET 150 MG <i>nilutamide oral tablet 150 mg</i> (Nilandron)	3 1	GC GC
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	2	GC
ODOMZO ORAL CAPSULE 200 MG	2	PA NSO; GC
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	2	PA NSO; GC
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	2	PA BvD; GC
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	PA NSO; GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	GC
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	2	PA NSO; GC
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	PA NSO; GC; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	2	PA NSO; GC; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	2	PA NSO; GC
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	2	GC
PURIXAN ORAL SUSPENSION 20 MG/ML	2	GC
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	PA NSO; GC
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	2	PA NSO; GC
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	1	PA NSO; GC
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	PA NSO; GC; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	2	PA NSO; GC; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	2	GC
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	PA NSO; GC; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	2	PA NSO; GC; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	2	PA NSO; GC; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	PA NSO; GC; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	2	PA NSO; GC
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	PA NSO; GC; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	2	GC
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	PA NSO; GC; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	PA NSO; GC; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	2	PA NSO; GC; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	2	PA NSO; GC; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	GC
TARCEVA ORAL TABLET 100 MG, 25 MG	2	PA NSO; GC; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	2	PA NSO; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TARGRETIN ORAL CAPSULE 75 MG	3	PA NSO; GC; QL (420 per 30 days)
TARGRETIN TOPICAL GEL 1 %	2	PA NSO; GC; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	PA NSO; GC; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	2	PA NSO; GC
TAXOTERE INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 80 MG/4 ML (20 MG/ML)	3	GC
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	2	PA NSO; GC; QL (20 per 21 days)
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	1	PA BdV; GC; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i>	1	GC
TIBSOVO ORAL TABLET 250 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	GC
<i>topotecan intravenous recon soln 4 mg</i>	1	GC
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	GC
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	2	PA BdV; GC; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	2	GC
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	2	GC; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	2	GC
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	1	GC
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	2	GC
TYKERB ORAL TABLET 250 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	2	PA NSO; GC
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	2	GC
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	2	PA NSO; GC
VELCADE INJECTION RECON SOLN 3.5 MG	2	PA NSO; GC
VENCLEXTA ORAL TABLET 10 MG	2	PA NSO; GC; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	PA NSO; GC; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	2	PA NSO; GC; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	2	PA NSO; GC; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (56 per 28 days)
VIDAZA INJECTION RECON SOLN 100 MG	3	GC
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD; GC
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml (Vincasar PFS)</i>	1	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml (Navelbine)</i>	1	GC
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	PA NSO; GC; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	2	PA NSO; GC; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	2	PA BvD; GC
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	PA NSO; GC; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	2	PA BvD; ST; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
XOSPATA ORAL TABLET 40 MG	2	PA NSO; GC; QL (90 per 30 days)	
XTANDI ORAL CAPSULE 40 MG	2	PA NSO; GC; QL (120 per 30 days)	
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	PA NSO; GC	
YONDELIS INTRAVENOUS RECON SOLN 1 MG	2	PA NSO; GC	
YONSA ORAL TABLET 125 MG	2	PA NSO; GC	
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	2	PA NSO; GC	
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	2	GC	
ZEJULA ORAL CAPSULE 100 MG	2	PA NSO; GC; QL (90 per 30 days)	
ZELBORAF ORAL TABLET 240 MG	2	PA NSO; GC; QL (240 per 30 days)	
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	2	GC; QL (1 per 84 days)	
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	2	GC; QL (1 per 28 days)	
ZOLINZA ORAL CAPSULE 100 MG	2	GC	
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	PA NSO; GC; QL (60 per 30 days)	
ZYKADIA ORAL CAPSULE 150 MG	2	PA NSO; GC; QL (90 per 30 days)	
ZYTIGA ORAL TABLET 250 MG, 500 MG	2	PA NSO; GC; QL (120 per 30 days)	
Anticholinergic Agents			
Antimuscarinics/Antispasmodics			
atropine injection syringe 0.05 mg/ml, 0.1 mg/ml	1	GC	
chlordiazepoxide-clidinium oral capsule 5-2.5 mg	(Librax (with clidinium))	1	GC
LIBRAX (WITH CLIDINIUM) ORAL CAPSULE 5-2.5 MG		3	GC
propantheline oral tablet 15 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	2	GC
BANZEL ORAL SUSPENSION 40 MG/ML	2	GC
BANZEL ORAL TABLET 200 MG, 400 MG	2	GC
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	GC; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	GC; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	GC; QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	1	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	GC
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	1	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	GC
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	3	GC
CELONTIN ORAL CAPSULE 300 MG	2	GC
CEREBYX INJECTION SOLUTION 100 MG PE/2 ML, 500 MG PE/10 ML	3	GC
DEPACON INTRAVENOUS SOLUTION 500 MG/5 ML (100 MG/ML)	3	GC
DEPAKENE ORAL CAPSULE 250 MG	3	GC
DEPAKENE ORAL SOLUTION 250 MG/5 ML	3	GC
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
DEPAKOTE ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	3	GC	
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	3	GC	
DILANTIN EXTENDED ORAL CAPSULE 100 MG	3	GC	
DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG	3	GC	
DILANTIN ORAL CAPSULE 30 MG	2	GC	
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	3	GC	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	1	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	1	GC
<i>divalproex oral tablet,delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	PA NSO; GC	
<i>epitol oral tablet 200 mg</i>		1	GC
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	2	GC	
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	1	GC
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	1	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	1	GC
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	1	GC
FELBATOL ORAL SUSPENSION 600 MG/5 ML	3	GC	
FELBATOL ORAL TABLET 400 MG, 600 MG	3	GC	
<i>fosphénytoïne injection solution 100 mg pel/2 ml, 500 mg pel/10 ml</i>	(Cerebyx)	1	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	GC	
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	GC	
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	(Neurontin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	GC
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	1	GC
GABITRIL ORAL TABLET 12 MG, 16 MG	2	GC
GABITRIL ORAL TABLET 2 MG, 4 MG	3	GC
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	2	PA; GC; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	2	PA; GC; QL (90 per 30 days)
KEPPRA INTRAVENOUS SOLUTION 500 MG/5 ML	3	GC
KEPPRA ORAL SOLUTION 100 MG/ML	3	GC
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG	3	GC
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC
LAMICTAL ODT ORAL TABLET,DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG	3	GC
LAMICTAL ODT STARTER (BLUE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG (21) -50 MG (7)	3	GC
LAMICTAL ODT STARTER (GREEN) ORAL TABLET DISINTEGRATING, DOSE PK 50 MG (42) -100 MG (14)	3	GC
LAMICTAL ODT STARTER (ORANGE) ORAL TABLET DISINTEGRATING, DOSE PK 25 MG(14)-50 MG (14)-100 MG (7)	3	GC
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG	3	GC
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35)	3	GC
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14)	3	GC
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7)	3	GC
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG	3	GC
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	2	GC
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	2	GC
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	2	GC
lamotrigine oral tablet 100 mg, 150 mg, (Lamictal) 200 mg, 25 mg	1	GC
lamotrigine oral tablet disintegrating, (Lamictal ODT Starter dose pk 25 mg (21) -50 mg (7) (Blue))	1	GC
lamotrigine oral tablet disintegrating, (Lamictal ODT Starter dose pk 25 mg(14)-50 mg (14)-100 mg (Orange)) (7)	1	GC
lamotrigine oral tablet disintegrating, (Lamictal ODT Starter dose pk 50 mg (42) -100 mg (14) (Green))	1	GC
lamotrigine oral tablet extended release (Lamictal XR) 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg	1	GC
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)	1	GC
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lamotrigine oral tablets, dose pack 25 mg (35)</i>	(Lamictal Starter (Blue) Kit)	1	GC
<i>lamotrigine oral tablets, dose pack 25 mg (42) -100 mg (7)</i>	(Lamictal Starter (Orange) Kit)	1	GC
<i>lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14)</i>	(Lamictal Starter (Green) Kit)	1	GC
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>		1	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	1	GC
<i>levetiracetam oral solution 100 mg/ml</i>	(Keppra)	1	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	(Keppra)	1	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	(Keppra XR)	1	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG		2	GC; QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML		2	GC; QL (900 per 30 days)
MYSOLINE ORAL TABLET 250 MG, 50 MG		3	GC
NEURONTIN ORAL CAPSULE 100 MG, 300 MG, 400 MG		3	GC
NEURONTIN ORAL SOLUTION 250 MG/5 ML		3	GC
NEURONTIN ORAL TABLET 600 MG, 800 MG		3	GC
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	(Trileptal)	1	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	(Trileptal)	1	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG		2	GC
PEGANONE ORAL TABLET 250 MG		2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	GC
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	3	GC
<i>phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>	1	GC
<i>phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>	1	GC
<i>phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)</i>	1	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)</i>	1	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	GC
<i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>	1	GC
QUDEXY XR ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 150 MG, 200 MG, 25 MG, 50 MG	3	GC
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	3	GC
ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	3	GC
SABRIL ORAL POWDER IN PACKET 500 MG	3	GC
SABRIL ORAL TABLET 500 MG	2	GC
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	GC; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	GC; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i>	1	GC
<i>subvenite starter (green) kit oral tablets, dose pack 25 mg (84) -100 mg (14)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) -100 mg (7)</i>	1	GC
TEGRETOL ORAL SUSPENSION 100 MG/5 ML	3	GC
TEGRETOL ORAL TABLET 200 MG	3	GC
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG	3	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, (Gabitril) 4 mg</i>	1	GC
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG	3	GC
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	3	GC
<i>topiramate oral capsule, sprinkle 15 mg, (Topamax) 25 mg</i>	1	GC
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML)	3	GC
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG	3	GC
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 25 MG, 50 MG	2	GC
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG	2	GC; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	GC
<i>valproic acid oral capsule 250 mg</i>	1	GC
<i>vigabatrin oral powder in packet 500 mg</i>	1	GC
<i>vigadronate oral powder in packet 500 mg</i>	1	GC
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	2	GC; QL (200 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL SOLUTION 10 MG/ML	2	GC; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	GC; QL (60 per 30 days)
ZARONTIN ORAL CAPSULE 250 MG	3	GC
ZARONTIN ORAL SOLUTION 250 MG/5 ML	3	GC
ZONEGRAN ORAL CAPSULE 100 MG, 25 MG	3	GC
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	GC
<i>zonisamide oral capsule 50 mg</i>	1	GC
Antidementia Agents		
Antidementia Agents		
ARICEPT ORAL TABLET 10 MG, 23 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
EXELON TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HR, 9.5 MG/24 HR	3	GC; QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	1	GC; QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	GC; QL (60 per 30 days)
<i>memantine oral tablets,dose pack 5-10 mg</i> (Namenda Titration Pak)	1	GC; QL (49 per 28 days)
NAMENDA ORAL TABLET 10 MG, 5 MG	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7-14-21-28 MG	2	GC; QL (28 per 28 days)
NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR 14 MG, 21 MG, 28 MG, 7 MG	3	GC; QL (30 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	GC; QL (56 per 365 days)
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	GC; QL (30 per 30 days)
RAZADYNE ER ORAL CAPSULE,EXT REL. PELLETS 24 HR 16 MG, 24 MG, 8 MG	3	GC; QL (30 per 30 days)
RAZADYNE ORAL TABLET 12 MG, 4 MG, 8 MG	3	GC; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour (Exelon) 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	1	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	GC
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG	3	GC
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	2	ST; GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	GC
<i>bupropion hcl oral tablet extended release (Wellbutrin XL) 24 hr 150 mg, 300 mg</i>	1	GC
<i>bupropion hcl oral tablet extended release (Forfivo XL) 24 hr 450 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	(Wellbutrin SR)	1	GC
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG		3	GC; QL (30 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>		1	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	(Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	(Anafranil)	1	GC
CYMBALTA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG, 60 MG		3	GC; QL (60 per 30 days)
CYMBALTA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 30 MG		3	GC; QL (30 per 30 days)
<i>desipramine oral tablet 10 mg, 25 mg</i>	(Norpramin)	1	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		1	GC
DESVENLAFAKINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG		2	GC
DESVENLAFAKINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG		2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	1	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		1	GC
<i>doxepin oral concentrate 10 mg/ml</i>		1	GC
<i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 60 mg</i>	(Cymbalta)	1	GC; QL (60 per 30 days)
<i>duloxetine oral capsule,delayed release(dr/ec) 30 mg</i>	(Cymbalta)	1	GC; QL (30 per 30 days)
<i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>		1	GC; QL (30 per 30 days)
EFFEXOR XR ORAL CAPSULE,EXTENDED RELEASE 24HR 150 MG, 37.5 MG, 75 MG		3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	GC; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	GC
<i>escitalopram oxalate oral tablet 10 mg, (Lexapro) 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	ST; GC; QL (56 per 365 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 (Prozac) mg</i>	1	GC
<i>fluoxetine oral capsule,delayed release(dr/lec) 90 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	GC
<i>fluoxetine oral tablet 10 mg, 20 mg (Sarafem)</i>	1	GC
FLUOXETINE ORAL TABLET 60 MG	2	GC
<i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i>	1	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, (Tofranil) 50 mg</i>	1	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	GC
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	3	GC
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG	3	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
MARPLAN ORAL TABLET 10 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>mirtazapine oral tablet 15 mg, 30 mg</i>	(Remeron)	1	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>		1	GC
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	(Remeron SolTab)	1	GC
NARDIL ORAL TABLET 15 MG		3	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>		1	GC
NORPRAMIN ORAL TABLET 10 MG, 25 MG		3	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	(Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>		1	GC
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>		1	GC
<i>olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i>	(Symbax)	1	GC
PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG		3	GC
PARNATE ORAL TABLET 10 MG		3	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	(Paxil)	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	(Paxil CR)	1	GC
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG		3	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML		2	GC
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG		3	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>		1	GC
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG		2	GC
<i>phenelzine oral tablet 15 mg</i>	(Nardil)	1	GC
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 25 MG, 50 MG		3	ST; GC; QL (30 per 30 days)
<i>protriptyline oral tablet 10 mg, 5 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG	3	GC
REMERON ORAL TABLET 15 MG, 30 MG, 45 MG	3	GC
REMERON SOLTAB ORAL TABLET,DISINTEGRATING 15 MG, 30 MG, 45 MG	3	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG	3	GC
SYMBYAX ORAL CAPSULE 12-25 MG, 12-50 MG, 3-25 MG, 6-25 MG, 6- 50 MG	3	GC
TOFRANIL ORAL TABLET 10 MG, 25 MG, 50 MG	3	GC
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Surmontil)	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release</i> (Effexor XR) 24hr 150 mg	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release</i> (Effexor XR) 24hr 37.5 mg, 75 mg	1	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	GC
<i>venlafaxine oral tablet extended release</i> 24hr 150 mg, 225 mg, 37.5 mg, 75 mg	1	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	2	ST; GC; QL (30 per 180 days)
WELLBUTRIN SR ORAL TABLET SUSTAINED-RELEASE 12 HR 100 MG, 150 MG, 200 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	3	GC
ZOLOFT ORAL CONCENTRATE 20 MG/ML	3	GC
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)	1	GC; QL (90 per 30 days)
ACTOPLUS MET ORAL TABLET 15-500 MG, 15-850 MG	3	GC; QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG, 30-1,000 MG	2	GC; QL (60 per 30 days)
ACTOS ORAL TABLET 15 MG, 30 MG, 45 MG	3	GC; QL (30 per 30 days)
ADLYXIN SUBCUTANEOUS PEN INJECTOR 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML	2	ST; GC; QL (6 per 28 days)
alogliptin oral tablet 12.5 mg, 25 mg, 6.25 mg (Nesina)	2	GC; QL (30 per 30 days)
alogliptin-metformin oral tablet 12.5- 1,000 mg, 12.5-500 mg (Kazano)	2	GC; QL (60 per 30 days)
alogliptin-pioglitazone oral tablet 12.5-15 mg, 12.5-30 mg, 12.5-45 mg, 25-15 mg, 25-30 mg, 25-45 mg (Oseni)	2	GC; QL (30 per 30 days)
AVANDAMET ORAL TABLET 2- 1,000 MG	2	GC; QL (60 per 30 days)
AVANDIA ORAL TABLET 2 MG, 4 MG	2	GC; QL (60 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO- INJECTOR 2 MG/0.85 ML	2	ST; GC; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	2	ST; GC; QL (4 per 28 days)
BYDUREON SUBCUTANEOUS SUSPENSION, EXTENDED REL RECON 2 MG	2	ST; GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	2	ST; GC; QL (2.4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	2	ST; GC; QL (1.2 per 28 days)
CYCLOSET ORAL TABLET 0.8 MG	2	GC; QL (180 per 30 days)
DUETACT ORAL TABLET 30-2 MG, 30-4 MG	3	GC; QL (30 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	2	GC; QL (30 per 30 days)
FORTAMET ORAL TABLET EXTENDED RELEASE 24HR 1,000 MG	3	GC; QL (60 per 30 days)
FORTAMET ORAL TABLET EXTENDED RELEASE 24HR 500 MG	3	GC; QL (150 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	GC
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	2	GC
GLUCOPHAGE ORAL TABLET 1,000 MG	3	GC; QL (75 per 30 days)
GLUCOPHAGE ORAL TABLET 500 MG	3	GC; QL (150 per 30 days)
GLUCOPHAGE ORAL TABLET 850 MG	3	GC; QL (90 per 30 days)
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG	3	GC; QL (120 per 30 days)
GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 750 MG	3	GC; QL (60 per 30 days)
GLYSET ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC; QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	GC; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150- 1,000 MG, 150-500 MG, 50-1,000 MG	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVOKAMET ORAL TABLET 50-500 MG	2	GC; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	2	GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	2	GC; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	GC; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	GC; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	GC; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	GC; QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	3	GC; QL (60 per 30 days)
KOMBIGLYZE XR ORAL TABLET, ER MULTIPHASE 24 HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	2	PA; GC; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>metformin oral tablet 850 mg</i>	(Glucophage)	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	(Glucophage XR)	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	(Glucophage XR)	1	GC; QL (60 per 30 days)
<i>metformin oral tablet extended release 24hr 1,000 mg</i>	(Fortamet)	1	GC; QL (60 per 30 days)
<i>metformin oral tablet extended release 24hr 500 mg</i>	(Fortamet)	1	GC; QL (150 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	(Glyset)	1	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	(Starlix)	1	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG		3	GC; QL (30 per 30 days)
ONGLYZA ORAL TABLET 2.5 MG, 5 MG		2	GC; QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG		3	GC; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)		2	GC; QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/0.75 ML (2 MG/1.5 ML)		2	GC; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	(Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	(DUETACT)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i>	(Actoplus MET)	1	GC; QL (90 per 30 days)
PRECOSE ORAL TABLET 100 MG, 25 MG, 50 MG		3	GC; QL (90 per 30 days)
QTERN ORAL TABLET 10-5 MG		2	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>		1	GC; QL (240 per 30 days)
<i>repaglinide oral tablet 1 mg, 2 mg</i>	(Prandin)	1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
repaglinide-metformin oral tablet 1-500 mg, 2-500 mg	1	GC; QL (150 per 30 days)
RIOMET ORAL SOLUTION 500 MG/5 ML	2	GC; QL (765 per 30 days)
SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG	2	GC; QL (60 per 30 days)
SEGLUROMET ORAL TABLET 2.5-500 MG	2	GC; QL (90 per 30 days)
STARLIX ORAL TABLET 120 MG, 60 MG	3	GC; QL (90 per 30 days)
STEGLATRO ORAL TABLET 15 MG	2	GC; QL (30 per 30 days)
STEGLATRO ORAL TABLET 5 MG	2	GC; QL (60 per 30 days)
STEGLUJAN ORAL TABLET 15-100 MG, 5-100 MG	2	GC; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; GC; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; GC; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	GC; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	GC; QL (60 per 30 days)
TANZEUM SUBCUTANEOUS PEN INJECTOR 30 MG/0.5 ML, 50 MG/0.5 ML	2	ST; GC; QL (4 per 28 days)
TRADJENTA ORAL TABLET 5 MG	2	GC; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	2	ST; GC; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	ST; GC; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	2	GC; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	2	GC; QL (60 per 30 days)
Insulins		
ADMELOG SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
ADMELOG U-100 INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 4 UNIT, 4 UNIT (30)/ 8 UNIT (60), 4 UNIT (60)/ 8 UNIT (30), 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT, 8 UNIT (60)/ 12 UNIT (30)	2	PA; GC
APIDRA SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
APIDRA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
BASAGLAR KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	2	GC; QL (40 per 28 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	2	GC; QL (30 per 28 days)
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	2	GC; QL (40 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	GC; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	GC; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	GC; QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	GC; QL (18 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	GC; QL (15 per 28 days)
Sulfonylureas		
AMARYL ORAL TABLET 1 MG, 2 MG	3	GC; QL (30 per 30 days)
AMARYL ORAL TABLET 4 MG	3	GC; QL (60 per 30 days)
<i>chlorpropamide oral tablet 100 mg, 250 mg</i>	1	GC
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 10 MG	3	GC; QL (120 per 30 days)
GLUCOTROL ORAL TABLET 5 MG	3	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG	3	GC; QL (60 per 30 days)
GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG, 5 MG	3	GC; QL (30 per 30 days)
GLUCOVANCE ORAL TABLET 2.5-500 MG, 5-500 MG	3	GC
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
GLYNASE ORAL TABLET 1.5 MG, 3 MG, 6 MG	3	GC
<i>tolazamide oral tablet 250 mg</i>	1	GC; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	1	GC; QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	GC; QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	PA BvD; GC
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD; GC
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD; GC
ANCOBON ORAL CAPSULE 250 MG, 500 MG	3	GC
CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG	3	GC
<i>caspofungin intravenous recon soln 50 mg (Cancidas)</i>	1	GC
<i>ciclopirox topical cream 0.77% (Ciclodian)</i>	1	GC
<i>ciclopirox topical gel 0.77%</i>	1	GC
<i>ciclopirox topical shampoo 1% (Loprox)</i>	1	GC
<i>ciclopirox topical solution 8% (Cyclodian)</i>	1	GC
<i>ciclopirox topical suspension 0.77% (Loprox (as olamine))</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>clotrimazole mucous membrane troche 10 mg</i>		1	GC
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	GC
<i>clotrimazole topical solution 1 %</i>		1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	(Lotrisone)	1	GC
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		1	GC
CRESEMBA INTRAVENOUS RECON SOLN 372 MG		2	GC
CRESEMBA ORAL CAPSULE 186 MG		2	GC
DIFLUCAN ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML, 40 MG/ML		3	GC
DIFLUCAN ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG		3	GC
<i>econazole topical cream 1 %</i>		1	GC
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG		2	GC
ERTACZO TOPICAL CREAM 2 %		2	GC
EXELDERM TOPICAL CREAM 1 %		2	GC
EXELDERM TOPICAL SOLUTION 1 %		2	GC
EXTINA TOPICAL FOAM 2 %		3	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		1	GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	1	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	1	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	1	GC
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		1	GC
<i>griseofulvin microsize oral tablet 500 mg</i>		1	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
GRIS-PEG (ULTRAMICROSIZE) ORAL TABLET 125 MG, 250 MG		3	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)		1	PA; GC
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)		1	GC
JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 %		2	PA; GC
<i>ketoconazole oral tablet 200 mg</i>		1	GC
<i>ketoconazole topical cream 2 %</i>		1	GC
<i>ketoconazole topical foam 2 %</i> (Extina)		1	GC
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)		1	GC
LAMISIL ORAL TABLET 250 MG		3	GC
LOPROX (AS OLAMINE) TOPICAL SUSPENSION 0.77 %		3	GC
LOPROX TOPICAL SHAMPOO 1 %		3	GC
LOTRISONE TOPICAL CREAM 1- 0.05 %		3	GC
<i>luliconazole topical cream 1 %</i> (Luzu)		1	GC
LUZU TOPICAL CREAM 1 %		2	GC
MENTAX TOPICAL CREAM 1 %		3	GC
<i>miconazole nitrate-zinc ox-pet topical ointment 0.25-15-81.35 %</i>		1	GC
<i>miconazole-3 vaginal suppository 200 mg</i>		1	GC
MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG		2	GC
<i>naftifine topical cream 1 %</i>		1	GC
<i>naftifine topical cream 2 %</i> (Naftin)		1	GC
NAFTIN TOPICAL CREAM 2 %		3	GC
NAFTIN TOPICAL GEL 1 %, 2 %		2	GC
NIZORAL TOPICAL SHAMPOO 2 %		3	GC
NOXAFILE INTRAVENOUS SOLUTION 300 MG/16.7 ML		2	GC
NOXAFILE ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		2	GC
NOXAFILE ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG		2	GC
<i>nyamyc topical powder 100,000 unit/gram</i>		1	GC
<i>nystatin oral powder 150 million unit</i>		1	GC
<i>nystatin oral suspension 100,000 unit/ml</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin oral tablet 500,000 unit</i>	1	GC
<i>nystatin topical cream 100,000 unit/gram</i>	1	GC
<i>nystatin topical ointment 100,000 unit/gram</i>	1	GC
<i>nystatin topical powder 100,000 (Nyamyc) unit/gram</i>	1	GC
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	GC
<i>nystop topical powder 100,000 unit/gram</i>	1	GC
ONMEL ORAL TABLET 200 MG	2	PA; GC
ORAVIG BUCCAL MUCO-ADHESIVE BUCCAL TABLET 50 MG	2	GC
<i>oxiconazole topical cream 1 % (Oxistat)</i>	1	GC
OXISTAT TOPICAL CREAM 1 %	3	GC
OXISTAT TOPICAL LOTION 1 %	2	GC
SPORANOX ORAL CAPSULE 100 MG	3	PA; GC
SPORANOX ORAL SOLUTION 10 MG/ML	2	PA; GC
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
VFEND IV INTRAVENOUS SOLUTION 200 MG	3	GC
VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML)	3	GC
VFEND ORAL TABLET 200 MG, 50 MG	3	GC
<i>voriconazole intravenous solution 200 mg (Vfend IV)</i>	1	GC
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	1	GC
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	1	GC
VUSION TOPICAL OINTMENT 0.25-15-81.35 %	2	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg (Zyloprim)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALOPRIM INTRAVENOUS RECON SOLN 500 MG	3	GC
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	1	GC
COLCRYS ORAL TABLET 0.6 MG	3	GC
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	2	ST; GC; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	GC
ULORIC ORAL TABLET 40 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
ZURAMPIC ORAL TABLET 200 MG	2	ST; GC; QL (30 per 30 days)
ZYLOPRIM ORAL TABLET 100 MG, 300 MG	3	GC
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	1	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	1	GC
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	GC
CLARINEX ORAL SYRUP 2.5 MG/5 ML (0.5 MG/ML)	2	GC
CLARINEX ORAL TABLET 5 MG	3	GC
CLARINEX-D 12 HOUR ORAL TABLET, ER MULTIPHASE 12 HR 2.5-120 MG	2	GC
<i>clemastine oral tablet 2.68 mg</i>	1	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	GC
<i>cyproheptadine oral tablet 4 mg</i>	1	GC
<i>desloratadine oral tablet 5 mg</i> (Claritin)	1	GC
<i>desloratadine oral tablet,disintegrating 2.5 mg, 5 mg</i>	1	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
diphenhydramine hcl oral elixir 12.5 mg/5 ml (Children's Allergy (diphenhyd))	1	GC
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml	1	GC
hydroxyzine hcl oral solution 10 mg/5 ml	1	GC
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	1	GC
KARBINAL ER ORAL SUSPENSION, EXTENDED REL 12 HR 4 MG/5 ML	2	GC
levocetirizine oral solution 2.5 mg/5 ml (Xyzal)	1	GC
levocetirizine oral tablet 5 mg (24HR Allergy Relief)	1	GC
promethazine oral syrup 6.25 mg/5 ml	1	GC
promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml (Promethazine VC)	1	GC
SEMPREX-D ORAL CAPSULE 8-60 MG	2	GC
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
AVC VAGINAL VAGINAL CREAM 15 %	2	GC
CLEOCIN VAGINAL CREAM 2 %	3	GC
CLEOCIN VAGINAL SUPPOSITORY 100 MG	2	GC
clindamycin phosphate vaginal cream 2 % (Cleocin)	1	GC
CLINDESSE VAGINAL CREAM, EXTENDED RELEASE 2 %	2	GC
METROGEL VAGINAL VAGINAL GEL 0.75 %	3	GC
metronidazole vaginal gel 0.75 % (Metrogel Vaginal)	1	GC
NUVESSA VAGINAL GEL 1.3 %	2	GC
TERAZOL 7 VAGINAL CREAM 0.4 %	3	GC
terconazole vaginal cream 0.4 %, 0.8 %	1	GC
terconazole vaginal suppository 80 mg	1	GC
VANDAZOLE VAGINAL GEL 0.75 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG 70 MG/ML	2	PA; GC; QL (2 per 30 days)
AUTOINJECTOR 70 MG/ML		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	2	PA; GC; QL (2 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	GC; QL (12 per 28 days)
AMERGE ORAL TABLET 1 MG, 2.5 MG	3	ST; GC; QL (18 per 28 days)
AXERT ORAL TABLET 12.5 MG, 6.25 MG	3	ST; GC; QL (12 per 28 days)
D.H.E.45 INJECTION SOLUTION 1 MG/ML	3	GC; QL (3 per 28 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	1	GC; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	1	GC; QL (8 per 28 days)
<i>eletriptan oral tablet 20 mg, 40 mg</i> (Relpax)	1	GC; QL (12 per 28 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (40 per 28 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i> (Cafergot)	1	GC; QL (40 per 28 days)
FROVA ORAL TABLET 2.5 MG	3	ST; GC; QL (18 per 28 days)
<i>frovatriptan oral tablet 2.5 mg</i> (Frova)	1	GC; QL (18 per 28 days)
IMITREX 4 MG/0.5 ML CARTRIDGES 4 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX 6 MG/0.5 ML PEN INJECT 2 STAT DOSE SYR, SDV 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX NASAL SPRAY, NON-AEROSOL 20 MG/ACTUATION, 5 MG/ACTUATION	3	ST; GC; QL (12 per 28 days)
IMITREX ORAL TABLET 100 MG, 25 MG, 50 MG	3	ST; GC; QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMITREX STATDOSE PEN SUBCUTANEOUS PEN INJECTOR 4 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX STATDOSE REFILL SUBCUTANEOUS CARTRIDGE 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
IMITREX SUBCUTANEOUS SOLUTION 6 MG/0.5 ML	3	ST; GC; QL (4 per 28 days)
MAXALT ORAL TABLET 10 MG, 5 MG	3	ST; GC; QL (18 per 28 days)
MAXALT-MLT ORAL TABLET,DISINTEGRATING 10 MG, 5 MG	3	ST; GC; QL (18 per 28 days)
MIGRANAL NASAL SPRAY,NON- AEROSOL 0.5 MG/PUMP ACT. (4 MG/ML)	3	GC; QL (32 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	1	GC; QL (18 per 28 days)
RELPAX ORAL TABLET 20 MG, 40 MG	3	ST; GC; QL (12 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i> (Maxalt-MLT)	1	GC; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	1	GC; QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUMAVEL DOSEPRO SUBCUTANEOUS NEEDLE-FREE INJECTOR 4 MG/0.5 ML, 6 MG/0.5 ML	2	ST; GC; QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	GC; QL (12 per 28 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	1	GC; QL (12 per 28 days)
ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG, 5 MG	2	ST; GC; QL (12 per 28 days)
ZOMIG ORAL TABLET 2.5 MG, 5 MG	3	ST; GC; QL (12 per 28 days)
ZOMIG ZMT ORAL TABLET,DISINTEGRATING 2.5 MG, 5 MG	3	ST; GC; QL (12 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	2	GC
<i>cycloserine oral capsule 250 mg</i>	1	GC
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	GC
<i>ethambutol oral tablet 100 mg</i>	1	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	GC
<i>isoniazid injection solution 100 mg/ml</i>	1	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	1	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
MYAMBUTOL ORAL TABLET 400 MG	3	GC
MYCOBUTIN ORAL CAPSULE 150 MG	3	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	2	GC
PRIFTIN ORAL TABLET 150 MG	2	GC
<i>pyrazinamide oral tablet 500 mg</i>	1	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	GC
RIFADIN INTRAVENOUS RECON SOLN 600 MG	3	GC
RIFADIN ORAL CAPSULE 150 MG, 300 MG	3	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	GC
RIFATER ORAL TABLET 50-120-300 MG	2	GC
SIRTURO ORAL TABLET 100 MG	2	PA; GC; QL (188 per 168 days)
TRECATOR ORAL TABLET 250 MG	2	GC
Antinausea Agents		
Antinausea Agents		
AKYNZEON (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	GC
AKYNZEON (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	PA BvD; GC
ALOXI INTRAVENOUS SOLUTION 0.25 MG/5 ML	2	GC
ANZEMET ORAL TABLET 100 MG, 50 MG	2	PA BvD; GC
<i>aprepitant oral capsule 125 mg</i> (Emend)	1	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	1	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg</i> (Emend) (1)- 80 mg (2)	1	PA BvD; GC; QL (6 per 28 days)
CESAMET ORAL CAPSULE 1 MG	2	PA BvD; GC; QL (180 per 30 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	2	GC; QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; GC
EMEND ORAL CAPSULE 125 MG, 40 MG, 80 MG	3	PA BvD; GC
EMEND ORAL CAPSULE, DOSE PACK 125 MG (1)- 80 MG (2)	3	PA BvD; GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.)	2	PA BvD; GC; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	GC
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD; GC
MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG	3	PA; GC
<i>meclizine oral tablet 12.5 mg</i>	1	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i> (Zofran)	1	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD; GC
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	1	PA BvD; GC
PALONOSETRON INTRAVENOUS SOLUTION 0.25 MG/2 ML	1	GC
<i>palonosetron intravenous solution 0.25 mg/5 ml</i> (Aloxi)	1	GC
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>	1	GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	1	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	1	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>promethazine rectal suppository 50 mg</i>	(Phenergan)	1	GC
<i>promethegan rectal suppository 12.5 mg,</i> <i>25 mg, 50 mg</i>		1	GC
SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR		2	GC; QL (4 per 28 days)
<i>scopolamine base transdermal patch 3</i>	(Transderm-Scop) <i>day 1 mg over 3 days</i>	1	GC; QL (10 per 30 days)
SUSTOL SUBCUTANEOUS LIQUID, EXTENDED RELEASE SYRINGE 10 MG/0.4 ML		2	GC
SYNDROS ORAL SOLUTION 5 MG/ML		2	PA; GC
TIGAN INTRAMUSCULAR SOLUTION 100 MG/ML		2	GC
TIGAN ORAL CAPSULE 300 MG		3	GC
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS		3	GC; QL (10 per 30 days)
<i>trimethobenzamide oral capsule 300 mg</i>	(Tigan)	1	GC
VARUBI INTRAVENOUS EMULSION 166.5 MG/92.5 ML		2	GC
VARUBI ORAL TABLET 90 MG		2	PA BvD; GC
ZOFRAN INTRAVENOUS SOLUTION 2 MG/ML		3	GC
ZOFRAN ODT ORAL TABLET, DISINTEGRATING 4 MG, 8 MG		3	PA BvD; GC
ZOFRAN ORAL SOLUTION 4 MG/5 ML		3	PA BvD; GC
ZOFRAN ORAL TABLET 4 MG, 8 MG		3	PA BvD; GC
Antiparasite Agents			
Antiparasite Agents			
<i>albendazole oral tablet 200 mg</i>	(Albenza)	1	GC
ALBENZA ORAL TABLET 200 MG		2	GC
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML		2	GC
ALINIA ORAL TABLET 500 MG		2	GC
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	GC
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	GC
<i>benznidazole oral tablet 100 mg, 12.5 mg</i>	1	GC
BILTRICIDE ORAL TABLET 600 MG	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	GC
COARTEM ORAL TABLET 20-120 MG	2	GC
DARAPRIM ORAL TABLET 25 MG	2	GC
EMVERM ORAL TABLET,CHEWABLE 100 MG	2	GC
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	GC
IMPAVIDO ORAL CAPSULE 50 MG	2	PA; GC; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	GC
MALARONE ORAL TABLET 250-100 MG	3	GC
MALARONE PEDIATRIC ORAL TABLET 62.5-25 MG	3	GC
<i>mefloquine oral tablet 250 mg</i>	1	GC
MEPRON ORAL SUSPENSION 750 MG/5 ML	3	GC
NEBUPENT INHALATION RECON SOLN 300 MG	2	PA BvD; GC
<i>paromomycin oral capsule 250 mg</i>	1	GC
PENTAM INJECTION RECON SOLN 300 MG	2	GC
PLAQUENIL ORAL TABLET 200 MG	3	GC
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
QUALAQIN ORAL CAPSULE 324 MG	3	PA; GC
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	PA; GC; QL (42 per 7 days)
STROMECTOL ORAL TABLET 3 MG	3	GC
TINDAMAX ORAL TABLET 500 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	GC
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	1	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	2	GC; QL (60 per 30 days)
AZILECT ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>benztropine injection solution 2 mg/2 ml (Cogentin)</i>	1	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>bromocriptine oral capsule 5 mg (Parlodel)</i>	1	GC
<i>bromocriptine oral tablet 2.5 mg (Parlodel)</i>	1	GC
<i>cabergoline oral tablet 0.5 mg</i>	1	GC
<i>carbidopa oral tablet 25 mg (Lodosyn)</i>	1	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg (Sinemet)</i>	1	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg (Sinemet CR)</i>	1	GC
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg (Stalevo 50)</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg (Stalevo 75)</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg (Stalevo 100)</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg (Stalevo 125)</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg (Stalevo 150)</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg (Stalevo 200)</i>	1	GC
COGENTIN INJECTION SOLUTION 2 MG/2 ML	3	GC
COMTAN ORAL TABLET 200 MG	3	GC
ELDEPRYL ORAL CAPSULE 5 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
entacapone oral tablet 200 mg (Comtan)	1	GC
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	2	PA; GC; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	2	PA; GC; QL (30 per 30 days)
LODOSYN ORAL TABLET 25 MG	3	GC
MIRAPEX ER ORAL TABLET EXTENDED RELEASE 24 HR 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG	3	GC
MIRAPEX ORAL TABLET 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG	3	GC
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	ST; GC; QL (30 per 30 days)
PARLODEL ORAL CAPSULE 5 MG	3	GC
PARLODEL ORAL TABLET 2.5 MG	3	GC
pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg (Mirapex)	1	GC
pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg (Mirapex ER)	1	GC
rasagiline oral tablet 0.5 mg, 1 mg (Azilect)	1	GC
REQUIP ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG, 5 MG	3	GC
REQUIP XL ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	GC
ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg (Requip)	1	GC
ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg (Requip XL)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25- 245 MG	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	1	GC
<i>selegiline hcl oral tablet 5 mg</i>	1	GC
SINEMET CR ORAL TABLET EXTENDED RELEASE 25-100 MG, 50-200 MG	3	GC
SINEMET ORAL TABLET 10-100 MG, 25-100 MG, 25-250 MG	3	GC
STALEVO 100 ORAL TABLET 25- 100-200 MG	3	GC
STALEVO 150 ORAL TABLET 37.5- 150-200 MG	3	GC
TASMAR ORAL TABLET 100 MG	3	GC
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	2	PA; GC; QL (30 per 30 days)
ZELAPAR ORAL TABLET,DISINTEGRATING 1.25 MG	2	GC
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	2	ST; GC; QL (1 per 28 days)
ABILITY ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ABILITY ORAL TABLET 2 MG	3	ST; GC; QL (60 per 30 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral solution 1 mg/ml</i>	1	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	1	GC; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	1	GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	2	GC; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	GC; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	GC; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	GC; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	GC; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>clozapine oral tablet 100 mg</i> (Clozaril)	1	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	1	GC; QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i>	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> (FazaClo)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet,disintegrating 150 mg</i> (FazaClo)	1	GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i> (FazaClo)	1	GC; QL (120 per 30 days)
CLOZARIL ORAL TABLET 100 MG	3	GC; QL (270 per 30 days)
CLOZARIL ORAL TABLET 25 MG	3	GC; QL (90 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	ST; GC; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	2	ST; GC; QL (8 per 28 days)
FAZACLO ORAL TABLET,DISINTEGRATING 100 MG, 12.5 MG, 25 MG	3	GC; QL (90 per 30 days)
FAZACLO ORAL TABLET,DISINTEGRATING 150 MG	3	GC; QL (180 per 30 days)
FAZACLO ORAL TABLET,DISINTEGRATING 200 MG	3	GC; QL (120 per 30 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	2	GC; QL (6 per 28 days)
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG	3	ST; GC; QL (60 per 30 days)
HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML	3	GC
HALDOL INJECTION SOLUTION 5 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	GC
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	1	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	GC
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG, 3 MG, 9 MG	3	ST; GC; QL (30 per 30 days)
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG	3	ST; GC; QL (60 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	ST; GC; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	ST; GC; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	ST; GC; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	ST; GC; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	ST; GC; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	2	GC; QL (0.875 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	2	GC; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	GC; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	2	GC; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	2	ST; GC; QL (30 per 30 days)
<i>lozapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC
<i>molindone oral tablet 10 mg</i>	1	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	2	GC; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	2	PA NSO; GC; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	2	PA NSO; GC; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	GC; QL (30 per 30 days)
ORAP ORAL TABLET 1 MG, 2 MG	3	GC
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	2	GC; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	1	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	1	GC; QL (90 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i>	1	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i>	1	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	2	ST; GC; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	2	ST; GC; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	ST; GC; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	2	GC; QL (4 per 28 days)
RISPERDAL M-TAB ORAL TABLET,DISINTEGRATING 0.5 MG, 1 MG	3	ST; GC; QL (60 per 30 days)
RISPERDAL M-TAB ORAL TABLET,DISINTEGRATING 3 MG, 4 MG	3	ST; GC; QL (120 per 30 days)
RISPERDAL ORAL SOLUTION 1 MG/ML	3	ST; GC; QL (480 per 30 days)
RISPERDAL ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	3	ST; GC; QL (60 per 30 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	2	ST; GC; QL (60 per 30 days)
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG	3	ST; GC; QL (90 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 400 MG, 50 MG	3	ST; GC; QL (60 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 200 MG	3	ST; GC; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	GC; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	GC; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	GC; QL (7 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	GC; QL (60 per 30 days)
ZYPREXA INTRAMUSCULAR RECON SOLN 10 MG	3	GC; QL (30 per 30 days)
ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	3	ST; GC; QL (30 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	2	GC; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	GC; QL (1 per 28 days)
ZYPREXA ZYDIS ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	GC
APTIVUS ORAL CAPSULE 250 MG	2	GC
APTIVUS ORAL SOLUTION 100 MG/ML	2	GC
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	GC
ATRIPLA ORAL TABLET 600-200-300 MG	2	GC
BIKTARVY ORAL TABLET 50-200-25 MG	2	GC
CIMDUO ORAL TABLET 300-300 MG	2	GC
COMBIVIR ORAL TABLET 150-300 MG	3	GC
COMPLERA ORAL TABLET 200-25-300 MG	2	GC
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	2	GC
DELSTRIGO ORAL TABLET 100-300-300 MG	2	GC
DESCOVY ORAL TABLET 200-25 MG	2	GC
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	1	GC
EDURANT ORAL TABLET 25 MG	2	GC
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	1	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	GC
EMTRIVA ORAL CAPSULE 200 MG	2	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	2	GC
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIVIR HBV ORAL TABLET 100 MG	3	GC
EPIVIR ORAL SOLUTION 10 MG/ML	3	GC
EPIVIR ORAL TABLET 150 MG, 300 MG	3	GC
EPZICOM ORAL TABLET 600-300 MG	3	GC
EVOTAZ ORAL TABLET 300-150 MG	2	GC
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	GC
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	GC
GENVOYA ORAL TABLET 150-150-200-10 MG	2	GC
INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG	2	GC
INVIRASE ORAL CAPSULE 200 MG	2	GC
INVIRASE ORAL TABLET 500 MG	2	GC
ISENTRESS HD ORAL TABLET 600 MG	2	GC
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	GC
ISENTRESS ORAL TABLET 400 MG	2	GC
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	2	GC
JULUCA ORAL TABLET 50-25 MG	2	GC
KALETRA ORAL SOLUTION 400-100 MG/5 ML	3	GC
KALETRA ORAL TABLET 100-25 MG, 200-50 MG	2	GC
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	2	GC
LEXIVA ORAL TABLET 700 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	GC
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	GC
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> (Viramune XR)	1	GC
NORVIR ORAL CAPSULE 100 MG	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	2	GC
NORVIR ORAL SOLUTION 80 MG/ML	2	GC
NORVIR ORAL TABLET 100 MG	2	GC
ODEFSEY ORAL TABLET 200-25-25 MG	2	GC
PIFELTRO ORAL TABLET 100 MG	2	GC
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	GC
PREZISTA ORAL SUSPENSION 100 MG/ML	2	GC
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	2	GC
RESCRIPTOR ORAL TABLET 200 MG	2	GC
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	2	GC
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	GC
RETROVIR ORAL CAPSULE 100 MG	3	GC
RETROVIR ORAL SYRUP 10 MG/ML	3	GC
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG	3	GC
REYATAZ ORAL POWDER IN PACKET 50 MG	2	GC
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	2	GC
SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg	1	GC
stavudine oral recon soln 1 mg/ml	1	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	2	GC
SUSTIVA ORAL CAPSULE 200 MG, 50 MG	3	GC
SUSTIVA ORAL TABLET 600 MG	3	GC
SYMFLO ORAL TABLET 400-300-300 MG	2	GC
SYMFLO ORAL TABLET 600-300-300 MG	2	GC
SYMTUZA ORAL TABLET 800-150-200-10 MG	2	GC
tenofovir disoproxil fumarate oral tablet (Viread) 300 mg	1	GC
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	2	GC
TRIUMEQ ORAL TABLET 600-50-300 MG	2	GC
TRIZIVIR ORAL TABLET 300-150-300 MG	3	GC
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	GC
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	2	GC
VEMLIDY ORAL TABLET 25 MG	2	GC; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	2	GC
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	2	GC
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG, 200 MG, 250 MG, 400 MG	3	GC
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	3	GC
VIRAMUNE ORAL TABLET 200 MG	3	GC
VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 400 MG	3	GC
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	GC
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	GC
VIREAD ORAL TABLET 300 MG	3	GC
ZERIT ORAL CAPSULE 15 MG, 20 MG, 30 MG, 40 MG	3	GC
ZERIT ORAL RECON SOLN 1 MG/ML	3	GC
ZIAGEN ORAL SOLUTION 20 MG/ML	3	GC
ZIAGEN ORAL TABLET 300 MG	3	GC
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	GC
<i>zidovudine oral tablet 300 mg</i>	1	GC
Antivirals, Miscellaneous		
FLUMADINE ORAL TABLET 100 MG	3	GC
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA; BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	PA; GC; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	PA; GC; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	PA; GC; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	GC
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
TAMIFLU ORAL CAPSULE 30 MG	3	GC; QL (84 per 180 days)
TAMIFLU ORAL CAPSULE 45 MG	3	GC; QL (48 per 180 days)
TAMIFLU ORAL CAPSULE 75 MG	3	GC; QL (42 per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML	3	GC; QL (540 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	2	GC; QL (4 per 180 days)
Hcv Antivirals		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	2	PA; GC; QL (28 per 28 days)
EPCLUSIA ORAL TABLET 400-100 MG	2	PA; GC; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	2	PA; GC; QL (30 per 30 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400</i> (Harvoni) mg	1	PA; GC; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	2	PA; GC; QL (84 per 28 days)
OLYSIO ORAL CAPSULE 150 MG	2	PA; GC; QL (28 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100</i> (Epclusa) mg	1	PA; GC; QL (28 per 28 days)
SOVALDI ORAL TABLET 400 MG	2	PA; GC; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75- 50 MG	2	PA; GC; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	2	PA; GC; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	2	PA; GC; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	2	PA; GC; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	2	PA; GC; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	2	PA NSO; GC
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	2	PA NSO; GC
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	2	PA; GC
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	PA; GC
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	PA; GC
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	2	PA; GC
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	2	PA NSO; GC; QL (4 per 28 days)
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg (Zovirax)	1	GC
acyclovir oral suspension 200 mg/5 ml (Zovirax)	1	GC
acyclovir oral tablet 400 mg, 800 mg (Zovirax)	1	GC
acyclovir sodium intravenous recon soln 500 mg	1	PA BvD; GC
acyclovir sodium intravenous solution 50 mg/ml	1	PA BvD; GC
adefovir oral tablet 10 mg (Hepsera)	1	GC
BARACLUDE ORAL SOLUTION 0.05 MG/ML	2	GC
BARACLUDE ORAL TABLET 0.5 MG, 1 MG	3	GC
cidofovir intravenous solution 75 mg/ml	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYTOVENE INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	GC
<i>ganciclovir sodium intravenous recon soln</i> (Cytovene) 500 mg	1	PA BvD; GC
<i>ganciclovir sodium intravenous solution</i> 50 mg/ml	1	PA BvD; GC
HEPSERA ORAL TABLET 10 MG	3	GC
MODERIBA 400-400 MG DOSEPACK 400 MG (7)- 400 MG (7)	3	GC
MODERIBA 600-600 MG DOSEPACK 600 MG (7)- 600 MG (7)	3	GC
MODERIBA DOSE PACK ORAL TABLETS,DOSE PACK 200 MG (7)- 400 MG (7), 400-400 MG (28)-MG (28), 600 MG (7)- 400 MG (7), 600-600 MG (28)-MG (28)	3	GC
REBETOL ORAL SOLUTION 40 MG/ML	2	GC
<i>ribasphere oral capsule 200 mg</i>	1	GC
<i>ribasphere oral tablet 200 mg</i>	1	GC
<i>ribasphere oral tablet 400 mg, 600 mg</i>	3	GC
<i>ribasphere ribapak 400-400 mg 400 mg (7)- 400 mg (7)</i>	3	GC
<i>ribasphere ribapak 600-400 mg 600 mg (7)- 400 mg (7)</i>	3	GC
<i>ribasphere ribapak 600-600 mg 600 mg (7)- 600 mg (7)</i>	3	GC
<i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	3	GC
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA BvD; GC
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	1	GC
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	1	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	GC
VALCYTE ORAL RECON SOLN 50 MG/ML	3	GC
VALCYTE ORAL TABLET 450 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	GC
VALTREX ORAL TABLET 1 GRAM, 500 MG	3	GC
VIRAZOLE INHALATION RECON SOLN 6 GRAM	3	PA BvD; GC
ZOVIRAX ORAL CAPSULE 200 MG	3	GC
ZOVIRAX ORAL SUSPENSION 200 MG/5 ML	3	GC
ZOVIRAX ORAL TABLET 400 MG, 800 MG	3	GC
Blood Products/Modifiers/Volume		
Expanders		
Anticoagulants		
ARIXTRA SUBCUTANEOUS SYRINGE 10 MG/0.8 ML, 2.5 MG/0.5 ML, 5 MG/0.4 ML, 7.5 MG/0.6 ML	3	GC
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	2	GC; QL (43 per 42 days)
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	GC
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	2	GC
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	GC
<i>enoxaparin subcutaneous solution 300</i> (Lovenox) <i>mg/3 ml</i>	1	GC
<i>enoxaparin subcutaneous syringe 100</i> (Lovenox) <i>mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30</i> <i>mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml,</i> <i>80 mg/0.8 ml</i>	1	GC
<i>fondaparinux subcutaneous syringe 10</i> (Arixtra) <i>mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml,</i> <i>7.5 mg/0.6 ml</i>	1	GC
FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML	2	GC; QL (15.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	2	GC; QL (17 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	2	GC; QL (8.5 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	2	GC; QL (10.2 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	2	GC; QL (12.24 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML	2	GC; QL (12 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 5,000 ANTI-XA UNIT/0.2 ML	2	GC; QL (6 per 30 days)
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	2	GC; QL (5.1 per 30 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	1	PA BvD; GC
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml</i>	1	GC
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	GC
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	2	PA; GC; QL (24 per 28 days)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML	3	GC
LOVENOX SUBCUTANEOUS SYRINGE 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML	3	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	2	GC; QL (60 per 30 days)
SAVAYSA ORAL TABLET 15 MG, 30 MG, 60 MG	2	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG	2	GC
XARELTO ORAL TABLETS, DOSE PACK 15 MG (42)- 20 MG (9)	2	GC
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	2	PA; GC; QL (4 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 200 MCG/0.4 ML, 40 MCG/0.4 ML	2	PA; GC; QL (1.6 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML	2	PA; GC; QL (2 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 150 MCG/0.3 ML, 60 MCG/0.3 ML	2	PA; GC; QL (1.2 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 25 MCG/0.42 ML	2	PA; GC; QL (1.68 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 300 MCG/0.6 ML	2	PA; GC; QL (2.4 per 28 days)
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 500 MCG/ML	2	PA; GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BERINERT INTRAVENOUS KIT 500 UNIT (10 ML)	2	PA; GC
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	PA; GC
DOPTELET ORAL TABLET 20 MG, 20 MG (15 PACK)	2	PA; GC
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	GC
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	2	PA; GC
LEUKINE INJECTION RECON SOLN 250 MCG	2	GC
MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML	2	PA; GC; QL (0.6 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	2	GC
MULPLETA ORAL TABLET 3 MG	2	PA; GC
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	2	PA; GC
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	GC
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	2	PA; GC; QL (30 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; GC; QL (6 per 28 days)
RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT	2	PA; GC
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	GC
Hematologic Agents, Miscellaneous		
AGRYLIN ORAL CAPSULE 0.5 MG	3	GC
AMICAR ORAL SOLUTION 250 MG/ML (25 %)	3	GC
AMICAR ORAL TABLET 1,000 MG, 500 MG	3	GC
<i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i>	1	GC
<i>anagrelide oral capsule 0.5 mg</i>	1	GC
<i>anagrelide oral capsule 1 mg</i>	1	GC
CYKLOKAPRON INTRAVENOUS SOLUTION 1,000 MG/10 ML (100 MG/ML)	3	GC
LYSTEDA ORAL TABLET 650 MG	3	GC; QL (30 per 30 days)
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	1	GC
<i>tranexamic acid oral tablet 650 mg</i>	1	GC; QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
AGGRENOX ORAL CAPSULE, ER MULTIPHASE 12 HR 25-200 MG	3	GC; QL (60 per 30 days)
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	GC
BRILINTA ORAL TABLET 60 MG, 90 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	GC
<i>clopidogrel oral tablet 300 mg</i>	1	GC
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	GC
EFFIENT ORAL TABLET 10 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	GC
PLAVIX ORAL TABLET 300 MG, 75 MG	3	GC
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	1	GC; QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	2	GC
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	2	PA BvD; GC
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	2	PA BvD; GC
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	2	PA BvD; GC
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	2	PA BvD; GC
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	PA BvD; GC
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	PA BvD; GC
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	PA BvD; GC
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD; GC
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	1	PA BvD; GC
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	1	PA BvD; GC
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	1	PA BvD; GC
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	1	PA BvD; GC
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	GC
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	1	PA BvD; GC
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	1	PA BvD; GC
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	2	PA BvD; GC
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	2	PA BvD; GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	PA BvD; GC
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	2	PA BvD; GC
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	2	PA BvD; GC
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	PA BvD; GC
OMEGAVEN INTRAVENOUS EMULSION 10 %	2	PA BvD; GC
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	2	PA BvD; GC
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	2	PA BvD; GC
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	PA BvD; GC
<i>smoflipid intravenous emulsion 20 %</i>	1	PA BvD; GC
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD; GC
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	2	PA BvD; GC
Cardiovascular Agents		
Alpha-Adrenergic Agents		
CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG	2	GC
CATAPRES ORAL TABLET 0.1 MG, 0.2 MG, 0.3 MG	3	GC
CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY 0.2 MG/24 HR	3	GC; QL (4 per 28 days)
CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY 0.3 MG/24 HR	3	GC; QL (8 per 28 days)
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	GC; QL (8 per 28 days)
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>	2	GC
DIBENZYLINE ORAL CAPSULE 10 MG	3	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	GC
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	GC
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	1	GC
<i>methyldopate intravenous solution 250 mg/5 ml</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
MINIPRESS ORAL CAPSULE 1 MG, 2 MG, 5 MG	3	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	2	PA; GC; QL (180 per 30 days)
<i>phenoxybenzamine oral capsule 10 mg</i> (Dibenzyline)	1	GC
<i>phentolamine injection recon soln 5 mg</i>	1	GC
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	GC
VAZCULEP INJECTION SOLUTION 10 MG/ML	3	GC
Angiotensin II Receptor Antagonists		
ATACAND HCT ORAL TABLET 16-12.5 MG, 32-12.5 MG, 32-25 MG	3	GC
ATACAND ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	GC
AVALIDE ORAL TABLET 150-12.5 MG, 300-12.5 MG	3	GC
AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG	3	GC
BENICAR HCT ORAL TABLET 20-12.5 MG, 40-12.5 MG, 40-25 MG	3	GC
BENICAR ORAL TABLET 20 MG, 40 MG, 5 MG	3	GC
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	GC
COZAAR ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG	3	GC
DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG	3	GC
EDARBI ORAL TABLET 40 MG, 80 MG	2	GC
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	2	GC
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	GC; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	GC
HYZAAR ORAL TABLET 100-12.5 MG, 100-25 MG, 50-12.5 MG	3	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	GC
<i>MICARDIS HCT ORAL TABLET 40-12.5 MG, 80-12.5 MG, 80-25 MG</i>	3	GC
<i>MICARDIS ORAL TABLET 20 MG, 40 MG, 80 MG</i>	3	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	GC
<i>olmesartan-amlodipine-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	1	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	GC
<i>TRIBENZOR ORAL TABLET 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG</i>	3	GC
<i>TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG</i>	3	GC; QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>ACCUPRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG</i>	3	GC
<i>ACCURETIC ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG</i>	3	GC
<i>ALTACE ORAL CAPSULE 1.25 MG, 10 MG, 2.5 MG, 5 MG</i>	3	GC
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	GC
<i>benazepril oral tablet 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Lotensin HCT)	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>		1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>		1	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>		1	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Vasotec)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	(Vaseretic)	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>		1	GC
EPANED ORAL SOLUTION 1 MG/ML		2	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>		1	GC
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i>	(Prinivil)	1	GC
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i>	(Zestril)	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Zestoretic)	1	GC
LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG		3	GC
LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG		3	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>		1	GC
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>		1	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>		1	GC
PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG		3	GC
QBRELIS ORAL SOLUTION 1 MG/ML		2	ST; GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	(Accupril)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>quinapril-hydrochlorothiazide oral tablet</i> (Accuretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	GC
<i>ramipril oral capsule</i> 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	1	GC
TARKA ORAL TABLET, IR - ER, BIPHASIC 24HR 2-180 MG, 2-240 MG, 4-240 MG	3	GC
<i>trandolapril oral tablet</i> 1 mg, 2 mg, 4 mg	1	GC
<i>trandolapril-verapamil oral tablet, ir - er,</i> <i>biphasic 24hr 1-240 mg</i>	1	GC
<i>trandolapril-verapamil oral tablet, ir - er,</i> (Tarka) <i>biphasic 24hr 2-180 mg, 2-240 mg, 4-240</i> <i>mg</i>	1	GC
VASERETIC ORAL TABLET 10-25 MG	3	GC
VASOTEC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	GC
ZESTORETIC ORAL TABLET 10- 12.5 MG, 20-12.5 MG, 20-25 MG	3	GC
ZESTRIL ORAL TABLET 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG	3	GC
Antiarrhythmic Agents		
<i>amiodarone 450 mg/9 ml vial 10's, sdv,</i> <i>latex-free 50 mg/ml</i>	1	PA BvD; GC
<i>amiodarone intravenous solution 50</i> <i>mg/ml</i>	1	GC
<i>amiodarone oral tablet 100 mg, 200 mg,</i> (Pacerone) 400 mg	1	GC
<i>disopyramide phosphate oral capsule 100</i> (Norpace) mg, 150 mg	1	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg,</i> (Tikosyn) 500 mcg	1	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50</i> mg	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg,</i> 250 mg	1	GC
MULTAQ ORAL TABLET 400 MG	2	GC
NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG, 150 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORPACE ORAL CAPSULE 100 MG, 150 MG	3	GC
<i>pacerone oral tablet 100 mg, 400 mg</i>	3	GC
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	1	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	GC
<i>quinidine gluconate injection solution 80 mg/ml</i>	1	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	GC
RYTHMOL SR ORAL CAPSULE, EXTENDED RELEASE 12 HR 225 MG, 325 MG, 425 MG	3	GC
TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG	3	GC
XYLOCAINE-MPF 2% VIAL 25'S, SDV, LATEX-FREE 20 MG/ML (2 %)	3	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 (Tenoretic 100) mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 50-25 (Tenoretic 50) mg</i>	1	GC
BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
BETAPACE ORAL TABLET 120 MG, 160 MG, 80 MG	3	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
bisoprolol-hydrochlorothiazide oral tablet (Ziac) 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	1	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	2	GC
BYVALSON ORAL TABLET 5-80 MG	2	GC
carvedilol oral tablet 12.5 mg, 25 mg, (Coreg) 3.125 mg, 6.25 mg	1	GC
carvedilol phosphate oral capsule, er (Coreg CR) multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg	1	GC
COREG CR ORAL CAPSULE, ER MULTIPHASE 24 HR 10 MG, 20 MG, 40 MG, 80 MG	3	GC
COREG ORAL TABLET 12.5 MG, 25 MG, 3.125 MG, 6.25 MG	3	GC
CORGARD ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
CORZIDE ORAL TABLET 40-5 MG, 80-5 MG	3	GC
DUTOPROL ORAL TABLET EXTENDED RELEASE 24 HR 100- 12.5 MG, 25-12.5 MG, 50-12.5 MG	3	GC
INDERAL LA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 160 MG, 60 MG, 80 MG	3	GC
INDERAL XL 120 MG CAPSULE 120 MG	3	GC
INDERAL XL 80 MG CAPSULE 80 MG	3	GC
INNOPRAN XL ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 80 MG	2	GC
KAPSPARGO SPRINKLE ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 200 MG, 25 MG, 50 MG	2	GC
labetalol intravenous solution 5 mg/ml	1	GC
labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)	1	GC
labetalol oral tablet 100 mg, 200 mg, 300 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEVATOL ORAL TABLET 20 MG	2	GC
LOPRESSOR HCT ORAL TABLET 50-25 MG	3	GC
LOPRESSOR INTRAVENOUS SOLUTION 5 MG/5 ML	3	GC
LOPRESSOR ORAL TABLET 100 MG, 50 MG	3	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>	1	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	1	(Corgard)
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i>	1	(Corzide)
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	1	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	1	(Inderal LA)
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOTALOL INTRAVENOUS SOLUTION 150 MG/10 ML (15 MG/ML)	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Betapace)	1	GC
SOTYLIZE ORAL SOLUTION 5 MG/ML	2	GC
TENORETIC 100 ORAL TABLET 100-25 MG	3	GC
TENORETIC 50 ORAL TABLET 50- 25 MG	3	GC
TENORMIN ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
TOPROL XL ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 200 MG, 25 MG, 50 MG	3	GC
ZIAC ORAL TABLET 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG	3	GC
Calcium-Channel Blocking Agents		
CALAN ORAL TABLET 120 MG, 80 MG	3	GC
CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG, 180 MG, 240 MG	3	GC
CARDIZEM CD ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG	3	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 120 MG	2	GC
CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	3	GC
CARDIZEM ORAL TABLET 120 MG, 30 MG, 60 MG	3	GC
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
diltiazem hcl intravenous recon soln 100 mg	1	GC	
diltiazem hcl intravenous solution 5 mg/ml	1	GC	
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg	1	GC	
diltiazem hcl oral capsule,extended release 24 hr 360 mg	(Taztia XT)	1	GC
diltiazem hcl oral capsule,extended release 24 hr 420 mg	(Tiazac)	1	GC
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cardizem CD)	1	GC
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	1	GC
diltiazem hcl oral tablet 90 mg		1	GC
diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(Cardizem LA)	1	GC
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg		1	GC
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg		1	GC
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg		1	GC
TIAZAC ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG		3	GC
verapamil 2.5 mg/ml vial sdv,latex-free 2.5 mg/ml		1	GC
verapamil intravenous solution 2.5 mg/ml		1	PA BvD; GC
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg	(Verelan PM)	1	GC
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg	(Verelan)	1	GC
verapamil oral tablet 120 mg, 80 mg	(Calan)	1	GC
verapamil oral tablet 40 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg	(Calan SR)	1	GC
VERELAN ORAL CAPSULE, EXT REL. PELLETS 24 HR 120 MG, 180 MG, 240 MG		3	GC
VERELAN PM ORAL CAPSULE, 24 HR ER PELLET CT 100 MG, 200 MG, 300 MG		3	GC
Cardiovascular Agents, Miscellaneous			
ADRENALIN INJECTION SOLUTION 1 MG/ML, 1 MG/ML (1 ML)		3	GC
AKOVAZ INTRAVENOUS SOLUTION 50 MG/ML		3	GC
CORLANOR ORAL TABLET 5 MG, 7.5 MG		2	PA; GC; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG		2	GC
digitek oral tablet 125 mcg		1	GC; QL (30 per 30 days)
digitek oral tablet 250 mcg		1	GC
digox oral tablet 125 mcg		1	GC; QL (30 per 30 days)
digox oral tablet 250 mcg		1	GC
digoxin injection syringe 250 mcg/ml		1	GC
DIGOXIN ORAL SOLUTION 50 MCG/ML		2	GC
digoxin oral tablet 125 mcg	(Digitek)	1	GC; QL (30 per 30 days)
digoxin oral tablet 250 mcg	(Digitek)	1	GC
epinephrine injection auto-injector 0.15 mg/0.15 ml	(Auvi-Q)	1	GC
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	1	GC; QL (4 per 30 days)
epinephrine injection auto-injector 0.3 mg/0.3 ml		1	GC
epinephrine injection auto-injector 0.3 mg/0.3 ml	(Auvi-Q)	1	GC; QL (4 per 30 days)
EPIPEN 2-PAK INJECTION AUTO- INJECTOR 0.3 MG/0.3 ML		3	GC; QL (4 per 30 days)
EPIPEN INJECTION AUTO- INJECTOR 0.3 MG/0.3 ML		3	GC; QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	3	GC; QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	2	GC; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
LANOXIN INJECTION SOLUTION 250 MCG/ML	3	GC
LANOXIN ORAL TABLET 125 MCG, 250 MCG	3	GC; QL (30 per 30 days)
LANOXIN ORAL TABLET 187.5 MCG	2	GC; QL (30 per 30 days)
LANOXIN ORAL TABLET 62.5 MCG	2	GC; QL (60 per 30 days)
LANOXIN PEDIATRIC INJECTION SOLUTION 100 MCG/ML	2	GC
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	2	GC
VECAMYL ORAL TABLET 2.5 MG	2	GC
Dihydropyridines		
ADALAT CC ORAL TABLET EXTENDED RELEASE 30 MG, 60 MG, 90 MG	3	GC
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	1	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	GC
<i>amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AZOR ORAL TABLET 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG	3	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 20 MG/200 ML	3	GC
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 40 MG/200 ML	2	GC
CARDENE IV INTRAVENOUS SOLUTION 25 MG/10 ML	3	GC
EXFORGE HCT ORAL TABLET 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG	3	GC
EXFORGE ORAL TABLET 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG	3	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	GC
LOTREL ORAL CAPSULE 10-20 MG, 10-40 MG, 5-10 MG, 5-20 MG, 5-40 MG	3	GC
<i>nicardipine intravenous solution 25 mg/10 ml (Cardene IV)</i>	1	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	GC
<i>nifedipine oral capsule 10 mg (Procardia)</i>	1	GC
<i>nifedipine oral capsule 20 mg</i>	1	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	1	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg (Adalat CC)</i>	1	GC
<i>nimodipine oral capsule 30 mg</i>	1	GC
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg (Sular)</i>	1	GC
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	1	GC
NORVASC ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	GC
NYMALIZE 60 MG/20 ML SOLUTION 60 MG/20 ML	2	GC
NYMALIZE ORAL SOLUTION 30 MG/10 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCARDIA ORAL CAPSULE 10 MG	3	GC
PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG, 60 MG, 90 MG	3	GC
SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG, 34 MG, 8.5 MG	3	GC
Diuretics		
ALDACTAZIDE ORAL TABLET 25-25 MG	3	GC
ALDACTAZIDE ORAL TABLET 50-50 MG	2	GC
ALDACTONE ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC
<i>amiloride oral tablet 5 mg</i>	1	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	1	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg (Diuril IV)</i>	1	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	GC
DEMADEX ORAL TABLET 10 MG, 20 MG	3	GC
DIURIL IV INTRAVENOUS RECON SOLN 500 MG	3	GC
DIURIL ORAL SUSPENSION 250 MG/5 ML	2	GC
DYAZIDE ORAL CAPSULE 37.5-25 MG	3	GC
DYRENIUM ORAL CAPSULE 100 MG, 50 MG	2	GC
EDECIN ORAL TABLET 25 MG	3	GC
<i>ethacrynic acid oral tablet 25 mg (Edecrin)</i>	1	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg (Microzide)	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	PA; GC; QL (56 per 28 days)
LASIX ORAL TABLET 20 MG, 40 MG, 80 MG	3	GC
MAXZIDE ORAL TABLET 75-50 MG	3	GC
MAXZIDE-25MG ORAL TABLET 37.5-25 MG	3	GC
methyclothiazide oral tablet 5 mg	1	GC
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	1	GC
MICROZIDE ORAL CAPSULE 12.5 MG	3	GC
SAMSCA ORAL TABLET 15 MG	2	GC; QL (30 per 30 days)
SAMSCA ORAL TABLET 30 MG	2	GC; QL (60 per 30 days)
spironolactone oral tablet 100 mg, 25 mg, (Aldactone) 50 mg	1	GC
spironolacton-hydrochlorothiaz oral tablet 25-25 mg (Aldactazide)	1	GC
torsemide oral tablet 10 mg, 20 mg (Demadex)	1	GC
torsemide oral tablet 100 mg, 5 mg	1	GC
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg (Dyazide)	1	GC
triamterene-hydrochlorothiazid oral capsule 50-25 mg	1	GC
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg (Maxzide-25mg)	1	GC
triamterene-hydrochlorothiazid oral tablet 75-50 mg (Maxzide)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dyslipidemics		
ALTOPREV ORAL TABLET EXTENDED RELEASE 24 HR 20 MG, 40 MG, 60 MG	2	GC
<i>amlodipine-atorvastatin oral tablet 10-10 (Caduet) mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	1	GC
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 (Lipitor) mg, 80 mg</i>	1	GC
CADUET ORAL TABLET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG	3	GC
<i>cholestyramine (with sugar) oral powder (Questran) in packet 4 gram</i>	1	GC
<i>cholestyramine light oral powder 4 gram</i>	1	GC
<i>cholestyramine light packet 4 gram</i>	1	GC
<i>colesevelam oral powder in packet 3.75 (WelChol) gram</i>	1	GC
<i>colesevelam oral tablet 625 mg (WelChol)</i>	1	GC
COLESTID FLAVORED GRANULES 7.5 GRAM	3	GC
COLESTID ORAL PACKET 5 GRAM	3	GC
COLESTID ORAL TABLET 1 GRAM	3	GC
<i>colestipol oral packet 5 gram (Colestid)</i>	1	GC
<i>colestipol oral tablet 1 gram (Colestid)</i>	1	GC
CRESTOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC
<i>ezetimibe oral tablet 10 mg (Zetia)</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-10 (Vytorin 10-10) mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-20 (Vytorin 10-20) mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-40 (Vytorin 10-40) mg</i>	1	GC
<i>ezetimibe-simvastatin oral tablet 10-80 (Vytorin 10-80) mg</i>	1	PA NSO; GC
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	1	GC
<i>fenofibrate oral capsule 150 mg, 50 mg</i>	(Lipofen)	1	GC
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	(Fenoglide)	1	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		1	GC
<i>fenofibric acid (choline) oral capsule, delayed release (dr/ec) 135 mg, 45 mg</i>	(Trilipix)	1	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	1	GC
FENOGLIDE ORAL TABLET 120 MG, 40 MG		3	GC
FIBRICOR ORAL TABLET 105 MG, 35 MG		3	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	(Lescol)	1	GC
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	1	GC
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG		2	PA; GC; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG		2	PA; GC; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG		2	PA; GC; QL (45 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML		2	PA; GC; QL (4 per 28 days)
LESCOL ORAL CAPSULE 20 MG, 40 MG		3	GC
LESCOL XL ORAL TABLET EXTENDED RELEASE 24 HR 80 MG		3	GC
LIPITOR ORAL TABLET 10 MG, 20 MG, 40 MG, 80 MG		3	GC
LIPOFEN ORAL CAPSULE 150 MG, 50 MG		3	GC
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG		2	GC; QL (30 per 30 days)
LOPID ORAL TABLET 600 MG		3	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC
LOVAZA ORAL CAPSULE 1 GRAM		3	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg	(Niaspan Extended-Release)	1	GC
niacor oral tablet 500 mg		1	GC
NIASPAN EXTENDED-RELEASE ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG, 500 MG, 750 MG		3	GC
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	1	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		2	PA; GC; QL (2 per 28 days)
PRAVACHOL ORAL TABLET 20 MG, 40 MG, 80 MG		3	GC
pravastatin oral tablet 10 mg		1	GC
pravastatin oral tablet 20 mg, 40 mg, 80 mg	(Pravachol)	1	GC
prevalite oral powder in packet 4 gram		1	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		2	PA; GC; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		2	PA; GC; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		2	PA; GC; QL (3 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Crestor)	1	GC
simvastatin oral tablet 10 mg, 20 mg, 40 mg	(Zocor)	1	GC
simvastatin oral tablet 5 mg		1	GC
simvastatin oral tablet 80 mg	(Zocor)	1	PA NSO; GC; QL (30 per 30 days)
TRICOR ORAL TABLET 145 MG, 48 MG		3	GC
TRIGLIDE ORAL TABLET 160 MG		2	GC
TRILIPIX ORAL CAPSULE,DELAYED RELEASE(DR/EC) 135 MG, 45 MG		3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	GC; QL (120 per 30 days)
VYTORIN 10-10 ORAL TABLET 10-10 MG	3	GC
VYTORIN 10-20 ORAL TABLET 10-20 MG	3	GC
VYTORIN 10-40 ORAL TABLET 10-40 MG	3	GC
VYTORIN 10-80 ORAL TABLET 10-80 MG	3	PA NSO; GC
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	GC
WELCHOL ORAL TABLET 625 MG	3	GC
ZETIA ORAL TABLET 10 MG	3	GC
ZOCOR ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG	3	GC; QL (30 per 30 days)
ZOCOR ORAL TABLET 80 MG	3	PA NSO; GC; QL (30 per 30 days)
ZYPITAMAG ORAL TABLET 1 MG, 2 MG, 4 MG	2	GC; QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i>	1	GC
INSPRA ORAL TABLET 25 MG, 50 MG	3	GC
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	2	GC
TEKTURNA ORAL TABLET 150 MG, 300 MG	2	GC
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	2	GC
DILATRATE-SR ORAL CAPSULE, EXTENDED RELEASE 40 MG	2	GC
ISORDIL ORAL TABLET 40 MG	2	GC
ISORDIL TITRADOSE ORAL TABLET 5 MG	3	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	1	GC; QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	1	GC; QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	GC
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR	3	GC
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i> (Minitran)	1	GC; QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr</i> (Minitran)	1	GC; QL (60 per 30 days)
<i>nitroglycerin translingual spray,non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	GC
NITROLINGUAL TRANSLINGUAL SPRAY,NON-AEROSOL 400 MCG/SPRAY	3	GC
NITROMIST TRANSLINGUAL AEROSOL,SPRAY 400 MCG/SPRAY	3	GC
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Central Nervous System Agents		
Central Nervous System Agents		
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
ADDERALL XR ORAL CAPSULE,EXTENDED RELEASE 24HR 20 MG, 25 MG, 30 MG	3	ST; GC; QL (60 per 30 days)
<i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> (Evekeo)	1	GC; QL (180 per 30 days)
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	2	PA; GC; QL (60 per 30 days)
APTENSIO XR ORAL CAP,ER SPRINKLE,BIPHASIC 40-60 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	ST; GC; QL (30 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	1	GC
AUBAGIO ORAL TABLET 14 MG, 7 MG	2	PA; GC; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	PA; GC; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	2	PA; GC; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	2	PA; GC
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	PA; GC
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	PA; GC
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	PA; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> (Kapvay)	1	GC
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 18 MG, 27 MG, 54 MG	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CONCERTA ORAL TABLET EXTENDED RELEASE 24HR 36 MG	3	ST; GC; QL (60 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	3	PA; GC
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	3	PA; GC; QL (12 per 28 days)
COTEMPLA XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 17.3 MG, 25.9 MG, 8.6 MG	2	ST; GC; QL (30 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; GC; QL (60 per 30 days)
DAYTRANA TRANSDERMAL PATCH 24 HOUR 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR	2	ST; GC; QL (30 per 30 days)
DESOXYN ORAL TABLET 5 MG	3	PA; GC; QL (150 per 30 days)
DEXEDRINE SPANSULE ORAL CAPSULE, EXTENDED RELEASE 10 MG, 15 MG, 5 MG	3	GC; QL (120 per 30 days)
<i>dexamethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	GC; QL (30 per 30 days)
<i>dexamethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	GC; QL (120 per 30 days)
<i>dextroamphetamine oral solution 5 mg/5 ml</i> (ProCentra)	1	GC; QL (1800 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zeneddi)	1	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	1	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	1	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	GC; QL (60 per 30 days)
DYANAVEL XR ORAL SUSPEN, IR - ER, BIPHASIC 24HR 2.5 MG/ML	2	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	2	PA; GC
FOCALIN ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	ST; GC; QL (60 per 30 days)
FOCALIN XR ORAL CAPSULE,ER BIPHASIC 50-50 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG	3	ST; GC; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	2	PA; GC; QL (28 per 28 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	1	PA; GC; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	1	PA; GC; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	1	PA; GC; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	1	PA; GC
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	GC
INGREZZA ORAL CAPSULE 40 MG, 80 MG	2	PA; GC; QL (30 per 30 days)
INTUNIV ER ORAL TABLET EXTENDED RELEASE 24 HR 1 MG, 2 MG, 3 MG, 4 MG	3	GC; QL (30 per 30 days)
KAPVAY ORAL TABLET EXTENDED RELEASE 12 HR 0.1 MG	3	GC
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	2	PA; GC
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	GC
LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG	3	GC
<i>metadate er oral tablet extended release 20 mg</i>	3	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>methamphetamine oral tablet 5 mg</i>	(Desoxyn)	1	PA; GC; QL (150 per 30 days)
METHYLIN ORAL SOLUTION 10 MG/5 ML, 5 MG/5 ML		3	ST; GC; QL (900 per 30 days)
<i>methylphenidate er 18 mg tab 18 mg</i>	(Concerta)	1	GC; QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i>	(Concerta)	1	GC; QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i>	(Concerta)	1	GC; QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i>	(Concerta)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>		1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>		1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	(Ritalin LA)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	(Ritalin LA)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>		1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	(Methylin)	1	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	(Ritalin)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>		1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	(Metadate ER)	1	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	(Concerta)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	(Concerta)	1	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i>	(Relexxii)	1	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 10 mg</i>		1	GC; QL (180 per 30 days)
<i>methylphenidate hcl oral tablet, chewable 2.5 mg, 5 mg</i>		1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MYDAYIS ORAL CAPSULE, ER TRIPHASIC 24 HR 12.5 MG, 25 MG, 37.5 MG, 50 MG	2	ST; GC; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	2	PA; GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	PA; GC; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	PA; GC
QUILLICHEW ER ORAL TABLET,CHEW,IR- ER.BIPHASIC24HR 20 MG, 30 MG, 40 MG	2	ST; GC; QL (30 per 30 days)
QUILLIVANT XR ORAL SUSPENSION,EXT REL 24HR,RECON 5 MG/ML (25 MG/5 ML)	2	ST; GC
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	2	PA; GC; QL (2800 per 30 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	2	PA; GC
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	2	PA; GC
RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 72 MG	2	ST; GC; QL (30 per 30 days)
RILUTEK ORAL TABLET 50 MG	3	GC
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	GC
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG	2	ST; GC; QL (30 per 30 days)
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 20 MG, 40 MG	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 30 MG	3	ST; GC; QL (60 per 30 days)
RITALIN ORAL TABLET 10 MG, 20 MG, 5 MG	3	ST; GC; QL (90 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	PA; GC; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	PA; GC; QL (60 per 30 days)
STRATTERA ORAL CAPSULE 10 MG, 100 MG, 18 MG, 25 MG, 40 MG, 60 MG, 80 MG	3	GC
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	2	PA; GC; QL (14 per 30 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG	2	PA; GC; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)</i>	1	GC; QL (112 per 28 days)
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	2	GC
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	2	PA; GC; QL (30 per 30 days)
VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG	2	PA; GC; QL (30 per 30 days)
XENAZINE ORAL TABLET 12.5 MG, 25 MG	3	GC; QL (112 per 28 days)
<i>zenzedi oral tablet 10 mg, 5 mg</i>	1	GC; QL (180 per 30 days)
Contraceptives		
Contraceptives		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	1	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>brevicon (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	GC
<i>chateal oral tablet 0.15-0.03 mg</i>	1	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
CYCLESSA (28) ORAL TABLET 0.1/.125/.15-25 MG-MCG	3	GC
<i>cyred 28 day tablet outer 0.15-0.03 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cyredeq oral tablet 0.15-0.03 mg</i>	1	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	GC
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>desog-e.estradiolle.estriadiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>desogestrel-ethinyl estradiol oral tablet (Apri) 0.15-0.03 mg</i>	1	GC
<i>drospirenone-e.estriadiol-lm.fa oral tablet (Beyaz) 3-0.02-0.451 mg (24) (4)</i>	1	GC
<i>drospirenone-e.estriadiol-lm.fa oral tablet (Safyral) 3-0.03-0.451 mg (21) (7)</i>	1	GC
<i>drospirenone-ethinyl estradiol oral tablet (Gianvi (28)) 3-0.02 mg</i>	1	GC
<i>drospirenone-ethinyl estradiol oral tablet (Ocella) 3-0.03 mg</i>	1	GC
<i>elonest oral tablet 0.3-30 mg-mcg</i>	1	GC
ELLA ORAL TABLET 30 MG	2	GC; QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	GC
<i>errin oral tablet 0.35 mg</i>	1	GC
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	1	GC
ESTROSTEP FE-28 ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	3	GC
<i>ethynodiol diac-eth estradiol oral tablet (Kelnor 1/35 (28)) 1-35 mg-mcg</i>	1	GC
<i>ethynodiol diac-eth estradiol oral tablet (Kelnor 1-50) 1-50 mg-mcg</i>	1	GC
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>fayosim oral tablets, dose pack, 3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GENERESS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	3	GC
gianvi (28) oral tablet 3-0.02 mg	1	GC
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	GC
heather oral tablet 0.35 mg	1	GC
incassia oral tablet 0.35 mg	1	GC
introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg	1	GC; QL (91 per 84 days)
isibloom oral tablet 0.15-0.03 mg	1	GC
jencycla oral tablet 0.35 mg	1	GC
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg	1	GC; QL (91 per 84 days)
jolivette oral tablet 0.35 mg	1	GC
juleber oral tablet 0.15-0.03 mg	1	GC
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	GC
junel 1/20 (21) oral tablet 1-20 mg-mcg	1	GC
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	GC
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	GC
kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)	1	GC
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	GC
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	1	GC
kelnor 1-50 oral tablet 1-50 mg-mcg	1	GC
kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	GC
kurvelo oral tablet 0.15-0.03 mg	1	GC
l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	(Amethia Lo)	1 GC; QL (91 per 84 days)
l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg	(Fayosim)	1 GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>Inorgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	GC
<i>larinfe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	3	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>levonorgestrel-ethynodiol-diol oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>levonorgestrel-ethynodiol-diol oral tablet 0.15-0.03 mg</i>	1	GC; QL (91 per 84 days)
<i>levonorgestrel-ethynodiol-diol oral tablet 90-20 mcg</i>	1	GC
<i>levonorgestrel-ethynodiol-diol oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	GC; QL (91 per 84 days)
<i>levonorgestrel-ethynodiol-diol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	GC
<i>lillow oral tablet 0.15-0.03 mg</i>	1	GC
<i>LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2)</i>	2	GC
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	GC
<i>LOSEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.10 MG-20 MCG (84)/10 MCG (7)</i>	3	GC; QL (91 per 84 days)
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	GC
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
lyza oral tablet 0.35 mg	1	GC
marlissa oral tablet 0.15-0.03 mg	1	GC
melodetta 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)	1	GC
mibelas 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)	1	GC
microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	GC
microgestin 1/20 (21) oral tablet 1-20 mg-mcg	1	GC
microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	3	GC
microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	GC
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
milki oral tablet 0.25-35 mg-mcg	1	GC
MINASTRIN 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	3	GC
mono-linyah oral tablet 0.25-35 mg-mcg	1	GC
mononessa (28) oral tablet 0.25-35 mg-mcg	1	GC
myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)	1	GC
NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG	2	GC
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg	1	GC
necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	GC
nikki (28) oral tablet 3-0.02 mg	1	GC
nora-be oral tablet 0.35 mg	1	GC
noreth-ethinyl estradiol-iron oral tablet,chewable 0.4mg-35mcg(21) and 75 mg (7)	1	GC
noreth-ethinyl estradiol-iron oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)	1	GC
norethindrone (contraceptive) oral tablet (Camila) 0.35 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet (Junel 1/20 (21)) 1-20 mg-mcg</i>	1	GC
<i>norethindrone-e.estradiol-iron oral tablet (Blisovi Fe 1/20 (28)) 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>norethindrone-e.estradiol-iron oral tablet (Blisovi 24 Fe) 1 mg-20 mcg (24)/75 mg (4)</i>	1	GC
<i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	1	GC
<i>norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen LO 0.18/0.215/0.25 mg-25 mcg (28))</i>	1	GC
<i>norgestimate-ethinyl estradiol oral tablet (Ortho Tri-Cyclen (28)) 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>norgestimate-ethinyl estradiol oral tablet (Estarylla) 0.25-35 mg-mcg</i>	1	GC
<i>norlyda oral tablet 0.35 mg</i>	1	GC
<i>norlyroc oral tablet 0.35 mg</i>	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	1	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	2	GC; QL (1 per 28 days)
<i>ocella oral tablet 3-0.03 mg</i>	1	GC
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	GC
ORTHO MICRONOR ORAL TABLET 0.35 MG	3	GC
ORTHO TRI-CYCLEN (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	3	GC
ORTHO TRI-CYCLEN LO (28) ORAL TABLET 0.18/0.215/0.25 MG-25 MCG	3	GC
ORTHO-CYCLEN (28) ORAL TABLET 0.25-35 MG-MCG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORTHO-NOVUM 1/35 (28) ORAL TABLET 1-35 MG-MCG	3	GC
ORTHO-NOVUM 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG	3	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	1	GC
<i>portia oral tablet 0.15-0.03 mg</i>	1	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	GC
QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG	3	GC; QL (91 per 84 days)
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	GC; QL (91 per 84 days)
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	GC
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	GC; QL (91 per 84 days)
SAFYRAL ORAL TABLET 3-0.03- 0.451 MG (21) (7)	2	GC
SEASONIQUE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	3	GC; QL (91 per 84 days)
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	GC
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>syeda oral tablet 3-0.03 mg</i>	1	GC
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
TAYTULLA ORAL CAPSULE 1 MG- 20 MCG (24)/75 MG (4)	2	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg- 35mcg (9)</i>	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>trinessa lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
TRI-NORINYL (28) ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	GC
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	1	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	1	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)	1	GC
xulane transdermal patch weekly 150-35 mcg/24 hr	1	GC; QL (3 per 28 days)
YASMIN (28) ORAL TABLET 3-0.03 MG	3	GC
YAZ (28) ORAL TABLET 3-0.02 MG	3	GC
zarah oral tablet 3-0.03 mg	1	GC
zenchent (28) oral tablet 0.4-35 mg-mcg	1	GC
zovia 1/35e (28) oral tablet 1-35 mg-mcg	1	GC
Dental And Oral Agents		
Dental And Oral Agents		
cevimeline oral capsule 30 mg (Evoxac)	1	GC
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	1	GC
denta 5000 plus dental cream 1.1 %	1	GC
dentagel dental gel 1.1 %	1	GC
EVOXAC ORAL CAPSULE 30 MG	3	GC
oralone dental paste 0.1 %	3	GC
paroex oral rinse mucous membrane mouthwash 0.12 %	1	GC
periogard mucous membrane mouthwash 0.12 %	1	GC
pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))	1	GC
SALAGEN (PILOCARPINE) ORAL TABLET 5 MG, 7.5 MG	3	GC
sf 5000 plus dental cream 1.1 %	1	GC
triamcinolone acetonide dental paste 0.1 % (Oralone)	1	GC
Dermatological Agents		
Dermatological Agents, Other		
ABSORICA ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG	3	GC
ABSORICA ORAL CAPSULE 25 MG, 35 MG	2	GC
acitretin oral capsule 10 mg, 17.5 mg, 25 mg (Soriatane)	1	GC
acyclovir topical ointment 5 % (Zovirax)	1	GC; QL (30 per 30 days)
ACZONE TOPICAL GEL 5 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACZONE TOPICAL GEL WITH PUMP 7.5 %	2	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
ALDARA TOPICAL CREAM IN PACKET 5 %	3	PA NSO; GC
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	GC
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	GC
<i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>azelaic acid topical gel 15 %</i> (Finacea)	1	GC
AZELEX TOPICAL CREAM 20 %	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	1	GC
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	GC
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	1	GC
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i>	1	GC
<i>calcitrene topical ointment 0.005 %</i>	1	GC
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	GC
CARAC TOPICAL CREAM 0.5 %	3	GC
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
CONDYLOX TOPICAL GEL 0.5 %	2	GC
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	PA; GC
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	PA; GC
<i>dapsone topical gel 5 %</i> (Aczone)	1	GC
DENAVIR TOPICAL CREAM 1 %	2	GC
DOVONEX TOPICAL CREAM 0.005 %	3	GC
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	2	PA; GC
EFUDEX TOPICAL CREAM 5 %	3	GC
ENSTILAR TOPICAL FOAM 0.005-0.064 %	3	GC
FINACEA TOPICAL FOAM 15 %	2	GC
FINACEA TOPICAL GEL 15 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	1	GC
<i>fluorouracil topical cream 5 %</i>	(Efudex)	1	GC
<i>fluorouracil topical solution 2 %, 5 %</i>		1	GC
<i>imiquimod topical cream in metered-dose pump 3.75 %</i>	(Zyclara)	1	GC
<i>imiquimod topical cream in packet 5 %</i>	(Aldara)	1	PA NSO; GC; QL (24 per 30 days)
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(Absorica)	1	GC
LEVULAN TOPICAL SOLUTION 20 %		2	GC
<i>masfenide acetate topical packet 50 gram</i>	(Sulfamylon)	1	GC
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i>	(Oxsoralen Ultra)	1	GC
MIRVASO TOPICAL GEL WITH PUMP 0.33 %		2	GC
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		1	GC
OXSORALEN ULTRA ORAL CAPSULE,LIQD-FILLED,RAPID REL 10 MG		3	GC
PANRETIN TOPICAL GEL 0.1 %		2	GC
PICATO TOPICAL GEL 0.015 %		2	GC; QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %		2	GC; QL (2 per 56 days)
<i>podoftilox topical solution 0.5 %</i>		1	GC
REGRANEX TOPICAL GEL 0.01 %		2	PA; GC; QL (30 per 30 days)
RHOFADE TOPICAL CREAM 1 %		2	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		2	GC
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML		2	PA; GC
SORIATANE ORAL CAPSULE 10 MG, 17.5 MG, 25 MG		3	GC
SORILUX TOPICAL FOAM 0.005 %		2	GC
SULFAMYLYON TOPICAL CREAM 85 MG/G		2	GC
SULFAMYLYON TOPICAL PACKET 50 GRAM		2	GC
TACLONEX TOPICAL OINTMENT 0.005-0.064 %		3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TACLONEX TOPICAL SUSPENSION 0.005-0.064 %	2	ST; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	2	PA; GC
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	PA; GC
TOLAK TOPICAL CREAM 4 %	2	GC
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
UVADEX INJECTION SOLUTION 20 MCG/ML	2	GC
VALCHLOR TOPICAL GEL 0.016 %	2	GC
VECTICAL TOPICAL OINTMENT 3 MCG/GRAM	3	GC
XERESE TOPICAL CREAM 5-1 %	2	GC; QL (5 per 5 days)
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	3	GC
ZOVIRAX TOPICAL CREAM 5 %	2	GC; QL (5 per 4 days)
ZOVIRAX TOPICAL OINTMENT 5 %	3	GC; QL (30 per 30 days)
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %, 3.75 %	2	GC
Dermatological Antibacterials		
ACANYA TOPICAL GEL WITH PUMP 1.2-2.5 %	2	GC
AKTIPAK TOPICAL GEL 3-5 %	3	GC
ALTABAX TOPICAL OINTMENT 1 %	2	GC
BACTROBAN NASAL NASAL OINTMENT 2 %	2	GC
BACTROBAN TOPICAL CREAM 2 %	3	GC
BENZAMYCIN TOPICAL GEL 3-5 %	3	GC
CENTANY TOPICAL OINTMENT 2 %	3	GC
CLEOCIN T TOPICAL GEL 1 %	3	GC
CLEOCIN T TOPICAL LOTION 1 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLEOCIN T TOPICAL SOLUTION 1 %	3	GC
CLINDAGEL TOPICAL GEL, ONCE DAILY 1 %	2	GC
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	1	GC
<i>clindamycin phosphate topical gel 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	GC
<i>clindamycin phosphate topical swab 1 %</i> (Cleocin T)	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i>	1	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclen)	1	GC
<i>clindamycin-benzoyl peroxide topical gel with pump 1.2-2.5 %</i> (Acanya)	1	GC
<i>clindamycin-tretinoin topical gel 1.2-0.025 %</i> (Veltin)	1	GC
CORTISPORIN TOPICAL CREAM 3.5-10,000-0.5 MG/G-UNIT/G-%	2	GC
CORTISPORIN TOPICAL OINTMENT 1 %	2	GC
<i>ery pads topical swab 2 %</i>	1	GC
ERYGEL TOPICAL GEL 2 %	3	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	GC
<i>erythromycin with ethanol topical solution 2 %</i>	1	GC
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Aktipak)	1	GC
EVOCLIN TOPICAL FOAM 1 %	3	GC
<i>gentamicin topical cream 0.1 %</i>	1	GC
<i>gentamicin topical ointment 0.1 %</i>	1	GC
KLARON TOPICAL SUSPENSION 10 %	3	GC
METROCREAM TOPICAL CREAM 0.75 %	3	GC
METROGEL TOPICAL GEL 1 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
METROLOTION TOPICAL LOTION 0.75 %	3	GC
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	1	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	GC
<i>mupirocin calcium topical cream 2 %</i> (Bactroban)	1	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	GC
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	1	GC
ONEXTON TOPICAL GEL WITH PUMP 1.2 %(1 % BASE) -3.75 %	2	GC
<i>rosadan topical cream 0.75 %</i>	1	GC
<i>selenium sulfide topical lotion 2.5 %</i>	1	GC
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	1	GC
<i>ssd topical cream 1 %</i>	1	GC
<i>sulacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %, 2.5 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	1	GC
<i>alclometasone topical ointment 0.05 %</i>	1	GC
<i>amcinonide topical cream 0.1 %</i>	1	GC
<i>amcinonide topical lotion 0.1 %</i>	1	GC
<i>amcinonide topical ointment 0.1 %</i>	1	GC
ANALPRAM-HC RECTAL CREAM 1-1 %	3	GC
ANALPRAM-HC TOPICAL LOTION 2.5-1 %	2	GC
APEXICON E TOPICAL CREAM 0.05 %	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical cream 0.1 %</i>	1	GC
<i>betamethasone valerate topical foam 0.12 (Luxiq) %</i>	1	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	1	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	1	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	1	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	1	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	GC
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene)</i>	1	GC
CAPEX TOPICAL SHAMPOO 0.01 %	2	ST; GC
<i>clobetasol scalp solution 0.05 % (Cormax)</i>	1	GC
<i>clobetasol topical cream 0.05 % (Temovate)</i>	1	GC
<i>clobetasol topical foam 0.05 % (Olux)</i>	1	GC
<i>clobetasol topical gel 0.05 %</i>	1	GC
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	1	GC
<i>clobetasol topical ointment 0.05 % (Temovate)</i>	1	GC
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	1	GC
<i>clobetasol topical spray,non-aerosol 0.05 %</i>	1	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	1	GC
<i>clobetasol-emollient topical foam 0.05 % (Olux-E)</i>	1	GC
CLOBEX TOPICAL LOTION 0.05 %	3	GC
CLOBEX TOPICAL SPRAY,NON-AEROSOL 0.05 %	3	GC
<i>clocortolone pivalate topical cream 0.1 % (Cloderm)</i>	1	GC
CORDRAN TAPE LARGE ROLL TOPICAL TAPE 4 MCG/CM2	2	ST; GC
<i>cormax scalp solution 0.05 %</i>	1	GC
CUTIVATE TOPICAL CREAM 0.05 %	3	GC
CUTIVATE TOPICAL LOTION 0.05 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DERMA-SMOOTH/FS BODY OIL TOPICAL OIL 0.01 %		3	GC
DERMATOP TOPICAL OINTMENT 0.1 %		3	GC
DESONATE TOPICAL GEL 0.05 %		2	ST; GC
<i>desonide topical cream 0.05 %</i> (DesOwen)		1	GC
<i>desonide topical lotion 0.05 %</i> (DesOwen)		1	GC
<i>desonide topical ointment 0.05 %</i>		1	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)		1	GC
<i>desoximetasone topical gel 0.05 %</i> (Topicort)		1	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)		1	GC
<i>desoximetasone topical spray,non-aerosol 0.25 %</i> (Topicort)		1	GC
<i>diflorasone topical cream 0.05 %</i> (Psorcon)		1	GC
<i>diflurasone topical ointment 0.05 %</i>		1	GC
DIPROLENE TOPICAL OINTMENT 0.05 %		3	GC
ELIDEL TOPICAL CREAM 1 %		2	ST; GC
ELOCON TOPICAL CREAM 0.1 %		3	GC
ELOCON TOPICAL OINTMENT 0.1 %		3	GC
EPIFOAM TOPICAL FOAM 1-1 %		2	GC
EUCRISA TOPICAL OINTMENT 2 %		2	GC
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)		1	GC
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)		1	GC
<i>fluocinolone topical cream 0.01 %</i>		1	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)		1	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)		1	GC
<i>fluocinolone topical solution 0.01 %</i> (Synalar)		1	GC
<i>fluocinonide topical cream 0.05 %</i>		1	GC
<i>fluocinonide topical cream 0.1 %</i> (Vanos)		1	GC
<i>fluocinonide topical gel 0.05 %</i>		1	GC
<i>fluocinonide topical ointment 0.05 %</i>		1	GC
<i>fluocinonide topical solution 0.05 %</i>		1	GC
<i>fluocinonide-e topical cream 0.05 %</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>flurandrenolide topical cream 0.05 %</i>	(Cordran)	1	GC
<i>flurandrenolide topical lotion 0.05 %</i>	(Cordran)	1	GC
<i>flurandrenolide topical ointment 0.05 %</i>	(Cordran)	1	GC
<i>fluticasone topical cream 0.05 %</i>	(Cutivate)	1	GC
<i>fluticasone topical lotion 0.05 %</i>	(Cutivate)	1	GC
<i>fluticasone topical ointment 0.005 %</i>		1	GC
<i>halobetasol propionate topical cream 0.05 %</i>	(Ultravate)	1	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	(Ultravate)	1	GC
HALOG TOPICAL CREAM 0.1 %		2	ST; GC
HALOG TOPICAL OINTMENT 0.1 %		2	ST; GC
<i>hydrocort buty 0.1% lipo cream 0.1 %</i>	(Locoid Lipocream)	1	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	(Locoid)	1	GC
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	(Locoid)	1	GC
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		1	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	(Locoid)	1	GC
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	(Ala-Cort)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>		1	GC
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>		1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>		1	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>		1	GC
<i>hydrocortisone-pramoxine rectal cream 1-1 %</i>	(Analpram-HC)	1	GC
IMPOYZ TOPICAL CREAM 0.025 %		2	GC
KENALOG TOPICAL AEROSOL 0.147 MG/GRAM		3	ST; GC
LOCOID 0.1% CREAM 0.1 %		3	GC
LOCOID LIPOCREAM TOPICAL CREAM 0.1 %		3	GC
LOCOID TOPICAL LOTION 0.1 %		3	ST; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LOCOID TOPICAL OINTMENT 0.1 %	3	GC
LOCOID TOPICAL SOLUTION 0.1 %	3	GC
LUXIQ TOPICAL FOAM 0.12 %	3	GC
<i>mometasone topical cream 0.1 %</i> (Elocon)	1	GC
<i>mometasone topical ointment 0.1 %</i> (Elocon)	1	GC
<i>mometasone topical solution 0.1 %</i>	1	GC
NOLIX TOPICAL CREAM 0.05 %	2	GC
NOLIX TOPICAL LOTION 0.05 %	3	ST; GC
OLUX TOPICAL FOAM 0.05 %	3	GC
OLUX-E TOPICAL FOAM 0.05 %	3	GC
PANDEL TOPICAL CREAM 0.1 %	2	ST; GC
PRAMOSONE TOPICAL CREAM 1-1 %	2	GC
PRAMOSONE TOPICAL LOTION 1-1 %	2	GC
<i>prednicarbate topical cream 0.1 %</i>	1	GC
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	1	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>	1	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	GC
PROTOPIC TOPICAL OINTMENT 0.03 %, 0.1 %	3	ST; GC
SERNIVO TOPICAL SPRAY WITH PUMP 0.05 %	2	GC
SYNALAR 0.025% CREAM KIT 0.025 %	3	GC
SYNALAR TOPICAL CREAM 0.025 %	3	GC
SYNALAR TOPICAL OINTMENT 0.025 %	3	GC
SYNALAR TOPICAL SOLUTION 0.01 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	ST; GC
TOPICORT TOPICAL SPRAY, NON-AEROSOL 0.25 %	2	ST; GC
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i> (Kenalog)	1	GC
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>trianex topical ointment 0.05 %</i>	3	GC
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	GC
<i>tridesilon topical cream 0.05 %</i>	1	GC
ULTRAVATE TOPICAL CREAM 0.05 %	3	GC
ULTRAVATE TOPICAL LOTION 0.05 %	2	GC
ULTRAVATE TOPICAL OINTMENT 0.05 %	3	GC
VANOS TOPICAL CREAM 0.1 %	3	GC
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 %</i> (Differin)	1	GC
<i>adapalene topical cream 0.1 %</i> (Differin)	1	GC
<i>adapalene topical gel 0.1 %, 0.3 %</i> (Differin)	1	GC
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> (Epiduo)	1	GC
ATRALIN TOPICAL GEL 0.05 %	3	PA; GC
<i>avita topical cream 0.025 %</i>	1	PA; GC
<i>avita topical gel 0.025 %</i>	1	PA; GC
DIFFERIN TOPICAL CREAM 0.1 %	3	GC
DIFFERIN TOPICAL GEL 0.1 %	3	GC
DIFFERIN TOPICAL GEL WITH PUMP 0.3 %	3	GC
DIFFERIN TOPICAL LOTION 0.1 %	3	GC
EPIDUO FORTE TOPICAL GEL WITH PUMP 0.3-2.5 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIDUO TOPICAL GEL WITH PUMP 0.1-2.5 %	3	GC
FABIOR TOPICAL FOAM 0.1 %	2	GC
RETIN-A MICRO PUMP TOPICAL GEL WITH PUMP 0.06 %, 0.08 %	2	PA; GC
RETIN-A MICRO TOPICAL GEL 0.04 %, 0.1 %	3	PA; GC
RETIN-A TOPICAL CREAM 0.025 %, 0.05 %, 0.1 %	3	PA; GC
RETIN-A TOPICAL GEL 0.01 %, 0.025 %	3	PA; GC
<i>tazarotene topical cream 0.1 %</i> (Avage)	1	GC
TAZORAC TOPICAL CREAM 0.05 %	2	GC
TAZORAC TOPICAL CREAM 0.1 %	3	GC
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	2	GC
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	1	PA; GC
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA; GC
Scabicides And Pediculicides		
CROTAN TOPICAL LOTION 10 %	2	GC
ELIMITE TOPICAL CREAM 5 %	3	GC
EURAX TOPICAL CREAM 10 %	2	GC
EURAX TOPICAL LOTION 10 %	2	GC
<i>lindane topical shampoo 1 %</i>	1	GC
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	GC
<i>permethrin topical cream 5 %</i> (Elimitre)	1	GC
SKLICE TOPICAL LOTION 0.5 %	2	GC
SOOLANTRA TOPICAL CREAM 1 %	2	GC
<i>spinosad topical suspension 0.9 %</i> (Natroba)	1	GC
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 (Ultilet Insulin Syringe) SYRINGE 0.3 ML 29 GAUGE	2	GC
INSULIN SYRINGE-NEEDLE U-100 (Advocate Syringes) SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
INSULIN SYRINGE-NEEDLE U-100 (Lite Touch Insulin SYRINGE 1/2 ML 28 GAUGE Syringe)	2	GC
PEN NEEDLE, DIABETIC NEEDLE (1st Tier Unifine 29 GAUGE X 1/2" Pentips)	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	GC
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	2	GC
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	2	PA; GC
CERDELGA ORAL CAPSULE 84 MG	2	PA; GC
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	GC
CHENODAL ORAL TABLET 250 MG	2	PA; GC
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000- 19,000 -30,000 UNIT	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	2	GC
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	GC
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	GC
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	GC
GALAFOLD ORAL CAPSULE 123 MG	2	PA; GC; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	2	GC
KUVAN ORAL TABLET,SOLUBLE 100 MG	2	GC
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	2	GC
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	GC; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	GC
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	2	PA; GC
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	2	PA; GC
ORFADIN ORAL SUSPENSION 4 MG/ML	2	PA; GC
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	PA; GC
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500-61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-6,200- 10,850 UNIT, 21,000-54,700- 83,900 UNIT, 4,200-14,200- 24,600 UNIT	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PERTZYE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 16,000-57,500-60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT	2	GC
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	2	GC
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	PA; GC
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	2	PA; GC
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	2	GC
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	PA; GC
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT	2	GC
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	GC
XIAFLEX INJECTION RECON SOLN 0.9 MG	2	PA; GC; QL (2 per 28 days)
ZAVESCA ORAL CAPSULE 100 MG	3	GC; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000-105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000-17,000- 24,000 UNIT	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	2	GC
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
<i>apraclonidine ophthalmic (eye) drops 0.5% (Iopidine)</i>	1	GC
ASTEPRO NASAL SPRAY, NON-AEROSOL 0.15 % (205.5 MCG)	3	GC; QL (30 per 25 days)
<i>atropine ophthalmic (eye) drops 1% (Isopto Atropine)</i>	1	GC
<i>azelastine nasal aerosol, spray 137 mcg (0.1%)</i>	1	GC; QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 0.15% (Astepro) (205.5 mcg)</i>	1	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05%</i>	1	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	2	GC
<i>cromolyn ophthalmic (eye) drops 4%</i>	1	GC
<i>cyclopentolate ophthalmic (eye) drops (Cyclogyl) 0.5%, 1%, 2%</i>	1	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	2	GC
DYMISTA NASAL SPRAY, NON-AEROSOL 137-50 MCG/SPRAY	2	GC; QL (23 per 30 days)
ELESTAT OPHTHALMIC (EYE) DROPS 0.05 %	3	GC
EMADINE OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
<i>epinastine ophthalmic (eye) drops 0.05% (Elestat)</i>	1	GC
IOPIDINE OPHTHALMIC (EYE) DROPPERETTE 1 %	2	GC
IOPIDINE OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
<i>ipratropium bromide nasal spray, non-aerosol 0.03%</i>	1	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06%)</i>	1	GC; QL (15 per 10 days)
ISOPTO ATROPINE OPHTHALMIC (EYE) DROPS 1 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LACRISERT OPHTHALMIC (EYE) INSERT 5 MG	2	GC
LASTACAFT OPHTHALMIC (EYE) DROPS 0.25 %	2	GC
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	1	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	1	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	1	GC
OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML)	2	GC
PATADAY OPHTHALMIC (EYE) DROPS 0.2 %	3	GC
PATANASE NASAL SPRAY,NON-AEROSOL 0.6 %	3	GC; QL (30.5 per 30 days)
PATANOL OPHTHALMIC (EYE) DROPS 0.1 %	3	GC
PAZEO OPHTHALMIC (EYE) DROPS 0.7 %	2	GC
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	1	GC
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	1	GC
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydriacyl)	1	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	GC
AZASITE OPHTHALMIC (EYE) DROPS 1 %	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	GC
<i>bacitracin-polymyxin b ophthalmic (eye) (AK-Poly-Bac) ointment 500-10,000 unit/gram</i>	1	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	2	GC
CETRAXAL OTIC (EAR) DROPPERETTE 0.2 %	3	GC
CILOXAN OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
CIPRO HC OTIC (EAR) DROPS,SUSPENSION 0.2-1 %	2	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops</i> (Ciloxan) 0.3 %	1	GC
<i>ciprofloxacin hcl otic (ear) dropperette</i> (Cetraxal) 0.2 %	1	GC
COLY-MYCIN S OTIC (EAR) DROPS,SUSPENSION 3.3-3-10-0.5 MG/ML	2	GC
<i>erythromycin ophthalmic (eye) ointment</i> 5 mg/gram (0.5 %)	1	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5</i> (Zymaxid) %	1	GC
<i>gentak ophthalmic (eye) ointment 0.3 %</i> (3 mg/gram)	1	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear)</i> drops 1-2 %	1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5</i> %	1	GC
MAXITROL OPHTHALMIC (EYE) DROPS,SUSPENSION 3.5MG/ML- 10,000 UNIT/ML-0.1 %	3	GC
MAXITROL OPHTHALMIC (EYE) OINTMENT 3.5 MG/G-10,000 UNIT/G-0.1 %	3	GC
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	2	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5</i> (Vigamox) %	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	2	GC
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	1	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	GC
OCUFLOX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflax)</i>	1	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
POLYTRIM OPHTHALMIC (EYE) DROPS 10,000 UNIT- 1 MG/ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	2	GC
PRED-G S.O.P. OPHTHALMIC (EYE) OINTMENT 0.3-0.6 %	2	GC
<i>sulacetamide sodium ophthalmic (eye) drops 10 %</i>	1	GC
<i>sulacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	GC
<i>sulacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	GC
TOBRADEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.1 %	3	GC
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	GC
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	GC
TOBREX OPHTHALMIC (EYE) DROPS 0.3 %	3	GC
TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 %	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	GC
VIGAMOX OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
VIROPTIC OPHTHALMIC (EYE) DROPS 1 %	3	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	GC
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	GC
ZYMAXID OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 %	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACULAR OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
ACUVAIL (PF) OPHTHALMIC (EYE) DROPPERETTE 0.45 %	2	GC
ALOCRIL OPHTHALMIC (EYE) DROPS 2 %	2	GC
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	2	GC
BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %)	2	GC; QL (50 per 28 days)
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	GC
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	2	GC
DERMOTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	2	GC
FLAC OTIC OIL OTIC (EAR) DROPS 0.01 %	3	GC
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear)</i> (DermOtic Oil) <i>drops 0.01 %</i>	1	GC
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	1	GC
<i>flurbiprofen sodium ophthalmic (eye)</i> <i>drops 0.03 %</i>	1	GC
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	2	GC
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	GC
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	2	GC
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	2	GC
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	GC
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	1	GC; QL (34 per 28 days)
NASONEX NASAL SPRAY,NON-AEROSOL 50 MCG/ACTUATION	3	GC; QL (34 per 28 days)
NEVANAC OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	2	GC
OMNARIS NASAL SPRAY,NON-AEROSOL 50 MCG	2	GC; QL (13 per 30 days)
PRED MILD OPHTHALMIC (EYE) DROPS,SUSPENSION 0.12 %	2	GC
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Omnipred)	1	GC
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	2	GC
QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION	2	GC; QL (9.8 per 28 days)
QNASL NASAL HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (8.7 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	2	GC; QL (60 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	PA; GC; QL (60 per 30 days)
ZETONNA NASAL HFA AEROSOL INHALER 37 MCG/ACTUATION	2	GC; QL (6.1 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
ACIPHEX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG	3	ST; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ACIPHEX SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 10 MG, 5 MG	2	ST; GC; QL (30 per 30 days)
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	1	GC
CARAFATE ORAL SUSPENSION 100 MG/ML	2	GC
CARAFATE ORAL TABLET 1 GRAM	3	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	GC
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	GC
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	GC
CYTOTEC ORAL TABLET 100 MCG, 200 MCG	3	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG, 60 MG	2	ST; GC
<i>esomeprazole magnesium oral capsule,delayed release (dr/ec) 20 mg</i> (Heartburn Treatment)	1	GC
<i>esomeprazole magnesium oral capsule,delayed release (dr/ec) 40 mg</i> (Nexium)	1	GC
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	GC
<i>famotidine intravenous solution 10 mg/ml</i>	1	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Heartburn Treatment 24 Hour)	1	GC
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lansoprazole oral tablet, disintegrat, delay (Prevacid SoluTab) rel 15 mg, 30 mg</i>	1	GC
<i>misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)</i>	1	GC
NEXIUM IV INTRAVENOUS RECON SOLN 40 MG	3	GC
NEXIUM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG, 40 MG	3	ST; GC
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG	2	ST; GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	1	GC
OMECLAMOX-PAK ORAL COMBO PACK 20 MG-500 MG- 500 MG (40)	2	GC
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	1	GC; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral packet 20-1,680 mg, 40-1,680 mg</i>	1	GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	1	GC
<i>pantoprazole oral tablet,delayed release (Protonix) (dr/ec) 20 mg, 40 mg</i>	1	GC
PEPCID ORAL SUSPENSION 40 MG/5 ML (8 MG/ML)	3	GC
PREVACID ORAL CAPSULE,DELAYED RELEASE(DR/EC) 15 MG, 30 MG	3	ST; GC
PREVACID SOLUTAB ORAL TABLET,DISINTEGRAT, DELAY REL 15 MG, 30 MG	2	ST; GC
PREVPAC ORAL COMBO PACK 500-500-30 MG	3	GC
PRILOSEC ORAL SUSP,DELAYED RELEASE FOR RECON 10 MG, 2.5 MG	2	GC
PROTONIX INTRAVENOUS RECON SOLN 40 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROTONIX ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	2	ST; GC; QL (30 per 30 days)
PROTONIX ORAL TABLET,DELAYED RELEASE (DR/EC) 20 MG, 40 MG	3	ST; GC; QL (30 per 30 days)
<i>rabeprazole oral tablet,delayed release</i> (AcipHex) (dr/ec) 20 mg	1	GC; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml,</i> (Zantac) 50 mg/2 ml (25 mg/ml)	1	GC
<i>ranitidine hcl oral capsule 150 mg,</i> 300 mg	1	GC
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	GC
<i>ranitidine hcl oral tablet 150 mg</i> (Acid Control (ranitidine))	1	GC
<i>ranitidine hcl oral tablet 300 mg</i> (Zantac)	1	GC
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	GC
ZANTAC INJECTION SOLUTION 25 MG/ML, 50 MG/2 ML (25 MG/ML)	3	GC
ZANTAC ORAL TABLET 150 MG, 300 MG	3	GC
ZEGERID ORAL CAPSULE 20-1.1 MG-GRAM, 40-1.1 MG-GRAM	3	GC; QL (30 per 30 days)
ZEGERID ORAL PACKET 20-1,680 MG, 40-1,680 MG	3	GC; QL (30 per 30 days)
Gastrointestinal Agents, Other		
ACTIGALL ORAL CAPSULE 300 MG	3	GC
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	2	GC; QL (60 per 30 days)
BENTYL INTRAMUSCULAR SOLUTION 10 MG/ML	2	GC
BUPHENYL ORAL POWDER 0.94 GRAM/GRAM	3	GC
BUPHENYL ORAL TABLET 500 MG	3	GC
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	2	GC
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	2	GC
<i>constulose oral solution 10 gram/15 ml</i>	1	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML)		2	GC
<i>dicyclomine intramuscular solution 10 mg/ml</i>	(Bentyl)	1	GC
<i>dicyclomine oral capsule 10 mg</i>		1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>		1	GC
<i>dicyclomine oral tablet 20 mg</i>		1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>		1	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	1	GC
<i>enulose oral solution 10 gram/15 ml</i>		1	GC
GASTROCROM ORAL CONCENTRATE 100 MG/5 ML		3	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		2	PA; GC
<i>generlac oral solution 10 gram/15 ml</i>		1	GC
GLYCATE ORAL TABLET 1.5 MG		3	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>		1	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>		1	GC
<i>glycopyrrolate oral tablet 1.5 mg</i>	(Glycate)	1	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>		1	GC
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		2	GC; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM		2	GC; QL (90 per 30 days)
LOMOTIL ORAL TABLET 2.5-0.025 MG		3	GC
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	1	GC
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		1	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>		1	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		1	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	GC
metoclopramide hcl oral tablet,disintegrating 10 mg, 5 mg	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	GC; QL (30 per 30 days)
MYTESI ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG	2	GC; QL (60 per 30 days)
NUTRESTORE ORAL POWDER IN PACKET 5 GRAM	2	GC
OCALIVA ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
PYLERA ORAL CAPSULE 140-125-125 MG	2	GC
RAVICTI ORAL LIQUID 1.1 GRAM/ML	2	PA; GC
REGLAN ORAL TABLET 10 MG, 5 MG	3	GC
RELISTOR ORAL TABLET 150 MG	2	PA; GC; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	2	PA; GC; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	2	PA; GC; QL (28 per 28 days)
ROBINUL FORTE ORAL TABLET 2 MG	3	GC
ROBINUL INJECTION SOLUTION 0.2 MG/ML	3	GC
ROBINUL ORAL TABLET 1 MG	3	GC
sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml	1	GC
sodium phenylbutyrate oral powder 0.94 gram/gram (Buphenyl)	1	GC
sodium phenylbutyrate oral tablet 500 mg (Buphenyl)	1	GC
sodium polystyrene sulfonate oral powder	1	GC
sps (with sorbitol) oral suspension 15-20 gram/60 ml	1	GC
SYMPROIC ORAL TABLET 0.2 MG	2	GC
TRULANCE ORAL TABLET 3 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
URSO 250 ORAL TABLET 250 MG	3	GC
URSO FORTE ORAL TABLET 500 MG	3	GC
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	GC; QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	2	PA; GC; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG- 3.5 GRAM -12 GRAM/160 ML	2	GC
COLYTE WITH FLAVOR PACKS ORAL RECON SOLN 227.1-21.5-6.36 GRAM, 240-22.72-6.72 -5.84 GRAM	3	GC
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	GC
<i>gavilyte-n oral recon soln 420 gram</i>	1	GC
GIALAX ORAL KIT 17 GRAM/ SCOOP	2	GC
GOLYTEL ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	2	GC
GOLYTEL ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM	3	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	2	GC
NULYTEL WITH FLAVOR PACKS ORAL RECON SOLN 420 GRAM	3	GC
OSMOPREP ORAL TABLET 1.5 GRAM	2	GC
<i>peg 3350-electrolytes oral recon soln 236- (GaviLyte-G) 22.74-6.74 -5.86 gram</i>	1	GC
<i>peg 3350-electrolytes oral recon soln 240- (Colyte with Flavor Packs) 22.72-6.72 -5.84 gram</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
peg-electrolyte soln oral recon soln 420 gram (GaviLyte-N)	1	GC
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	2	GC
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i> (ClearLax)	1	GC
<i>polyethylene glycol 3350 powd 17 gm packets (rx) 17 gram</i> (ClearLax)	1	GC
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	2	GC
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	GC
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	2	PA; GC
<i>calcium acetate oral capsule 667 mg</i>	1	GC
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	1	GC
<i>eliphos oral tablet 667 mg</i>	1	GC
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	GC
FOSRENOL ORAL TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG	3	GC
<i>lanthanum oral tablet, chewable 1,000 mg, (Fosrenol) 500 mg, 750 mg</i>	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	2	GC
RENAGEL ORAL TABLET 800 MG	2	GC
RENELA ORAL POWDER IN PACKET 0.8 GRAM, 2.4 GRAM	3	GC
RENELA ORAL TABLET 800 MG	3	GC
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	GC
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Genitourinary Agents			
Antispasmodics, Urinary			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	(Urecholine)	1	GC
<i>darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg</i>	(Enablex)	1	GC
DETROL LA ORAL CAPSULE,EXTENDED RELEASE 24HR 2 MG, 4 MG		3	GC
DETROL ORAL TABLET 1 MG, 2 MG		3	GC
DITROPAN XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG, 15 MG, 5 MG		3	GC
ENABLEX ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 7.5 MG		3	GC
<i>flavoxate oral tablet 100 mg</i>		1	GC
GELNIQUE TRANSDERMAL GEL IN METERED-DOSE PUMP 100 MG/GRAM (10 %)		2	GC; QL (30 per 30 days)
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG		2	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>		1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>		1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i>	(Ditropan XL)	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>		1	GC
OXYTROL TRANSDERMAL PATCH SEMIWEEKLY 3.9 MG/24 HR		2	GC; QL (8 per 28 days)
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	(Detrol LA)	1	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i>	(Detrol)	1	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG		2	GC
<i>trospium oral capsule,extended release 24hr 60 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trospium oral tablet 20 mg</i>	1	GC
VESICARE ORAL TABLET 10 MG, 5 MG	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	1	GC
AVODART ORAL CAPSULE 0.5 MG	3	GC
<i>dutasteride oral capsule 0.5 mg</i>	1	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	1	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i>	1	GC
FLOMAX ORAL CAPSULE 0.4 MG	3	GC
JALYN ORAL CAPSULE, ER MULTIPHASE 24 HR 0.5-0.4 MG	3	GC; QL (30 per 30 days)
RAPAFLO ORAL CAPSULE 4 MG, 8 MG	2	GC
<i>silodosin oral capsule 4 mg, 8 mg</i>	1	GC
<i>tamsulosin oral capsule 0.4 mg</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
UROXATRAL ORAL TABLET EXTENDED RELEASE 24 HR 10 MG	3	GC
Heavy Metal Antagonists		
Heavy Metal Antagonists		
CHEMET ORAL CAPSULE 100 MG	2	GC
CUPRIMINE ORAL CAPSULE 250 MG	2	PA; GC
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	1	PA NSO; GC
DEPEN TITRATABS ORAL TABLET 250 MG	2	PA; GC
DESFERAL INJECTION RECON SOLN 2 GRAM, 500 MG	3	PA NSO; GC
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	2	PA; GC
FERRIPROX ORAL SOLUTION 100 MG/ML	2	PA; GC
FERRIPROX ORAL TABLET 500 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	2	PA; GC
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	2	PA; GC
SYPRINE ORAL CAPSULE 250 MG <i>trientine oral capsule 250 mg</i> (Syprine)	3 1	PA; GC PA; GC
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	2	PA; GC
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	2	PA; GC; QL (30 per 30 days)
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	2	PA; GC; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	2	PA; GC; QL (150 per 30 days)
ANDROID ORAL CAPSULE 10 MG	3	GC
AVEED INTRAMUSCULAR SOLUTION 750 MG/3 ML (250 MG/ML)	2	PA; GC
AXIRON TRANSDERMAL SOLUTION IN METERED PUMP W/APP 30 MG/ACTUATION (1.5 ML)	3	PA; GC; QL (180 per 28 days)
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	GC
<i>methyltestosterone oral capsule 10 mg</i> (Android)	1	GC
NATESTO NASAL GEL IN METERED-DOSE PUMP 5.5 MG/0.122 GRAM/ACTUATION	2	PA; GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRIANT Buccal Mucoadhesive System ER 12 HR 30 MG	2	PA; GC; QL (60 per 30 days)
TESTIM TRANSDERMAL GEL 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
<i>testosterone cypionate intramuscular oil 100 mg/ml</i> (Depo-Testosterone)	1	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml</i> (Depo-Testosterone)	1	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> (Fortesta)	1	PA; GC; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	1	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5 gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i> (AndroGel)	1	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i> (Axiron)	1	PA; GC; QL (180 per 28 days)
TESTRED ORAL CAPSULE 10 MG	3	GC
VOGELXO 50 MG/5 GRAM GEL OUTER 50 MG/5 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %)	3	PA; GC; QL (300 per 30 days)
VOGELXO TRANSDERMAL GEL IN PACKET 1 % (50 MG/5 GRAM)	3	PA; GC; QL (300 per 30 days)
Estrogens And Antiestrogens		
ACTIVELLA ORAL TABLET 0.5-0.1 MG, 1-0.5 MG	3	GC
ALORA TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	2	GC; QL (8 per 28 days)
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG	2	GC
CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/24 HR	2	GC; QL (4 per 28 days)
CLIMARA TRANSDERMAL PATCH WEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (4 per 28 days)
COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR	2	GC; QL (8 per 28 days)
DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML	2	GC
DELESTROGEN INTRAMUSCULAR OIL 20 MG/ML, 40 MG/ML	3	GC
DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML	2	GC
DIVIGEL TRANSDERMAL GEL IN PACKET 1 MG/GRAM (0.1 %)	2	GC; QL (30 per 30 days)
DUAVEE ORAL TABLET 0.45-20 MG	2	GC
ELESTRIN TRANSDERMAL GEL IN METERED-DOSE PUMP 0.87 GRAM/ACTUATION	2	GC
ESTRACE VAGINAL CREAM 0.01 % (0.1 MG/GRAM)	3	GC
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)</i>	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Alora)</i>	1	GC; QL (8 per 28 days)
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr (Minivelle)</i>	1	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara)</i>	1	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>estradiol vaginal tablet 10 mcg</i>	(Vagifem)	1	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	1	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(Activella)	1	GC
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)		2	GC; QL (1 per 84 days)
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>		1	GC
EVAMIST TRANSDERMAL SPRAY, NON-AEROSOL 1.53 MG/SPRAY (1.7%)		2	GC
EVISTA ORAL TABLET 60 MG		3	GC
FEMHRT LOW DOSE ORAL TABLET 0.5-2.5 MG-MCG		3	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		2	GC; QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>		1	GC
IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG		2	GC; QL (18 per 28 days)
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG		2	GC; QL (18 per 28 days)
INTRAROSA VAGINAL INSERT 6.5 MG		2	GC; QL (28 per 28 days)
JEVANTIQUE LO ORAL TABLET 0.5-2.5 MG-MCG		3	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>		1	GC
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>		1	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG		2	GC
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR		2	GC; QL (4 per 28 days)
<i>mimvey lo oral tablet 0.5-0.1 mg</i>		1	GC
<i>mimvey oral tablet 1-0.5 mg</i>		1	GC
MINIVELLE TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR		2	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet (Femhrt Low Dose) 0.5-2.5 mg-mcg</i>	1	GC
<i>norethindrone ac-eth estradiol oral tablet (Fyavolv) 1-5 mg-mcg</i>	1	GC
OSPHENA ORAL TABLET 60 MG	2	GC; QL (30 per 30 days)
PREMARIN INJECTION RECON SOLN 25 MG	2	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	GC
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	GC
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	GC
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	GC
<i>raloxifene oral tablet 60 mg (Evista)</i>	1	GC
VAGIFEM VAGINAL TABLET 10 MCG	3	GC; QL (18 per 28 days)
VIVELLE-DOT TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	3	GC; QL (8 per 28 days)
<i>yuvafem vaginal tablet 10 mcg</i>	1	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	GC
ARISTOSPIN INTRA-ARTICULAR INJECTION SUSPENSION 20 MG/ML	2	GC
ARISTOSPIN INTRALESIONAL INJECTION SUSPENSION 5 MG/ML	2	GC
<i>betamethasone acet,sod phos injection (Celestone Soluspan) suspension 6 mg/ml</i>	1	GC
CELESTONE SOLUSPAN INJECTION SUSPENSION 6 MG/ML	3	GC
CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG	3	PA BvD; GC
<i>cortisone oral tablet 25 mg</i>	1	GC
<i>decadron oral elixir 0.5 mg/5 ml</i>	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>decadron oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	3	PA BvD; GC
<i>deltasone oral tablet 20 mg</i>	1	PA BvD; GC
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	2	GC
DEPO-MEDROL INJECTION SUSPENSION 40 MG/ML, 80 MG/ML	3	GC
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml (Decadron)</i>	1	PA BvD; GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg (Decadron)</i>	1	PA BvD; GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD; GC
<i>dexamethasone oral tablets, dose pack 1.5 mg (21 tabs)</i>	1	GC
<i>dexamethasone oral tablets, dose pack 1.5 mg (35 tabs)</i>	1	GC
<i>dexamethasone oral tablets, dose pack 1.5 mg (51 tabs)</i>	1	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
<i>dexpak 10 day oral tablets, dose pack 1.5 mg (35 tabs)</i>	2	GC
<i>dexpak 13 day oral tablets, dose pack 1.5 mg (51 tabs)</i>	2	GC
<i>dexpak 6 day oral tablets, dose pack 1.5 mg (21 tabs)</i>	2	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	2	PA; GC
EMFLAZA ORAL TABLET 18 MG	2	PA; GC; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	2	PA; GC; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg (Cortef)	1	GC
KENALOG INJECTION SUSPENSION 10 MG/ML, 40 MG/ML	3	GC
locort oral tablets, dose pack 1.5 mg (27 tabs), 1.5 mg (41 tabs)	2	GC
MEDROL (PAK) ORAL TABLETS, DOSE PACK 4 MG	3	PA BvD; GC
MEDROL ORAL TABLET 16 MG, 32 MG, 4 MG, 8 MG	3	PA BvD; GC
MEDROL ORAL TABLET 2 MG	2	PA BvD; GC
methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml (Depo-Medrol)	1	GC
methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Medrol)	1	PA BvD; GC
methylprednisolone oral tablets, dose pack (Medrol (Pak)) 4 mg	1	GC
methylprednisolone sodium succ injection recon soln 125 mg, 40 mg	1	GC
methylprednisolone sodium succ intravenous recon soln 1,000 mg (Solu-Medrol)	1	GC
ORAPRED ODT ORAL TABLET, DISINTEGRATING 10 MG, 15 MG, 30 MG	3	PA BvD; GC
prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)	1	PA BvD; GC
prednisolone oral solution 15 mg/5 ml	1	PA BvD; GC
prednisolone sodium phosphate oral solution 10 mg/5 ml, 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)	1	PA BvD; GC
prednisolone sodium phosphate oral solution 20 mg/5 ml (4 mg/ml) (Veripred 20)	1	PA BvD; GC
prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg (Orapred ODT)	1	PA BvD; GC
prednisone oral solution 5 mg/5 ml	1	PA BvD; GC
prednisone oral tablet 1 mg, 2.5 mg, 5 mg, 50 mg	1	PA BvD; GC
prednisone oral tablet 10 mg	1	PA BvD; GC
prednisone oral tablet 20 mg (Deltasone)	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	GC
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	GC
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 1,000 MG	3	GC
SOLU-MEDROL INTRAVENOUS RECON SOLN 2 GRAM	2	GC
<i>taperdex oral tablets, dose pack 1.5 mg (21 tabs), 1.5 mg (49 tabs)</i>	2	GC
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	1	GC
<i>zonacort oral tablets, dose pack 1.5 mg (27 tabs), 1.5 mg (41 tabs)</i>	2	GC
Pituitary		
DDAVP INJECTION SOLUTION 4 MCG/ML	3	GC
DDAVP NASAL SOLUTION 0.1 MG/ML (REFRIGERATE)	3	GC
DDAVP NASAL SPRAY WITH PUMP 10 MCG/SPRAY (0.1 ML)	3	GC
DDAVP ORAL TABLET 0.1 MG, 0.2 MG	3	GC
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin injection solution 4 mcg/ml (DDAVP)</i>	1	GC
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>	1	GC
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)</i>	1	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	2	PA; GC
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	2	PA; GC
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	2	PA; GC
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	2	PA; GC
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	PA; GC
LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET 3.75 MG -5 MG (30)	2	PA NSO; GC
LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET 11.25 MG - 5 MG (90)	2	PA NSO; GC; QL (1 per 84 days)
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	PA NSO; GC
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	2	PA NSO; GC
NOCTIVA NASAL SPRAY, NON- AEROSOL 0.83 MCG/SPRAY (0.1 ML), 1.66 MCG/SPRAY (0.1 ML)	2	GC; QL (3.8 per 30 days)
NORDITROPIN FLEXPEN SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	2	PA; GC
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	1	GC
<i>octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	1	GC
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	PA; GC
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	2	PA; GC
ORILISSA ORAL TABLET 150 MG	2	PA; GC; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	2	PA; GC; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	2	PA; GC
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	2	PA; GC
SANDOSTATIN INJECTION SOLUTION 1,000 MCG/ML, 100 MCG/ML, 200 MCG/ML, 50 MCG/ML, 500 MCG/ML	3	GC
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	2	GC
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	PA; GC
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	GC; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	2	GC; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	PA; GC
STIMATE NASAL SPRAY, NON- AEROSOL 150 MCG/SPRAY (0.1 ML)	2	GC
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	GC; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	2	GC
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	GC; QL (1 per 168 days)
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	2	GC; QL (1 per 360 days)
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	2	GC
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	2	PA; GC
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	2	PA; GC
Progestins		
CRINONE VAGINAL GEL 4 %	2	PA; GC
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML	3	GC; QL (1 per 84 days)
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	2	GC; QL (10 per 28 days)
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	GC; QL (1 per 84 days)
<i>hydroxyprogesterone (pf) (preg presv) intramuscular oil 250 mg/ml (1 ml)</i>	1	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	PA NSO; GC
MAKENA (PF) SUBCUTANEOUS AUTO-INJECTOR 275 MG/1.1 ML	2	GC
MAKENA INTRAMUSCULAR OIL 250 MG/ML	2	PA; GC; QL (25 per 140 days)
MAKENA INTRAMUSCULAR OIL 250 MG/ML (1 ML)	2	PA; GC
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	GC
MEGACE ES ORAL SUSPENSION 625 MG/5 ML	3	PA NSO; GC; AGE (Max 64 Years)
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>megestrol oral suspension 625 mg/5 ml</i> (Megace ES)	1	PA NSO; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	GC
<i>progesterone in oil intramuscular oil 50 mg/ml</i>	1	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	GC
PROMETRIUM ORAL CAPSULE 100 MG, 200 MG	3	GC
PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	GC
Thyroid And Antithyroid Agents		
CYTOMEL ORAL TABLET 25 MCG, 5 MCG, 50 MCG	3	GC
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	GC
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i>	(Levo-T)	1	GC
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG		3	GC
<i>liothyronine intravenous solution 10 mcg/ml</i>	(Triostat)	1	GC
<i>liothyronine oral tablet 25 mcg, 50 mcg</i>	(Cytomel)	1	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	(Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>		1	GC
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		2	GC
THYROLAR-1 ORAL TABLET 12.5-50 MCG		2	GC
THYROLAR-1/2 ORAL TABLET 6.25-25 MCG		2	GC
THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG		2	GC
THYROLAR-2 ORAL TABLET 25-100 MCG		2	GC
THYROLAR-3 ORAL TABLET 37.5-150 MCG		2	GC
TRIOSTAT INTRAVENOUS SOLUTION 10 MCG/ML		3	GC
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Immunological Agents		
Immunological Agents		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	PA; GC
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	PA; GC
ANASCORP INTRAVENOUS RECON SOLN 120 MG	2	GC
ANTIVENIN, MICRURUS FULVIUS INJECTION RECON SOLN	2	GC
ARAVA ORAL TABLET 10 MG, 20 MG	3	GC
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	GC
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	PA BvD; GC
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	GC
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD; GC
<i>azathioprine sodium injection recon soln</i> 100 mg	1	PA BvD; GC
BIVIGAM INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	2	PA BvD; GC
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG	3	PA BvD; GC
CELLCEPT ORAL CAPSULE 250 MG	3	PA BvD; GC
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML	3	PA BvD; GC
CELLCEPT ORAL TABLET 500 MG	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	2	PA; GC
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	2	PA; GC
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	2	PA BvD; GC
<i>cyclosporine intravenous solution 250</i> (Sandimmune) <i>mg/5 ml</i>	1	PA BvD; GC
<i>cyclosporine modified oral capsule 100</i> (Gengraf) <i>mg, 25 mg</i>	1	PA BvD; GC
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD; GC
<i>cyclosporine modified oral solution 100</i> (Gengraf) <i>mg/ml</i>	1	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD; GC
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	PA; GC
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	2	PA; GC
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	2	PA; GC
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	2	PA BvD; GC
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15- 18 % RANGE	2	PA BvD; GC
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	PA BvD; GC
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	PA BvD; GC
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	PA BvD; GC
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	PA BvD; GC
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	1	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD; GC
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	2	PA BvD; GC
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK)	2	PA; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	PA; GC
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	PA; GC
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	2	PA; GC
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	PA; GC
HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML, 220 UNIT/ML (5 ML)	2	GC
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	2	GC
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
HYPERRHO S/D INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG), 250 UNIT (50 MCG)	2	GC
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	PA BvD; GC
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	2	PA; GC
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	PA; GC
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	PA; GC
IMOGRAB RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
IMURAN ORAL TABLET 50 MG	3	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	2	GC
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	PA; GC; QL (2.28 per 30 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	PA; GC; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	1	GC
MICRHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 250 UNIT (50 MCG)	2	GC
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD; GC
MYFORTIC ORAL TABLET,DELAYED RELEASE (DR/EC) 180 MG, 360 MG	3	PA BvD; GC
NABI-HB INTRAMUSCULAR SOLUTION GREATER THAN 1,560 UNIT/5 ML, GREATR THAN 312 UNIT/ML	2	GC
NEORAL ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
NEORAL ORAL SOLUTION 100 MG/ML	3	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	PA BvD; GC
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OLUMIANT ORAL TABLET 2 MG	2	PA; GC; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	PA; GC
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	PA; GC
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	PA; GC
OTEZLA ORAL TABLET 30 MG	2	PA; GC; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	2	PA; GC; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	2	GC
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	PA BvD; GC
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	PA BvD; GC
PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG	3	PA BvD; GC
RAPAMUNE ORAL SOLUTION 1 MG/ML	2	PA BvD; GC
RAPAMUNE ORAL TABLET 0.5 MG, 1 MG, 2 MG	3	PA BvD; GC
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	GC
REMICADE INTRAVENOUS RECON SOLN 100 MG	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RHOGAM ULTRA-FILTERED PLUS INTRAMUSCULAR SYRINGE 1,500 UNIT (300 MCG)	2	GC
RHOPHYLAC INJECTION SYRINGE 1,500 UNIT (300 MCG)/2 ML	2	GC
RIDAURA ORAL CAPSULE 3 MG	2	GC
SANDIMMUNE INTRAVENOUS SOLUTION 250 MG/5 ML	3	PA BvD; GC
SANDIMMUNE ORAL CAPSULE 100 MG, 25 MG	3	PA BvD; GC
SANDIMMUNE ORAL SOLUTION 100 MG/ML	2	PA BvD; GC
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	2	PA; GC
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	PA; GC
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD; GC
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	PA; GC
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	PA; GC
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	PA; GC
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD; GC
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	2	GC
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	PA; GC; QL (15 per 28 days)
WINRHO SDF INJECTION SOLUTION 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XELJANZ ORAL TABLET 10 MG	2	PA; GC; QL (60 per 30 days)
XELJANZ ORAL TABLET 5 MG	2	PA; GC; QL (120 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	2	PA; GC; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	2	GC
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	2	PA BvD; GC
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	GC
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD; GC
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	GC
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	GC
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	2	GC
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD; GC
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD; GC
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	GC; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	GC; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	GC
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD; GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	2	GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	2	GC
IPOL INJECTION SUSPENSION 40- 8-32 UNIT/0.5 ML	2	GC
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	2	GC
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	GC
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	GC
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	GC
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	GC
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	2	GC
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD; GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ROTAQUE VACCINE ORAL SOLUTION 2 ML	2	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	GC; QL (2 per 365 days)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	GC
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	GC
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	GC
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	GC
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	GC
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	GC
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	GC
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	GC
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	GC
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	GC; QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	GC
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	GC; QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	GC
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	2	GC
AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	3	GC
AZULFIDINE ORAL TABLET 500 MG	3	GC
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	GC
<i>budesonide oral capsule,delayed,extend.release 3 mg</i> (Entocort EC)	1	GC
<i>budesonide oral tablet,delayed and ext.release 9 mg</i> (Uceris)	1	GC
CANASA RECTAL SUPPOSITORY 1,000 MG	2	GC
COLAZAL ORAL CAPSULE 750 MG	3	GC
<i>colocort rectal enema 100 mg/60 ml</i>	1	GC
CORTENEMA RECTAL ENEMA 100 MG/60 ML	3	GC
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	2	GC
DIPENTUM ORAL CAPSULE 250 MG	2	GC
ENTOCORT EC ORAL CAPSULE,DELAYED,EXTEND.RELEASE 3 MG	3	GC
GIAZO ORAL TABLET 1.1 GRAM	2	GC
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	3	GC
LOTRONEX ORAL TABLET 0.5 MG, 1 MG	3	GC
<i>mesalamine oral tablet,delayed release (dr/lec) 1.2 gram</i>	1	GC
<i>mesalamine oral tablet,delayed release (dr/lec) 800 mg</i>	1	GC
<i>mesalamine rectal enema 4 gram/60 ml</i>	1	GC
<i>mesalamine rectal suppository 1,000 mg</i>	1	GC
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	2	GC
ROWASA RECTAL ENEMA KIT 4 GRAM/60 ML	3	GC
<i>sulfasalazine oral tablet 500 mg</i>	1	GC
<i>sulfasalazine oral tablet,delayed release (dr/lec) 500 mg</i>	1	GC
UCERIS ORAL TABLET,DELAYED AND EXT.RELEASE 9 MG	3	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	2	GC
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	1	GC
<i>glycine urologic solution irrigation solution 1.5 %</i>	3	GC
LACTATED RINGERS IRRIGATION SOLUTION	2	GC
PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L	3	GC
PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L	3	GC
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML, 6.602-0.198 GRAM/100 ML	2	GC
RESECTISOL URETHRAL SOLUTION 5 %	2	GC
<i>ringer's irrigation solution</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
sodium chloride irrigation solution 0.9 %	(Aqua Care Sodium Chloride)	1	GC
sorbitol irrigation solution 3 %, 3.3 %		1	GC
sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml		1	GC
water for irrigation, sterile irrigation solution	(Aqua Care Sterile Water)	1	GC

Metabolic Bone Disease Agents

Metabolic Bone Disease Agents

ACTONEL 35 MG TABLET F/C,DOSEPACK 35 MG		3	GC; QL (4 per 28 days)
ACTONEL ORAL TABLET 150 MG		3	GC; QL (1 per 28 days)
ACTONEL ORAL TABLET 30 MG, 5 MG		3	GC; QL (30 per 30 days)
ACTONEL ORAL TABLET 35 MG		3	GC; QL (4 per 28 days)
alendronate oral solution 70 mg/75 ml		1	GC; QL (300 per 28 days)
alendronate oral tablet 10 mg, 40 mg, 5 mg		1	GC
alendronate oral tablet 35 mg		1	GC; QL (4 per 28 days)
alendronate oral tablet 70 mg (Fosamax)		1	GC; QL (4 per 28 days)
ATELVIA ORAL TABLET,DELAYED RELEASE (DR/EC) 35 MG		3	GC; QL (4 per 28 days)
BONIVA INTRAVENOUS SYRINGE 3 MG/3 ML		3	GC; QL (3 per 84 days)
BONIVA ORAL TABLET 150 MG		3	GC; QL (1 per 28 days)
calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation		1	GC; QL (3.7 per 28 days)
calcitriol intravenous solution 1 mcg/ml		1	GC
calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)		1	GC
calcitriol oral solution 1 mcg/ml (Rocaltrol)		1	GC
doxercalciferol intravenous solution 4 mcg/2 ml (Hectorol)		1	GC
doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg		1	GC
etidronate disodium oral tablet 200 mg, 400 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	2	PA; GC; QL (2.4 per 28 days)
FOSAMAX ORAL TABLET 70 MG	3	GC
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	2	GC; QL (4 per 28 days)
HECTOROL INTRAVENOUS SOLUTION 2 MCG/ML, 4 MCG/2 ML	3	GC
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml (Boniva)</i>	1	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg (Boniva)</i>	1	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	2	GC
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	PA; GC; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	GC
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	1	GC
<i>paricalcitol oral capsule 4 mcg</i>	1	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	GC; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	GC; QL (60 per 30 days)
RECLAST INTRAVENOUS PIGGYBACK 5 MG/100 ML	3	GC
<i>risedronate oral tablet 150 mg (Actonel)</i>	1	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
risedronate oral tablet 30 mg	1	GC; QL (30 per 30 days)
risedronate oral tablet 35 mg (Actonel)	1	GC; QL (4 per 28 days)
risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)	1	GC; QL (4 per 28 days)
risedronate oral tablet 5 mg (Actonel)	1	GC; QL (30 per 30 days)
risedronate oral tablet, delayed release (Atelvia) (dr/lec) 35 mg	1	GC; QL (4 per 28 days)
ROCALTROL ORAL CAPSULE 0.25 MCG, 0.5 MCG	3	GC
ROCALTROL ORAL SOLUTION 1 MCG/ML	3	GC
SENSIPAR ORAL TABLET 30 MG, 60 MG	2	GC; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	2	GC; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	PA; GC; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	PA; GC
ZEMPLAR INTRAVENOUS SOLUTION 2 MCG/ML, 5 MCG/ML	3	GC
ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG	3	GC
zoledronic acid intravenous recon soln 4 mg	1	GC
zoledronic acid intravenous solution 4 mg/5 ml (Zometa)	1	GC
zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml (Zometa)	1	GC; QL (100 per 300 days)
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml (Reclast)	1	GC; QL (100 per 300 days)
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	2	GC
ZOMETA INTRAVENOUS SOLUTION 4 MG/5 ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACD SOLUTION A SOLUTION 2.45- 2.2 GRAM- 730 MG/100 ML	2	PA BvD; GC
ACTHAR H.P. INJECTION GEL 80 UNIT/ML	2	PA; GC; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	GC
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	PA; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	PA; GC; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	PA; GC; QL (4 per 28 days)
BRISDELLE ORAL CAPSULE 7.5 MG	3	GC
CARNITOR INTRAVENOUS SOLUTION 200 MG/ML	3	GC
CARNITOR ORAL SOLUTION 100 MG/ML	2	GC
CARNITOR ORAL TABLET 330 MG	3	GC
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	2	GC
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	2	GC
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl))	1	GC
<i>droperidol injection solution 2.5 mg/ml</i>	1	GC
ELMIRON ORAL CAPSULE 100 MG	2	GC
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	GC; QL (180 per 30 days)
ENTYVIO INTRAVENOUS RECON SOLN 300 MG	2	PA; GC
<i>ergoloid oral tablet 1 mg</i>	1	GC
ETHYOL INTRAVENOUS RECON SOLN 500 MG	3	GC
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	2	PA NSO; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fomepizole intravenous solution 1 gram/ml</i>	1	GC
FUSILEV INTRAVENOUS RECON SOLN 50 MG	3	GC
GRASTEK SUBLINGUAL TABLET 2,800 BAU	2	PA; GC; QL (30 per 30 days)
<i>guanidine oral tablet 125 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule 25 mg, (Vistaril) 50 mg</i>	1	GC
KALBITOR SUBCUTANEOUS SOLUTION 10 MG/ML (1 ML)	2	GC
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	2	GC
KEVEYIS ORAL TABLET 50 MG	2	PA; GC; QL (120 per 30 days)
KHAPZORY INTRAVENOUS RECON SOLN 175 MG, 300 MG	2	GC
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	GC
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	2	GC
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	1	GC
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	1	GC
LITHOSTAT ORAL TABLET 250 MG	2	GC
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	GC
MESNEX INTRAVENOUS SOLUTION 100 MG/ML	3	GC
MESNEX ORAL TABLET 400 MG	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MESTINON ORAL SYRUP 60 MG/5 ML	2	GC
MESTINON ORAL TABLET 60 MG	3	GC
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG	3	GC
METHERGINE ORAL TABLET 0.2 MG	3	GC
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	GC
<i>methylergonovine oral tablet 0.2 mg (Methergine)</i>	1	GC
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	2	GC
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	2	PA; GC; QL (8 per 28 days)
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	2	PA; GC
ORALAIR SUBLINGUAL TABLET 100 INDX REACTIVITY, 300 INDX REACTIVITY	2	PA; GC
<i>paroxetine mesylate(menop.sym) oral capsule 7.5 mg (Brisdelle)</i>	1	GC
PROGLYCEM ORAL SUSPENSION 50 MG/ML	2	GC
<i>pyridostigmine bromide oral tablet 60 mg (Mestinon)</i>	1	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg (Mestinon Timespan)</i>	1	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	2	GC; QL (30 per 30 days)
REGONOL INJECTION SOLUTION 5 MG/ML	2	GC
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	PA; GC
SARAFEM ORAL TABLET 10 MG, 20 MG	2	GC
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	2	PA BvD; GC
TAKHYZRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	PA NSO; GC; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	2	GC
TYBOST ORAL TABLET 150 MG	2	GC; QL (30 per 30 days)
ULESFIA TOPICAL LOTION 5 %	2	GC
VISTARIL ORAL CAPSULE 25 MG, 50 MG	3	GC
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	GC; QL (24 per 14 days)
XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 200 UNIT	2	PA; GC; QL (2 per 90 days)
XEOMIN INTRAMUSCULAR RECON SOLN 50 UNIT	2	PA; GC
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	2	PA; GC; QL (120 per 30 days)
ZINECARD (AS HCL) INTRAVENOUS RECON SOLN 250 MG, 500 MG	3	GC
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.15 %	3	GC
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
BETAGAN OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	GC
BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 %	2	GC
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>brimonidine ophthalmic (eye) drops 0.15 % (Alphagan P)</i>	1	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	2	GC
COSOPT (PF) OPHTHALMIC (EYE) DROPPERETTE 2-0.5 %	2	GC
COSOPT OPHTHALMIC (EYE) DROPS 22.3-6.8 MG/ML	3	GC
<i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>	1	GC
<i>dorzolamide-timolol (pf) ophthalmic (Cosopt (PF)) (eye) dropperette 2-0.5 %</i>	1	GC
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	1	GC
ISOPTO CARPINE OPHTHALMIC (EYE) DROPS 1 %, 2 %, 4 %	3	GC
ISTALOL OPHTHALMIC (EYE) DROPS, ONCE DAILY 0.5 %	3	GC
<i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>	1	GC
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	ST; GC; QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	GC
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % (Isopto Carpine)</i>	1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	GC; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	GC
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic (eye) drops, (Istalol) once daily 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel (Timoptic-XE) forming solution 0.25 %, 0.5 %</i>	1	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %	2	GC
TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.5 %	3	GC
TIMOPTIC OPHTHALMIC (EYE) DROPS 0.25 %	2	GC
TIMOPTIC OPHTHALMIC (EYE) DROPS 0.5 %	3	GC
TIMOPTIC-XE OPHTHALMIC (EYE) GEL FORMING SOLUTION 0.25 %, 0.5 %	3	GC
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	2	ST; GC; QL (2.5 per 25 days)
TRUSOPT OPHTHALMIC (EYE) DROPS 2 %	3	GC
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	ST; GC; QL (5 per 30 days)
XALATAN OPHTHALMIC (EYE) DROPS 0.005 %	3	GC; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	ST; GC; QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	1	GC
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	1	GC
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	1	GC
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	1	GC
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	2	GC
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	GC
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	3	GC
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	GC
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	1	GC
K-TAB ORAL TABLET EXTENDED RELEASE 10 MEQ, 20 MEQ, 8 MEQ	3	GC
LACTATED RINGERS INTRAVENOUS PARENTERAL SOLUTION	3	GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	2	GC
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	GC
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	2	GC
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	2	GC
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	2	GC
<i>potassium acetate intravenous solution 2 meq/ml</i>	1	GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	GC
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	GC
<i>potassium chloride oral capsule, extended release 10 meq</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral capsule, extended release 8 meq (Klor-Con Sprinkle)</i>	1	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	GC
<i>potassium chloride oral packet 20 meq (Klor-Con)</i>	1	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq (K-Tab)</i>	1	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i>	1	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i>	1	GC
<i>potassium chloride-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	GC
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	GC
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)</i>	1	GC
<i>potassium citrate oral tablet extended release 15 meq (Urocit-K 15)</i>	1	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg) (Urocit-K 5)</i>	1	GC
<i>ringer's intravenous parenteral solution</i>	1	GC
<i>sodium chloride 0.45% intravenous parenteral solution 0.45%</i>	1	GC
<i>sodium chloride 0.45% intravenous piggyback 0.45%</i>	1	GC
<i>sodium chloride 0.9% intravenous parenteral solution</i>	1	GC
<i>sodium chloride 3% intravenous parenteral solution 3%</i>	1	GC
<i>sodium chloride 5% intravenous parenteral solution 5%</i>	1	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sodium lactate intravenous solution 5 meq/ml	1	GC
TPN ELECTROLYTES II IV SOLN 25'S,20ML/50ML FTV 18-18-5-4.5-35 MEQ/20 ML	2	GC
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	2	GC
UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1,080 MG)	3	GC
UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ	3	GC
UROCIT-K 5 ORAL TABLET EXTENDED RELEASE 5 MEQ (540 MG)	3	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	GC; QL (12 per 28 days)
AEROSPAN INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION	2	GC; QL (17.8 per 30 days)
AIRDUO RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION	3	GC
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (12.2 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARMONAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION	2	GC; QL (1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (30 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION	2	GC; QL (13 per 25 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 220 MCG (120 DOSES)	2	GC; QL (1 per 25 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (30 DOSES)	2	GC; QL (1 per 7 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (60 DOSES)	2	GC; QL (1 per 14 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	GC; QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization</i> 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	1	PA BvD; GC
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	2	GC; QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	2	GC; QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	2	GC; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	2	GC; QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	2	GC; QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	2	GC; QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	2	GC; QL (21.2 per 28 days)
<i>fluticasone-salmeterol inhalation aerosol (AirDuo RespiClick) powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i>	1	GC
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	2	GC; QL (1 per 25 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	2	GC; QL (21.2 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	2	GC; QL (12 per 25 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	2	GC; QL (11 per 25 days)
Antileukotrienes		
ACCOLATE ORAL TABLET 10 MG, 20 MG	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>montelukast oral granules in packet 4 mg (Singulair)</i>	1	GC
<i>montelukast oral tablet 10 mg (Singulair)</i>	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)</i>	1	GC
SINGULAIR ORAL GRANULES IN PACKET 4 MG	3	GC
SINGULAIR ORAL TABLET 10 MG	3	GC
SINGULAIR ORAL TABLET, CHEWABLE 4 MG, 5 MG	3	GC
<i>zafirlukast oral tablet 10 mg, 20 mg (Accolate)</i>	1	GC
Bronchodilators		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>	1	PA BvD; GC
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	GC
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	GC; QL (60 per 30 days)
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG	2	GC; QL (30 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	GC; QL (25.8 per 28 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	2	GC; QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	GC; QL (8 per 30 days)
<i>elizophyllin oral elixir 80 mg/15 ml</i>	2	GC
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	GC
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i>	1	PA BvD; GC
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i>	1	PA BvD; GC
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i>	1	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i>	1	GC; QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	2	GC; QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	GC
PROVENTIL HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	GC; QL (13.4 per 25 days)
SEEBRI NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 15.6 MCG	2	GC; QL (60 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	GC; QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	2	GC
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	GC
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	GC
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	GC; QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	GC
<i>theophylline oral solution 80 mg/15 ml</i>	1	GC
<i>theophylline oral tablet extended release (Theochron) 12 hr 100 mg, 200 mg, 300 mg</i>	1	GC
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	1	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	2	GC
TUDORZA PRESSAIR 400 MCG INH 30 METERED DOSES 400 MCG/ACTUATION	2	GC; QL (2 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	2	GC; QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	2	GC; QL (2 per 30 days)
UTIBRON NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 27.5-15.6 MCG	2	GC; QL (60 per 30 days)
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	GC
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD; GC
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	2	GC
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
cromolyn inhalation solution for nebulization 20 mg/2 ml	1	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG, 500 MCG	2	GC; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	2	PA; GC; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	2	PA; GC; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	PA; GC; QL (1 per 28 days)
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	2	GC
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	2	PA; GC; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	2	PA; GC; QL (60 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	PA; GC; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	2	PA; GC; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	2	PA; GC; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	PA; GC; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	GC
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	2	PA; GC; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	PA; GC
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	2	GC
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
baclofen oral tablet 10 mg, 20 mg, 5 mg	1	GC
carisoprodol oral tablet 250 mg, 350 mg (Soma)	1	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carisoprodol-asa-codeine oral tablet 200-325-16 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	1	PA NSO; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 7.5 mg</i> (Fexmid)	1	PA NSO; GC; AGE (Max 64 Years)
DANTRIUM ORAL CAPSULE 25 MG, 50 MG	3	GC
<i>dantrolene oral capsule 100 mg</i>	1	GC
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	GC
<i>metaxall oral tablet 800 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>metaxalone oral tablet 400 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	1	PA NSO; GC; AGE (Max 64 Years)
<i>methocarbamol oral tablet 500 mg</i> (Robaxin)	1	PA NSO; GC; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate injection solution 30 mg/ml</i>	1	PA NSO; GC; AGE (Max 64 Years)
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN ORAL TABLET 500 MG	3	PA NSO; GC; AGE (Max 64 Years)
ROBAXIN-750 ORAL TABLET 750 MG	3	PA NSO; GC; AGE (Max 64 Years)
SKELAXIN ORAL TABLET 800 MG	3	PA NSO; GC; AGE (Max 64 Years)
SOMA ORAL TABLET 250 MG, 350 MG	3	PA NSO; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	GC
<i>tizanidine oral tablet 2 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	GC
ZANAFLEX ORAL CAPSULE 2 MG, 4 MG, 6 MG	3	GC
ZANAFLEX ORAL TABLET 4 MG	3	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
AMBIEN CR ORAL TABLET,EXT RELEASE MULTIPHASE 12.5 MG, 6.25 MG	3	PA NSO; ST; GC; QL (30 per 30 days); AGE (Max 64 Years)
AMBIEN ORAL TABLET 10 MG, 5 MG	3	PA NSO; ST; GC; QL (30 per 30 days); AGE (Max 64 Years)
<i>armodafinil oral tablet 150 mg, 200 mg,</i> (Nuvigil) 250 mg, 50 mg	1	PA; GC
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	GC; QL (30 per 30 days)
BUTISOL ORAL TABLET 30 MG	2	GC
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
HETLIOZ ORAL CAPSULE 20 MG	2	PA; GC; QL (30 per 30 days)
LUNESTA ORAL TABLET 1 MG, 2 MG, 3 MG	3	PA NSO; ST; GC; QL (30 per 30 days); AGE (Max 64 Years)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	1	PA; GC; QL (60 per 30 days)
NEMBUTAL SODIUM INJECTION SOLUTION 50 MG/ML	3	GC; QL (2 per 30 days)
NUVIGIL ORAL TABLET 150 MG, 200 MG, 250 MG, 50 MG	3	PA; GC
<i>pentobarbital sodium injection solution 50 mg/ml</i> (Nembutal Sodium)	1	GC; QL (2 per 30 days)
PROVIGIL ORAL TABLET 100 MG, 200 MG	3	PA; GC; QL (60 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	2	GC; QL (30 per 30 days)
SONATA ORAL CAPSULE 10 MG, 5 MG	3	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XYREM ORAL SOLUTION 500 MG/ML	2	PA; GC; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	PA NSO; GC; QL (60 per 30 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	PA NSO; GC; QL (30 per 30 days); AGE (Max 64 Years)
Vasodilating Agents		
Vasodilating Agents		
ADCIRCA ORAL TABLET 20 MG	2	PA; GC; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	2	PA; GC; QL (90 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
LETAIRIS ORAL TABLET 10 MG, 5 MG	2	PA; GC; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	2	PA; GC; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	2	PA; GC
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	2	PA; GC
REVATIO INTRAVENOUS SOLUTION 10 MG/12.5 ML	3	PA; GC; QL (37.5 per 1 day)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	2	PA; GC; QL (224 per 30 days)
REVATIO ORAL TABLET 20 MG	3	PA; GC; QL (90 per 30 days)
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA; GC; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	1	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tadalafil oral tablet 2.5 mg, 5 mg (Cialis)	1	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	2	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	PA; GC; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	PA; GC
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	PA; GC; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	2	PA; GC; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	PA; GC; QL (400 per 365 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	2	PA; GC
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	1	GC
LUDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (OTC) 1 MG (2.2 MG SOD. FLUORIDE)	1	GC
pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg	1	GC
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	93	ACULAR LS.....	163	AIRDUO RESPICLICK	213
<i>abacavir-lamivudine</i>	93	ACUVAIL (PF).....	164	AKOVAZ.....	120
<i>abacavir-lamivudine-zidovudine</i> 93		<i>acyclovir</i>	99, 144	AKTEN (PF).....	159
ABELCET	71	<i>acyclovir sodium</i>	99	AKTIPAK.....	147
ABILIFY	86	ACZONE.....	144, 145	AKYNZEO	
ABILIFY MAINTENA	86	ADACEL(TDAP		(FOSNETUPITANT).....	80
<i>abiraterone</i>	34	ADOLESN/ADULT)(PF)....	195	AKYNZEO (NETUPITANT)80	
ABRAXANE.....	34	ADAGEN.....	156	<i>ala-cort</i>	149
ABSORICA.....	144	ADALAT CC.....	121	<i>ala-scalp</i>	149
<i>acamprosate</i>	16	<i>adapalene</i>	154	<i>albendazole</i>	82
ACANYA.....	147	ADASUVE.....	86	ALBENZA.....	82
<i>acarbose</i>	62	ADCIRCA.....	222	<i>albuterol sulfate</i>	216
ACCOLATE.....	215	ADDERALL XR.....	130	<i>alclometasone</i>	149
ACCUCAINE KIT	15	<i>adefovir</i>	99	ALCOHOL PADS.....	145
ACCUPRIL.....	112	ADEMPAS.....	222	ALDACTAZIDE.....	123
ACCURETIC.....	112	ADLYXIN.....	62	ALDACTONE.....	123
ACD SOLUTION A	204	ADMELOG SOLOSTAR U-		ALDARA.....	145
<i>acebutolol</i>	115	100 INSULIN	67	ALDURAZYME.....	156
<i>acetaminophen-codeine</i>	3	ADMELOG U-100 INSULIN		ALECENSA.....	34
<i>acetazolamide</i>	207	LISPRO	67	<i>alendronate</i>	201
<i>acetazolamide sodium</i>	207	ADRENALIN.....	120	<i>alfuzosin</i>	174
<i>acetic acid</i>	160, 200	<i>adriamycin</i>	34	ALIMTA.....	34
<i>acetylcysteine</i>	218	<i>adrucil</i>	34	ALINIA.....	82
ACIPHEX	165	ADVAIR DISKUS.....	213	ALIQOPA.....	34
ACIPHEX SPRINKLE.....	166	ADVAIR HFA	213	ALKERAN (AS HCL).....	34
<i>acitretin</i>	144	AEROSPAN.....	213	<i>allopurinol</i>	74
ACTEMRA	188	<i>afeditab cr</i>	121	<i>almotriptan malate</i>	77
ACTHAR H.P.....	204	AFINITOR	34	ALOCRIL.....	164
ACTHIB (PF).....	195	AFINITOR DISPERZ	34	<i>alogliptin</i>	62
ACTIGALL.....	168	AFREZZA.....	67	<i>alogliptin-metformin</i>	62
ACTIMMUNE	204	AGGRENOX.....	105	<i>alogliptin-pioglitazone</i>	62
ACTIQ.....	3	AGRYLIN.....	105	ALOMIDE.....	159
ACTIVELLA.....	176	<i>a-hydrocort</i>	179	ALOPRIM.....	75
ACTONEL	201	AIMOVIG		ALORA.....	176
ACTOPLUS MET	62	AUTOINJECTOR	77	<i>alosetron</i>	199
ACTOPLUS MET XR.....	62	AIMOVIG		ALOXI.....	80
ACTOS.....	62	AUTOINJECTOR (2 PACK)	77	ALPHAGAN P	207
ACULAR	164			<i>alprazolam</i>	18

ALREX.....	164	AMINOSYN-PF 10 %.....	107	ANORO ELLIPTA.....	216
ALTABAX.....	147	AMINOSYN-PF 7 % (SULFITE-FREE).....	107	ANTIVENIN, MICRURUS	
ALTACE.....	112	AMINOSYN-RF 5.2 %.....	107	FULVIUS.....	188
<i>altavera (28)</i>	135	amiodarone.....	114	ANZEMET.....	80
ALTOPREV.....	125	AMITIZA.....	168	APEXICON E.....	149
ALUNBRIG.....	34, 35	<i>amitriptyline</i>	57	APIDRA SOLOSTAR U-100	
ALVESCO.....	213	<i>amitriptyline-chlordiazepoxide</i>	57	INSULIN.....	67
<i>alyacen 1/35 (28)</i>	135	<i>amlodipine</i>	121	APIDRA U-100 INSULIN	67
<i>alyacen 7/7/7 (28)</i>	135	<i>amlodipine-atorvastatin</i>	125	APLENZIN.....	57
<i>amabelz</i>	176	<i>amlodipine-benazepril</i>	121	APOKYN.....	84
<i>amantadine hcl</i>	84	<i>amlodipine-olmesartan</i>	121	<i>apraclonidine</i>	159
AMARYL.....	70	<i>amlodipine-valsartan</i>	121	<i>aprepitant</i>	80
AMBIEN.....	221	<i>amlodipine-valsartan-hcthiazid</i>	121	<i>apri</i>	136
AMBIEN CR.....	221	<i>ammonium lactate</i>	145	APRISO.....	199
AMBISOME.....	71	<i>amnesteem</i>	145	APTENSIO XR.....	130
<i>amcinonide</i>	149	<i>amoxapine</i>	57	APTIOM.....	49
AMERGE.....	77	<i>amoxicil-clarithromy-lansopraz</i>	166	APTIVUS.....	93
<i>amethia</i>	136	<i>amoxicillin</i>	28, 29	ARALAST NP.....	218
<i>amethia lo</i>	136	<i>amoxicillin-pot clavulanate</i>	29	<i>aranelle (28)</i>	136
AMICAR.....	105	<i>amphetamine sulfate</i>	130	ARANESP (IN POLYSORBATE).....	103
<i>amifostine crystalline</i>	204	<i>amphotericin b</i>	71	ARAVA.....	188
<i>amikacin</i>	21	<i>ampicillin</i>	29	ARCALYST.....	188
<i>amiloride</i>	123	<i>ampicillin sodium</i>	29	ARCAPTA NEOHALER	216
<i>amiloride-hydrochlorothiazide</i>	123	<i>ampicillin-sulbactam</i>	29	ARICEPT.....	56
<i>aminocaproic acid</i>	105	AMPYRA.....	130	ARIMIDEX.....	35
<i>aminophylline</i>	216	ANADROL-50.....	175	<i>aripiprazole</i>	87
AMINOSYN 10 %.....	106	ANAFRANIL.....	57	ARISTADA.....	87
AMINOSYN 7 % WITH ELECTROLYTES.....	106	<i>anagrelide</i>	105	ARISTADA INITIO.....	87
AMINOSYN 8.5 %.....	106	ANALPRAM-HC.....	149	ARISTOSCAN INTRA- ARTICULAR.....	179
AMINOSYN 8.5 %- ELECTROLYTES.....	106	ANAPROX DS.....	12	ARISTOSCAN INTRALESIONAL.....	179
AMINOSYN II 10 %.....	106	ANASCORP.....	188	ARIIXTRA.....	101
AMINOSYN II 15 %.....	106	<i>anastrozole</i>	35	<i>armodafinil</i>	221
AMINOSYN II 7 %.....	106	ANCOBON.....	71	ARMONAIR RESPICLICK	214
AMINOSYN II 8.5 %.....	106	ANDRODERM.....	175	ARNUITY ELLIPTA.....	214
AMINOSYN II 8.5 %- ELECTROLYTES.....	106	ANDROGEL.....	175	AROMASIN.....	35
AMINOSYN M 3.5 %.....	107	ANDROID.....	175	ARRANON.....	35
AMINOSYN-HBC 7%.....	107	ANGELIQ.....	177	<i>arsenic trioxide</i>	35

ARTHROTEC	50.....	12	AVAPRO.....	111	BACTROBAN.....	147
ARTHROTEC	75.....	12	AVASTIN.....	35	BACTROBAN NASAL.....	147
ARYMO ER.....	3		AVC VAGINAL.....	76	<i>balsalazide</i>	199
ARZERRA.....	35		AVEED.....	175	<i>balziva</i> (28).....	136
<i>ascomp with codeine</i>	3		AVELOX.....	31	BANZEL.....	49
<i>ashlyna</i>	136		AVELOX IN NACL (ISO-OSMOTIC).....	31	BARACLUDE.....	99
ASMANEX HFA.....	214		<i>aviane</i>	136	BASAGLAR KWIKPEN U-100 INSULIN.....	67
ASMANEX TWISTHALER	214		<i>avita</i>	154	BAVENCIO.....	35
<i>aspirin-dipyridamole</i>	105		AVODART.....	174	BAXDELA.....	31
ASSURE ID INSULIN SAFETY.....	155		AVONEX.....	130	BCG VACCINE, LIVE (PF)	195
ASTAGRAF XL.....	188		AVONEX (WITH ALBUMIN).....	130	BD ULTRA-FINE NANO PEN NEEDLE.....	156
ASTEPRO.....	159		AVYCAZ.....	24	BD VEO INSULIN SYR UP HALF UNIT.....	156
<i>astramorph-pf</i>	3		AXERT.....	77	BD VEO INSULIN SYRINGE UF.....	156
ATACAND.....	111		AXIRON.....	175	BECONASE AQ.....	164
ATACAND HCT.....	111		<i>azacitidine</i>	35	<i>bekyree</i> (28).....	136
<i>atazanavir</i>	93		AZACTAM.....	28	BELBUCA.....	3
ATELVIA.....	201		AZACTAM IN DEXTROSE (ISO-OSM).....	28	BELEODAQ.....	35
<i>atenolol</i>	115		AZASITE.....	160	BELSOMRA.....	221
<i>atenolol-chlorthalidone</i>	115		<i>azathioprine</i>	188	<i>benazepril</i>	112
ATGAM.....	188		<i>azathioprine sodium</i>	188	<i>benazepril-hydrochlorothiazide</i>	113
ATIVAN.....	18		<i>azelaic acid</i>	145	BENDEKA.....	35
<i>atomoxetine</i>	130		<i>azelastine</i>	159	BENICAR.....	111
<i>atorvastatin</i>	125		AZELEX.....	145	BENICAR HCT.....	111
<i>atovaquone</i>	82		AZILECT.....	84	BENLYSTA.....	204
<i>atovaquone-proguanil</i>	82, 83		<i>azithromycin</i>	26, 27	BENTYL.....	168
ATRALIN.....	154		AZOPT.....	207	BENZAMYCIN.....	147
ATRIPLA.....	93		AZOR.....	122	<i>benznidazole</i>	83
<i>atropine</i>	48, 159		<i>aztreonam</i>	28	<i>benztropine</i>	84
ATROVENT HFA.....	216		AZULFIDINE.....	199	BEPREVE.....	159
AUBAGIO.....	130		AZULFIDINE EN-TABS....	199	BERINERT.....	104
<i>aubra</i>	136		<i>azurette</i> (28).....	136	BESIVANCE.....	160
AUGMENTIN.....	29		<i>baciim</i>	22	BESPONSA.....	35
AUGMENTIN ES-600.....	29		<i>bacitracin</i>	22, 160	BETAGAN.....	207
AUGMENTIN XR.....	30		<i>bacitracin-polymyxin b</i>	160	<i>betamethasone acet,sod phos..</i>	179
AURYXIA.....	172		<i>baclofen</i>	219	<i>betamethasone dipropionate</i> ...	149
AUSTEDO.....	130		BACTRIM.....	32		
AVALIDE.....	111		BACTRIM DS.....	32		
AVANDAMET.....	62					
AVANDIA.....	62					

<i>betamethasone valerate</i>	150	BRILINTA	105	<i>calcipotriene-betamethasone</i>	145
<i>betamethasone, augmented</i>	150	brimonidine	208	<i>calcitonin (salmon)</i>	201
BETAPACE	115	BRISDELLE	204	<i>calcitrene</i>	145
BETAPACE AF	115	BRIVIACT	49	<i>calcitriol</i>	145, 201
BETASERON	130	bromfenac	164	<i>calcium acetate</i>	172
<i>betaxolol</i>	115, 207	bromocriptine	84	CALQUENCE	36
<i>bethanechol chloride</i>	173	BROMSITE	164	CAMBIA	12
BETHKIS	21	budesonide	199, 214	<i>camila</i>	136
BETIMOL	207	bumetanide	123	CAMPTOSAR	36
BETOPTIC S	207	BUNAVAIL	16	<i>camrese</i>	136
BEVESPI AEROSPHERE	216	BUPHENYL	168	<i>camrese lo</i>	136
BEVYXXA	101	BUPRENEX	3	CANASA	199
<i>bexarotene</i>	35	buprenorphine	3	CANCIDAS	71
BEXSERO	195	buprenorphine hcl	3, 16	<i>candesartan</i>	111
<i>bicalutamide</i>	35	buprenorphine-naloxone	16, 17	<i>candesartan-hydrochlorothiazide</i>	
BICILLIN C-R	30	bupropion hcl	57, 58	111
BICILLIN L-A	30	bupropion hcl (smoking deter)	17	capacet	4
BICNU	35	buspirone	18	CAPASTAT	79
BIDIL	128	busulfan	36	CAPEX	150
BIKTARVY	93	BUSULFEX	36	CAPRELSA	36
BILTRICIDE	83	<i>butalbital compound w/codeine</i>	3	<i>captopril</i>	113
<i>bimatoprost</i>	207	<i>butalbital-acetaminop-caf-cod</i>	4	<i>captopril-hydrochlorothiazide</i>	113
<i>bisoprolol fumarate</i>	115	<i>butalbital-acetaminophen</i>	4	CARAC	145
<i>bisoprolol-hydrochlorothiazide</i>	116	<i>butalbital-acetaminophen-caff</i>	4	CARAFATE	166
BIVIGAM	188	<i>butalbital-aspirin-caffeine</i>	4	CARBAGLU	168
<i>bleomycin</i>	35	BUTISOL	221	<i>carbamazepine</i>	49
<i>bleph-10</i>	160	butorphanol tartrate	4	CARBATROL	49
BLEPHAMIDE	161	BUTRANS	4	<i>carbidopa</i>	84
BLINCYTO	35	BYDUREON	62	<i>carbidopa-levodopa</i>	84
<i>blisovi 24 fe</i>	136	BYDUREON BCISE	62	<i>carbidopa-levodopa-entacapone</i>	84
<i>blisovi fe 1.5/30 (28)</i>	136	BYETTA	63	<i>carbinoxamine maleate</i>	75
<i>blisovi fe 1/20 (28)</i>	136	BYSTOLIC	116	<i>carboplatin</i>	36
BONIVA	201	BYVALSON	116	CARDENE IV	122
BOOSTRIX TDAP	195	<i>cabergoline</i>	84	CARDENE IV IN SODIUM	
BORTEZOMIB	35	CABOMETYX	36	CHLORIDE	122
BOSULIF	35	CADUET	125	CARDIZEM	118
BRAFTOVI	35, 36	<i>caffeine citrate</i>	130	CARDIZEM CD	118
BREO ELLIPTA	214	CALAN	118	CARDIZEM LA	118
<i>brevicon (28)</i>	136	CALAN SR	118	CARDURA	109
briellyn	136	<i>calcipotriene</i>	145	CARDURA XL	110

CARIMUNE NF		CELEXA.....	58	<i>cilostazol</i>	106
NANOFILTERED	188	CELLCEPT	188	CILOXAN	161
<i>carisoprodol</i>	219	CELLCEPT		CIMDUO	93
<i>carisoprodol-asa-codeine</i>	220	INTRAVENOUS	188	<i>cimetidine</i>	166
<i>carisoprodol-aspirin</i>	220	CELONTIN	49	<i>cimetidine hcl</i>	166
<i>carmustine</i>	36	CENTANY	147	CIMZIA	189
CARNITOR	204	<i>cephalexin</i>	26	CIMZIA POWDER FOR	
<i>carteolol</i>	208	CERDELGA	156	RECONST	189
<i>cartia xt</i>	118	CEREBYX	49	CINQAIR	218
<i>carvedilol</i>	116	CEREZYME	156	CINRYZE	104
<i>carvedilol phosphate</i>	116	CESAMET	80	CINVANTI	80
CASODEX	36	<i>cetirizine</i>	75	CIPRO	31
<i>caspofungin</i>	71	CETRAXAL	161	CIPRO HC	161
CATAPRES	110	CETYLEV	204	CIPRO IN D5W	31
CATAPRES-TTS-1	110	<i>cevimeline</i>	144	CIPRO XR	31
CATAPRES-TTS-2	110	CHANTIX	17	CIPRODEX	161
CATAPRES-TTS-3	110	CHANTIX CONTINUING		<i>ciprofloxacin</i>	32
CAYSTON	28	MONTH BOX	17	<i>ciprofloxacin (mixture)</i>	31
<i>caziant (28)</i>	136	CHANTIX STARTING		<i>ciprofloxacin hcl</i>	31, 161
<i>cefaclor</i>	24, 25	MONTH BOX	17	<i>ciprofloxacin in 5 % dextrose</i>	32
<i>cefadroxil</i>	25	<i>chateal</i>	136	<i>cisplatin</i>	36
<i>cefazolin</i>	25	CHEMET	174	<i>citalopram</i>	58
<i>cefazolin in dextrose (iso-os)</i>	25	CHENODAL	156	<i>cladribine</i>	36
<i>cefdinir</i>	25	<i>chloramphenicol sod succinate</i>	22	CLAFORAN	26
<i>cefditoren pivoxil</i>	25	<i>chlordiazepoxide hcl</i>	18	<i>claravis</i>	145
<i>cefixime</i>	25	<i>chlordiazepoxide-clidinium</i>	48	CLARINEX	75
CEFOTAN	25	<i>chlorhexidine gluconate</i>	144	CLARINEX-D 12 HOUR	75
<i>cefotaxime</i>	25	<i>chloroquine phosphate</i>	83	<i>clarithromycin</i>	27
<i>cefotetan</i>	25	<i>chlorothiazide</i>	123	<i>clemastine</i>	75
<i>cefoxitin</i>	25	<i>chlorothiazide sodium</i>	123	CLENPIQ	171
<i>cefpodoxime</i>	25	<i>chlorpromazine</i>	87	CLEOCIN	22, 76
<i>cesprozil</i>	25	<i>chlorpropamide</i>	70	CLEOCIN HCL	22
<i>ceftazidime</i>	25	<i>chlorthalidone</i>	123	CLEOCIN IN 5 %	
CEFTIN	25	<i>chlorzoxazone</i>	220	DEXTROSE	22
<i>ceftriaxone</i>	26	CHOLBAM	168	CLEOCIN T	147, 148
<i>cefuroxime axetyl</i>	26	<i>cholestyramine (with sugar)</i>	125	CLIMARA	177
<i>cefuroxime sodium</i>	26	<i>cholestyramine light</i>	125	CLIMARA PRO	177
CELEBREX	13	CIALIS	222	CLINDAGEL	148
<i>celecoxib</i>	13	<i>ciclopirox</i>	71	<i>clindamycin hcl</i>	22
CELESTONE SOLUSPAN	179	<i>cidofovir</i>	99	<i>clindamycin in 5 % dextrose</i>	22

<i>clindamycin palmitate hcl</i>	22	CLOBEX.....	150	CONCERTA	130, 131
<i>clindamycin phosphate</i> 22, 76, 148		<i>clocortolone pivalate</i>	150	CONDYLOX.....	145
<i>clindamycin-benzoyl peroxide</i> .148		<i>clofarabine</i>	36	<i>constulose</i>	168
<i>clindamycin-tretinoin</i>	148	CLOLAR.....	36	COPAXONE.....	131
CLINDESSE.....	76	<i>clomipramine</i>	58	COPIKTRA.....	36
CLINIMIX 5%/D15W		<i>clonazepam</i>	18	CORDRAN TAPE LARGE	
SULFITE FREE.....	107	<i>clonidine</i>	110	ROLL.....	150
CLINIMIX 5%/D25W		<i>clonidine hcl</i>	110, 130	COREG.....	116
SULFITE-FREE.....	107	<i>clopidogrel</i>	106	COREG CR.....	116
CLINIMIX 2.75%/D5W		<i>clorazepate dipotassium</i>	18	CORGARD.....	116
SULFIT FREE.....	107	<i>clorpres</i>	110	CORLANOR.....	120
CLINIMIX 4.25%/D10W		<i>clotrimazole</i>	72	<i>cormax</i>	150
SULF FREE.....	107	<i>clotrimazole-betamethasone</i>	72	CORTEF.....	179
CLINIMIX 4.25%/D5W		<i>clozapine</i>	87, 88	CORTENEMA.....	199
SULFIT FREE.....	107	CLOZARIL.....	88	<i>cortisone</i>	179
CLINIMIX 4.25%-D20W		COARTEM.....	83	CORTISPORIN.....	148
SULF-FREE.....	107	<i>codeine sulfate</i>	4	CORZIDE.....	116
CLINIMIX 4.25%-D25W		COGENTIN.....	84	COSENTYX (2 SYRINGES)	
SULF-FREE.....	107	COLAZAL.....	199	145
CLINIMIX 5%-		<i>colchicine</i>	75	COSENTYX PEN (2 PENS)	145
D20W(SULFITE-FREE)....	107	COLCRYS.....	75	COSMEGEN.....	36
CLINIMIX E 2.75%/D10W		<i>colesevelam</i>	125	COSOPT.....	208
SUL FREE.....	107	COLESTID.....	125	COSOPT (PF).....	208
CLINIMIX E 2.75%/D5W		COLESTID FLAVORED....	125	COTELLIC.....	36
SULF FREE.....	108	<i>colestipol</i>	125	COTEMPLA XR-ODT.....	131
CLINIMIX E 4.25%/D10W		<i>colistin (colistimethate na)</i>	22	COUMADIN.....	101
SUL FREE.....	108	<i>colocort</i>	199	COZAAR.....	111
CLINIMIX E 4.25%/D25W		COLY-MYCIN M		CREON.....	156
SUL FREE.....	108	PARENTERAL.....	22	CRESEMBA.....	72
CLINIMIX E 4.25%/D5W		COLY-MYCIN S.....	161	CRESTOR.....	125
SULF FREE.....	108	COLYTE WITH FLAVOR		CRINONE.....	185
CLINIMIX E 5%/D15W		PACKS.....	171	CRIXIVAN.....	93
SULFIT FREE.....	108	COMBIGAN.....	208	<i>cromolyn</i>	159, 168, 219
CLINIMIX E 5%/D20W		COMBIPATCH.....	177	CROTAN.....	155
SULFIT FREE.....	108	COMBIVENT RESPIMAT.	216	<i>cryselle (28)</i>	136
CLINIMIX E 5%/D25W		COMBIVIR.....	93	CUBICIN.....	22
SULFIT FREE.....	108	COMETRIQ.....	36	CUPRIMINE.....	174
<i>clobazam</i>	18	COMPLERA.....	93	CUTIVATE.....	150
<i>clobetasol</i>	150	<i>compro</i>	80	CUVITRU.....	189
<i>clobetasol-emollient</i>	150	COMTAN.....	84	CUVPOSA.....	169

cyclafem 1/35 (28)	136	dantrolene	220	DEPO-MEDROL.....	180
cyclafem 7/7/7 (28)	136	dapsone	79, 145	DEPO-PROVERA.....	185
CYCLESSA (28).....	136	DAPTACEL (DTAP		DEPO-SUBQ PROVERA	104
cyclobenzaprine	220	PEDIATRIC) (PF).....	195	185
cyclopentolate	159	daptomycin	22	DERMA-SMOOTH/E/FS	
CYCLOPHOSPHAMIDE....	37	DARAPRIM.....	83	BODY OIL.....	151
cycloserine	79	darifenacin	173	DERMATOP.....	151
CYCLOSET.....	63	DARZALEX.....	37	DERMOTIC OIL.....	164
cyclosporine	189	dasetta 1/35 (28)	137	DESCOVY.....	93
cyclosporine modified	189	dasetta 7/7/7 (28)	137	DESFERAL.....	174
CYKLOKAPRON.....	105	daunorubicin	37	desipramine	58
CYMBALTA.....	58	DAURISMO.....	37	desloratadine	75
cyproheptadine	75	DAYPRO.....	13	desmopressin	182
CYRAMZA.....	37	DAYTRANA.....	131	desog-e.estradiolle.estriadiol...	137
cyred.....	136	DDAVP.....	182	desogestrel-ethinyl estradiol...	137
cyred eq.....	137	deblitane	137	DESONATE.....	151
CYSTADANE.....	204	decadron	179, 180	desonide	151
CYSTAGON.....	157	decitabine	37	desoximetasone	151
CYSTARAN.....	159	deferoxamine	174	DESOXYN.....	131
cytarabine	37	DELESTROGEN.....	177	DESVENLAFAKINE.....	58
cytarabine (pf)	37	DELSTRIGO.....	93	DESVENLAFAKINE	
CYTOMEL.....	186	deltasone	180	FUMARATE.....	58
CYTOTEC.....	166	delyla (28)	137	desvenlafaxine succinate	58
CYTOVENE.....	100	DELZICOL.....	199	DETROL.....	173
D.H.E.45.....	77	DEMADEX.....	123	DETROL LA.....	173
d10 %-0.45 % sodium chloride	209	demecclocycline.....	32	dexamethasone	180
d2.5 %-0.45 % sodium chloride		DEMEROL.....	4, 5	DEXAMETHASONE	
.....	209	DEMEROL (PF).....	4	INTENSOL.....	180
d5 % and 0.9 % sodium chloride		DEM SER.....	120	dexamethasone sodium phos	
.....	209	DENAVIR.....	145	(pf)	180
d5 %-0.45 % sodium chloride..	209	denta 5000 plus	144	dexamethasone sodium	
dacarbazine	37	dentagel	144	phosphate	164, 180
DACOGEN.....	37	DEPACON.....	49	DEXEDRINE SPANSULE.	131
dactinomycin	37	DEPAKENE.....	49	DEXILANT.....	166
DAKLINZA.....	98	DEPAKOTE.....	50	dexamethylphenidate	131
dalfampridine	131	DEPAKOTE ER.....	49	dexpak 10 day	180
DALIRESP.....	219	DEPAKOTE SPRINKLES....	50	dexpak 13 day	180
DALVANCE.....	22	DEPEN TITRATABS.....	174	dexpak 6 day	180
danazol.....	175	DEPO-ESTRADIOL.....	177	dexrazoxane hcl.....	204
DANTRIUM.....	220			dextroamphetamine	131

<i>dextroamphetamine-</i>		
<i>amphetamine</i>	131	
<i>dextrose 10 % and 0.2 % nacl.</i> 209		
<i>dextrose 10 % in water (d10w)</i>	108	
<i>dextrose 20 % in water (d20w)</i>	108	
<i>dextrose 25 % in water (d25w)</i>	108	
<i>dextrose 30 % in water (d30w)</i>	108	
<i>dextrose 40 % in water (d40w)</i>	108	
<i>dextrose 5 % in ringer's</i> 108		
<i>dextrose 5 % in water (d5w)</i> .. 108		
<i>dextrose 5 %-lactated ringers.</i> 209		
<i>dextrose 5%-0.2 % sod chloride</i>	210	
<i>dextrose 5%-0.3 % sod.chloride</i>	210	
<i>dextrose 50 % in water (d50w)</i>	108	
<i>dextrose 70 % in water (d70w)</i>	109	
<i>dextrose with sodium chloride.</i> 210		
DIASTAT 18		
DIASTAT ACUDIAL 18		
<i>diazepam</i> 18, 19		
<i>diazepam intensol</i> 19		
DIBENZYLINE 110		
<i>diclofenac potassium</i> 13		
<i>diclofenac sodium</i> 13, 164		
<i>diclofenac-misoprostol</i> 13		
<i>dicloxacillin</i> 30		
<i>dicyclomine</i> 169		
<i>didanosine</i> 93		
DIFFERIN 154		
DIFICID 27		
<i>diflorasone</i> 151		
DIFLUCAN 72		
<i>disflunisal</i> 13		
<i>digitek</i> 120		
<i>digox</i> 120		
<i>digoxin</i> 120		
DIGOXIN 120		
<i>dihydroergotamine</i> 77		
DILANTIN 50		
DILANTIN EXTENDED 50		
DILANTIN INFATABS 50		
DILANTIN-125 50		
DILATRATE-SR 128		
DILAUDID 5		
DILAUDID (PF) 5		
<i>diltiazem hcl</i> 119		
<i>dilt-xr</i> 119		
<i>dimenhydrinate</i> 80		
DIOVAN 111		
DIOVAN HCT 111		
DIPENTUM 199		
<i>diphenhydramine hcl</i> 75, 76		
<i>diphenoxylate-atropine</i> 169		
DIPROLENE 151		
<i>dipyridamole</i> 106		
DISKETS 5		
<i>disopyramide phosphate</i> 114		
<i>disulfiram</i> 17		
DITROPAN XL 173		
DIURIL 123		
DIURIL IV 123		
<i>divalproex</i> 50		
DIVIGEL 177		
DOCEFREZ 37		
<i>docetaxel</i> 37		
<i>dofetilide</i> 114		
DOLOPHINE 5		
<i>donepezil</i> 56		
DOPTELET 104		
<i>doripenem</i> 28		
<i>dorzolamide</i> 208		
<i>dorzolamide-timolol</i> 208		
<i>dorzolamide-timolol (pf)</i>208		
DOVONEX 145		
<i>doxazosin</i> 110		
<i>doxepin</i> 58		
<i>doxercalciferol</i> 201		
DOXIL 37		
<i>doxorubicin</i> 37, 38		
<i>doxorubicin, peg-liposomal</i>38		
<i>doxy-100</i> 33		
<i>doxycycline hyclate</i> 33		
<i>doxycycline monohydrate</i>33		
<i>dronabinol</i> 80		
<i>droperidol</i> 204		
<i>drospirenone-e.estradiol-lm.fa</i> 137		
<i>drospirenone-ethinyl estradiol.</i> 137		
DROXIA 38		
DUAVEE 177		
DUETACT 63		
DULERA 214		
<i>duloxetine</i> 58		
DUPIXENT 145		
DURAGESIC 5		
DURAMORPH (PF) 5		
DUREZOL 164		
<i>dutasteride</i> 174		
<i>dutasteride-tamsulosin</i> 174		
DUTOPROL 116		
DUZALLO 75		
DYANAVEL XR 131		
DYAZIDE 123		
DYMISTA 159		
DYRENIUM 123		
<i>e.e.s. 400</i> 27		
EC-NAPROSYN 13		
<i>econazole</i> 72		
EDARBI 111		
EDARBYCLOR111		
EDECIRIN 123		
EDURANT 93		
<i>efavirenz</i> 93		

EFFEXOR XR	58	ENDARI	204	ERGOMAR	77
EFFIENT	106	<i>endocet</i>	5	<i>ergotamine-caffeine</i>	77
EFUDEX	145	ENGERIX-B (PF)	195, 196	ERIVEDGE	38
EGRIFTA	182	ENGERIX-B PEDIATRIC		ERLEADA	38
ELAPRASE	157	(PF)	196	<i>errin</i>	137
ELDEPRYL	84	<i>enoxaparin</i>	101	ERTACZO	72
<i>electrolyte-48 in d5w</i>	210	<i>enpresse</i>	137	<i>ertapenem</i>	28
ELESTAT	159	<i>enskyce</i>	137	ERWINAZE	38
ELESTRIN	177	ENSTILAR	145	<i>ery pads</i>	148
<i>eletiptan</i>	77	<i>entacapone</i>	85	ERYGEL	148
ELIDEL	151	<i>entecavir</i>	100	<i>ery-tab</i>	27
ELIGARD	38	ENTOCORT EC	199	ERY-TAB	27
ELIGARD (3 MONTH)	38	ENTRESTO	111	ERYTHROCIN	27
ELIGARD (4 MONTH)	38	ENTYVIO	204	<i>erythrocin (as stearate)</i>	27
ELIGARD (6 MONTH)	38	<i>enulose</i>	169	<i>erythromycin</i>	27, 161
ELIMITE	155	ENVARSUS XR	189	<i>erythromycin ethylsuccinate</i>	27
<i>elinet</i>	137	EPANED	113	<i>erythromycin with ethanol</i>	148
<i>eliphos</i>	172	EPCLUSA	98	<i>erythromycin-benzoyl peroxide</i>	
ELIQUIS	101	EPIDIOLEX	50		148
ELITEK	157	EPIDUO	155	ESBRIET	219
<i>elixophyllin</i>	216	EPIDUO FORTE	154	<i>escitalopram oxalate</i>	59
ELLA	137	EPIFOAM	151	ESGIC	5
ELLENCE	38	<i>epinastine</i>	159	<i>esomeprazole magnesium</i>	166
ELMIRON	204	<i>epinephrine</i>	120	<i>esomeprazole sodium</i>	166
ELOCON	151	EPIPEN	120	<i>estarrylla</i>	137
EMADINE	159	EPIPEN 2-PAK	120	<i>estazolam</i>	19
EMBEDA	5	EPIPEN JR 2-PAK	121	ESTRACE	177
EMCYT	38	<i>epirubicin</i>	38	<i>estradiol</i>	177, 178
EMEND	80	<i>epitol</i>	50	<i>estradiol valerate</i>	178
EMFLAZA	180	EPIVIR	94	<i>estradiol-norethindrone acet</i>	178
<i>emoquette</i>	137	EPIVIR HBV	93, 94	ESTRING	178
EMPLICITI	38	<i>eplerenone</i>	128	<i>estropipate</i>	178
EMSAM	59	EPOGEN	104	ESTROSTEP FE-28	137
EMTRIVA	93	<i>eprosartan</i>	111	<i>eszopiclone</i>	221
EMVERM	83	EPZICOM	94	<i>ethacrynic acid</i>	123
ENABLEX	173	EQUETRO	50	<i>ethambutol</i>	79
<i>enalapril maleate</i>	113	ERA(XIS(WATER		<i>ethosuximide</i>	50
<i>enalapril-hydrochlorothiazide</i>	113	DILUENT)	72	<i>ethynodiol diac-eth estradiol</i>	137
ENBREL	189	ERBITUX	38	ETHYOL	204
ENBREL SURECLICK	189	<i>ergoloid</i>	204	<i>etidronate disodium</i>	201

<i>etodolac</i>	13	FELBATOL	50	fluconazole	72
ETOPOPHOS	38	FELDENE	13	fluconazole in nacl (iso-osm)	72
<i>etoposide</i>	38	<i>felodipine</i>	122	flucytosine	72
EUCRISA	151	FEMARA	39	fludarabine	39
EURAX	155	FEMHRT LOW DOSE	178	fludrocortisone	180
EVAMIST	178	FEMRING	178	FLUMADINE	97
EVISTA	178	<i>femynor</i>	137	flunisolide	164
EVOCLIN	148	<i>fenofibrate</i>	126	fluocinolone	151
EVOMELA	38	<i>fenofibrate micronized</i>	125	fluocinolone acetonide oil	164
EVOTAZ	94	<i>fenofibrate nanocrystallized</i>	126	fluocinolone and shower cap	151
EVOXAC	144	<i>fenofibric acid</i>	126	fluocinonide	151
EVZIO	17	<i>fenofibric acid (choline)</i>	126	fluocinonide-e	151
EXALGO ER	5, 6	FENOGLIDE	126	FLUORIDE (SODIUM)	223
EXELDERM	72	<i>fenoprofen</i>	13	fluorometholone	164
EXELOM	56	fentanyl	6	fluorouracil	39, 146
<i>exemestane</i>	38	fentanyl citrate	6	fluoxetine	59
EXFORGE	122	FERRIPROX	174	FLUOXETINE	59
EXFORGE HCT	122	FETZIMA	59	fluphenazine decanoate	88
EXJADE	174	FIASP FLEXTOUCH U-100		fluphenazine hcl	88
EXONDYS 51	204	INSULIN	67	flurandrenolide	152
EXTAVIA	132	FIASP U-100 INSULIN	67	flurazepam	19
EXTINA	72	FIBRICOR	126	flurbiprofen	13
<i>ezetimibe</i>	125	FINACEA	145	flurbiprofen sodium	164
<i>ezetimibe-simvastatin</i>	125	<i>finasteride</i>	174	flutamide	39
FABIOR	155	FIORINAL	6	fluticasone	152, 164
FABRAZYME	157	FIORINAL-CODEINE #3	6	fluticasone-salmeterol	215
<i>falmina (28)</i>	137	FIRAZYR	121	fluvastatin	126
famciclovir	100	FIRMAGON KIT W		fluvoxamine	59
<i>famotidine</i>	166	DILUENT SYRINGE	39	FML FORTE	164
<i>famotidine (pf)</i>	166	FIRVANQ	23	FML S.O.P.	164
<i>famotidine (pf)-nacl (iso-os)</i>	166	FLAC OTIC OIL	164	FOCALIN	132
FANAPT	88	FLAGYL	23	FOCALIN XR	132
FARESTON	38	<i>flavoxate</i>	173	FOLOTYN	39
FARXIGA	63	FLEBOGAMMA DIF	189	<i>fomepizole</i>	205
FARYDAK	39	<i>flecainide</i>	114	<i>fondaparinux</i>	101
FASENRA	219	FLECTOR	13	FORFIVO XL	59
FASLODEX	39	FLOMAX	174	FORTAMET	63
<i>fayosim</i>	137	FLOVENT DISKUS	214, 215	FORTAZ	26
FAZACLO	88	FLOVENT HFA	215	FORTEO	202
<i>felbamate</i>	50	<i>flouxuridine</i>	39	FOSAMAX	202

FOSAMAX PLUS D	202	<i>gavilyte-n</i>	171	GLUCOVANCE	71
<i>fosamprenavir</i>	94	GAZYVA	39	<i>glyburide</i>	71
<i>foscarnet</i>	97	GELNIQUE	173	<i>glyburide micronized</i>	71
<i>fosinopril</i>	113	<i>gemcitabine</i>	39	<i>glyburide-metformin</i>	71
<i>fosinopril-hydrochlorothiazide</i>	113	<i>gemfibrozil</i>	126	GLYCATE	169
<i>fosphenytoin</i>	50	GEMZAR	39	<i>glycine urologic solution</i>	200
FOSRENOL	172	GENERESS FE	138	<i>glycopyrrolate</i>	169
FRAGMIN	101, 102	<i>generlac</i>	169	<i>glydo</i>	15
FREAMINE HBC 6.9 %.....	109	<i>gengraf</i>	190	GLYNASE	71
FREAMINE III 10 %.....	109	GENOTROPIN	183	GLYSET	63
FROVA	77	GENOTROPIN		GLYXAMBI	63
<i>frovatriptan</i>	77	MINIQUICK	183	GOCOVRI	85
FULPHILA	104	<i>gentak</i>	161	GOLYTELY	171
FURADANTIN	23	<i>gentamicin</i>	21, 148, 161	GRALISE	51
<i>furosemide</i>	123, 124	<i>gentamicin in nacl (iso-osm)</i>	21	GRALISE 30-DAY	
FUSILEV	205	<i>gentamicin sulfate (ped) (pf)</i>	21	STARTER PACK	51
FUZEON	94	<i>gentamicin sulfate (pf)</i>	21	<i>granisetron (pf)</i>	81
<i>fyavolv</i>	178	GENVOYA	94	<i>granisetron hcl</i>	81
FYCOMPA	50	GEODON	88	GRANIX	104
<i> gabapentin</i>	50, 51	GIALAX	171	GRASTEK	205
GABITRIL	51	<i>gianvi (28)</i>	138	<i>griseofulvin microsize</i>	72
GALAFOLD	157	GIAZO	199	<i>griseofulvin ultramicrosize</i>	72
<i>galantamine</i>	56	GILENYA	132	GRIS-PEG	
GAMASTAN S/D	189	GILOTrif	39	(ULTRAMICROSIZE)	73
GAMMAGARD LIQUID	189	GLASSIA	219	<i>guanfacine</i>	110, 132
GAMMAGARD S-D (IGA < 1 MCG/ML)	189	<i> glatiramer</i>	132	<i>guanidine</i>	205
GAMMAKED	190	<i> glatopa</i>	132	HAEGARDA	104
GAMMAPLEX	190	GLEEVEC	39	<i>hailey 24 fe</i>	138
GAMMAPLEX (WITH SORBITOL)	190	GLEOSTINE	39	HALAVEN	39
GAMUNEX-C	190	<i> glimepiride</i>	70	HALCION	19
<i>ganciclovir sodium</i>	100	<i> glipizide</i>	70	HALDOL	88
GARDASIL 9 (PF)	196	<i> glipizide-metformin</i>	70	HALDOL DECANOATE	88
GASTROCROM	169	GLUCAGEN HYPOKIT	63	<i> halobetasol propionate</i>	152
<i>gatifloxacin</i>	161	GLUCAGON		HALOG	152
GATTEX 30-VIAL	169	EMERGENCY KIT		<i> haloperidol</i>	89
GAUZE PAD	156	(HUMAN)	63	<i> haloperidol decanoate</i>	89
<i>gavilyte-c</i>	171	GLUCOPHAGE	63	<i> haloperidol lactate</i>	89
<i>gavilyte-g</i>	171	GLUCOPHAGE XR	63	HARVONI	98
		GLUCOTROL	70	HAVRIX (PF)	196
		GLUCOTROL XL	71	<i>heather</i>	138

HECTOROL	202	HUMIRA(CF) PEN	HYPERHEP B S/D	191
<i>heparin (porcine)</i>	102	CROHNS-UC-HS	HYPERRAB (PF)	191
<i>heparin (porcine) in 5 % dex.</i>	102	HUMIRA(CF) PEN PSOR-	HYPERRAB S/D (PF)	191
<i>heparin (porcine) in nacl (pf)</i>	102	UV-ADOL HS	HYPERRHO S/D	191
<i>heparin, porcine (pf)</i>	102	HUMULIN 70/30 U-100	HYQVIA	191
HEPATAMINE 8%	109	INSULIN	HYSINGLA ER	7
HEPSERA	100	HUMULIN 70/30 U-100	HYZAAR	111
HERCEPTIN	40	KWIKPEN	<i>ibandronate</i>	202
HETLIOZ	221	HUMULIN N NPH	IBRANCE	40
HEXALEN	40	INSULIN KWIKPEN	<i>ibu</i>	13
HIBERIX (PF)	196	HUMULIN N NPH U-100	<i>ibuprofen</i>	13
HIPREX	23	INSULIN	<i>ibuprofen-oxycodone</i>	7
HIZENTRA	190	HUMULIN R REGULAR	ICLUSIG	40
HUMALOG JUNIOR		U-100 INSULN	IDAMYCIN PFS	40
KWIKPEN U-100	67	HUMULIN R U-500	<i>idarubicin</i>	40
HUMALOG KWIKPEN		(CONC) INSULIN	IDHIFA	40
INSULIN	67	HUMULIN R U-500	IFEX	40
HUMALOG MIX 50-50		(CONC) KWIKPEN	<i>ifosfamide</i>	40
INSULN U-100	68	HYCAMTIN	ILARIS (PF)	191
HUMALOG MIX 50-50		<i>hydralazine</i>	ILEVRO	164
KWIKPEN	68	HYDREA	ILUMYA	191
HUMALOG MIX 75-25		<i>hydrochlorothiazide</i>	<i>imatinib</i>	40
KWIKPEN	68	<i>hydrocodone-acetaminophen</i>	IMBRUVICA	40
HUMALOG MIX 75-25(U-100)INSULN	68	<i>hydrocodone-ibuprofen</i>	IMFINZI	40
HUMALOG U-100		<i>hydrocortisone</i>	<i>imipenem-cilastatin</i>	28
INSULIN	68	<i>hydrocortisone butyrate</i>	<i>imipramine hcl</i>	59
HUMATROPE	183	<i>hydrocortisone butyr-emollient</i>	<i>imipramine pamoate</i>	59
HUMIRA	190	<i>hydrocortisone valerate</i>	<i>imiquimod</i>	146
HUMIRA PEDIATRIC		<i>hydrocortisone-acetic acid</i>	IMITREX	77, 78
CROHNS START	190	<i>hydrocortisone-pramoxine</i>	IMITREX STATDOSE PEN	77, 78
HUMIRA PEN	190	<i>hydromorphone</i>	IMITREX STATDOSE	
HUMIRA PEN CROHNS-UC-HS START	190	<i>hydromorphone (pf)</i>	REFILL	77, 78
HUMIRA PEN PSOR-UVEITS-ADOL HS	190	<i>hydroxychloroquine</i>	IMLYGIC	40, 41
HUMIRA(CF)	191	<i>hydroxyprogesterone (pf) (preg</i>	IMOGRAM RABIES-HT (PF)	191
HUMIRA(CF) PEDI		<i>presv)</i>	IMOVA X RABIES	
CROHNS STARTER	190	<i>hydroxyprogesterone caproate</i>	VACCINE (PF)	196
HUMIRA(CF) PEN	191	<i>hydroxyurea</i>	IMPAVIDO	83
		<i>hydroxyzine hcl</i>	IMPOYZ	152
		<i>hydroxyzine pamoate</i>		

IMURAN	191	<i>ipratropium bromide</i>	159, 216	JENTADUETO XR	64
IMVEXXY		<i>ipratropium-albuterol</i>	217	JEVANTIQUE LO	178
MAINTENANCE PACK	178	IPRIVASK	102	JEVTANA	41
IMVEXXY STARTER PACK	178	<i>irbesartan</i>	111	<i>jinteli</i>	178
<i>incassia</i>	138	<i>irbesartan-hydrochlorothiazide</i>	111	<i>jolessa</i>	138
INCRELEX	183	IRESSA	41	<i>jolivette</i>	138
INCRUSE ELLIPTA	216	<i>irinotecan</i>	41	JUBLIA	73
<i>indapamide</i>	124	ISENTRESS	94	<i>juleber</i>	138
INDERAL LA	116	ISENTRESS HD	94	JULUCA	94
INDERAL XL	116	<i>isibloom</i>	138	<i>junel 1.5/30 (21)</i>	138
INDOCIN	13, 14	ISOLYTE-P IN 5 %		<i>junel 1/20 (21)</i>	138
<i>indomethacin</i>	14	DEXTROSE	210	<i>junel fe 1.5/30 (28)</i>	138
INFANRIX (DTAP) (PF)	196	ISOLYTE-S	210	<i>junel fe 1/20 (28)</i>	138
INFLECTRA	192	<i>isoniazid</i>	79	<i>junel fe 24</i>	138
INFUMORPH P/F	7	ISOPTO ATROPINE	159	JUXTAPID	126
INGREZZA	132	ISOPTO CARPINE	208	JYNARQUE	124
INLYTA	41	ISORDIL	128	KABIVEN	109
INNOPRAN XL	116	ISORDIL TITRADOSE	128	KADCYLA	41
INSPRA	128	<i>isosorbide dinitrate</i>	128, 129	<i>kaitlib fe</i>	138
INSULIN SYRINGE- NEEDLE U-100	156	<i>isosorbide mononitrate</i>	129	KALBITOR	205
INTELENCE	94	<i>isotretinoin</i>	146	KALETRA	94
INTRALIPID	109	<i>isradipine</i>	122	KALYDECO	219
INTRAROSA	178	ISTALOL	208	KANUMA	157
INTRON A	99	ISTODAX	41	KAPSPARGO SPRINKLE	116
<i>introvale</i>	138	<i>itraconazole</i>	73	KAPVAY	132
INTUNIV ER	132	<i>ivermectin</i>	83	KARBINAL ER	76
INVANZ	28	IXEMPRA	41	<i>kariva (28)</i>	138
INVEGA	89	IXIARO (PF)	196	KAZANO	64
INVEGA SUSTENNA	89	JADENU	175	KEDRAB (PF)	192
INVEGA TRINZA	89, 90	JADENU SPRINKLE	175	KEFLEX	26
INVIRASE	94	JAKAFI	41	<i>kelnor 1/35 (28)</i>	138
INVOKAMET	63, 64	JALYN	174	<i>kelnor 1-50</i>	138
INVOKAMET XR	64	<i>jantoven</i>	102	KENALOG	152, 181
INVOKANA	64	JANUMET	64	KEPIVANCE	205
IONOSOL-B IN D5W	210	JANUMET XR	64	KEPPRA	51
IONOSOL-MB IN D5W	210	JANUVIA	64	KEPPRA XR	51
IOPIDINE	159	JARDIANCE	64	<i>ketoconazole</i>	73
IPOL	196	<i>jencycla</i>	138	<i>ketoprofen</i>	14
		JENTADUETO	64	<i>ketorolac</i>	14, 165
				KEVEYIS	205

KEVZARA	192	LAMICTAL ODT		leena	28	139
KEYTRUDA	41	STARTER (ORANGE)	51	leflunomide		192
KHAPZORY	205	LAMICTAL STARTER		LEMTRADA		132
KHEDEZLA	59	(BLUE) KIT	52	LENVIMA		42
<i>kimidess</i> (28)	138	LAMICTAL STARTER		LESCOL		126
KINERET	192	(GREEN) KIT	52	LESCOL XL		126
KINRIX (PF)	196	LAMICTAL STARTER		<i>lessina</i>		139
<i>kionex</i> (with sorbitol)	169	(ORANGE) KIT	52	LETAIRIS		222
KISQALI	41	LAMICTAL XR	52	<i>letrozole</i>		42
KISQALI FEMARA CO-		LAMICTAL XR STARTER		<i>leucovorin calcium</i>		205
PACK	41	(BLUE)	52	LEUKERAN		42
KLARON	148	LAMICTAL XR STARTER		LEUKINE		104
KLONOPIN	19	(GREEN)	52	<i>leuprolide</i>		42
KLOR-CON 10	210	LAMICTAL XR STARTER		<i>levalbuterol hcl</i>		217
KLOR-CON 8	210	(ORANGE)	52	<i>levalbuterol tartrate</i>		217
<i>klor-con m10</i>	210	LAMISIL	73	LEVAQUIN		32
<i>klor-con m15</i>	210	<i>lamivudine</i>	94	LEVATOL		117
<i>klor-con m20</i>	210	<i>lamivudine-zidovudine</i>	94	LEVEMIR FLEXTOUCH U-		
<i>klor-con sprinkle</i>	210	<i>lamotrigine</i>	52, 53	100 INSULN		69
KOMBIGLYZE XR	64	LANOXIN		LEVEMIR U-100 INSULIN		69
KORLYM	64	LANOXIN PEDIATRIC		<i>levetiracetam</i>		53
K-TAB	210	<i>lansoprazole</i>	166, 167	<i>levetiracetam in nacl (iso-os)</i>		53
<i>kurvelo</i>	138	<i>lanthanum</i>	172	<i>levobunolol</i>		208
KUVAN	157	LANTUS SOLOSTAR U-100		<i>levocarnitine</i>		205
KYNAMRO	126	INSULIN	68	<i>levocarnitine (with sugar)</i>		205
KYPROLIS	42	LANTUS U-100 INSULIN	69	<i>levocetirizine</i>		76
<i>l norgestle.estradiol-e.estrad</i>		<i>larin 1.5/30 (21)</i>	139	<i>levofloxacin</i>		32, 161
	138, 139	<i>larin 1/20 (21)</i>	139	<i>levofloxacin in d5w</i>		32
<i>labetalol</i>	116	<i>larin 24 fe</i>	139	LEVOLEUCOVORIN		
LACRISERT	160	<i>larin fe 1.5/30 (28)</i>	139	CALCIUM		205
LACTATED RINGERS		<i>larin fe 1/20 (28)</i>	139	<i>levoleucovorin calcium</i>		205
	200, 210	<i>larissa</i>	139	<i>levonest (28)</i>		139
<i>lactulose</i>	169	LARTRUVO		<i>levonorgestrel-ethinyl estrad</i>		139
LAMICTAL	51	LASIX		<i>levonorg-eth estrad triphasic</i>		139
LAMICTAL ODT	51	LASTACAFT		<i>levora-28</i>		139
LAMICTAL ODT		<i>latanoprost</i>	208	<i>levorphanol tartrate</i>		7
STARTER (BLUE)	51	LATUDA		LEVO-T		186
LAMICTAL ODT		<i>layolis fe</i>	139	<i>levothyroxine</i>		186, 187
STARTER (GREEN)	51	LAZANDA		LEVOXYL		187
		<i>ledipasvir-sofosbuvir</i>	98	LEVULAN		146

LEXAPRO	59	<i>loperamide</i>	169	LUPRON DEPOT (3 MONTH)	42
LEXIVA	94	LOPID	126	LUPRON DEPOT (4 MONTH)	42
LIALDA	200	<i>lopinavir-ritonavir</i>	95	LUPRON DEPOT (6 MONTH)	42
LIBRAX (WITH CLIDINIUM)	48	<i>lopreeza</i>	178	LUPRON DEPOT-PED	183
LIBTAYO	42	LOPRESSOR	117	LUPRON DEPOT-PED (3 MONTH)	183
<i>lidocaine</i>	15, 16	LOPRESSOR HCT	117	lutea (28)	139
<i>lidocaine (pf)</i>	15	LOPROX	73	LUXIQ	153
<i>lidocaine hcl</i>	15	LOPROX (AS OLAMINE)	73	LUZU	73
<i>lidocaine viscous</i>	16	<i>lorazepam</i>	19	LYNPARZA	43
<i>lidocaine-prilocaine</i>	16	LORBRENA	42	LYRICA	53
LIDODERM	16	<i>lorcet (hydrocodone)</i>	7	LYSODREN	43
<i>lillow</i>	139	<i>lorcet hd</i>	7	LYSTEDA	105
LINCOCIN	23	<i>lorcet plus</i>	7	<i>lyza</i>	140
<i>lincomycin</i>	23	<i>loryna (28)</i>	139	MACROBID	23
<i>lindane</i>	155	<i>losartan</i>	112	MACRODANTIN	23
<i>linezolid</i>	23	<i>losartan-hydrochlorothiazide</i>	112	<i>mafenide acetate</i>	146
<i>linezolid in dextrose 5%</i>	23	LOSEASONIQUE	139	<i>magnesium sulfate</i>	210
<i>linezolid-0.9% sodium chloride</i>	23	LOTEMAX	165	MAKENA	186
LINZESS	169	LOTENSIN	113	MAKENA (PF)	186
<i>liothyronine</i>	187	LOTENSIN HCT	113	MALARONE	83
LIPITOR	126	LOTREL	122	MALARONE PEDIATRIC	83
LIPOFEN	126	LOTRISONE	73	<i>malathion</i>	155
<i>lisinopril</i>	113	LOTRONEX	200	<i>maprotiline</i>	59
<i>lisinopril-hydrochlorothiazide</i>	113	<i>lovastatin</i>	126	MARINOL	81
<i>lithium carbonate</i>	132	LOVAZA	126	<i>marlissa</i>	140
<i>lithium citrate</i>	132	LOVENOX	103	MARPLAN	59
LITHOBID	132	<i>low-ogestrel (28)</i>	139	MARQIBO	43
LITHOSTAT	205	<i>loxapine succinate</i>	90	<i>marten-tab</i>	7
LIVALO	126	LUCEMYRA	17	MATULANE	43
LO LOESTRIN FE	139	LUIDENT FLUORIDE	223	<i>matzim la</i>	119
LOCOID	152, 153	<i>luliconazole</i>	73	MAVYRET	98
LOCOID LIPOCREAM	152	LUMIGAN	208	MAXALT	78
<i>locort</i>	181	LUMIZYME	157	MAXALT-MLT	78
LODOSYN	85	LUMOXITI	42	MAXIDEX	165
LOKELMA	169	LUNESTA	221	MAXIPIIME	26
LOMOTIL	169	LUPANETA PACK (1 MONTH)	183	MAXITROL	161
LONHALA MAGNAIR		LUPANETA PACK (3 MONTH)	183		
STARTER	217	LUPRON DEPOT	42		
LONSURF	42				

MAXZIDE	124	<i>methadone</i>	8	MIACALCIN	202
MAXZIDE-25MG	124	METHADOSE	8	<i>mibelas 24 fe</i>	140
<i>meclizine</i>	81	<i>methadose</i>	8	MICARDIS	112
<i>meclofenamate</i>	14	<i>methamphetamine</i>	133	MICARDIS HCT	112
MEDROL	181	<i>methazolamide</i>	208	<i>miconazole nitrate-zinc ox-pet</i>	73
MEDROL (PAK)	181	<i>methenamine hippurate</i>	23	<i>miconazole-3</i>	73
<i>medroxyprogesterone</i>	186	METHERGINE	206	MICRHOGAM ULTRA-	
<i>mefenamic acid</i>	14	<i>methimazole</i>	187	FILTERED PLUS	192
<i>mefloquine</i>	83	<i>methocarbamol</i>	220	<i>microgestin 1.5/30 (21)</i>	140
MEGACE ES	186	<i>methotrexate sodium</i>	43	<i>microgestin 1/20 (21)</i>	140
<i>megestrol</i>	43, 186	<i>methotrexate sodium (pf)</i>	43	<i>microgestin 24 fe</i>	140
MEKINIST	43	<i>methoxsalen</i>	146	<i>microgestin fe 1.5/30 (28)</i>	140
MEKTOVI	43	<i>methscopolamine</i>	169	<i>microgestin fe 1/20 (28)</i>	140
<i>melodetta 24 fe</i>	140	<i>methyclothiazide</i>	124	MICROZIDE	124
<i>meloxicam</i>	14	<i>methyldopa</i>	110	<i>midazolam</i>	20
<i>melphalan hcl</i>	43	<i>methyldopa-</i>		<i>midazolam (pf)</i>	20
<i>memantine</i>	56	<i>hydrochlorothiazide</i>	110	<i>midodrine</i>	110
MENACTRA (PF)	197	<i>methyldopate</i>	110	<i> miglitol</i>	65
MENEST	178	<i>methylergonovine</i>	206	<i> miglustat</i>	157
MENOSTAR	178	METHYLIN	133	MIGRALAN	78
MENTAX	73	<i>methylphenidate hcl</i>	133	<i> mili</i>	140
MENVEO A-C-Y-W-135-DIP (PF)	197	<i>methylprednisolone</i>	181	<i> mimvey</i>	178
<i>meperidine</i>	7	<i>methylprednisolone acetate</i>	181	<i> mimvey lo</i>	178
<i>meperidine (pf)</i>	7	<i>methylprednisolone sodium</i>		MINASTRIN 24 FE	140
<i>meprobamate</i>	19	<i>succ</i>	181	MINIPRESS	110
MEPRON	83	<i>methyltestosterone</i>	175	<i> minitran</i>	129
<i>mercaptopurine</i>	43	<i>metipranolol</i>	208	MINIVELLE	178
<i>meropenem</i>	28	<i>metoclopramide hcl</i>	169, 170	MINOCIN	33
MERREM	28	<i>metolazone</i>	124	<i> minocycline</i>	33
<i>mesalamine</i>	200	<i>metoprolol succinate</i>	117	<i> minoxidil</i>	129
<i>mesna</i>	205	<i>metoprolol ta-hydrochlorothiaz</i>		MIRAPEX	85
MESNEX	205	<i>.....</i>	117	MIRAPEX ER	85
MESTINON	206	<i>metoprolol tartrate</i>	117	MIRCERA	104
MESTINON TIMESPAN	206	METROCREAM	148	<i> mirtazapine</i>	60
<i>metadate er</i>	132	METROGEL	148	MIRVASO	146
<i>metaproterenol</i>	217	METROGEL VAGINAL	76	<i> misoprostol</i>	167
<i>metaxall</i>	220	METROLOTION	149	<i> mitigo (pf)</i>	8
<i>metaxalone</i>	220	<i>metronidazole</i>	23, 76, 149	<i> mitomycin</i>	43
<i>metformin</i>	64, 65	<i>metronidazole in nacl (iso-os)</i>	23	<i> mitoxantrone</i>	43
		<i>mexiletine</i>	114	M-M-R II (PF)	197

MOBIC.....	14	MYLOTARG.....	43	neomycin.....	21
<i>modafinil</i>	221	<i>myorisan</i>	146	<i>neomycin-bacitracin-poly-hc</i>	162
MODERIBA DOSE PACK.	100	MYRBETRIQ.....	173	<i>neomycin-bacitracin-polymyxin</i>	162
<i>moexipril</i>	113	MYSOLINE.....	53	162
<i>moexipril-hydrochlorothiazide</i>	113	MYTESI.....	170	<i>neomycin-polymyxin b gu</i>	149
<i>molindone</i>	90	<i>myzilra</i>	140	<i>neomycin-polymyxin b-</i>	
<i>mometasone</i>	153, 165	NABI-HB.....	192	<i>dexameth</i>	162
<i>mono-linyah</i>	140	<i>nabumetone</i>	14	<i>neomycin-polymyxin-</i>	
<i>mononessa (28)</i>	140	<i>nadolol</i>	117	<i>gramicidin</i>	162
<i>montelukast</i>	216	<i>nadolol-bendroflumethiazide</i>	117	<i>neomycin-polymyxin-hc</i>	162
MONUROL.....	23	<i>nafcillin</i>	30	<i>neo-polycin</i>	162
MORPHABOND ER.....	8	<i>nafcillin in dextrose iso-osm</i>	30	<i>neo-polycin hc</i>	162
<i>morphine</i>	8, 9	<i>naftifine</i>	73	NEORAL.....	192
MORPHINE.....	8, 9	NAFTIN.....	73	NEPHRAMINE 5.4 %.....	109
<i>morphine (pf)</i>	8	NAGLAZYME.....	157	NERLYNX.....	43
<i>morphine concentrate</i>	8	<i>nalbuphine</i>	9	NESINA.....	65
MOVANTIK.....	170	NALFON.....	14, 15	<i>neuac</i>	149
MOVIPREP.....	171	<i>naloct</i>	9	NEULASTA.....	104
MOXATAG.....	30	<i>naloxone</i>	17	NEUPOGEN.....	104
MOXEZA.....	161	<i>naltrexone</i>	17	NEUPRO.....	85
<i>moxifloxacin</i>	32, 161	NAMENDA.....	56	NEURONTIN.....	53
<i>moxifloxacin in nacl (iso-osm)</i>	32	NAMENDA XR.....	57	NEVANAC.....	165
<i>moxifloxacin-sod.ace,sul-water</i>	32	NAMZARIC.....	57	<i>nevirapine</i>	95
MOZOBIL.....	104	NAPROSYN.....	15	NEXAVAR.....	44
MS CONTIN.....	9	<i>naproxen</i>	15	NEXIUM.....	167
MULPLETA.....	104	<i>naproxen sodium</i>	15	NEXIUM IV.....	167
MULTAQ.....	114	<i>naratriptan</i>	78	NEXIUM PACKET.....	167
<i>mupirocin</i>	149	NARCAN.....	17	<i>niacin</i>	127
<i>mupirocin calcium</i>	149	NARDIL.....	60	<i>niacor</i>	127
MUSTARGEN.....	43	NASONEX.....	165	NIASPAN EXTENDED-RELEASE.....	127
<i>mutamycin</i>	43	NATACYN.....	162	<i>nicardipine</i>	122
MYALEPT.....	206	NATAZIA.....	140	NICOTROL.....	17
MYAMBUTOL.....	79	<i>nateglinide</i>	65	NICOTROL NS.....	17
MYCAMINE.....	73	NATESTO.....	175	<i>nifedipine</i>	122
MYCOBUTIN.....	79	NATPARA.....	202	<i>nikki (28)</i>	140
<i>mycophenolate mofetil</i>	192	NEBUPENT.....	83	NILANDRON.....	44
<i>mycophenolate mofetil hcl</i>	192	<i>necon 0.5/35 (28)</i>	140	<i>nilutamide</i>	44
<i>mycophenolate sodium</i>	192	<i>necon 7/7/7 (28)</i>	140	<i>nimodipine</i>	122
MYDAYIS.....	134	<i>nefazodone</i>	60	NINLARO.....	44
MYFORTIC.....	192	NEMBUTAL SODIUM.....	221		

NIPENT	44	<i>nortrel 0.5/35 (28)</i>	141	NUVIGIL	221
<i>nisoldipine</i>	122	<i>nortrel 1/35 (21)</i>	141	<i>nyamyc</i>	73
NITRO-BID	129	<i>nortrel 1/35 (28)</i>	141	NYMALIZE	122
NITRO-DUR	129	<i>nortrel 7/7/7 (28)</i>	141	<i>nystatin</i>	73, 74
<i>nitrofurantoin</i>	23	<i>nortriptyline</i>	60	<i>nystatin-triamcinolone</i>	74
<i>nitrofurantoin macrocrystal</i>	23	NORVASC	122	<i>nystop</i>	74
<i>nitrofurantoin monohyd/m-</i> <i>cryst</i>	23	NORVIR	95	OCALIVA	170
<i>nitroglycerin</i>	129	NOVOLIN 70/30 U-100		<i>ocella</i>	141
NITROLINGUAL	129	INSULIN	69	OCREVUS	134
NITROMIST	129	NOVOLIN 70-30 FLEXPEN		OCTAGAM	192
NITROSTAT	129	U-100	69	<i>octreotide acetate</i>	184
NITYR	157	NOVOLIN N NPH U-100		OCUFLOX	162
NIVESTYM	104	INSULIN	69	ODEFSEY	95
<i>nizatidine</i>	167	NOVOLIN R REGULAR U-		ODOMZO	44
NIZORAL	73	100 INSULN	69	OFEV	219
NOCTIVA	183	NOVOLOG FLEXPEN U-		<i>ofloxacin</i>	32, 162
NOLIX	153	100 INSULIN	69	<i>ogestrel (28)</i>	141
<i>nora-be</i>	140	NOVOLOG MIX 70-30 U-		<i>okebo</i>	33
NORDITROPIN FLEXPRO		100 INSULN	69	<i>olanzapine</i>	90
.....	183	NOVOLOG MIX 70-		<i>olanzapine-fluoxetine</i>	60
<i>noreth-ethinyl estradiol-iron</i> ...	140	30FLEXPEN U-100	69	<i>olmesartan</i>	112
<i>norethindrone (contraceptive)</i>	140	NOVOLOG PENFILL U-100		<i>olmesartan-amlopidipin-hcthiazid</i>	112
<i>norethindrone acetate</i>	186	INSULIN	69	<i>olmesartan-hydrochlorothiazide</i>	112
<i>norethindrone ac-eth estradiol</i>		NOVOLOG U-100 INSULIN		<i>olopatadine</i>	160
.....	141, 179	ASPART	69	OLUMIANT	193
<i>norethindrone-e.estradiol-iron</i>	141	NOXAFILE	73	OLUX	153
<i>norgestimate-ethinyl estradiol</i>	141	NPLATE	206	OLUX-E	153
<i>norlyda</i>	141	NUCALA	219	OLYSIO	98
<i>norlyroc</i>	141	NUCYNTA	9	OMECLAMOX-PAK	167
NORMOSOL-M IN 5 %		NUCYNTA ER	9	<i>omega-3 acid ethyl esters</i>	127
DEXTROSE	211	NUEDEXTA	134	OMEGAVEN	109
NORMOSOL-R	211	NULOJIX	192	<i>omeprazole</i>	167
NORMOSOL-R IN 5 %		NULYTLY WITH		<i>omeprazole-sodium bicarbonate</i>	167
DEXTROSE	211	FLAVOR PACKS	171	OMNARIS	165
NORMOSOL-R PH 7.4.....	211	NUPLAZID	90	OMNITROPE	184
NORPACE	115	NUTRESTORE	170	ONCASPAR	44
NORPACE CR.....	114	NUTRILIPID	109	<i>ondansetron</i>	81
NORPRAMIN	60	NUTROPIN AQ NUSPIN ..	184		
NORTHERA	110	NUVARING	141		
		NUVESSA	76		

<i>ondansetron hcl</i>	81	OTEZLA STARTER.....	193	PARNATE	60
<i>ondansetron hcl (pf)</i>	81	OTOVEL.....	160	<i>paroex oral rinse</i>	144
ONEXTON.....	149	OTREXUP (PF).....	193	<i>paromomycin</i>	83
ONFI.....	20	<i>oxacillin</i>	30	<i>paroxetine hcl</i>	60
ONGLYZA.....	65	<i>oxacillin in dextrose(iso-osm)</i> ..30		<i>paroxetine</i>	
ONIVYDE.....	44	<i>oxaliplatin</i>	44	<i>mesylate(menop.sym)</i> ..206	
ONMEL.....	74	<i>oxandrolone</i>	175	PASER.....	79
ONPATTRO.....	206	<i>oxaprozin</i>	15	PATADAY.....	160
OPANA.....	9	OXAYDO.....	9	PATANASE.....	160
OPDIVO.....	44	<i>oxazepam</i>	20	PATANOL.....	160
OPSUMIT.....	222	<i>oxcarbazepine</i>	53	PAXIL.....	60
ORALAIR.....	206	<i>oxiconazole</i>	74	PAXIL CR.....	60
<i>oralone</i>	144	OXISTAT.....	74	PAZEO.....	160
ORAP.....	90	OXSORALEN ULTRA.....	146	PCE.....	27
ORAPRED ODT.....	181	OXTELLAR XR.....	53	PEDIARIX (PF).....	197
ORAVIG.....	74	<i>oxybutynin chloride</i>	173	PEDVAX HIB (PF).....	197
ORBACTIV.....	23	<i>oxycodone</i>	9, 10	<i>peg 3350-electrolytes</i>	171
ORENCIA.....	193	<i>oxycodone-acetaminophen</i>	10	PEGANONE.....	53
ORENCIA (WITH MALTOSE).....	193	<i>oxycodone-aspirin</i>	10	PEGASYS.....	99
ORENCIA CLICKJECT	193	OXYCONTIN.....	10	PEGASYS PROCLICK.....	99
ORENITRAM.....	222	<i>oxymorphone</i>	10	<i>peg-electrolyte soln</i>	172
ORFADIN.....	157	OXYTROL.....	173	PEGINTRON.....	99
ORILISSA.....	184	OZEMPIC.....	65	PEN NEEDLE, DIABETIC.	156
ORKAMBI.....	219	<i>pacerone</i>	115	<i>penicillin g pot in dextrose</i>	30
<i>orphenadrine citrate</i>	220	<i>paclitaxel</i>	44	<i>penicillin g potassium</i>	30
<i>orsythia</i>	141	<i>paliperidone</i>	90	<i>penicillin g procaine</i>	30
ORTHO MICRONOR.....	141	PALONOSETRON.....	81	<i>penicillin g sodium</i>	30
ORTHO TRI-CYCLEN (28).....	141	<i>palonosetron</i>	81	<i>penicillin v potassium</i>	30
ORTHO TRI-CYCLEN LO (28).....	141	PALYNZIQ.....	157	PENTACEL (PF).....	197
ORTHO-CYCLEN (28).....	141	PAMELOR.....	60	PENTACEL DTAP-IPV	
ORTHO-NOVUM 1/35 (28).....	142	<i>pamidronate</i>	202	COMPNT (PF).....	197
ORTHO-NOVUM 7/7/7 (28).....	142	PANCREAZE.....	157	PENTAM.....	83
<i>oseltamivir</i>	97	PANDEL.....	153	PENTASA.....	200
OSENI.....	65	<i>panlor(acetam-caff- dihydrocod)</i>	11	<i>pentazocine-naloxone</i>	11
OSMOLEX ER.....	85	PANRETIN.....	146	<i>pentobarbital sodium</i>	221
OSMOPREP.....	171	<i>pantoprazole</i>	167	<i>pentoxifylline</i>	106
OSPHENA.....	179	<i>paricalcitol</i>	202	PEPCID.....	167
OTEZLA.....	193	PARICALCITOL.....	202	PERCOCET.....	11
		PARLODEL.....	85	PERIKABIVEN.....	109
				<i>perindopril erbumine</i>	113

<i>periogard</i>	144	PLASMA-LYTE A	211	<i>praziquantel</i>	83
PERJETA	44	PLAVIX	106	<i>prazosin</i>	111
<i>permethrin</i>	155	PLEGRIDY	134	PRECOSE	65
<i>perphenazine</i>	90	PLENUVU	172	PRED MILD	165
<i>perphenazine-amitriptyline</i>	60	PLIAGLIS	16	PRED-G	163
PERSERIS	91	<i>podofilox</i>	146	PRED-G S.O.P.	163
PERTZYE	158	<i>polycin</i>	162	<i>prednicarbate</i>	153
PEXEVA	60	<i>polyethylene glycol 3350</i>	172	<i>prednisolone</i>	181
<i>pfiizerpen-g</i>	31	<i>polymyxin b sulfate</i>	23	<i>prednisolone acetate</i>	165
<i>phenadoz</i>	81	<i>polymyxin b sulf-trimethoprim</i>	162	<i>prednisolone sodium phosphate</i>	
<i>phenelzine</i>	60	POLYTRIM	162		165, 181
<i>phenobarbital</i>	53, 54	POMALYST	44	<i>prednisone</i>	181, 182
<i>phenoxybenzamine</i>	110	<i>portia</i>	142	PREMARIN	179
<i>phentolamine</i>	110	PORTRAZZA	44	PREMPHASE	179
<i>phenylephrine hcl</i>	110, 160	<i>potassium acetate</i>	211	PREMPRO	179
PHENYTEK	54	<i>potassium chlorid-d5-</i>		<i>prenatal plus (calcium carb)</i>	223
<i>phenytoin</i>	54	0.45%nacl	211	<i>prenatal vitamin plus low iron</i>	223
<i>phenytoin sodium</i>	54	<i>potassium chloride</i>	211, 212	PREPOPIK	172
<i>phenytoin sodium extended</i>	54	<i>potassium chloride in 0.9%nacl</i>		PREVACID	167
<i>philith</i>	142	211	PREVACID SOLUTAB	167
PHOSLYRA	172	<i>potassium chloride in 5 % dex</i>	211	<i>prevalite</i>	127
PHOSPHOLINE IODIDE	208	<i>potassium chloride in lr-d5</i>	211	<i>previfem</i>	142
<i>phrenilin forte (with caffeine)</i>	11	<i>potassium chloride in water</i>	211	PREVPAC	167
PHYSIOLYTE	200	<i>potassium chloride-0.45 % nacl</i>		PREVYMIS	97
PHYSIOSOL IRRIGATION	200	212	PREZCOBIX	95
PICATO	146	<i>potassium chloride-d5-</i>		PREZISTA	95
PIFELTRO	95	0.2%nacl	212	PRIFTIN	79
<i>pilocarpine hcl</i>	144, 208	<i>potassium chloride-d5-</i>		PRILOSEC	167
<i>pimozide</i>	91	0.3%nacl	212	PRIMAQUINE	83
<i>pimtrea (28)</i>	142	<i>potassium chloride-d5-</i>		PRIMAXIN IV	28
<i>pindolol</i>	117	0.9%nacl	212	<i>primidone</i>	54
<i>pioglitazone</i>	65	<i>potassium citrate</i>	212	PRIMSOL	24
<i>pioglitazone-glimepiride</i>	65	POTELIGEO	44	PRINVIL	113
<i>pioglitazone-metformin</i>	65	PRADAXA	103	PRISTIQ	60
<i>piperacillin-tazobactam</i>	31	PRALUENT PEN	127	PRIVIGEN	193
<i>pirmella</i>	142	<i>pramipexole</i>	85	PROAIR HFA	217
<i>piroxicam</i>	15	PRAMOSONE	153	PROAIR RESPICLICK	217
PLAQUENIL	83	<i>prasugrel</i>	106	<i>probencid</i>	75
PLASMA-LYTE 148	211	PRAVACHOL	127	<i>probencid-colchicine</i>	75
		<i>pravastatin</i>	127	<i>procainamide</i>	115

PROCALAMINE 3%.....	109	PROVIGIL.....	221	RAYALDEE.....	202
PROCARDIA.....	123	PROZAC.....	61	RAZADYNE.....	57
PROCARDIA XL.....	123	PULMICORT FLEXHALER	215	RAZADYNE ER.....	57
<i>prochlorperazine</i>	81	PULMOZYME.....	158	REBETOL.....	100
<i>prochlorperazine edisylate</i>	81	PURIXAN.....	44	REBIF (WITH ALBUMIN).....	134
<i>prochlorperazine maleate</i>	81	PYLERA.....	170	REBIF REBIDOSE.....	134
PROCIT.....	104, 105	<i>pyrazinamide</i>	79	REBIF TITRATION PACK.....	134
<i>proto-med hc</i>	153	<i>pyridostigmine bromide</i>	206	RECLAST.....	202
<i>proto-pak</i>	153	QBRELIS.....	113	<i>reclipsen (28)</i>	142
<i>proctosol hc</i>	153	QNASL.....	165	RECOMBIVAX HB (PF).....	197
<i>protozone-hc</i>	153	QTERN.....	65	RECTIV.....	206
PROCYSB.....	158	QUADRACEL (PF).....	197	REGLAN.....	170
PROFENO.....	15	QUALAQUIN.....	83	REGONOL.....	206
<i>progesterone in oil</i>	186	QUARTETTE.....	142	REGRANEX.....	146
<i>progesterone micronized</i>	186	<i>quasense</i>	142	RELENZA DISKHALER.....	98
PROGLYCEM.....	206	QUDEXY XR.....	54	RELEXXII.....	134
PROGRAF.....	193	<i>quetiapine</i>	91	RELISTOR.....	170
PROLASTIN-C.....	219	QUILLICHEW ER.....	134	RELPAX.....	78
PROLENSA.....	165	QUILLIVANT XR.....	134	REMERON.....	61
PROLEUKIN.....	44	<i>quinapril</i>	113	REMERON SOLTAB.....	61
PROLIA.....	202	<i>quinapril-hydrochlorothiazide</i>	114	REMICADE.....	193
PROMACTA.....	105	<i>quinidine gluconate</i>	115	REMODULIN.....	222
<i>promethazine</i>	76, 81, 82	<i>quinidine sulfate</i>	115	RENACIDIN.....	200
<i>promethazine-phenylephrine</i>	76	<i>quinine sulfate</i>	83	RENAGEL.....	172
<i>promethegan</i>	82	QVAR.....	215	RENFLEXIS.....	206
PROMETRIUM.....	186	QVAR REDIHALER.....	215	RENELA.....	172
<i>propafenone</i>	115	RABAVERT (PF).....	197	<i>repaglinide</i>	65
<i>propantheline</i>	48	rabeprazole.....	168	<i>repaglinide-metformin</i>	66
<i>proparacaine</i>	160	RADICAVA.....	134	REPATHA PUSHTRONEX.....	127
<i>propranolol</i>	117	<i>rajani</i>	142	REPATHA SURECLICK.....	127
<i>propranolol-hydrochlorothiazid</i>	117	<i>raloxifene</i>	179	REPATHA SYRINGE.....	127
<i>propylthiouracil</i>	187	<i>ramipril</i>	114	REQUIP.....	85
PROQUAD (PF).....	197	RANEXA.....	121	REQUIP XL.....	85
PROSOL 20 %.....	109	<i>ranitidine hcl</i>	168	RESCRIPTOR.....	95
PROTONIX.....	167, 168	RAPAFLO.....	174	RESECTISOL.....	200
PROTOPIC.....	153	RAPAMUNE.....	193	RESTASIS.....	165
<i>protriptyline</i>	60	<i>rasagiline</i>	85	RESTORIL.....	20
PROVENTIL HFA.....	217	RASUVO (PF).....	193	RETACRIT.....	105
PROVERA.....	186	RAVICTI.....	170	RETIN-A.....	155
				RETIN-A MICRO.....	155

RETIN-A MICRO PUMP	155	ROBINUL	170	<i>selegiline hcl</i>	86
RETROVIR	95	ROBINUL FORTE	170	<i>selenium sulfide</i>	149
REVATIO	222	ROCALTROL	203	SELZENTRY	95
REVLIMID	44	<i>romidepsin</i>	45	SEMPREX-D	76
REXULTI	91	<i>ropinirole</i>	85	SENSIPAR	203
REYATAZ	95	<i>rosadan</i>	149	SEREVENT DISKUS	217
RHOFADE	146	<i>rosuvastatin</i>	127	SERNIVO	153
RHOGAM ULTRA-		ROTARIX	197	SEROQUEL	92
FILTERED PLUS	194	ROTATEQ VACCINE	198	SEROQUEL XR	92
RHOPHYLAC	194	ROWASA	200	SEROSTIM	184
RHOPRESSA	208	ROWEEPRA	54	<i>sertraline</i>	61
<i>ribasphere</i>	100	ROWEEPRA XR	54	<i>setlakin</i>	142
<i>ribasphere ribapak</i>	100	ROXICODONE	11	<i>sevelamer carbonate</i>	172
<i>ribavirin</i>	100	ROXYBOND	11	<i>sf 5000 plus</i>	144
RIDAURA	194	RUBRACA	45	<i>sharobel</i>	142
<i>rifabutin</i>	79	RUCONEST	105	SHINGRIX (PF)	198
RIFADIN	79	RYDAPT	45	SIGNIFOR	185
<i>rifampin</i>	79, 80	RYTARY	86	SIGNIFOR LAR	184
RIFATER	80	RYTHMOL SR	115	<i>sildenafil (antihypertensive)</i>	222
RILUTEK	134	SABRIL	54	SILENOR	221
<i>riluzole</i>	134	SAFYRAL	142	SILIQ	146
<i>rimantadine</i>	98	SAIZEN	184	<i>silodosin</i>	174
<i>ringer's</i>	200, 212	SAIZEN SAIZENPREP	184	<i>silver sulfadiazine</i>	149
RIOMET	66	SALAGEN (PILOCARPINE)		SIMBRINZA	208
<i>risedronate</i>	202, 203		144	SIMPONI	194
RISPERDAL	91	SAMSCA	124	SIMPONI ARIA	194
RISPERDAL CONSTA	91	SANCUSO	82	SIMULECT	206
RISPERDAL M-TAB	91	SANDIMMUNE	194	<i>simvastatin</i>	127
<i>risperidone</i>	91	SANDOSTATIN	184	SINEMET	86
RITALIN	135	SANDOSTATIN LAR		SINEMET CR	86
RITALIN LA	134, 135	DEPOT	184	SINGULAIR	216
<i>ritonavir</i>	95	SANTYL	146	<i>sirolimus</i>	194
RITUXAN	45	SAPHRIS	92	SIRTURO	80
RITUXAN HYCELA	45	SARAFEM	206	SIVEXTRO	24
<i>rivastigmine</i>	57	SAVAYSA	103	SKELAXIN	220
<i>rivastigmine tartrate</i>	57	SAVELLA	135	SKLICE	155
<i>rivelsa</i>	142	<i>scopolamine base</i>	82	<i>smoflipid</i>	109
<i>rizatriptan</i>	78	SEASONIQUE	142	<i>sodium chloride</i>	201, 212
ROBAXIN	220	SEEBRI NEOHALER	217	<i>sodium chloride 0.45 %</i>	212
ROBAXIN-750	220	SEGLUROMET	66	<i>sodium chloride 0.9 %</i>	212

sodium chloride 3 %.....	212	SPRYCEL.....	45	sumatriptan succinate	78
sodium chloride 5 %.....	212	sps (with sorbitol)	170	SUMAVEL DOSEPRO.....	79
sodium lactate.....	213	sronyx.....	142	SUPPRELIN LA.....	185
sodium phenylbutyrate	170	ssd.....	149	SUPRAX.....	26
sodium polystyrene (sorb free)	170	STALEVO 100.....	86	SUPREP BOWEL PREP KIT	172
sodium polystyrene sulfonate..	170	STALEVO 150.....	86	SURE COMFORT INS.	
sofosbuvir-velpatasvir	98	STARLIX.....	66	SYR. U-100.....	156
SOLARAZE.....	15	stavudine	96	SURMONTIL.....	61
SOLIQUA 100/33	69	STEGLATRO.....	66	SUSTIVA.....	96
SOLOSEC.....	24	STEGLUJAN.....	66	SUSTOL.....	82
SOLTAMOX.....	45	STELARA.....	194	SUTENT.....	45
SOLU-CORTEF (PF).....	182	STIMATE.....	185	syeda.....	142
SOLU-MEDROL	182	STIOLTO RESPIMAT	217	SYLATRON.....	99
SOLU-MEDROL (PF).....	182	STIVARGA.....	45	SYLVANT.....	45
SOMA.....	220	STRATTERA.....	135	SYMBICORT.....	215
SOMATULINE DEPOT	185	STRENSIQ.....	158	SYMBYAX.....	61
SOMAVERT.....	185	streptomycin.....	21	SYMDEKO.....	219
SONATA.....	221	STRIANT.....	176	SYMFİ.....	96
SOOLANTRA.....	155	STRIBILD.....	96	SYMFİ LO.....	96
sorbitol.....	201	STRIVERDI RESPIMAT	218	SYMLINPEN 120.....	66
sorbitol-mannitol.....	201	STROMECTOL.....	83	SYMLINPEN 60.....	66
SORIATANE.....	146	SUBLOCADE.....	11	SYMPROIC.....	170
SORILUX.....	146	SUBOXONE.....	17	SYMTUZA.....	96
sorine	117	subvenite	54	SYNAGIS.....	98
SOTALOL.....	118	subvenite starter (blue) kit	54	SYNALAR.....	153
sotalol.....	118	subvenite starter (green) kit	54	SYNALAR CREAM KIT	153
sotalol af.....	117	subvenite starter (orange) kit	55	SYNAREL.....	185
SOTYLIZE.....	118	SUCRAID.....	158	SYNDROS.....	82
SOVALDI.....	98	sucralfate	168	SYNERA.....	16
spinosad.....	155	SULAR.....	123	SYNERCID.....	24
SPIRIVA RESPIMAT	217	sulfacetamide sodium	163	SYNJARDY	66
SPIRIVA WITH HANDIHALER.....	217	sulfacetamide sodium (acne) ..	149	SYNJARDY XR	66
spironolactone	124	sulfacetamide-prednisolone	163	SYNRIBO.....	45
spironolacton-hydrochlorothiaz	124	sulfadiazine	32	SYNTROID	187
SPORANOX.....	74	sulfamethoxazole-trimethoprim	32	SYPRINE.....	175
sprintec (28)	142	SULFAMYLYON	146	TABLOID.....	45
SPRITAM.....	54	sulfasalazine	200	TACLONEX	146, 147
		sulfatrim	32	tacrolimus	154, 194
		sulindac	15	tadalafil	223

<i>tadalafil</i> (antihypertensive)	222	<i>tencon</i>	11	TIGLUTIK	135
TAFINLAR	45	TENIVAC (PF)	198	TIKOSYN	115
TAGRISSO	45	<i>tenofovir disoproxil fumarate</i> ...	96	<i>tilia fe</i>	142
TAKHZYRO	206	TENORETIC 100	118	<i>timolol maleate</i>	118, 208, 209
TALTZ AUTOINJECTOR	147	TENORETIC 50	118	TIMOPTIC	209
TALTZ SYRINGE	147	TENORMIN	118	TIMOPTIC OCUDOSE (PF)	
TALWIN	11	TERAZOL 7	76	209
TALZENNA	45	<i>terazosin</i>	174	TIMOPTIC-XE	209
TAMIFLU	98	<i>terbinafine hcl</i>	74	TINDAMAX	83
<i>tamoxifen</i>	45	<i>terbutaline</i>	218	<i>tinidazole</i>	84
<i>tamsulosin</i>	174	<i>terconazole</i>	76	TIVICAY	96
TANZEUM	66	TESTIM	176	<i>tizanidine</i>	220, 221
taperdex	182	<i>testosterone</i>	176	TOBI	21
TARCEVA	45	<i>testosterone cypionate</i>	176	TOBI PODHALER	21
TARGRETIN	46	<i>testosterone enanthate</i>	176	TOBRADEX	163
<i>tarina fe 1/20 (28)</i>	142	TESTRED	176	TOBRADEX ST	163
TARKA	114	TETANUS,DIPHTHERIA		<i>tobramycin</i>	163
TASIGNA	46	TOX PED(PF)	198	<i>tobramycin in 0.225 % nacl</i>	21
TASMAR	86	TETANUS-DIPHTHERIA		<i>tobramycin in 0.9 % nacl</i>	21
TAVALISSE	105	TOXOIDS-TD	198	<i>tobramycin sulfate</i>	21
TAXOTERE	46	<i>tetrabenazine</i>	135	<i>tobramycin-dexamethasone</i>	163
TAYTULLA	142	<i>tetracycline</i>	33	TOBREX	163
<i>tazarotene</i>	155	THALOMID	207	TOFRANIL	61
<i>tazicef</i>	26	<i>theophylline</i>	218	TOLAK	147
TAZORAC	155	THIOLA	207	<i>tolazamide</i>	71
<i>taztia xt</i>	119	<i>thioridazine</i>	92	<i>tolbutamide</i>	71
TECENTRIQ	46	<i>thiotepa</i>	46	<i>tolcapone</i>	86
TECFIDERA	135	<i>thiothixene</i>	92	<i>tolmetin</i>	15
TECHNIVIE	98	THYMOGLOBULIN	194	<i>tolterodine</i>	173
TEFLARO	26	THYROLAR-1	187	TOPAMAX	55
TEGRETOL	55	THYROLAR-1/2	187	TOPICORT	154
TEGRETOL XR	55	THYROLAR-1/4	187	<i>topiramate</i>	55
TEKTURNA	128	THYROLAR-2	187	<i>toposar</i>	46
TEKTURNA HCT	128	THYROLAR-3	187	<i>topotecan</i>	46
<i>telmisartan</i>	112	<i>tiagabine</i>	55	TOPROL XL	118
<i>telmisartanamlodipine</i>	112	TIAZAC	119	TORISEL	46
<i>telmisartanhydrochlorothiazid</i>	112	TIBSOVO	46	<i>torsemide</i>	124
<i>temazepam</i>	20	TICE BCG	198	TOUJEO MAX U-300	
<i>temsirolimus</i>	46	TIGAN	82	SOLOSTAR	69
		<i>tigecycline</i>	33		

TOUJEO SOLOSTAR U-300		<i>tridesilon</i>	154	TRULICITY	66
INSULIN.....	70	<i>trientine</i>	175	TRUMENBA.....	198
TOVIAZ.....	173	<i>tri-estarrylla</i>	143	TRUSOPT	209
TPN ELECTROLYTES.....	213	<i>trifluoperazine</i>	92	TRUVADA	96
TPN ELECTROLYTES II	213	<i>trifluridine</i>	163	TUDORZA PRESSAIR	218
TRACLEER.....	223	<i>TRIGLIDE</i>	127	<i>tulana</i>	143
TRADJENTA.....	66	<i>trihexyphenidyl</i>	86	TWINRIX (PF).....	198
<i>tramadol</i>	11, 12	<i>tri-legest fe</i>	143	TWYNSTA.....	112
<i>tramadol-acetaminophen</i>	12	<i>TRILEPTAL</i>	55	TYBOST	207
<i>trandolapril</i>	114	<i>tri-linyah</i>	143	<i>tydemy</i>	143
<i>trandolapril-verapamil</i>	114	<i>TRILIPPIX</i>	127	TYGACIL	34
<i>tranexamic acid</i>	105	<i>tri-lo-estarrylla</i>	143	TYKERB	46
TRANSDERM-SCOP.....	82	<i>tri-lo-marzia</i>	143	TYMLOS	203
TRANXENE T-TAB.....	20	<i>tri-lo-sprintec</i>	143	TYPHIM VI	198
<i>tranylcypromine</i>	61	<i>trilyte with flavor packets</i>	172	TYSABRI	194
TRAVASOL 10 %.....	109	<i>trimethobenzamide</i>	82	TYVASO	223
TRAVATAN Z.....	209	<i>trimethoprim</i>	24	UCERIS	200
<i>trazodone</i>	61	<i>tri-mili</i>	143	ULESFIA	207
TREANDA.....	46	<i>trimipramine</i>	61	ULORIC	75
TRECATOR.....	80	<i>TRIMPEX</i>	24	ULTRACET	12
TRELEGY ELLIPTA.....	218	<i>trinessa (28)</i>	143	ULTRAM	12
TRELSTAR.....	46	<i>trinessa lo</i>	143	ULTRAVATE	154
TREMFYA.....	147	<i>TRI-NORINYL (28)</i>	143	UNASYN	31
TRESIBA FLEXTOUCH U-100.....	70	<i>TRINTELLIX</i>	61	UNITROID	187
TRESIBA FLEXTOUCH U-200.....	70	<i>TRIOSTAT</i>	187	UNITUXIN	47
<i>tretinoin</i>	155	<i>tri-previfem (28)</i>	143	UPTRAVI	223
<i>tretinoin (chemotherapy)</i>	46	<i>TRIPTODUR</i>	185	UROCIT-K 10	213
<i>tretinoin microspheres</i>	155	<i>TRISENOX</i>	46	UROCIT-K 15	213
<i>trifemynor</i>	142	<i>tri-sprintec (28)</i>	143	UROCIT-K 5	213
<i>triamcinolone acetonide</i>	144, 154, 182	<i>TRIUMEQ</i>	96	UROXATRAL	174
<i>triamterene-hydrochlorothiazid</i>	124	<i>trivora (28)</i>	143	URSO 250	171
<i>trianex</i>	154	<i>tri-vylbra</i>	143	URSO FORTE	171
<i>triazolam</i>	20	<i>TRIZIVIR</i>	96	<i>ursodiol</i>	171
TRIBENZOR.....	112	<i>TROGARZO</i>	96	UTIBRON NEOHALER	218
TRICOR.....	127	<i>TROKENDI XR</i>	55	UVADEX	147
<i>triderm</i>	154	<i>TROPHAMINE 10 %</i>	109	VABOMERE	28
		<i>TROPHAMINE 6%</i>	109	VAGIFEM	179
		<i>tropicamide</i>	160	<i>valacyclovir</i>	100
		<i>trospium</i>	173, 174	VALCHLOR	147
		<i>TRULANCE</i>	170	VALCYTE	100

<i>valganciclovir</i>	101	VERELAN PM	120	VIROPTIC	163
VALIUM	20	VERSACLOZ	92	VISTARIL	207
<i>valproate sodium</i>	55	VERZENIO	47	VISTOGARD	207
<i>valproic acid</i>	55	VESICARE	174	VIVELLE-DOT	179
<i>valproic acid (as sodium salt)</i>	55	<i>vestura (28)</i>	143	VIVITROL	17
valsartan	112	VFEND	74	VIZIMPRO	47
valsartan-hydrochlorothiazide	112	VFEND IV	74	VOGELXO	176
VALSTAR	47	VIBATIV	24	VOLTAREN	15
VALTREX	101	VIBERZI	171	VOLTAREN-XR	15
VANCOCIN	24	VIBRAMYCIN	34	<i>voriconazole</i>	74
<i>vancomycin</i>	24	vicodin	12	VOSEVI	99
VANCOMYCIN	24	vicodin es	12	VOTRIENT	47
<i>vancomycin in dextrose 5 %</i>	24	vicodin hp	12	VPRI	158
VANDAZOLE	76	VICTOZA	66	VRAYLAR	92
VANOS	154	VIDAZA	47	VUSION	74
VANTAS	185	VIDEX 2 GRAM		<i>vyfemla (28)</i>	143
VAQTA (PF)	198	PEDIATRIC	96	<i>vylibra</i>	143
VARIVAX (PF)	198	VIDEX 4 GRAM		VYTORIN 10-10	128
VARUBI	82	PEDIATRIC	96	VYTORIN 10-20	128
VASCEPA	128	VIDEX EC	96	VYTORIN 10-40	128
VASERETIC	114	VIEKIRA PAK	98	VYTORIN 10-80	128
VASOSTRICT	185	VIEKIRA XR	99	VYVANSE	135
VASOTEC	114	vienna	143	VYXEOS	47
VAZCULEP	111	vigabatrin	55	VYZULTA	209
VECAMYL	121	vigadron	55	warfarin	103
VECTIBIX	47	VIGAMOX	163	<i>water for irrigation, sterile</i>	201
VECTICAL	147	VIIBRYD	61	WELCHOL	128
VELCADE	47	VIMIZIM	158	WELLBUTRIN SR	61
<i>velvet triphasic regimen (28)</i>	143	VIMPAT	55, 56	WELLBUTRIN XL	62
VELPHORO	172	vinblastine	47	wera (28)	143
VELTASSA	171	vincasar pfs	47	WINRHO SDF	194
VEMLIDY	96	vincristine	47	wymzya fe	144
VENCLEXTA	47	vinorelbine	47	XADAGO	86
VENCLEXTA STARTING PACK	47	VIOKACE	158	XALATAN	209
venlafaxine	61	viorele (28)	143	XALKORI	47
VENTAVIS	223	VIRACEPT	96	XANAX	20
VENTOLIN HFA	218	VIRAMUNE	97	XANAX XR	21
verapamil	119, 120	VIRAMUNE XR	97	XARELTO	103
VERELAN	120	VIRAZOLE	101	XATMEP	47
		VIREAD	97	XELJANZ	195

XELJANZ XR	195	zebutal	12	zolmitriptan	79
XENAZINE	135	ZEGERID	168	ZOLOFT	62
XEOMIN	207	ZEJULA	48	zolpidem	222
XERESE	147	ZELAPAR	86	ZOMACTON	185
XERMELO	171	ZELBORAF	48	ZOMETA	203
XGEVA	203	ZEMAIRA	219	ZOMIG	79
XIAFLEX	158	ZEMDRI	21	ZOMIG ZMT	79
XIFAXAN	24	ZEMPLAR	203	zonacort	182
XIGDUO XR	67	zenatane	147	ZONEGRAN	56
XiIDRA	165	zenchent (28)	144	zonisamide	56
XOFLUZA	98	ZENPEP	158	ZONTIVITY	106
XOLAIR	219	zenzedi	135	ZORBTIVE	185
XOSPATA	48	ZEPATIER	99	ZORTRESS	195
XTAMPZA ER	12	ZERBAXA	26	ZOSTAVAX (PF)	199
XTANDI	48	ZERIT	97	ZOSYN	31
xulane	144	ZESTORETIC	114	ZOSYN IN DEXTROSE	
XULTOPHY 100/3.6	70	ZESTRIL	114	(ISO-OSM)	31
XURIDEN	207	ZETIA	128	zovia 1/35e (28)	144
XYLOCAINE	16	ZETONNA	165	ZOVIRAX	101, 147
XYLOCAINE-MPF	16, 115	ZIAC	118	ZUBSOLV	17
xylocaine-mpf	16	ZIAGEN	97	ZURAMPIC	75
xylon 10	12	zidovudine	97	ZYBAN	17
XYREM	222	ZINECARD (AS HCL)	207	ZYCLARA	147
YASMIN (28)	144	ZINPLAVA	195	ZYDELIG	48
YAZ (28)	144	ZIOPTAN (PF)	209	ZYKADIA	48
YERVOY	48	ziprasidone hcl	92	ZYLET	163
YF-VAX (PF)	199	ZIRGAN	163	ZYLOPRIM	75
YONDELIS	48	ZITHROMAX	27	ZYMAXID	163
YONSA	48	ZITHROMAX TRI-PAK	28	ZYPITAMAG	128
yuvafem	179	ZITHROMAX Z-PAK	28	ZYPREXA	92
zafirlukast	216	ZMAX	28	ZYPREXA RELPREVV	92
zaleplon	222	ZOCOR	128	ZYPREXA ZYDIS	92
ZALTRAP	48	ZOFRAN	82	ZYTIGA	48
ZANAFLEX	221	ZOFRAN ODT	82	ZYVOX	24
ZANOSAR	48	ZOHYDRO ER	12		
ZANTAC	168	ZOLADEX	48		
zarah	144	zoledronic acid	203		
ZARONTIN	56	zoledronic acid-mannitol-water			
ZARXIO	105		203		
ZAVESCA	158	ZOLINZA	48		

This formulary was updated on January 23, 2019. For more recent information on covered drugs or other prescription drug benefit questions, please contact MedImpact Customer Service at (844) 513-6006, 24 hours/day, 7 days/week. TTY users should call 711. Or visit <http://www.modot.org/newsandinfo/Prescription.htm>.

MoDOT/MSHP Medical and Life Insurance Plan is a Health plan with a Medicare contract



2019