MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

FINAL PLANS

PLANS FOR STATE HIGHWAY

WAYNE/BUTLER COUNTY

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	1

JOB NO. J0P0930

CONTRACT ID 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE/BUTLER

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED

DESIGN DESIGNATION

SECTION B	SECTION A
A.D.T. - 2007 = 5710	A.D.T. - 2006 = 6780
A.D.T. - 2027 = 7510	A.D.T. - 2026 = 9210
D.H.V. = 7.0%	D.H.V. = 7.48%
T = 22.0%	T = 21.8%
V = 65 M.P.H.	V = 70 M.P.H.

FUNCTIONAL CLASSIFICATION = PRINCIPAL ARTERIAL

CONTROLLED ACCESS HIGHWAY

THIS SHALL BE A CONTROLLED ACCESS HIGHWAY, BETWEEN STA. 686+00.00 AND STA. 14+60.00 EXCEPT AT LOCATIONS AND AS OTHERWISE SPECIFICALLY SHOWN ON THESE PLANS, NO ABUTTER'S RIGHTS IN OR OF DIRECT ACCESS TO, FROM, OR ACROSS THE HIGHWAY OR ITS RIGHT-OF-WAY SHALL ATTACH OR BELONG TO ANY PROPERTY ABUTTING ON SAID SECTION OF HIGHWAY, OR TO ANY PERSON MERELY BECAUSE OF OWNERSHIP OF SUCH ABUTTING PROPERTY. THERE SHALL BE THE USUAL RIGHT OF ACCESS OVER ANY LOCATION SHOWN ON THESE PLANS EITHER AS (1) AN ENTRANCE OR (2) A PRIVATE UNDERPASS. WHEREVER AN ADJACENT OUTER ROADWAY OR SERVICE ROAD IS SHOWN, THERE SHALL BE THE USUAL RIGHT OF DIRECT ACCESS BETWEEN THE ABUTTING PROPERTY AND SUCH OUTER ROADWAY OR SERVICE ROAD (EXCEPT WHERE ACCESS IS SPECIFICALLY PROHIBITED BY THE SPECIAL SYMBOL DENOTING NO RIGHT OF ACCESS) AND ALONG IT TO AND FROM THE NEAREST LANE OF THE THROUGHWAY OF A PUBLIC HIGHWAY. OUTER ROADWAYS AND SERVICE ROADS, AS THE CASE MAY BE, ARE SO DESIGNATED ON THE PLANS.

- BEGINNING AND ENDING OF CONTROLLED ACCESS
- CONTROLLED ACCESS
- NO RIGHT OF ACCESS OR CROSSING OF LINES BEARING THIS SYMBOL WILL BE PERMITTED UNDER ANY CIRCUMSTANCES.

EXISTING CONTROLLED ACCESS HIGHWAY

CONVENTIONAL SYMBOLS

(USED IN PLANS)

	EXISTING	NEW
BUILDINGS AND STRUCTURES		
GUARD RAIL		
CONCRETE RIGHT-OF-WAY MARKER		
STEEL RIGHT-OF-WAY MARKER		
LOCATION SURVEY MARKER		
UTILITIES		
FIBER OPTICS	-FO-	-FO-
OVERHEAD TELEPHONE	-O-	-O-
UNDERGROUND TELEPHONE	-T-	-T-
OVERHEAD POWER	-□-	-■-
UNDERGROUND POWER	-P-	-P-
GAS	-G-	-G-
WATER	-W-	-W-
MANHOLE	SAN	
FIRE HYDRANT	HYD	
WATER VALVE	WV	
WATER METER	WM	
DROP INLET		
DITCH BLOCK		
GROUND MOUNTED SIGN	SIGN	
LIGHT POLE		
H-FRAME POWER POLE		
TELEPHONE PEDESTAL	PED	
FENCE		
CHAIN LINK	V	
WOVEN WIRE	X	
GATE POST		
BENCHMARK	BM	
[illegible]		R
THERS		(R)

HED OR OPEN SYMBOLS INDICATE
STING FEATURES



NOTE:

COORDINATE SYSTEM CHANGES AT STA 14+60.00.

THE PROJECTION FACTORS DIFFER BETWEEN SECTION A AND SECTION B.

USE THE APPROPRIATE COORDINATE SYSTEM FOR EACH SECTION.

INTERCHANGING COORDINATE SYSTEMS BETWEEN SECTIONS WILL CAUSE DISTORTION IN THE OVERALL ALIGNMENT FOR THE PROJECT.

INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	1
TYPICAL SECTIONS (TS) (10 SHEETS)	2
QUANTITIES (QU) (14 SHEETS)	3
PLAN-PROFILE (PP)	4-26
RIGHT OF WAY (RW)	-
REFERENCE POINTS (RP)	27-28
COORDINATE POINTS (CP)	29
SPECIAL SHEETS (SS)	30-63
TRAFFIC CONTROL SHEETS (TC)	-
EROSION CONTROL SHEETS (EC)	-
LIGHTING (LT)	-
SIGNALS (SG)	-
SIGNING (SN)	95-123
PAVEMENT MARKING (PM)	-
CULVERT SECTIONS (CS)	124-146
BRIDGE DRAWINGS (B)	
A#####	-
A#####	-
A#####	-
A#####	-
CROSS SECTIONS (XS)	1-215

LENGTH OF PROJECT

BEGINNING OF PROJECT	STA.	686+00.00
END OF WAYNE COUNTY	STA.	1085+35.73
BEGIN OF BUTLER COUNTY	STA.	00+00.00
END OF JOP0930/BEGIN OF JOP0918	STA.	14+60.00
END OF PROJECT	STA.	227+93.65
APPARENT LENGTH	62729.38	FEET
EQUATIONS AND EXCEPTIONS		
1085+35.73 BK = 00+00.00 AH		
18+01.90 BK = 19+02.51 AH	-100.61	
200+76.52 BK = 209+52.16 AH	-875.64	
TOTAL CORRECTIONS	-976.25	FEET
NET LENGTH OF PROJECT	61753.13	FEET
STATE LENGTH	11.696	MILES

REV.

T:\de-proj\Wayne\j0p0930\Final Plans\001_TITLE_J0P0930_l10.dgn 2:17:58 PM 4/5/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	5
JOB NO. JOP0930			
CONTRACT ID. 071130-X02			
PROJECT NO. FAF 67-2 (30)			
COUNTY WAYNE/BUTLER			

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE

FINAL PLANS

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

GUARDRAIL (SEE SHEET 57 FOR DETAILS)

RTE 67 CL MED
PI 719+01.76
PC 703+81.29
PT 733+83.42
Δ 22° 23' 35.0" (LT)
D 0° 44' 45.3"
L 3,002.13'
T 1,520.47'
R 7,681.37'

LOT 2 NE¼ 1-27-5

LOT 1 NE¼ 1-27-5

NE¼ SE¼ 1-27-5

NW¼ SE¼ 1-27-5

LOT 1 NE¼ 1-27-5

BOBBY L. & RUBY Y. WOOD (6)

FLOYD F. & HELEN B. WARREN (7)

MARK TWAIN NATIONAL FOREST (1B)

CECIL N. & BLANCHE N. CATE (8)

QUENTIN D. & JUDITH E. PETERSON (13)

JANET M. BARTON (12)

ROBERT LEON & SHIRLEY MAE WOOD (10)

ALBERT & LEE ETTA WOOD (9)

FIRST GOSPEL LIGHTHOUSE CHURCH & TRUSTEES (11)

JAMES BRYAN JR. & SALLY ANN WEST (5)

EXIST CO RD 545 UIP

CO RD 545 EXIST CO RD ESMT

EXIST. R/W

℄ SECTION LINE

℄ MED. IRTE 67

EXIST. ℄ 67

NBL SL SBL

8' FBD

R/W LINE

STREAM: DO NOT DISTURB

MITIGATION AREA

EXIST PERM DRAIN ESMT

PERM ESMT FOR OZARK BDR

TEMP CONSTR ESMT

RW FOR COUNTY

CO RD 404

LOT LINE

SEE SHEET 42 FOR CO RD 404 DETAILS

MITIGATION AREA DETAILED ON SHEET 63

CLARKSVILLE SOIL

K = 1039
500.00' V.C.

VPT 706+50.00
EL 480.30

LOW WIRE
STA. 706+80
WIRE ELEV. = 494.90

LOW WIRE
STA. 711+90
WIRE ELEV. = 484.20

LOW WIRE
STA. 715+45
WIRE ELEV. = 491.03

VPI 722+00.00
EL 462.42

LOW WIRE
STA. 726+97
WIRE ELEV. = 472.55

LOW WIRE
STA. 733+70
WIRE ELEV. = 469.98

LOW WIRE
STA. 733+72
WIRE ELEV. = 465.53

-0.99%

PROFILE GRADE

471.83
472.60
470.20

EXIST GROUND

MED DITCH

462.48
460.09

VPC 719+50.00

SSD = 715'
K = 3198
500.00' V.C.

-0.99%

-1.5%

454.34

VPT 724+50.00

RT DITCH

BENCH MARKS - USCGS NAVD(88)

BM#197 ELEV 466.76
PK NAIL TOP W HDWL, CULV
STA 716+00 19' LT

500 490 480 470 460 450 440 430

704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734

REV.

t:\de-proj\wayne\j0p0930\final plans\005_PP_02_J0P0930_I100.dgn 12:56:17 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	6
JOB NO. J0P0930			
CONTRACT ID. 071130-X02			
PROJECT NO. FAF 67-2 (30)			
COUNTY WAYNE/BUTLER			

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE

FINAL PLANS





REV.

t:\de-proj\wayne\j0p0930\finalplans\006_PP_03_J0P0930_1100.dgn 12:56:20 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	7

JOB NO. J0P0930

CONTRACT ID. 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE/BUTLER

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE

FINAL PLANS

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

N½ LOT 2 NW¼ 7-27-6

(20) STEVE MARLER

(22) ROBERT C. & DIANNE K. BAILEY

S½ LOT 2 NW¼ 7-27-6

(23) TERRY & RONDA GROVES

LOT 1 SW¼ 7-27-6

(19) SEE SHEET 6

(21) SOLID ROCK BAPTIST CHURCH

(25) DANNY L. & DOROTHY J. HENSLEY

N½ LOT 2 SW¼ 7-27-6

(24) DOYLE WHITEHEAD

765 770 775 780 785

LOT LINE

EXIST PERM ESMT

PERM ESMT FOR OZARK BDR

EXIST. R/W

U.I.P. 30'

EXIST. ℄ 67

℄ MED. RTE 67

NBL SBL SL

S 30° 34' 13" E

8' FBD

R/W LINE

TEMP CONSTR ESMT

REMOVE EXIST DWY

TYPE I DWY, 20' W., 18" GRP C PIPE (18" SW)

TYPE I DWY 60' W 18" GRP C PIPE (18" SW) REMOVE EXIST DWY

℄ SECTION LINE

TEMP CONSTR ESMT

TYPE I DWY 40' W., NO P

REMOVE EXIST DWYS

CLARKSVILLE SOIL

PROFILE GRADE

EXIST GROUND

RT DITCH

MED DITCH

VPC 776+00.00

VPI 780+00.00 EL 425.15

VPT 784+00.00

-0.59% -0.74%

SSD = 733.0'
K = 51.38
800.00' V.C.

BENCH MARKS – USCGS NAVD(88)

BM#202 ELEV 427.01
PK NAIL W TOP HDWL, CULV
STA 770+12 16' LT

BM#203 ELEV 422.07
PK NAIL W TOP HDWL, CULV
STA 778+79 20' LT

460 450 440 430 420 410 400 390

763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792

REV.

t:\de-proj\wayne\j0p0930\final plans\007_PP_04_J0P0930_1100.dgn 12:56:23 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	8

JOB NO. J0P0930

CONTRACT ID. 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE/BUTLER

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE_____

FINAL PLANS

LOT 1 SW¼ 7-27-6

(23) SEE SHEET 7

795 800 805 810 815 820

(28) WAPPAPELLO WILDLIFE MANAGEMENT AREA

SW¼ SE¼ 7-27-6

NW¼ NE¼ 18-27-6

SECTION 7 / SECTION 18

℄ SECTION LINE

PERM ESMT FOR OZARK BDR

EXIST. R/W

EXIST. ℄ 67 NBL

℄ MED. RTE 67

SBL

NBL

SL

BM#205

8' FBD

PERM ESMT (R/W LINE)

PERM ESMT FOR OZARK BDR

EXIST CO RD ESMT

EXIST CO RD 546

+50.2 TYPE II MED CROSS OVER SEE SHEET 33 FOR DETAILS

+85.6 142' EXIST CO RD 546

+00 CO RD 406 / 815+50.2 RTE 67 ℄ MED

CO RD 406

PT STA 816+94.30

TEMP CONSTR ESMT

(27) BRENT CAMERON & KIMBERLY JO HUGHEY

(28A) WAPPAPELLO WILDLIFE MANAGEMENT AREA

LOT 1 SW¼ 7-27-6

(29) GEORGE C. JUPP JR. & JUDY PFEIFFER

(30) SEE SHEET 9

LOT 1 NW¼ 18-27-6

R/W LINE

RTE 67 CL MED
PI 805+09.90
PC 793+05.63
PT 816+94.30
Δ 18° 00' 50.0" (RT)
D 0° 45' 14.9"
L 2,388.67'
T 1,204.27'
R 7,597.51'

CLARKSVILLE SOIL

SEE SHEET 43 FOR CO RD 406 PROFILE

K = 1322
500.00' V.C.

K = 1366
500.00' V.C.

VPC 797+50.00
VPT 802+50.00
VPC 810+50.00
VPT 815+50.00
VPI 800+00.00 EL 410.26
VPI 813+00.00 EL 405.60

PROFILE GRADE

0.74% -0.37% -0.37% +0.00%

405.93 403.49 401.12 400.55 396.07 395.54 395.39 394.46

RT DITCH

EXIST GROUND

MED DITCH

440 430 420 410 400 390 380 370

792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821

CERTIFIED LAND CORNER
STA 797+00 ℄ MEDIAN RTE 67 IS N62°30'23"E, 2814.84' FROM THE CLOSING CORNER OF SECTION 7 & 18, T27N R6E.
(FOUND 3¼" U.S. ARMY CORPS OF ENGINEER MONUMENT.
SET BY DENNIS R. BARFIELD, LS# 1802, MLS DOC# 600-39679)

BENCH MARKS - USCGS NAVD(88)

BM#205 ELEV 406.81
#5 REBAR W/CAP
STA 802+00 19' LT

BM#206 ELEV 400.52
PK NAIL TOP W HDWL CULV
STA 812+45 12' LT

REV.

t:\de-proj\wayne\j0p0930\finalplans\008_PP_05_J0P0930_1100.dgn 12:56:25 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	9

JOB NO. J0P0930

CONTRACT ID. 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE

DATE

FINAL PLANS

NW¼ NE¼ 18-27-6

SW¼ NE¼ 18-27-6

NW¼ SE¼ 18-27-6

825 830 835 840 845

SECTION LINE

EXIST PERM DRAIN ESMT

RTE 67 NBL
EXIST BRIDGE LIP
BR NO L-0210
STA 841+28.25
L = 40′- 4 @ 55′
SKEW 15° LA

200′

+24.2 499′

+12.1 431′

+00 142′-152′

+00 102′-152′

+94.3 102′

+94.7 182′

+94.3 182′

+40.0 128′

+88.4 126′

+00.1 123′

+44.5 122′

+44.5 102′

EXIST. R/W

PERM ESMT FOR OZARK BDR

40′

NBL

SBL

SL

EXIST. ℄ 67

℄ MED. RTE 67

BM#208

BM#209

S 12° 33′ 23″ E

2° 33′ 23″

8′ FBD

CO RD W06

50′

40′

PERM ESMT (R/W LINE)

PERM ESMT FOR OZARK BDR

+50 165′

+51.4 216′

+00 171′

+01.1 222′-212′

+00 182′

+00 193′

+71.8 194′

+33.5 300′

+82.3 199′

+00 204′

+21.4 368′

+00 215′

+00 256′-247′

OTTER CREEK

EXIST PERM DRAIN ESMT

RTE 67 SBL
PROPOSED BRIDGE #A7510
STA 841+42.54
57.5′-57.5′-57.5′ I-GIRDER
SKEW 15° LA
D.A. = 48.83 SQ. MI.
Q_{100} = 13925 CFS

R/W LINE

EXIST CURVE ESMT

+00 282′

+75 331′-289′

+00 331′-256′

+89.6 243′

+78.6 287′

30

ROGER & EUNICE SWENSON

LOT 1 NW¼ 18-27-6

28B

WAPPAPELLO WILDLIFE MANAGEMENT AREA

SW¼ NE¼ 18-27-6

SECTION LINE

28B

WAPPAPELLO WILDLIFE MANAGEMENT AREA

CLARKSVILLE SOIL

CUT - 976 CY
FILL - 19692 CY

BENCH MARKS - USCGS NAVD(88)

BM#208 ELEV 393.16
#5 REBAR W/CAP
STA 830+82 18′ LT

BM#209 ELEV 402.35
PK NAIL IN NE BR CURB
STA 841+34 59′ LT

BM#210 ELEV 402.39
PK NAIL IN SW BR CURB
STA 843+95 26′ LT

D.H.W. ELEV. 392.19

EXIST GROUND

393.32
393.23
391.98
387.74
385.50
382.27
382.15

440 430 420 410 400 390 380 370

821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850

REV.

t:\de-proj\wayne\j0p0930\final plans\009_PP_06_J0P0930_1100.dgn 12:56:28 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	10

JOB NO. J0P0930

CONTRACT ID. 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE/BUTLER

DATE

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

FINAL PLANS

ACCESS IS ALLOWED THROUGH THE CULVERT; HOWEVER NO ATTACHMENTS MAY BE MADE TO THE STRUCTURE

SE¼ SE¼ 18-27-6

NW¼ SE¼ 18-27-6

NE¼ NE¼ 19-27-6

SW¼ SE¼ 18-27-6

NW¼ NE¼ 19-27-6

SECTION LINE

SEE SHEET 8

WETLANDS: DO NOT DISTURB

EXIST R/W

℄ MED. RTE 67

NBL

SBL

SL

PERM DRAIN ESMT

EXIST PERM DRAIN ESMT

8' FBD

30'

40'

R/W LINE

SEE DETAIL A

PERM ESMT FOR OZARK BDR

30' PERM ESMT (R/W LINE)

WETLANDS: DO NOT DISTURB

PERM DRAIN ESMT

PAUL GORDON & JUANITA ESTES

KENNETH & EUPHA M. ESTES

WAPPAPELLO WILDLIFE MANAGEMENT AREA

WCM E. BEAN CREEK

RTE 67 NBL
EXIST BRIDGE #L0211
STA 873+63.49
3-(11'X 9')
SKEW 26° LA
D.A. 3.40 SQ. MI.

RTE 67 SBL
EXIST U/P BRIDGE #L02111
CONSTRUCTED ON J0P0930A
STA 873+61.00 ℄ RTE 67
3-(11' X 9')
SKEW 26°08'24.0" LA
D.A. 3.37 SQ. MI.
Q_{100} =2810 CFS

RTE 67 CL MED
PI 877+74.60
PC 871+18.74
PT 884+07.60
Δ 25° 09' 33.0" (RT)
D 2° 01' 46.7"
L 1,288.86'
T 655.86'
R 2,822.95'

PC STA 871+18.74

979.8'
S04°50'31"E

+00 256'-247'
+00 215'-200'
+00 102'-200'
+25 102'-200'
+25 205-150'
+00 205-150'
+00 150'-180'
+94.6 181'
+42.6 181'
+74.4 195'
+42.6 195'
+00 225'-195'
+00 225'-294'
+00 305'
+18.74 282'
+80.7 312'
+55.6 320'
+38.4 142'
+82.5 142'
+77.3 142'
+20.3 142'
+19.9 142'
+92.9 142'
+38.4 142'

+59 EXIST U/P BOX CULV D=4.2 Ac Q_{100}=8.16 CFS 0.0%

+59 EXIST U/P BOX CULV D=4.2 Ac Q_{100}=8.0 CFS 0.0%

+99 RCP W/DI D=4.1 Ac Q_{100}=13.6 CFS 0.0%

+99 RCP W/DI D=4.1 Ac Q_{100}=13.6 CFS 0.0%

+99 RCP W/DI D=2.2 Ac Q_{100}=7.2 CFS 0.0%

+02 REMOVE EXIST DWY

+86.7 TYPE I DWY 20' W, 18" GRP C PIPE (18" SW)

+60 REMOVE EXIST DWY 12" PIPE

+61 EXIST DWY U/P

+90 TYPE I DWY 20' W, 18" GRP C PIPE (18" SW) REMOVE EXIST DWY 18" CMP

BM#211

BM#212

856+06.04 29.09'

852+16.53 29.16'

S68°32'31"E 440.4

SECTION 18

SECTION 19

#1 DT BLK

#1 DT BLK

850 855 860 865 870

CLARKSVILLE SOIL

OBLIT

SL

℄

R/W LINE

* L.I.P. SEPTIC FIELD DO NOT DISTURB

DETAIL A

CERTIFIED LAND CORNER
STA 856+00 ℄ MEDIAN RTE 67 IS N77°42'25"E, 4244.26' FROM THE CLOSING CORNER OF SECTION 18 & 19, T27N R6E. (FOUND ½" IRON PIN W/ RLS# 1802 CAP, ALONG SIDE A 1" PIPE (BENT), IN OLD EMBEDDED STONE PILE. SET BY DENNIS R BARFIELD, LS# 1802. MLS DOC# 600-39679.)

PROFILE GRADE

MED DITCH

EXIST GROUND

RT DITCH

390.03
389.28
389.66
392.25
387.70
382.60
388.51
386.51
387.63
388.38
8:1
OHW= 378.50'
FLOWLINE ELEV. = 375.75
374.82
374.39

BENCH MARKS - USCGS NAVD(88)

BM#211 ELEV 394.55
PK NAIL TOP W HDWL, CULV
STA 852+69 18' LT

BM#212 ELEV 392.67
#5 REBAR W/CAP
STA 864+79 17' LT

440 430 420 410 400 390 380 370

850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879

REV.

t:\de-proj\wayne\j0p0930\final plans\010_PP_07_J0P0930_1100.dgn 12:56:30 PM 2/17/2010

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	11

JOB NO. J0P0930

CONTRACT ID.

PROJECT NO.

COUNTY WAYNE/BUTLER

DATE

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

FINAL PLANS

IF A SEAL IS PRESENT ON THIS SHEET IT HAS BEEN ELECTRONICALLY SEALED AND DATED.

ARCHAEOLOGICAL SITES
SEE SPECIAL PROVISIONS

SE¼ NE¼ 19-27-6

NE¼ NE¼ 19-27-6

NW¼ NE¼ 19-27-6

SW¼ NE¼ 19-27-6

NW¼ SE¼ 19-27-6

SW¼ SE¼ 19-27-6

¼ SECTION LINE

PERM DRAIN ESMT

+74 EXIST DWY 16' W. U/P

+14 DT BLK

+00 142'-200'

+00 122'-200'

+25 EXIST U/P AND RCP 30"ø 44.2 CFS 0.0"ø AC

+72.0 143'

+74.9 122'

+72.4 162'

+72.5 162'

+09 DT BLK

+72.3 122'

WETLANDS: DO NOT DISTURB

EXIST. ℄ 67

℄ MED. RTE 67

EXIST. R/W

S 13° 36' 10" W

NBL

SBL

SL

U/P

8' FBD

RTE 67 NBL
EXIST BRIDGE #L0469
STA 891+65.47
2(6'X 4')
SKEW 45° RA
D.A. 0.44 SQ. MI.

28
SEE SHEET 8

CR547
PI 2+30.95
PC 0+98.64
PT 3+15.48
Δ 82° 49' 43.3" (RT)
D 38° 11' 49.9"
L 216.85'
T 132.31'
R 150.00'

+00 TYPE I DWY 15' W 24" GRP C PIPE (36" SW)

PT STA 3+15.48

+38.7 218.2

+50 122-162'

POT STA 4+65.48

+65.48 30' LT 30' RT

EXIST CO RD ESMT

ESMT FOR COUNTY TEMP CONSTR ESMT

CO RD 547 = RTE 67 ℄ MED

+00 122-162

+80.4 122

+18.0 30'

EXIST. R/W

PC STA 0+98.64

+27.7 30'

0+00 0+20 122

900+00

PERM ESMT FOR OZARK BDR

POT STA 0+00.00

PC STA 905+63.86

+11.1 182'

PERM ESMT (R/W LINE)

PERM ESMT FOR OZARK BDR

PT STA 884+07.60

+08.9 38'

+07.60 261' 315'

+00 275' 225'

+00 195'

+03.6 235'

+00 225' 275'

+80.7 312'

192.9' S22° 13' 47" W

+25 EXIST U/P 30" RCP W/D1 D0"ø 42.8 AC D0"ø 26.2 CFS 0.0"ø AC

+00 TYPE I DWY 15' W 24" GRP C PIPE (24" SW)

WETLANDS: DO NOT DISTURB

+00 EXIST U/P 150.5' RT 4'x4' BOX CULV

RTE 67 SBL
EXIST U/P BRIDGE #L04691
CONSTRUCTED ON J0P0930A
STA 892+33.60 ℄ RTE 67
2(6'X 4')
SKEW 45° RA
D.A. 0.50 SQ. MI.
Q_{50} = 526 CFS

PERM DRAINAGE ESMT

+00 270' 235'-195'

+50

DUCK CREEK HOLLOW CREEK

+23 REMOVE EXIST DWY

+00 TYPE I DWY 15' W 36" GRP C PIPE

+00 MOD TYPE II 18" RCP CROSS OVER SEE SHEET 34 FOR DETAILS

+79 9.22' RT DT BLK

+00 225' RCP 15"ø 4.6 CFS 0.0"ø AC

+01.3 225'

+00 195'

PC STA 906+33.86

+10.93 185'

+21.8 38'

125.9' S08° 36' 42" W

28B
SEE SHEET 9

ACCESS IS ALLOWED THROUGH THE CULVERT; HOWEVER NO ATTACHMENTS MAY BE MADE TO THE STRUCTURE

BENCH MARKS - USCGS NAVD(88)

BM#214 ELEV 389.25
CHISELED SQ TOP W HDWL CULV
STA 893+79.6 168.2' LT

CLARKSVILLE SOIL

SEE SHEET 44 FOR CO RD 547 PROFILE



t:\de-proj\wayne\j0p0930\final plans\011_PP_08_J0P0930_I100.DGN 12:56:42 PM 2/17/2010

REV.

ROUTE	STATE	DISTRICT	SHEET NO.
67	MO	10	13

JOB NO. J0P0930

CONTRACT ID. 071130-X02

PROJECT NO. FAF 67-2 (30)

COUNTY WAYNE/BUTLER

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE______

FINAL PLANS



t:\de-proj\wayne\j0p0930\finalplans\013_PP_10_J0P0930_l100.dgn 12:56:51 PM 2/17/2010