



**Missouri Department of Transportation
Bridge Inventory and Inspection System
Structural Inventory & Appraisal Sheet**

December 29, 2017
7:33:14am

COUNTY : COOPER	BRIDGE : L0962 2	REVIEW STATUS : REVIEW	NBI STATUS : T
RECORD TYPE : ROUTE CARRIED 'ON' STRUCT		RUN DATE : 11/28/2017	SUBMITTAL YEAR : 2017

GENERAL STRUCTURE INFORMATION	ROUTE DESIGNATION INFORMATION
1 State MISSOURI	5A Record Type ROUTE CARRIED 'ON' STRUCT
2 District CD	5B Route Signing Prefix IS
3 County COOPER	5C Designated Level of Service MAINLINE
8 Federal ID No. 6689	5D Route Number 00070
27 Year Built 1960	5E Directional Suffix NOT APPLICABLE
106 Year Reconstructed 1993	7 Facility Carried IS 70 E
42A Type of Service On HIGHWAY	12 Base Hwy. Network YES
21 Structure Maintenance STATE HIGHWAY AGENCY	13A LRS Inventory Route No. 0000000019
22 Structure Owner STATE HIGHWAY AGENCY	13B Subroute No. 00
33 Br. Median Code CLOSED MED NON MNTABL BAR	20 Toll Status ON FREE ROAD
37 Historical Significance NOT ELIGIBLE FOR NR OF HP	26 Functional Classification 01-RU PRINCIPL ARTRIAL-IS
101 Parallel Struc Desg NONE EXISTS	28A Lanes on Structure 04
103 Temporary Structure NOT TEMPORARY	100 STRAHNET Designation ON A DEFENSE HWY
112 NBIS Bridge Length YES	104 National Highway System ON NHS
	105 Federal Lands Highway NOT APPLICABLE
	110 Designated Nat. Network YES

STRUCTURE LOCATION INFORMATION	STRUCTURE TRAFFIC INFORMATION
4 Place SALINE	29 AADT 36931
Code 65306	30 AADT Year 2016
9 Location S 18 T 48 N R 14 W	102 Direction of Traffic 2-WAY TRAFFIC
11 Milepoint 114.97 miles	109 AADT Truck Percent 24%
16 Latitude 38 D 57 M 31 S	114 Future AADT 66475
17 Longitude 92 D 32 M 49 S	115 Future AADT Year 2036

UNDERRECORD INFORMATION	STRUCTURE GEOMETRIC INFORMATION
6 Features Intersected MISSOURI RIVER, KATY TRA	10 Inventory Rte. Vert. Clear 18 Ft. 12 In.
42B Type of Service Under WATERWAY	19 By pass Detour Length 3.75 miles
28B Lanes Under Structure 00	32 Approach Roadway Width 65 Ft. 11 In.
54A Vert. Clearance Ref. N/A	34 Skew 0.00 Degrees
54B Vert. Clearance 0 Ft. 0 In.	35 Struct. Flared NO
55A Rt. Lat Clear Ref. N/A	47 Total Horiz. Clear 25 Ft. 11 In.
55B Rt. Lat Clearance 0 Ft. 0 In.	48 Maximum Span Length 550 Ft. 10 In.
56 Left Lat Clearance 0 Ft. 0 In.	49 Structure Length 3,018 Ft. 1 In.
38 Navigation Control PERMIT REQ	50A Left Curb/Sidewalk Width 0 Ft. 8 In.
39 Nav Vertical Clear 54 Ft. 9 In.	50B Right Curb/Sidewalk Width 0 Ft. 8 In.
40 Nav Horizontal Clear 500 Ft. 0 In.	51 Curb to Curb Br. Width 60 Ft. 4 In.
111 Nav. Pier Protection IN PLACE AND FUNCTIONING	52 Deck Width (Out-Out) 62 Ft. 12 In.
116 Nav. Cl. Vert. Clear	53 Vert. Clearance Over Deck 18 Ft. 12 In.

Design_No = L0962 and Inventory_Appraisal_Submittal_Year = 2017



**Missouri Department of Transportation
Bridge Inventory and Inspection System
Structural Inventory & Appraisal Sheet**

December 29, 2017
7:33:14am

COUNTY : COOPER	BRIDGE : L0962 2	REVIEW STATUS : REVIEW	NBI STATUS : T
RECORD TYPE : ROUTE CARRIED 'ON' STRUCT		RUN DATE : 11/28/2017	SUBMITTAL YEAR : 2017

LOAD RATING AND POSTING INFORMATION	MATERIAL/CONSTRUCTION INFORMATION																																																														
<table border="0" style="width:100%"> <tr><td>31</td><td>Design Load</td><td>H 20</td></tr> <tr><td>41</td><td>Structure Status</td><td>OPEN NO RESTRICTIONS</td></tr> <tr><td>63</td><td>Oper. Rating Meth.</td><td>LOAD FACTOR</td></tr> <tr><td>64</td><td>Operating Rating</td><td>45 Tons.</td></tr> <tr><td>65</td><td>Inventory Rating Meth</td><td>LOAD FACTOR</td></tr> <tr><td>66</td><td>Inventory Rating</td><td>27 Tons.</td></tr> <tr><td>70</td><td>Bridge Posting Code</td><td>=>LEGAL LOADS</td></tr> </table>	31	Design Load	H 20	41	Structure Status	OPEN NO RESTRICTIONS	63	Oper. Rating Meth.	LOAD FACTOR	64	Operating Rating	45 Tons.	65	Inventory Rating Meth	LOAD FACTOR	66	Inventory Rating	27 Tons.	70	Bridge Posting Code	=>LEGAL LOADS	<table border="0" style="width:100%"> <tr><td>43A</td><td>Main Struc. Mat type</td><td>STEEL CONTINUOUS</td></tr> <tr><td>43B</td><td>Main struc Constr. Type</td><td>TRUSS - THRU</td></tr> <tr><td>45</td><td># of Main Spans</td><td>2</td></tr> <tr><td>44A</td><td>Appr Struc. Mat type</td><td>STEEL CONTINUOUS</td></tr> <tr><td>44B</td><td>Appr Struc. Cnstr. type</td><td>STRINGER/MULTIBEAM - GRD</td></tr> <tr><td>46</td><td># of Approach Span</td><td>15</td></tr> <tr><td>107</td><td>Deck Mat/Constr.</td><td>1 CONCRETE CIP</td></tr> <tr><td>108A</td><td>Wear Surf Mat/Constr.</td><td>1 MONO CONCRETE</td></tr> <tr><td>108B</td><td>Membrane Mat/Constr.</td><td>0 NONE</td></tr> <tr><td>108C</td><td>Deck Protect Mat/Constr.</td><td>1 EPOXY</td></tr> </table>	43A	Main Struc. Mat type	STEEL CONTINUOUS	43B	Main struc Constr. Type	TRUSS - THRU	45	# of Main Spans	2	44A	Appr Struc. Mat type	STEEL CONTINUOUS	44B	Appr Struc. Cnstr. type	STRINGER/MULTIBEAM - GRD	46	# of Approach Span	15	107	Deck Mat/Constr.	1 CONCRETE CIP	108A	Wear Surf Mat/Constr.	1 MONO CONCRETE	108B	Membrane Mat/Constr.	0 NONE	108C	Deck Protect Mat/Constr.	1 EPOXY											
31	Design Load	H 20																																																													
41	Structure Status	OPEN NO RESTRICTIONS																																																													
63	Oper. Rating Meth.	LOAD FACTOR																																																													
64	Operating Rating	45 Tons.																																																													
65	Inventory Rating Meth	LOAD FACTOR																																																													
66	Inventory Rating	27 Tons.																																																													
70	Bridge Posting Code	=>LEGAL LOADS																																																													
43A	Main Struc. Mat type	STEEL CONTINUOUS																																																													
43B	Main struc Constr. Type	TRUSS - THRU																																																													
45	# of Main Spans	2																																																													
44A	Appr Struc. Mat type	STEEL CONTINUOUS																																																													
44B	Appr Struc. Cnstr. type	STRINGER/MULTIBEAM - GRD																																																													
46	# of Approach Span	15																																																													
107	Deck Mat/Constr.	1 CONCRETE CIP																																																													
108A	Wear Surf Mat/Constr.	1 MONO CONCRETE																																																													
108B	Membrane Mat/Constr.	0 NONE																																																													
108C	Deck Protect Mat/Constr.	1 EPOXY																																																													
PROPOSED IMPROVEMENT INFORMATION	CONDITION RATING INFORMATION																																																														
<table border="0" style="width:100%"> <tr><td>Sufficiency Rating</td><td>54.5</td><td>Percent</td></tr> <tr><td>Deficiency Rating</td><td colspan="2">NOT DEFICIENT</td></tr> <tr><td>Funding Eligibility</td><td colspan="2"></td></tr> <tr><td>75A</td><td>Proposed Work</td><td></td></tr> <tr><td>75B</td><td>Work Done By</td><td></td></tr> <tr><td>76</td><td>New Struc Length</td><td>0 Ft. 0 In.</td></tr> <tr><td>94</td><td>Struc Improve Cost</td><td>\$ 0,000</td></tr> <tr><td>95</td><td>Roadway Improve Cost</td><td>\$ 0,000</td></tr> <tr><td>96</td><td>Total Project Cost</td><td>\$ 0,000</td></tr> <tr><td>97</td><td>Year of Cost Estimates</td><td>0</td></tr> </table>	Sufficiency Rating	54.5	Percent	Deficiency Rating	NOT DEFICIENT		Funding Eligibility			75A	Proposed Work		75B	Work Done By		76	New Struc Length	0 Ft. 0 In.	94	Struc Improve Cost	\$ 0,000	95	Roadway Improve Cost	\$ 0,000	96	Total Project Cost	\$ 0,000	97	Year of Cost Estimates	0	<table border="0" style="width:100%"> <tr><td>58</td><td>Deck Cond. Rating</td><td>6</td></tr> <tr><td>59</td><td>Superstructure Cond. Rating</td><td>5</td></tr> <tr><td>60</td><td>Substructure Cond. Rating</td><td>5</td></tr> <tr><td>61</td><td>Channel /Channel Protection Cond. Rating</td><td>4</td></tr> <tr><td>62</td><td>Culvert Cond. Rating</td><td>N</td></tr> </table>	58	Deck Cond. Rating	6	59	Superstructure Cond. Rating	5	60	Substructure Cond. Rating	5	61	Channel /Channel Protection Cond. Rating	4	62	Culvert Cond. Rating	N																	
Sufficiency Rating	54.5	Percent																																																													
Deficiency Rating	NOT DEFICIENT																																																														
Funding Eligibility																																																															
75A	Proposed Work																																																														
75B	Work Done By																																																														
76	New Struc Length	0 Ft. 0 In.																																																													
94	Struc Improve Cost	\$ 0,000																																																													
95	Roadway Improve Cost	\$ 0,000																																																													
96	Total Project Cost	\$ 0,000																																																													
97	Year of Cost Estimates	0																																																													
58	Deck Cond. Rating	6																																																													
59	Superstructure Cond. Rating	5																																																													
60	Substructure Cond. Rating	5																																																													
61	Channel /Channel Protection Cond. Rating	4																																																													
62	Culvert Cond. Rating	N																																																													
APPRAISAL RATING INFORMATION	INSPECTION INFORMATION																																																														
<table border="0" style="width:100%"> <tr><td>36A</td><td>Br. Rail App. Rating</td><td>MEETS ACCEPTBLE STND</td></tr> <tr><td>36B</td><td>Transition Rail App. Rating</td><td>MEETS ACCEPTBLE STND</td></tr> <tr><td>36C</td><td>Approach Rail App. Rating</td><td>MEETS ACCEPTBLE STND</td></tr> <tr><td>36D</td><td>Rail End Treat. App. Rating</td><td>DOES NOT MEET ACCEPT STND</td></tr> <tr><td>67</td><td>Struc Eval App. Rating</td><td>5</td></tr> <tr><td>68</td><td>Deck Geometry App. Rating</td><td>4</td></tr> <tr><td>69</td><td>Underclearance App. Rating</td><td>N</td></tr> <tr><td>71</td><td>Waterway Adeq. App. Rating</td><td>8</td></tr> <tr><td>72</td><td>Approach Road App. Rating</td><td>8</td></tr> <tr><td>113</td><td>Scour Assess App. Rating</td><td>3</td></tr> </table>	36A	Br. Rail App. Rating	MEETS ACCEPTBLE STND	36B	Transition Rail App. Rating	MEETS ACCEPTBLE STND	36C	Approach Rail App. Rating	MEETS ACCEPTBLE STND	36D	Rail End Treat. App. Rating	DOES NOT MEET ACCEPT STND	67	Struc Eval App. Rating	5	68	Deck Geometry App. Rating	4	69	Underclearance App. Rating	N	71	Waterway Adeq. App. Rating	8	72	Approach Road App. Rating	8	113	Scour Assess App. Rating	3	<table border="0" style="width:100%"> <tr><td>90</td><td>Gen. Insp Date</td><td>8 / 17</td><td></td></tr> <tr><td>91</td><td>Gen. Insp. Frequency</td><td>24</td><td>Months</td></tr> <tr><td>92A</td><td>Frac. Critical Inspection</td><td>N</td><td>Months</td></tr> <tr><td>93A</td><td>Frac. Critical Insp. Date</td><td></td><td></td></tr> <tr><td>92B</td><td>Underwater Inspection</td><td>Y</td><td>Months 60</td></tr> <tr><td>93B</td><td>Underwater Insp. Date</td><td>9 / 15</td><td></td></tr> <tr><td>92C</td><td>Special Inspection</td><td>N</td><td>Months</td></tr> <tr><td>93C</td><td>Special Inspection Date</td><td></td><td></td></tr> </table>	90	Gen. Insp Date	8 / 17		91	Gen. Insp. Frequency	24	Months	92A	Frac. Critical Inspection	N	Months	93A	Frac. Critical Insp. Date			92B	Underwater Inspection	Y	Months 60	93B	Underwater Insp. Date	9 / 15		92C	Special Inspection	N	Months	93C	Special Inspection Date		
36A	Br. Rail App. Rating	MEETS ACCEPTBLE STND																																																													
36B	Transition Rail App. Rating	MEETS ACCEPTBLE STND																																																													
36C	Approach Rail App. Rating	MEETS ACCEPTBLE STND																																																													
36D	Rail End Treat. App. Rating	DOES NOT MEET ACCEPT STND																																																													
67	Struc Eval App. Rating	5																																																													
68	Deck Geometry App. Rating	4																																																													
69	Underclearance App. Rating	N																																																													
71	Waterway Adeq. App. Rating	8																																																													
72	Approach Road App. Rating	8																																																													
113	Scour Assess App. Rating	3																																																													
90	Gen. Insp Date	8 / 17																																																													
91	Gen. Insp. Frequency	24	Months																																																												
92A	Frac. Critical Inspection	N	Months																																																												
93A	Frac. Critical Insp. Date																																																														
92B	Underwater Inspection	Y	Months 60																																																												
93B	Underwater Insp. Date	9 / 15																																																													
92C	Special Inspection	N	Months																																																												
93C	Special Inspection Date																																																														
APPROVED POSTING INFORMATION	BORDER BRIDGE INFORMATION																																																														
<table border="0" style="width:100%"> <tr><td>Approved Posting Category</td><td>S-1</td></tr> <tr><td></td><td>Ton1 Ton2 Ton3</td></tr> <tr><td>Tonnage Values for Posting Sign</td><td></td></tr> <tr><td>General Text for Posting Sign</td><td></td></tr> <tr><td>NO POSTING REQUIRED</td><td></td></tr> </table>	Approved Posting Category	S-1		Ton1 Ton2 Ton3	Tonnage Values for Posting Sign		General Text for Posting Sign		NO POSTING REQUIRED		<table border="0" style="width:100%"> <tr><td>98</td><td>Neighboring State Code</td></tr> <tr><td>98B</td><td>Neighboring State % Respon</td></tr> <tr><td>99</td><td>Neighboring State Struc. No.</td></tr> </table>	98	Neighboring State Code	98B	Neighboring State % Respon	99	Neighboring State Struc. No.																																														
Approved Posting Category	S-1																																																														
	Ton1 Ton2 Ton3																																																														
Tonnage Values for Posting Sign																																																															
General Text for Posting Sign																																																															
NO POSTING REQUIRED																																																															
98	Neighboring State Code																																																														
98B	Neighboring State % Respon																																																														
99	Neighboring State Struc. No.																																																														
APPROVED POSTING INFORMATION	FIELD POSTING INFORMATION																																																														
<table border="0" style="width:100%"> <tr><td>Approved Posting Category</td><td>S-1</td></tr> <tr><td></td><td>Ton1 Ton2 Ton3</td></tr> <tr><td>Tonnage Values for Posting Sign</td><td></td></tr> <tr><td>General Text for Posting Sign</td><td></td></tr> <tr><td>NO POSTING REQUIRED</td><td></td></tr> </table>	Approved Posting Category	S-1		Ton1 Ton2 Ton3	Tonnage Values for Posting Sign		General Text for Posting Sign		NO POSTING REQUIRED		<table border="0" style="width:100%"> <tr><td>Field Posting Category</td><td>S-1</td></tr> <tr><td></td><td>Ton1 Ton2 Ton3</td></tr> <tr><td>Tonnage Values for Posting Sign</td><td></td></tr> <tr><td>General Text for Posting Sign</td><td></td></tr> <tr><td>NO POSTING REQUIRED</td><td></td></tr> </table>	Field Posting Category	S-1		Ton1 Ton2 Ton3	Tonnage Values for Posting Sign		General Text for Posting Sign		NO POSTING REQUIRED																																											
Approved Posting Category	S-1																																																														
	Ton1 Ton2 Ton3																																																														
Tonnage Values for Posting Sign																																																															
General Text for Posting Sign																																																															
NO POSTING REQUIRED																																																															
Field Posting Category	S-1																																																														
	Ton1 Ton2 Ton3																																																														
Tonnage Values for Posting Sign																																																															
General Text for Posting Sign																																																															
NO POSTING REQUIRED																																																															

Design_No = L0962 and Inventory_Appraisal_Submittal_Year = 2017