

OSAGE COUNTY

PROJECT NO. BRO-B076(13)
BRIDGE REPLACEMENT PROGRAM
BRIDGE NO. 02600001

FROM: BRADFORD ENGINEERING SERVICES, LLC

TO: PLANHOLDERS

January 12, 2015

ADDENDUM NO. 1

This addendum, applicable to the above named project, is issued to all known Plan Holders prior to receipt of proposals. This addendum includes items numbered 1 through 8. Each addendum item shall be fully incorporated into the Bidding/Contract Documents and have the same force and effect as though originally included. Please acknowledge receipt of this addendum on the BID FORM.

SPECIFICATIONS:

NOTICE TO CONTRACTORS: (5) BID GUARANTY:

1. AS STATED, "THE BIDDER SHALL SUBMIT A BID GUARANTY MEETING THE REQUIREMENTS OF SECTION 102 OF THE MISSOURI STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION." STANDARD SURETY FORMS THAT MEET THE REQUIREMENTS OF SECTION 102 OF THE MISSOURI STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION ARE ACCEPTABLE.

BID FORM:

2. CHANGE THE QUANTITY FOR "TYPE 1 DITCH CHECK" FROM "3" TO "4".
3. IN THE "BRIDGE ITEMS" CATEGORY, ADD A LINE ITEM FOR "PILE POINT REINFORCEMENT, 10, EACH".
4. REPLACE THE "OSAGE COUNTY PROJECT BID FORM" IN THE BID DOCUMENTS WITH THE BID FORM INCLUDED IN THIS ADDENDUM AND USE THIS FORM TO SUBMIT YOUR BID.

SHEETS S10, S11, S12 & S13:

5. REVISE ANY REFERENCE TO THE OFF-STRUCTURE OR G2 POST TO ALLOW FOR W6X8.5, W6X9 OR HEAVIER POSTS W/ LARGER SECTION. POSTS MAY BE LONGER THAN SHOWN.
6. REVISE ANY REFERENCE TO THE OFF-STRUCTURE GUARDRAIL BACKING BLOCKS TO INCLUDE WOOD AND/OR PLASTIC AS PER CURRENT MoDOT STANDARD PLAN SHEETS 606.00AS.

SHEET S2:

7. ADD THE FOLLOWING ITEM TO THE GENERAL LIST OF QUANTITIES: "PILE POINT REINFORCEMENT, EACH, 10".

SHEET 1:

8. REMOVE THE LINE "APPROX. PILE TIP ELEV" FROM THE STEEL PILE DATA TABLE.

END OF ADDENDUM NO. 1.

OSAGE COUNTY PROJECT BID FORM

BRO-B076(13)

Bridge 02600001 over Luzon Branch
78' I-Girder Bridge with fill slopes

BES B12023

| ITEM | DESCRIPTION | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|-------------------------------|-------------------------------------|----------|----------|------------|--------|
| ROADWAY ITEMS | | | | | |
| 2013000 | CLEARING & GRUBBING | 0.9 | ACRES | | |
| 2022010 | REMOVAL OF IMPROVEMENTS | 1 | LUMP SUM | | |
| 2035000 | UNCLASSIFIED EXCAVATION | 750 | CU. YDS. | | |
| 2036001 | EMBANKMENT IN PLACE | 820 | CU. YDS. | | |
| 3102002 | CRUSHED STONE (B) | 160 | TONS | | |
| 6061010 | GUARD RAIL (W-BEAM, TYPE A) | 50 | LIN. FT. | | |
| 6062402 | BRIDGE ANCHOR SECTION W-BEAM | 2 | EACH | | |
| 6062403 | BRIDGE ANCHOR SECTION-CURVED | 2 | EACH | | |
| 6063000 | TERMINAL END SECTION | 4 | EACH | | |
| 6072011 | FENCING - 4-STRAND BARBED WIRE | 200 | Lin Ft. | | |
| 6161005 | CONSTRUCTION SIGNS | 32.5 | SQ. FT. | | |
| 6161030 | TYPE III MOVABLE BARRICADE | 5 | EACH | | |
| 6181000 | MOBILIZATION | 1 | LUMP SUM | | |
| 8053000 | SEEDING, MULCHING & FERTILIZING | 0.9 | ACRES | | |
| 8061019 | SILT FENCE | 400 | LIN. FT. | | |
| 8061021 | TYPE 1 DITCH CHECK | 4 | EACH | | |
| TOTAL OF ROADWAY ITEMS | | | | | |
| BRIDGE ITEMS | | | | | |
| 2061000 | CLASS 1 EXCAVATION | 60 | CU. YDS. | | |
| 2061003 | CLASS 1 EXCAVATION IN ROCK | 40 | CU. YDS. | | |
| 2160500 | REMOVAL OF BRIDGES | 1 | LUMP SUM | | |
| 6114000 | ROCK BLANKET IN PLACE (TYPE 2) | 1912 | TONS | | |
| 6240200 | GEOTEXTILE (TYPE 3 CLASS A) | 1931 | SQ. YDS. | | |
| 7021010 | PILING - (HP 10 X 42) | 160 | LIN. FT. | | |
| 7026001 | PREBORE FOR PILING IN ROCK | 50 | LIN. FT. | | |
| 7027000 | PILE POINT REINFORCEMENT | 10 | EACH | | |
| 7034003 | CLASS B-1 CONCRETE SUBSTR | 41 | CU. YDS. | | |
| 7034213 | SLAB ON CONCRETE GIRDERS | 242 | SQ. YDS. | | |
| 7034216 | OPEN CONCRETE BARRIER CURB | 162 | LIN. FT. | | |
| 7056003 | TYPE 6 (54 IN.), PRES CONC I-GIRDER | 3 | EACH | | |
| 7061060 | REINFORCING STEEL (GR. 60) | 6096 | LBS. | | |
| 7161002 | PLAIN NEOPRENE BEARING PAD | 6 | EACH | | |
| TOTAL OF BRIDGE ITEMS | | | | | |
| TOTAL FOR CONTRACTOR | | | | | |