

ADDENDUM 001 Request for Bid PLUMBING MATERIALS RFQ 9-160316KHP

Bidders should acknowledge receipt of Addendum 001 (ONE) by signing and including it with the original bid. The due date for receipt of bids **has not** changed by this Addendum; the due date is **March 16, 2016 2:00 PM Central Time**. Accordingly, the following clarifications, and or additional information, are believed to be of general interest to all potential bidders. All other terms and conditions remain unchanged and in full force.

Name and Title of Signer (Print or type)	Name and Title of Department Authority Kristi Hixson General Services Senior Specialist
Contractor/Offeror Signature (Signature of person authorized to sign)	Department of Transportation <i>Kristi Hixson</i> (Authorizing Signature)
Date Signed:	Date Signed: 3/11/2016

REVISED PRICING PAGE – Attached. Replace original pricing page with the attached revised pricing page. Items Removed: P25 Quick Couplings, P26 Air Hose Reels, P27 Air Compressor



PRICING PAGE – REVISED (ADDENDUM 001)

**All items must be priced. Award on “all or none” basis of lowest grand total bid.
Must meet plumbing schedule/specifications (Attachment A).**

Item #	Description	Quantity	Unit Price	Extended Price
P1	Foot Trench Drain with 1 catch basin cold storage	40'		
P2	Foot Trench Drain with 1 catch basin	16'		
P3	Foot Trench Drain with 1 catch basin	10'		
P4	Foot sch 40 4-inch pvc with couplings	300'		
P5	Y s sch 40 4-inch	4'		
P6	90 Degree sch 40 4-inch	8'		
P7	45 Degree sch 40 4-inch	8'		
P8	Foot 2 inch sch 40 pvc	100'		
P9	Foot 1 ½ inch sch 40 pvc	50'		
P10	Handicap water closet	1		
P11	Urinal	1		
P12	Water Fountain ADA	1		
P13	Eye Wash Station	1		
P14	Water Heater 30 gallon 240 v	1		
P15	Lavatory Wall Mount with Faucet ADA	1		
P16	Service Sink Cast Iron with Faucet	1		
P17	1-inch Back Flow Preventer	1		
P18	Hose Bibs	2		
P19	Pex Water Line ¾ Red	200'		
P20	Pex Water Line ¾ Blue	200'		
P21	¾ inch Copper Pipe for Water Supply	100'		
P22	1-inch Black Iron Pipe for air lines	300'		
P23	1-inch 90-degree black iron	15'		
P24	1-inch couplings black iron	15'		
	Grand Total			\$

All responses to this Request for an Informal Quotation MUST be submitted on this form and MUST be returned to the Buyer listed above.

Company Name:	
Signature	

All items must meet the following plumbing schedule/specifications:

PLUMBING SCHEDULE						
SYM.	FIXTURE	PIPE CONNECTION				REMARKS
		CW	HW	S&W	VENT	
	WATER CLOSET	1/2"		3"	2"	EQUAL TO AMERICAN STANDARD #2377.100 FLOOR MOUNT. PRESSURE ASSISTED, ELONGATED WATER-SAVER "CADET" WATER CLOSET. 16-1/2" HIGH 3109.016 BOWL, 4098.100 TANK. INCLUDE OPEN FRONT SEAT WITH LID. (WHITE)
	URINAL	3/4"		1-1/2"	1-1/2"	EQUAL TO AMERICAN STANDARD #6601.021 "LYNBROOK" 1.0 GALLON URINAL WITH SLOAN ROYAL 180-1 FLUSH VALVE.
	LAVATORY	1/2"	1/2"	2"	2"	EQUAL TO AMERICAN STANDARD #4867.024, 20" x 18" ENAMELED, CAST IRON "REGALYN" WALL MOUNT LAVATORY WITH 4" CENTERSET SYMMONS SYMMETRIX S-20-2-BH SINGLE LEVER LAVATORY FAUCET. INCLUDE AN ADA APPROVED INSULATION KIT.
	SERVICE SINK	1/2"	1/2"	3"	2"	EQUAL TO AMERICAN STANDARD #7692.049, 22" x 18" ENAMELED, CAST IRON "LAKEWELL" SERVICE SINK W/ 8340.242 HERITAGE LEVEL HANDLE FAUCET, AND 7798.176 P-TRAP.
	EMERGENCY EYE WASH	1-1/4"	3/4"			EQUAL TO BRADLEY "MODEL S19-310" DRENCH SHOWER/EYE WASH UNIT SAFETY YELLOW. S19-2100 THERMOSTATIC MIXING VALVE.
	WATER HEATER	3/4"	3/4"			A.O. SMITH MODEL NUMBER EES-30 (2) 4500 WATT, 240 VOLT ELEMENTS, 30 GALLON ELECTRIC WITH PRESSURE RELIEF VALVE OR EQUAL. MOUNT ON MEZZANINE WITH DRAIN PAN.
	HOSE BIBB	3/4"				EXTERIOR - EQUAL TO WOODFORD MODEL 67 FREEZELESS WALL HYDRANT WITH 3/4" H.P.T. OUTLET, INTEGRAL VACUUM BREAKER-BACK FLOW PREVENTER. (N.I.C.)
	HOSE BIBB	3/4"				INTERIOR - EQUAL TO WOODFORD MODEL 26 WALL FAUCET WITH 3/4" H.P.T. OUTLET, INTEGRAL VACUUM BREAKER-BACKFLOW PREVENTER.
	FLOOR DRAIN			2"		PVC FLOOR DRAIN WITH P-TRAP, 6-1/2" DIA. NICKLE-BRONZE STRAINER, 2" FIP THREADED THROAT-BALL BACKWATER DEVICE. 1-1/2" PRE-INSTALLED FIP CLEAN-OUT THREADS.
	CLEAN OUT					BRASS WITH ADAPTER AND CAP EQUAL TO PIPE SIZE SHOWN.
	AIR COMPRESSOR					EQUAL TO INGERSOLL-RAND MODEL #2340, 28A, 5 HP, 60 GALLON VERTICAL, 2-STAGE. PROVIDE RUBBERIZED WASHERS AT EACH FLOOR MOUNT TO ACT AS A SHOCK ABSORBER. SIZE MOUNT AS REQUIRED. PROVIDE LINE FILTERS AS REQUIRED. 30A BREAKER.
	AIR HOSE REEL					EQUAL TO REELCRAFT 7850 OLP 57 300 LOW PRESSURE HEAVY DUTY ALL STEEL CONSTRUCTION WITH ONE PIECE WRAP AROUND GUIDE ARM.
	QUICK DISCONNECT					VERIFY SIZE WITH MODOT MECHANIC. MOUNT AT 48" A.F.F. ATTACH RIGIDLY TO GIRTS.
	TRENCH DRAIN			4"		EQUAL TO ACO K100 CHANNEL SLOPE TRENCH DRAIN SYSTEM WITH TYPE 461Q DUCTILE QUICKLOC CAST IRON GRATE.
	CATCH BASIN			4"		EQUAL TO ACO K900 CATCH BASIN, WITH PLASTIC TRASH BUCKET WITH TYPE 461Q DUCTILE QUICKLOC CAST IRON GRATE FOR LID.