

**BID FORM**

MISSOURI DEPARTMENT OF TRANSPORTATION  
GENERAL SERVICES  
P.O. BOX 270  
JEFFERSON CITY, MO 65102

REQUEST NO.	2-141202DP
DATE	November 20, 2014

SEALED BIDS, SUBJECT TO THE ATTACHED CONDITIONS WILL BE RECEIVED AT THIS OFFICE UNTIL

**December 2, 2014 at 2:00 PM CDT**

AND THEN PUBLICLY OPENED AND READ FOR FURNISHING THE FOLLOWING SUPPLIES OR SERVICES.

**QUOTATIONS TO BE BASED F.O.B. MISSOURI DEPARTMENT OF TRANSPORTATION**

Submit net bid as cash discount stipulations will not be considered  
See Attached

<b>BUYER:</b>	Dee Pardue, Sr. GS Technician	<b>BUYER TELEPHONE:</b>	573-526-0760
<b>BUYER EMAIL:</b>	Dee.Pardue@modot.mo.gov		

**SUPPLIES OR SERVICES**

The Missouri Department of Transportation is seeking bids from qualified bidders to provide **Traffic Cones & Traffic Drum-Like Channelizers** for a contract period of January 1, 2015 through December 31, 2015.

*\*\*\*NOTE: It is the responsibility of the Bidder to access MoDOT's website in order to obtain any and all addenda(s) issued during the course of this RFB Process.*

All questions regarding this RFB shall be submitted to the RFB Coordinator/Contact.

(SEE ATTACHED FOR CONDITIONS AND INSTRUCTIONS)

*In compliance with the above Request For Bid, and subject to all conditions thereof, the undersigned bidder agrees to furnish and deliver any or all the items on which prices were bid within the timeframe specified herein, after receipt of formal purchase order.*

<b>Date:</b> _____	<b>Firm Name:</b> _____
<b>Telephone No.:</b> _____	<b>Address:</b> _____
<b>Fax No.:</b> _____	_____
<b>Email Address:</b> _____	<b>By (Signature):</b> _____
	<b>Type/Print Name</b> _____
	<b>Title:</b> _____

Is your firm MBE certified?  Yes  No

Is your firm WBE certified?  Yes  No

## 1. Introduction

This solicitation seeks bids from qualified organizations to provide Traffic Cones & Traffic Drum-Like Channelizers with an effective contract period of January 1, 2015 through December 31, 2015, with three (3) one-year renewal option periods to the Missouri Highways and Transportation Commission (MHTC) and Missouri Department of Transportation (MoDOT).

- a. Renewal Period - If the option for renewal is exercised by MoDOT, the contractor shall agree to all terms and conditions of the RFB and all subsequent amendments. Additionally, in the event MoDOT exercises its option(s) to renew the contract, the requirements for future months shall remain the same. The contractor shall understand and agree MHTC does not automatically grant a price increase at the time of renewing the contract. In the event a price increase is granted due to an approved escalation, the renewal percentage shall be based upon the current contract value.
- b. Escalation Clause - In the event the contractor requests a price increase during the renewal period, the contractor must provide a written request and documentation justifying the need for a price increase, and the amount of such price increase. MoDOT will review the contractor's written request and documentation for a price increase, and decide if a price increase is to be granted at that particular time. No price increase shall be granted during the first 3 months of the contract period.

## 2. Quantities

- 2.1 MoDOT does not have estimated quantities.
- 2.2 MoDOT does not guarantee any specific quantities that may be required to be provided by the contractor. Bidders should submit pricing for an as needed, if needed basis.
- 2.3 Purchase orders will be issued on an as needed basis.

## 3. Specifications

The Traffic Cones (**Category 1**) and Traffic Drum-Like Channelizers (**Category 2**) offered by the bidder must comply with specifications MGS-93-06F and MGS-93-04D accordingly. A copy of the specifications is attached to the bid documents for reference. The bidder will also be required to submit a copy of the reflective sheeting certification statements for both items.

## 4. Delivery

- 4.1 The contractor shall deliver Traffic Cones and Traffic Drum-Like Channelizers, as specified herein, to all MoDOT districts located throughout the state as identified by each order. *See attached district map.*
- 4.2 Deliveries must be within 2 to 3 weeks after receipt of purchase order.
- 4.3 In the event the vendor does not expect to meet the contract delivery date and time requirements, the ordering district should be notified of the delay.

## 5. Cost Determination

The low bid shall be determined by adding the bidder's line items within each range of the products listed on the pricing page. The totals from the ranges of each item will be added together for each bidder to obtain a Grand Total and determine the lowest bid.

## 6. Invoicing and Payment Requirements

- 6.1 The contractor shall submit an itemized invoice to the applicable requesting address for the completion of deliverables, as specified herein.
- 6.2 The contractor shall be paid in accordance with the firm, fixed prices stated on the pricing page of this document after completion of deliverables specified herein and acceptance by MoDOT.



**PRICING PAGE**

The bidder shall provide firm, fixed prices to MHTC as stated on the PRICING PAGES in accordance with the terms of this Request for Bid. **All costs associated with providing the required deliverables shall be included in the prices, including freight.**

<b>CATEGORY 1: Traffic Cones and Related Items</b>					
<b>Item #</b>	<b>Model/Type &amp; Manufacturer</b>	<b>Description</b>	<b>Original Contract Period Firm, Fixed Price Per Item 1-200 Ordered</b>	<b>Original Contract Period Firm, Fixed Price Per Item 201+ Ordered</b>	<b>Extended Total</b>
001	28" Height Polyvinyl Traffic Cones		\$	\$	\$
002	28" Height-ReflectORIZED Permanently Installed Polyvinyl Traffic Cones		\$	\$	\$
003	7 Pound Base Weights for 28" Height Polyvinyl Traffic Cones		\$	\$	\$
<b>TOTAL:</b>					

**State the Minimum Qty for Each Order:**      **Traffic Cones:** \_\_\_\_\_

**CATEGORY 2: Traffic Drum-Like Channelizers and Related Items**

Item #	Model/Type & Manufacturer	Description	Original Contract Period Firm, Fixed Price Per Item 1-200 Ordered	Original Contract Period Firm, Fixed Price Per Item 201+ Ordered	Extended Total
004		Flexible, Non-Metallic Drum-Like Channelizers w/Hollow Base Ballast, Flat Exterior-Mounted Ballast, or Solid Weighted Bottom Ballast.	\$	\$	\$
005		<b>IF</b> Submitting a Bid for the Above Channelizer w/a Flat Exterior-Mounted Fit Flexible Ring, the bidder SHALL submit a bid for an additional flat exterior-mounted ring to allow MoDOT to add extra weight to the channelizer. COST DETERMINATION FOR THIS TYPE OF DRUM will be determined by adding one (1) of item 004 and one (1) of item 005 to make a complete unit price. If Bidder is submitting a bid for this type of drum, and does not submit price for this ring, the Bidder <i>will not be considered</i> for award of this category.	\$	\$	\$
<b>TOTAL:</b>					

**State the Minimum Qty for Each Order: Traffic Drum-Like Channelizers: \_\_\_\_\_**

**Flat Exterior-Mounted Fit Flexible Rings for Barrels: \_\_\_\_\_**

In the event that MHTC exercises its options to renew the contract for three (3) additional one-year periods pursuant to the applicable provisions outlined in this document, the Bidder shall provide below the maximum percentage of increase or maximum percentages of decrease for each renewal period. The percentages shall be computed against the current contract prices during renewal periods. Furthermore, the Bidder is advised that the MHTC does not automatically grant increases at the time of renewing the contract and that if an increase is requested, documentation of need must be provided at the time of renewal.

**1<sup>st</sup> Renewal Period**      \_\_\_\_\_ % of maximum increase and/or      \_\_\_\_\_ % of maximum decrease

**2<sup>nd</sup> Renewal Period**      \_\_\_\_\_ % of maximum increase and/or      \_\_\_\_\_ % of maximum decrease

**3<sup>rd</sup> Renewal Period**      \_\_\_\_\_ % of maximum increase and/or      \_\_\_\_\_ % of maximum decrease

Signature: \_\_\_\_\_

Title: \_\_\_\_\_

## VENDOR INFORMATION & PREFERENCE CERTIFICATION FORM

### Vendor Information

All bidders must furnish **ALL** applicable information requested below

<b>Vendor Name/Mailing Address:</b>  Email Address:	<b>Vendor Contact Information (including area codes):</b> Phone #: Cellular #: Fax #:						
<b>Printed Name of Responsible Officer or Employee:</b>	<b>Signature:</b>						
<b>For Corporations</b> - State in which incorporated:	<b>For Others</b> - State of domicile:						
If the address listed in the Vendor Name/Mailing Address block above is not located in the State of Missouri, list the address of Missouri offices or places of business:  If additional space is required, please attach an additional sheet and identify it as <b><u>Addresses of Missouri Offices or Places of Business.</u></b>							
<b>M/WBE INFORMATION:</b> List all certified Minority or Women Business Enterprises ( <b><u>M/WBE</u></b> ) utilized in the fulfillment of this bid. Include <u>percentages</u> for subcontractors and identify the M/WBE certifying agency:  <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 33%;"><u>M/WBE Name</u></td> <td style="text-align: center; width: 33%;"><u>Percentage of Contract</u></td> <td style="text-align: center; width: 33%;"><u>M/WBE Certifying Agency</u></td> </tr> <tr> <td style="border-top: 1px solid black; height: 20px;"></td> <td style="border-top: 1px solid black; height: 20px;"></td> <td style="border-top: 1px solid black; height: 20px;"></td> </tr> </table> If additional space is required, please attach an additional sheet and identify it as <b><u>M/WBE Information</u></b>		<u>M/WBE Name</u>	<u>Percentage of Contract</u>	<u>M/WBE Certifying Agency</u>			
<u>M/WBE Name</u>	<u>Percentage of Contract</u>	<u>M/WBE Certifying Agency</u>					

### Preference Certification

All bidders must furnish **ALL** applicable information requested below

<b>GOODS/PRODUCTS MANUFACTURED OR PRODUCED IN USA:</b> If any or all of the goods or products offered in the attached bid which the bidder proposes to supply to the MHTC are <b>not</b> manufactured or produced in the "United States", or imported in accordance with a qualifying treaty, law, agreement, or regulation, list below, by item or item number, the country other than the United States where each good or product is manufactured or produced.	
Item (or item number)	Location Where Item is Manufactured or Produced
If additional space is required, please attach an additional sheet and identify it as <b><u>Location Products are Manufactured or Produced.</u></b>	
<b>MISSOURI SERVICE-DISABLED VETERAN BUSINESS:</b> Please complete the following if applicable. Additional information may be requested if preference is applicable. See below definitions for qualification criteria:  <b>Service-Disabled Veteran</b> is defined as any individual who is disabled as certified by the appropriate federal agency responsible for the administration of veterans' affairs.  <b>Service-Disabled Veteran Business</b> is defined as a business concern: <ol style="list-style-type: none"> <li>a. Not less than fifty-one (51) percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than fifty-one (51) percent of the stock of which is owned by one or more service-disabled veterans; and</li> <li>b. The management and daily business operations of which are controlled by one or more service-disabled veterans.</li> </ol>	
<u>Veteran Information</u>	<u>Business Information</u>
Service-Disabled Veteran's Name (Please Print)	Service-Disabled Veteran Business Name
Service-Disabled Veteran's Signature	Missouri Address of Service Disabled Veteran Business

**COOPERATIVE PROCUREMENT**

The Department is interested in assisting Missouri counties, cities, special road districts, etc. in purchasing equipment, various materials and supplies that meet the Missouri Department of Transportation specifications.

Each bidder is asked to indicate below whether they would be willing to offer **Traffic Cones & Traffic Drum-Like Channelizers** listed in the attached "Request for Bid RFB 2-141202DP" for sale to these local political entities at the same bid price offered to this Department.

It is understood the Department will not issue purchase orders, accept delivery nor make payment for these items ordered by any of these agencies. It is further understood the price is based on the **Traffic Cones & Traffic Drum-Like Channelizers** meeting the Department specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities or other political entities.

**YES** \_\_\_\_\_

**NO** \_\_\_\_\_

If the price varies throughout the state on Department bids because of different delivery destinations, please indicate the price f.o.b. your location that would be offered as described.

F.O.B. Location \_\_\_\_\_

Indicate the deadline date that orders will be accepted. \_\_\_\_\_

COMPANY NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PHONE NUMBER \_\_\_\_\_

SIGNATURE \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

(Each vendor must complete the appropriate sections of this form and submit with their bid.)



## TRAFFIC CONES MGS-93-06F

**1.0 DESCRIPTION.** This specification covers traffic cones for department work.

**1.1** Unless otherwise stated, specification section references are from the version, in effect at the time of this order, of the Missouri Standard Specifications for Highway Construction and its supplements.

### **2.0 MATERIALS.**

**2.1 General.** Traffic cones shall be constructed of polyvinyl chloride, and shall be fluorescent red-orange in color.

**2.1.1** The cones may be either molded in one piece or the upper conical portion shall be permanently fused and joined to the base section forming one integral unit.

**2.1.2** The cones shall be capable of nesting neatly and be easily separated when stacked.

### **2.2 Twelve (12) Inch Traffic Cones.**

**2.2.1 Base.** The base shall be square and shall have a minimum dimension of 8 1/4 inches on each side.

**2.2.2 Cone.** The cone shall comply with the following dimensions:

Top wall thickness, inch, min.	0.065
Bottom wall thickness, inch, min.	0.10

**2.2.3** The complete unit (base and cone) shall have a minimum weight of 1 1/4 pounds and shall have a minimum height of twelve (12) inches.

### **2.3 Twenty-Eight (28) Inch Traffic Cones.**

**2.3.1 Base.** The base shall be square and shall have a minimum dimension of 14 inches on each side.

**2.3.1.1** The base shall be weighted to provide a low center of gravity for maximum stability. The weight of the base shall be at least 60 percent of the total weight of the cone.

**2.3.2 Cone.** The cone shall comply with the following dimensions:

Outside diameter at base, inches, min.	10
Outside diameter at top, inches, min.	2
Wall thickness 1 inch below the top, inch, min.	0.075
Wall thickness 1 inch above the base, inch, min.	0.10

**2.3.3** The cone must be self-supporting with no appreciable slump or sag after four hours exposure at a temperature of 150° F.

**2.3.4** After four hours exposure at a temperature of 10° F, the cones must withstand a 180° bend with no evidence of cracking, splitting, breaking, or other distress. This test shall be made immediately upon removal of the specimen from the temperature chamber.

**2.3.5** The cone, when placed in its normal position on a flat surface and folded at a point near the middle of its vertical height so that the upper tip touches the surface on which the base is resting, will return to its original vertical position within 20 seconds. The cone should be at ambient room temperature when tested.

**2.3.6** The opening at the top of the cone shall be reinforced with a bead or lip to prevent tearing.

**2.3.7** The complete unit (base and cone) shall have a minimum weight of 7 pounds and shall have a minimum height of twenty-eight (28) inches.

#### **2.4 Twenty-Eight (28) Inch Traffic Cones with Retroreflective Marking.**

**2.4.1** Twenty-eight (28) inch traffic cones with retroreflective marking shall meet the requirements specified in Section 2.3 of this specification.

**2.4.2** The cones shall be applied with reflective sheeting meeting either Type 4 or 5 and Supplemental Requirements, Section S2 of ASTM D4956.

**2.4.3** Retroreflectorization of cones shall be provided by a minimum 6 inch wide white band placed a minimum of 3 inches but not more than 4 inches from the top of the cone. An additional 4 inch wide white band shall be placed a minimum of 2 inches below the 6 inch band.

**3.0 ORDERING INFORMATION.** The type of cone is to be as shown in the order.

**4.0 CERTIFICATION.** The supplier shall submit a manufacturer's certification at destination certifying that the cones, and retroreflective sheeting if being furnished, is in accordance with all requirements of these specifications. The certification shall include specific results for the properties specified herein.

**5.0 ACCEPTANCE.** Acceptance of traffic cones will be based on a satisfactory manufacturer's certification, visual inspection, and any tests deemed necessary by the department. If testing is required, samples will be taken at the destination.



## DRUM-LIKE CHANNELIZERS MGS-93-04D

**1.0 DESCRIPTION.** This specification covers drum-like channelizers.

### **2.0 MATERIALS.**

**2.2 GENERAL.** Channelizers shall be manufactured from a non-metallic material compounded to meet the requirements of this specification. The channelizer shall be a two-piece (drum portion and ballast portion) design capable of being securely fastened together in such a manner as to prevent accidental separation from air turbulence created by such things as passing trucks or normal winds. Channelizer seams shall be equal in strength to the rest of the channelizer. Channelizers shall exhibit good workmanship and shall be free of objectionable marks or defects that affect appearance or serviceability. The brand name or model number shall be clearly visible on the channelizer for identification.

**2.2.1 DRUM.** The drum portion shall be pigmented and molded of a Highway Orange color throughout and stabilized against fading by ultra-violet or other light rays by the incorporation of adequate inhibitors. The drum shall be circular in shape with a closed top and shall be approximately 36 inches high and a minimum of 18 inches in diameter at the narrowest point. The top surface of the channelizer, including any recessed areas, shall be designed to drain. The drum shall be augmented with alternating orange and white (four total), six-inch wide retroreflective markings applied to the drum in a horizontal and circumferential manner and separated by no more than two inches. The retroreflective markings shall be manufactured of reboundable Type III sheeting in accordance with ASTM D 4956, including Supplemental Requirement Section S2, and designed for use on flexible channelizers.

**2.2.2 BALLAST.** The ballast portion shall comply with one of the following designs:

a) A hollow base capable of containing up to 50 pounds of loose dry sand. Hollow base ballasts shall be capable of being filled and sealed to retain the ballast material and shall have a handle(s) such that the ballast portion could be moved by hand.

b) A flat exterior-mounted flexible ring that rests on the ground when installed on the drum. The ballast shall weigh approximately 25 pounds and shall not exceed 36 inches outside diameter.


c) A solid weighted bottom to which the drum portion is attached. The solid weighted bottom shall weigh  $40 \pm 2.5$  pounds and shall not exceed 30 inches in outside diameter.

**3.0 QUALIFICATION.** Acceptable drum-like channelizer brands and models are specified on MoDOT's "Qualified Flexible Non-Metallic Drum-Like Channelizers" list or shall have received NTPEP test results indicating less than 5% distress, less than 5% sheeting damage, complete restackability, and no instances of a channelizer or the ballast being lodged under the vehicle.

**4.0 CERTIFICATION.** The manufacturer shall provide written certification indicating the drum-like channelizers are in accordance with the requirements of NCHRP 350, Test Level 3 and with this specification.

**5.0 BASIS OF ACCEPTANCE.** Acceptance of drum-like channelizers will be by certification and testing for compliance with this specification.

# Missouri Department of Transportation District Map



County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.	County	No. Dist.						
Adair	1	NE	Chariton	21	NW	Harrison	41	NW	Macon	61	NE	Phelps	81	C	Shannon	101	SE
Andrew	2	NW	Christian	22	SW	Henry	42	SW	Madison	62	SE	Pike	82	NE	Shelby	102	NE
Atchison	3	NW	Clark	23	NE	Hickory	43	SW	Maries	63	C	Platte	83	KC	Stoddard	103	SE
Audrian	4	NE	Clay	24	KC	Holt	44	NW	Marion	64	NE	Polk	84	SW	Stone	104	SW
Barry	5	SW	Clinton	25	NW	Howard	45	C	Mercer	65	NW	Pulaski	85	C	Sullivan	105	NW
Barton	6	SW	Cole	26	C	Howell	46	SE	Miller	66	C	Putnam	86	NW	Taney	106	SW
Bates	7	SW	Cooper	27	C	Iron	47	SE	Mississippi	67	SE	Ralls	87	NE	Texas	107	SE
Benton	8	SW	Crawford	28	C	Jackson	48	KC	Moniteau	68	C	Randolph	88	NE	Vernon	108	SW
Bollinger	9	SE	Dade	29	SW	Jasper	49	SW	Monroe	69	NE	Ray	89	KC	Warren	109	NE
Boone	10	C	Dallas	30	SW	Jefferson	50	SL	Montgomery	70	NE	Reynolds	90	SE	Washington	110	C
Buchanan	11	NW	Daviess	31	NW	Johnson	51	KC	Morgan	71	C	Ripley	91	SE	Wayne	111	SE
Butler	12	SE	Dekalb	32	NW	Knox	52	NE	New Madrid	72	SE	St. Charles	92	SL	Webster	112	SW
Caldwell	13	NW	Dent	33	C	Laclede	53	C	Newton	73	SW	St. Clair	93	SW	Worth	113	NW
Callaway	14	C	Douglas	34	SE	Lafayette	54	KC	Nodaway	74	NW	St. Francois	94	SE	Wright	114	SE
Camden	15	C	Dunklin	35	SE	Lawrence	55	SW	Oregon	75	SE	Ste. Genevieve	95	SE	St. Louis City	115	SL
Cape Girardeau	16	SE	Franklin	36	SL	Lewis	56	NE	Osage	76	C	St. Louis	96	SL			
Carroll	17	NW	Gasconade	37	C	Lincoln	57	NE	Ozark	77	SE	Saline	97	KC			
Carter	18	SE	Gentry	38	NW	Linn	58	NW	Pemiscot	78	SE	Schuyler	98	NE			
Cass	19	KC	Greene	39	SW	Livingston	59	NW	Perry	79	SE	Scotland	99	NE			
Cedar	20	SW	Grundy	40	NW	McDonald	60	SW	Pettis	80	KC	Scott	100	SE			



6/27/2011

**Missouri Highways and Transportation Commission**  
**Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions**

**STANDARD SOLICITATION PROVISIONS**

- a. The solicitation for the procurement of the supplies referenced therein, to which these "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" are attached, is being issued under, and governed by, the provisions of Title 7 – Missouri Department of Transportation, Division 10 – Missouri Highways and Transportation Commission, Chapter 11 – Procurement of Supplies, of the Code of State Regulations. The Missouri Highways and Transportation Commission (**MHTC**), acting by and through its operating arm, the Missouri Department of Transportation (**MoDOT**), draws the Bidder's attention to said 7 CSR 10-11 for all the provisions governing solicitation and receipt of bids/quotes and the award of the contract pursuant to this solicitation.
- b. All bids/quotes must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.

**GENERAL TERMS AND CONDITIONS**

**Definitions**

Capitalized terms as well as other terms used but not defined herein shall have the meaning assigned to them in section 7 CSR 10-11.010 Definition of Terms.

**Nondiscrimination**

- a. The Contractor shall comply with all state and federal statutes applicable to the Contractor relating to nondiscrimination, including, but not limited to, Chapter 213, RSMo; Title VI and Title VII of Civil Rights Act of 1964 as amended (42 U.S.C. Sections 2000d and 2000e, *et seq.*); and with any provision of the "Americans with Disabilities Act" (42 U.S.C. Section 12101, *et seq.*).
- b. **Sanctions for Noncompliance:** In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MHTC shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
  - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or,
  - ii. cancellation, termination or suspension of the contract, in whole or in part.

**Contract/Purchase Order**

- a. By submitting a bid/quote, the Bidder agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's bid response, and (3) the MHTC's acceptance of the bid by post-award contract or purchase order.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized notice to proceed and/or purchase order.

**Applicable Laws and Regulations**

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri, Missouri Department of Revenue, and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MHTC a copy of their current Authority Certificate from the Secretary of State of the State of Missouri and/or a copy of their Certificate of No Tax Due from the Missouri Department of Revenue.
- c. Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MHTC a copy of their current Transient Employer Certificate from the Missouri Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.

**Executive Order:**

The Contractor shall comply with all the provisions of Executive Order 07-13, issued by the Honorable Matt Blunt, Governor of Missouri, on the sixth (6<sup>th</sup>) day of March, 2007. This Executive Order, which promulgates the State of Missouri's position to not tolerate persons who contract with the state engaging in or supporting illegal activities of employing individuals who are not eligible to work in the United States, is incorporated herein by reference and made a part of this Agreement.

- 1) "By signing this Agreement, the Contractor hereby certifies that any employee of the Contractor assigned to perform services under the contract is eligible and authorized to work in the United States in compliance with federal law."
- 2) In the event the Contractor fails to comply with the provisions of the Executive Order 07-13, or in the event the Commission has reasonable cause to believe that the contractor has knowingly employed individuals who are not eligible to work in the United States in violation of federal law, the Commission reserves the right to impose such contract sanctions as it may determine to be appropriate, including but not limited to contract cancellation, termination or suspension in whole or in part or both.
- 3) The Contractor shall include the provisions of this paragraph in every subcontract. The Contractor shall take such action with respect to any subcontract as the Commission may direct as a means of enforcing such provisions, including sanctions for noncompliance.

**Preferences**

- a. In the evaluation of bids/quotes, preferences shall be applied in accordance with 7 CSR 10-11.020(7). Contractors should apply the same preferences in selecting subcontractors. The attached document entitled "**VENDOR INFORMATION AND PREFERENCE CERTIFICATION FORM**" must be completed and returned with the solicitation documents.
- b. Bidders are encouraged to obtain minority business enterprise (MBE) and women business enterprise (WBE) participation in this work through the use of subcontractors, suppliers, joint ventures, or other arrangements that afford meaningful participation for M/WBEs. Bidders are encouraged to obtain 10% MBE and 5% WBE participation.

**Missouri Highways and Transportation Commission**  
**Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions**

**Cancellation of Contract**

The MHTC may cancel the Contract at any time for a material breach of contractual obligations or for convenience by providing Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of cancellation sent to the Contractor.

**Bankruptcy or Insolvency**

Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntarily, or upon the appointment of a receiver, trustee, or assignee, for the benefit of creditors, the Commission reserves the right and sole discretion to either cancel the Agreement or affirm the Agreement and hold the Contractor responsible for damages.

**Warranty**

The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by the MHTC, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.

**Status of Independent Contractor**

The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

**Non-Waiver**

If one of the parties agrees to waive its right to enforce any term of this Contract, that party does not waive its right to enforce such term at any other time or to enforce any or all other terms of this Contract.

**Indemnification**

The Contractor shall defend, indemnify and hold harmless MHTC, including its members and department employees, from any claim or liability whether based on a claim for damages to real or personal property or to a person for any matter relating to or arising out of the Contractor's performance of its obligations under the contract awarded pursuant to this solicitation.

**Missouri Highways and Transportation Commission  
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions**

**SPECIAL TERMS AND CONDITIONS**

**Delivery – Additional Requirements**

- a. The following days shall be construed as **official holidays** under the terms of the contract:

January 1	New Year's Day
Third Monday in January	Martin Luther King, Jr.'s Birthday
February 12	Lincoln's Birthday
Third Monday in February	Washington's Birthday
May 8	Truman's Birthday
Last Monday in May	Memorial Day
July 4	Independence Day
First Monday in September	Labor Day
Second Monday in October	Columbus Day
November 11	Veteran's Day
Fourth Thursday in November	Thanksgiving Day
December 25	Christmas Day

- b. When any of the above **holidays falls** on a **Sunday**, the holiday will be observed on the following **Monday**; when any of the above **holidays falls** on a **Saturday**, the **holiday** will be observed on the immediately preceding **Friday**.
- c. Contractor will not be required to provide dozers, loaders, motor graders, or other equipment for shaping of stockpiles, constructing ramps or runways, or leveling of the top of a completed lift, unless otherwise noted herein.