

ADDENDUM 001

REQUEST FOR BID *Spring Aggregate* **RFB # 2-161122RW**

Bidders should acknowledge receipt of Addendum 001 (ONE) by signing and including it with the original bid. The due date for receipt of bids **is NOT changed by this Addendum and remains at 2:00 p.m. Central Time, November 22, 2016**. All other terms and conditions remain unchanged and in full force.

Name and Title of Signer (Print or type)	Name and Title of Department Authority Robin Warren Sr. General Services Specialist
Bidder/Offeror Signature _____ (Signature of person authorized to sign)	Department of Transportation <i>Robin Warren</i> _____ (Authorizing Signature)
Date Signed:	Date Signed: November 9, 2016

Attached is an updated bid specification page for the Northwest District, with an update to Spec. 6B.



NORTHWEST DISTRICT SPECIFICATIONS

Spec. 3 Aggregate for Surfacing--**Section 1006: Grade A or B**

NOTE: Type 1 Aggregate for Base will not be accepted for Spec. 3 materials

Spec. 4 Aggregate for Seal Coats—**Section 1003: Grade C**

Spec. 6B Manufactured Sand Only: Sec. 1005.3 Fine Aggregate; or Sec. 1002.3 Fine Aggregate Meeting the following gradation requirements:

Sieve	3/8"	No. 4	No. 200
% Passing	100	85-100	0-8

Spec. 8 Aggregate for Base--**Section 1007: Type 1**