

NOTES:

1. STUD FRAMING DESIGNED FOR 40 P.S.F. PER AASHTO 3.15.2.2
2. ALL STUDS TO BE 3 5/8" x 1 5/8" x 16 GA. GALV. CEE STUDS UNLESS NOTED OTHERWISE
3. ALL TRACK TO BE 3 5/8" x 1 1/4" x 16 GA. GALV. UNLESS NOTED OTHERWISE
4. ALL TUBE STEEL TO BE 3 1/2" x 3 1/2" x 11 GA. GALV. UNLESS NOTED OTHERWISE
4. REFER TO COLUMN SCHEDULE FOR PANEL LENGTH & STRAP LOCATIONS

LEGEND



* BY OTHERS (Furnished & Installed)

A BY ADVANTAGE (Furnished ONLY)







BrickWal - color SUMMITVILLE M10

EnduraWal II - color FS#10612 (match PPG 414-3 TAN)

BRIDGE #	COLUMN #	OVERALL HEIGHT	STEEL HEIGHT	BOTTOM OF STRAPS		
				LOWER STRAP	MIDDLE STRAP	UPPER STRAP
A-6204	1	10'-11 3/4"	10'-3 3/4"	1'-1 7/8"	4'-10 3/8"	9'-5 3/4"
A-6204	2	9'-1 3/4"	8'-5 3/4"	1'-2 1/8"	3'-11 1/2"	7'-8"
A-6204	3	10'-5 7/8"	9'-9 7/8"	1'-2"	4'-8"	8'-11 5/8"
A-6204	4	10'-1 3/8"	9'-5 3/8"	1'-2"	4'-5 1/2"	8'-7 1/4"
A-6204	5	11'-0 3/4"	10'-4 3/4"	1'-2 1/8"	4'-11 1/4"	9'-6 9/16"
A-6204	6	10'-5 3/4"	9'-9 3/4"	1'-2"	4'-7 3/8"	8'-11 7/8"
A-6204	7	10'-10 7/8"	10'-2 7/8"	1'-2"	4'-9 7/8"	9'-4 7/8"
A-6204	8	10'-6 3/8"	9'-10 3/8"	1'-1 7/8"	4'-7 7/8"	9'-0 3/16"
A-6205	1	8'-10 3/4"	8'-2 3/4"	1'-1 3/4"	3'-10 1/4"	7'-4 7/8"
A-6205	2	8'-10 1/2"	8'-2 1/2"	1'-2"	3'-10 3/16"	7'-4 1/2"
A-6205	3	13'-6 3/8"	12'-10 3/8"	1'-1 3/4"	6'-4 5/8"	12'-0 3/16"
A-6205	4	13'-3 1/2"	12'-7 1/2"	1'-1 7/8"	6'-0 1/2"	11'-9 3/8"
A-6205	5	16'-8 1/4"	16'-0 1/4"	1'-1 3/4"	6'-6"	15'-2 1/4"
A-6205	6	16'-4"	15'-8"	1'-2 1/8"	7'-6 9/16"	14'-10"
A-6205	***7***	18'-0 7/8"	17'-4 7/8"			
A-6205	***8***	18'-1 3/8"	17'-5 3/8"			
A-6206	1	8'-7 3/4"	7'-11 3/4"	1'-2"	3'-9 1/16"	7'-1 5/8"
A-6206	***2***	8'-8"	8'-0"			
A-6206	3	10'-2"	9'-6"	1'-2 1/8"	4'-6 3/16"	8'-7 5/8"
A-6206	4	10'-6 1/4"	9'-10 1/4"	1'-1 5/8"	4'-8 1/8"	8'-11 15/16"
A-6206	5	11'-7 1/8"	10'-11 1/8"	1'-1 7/8"	5'-2 5/8"	10'-1"
A-6206	6	11'-9 7/8"	11'-1 7/8"	1'-2 3/16"	5'-3 1/2"	10'-3 3/4"
A-6206	7	11'-9"	11'-1"	1'-1 15/16"	5'-1"	10'-3"
A-6206	8	11'-6 1/2"	10'-10 1/2"	1'-1 7/8"	5'-2"	10'-0 3/8"



FOR INFORMATION ONLY



NOTE:
THE SIZE AND LOCATION OF ALL OPENINGS IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR. ALL OPENINGS, WHETHER CUT BY ADVANTAGE OR NOT MUST BE SHOWN ON APPROVED SHOP DRAWINGS AND REVIEWED BY ADVANTAGE ENGINEERING DEPARTMENT FOR STRUCTURAL ADEQUACY. OPENINGS TO BE FURNISHED WITH RETURN OF FIRST SUBMITTAL OF SHOP DRAWINGS.

ALL SIGNED APPROVED DRAWINGS MUST BE RETURNED TO ADVANTAGE BY mm-08-xx ANY LATER DATE OF RETURN MAY DELAY DELIVERY DATE OF UNITS AND/OR PANELS.

SYMBOLS:

- DETAIL MARK
- Detailed Number
- SECTION MARK
- SECTION LETTER
- ELEVATION MARK
- ELEVATION NUMBER
- SHEET ELEVATION DRAWN ON
- UNIT NUMBER
- REVISION NUMBER
- MINERAL FIBER BOARD
- HOLD BACK
- PANEL
- STEEL
- TYPICAL
- STRUCTURAL LINE
- FASCIA LINE
- JOINT
- RETURN
- BY OTHERS (Furnished & Installed)
- BY ADVANTAGE (Furnished ONLY)
- SHOWS NOTES OR DIMENSIONS TO BE VERIFIED BY ARCHITECT AND/OR THE CONTRACTOR.
- CLOUD MUST BE INITIALED!!

The products hereon described will be manufactured in strict accordance with measurements shown on this drawing. Any deviation from the original drawings after approval of these drawings involving changes in the product being manufactured will be subject to additional charges. This drawing shall not be copied or reproduced in whole or in part without consent of ADVANTAGE Buildings & Extiors, Inc.

REV.	DESCRIPTION	DATE
0	ISSUED FOR APPROVAL	

ADVANTAGE
Buildings & Extiors, Inc.
8835 N. 31st Street, OK 74034-8838
Phone (818) 246-9955 Fax (818) 246-1076

PROJECT: I-70 NORTH ENHANCEMENTS
LOCATION: ST. LOUIS, MO
ARCHITECT: ARCHITECT
CONTRACTOR: MILLSTONE BANGERT, INC.

PROJECT NO: 03-384
1 OF 2
DRAWN BY: SH
DATE: 12-22-03