

Item # 1 -- Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Clark MODEL TMX15S, (Short Wheelbase model)

EACH \$ 28,635.00

Specification Note: Includes One Standard Battery and Single phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>3,000 lbs. @ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>7,908 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>18x7x12.12 drive/ 18x7x12.12 Steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) in Front &amp; One (1) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>Base Cap. 3,000 lbs./ 2,800 lbs.cap. @ 188"</u>
Length to Fork Face: (in)	<u>69.5"</u>
Width: (in.)	<u>40.3"</u>
Wheelbase (in)	<u>46"</u>
Turning Radius: (in)	<u>53.4"</u>
Gradeability @ 1mph loaded (%)	<u>40%</u>
Service Brake Type	<u>Foot applied, Disc</u>
Parking Brake Type	<u>Hand Lever actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>4,325 lbs. @ 5 (S2=5 min.)</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	\$729.00
Option 2	Extended Warranty Flexguard 36: FG 36-12/24/5,000 hours.	\$550.00
Option 3	Extended Warranty: Flexguard 48: FG-48-12/36/6,000 Hrs.	\$650.00
Option 4	Extended Warranty: Flexguard: 60-12/48/10,000 Hrs.	\$750.00
Option 5	Solid Pneumatic Drive tires	\$457.00
Option 6	Cold Storage with Heaters	\$250.00

OPTION	DESCRIPTION	Price
Option 7	Drive-In Rack Overhead guard	\$880.00
Option 8	Two Rear View Mirrors, (NOT available W/Drive-In OHG)	\$114.00
Option 9	Combination Rear Lights (Stop-Tail-Back-Up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	One Rear Work Light	\$139.00
Option 12	Audible B.U.Alarm Smart type	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit for Optional two functions attachments	\$1,190.00
Option 14	Side Shifter with Single Hosing Kit to operate	\$1,480.00
Option 15	Four Stage Upright 240"MFH/83"OHL/63"FL	\$575.00
Option 16	Four Stage Upright 270"MFH/93.5"OHL/70:FL	\$1,445.00
Option 17	Side shifting Fork Positioner. Requires above Double Aux. Valve & Double Hosing ABOVE	\$1,910.00
Option 18	Rotator with 42" forks, requires Double Aux. Valve & Double Hosing kit ABOVE	\$8,449.00
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark

MODEL TMX 15 (Long Wheelbase)

EACH \$ 31,360.00

Specification Note: Includes One Standard Battery

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>3,000 lbs. Basic capacity @ 24" Load center</u>
Volts	<u>36 volt</u>
Service Weight	<u>7,921 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>18x7x12.12 drive &amp; 18x7x12.12</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) in Front &amp; One (1) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>Base Cap. 3,000 lbs. / 2,950 lbs. @ 188"</u>
Length to Fork Face: (in)	<u>76.1"</u>
Width: (in.)	<u>40.3"</u>
Wheelbase (in)	<u>52.7"</u>
Turning Radius: (in)	<u>59.8"</u>
Gradeability @ 1mph loaded (%)	<u>40%</u>
Service Brake Type	<u>Foot Applied Disc</u>
Parking Brake Type	<u>Hand Lever actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>4,325 lbs. @ (S2-5 min.)</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty Flexguard 36: FG 36-12/24/5,000 hours.	\$550.00
Option 3	Extended Warranty: Flexguard 48: FG-48-12/36/6,000 Hrs.	\$650.00
Option 4	Extended Warranty: Flexguard: 60-12/48/10,000 Hrs.	\$750.00
Option 5	Solid Pneumatic Drive tires	\$457.00
Option 6	Cold Storage with Heaters	\$250.00

OPTION	DESCRIPTION	Price
Option 7	Drive-In Rack Overhead guard	\$880.00
Option 8	Two Rear View Mirrors, (NOT available W/Drive-In OHG)	\$114.00
Option 9	Combination Rear Lights (Stop-Tail-Back-Up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	One Rear Work Light	\$139.00
Option 12	Audible B.U.Alarm Smart type	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit for Optional two functions attachments	\$1,190.00
Option 14	Side Shifter with Single Hosing Kit to operate	\$1,480.00
Option 15	Four Stage Upright 240"MFH/83"OHL/63"FL	\$575.00
Option 16	Four Stage Upright 270"MFH/93.5"OHL/70:FL	\$1,445.00
Option 17	Side shifting Fork Positioner. Requires above Double Aux. Valve & Double Hosing ABOVE	\$1,910.00
Option 18	Rotator with 42" forks, requires Double Aux. Valve & Double Hosing kit ABOVE	\$8,449.00
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable (See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge, provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Clark

MODEL TMX-17

EACH \$ 32,008.00

Specification Note: Includes One Standard Battery & Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>3,500 lbs. @ 24" load center</u>
Volts	<u>36 volt</u>
Service Weight	<u>8,305 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>18x8x12.12 drive/18x7x12.12 Steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) in Front &amp; One (1) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>Base Cap. 3,500 lbs. /3,300 lbs. @ 188"</u>
Length to Fork Face: (in)	<u>76.1"</u>
Width: (in.)	<u>40.3"</u>
Wheelbase (in)	<u>52.7"</u>
Turning Radius: (in)	<u>59.8"</u>
Gradeability @ 1mph loaded (%)	<u>36%</u>
Service Brake Type	<u>Foot Applied , Disc</u>
Parking Brake Type	<u>Hand Lever &amp; actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>4,325 lbs. @ (S2-5 min.)</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty Flexguard 36: FG 36-12/24/5,000 hours.	\$550.00
Option 3	Extended Warranty: Flexguard 48: FG-48-12/36/6,000 Hrs.	\$650.00
Option 4	Extended Warranty: Flexguard: 60-12/48/10,000 Hrs.	\$750.00
Option 5	Solid Pneumatic Drive tires	\$457.00
Option 6	Cold Storage with Heaters	\$250.00

OPTION	DESCRIPTION	Price
Option 7	Drive-In Rack Overhead guard	\$880.00
Option 8	Two Rear View Mirrors, (NOT available W/Drive-In OHG)	\$114.00
Option 9	Combination Rear Lights (Stop-Tail-Back-Up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	One Rear Work Light	\$139.00
Option 12	Audible B.U.Alarm Smart type	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit for Optional two functions attachments	\$1,190.00
Option 14	Side Shifter with Single Hosing Kit to operate	\$1,480.00
Option 15	Four Stage Upright 240"MFH/83"OHL/63"FL	\$575.00
Option 16	Four Stage Upright 270"MFH/93.5"OHL/70:FL	\$1,445.00
Option 17	Side shifting Fork Positioner. Requires above Double Aux. Valve & Double Hosing ABOVE	\$1,910.00
Option 18	Rotator with 42" forks, requires Double Aux. Valve & Double Hosing kit ABOVE	\$8,449.00
Option 19		
Option 20		



Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: ~ % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first.Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 — Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Clark

MODEL TMX-20

EACH \$ 32,332.00

Specification Note: Includes One Standard & charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>4,000 lbs. @ 24" Load Center</u>
Volts	<u>36 Volt</u>
Service Weight	<u>8,964 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>18x8x12.12 drive &amp; 18x7x12.12 steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) in Front &amp; One (1) steer</u>
Max. Fork Height, Full Capacity: (in)	<u>Base Cap. 4,000 lbs. / 3,800 lbs. @ 188"</u>
Length to Fork Face: (in)	<u>76.1"</u>
Width: (in.)	<u>40.3"</u>
Wheelbase (in)	<u>52.7"</u>
Turning Radius: (in)	<u>59.8"</u>
Gradeability @ 1mph loaded (%)	<u>32%</u>
Service Brake Type	<u>Foot Applied Disc</u>
Parking Brake Type	<u>Hand Lever actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>4,325 lbs. @ (S2-5 min.)</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty Flexguard 36: FG 36-12/24/5,000 hours.	\$550.00
Option 3	Extended Warranty: Flexguard 48: FG-48-12/36/6,000 Hrs.	\$650.00
Option 4	Extended Warranty: Flexguard: 60-12/48/10,000 Hrs.	\$750.00
Option 5	Solid Pneumatic Drive tires	\$457.00
Option 6	Cold Storage with Heaters	\$250.00

OPTION	DESCRIPTION	Price
Option 7	Drive-In Rack Overhead guard	\$880.00
Option 8	Two Rear View Mirrors, (NOT available W/Drive-In OHG)	\$114.00
Option 9	Combination Rear Lights (Stop-Tail-Back-Up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	One Rear Work Light	\$139.00
Option 12	Audible B.U.Alarm Smart type	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit for Optional two functions attachments	\$1,190.00
Option 14	Side Shifter with Single Hosing Kit to operate	\$1,480.00
Option 15	Four Stage Upright 240"MFH/83"OHL/63"FL	\$575.00
Option 16	Four Stage Upright 270"MFH/93.5"OHL/70:FL	\$1,445.00
Option 17	Side shifting Fork Positioner. Requires above Double Aux. Valve & Double Hosing ABOVE	\$1,910.00
Option 18	Rotator with 42" forks, requires Double Aux. Valve & Double Hosing kit ABOVE	\$8,449.00
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.


FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 -- Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark MODEL TMX-25

EACH \$ 33,764.00

Specification Note: Includes One Standars Battery & Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>5,000 lbs. @ 24" Load Center</u>
Volts	<u>36 Volt</u>
Service Weight	<u>10,093 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>18x9x12.12 drive &amp; 18x7x12.12 Steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) Front &amp; One (1) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>Base Cap. 5,000 lbs./ 4,600 lbs. Cap. @ 187"</u>
Length to Fork Face: (in)	<u>76.1"</u>
Width: (in.)	<u>40.3"</u>
Wheelbase (in)	<u>52.7"</u>
Turning Radius: (in)	<u>61.9"</u>
Gradeability @ 1mph loaded (%)	<u>27%</u>
Service Brake Type	<u>Foot applied Disc</u>
Parking Brake Type	<u>Hand lever actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>4,325 lbs. (S2-5 min.)</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty Flexguard 36: FG 36-12/24/5,000 hours.	\$550.00
Option 3	Extended Warranty: Flexguard 48: FG-48-12/36/6,000 Hrs.	\$650.00
Option 4	Extended Warranty: Flexguard: 60-12/48/10,000 Hrs.	\$750.00
Option 5	Solid Pneumatic Drive tires	\$457.00
Option 6	Cold Storage with Heaters	\$250.00

OPTION	DESCRIPTION	Price
Option 7	Drive-In Rack Overhead guard	\$880.00
Option 8	Two Rear View Mirrors, (NOT available W/Drive-In OHG)	\$114.00
Option 9	Combination Rear Lights (Stop-Tail-Back-Up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	One Rear Work Light	\$139.00
Option 12	Audible B.U.Alarm Smart type	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit for Optional two functions attachments	\$1,190.00
Option 14	Side Shifter with Single Hosing Kit to operate	\$1,480.00
Option 15	Four Stage Upright 240"MFH/83"OHL/63"FL	\$575.00
Option 16	Four Stage Upright 270"MFH/93.5"OHL/70:FL	\$1,445.00
Option 17	Side shifting Fork Positioner. Requires above Double Aux. Valve & Double Hosing ABOVE	\$1,910.00
Option 18	Rotator with 42" forks, requires Double Aux. Valve & Double Hosing kit ABOVE	\$8,449.00
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable (See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge, provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



**Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

**MAKE** Clark

**MODEL** ECX-20 (4 wheel)

**EACH \$** 32,464.00

**Specification** Note: Includes One Standard Battery & Charger.

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>4,000 lbs. Base Cap. @ 24" Load Center</u>
Volts	<u>36 Volt</u>
Service Weight	<u>9,348 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>21x7x15 Drive &amp; 16x6x10.5 Steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) Drive &amp; Two (2) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>4,000 lbs. Base @ 24", 4,000 lbs.@189"</u>
Length to Fork Face: (in)	<u>82.8"</u>
Width: (in.)	<u>41.8"</u>
Wheelbase (in)	<u>53"</u>
Turning Radius: (in)	<u>70.2"</u>
Gradeability @ 1mph loaded (%)	<u>42%</u>
Service Brake Type	<u>Foot applied Drum &amp; Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>Meets or Exceeds ALL ANSI requirements</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty FlexGuard 36, FG36-12/24/5,000 Hrs.	\$600.00
Option 3	Extended Warranty FlexGuard 48, FG48-12/36/6,000 Hrs	\$750.00
Option 4	Extended Warranty FlexGuard 60, FG60-12/48/10,000 Hrs.	\$950.00
Option 5	Cold Storage W/Heater	\$355.00
Option 6	Drive-In Rack Overhead Guard	\$880.00



OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.


FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



**Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.**

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

**MAKE** Clark **MODEL** ECX-25

**EACH \$** 33,145.00

**Specification** Note: Includes One Standard Battery & Charger.

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>5,000 lbs. Base Cap. @ 24" Load Center</u>
Volts	<u>36 Volt</u>
Service Weight	<u>10,582 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>21x7x15 Drive &amp; 16x66x10.5steer</u>
Tire Type:	<u>Standard Cushion Solid</u>
Number of tires Front/Rear	<u>Two (2) Drive &amp; Two (2) steer</u>
Max. Fork Height, Full Capacity: (in)	<u>5,000 lbs.Base @ 24", 4,800 lbs.@ 189"</u>
Length to Fork Face: (in)	<u>86.2"</u>
Width: (in.)	<u>43.9"</u>
Wheelbase (in)	<u>53"</u>
Turning Radius: (in)	<u>72.6"</u>
Gradeability @ 1mph loaded (%)	<u>42%</u>
Service Brake Type	<u>Foot applied Drum &amp; Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>Meets or Exceeds ALL ANSI requirements</u>

**List any vendor-recommended options. Use additional sheets if necessary.**

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty FlexGuard 36, FG36-12/24/5,000 Hrs.	\$600.00
Option 3	Extended Warranty: FlexGuard 48, FG48-12/36/6,000 Hrs.	\$750.00
Option 4	Extended Warranty: FlexGuard 60, FG60-12/48/10,000 Hrs.	\$950.00
Option 5	Cold Storage W/Heater	\$355.00
Option 6	Drive-In Rack Overhead Guard	\$880.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark

MODEL ECX-30

EACH \$ 35,336.00

**Specification**

Note: Included One Standard Battery & Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>6,000 lbs. Base Cap. @ 24" Load Center</u>
Volts	<u>36 Volt</u>
Service Weight	<u>11,155 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>21x8x15 Drive &amp; 16x6x10.5 Steer</u>
Tire Type:	<u>Standard Cushion Solid Steer</u>
Number of tires Front/Rear	<u>Two (2) Drive &amp; Two (2) Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>6,000 lbs. Base Cap.@24", 5,700 lbs. 189"</u>
Length to Fork Face: (in)	<u>87.7"</u>
Width: (in.)	<u>43.9"</u>
Wheelbase (in)	<u>53"</u>
Turning Radius: (in)	<u>73.9"</u>
Gradeability @ 1mph loaded (%)	<u>36%</u>
Service Brake Type	<u>Foot applied Drum &amp; Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>N/A</u>
Transmission Type	<u>N/A</u>
Draw Bar Pull	<u>Meets or Exceeds ALL ANSI requires</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	Standard for this model
Option 2	Extended Warranty FlexGuard 36, FG36-12/24/5,000 Hrs.	\$600.00
Option 3	Extended Warranty, FlexGuard 48, FG48-36/6,000 Hrs.	\$750.00
Option 4	Extended Warranty, FlexGuard 60, FG60-12/48/10,000 Hrs	\$950.00
Option 5	Cold Storage W/Heater	\$355.00
Option 6	Drive-In Rack Overhead Guard	\$880.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)  
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.


FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature





Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

**MAKE** Toyota **MODEL** 8FBE15U

**EACH \$** 27,885.00

**Specification**

**Note:** Includes One Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>3000 lbs. basic capacity @ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>6636 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>18x7x12-1/8 Drive / 15x5x11-1/4 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>2800 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>72"</u>
Width: (in.)	<u>41.5"</u>
Wheelbase (in)	<u>51.6"</u>
Turning Radius: (in)	<u>58.3"</u>
Gradeability @ 1mph loaded (%)	<u>22%</u>
Service Brake Type	<u>Dual Mechanical Disc (foot operated)</u>
Parking Brake Type	<u>Pedal Type</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>2070 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See Attachment
Option 4		
Option 5		
Option 6		

**Optional Equipment**  
**(not included in this Quotation)**

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	_____
2. 18-85-17 Flooded Exide Titan no Cover 680AH - 2016 lbs.	\$5,641	_____
3. 3 Way Valve (With 3rd Function Hosing)	\$427	_____
4. 36V T110 HF 3 phase charger	\$2,211	_____
5. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,039	_____
6. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	_____
7. Cascade 36" Hang-on Sideshifter (Includes 3 Way Valve and 3rd Function Hosing)	\$883	_____
8. Cascade 36" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,011	_____
9. Fire Extinguisher (Including Bracket)	\$71	_____
10. Front Combination Lights	\$87	_____
11. LED Headlights	\$305	_____
12. LED Rear Combination Lights	\$290	_____
13. LED Rear Working Light	\$82	_____
14. Orange Seat Belt	\$57	_____
15. Rear Assist Grip with Horn Button	\$101	_____
16. Rear Combination Lights	\$153	_____
17. Rear View Mirrors (Left & Right Sides)	\$97	_____
18. Steering Wheel with Knob	\$20	_____
19. Strobe Light - Yellow	\$232	_____

\* Customer: please signify acceptance of an option by initialing in the space provided.

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

**Delivery will be made** Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

**Standard Warranty:** Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

**Extended Warranty:** Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductible  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductible , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductible, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductible, Cost per unit---\$1,503.00

*Company Name*

Forklifts of Central Mo., Inc.

*Signature*

Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Toyota MODEL 8FBE18U

EACH \$ 29,055.00

**Specification**

Note: Includes One Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>3500 lbs. basic capacity @ 24" Load Center</u>
Volts	<u>36</u>
Service Weight	<u>7011 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>18x7x12-1/8 Drive / 15x5x11-1/4 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>3100 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>74.4"</u>
Width: (in.)	<u>41.5"</u>
Wheelbase (in)	<u>51.6"</u>
Turning Radius: (in)	<u>60.6" outside</u>
Gradeability @ 1mph loaded (%)	<u>20%</u>
Service Brake Type	<u>Dual Mechanical Disc (foot operated)</u>
Parking Brake Type	<u>Pedal Type</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>2050 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See attachment
Option 4		
Option 5		
Option 6		

**Optional Equipment**  
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	_____
2. 18-85-17 Flooded Exide Titan no Cover 680AH - 2016 lbs.	\$5,641	_____
3. 3 Way Valve (With 3rd Function Hosing)	\$427	_____
4. 36V T110 HF 3 phase charger	\$2,211	_____
5. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,039	_____
6. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	_____
7. Cascade 36" Hang-on Sideshifter (Includes 3 Way Valve and 3rd Function Hosing)	\$883	_____
8. Cascade 36" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,011	_____
9. Fire Extinguisher (Including Bracket)	\$71	_____
10. Front Combination Lights	\$87	_____
11. LED Headlights	\$305	_____
12. LED Rear Combination Lights	\$290	_____
13. LED Rear Working Light	\$82	_____
14. Orange Seat Belt	\$57	_____
15. Rear Assist Grip with Horn Button	\$101	_____
16. Rear Combination Lights	\$153	_____
17. Rear View Mirrors (Left & Right Sides)	\$97	_____
18. Steering Wheel with Knob	\$20	_____
19. Strobe Light - Yellow	\$232	_____

\* Customer: please signify acceptance of an option by initialing in the space provided.

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

**Delivery will be made** Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

**Standard Warranty:** Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

**Extended Warranty:** Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductable , cost per unit----\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Toyota

MODEL 8FBE20U

EACH \$ 30,485.00

**Specification**

Note: Includes Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>4000 lbs. basic capacity @ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>7539 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>18x7x12-1/8 Drive / 15x5x11-1/4 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>3750 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>77.2"</u>
Width: (in.)	<u>41.5"</u>
Wheelbase (in)	<u>55.1"</u>
Turning Radius: (in)	<u>62.8"</u>
Gradeability @ 1mph loaded (%)	<u>18%</u>
Service Brake Type	<u>Dual Mechanical Disc (foot operated)</u>
Parking Brake Type	<u>Pedal Type</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>2050 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See Attachment
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

**Delivery will be made** Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

**Standard Warranty:** Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

**Extended Warranty:** Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

**Optional Extended Warranty**

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductable , cost per unit----\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature





**Optional Equipment**  
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	_____
2. 18-85-21 Flooded Exide Titan no Cover 850AH - 2414 lbs.	\$6,614	_____
3. 3 Way Valve (With 3rd Function Hosing)	\$427	_____
4. 36V T130 HF 3 phase charger	\$2,318	_____
5. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,039	_____
6. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	_____
7. Cascade 36" Hang-on Sideshifter (Includes 3 Way Valve and 3rd Function Hosing)	\$883	_____
8. Cascade 36" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,011	_____
9. Fire Extinguisher (Including Bracket)	\$71	_____
10. Front Combination Lights	\$87	_____
11. LED Headlights	\$305	_____
12. LED Rear Combination Lights	\$290	_____
13. LED Rear Working Light	\$82	_____
14. Orange Seat Belt	\$57	_____
15. Rear Assist Grip with Horn Button	\$101	_____
16. Rear Combination Lights	\$153	_____
17. Rear View Mirrors (Left & Right Sides)	\$97	_____
18. Steering Wheel with Knob	\$20	_____
19. Strobe Light - Yellow	\$232	_____

*\* Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

**MAKE** Toyota **MODEL** 8FBCU20

**EACH \$** 31,758.00

**Specification**

**Note:** Includes Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>4000 lbs. basic capacity @ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>9133 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>21x7x15 Drive / 16x5x10.5 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>3900 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>81.5"</u>
Width: (in.)	<u>41.9"</u>
Wheelbase (in)	<u>51"</u>
Turning Radius: (in)	<u>70.5 outside</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Pedal Type</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>3320 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See Attachment
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

**Delivery will be made** Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

**Standard Warranty:** Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

**Extended Warranty:** Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductible  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductible , cost per unit----\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductible, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductible, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



**Optional Equipment**  
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	_____
2. 12V Power Supply Harness Extension	\$38	_____
3. 18-085-25 Flooded Exide Titan HD no cover 1020AH - 2873 lbs.	\$7,760	_____
4. 3 Way Valve (With 3rd Function Hosing)	\$575	_____
5. 36V T150 HF 3 phase charger	\$2,404	_____
6. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,178	_____
7. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	_____
8. Cascade 36" Hang-on Sideshifter (Includes 3-Way Valve with 3rd Function Hosing)	\$1,012	_____
9. Cascade 36" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,278	_____
10. Fire Extinguisher (Including Bracket)	\$123	_____
11. Front Combination Lights	\$87	_____
12. Front LED Headlights	\$320	_____
13. LED Rear Combination Lights	\$290	_____
14. Orange Seat Belt	\$57	_____
15. Rear Combination Lights	\$153	_____
16. Rear View Mirrors - Left and Right Sides	\$97	_____
17. Rear Work Light	\$82	_____
18. Right Rear Assist with Horn Button	\$101	_____
19. Steering Wheel with Knob	\$20	_____
20. Strobe Light - Yellow	\$232	_____

*\* Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Toyota MODEL 8FBCU25

EACH \$ 33,015.00 =

**Specification**

Note: Includes Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>5000 lbs. basic capacity @ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>9838 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>21x7x15 Drive / 16x5x10.5 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>4850 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>84.5"</u>
Width: (in.)	<u>41.9"</u>
Wheelbase (in)	<u>51"</u>
Turning Radius: (in)	<u>70.9 outside</u>
Gradeability @ 1mph loaded (%)	<u>21%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Pedal Type</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>3290 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See Attachment
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options days after receipt of order (ARO)

Delivery will vary depending on model and options required. Also, when order placed.

**Standard Warranty:** Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

**Extended Warranty:** Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductable , cost per unit----\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



**Optional Equipment**  
**(not included in this Quotation)**

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	_____
2. 18-085-25 Flooded Exide Titan HD no cover 1020AH - 2873 lbs.	\$7,760	_____
3. 3 Way Valve (With 3rd Function Hosing)	\$575	_____
4. 36V T150 HF 3 phase charger	\$2,404	_____
5. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,178	_____
6. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	_____
7. Cascade 36" Hang-on Sideshifter (Includes 3-Way Valve with 3rd Function Hosing)	\$1,012	_____
8. Cascade 36" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,278	_____
9. Fire Extinguisher (Including Bracket)	\$123	_____
10. Front Combination Lights	\$87	_____
11. Front LED Headlights	\$320	_____
12. LED Rear Combination Lights	\$290	_____
13. Orange Seat Belt	\$57	_____
14. Rear Combination Lights	\$153	_____
15. Rear View Mirrors - Left and Right Sides	\$97	_____
16. Rear Work Light	\$82	_____
17. Right Rear Assist with Horn Button	\$101	_____
18. Steering Wheel with Knob	\$20	_____
19. Strobe Light - Yellow	\$232	_____

*\* Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 1 – Purchase of a new Electric Forklift 3,000 to 5,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

*If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.*

MAKE Toyota Optional MODEL 8FBCU30

EACH \$ 36,463.00

**Specification**

Note: Includes Standard Battery and Three Phase Charger

The forklift to be furnished under these specifications shall be electric minimum of 36 volts, and have a minimum load capacity of 3,000 lbs and not more than 5,000 lbs at 24-inch fork face to load center of gravity, designed for indoor use with approximate 42" forks. This unit shall be a sit down model. It shall be a complete high visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

**Vendor must complete the following for consideration of acceptable make and model.**

Load Capacity: lbs	<u>6000 lbs. basic capacity@ 24" load center</u>
Volts	<u>36</u>
Service Weight	<u>8890 lbs. with battery</u>
Wheels: Front/Rear: (x=driven)	<u>21x8x15 Drive / 16x6x10.5 Steer</u>
Tire Type:	<u>Cushion</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>5800 lbs. @ 187" without attachments</u>
Length to Fork Face: (in)	<u>89.6"</u>
Width: (in.)	<u>43.7"</u>
Wheelbase (in)	<u>54.7"</u>
Turning Radius: (in)	<u>77.2"</u>
Gradeability @ 1mph loaded (%)	<u>17%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Pedal Actuated</u>
Engine HP	<u>NA</u>
Transmission Type	<u>NA</u>
Draw Bar Pull	<u>3160 lbs.</u>

*List any vendor-recommended options. Use additional sheets if necessary.*

OPTION	DESCRIPTION	Price
Option 1	Three (3) phase battery charger to fully charge forklift	See Attachment
Option 2	Extended Warranty See Attachment / Extra Care	See Attachment
Option 3	See Attachment / Optional Equipment	See Attachment
Option 4		
Option 5		
Option 6		



Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options days after receipt of order (ARO)  
Delivery will vary depending on model and options required. Also, when order placed.

*Standard Warranty:* Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

*Extended Warranty:* Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable  
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight  
\$100.00 Deductable , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight  
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



**Optional Equipment**  
**(not included in this Quotation)**

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 12 Volt Power Supply	\$270	
2. 18-085-29 Flooded Exide Titan HD no Cover 1190AH - 3207 lbs.	\$8,904	
3. 3 Way Valve (With 3rd Function Hosing)	\$575	
4. 36V T90 HF 3 phase charger	\$2,176	
5. 4 Way Valve (With 3rd & 4th Function Hosing)	\$1,178	
6. Adjustable Volume Backup Alarm (Smart Alarm)	\$106	
7. Cascade 38" Hang-on Sideshifter (Includes 3-Way Valve with 3rd Function Hosing)	\$1,263	
8. Cascade 38" Integral Side Shifting Fork Positioner (Includes 4 Way Valve with 3rd and 4th Function Hosing)	\$2,591	
9. Fire Extinguisher (Including Bracket)	\$123	
10. Front Combination Lights	\$87	
11. Front LED Headlights	\$320	
12. LED Rear Combination Lights	\$290	
13. Orange Seat Belt	\$57	
14. Rear Combination Lights	\$153	
15. Rear View Mirrors - Left and Right Sides	\$97	
16. Rear Work Light	\$82	
17. Right Rear Assist with Horn Button	\$101	
18. Steering Wheel with Knob	\$20	
19. Strobe Light - Yellow	\$232	

*\* Customer: please signify acceptance of an option by initialing in the space provided.*